

VITAL STATISTICS OF THE UNITED STATES

1966

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

WILBUR J. COHEN, SECRETARY

PUBLIC HEALTH SERVICE

WILLIAM H. STEWART, SURGEON GENERAL

WASHINGTON: 1968

NATIONAL CENTER FOR HEALTH STATISTICS

THEODORE D. WOOLSEY, *Director*

PHILIP S. LAWRENCE, Sc.D., *Associate Director*

OSWALD K. SAGEN, Ph.D., *Assistant Director for Health Statistics Development*

WALT R. SIMMONS, M.A., *Assistant Director for Research and Scientific Development*

ALICE M. WATERHOUSE, M.D., *Medical Consultant*

JAMES E. KELLY, D.D.S., *Dental Advisor*

LOUIS R. STOLCIS, M.A., *Executive Officer*

DIVISION OF VITAL STATISTICS

ROBERT D. GROVE, Ph.D., *Director*

ROBERT A. ISRAEL, M.S., *Deputy Director*

ARTHUR A. CAMPBELL, *Special Assistant to the Director*

ROBERT A. ISRAEL, M.S., *Acting Chief, Mortality Statistics Branch*

ARTHUR A. CAMPBELL, *Acting Chief, Natality Statistics Branch*

ROBERT D. GROVE, Ph.D., *Acting Chief, Registration Methods Branch*

PATIENCE LAURIAT, M.A., *Chief, Marriage and Divorce Statistics Branch*

ARNE B. NELSON, M.A., *Chief, Vital Records Survey Branch*

ALICE M. HETZEL, *Chief, Statistical Resources Section*

VITAL STATISTICS OF THE UNITED STATES, 1966

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, cause of death, and by State. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by age of mother, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, period of gestation, birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and e_x^0 by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups and standard metropolitan statistical areas.

Section 8. Puerto Rico and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most characteristics shown in other sections of Volume II.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision -----	*

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-22	-29	-30	-31	-32	-36	-40	-41	-41	-42	-45	-46	-52	-53	-87	-92	-100	-162	
Geographic area:																											
Divisions-----										10 ¹	11	12	13	14			17										
States-----											11	12	13	14		16	17	18	19	20	21					26	
United States-----	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18 ²	19 ¹	20	21	22	23	24	25	26	
Years:																											
1900-1966-----	1 ³	2 ³								10 ⁴																	
1915-66-----																16 ⁵											
1957-66-----			3				7				11																
1964-66 (3-year average)-----																	17										
1966 only-----				4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	
Type of entry:																											
Age-adjusted rates-----		2				6																					
Number of deaths-----	1			4								12	13		15			18	19	20	21	22	23	24	25	26	
Percent distribution of deaths by cause-----					5																						
Death rates-----	1	2	3		5	6	7	8	9	10	11	12		14	15	16	17					22					
Characteristics:																											
Age-----			3	4				8	9			12			15											25	
10-year age groups---			3						9																		
5-year age groups---								8							15												
Single years of age after 84-----				4																							
Cause of death:																											
Each cause-----																						22					
Selected causes-----						6									15												
258 selected causes---																							23	24	25	26	
60 selected causes---							7	8	9			13	14														
15 leading causes---					5																						
Maternal causes only-															15	16	17										
Color-----	1 ⁶	2 ⁶	3 ⁶	4		6		8	9					15	16 ⁶	17			20		22					26	
Month-----																			19	20			23				
Race ⁶ -----																					21			24	25		
Sex-----	1 ⁷	2	3	4		6		8	9												20	21	22		24	25	26

¹Deaths by place of occurrence.

²Deaths by place of occurrence and place of residence.

³Entire United States for 1933-66; death-registration States for 1900-1932.

⁴Data by 5-year averages for 1900-1959 and by single years for 1960-66.

⁵Entire United States for 1933-66; birth-registration States for 1915-32. Data by 5-year averages for 1915-39 and by single years for 1940-66.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

⁷For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:													
Divisions-----						6	7						
Metropolitan and nonmetropolitan counties-----											11		
Population-size groups-----											11		
States-----						6	7	8	9				13
United States-----	1	2	3	4	5	6	7	8	9	10	11	12	13
Years:													
1915-66-----	1 ¹												
1957-66-----				4	5								
1962-66-----						6	7						
1966 only-----		2	3					8	9	10	11	12	13
Type of entry:													
Number of infant deaths-----								8	9	10	11	12	13
Infant mortality rates (per 1,000 live births)-----	1		3			6	7						
Infant mortality rates (per 100,000 live births)-----		2		4	5								
Characteristics:													
Age:													
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13
Under 28 days-----	1	2	3	4			7	8	9	10	11	12	13
28 days to 11 months-----			3							10		12	13
Detailed age groups (under 1 day-11 months)-----		2		4				8	9 ²			12	
Cause of death (55 selected causes)---					5					10	11	12	13
Color-----	1 ³	2		4 ³		6 ³	7 ³		9		11	12	13
Month-----									9	10			
Race-----			3					8					
Sex-----		2	3					8	9 ²			12	

¹ Entire United States for 1933-66; birth-registration States for 1915-32.

² For the United States only.

³ New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-18	-20	-22	-23	-24	-27
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties----						6											
Population-size groups----						6 ¹											
Selected areas-----			3 ²	4 ³													
States-----	1 ⁴						7	8 ⁵	9		11	12	13			16	17
United States-----	1	2 ⁶			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1922-66-----		2 ⁶															
1962-66-----							7										
1966 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution----			3														
Rates per 1,000 live births plus fetal deaths-					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----																	
	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 ⁷		4	5	6	7 ⁷		9	10	11	12	13	14	15	16	17
Legitimacy status-----				4													
Month-----								9									
Period of gestation-----	1		3			6						13		15		17	
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 ¹	17 ¹
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹ For the United States only.

² Combined totals for 9 States and New York City which require the reporting of early fetal deaths.

³ Combined totals for 34 States which report legitimacy status.

⁴ Fetal deaths by place of occurrence.

⁵ Fetal deaths by place of occurrence and place of residence.

⁶ Entire United States for 1933-66; birth-registration States for 1922-32.

⁷ New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence]

	TABLE: 4	-1	-2	-3	-4	-5	-6
	PAGE: 4	-3	-6	-12	-18	-20	-25
Geographic area:							
States-----						5	6
United States-----		1	2	3	4	5	6
Subject matter:							
Motor vehicle accidents by type of vehicle-----		1		3		5	
Nontransport accidents by place of accident-----			2		4		6
Characteristics:							
Age (5-year age groups)-----				3	4		
Color-----		1	2			5	6
Motor vehicle accidents by exact cause of death-----		1					
Nontransport accidents by exact cause of death-----			2				
Race-----				3	4		
Sex-----		1	2	3	4	5	6

Guide to tables in Section 5

	TABLE: 5	-1	-2	-3	-4	-5	-6
	PAGE: 5	-3	-4	-5	-6	-7	-8
Years:							
1900-1966-----							6 ¹
1966 only-----		1	2	3	4		
Specified years and 1966-----						5 ²	
Type of entry:							
Proportion dying (${}_nq_x$)-----		1	2				
Number surviving (${}_nL_x$)-----		1	2	3		5	
Number dying (${}_nd_x$)-----		1	2				
Stationary population (${}_nL_x$ and T_x)-----		1	2				
Average remaining lifetime (e_x^o)-----		1	2		4	5	
Estimated average length of life (e_0^o)-----							6
Characteristics:							
Age by:							
Single years-----				3	4		
5-year intervals-----		1	2			5	
Sex-color specific-----			2	3	4	5	6 ³
Sex specific-----		1		3	4		6
Color specific-----			2	3	4		6 ³
Total population-----		1		3	4		6

¹Entire United States for 1929-66; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1966; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables]

	TABLE: 6	-1	-2	-3	-4	-5	-6
	PAGE: 6	-14	-15	-15	-16	-17	-20
Geographic area:							
Birth-registration States ¹ -----		1					
Death-registration States ¹ -----		1					
Divisions ¹ -----				3	4		6
Puerto Rico and Virgin Islands ¹ -----				3			
States ¹ -----				3	4		6
United States-----		1 ²	2 ¹	3 ¹	4 ¹	5 ¹	6 ¹
Years:							
1900-1966 ^{2,3} -----		1					
1951-59 ^{1,4} -----						5	6
1966 ^{1,4} -----			2	3	4		
Characteristics:							
Age-----			2			5	
Color-----			2			5	
Sex-----			2			5	

¹Population exclusive of Armed Forces stationed abroad.

²Population both inclusive and exclusive of Armed Forces stationed abroad.

³Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.

⁴Estimated as of July 1.

Guide to tables in Section 7

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

	TABLE:	7	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE:	7	-3	-61	-78	-95	-116	-129	-384	-388	-400
Geographic area:											
Counties-----			1 ¹								9
Metropolitan and nonmetropolitan counties-----				2	3						9
Specified urban places-----			1								9
Standard metropolitan statistical areas-----						4				8	
States-----			1 ¹	2	3			6	7 ²		9
United States-----			1	2	3		5		7		9
Population-size groups-----				2							9
Type of entry:											
Number of deaths-----			1	2	3	4	5	6	7	8	9
Number of fetal deaths-----			1	2							
Number of infant deaths-----			1	2	3	4	5	6			
Number of neonatal deaths-----			1	2							
Fetal-death ratios (per 1,000 live births)-----				2							
Infant mortality rates (per 1,000 live births)-----				2							
Neonatal mortality rates (per 1,000 live births)-----				2							
Characteristics:											
Age:											
5-year age groups-----							5	6			
10-year age groups-----					3	4					
Cause of death:											
33 selected causes-----											9
60 selected causes-----							5	6	7	8	
Color-----			1	2	3	4	5	6			
Sex-----					3	4	5	6			

¹Deaths by place of occurrence and place of residence.
²By place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Puerto Rico or the Virgin Islands]

TABLE:	8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE:	8	-3	-3	-4	-7	-11	-11	-12	-12	-13	-13	-14	-15	-15	-15	-16	-16
Geographic area:																	
Puerto Rico-----	1	2	3		5	6	7		9	10	11	12	13	14	15	16	
Municipios-----							7 ¹										
Virgin Islands-----	1	2		4	5	6		8	9	10	11	12	13	14	15	16	
Islands-----								8 ¹									
Specified urban place-----								8									
Years:																	
1940-66-----	1																
1966 only-----		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
Type of entry:																	
Number of deaths-----	1	2	3	4	5	6	7 ¹	8 ¹									
Number of fetal deaths-----							7	8				12	13	14	15	16	
Number of infant deaths-----							7	8	9	10	11 ²						
Number of neonatal deaths-----							7	8	9	10	11						
Death rates-----	1																
Characteristics:																	
Age of decedent-----			3	4						10							
Age of mother-----												13					
Cause of death:																	
55 selected causes of infant mortality-----											11						
60 selected causes-----			3	4													
Motor vehicle accidents-----					5												
Nontransport accidents-----						6											
Color (for Virgin Islands only)-		2		4	5	6		8	9	10	11	12	13	14	15	16	
Month-----		2							9			12					
Period of gestation-----																	16
Place of accident-----						6											
Sex-----		2	3	4	5	6				10							
Total-birth order-----														14			
Type of motor vehicle involved--					5												
Weight at birth-----																15	

¹Deaths by place of occurrence and place of residence.

²Number of deaths also shown for the age group 28 days to 11 months.

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-66 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-66-----	1-3
1-3. Death rates by age, color, and sex: United States, 1957-66 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1966 -----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1966-----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1966-----	1-6
1-7. Death rates for 60 selected causes: United States, 1957-66 -----	1-7
1-8. Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1966-----	1-8
1-9. Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1966-----	1-22
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1966 -----	1-29
1-11. Death rates: United States, each division and State, 1957-66 -----	1-30
1-12. Deaths and death rates by age: United States, each division and State, 1966-----	1-31
1-13. Deaths from 60 selected causes: United States, each division and State, 1966 -----	1-32
1-14. Death rates for 60 selected causes: United States, each division and State, 1966 -----	1-36
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1966 ---	1-40
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-66 -----	1-41
1-17. Maternal mortality rates by color: United States, each division and State, 1964-66 (3-year average) -----	1-41
1-18. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1966-----	1-42
1-19. Deaths by month and State of occurrence: United States and each State, 1966 -----	1-45
1-20. Deaths by month, color, and sex: United States and each State, 1966 -----	1-46
1-21. Deaths by specified race and sex: United States and each State, 1966 -----	1-52
1-22. Deaths and death rates for each cause, by color and sex: United States, 1966 -----	1-53
1-23. Deaths from 258 selected causes, by month: United States, 1966 -----	1-87
1-24. Deaths from 258 selected causes, by specified race and sex: United States, 1966-----	1-92
1-25. Deaths from 258 selected causes, by age, race, and sex: United States, 1966 -----	1-100
1-26. Deaths from 258 selected causes, by color and sex: United States and each State, 1966 -----	1-162

SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-66

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962	7.5	9.4	5.8	7.1	9.0	5.4	10.5	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.5	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.0	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES²									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.8	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	27.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	26.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.6	28.7	27.1

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.²Increased in number from 10 States and the District of Columbia in 1900 to the entire contiguous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1957-66
 [Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1966	9.5	23.5	0.9	0.4	1.2	1.5	3.1	7.4	17.0	58.4	81.7	200.5
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	58.4	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	58.4	81.8	200.2
1963 ²	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	58.8	85.2	210.1
1962 ²	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	58.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	57.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	58.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	57.6	85.8	194.2
1958	9.5	29.1	1.1	0.5	1.1	1.5	3.0	7.5	17.4	58.4	87.9	198.0
1957	9.6	29.0	1.1	0.5	1.2	1.5	3.1	7.6	17.8	59.0	88.1	197.9
MALE												
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	23.5	51.2	99.5	209.3
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	99.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963 ²	11.1	28.6	1.1	0.5	1.5	1.9	3.9	9.8	23.2	51.1	100.7	224.8
1962 ²	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
1958	11.0	31.6	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.5	101.4	208.3
1957	11.1	31.6	1.2	0.6	1.7	1.9	3.8	9.9	23.5	49.2	101.0	207.3
FEMALE												
1966	8.1	20.5	0.8	0.3	0.6	1.1	2.3	5.2	11.2	28.1	69.6	195.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	193.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963 ²	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.5	75.5	201.4
1962 ²	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.5	28.3	75.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	29.7	76.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
1958	8.1	24.5	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.4	191.0
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	77.8	191.5
WHITE												
1966	9.5	20.2	0.6	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	206.9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963 ²	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962 ²	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
1958	9.4	24.5	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.6	88.9	203.3
1957	9.5	24.6	1.0	0.5	1.1	1.3	2.7	6.9	16.7	38.3	89.1	203.1
WHITE MALE												
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	218.6
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963 ²	11.0	25.2	0.9	0.5	1.4	1.7	3.5	9.2	22.3	49.8	101.8	230.0
1962 ²	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.8	3.3	9.1	22.0	47.3	100.5	210.9
1958	10.9	27.7	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.9	102.7	213.5
1957	11.0	28.0	1.1	0.6	1.6	1.7	3.4	9.2	22.5	48.6	102.4	211.6
WHITE FEMALE												
1966	8.1	17.5	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963 ²	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962 ²	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.8	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	191.8
1958	8.0	21.2	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.1	196.5
1957	8.0	21.1	0.9	0.4	0.6	0.9	2.0	4.7	11.3	29.2	78.6	187.3
NONWHITE												
1966	9.7	38.8	1.5	0.6	1.7	3.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.6	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
1963 ²	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962 ²	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.8	47.4	1.9	0.7	1.6	3.3	6.3	13.3	27.1	46.1	72.5	131.8
1958	10.3	49.8	2.0	0.6	1.6	3.4	6.2	14.0	28.2	47.8	74.5	134.0
1957	10.5	49.1	2.0	0.7	1.8	3.5	6.5	14.5	29.6	47.6	73.9	132.5

See footnotes at end of table.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1957-66 - Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1966	11.3	42.6	1.6	0.7	2.4	4.6	6.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 ²	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 ²	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4
1958	11.6	55.6	2.0	0.7	2.2	4.1	7.0	15.7	32.0	56.1	84.4	156.1
1957	11.9	53.4	2.1	0.8	2.3	4.3	7.3	16.2	33.8	55.6	82.6	155.0
NONWHITE FEMALE												
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	35.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 ²	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962 ²	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	38.5	64.1	122.3
1958	9.0	44.1	1.9	0.5	1.1	2.8	5.6	12.4	24.7	40.1	66.1	121.7
1957	9.1	42.9	1.8	0.6	1.3	2.8	5.9	12.9	25.6	40.3	65.9	120.3

¹Figures for age not stated included in "Total" but not distributed among age groups.²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1966

Age	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over	225,388	90,015	135,373	84,171	128,495	5,844	6,878
85 years	36,281	15,887	20,394	14,894	19,543	993	1,051
86 years	32,895	14,105	18,790	13,213	17,869	892	921
87 years	28,122	11,639	16,483	10,973	15,773	666	710
88 years	24,528	10,002	14,526	9,517	13,361	485	545
89 years	21,458	8,601	12,857	8,061	12,303	540	594
90 years	19,085	7,431	11,654	6,966	11,084	465	590
91 years	15,240	5,800	9,440	5,437	9,059	363	381
92 years	12,006	4,402	7,604	4,117	7,245	285	359
93 years	9,706	3,477	6,229	3,225	5,903	252	325
94 years	7,520	2,643	4,877	2,450	4,729	193	248
95 years	5,642	1,935	3,707	1,791	3,460	144	247
96 years	4,240	1,424	2,816	1,279	2,619	145	224
97 years	2,944	937	1,907	834	1,768	103	139
98 years	1,892	612	1,280	540	1,171	72	109
99 years	1,268	390	878	333	608	57	70
100 years	894	253	641	218	542	35	99
101 years	527	147	380	122	328	25	52
102 years	382	107	275	77	208	30	67
103 years	203	67	136	41	95	26	41
104 years	166	44	122	27	90	17	32
105 years	107	32	75	25	45	7	30
106 years	84	30	54	14	32	16	22
107 years	41	10	31	4	15	6	16
108 years	27	11	16	5	9	6	7
109 years	21	6	15	3	4	3	11
110 years	22	9	13	1	3	8	10
111 years	9	3	6	-	2	3	4
112 years	5	1	4	-	1	1	3
113 years	8	2	6	-	1	1	5
114 years	6	1	5	-	1	-	4
115 years	8	2	6	1	1	1	5
116 years	4	1	3	-	2	1	1
117 years	2	-	2	-	-	-	2
118 years	2	1	1	-	1	1	-
120 years	3	2	1	-	-	2	1
122 years	2	1	1	-	-	-	1
125 years	1	-	1	-	-	-	1

Table 1-5. Mortality from 15 Leading Causes of Death: United States, 1966

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	951.3	100.0
1	Diseases of heart	371.2	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	155.7	16.3
3	Vascular lesions affecting central nervous system	104.6	11.0
4	Accidents	59.0	6.1
...	Motor vehicle accidents	27.1	2.8
...	Other accidents	30.9	3.2
5	Influenza and pneumonia, except pneumonia of newborn	32.5	3.4
6	Certain diseases of early infancy	25.4	2.6
7	General arteriosclerosis	19.8	2.1
8	Diabetes mellitus	17.7	1.8
9	Other diseases of circulatory system	14.6	1.5
10	Other bronchopulmonary diseases	14.5	1.5
11	Cirrhosis of liver	13.6	1.4
12	Suicide	10.9	1.1
13	Congenital malformations	9.3	1.0
14	Homicide	5.9	0.6
15	Other hypertensive disease	5.8	0.6
...	All other causes	91.4	9.6

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1966

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	745.1	952.5	565.3	709.2	915.2	531.2	1,051.1	1,271.2	856.4
Major cardiovascular-renal diseases	390.6	489.2	287.6	368.0	480.2	272.0	502.2	575.6	427.8
Diseases of cardiovascular system	376.2	483.7	284.0	364.3	475.6	269.1	490.0	561.5	427.4
Vascular lesions affecting central nervous system	72.6	78.8	67.3	67.3	73.6	62.0	125.5	131.5	120.3
Diseases of heart	275.8	371.6	193.4	270.5	369.8	185.2	324.3	385.5	270.5
General arteriosclerosis	11.9	13.2	10.9	11.9	13.2	10.9	12.2	13.2	11.4
Chronic and unspecified nephritis and other renal sclerosis	4.5	6.5	3.6	3.7	4.6	2.9	12.1	14.1	10.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	128.4	151.9	109.6	125.9	148.9	107.6	152.7	182.3	127.0
Accidents	55.6	82.6	30.0	53.0	78.5	28.7	75.8	116.4	39.1
Motor vehicle accidents	28.3	42.7	14.7	28.0	41.9	14.7	31.6	50.1	15.0
Other accidents	27.3	39.9	15.3	25.1	36.6	14.0	44.1	66.8	24.1
Influenza and pneumonia, except pneumonia of newborn	23.8	30.2	18.5	21.2	27.1	16.4	43.3	55.2	32.8
Diabetes mellitus	13.9	12.8	14.6	12.7	12.3	13.0	24.8	18.3	30.5
Cirrhosis of liver	13.0	17.8	8.7	12.1	16.8	7.9	20.4	26.6	15.0
Tuberculosis, all forms	3.4	5.3	1.7	2.6	4.2	1.2	10.8	16.3	6.0

SECTION 1 - GENERAL MORTALITY

Table 1-7. Death Rates for 60 Selected Causes: United States, 1957-66

[Rates per 100,000 population residing in area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1957 and according to the Seventh Revision for 1958-66]

Cause of death	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957
	951.3	943.2	939.6	961.3	945.0	929.5	954.7	938.6	950.8	958.6
All causes-----	951.3	943.2	939.6	961.3	945.0	929.5	954.7	938.6	950.8	958.6
Tuberculosis, all forms-----	00L-019	3.9	4.1	4.3	4.9	5.1	5.4	6.1	7.1	7.8
Tuberculosis of respiratory system-----	00L-008	3.6	3.8	4.0	4.6	4.7	5.0	5.8	6.6	7.3
Tuberculosis, other forms-----	010-019	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.6
Syphilis and its sequelae-----	020-028	1.1	1.3	1.4	1.4	1.5	1.6	1.7	2.0	2.2
Dysentery, all forms-----	045-048	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3
Scarlet fever and streptococcal sore throat-----	050-051	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Diphtheria-----	065	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whooping cough-----	066	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.1
Meningococcal infections-----	067	0.4	0.5	0.4	0.4	0.3	0.3	0.4	0.4	0.5
Acute poliomyelitis-----	080	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1
Measles-----	085	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Other infective and parasitic diseases-----	050-044, 049, 052-054, 058-074, 081-084, 086-158	3.1	3.0	3.1	3.2	3.1	3.1	3.2	3.1	2.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----	140-205	155.1	153.5	151.3	151.3	149.9	149.2	147.3	146.8	148.6
Malignant neoplasm of buccal cavity and pharynx-----	140-148	3.5	3.4	3.4	3.4	3.5	3.5	3.4	3.3	3.4
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----	150-156A, 157-159	48.5	48.7	48.7	49.2	49.5	50.1	50.8	50.9	51.7
Malignant neoplasm of respiratory system, not specified as secondary-----	160-164	28.0	26.8	25.7	24.9	24.0	23.1	22.2	20.4	19.9
Malignant neoplasm of breast-----	170	14.1	14.0	13.7	13.5	13.4	13.4	13.4	13.1	13.3
Malignant neoplasm of genital organs-----	171-179	20.6	20.9	20.9	21.2	21.3	21.4	21.6	22.1	22.6
Malignant neoplasm of urinary organs-----	180, 181	7.2	7.2	7.1	7.2	7.2	7.1	7.1	7.1	7.1
Malignant neoplasm of other and unspecified sites-----	156B, 165, 190-199	17.9	17.9	17.2	17.0	16.6	16.4	16.5	16.2	16.1
Leukemia and leukemias-----	204	7.2	7.0	7.0	7.2	7.0	7.0	7.1	7.0	6.9
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----	200-203, 205	8.1	7.8	7.7	7.6	7.4	7.4	7.2	7.1	7.0
Benign neoplasms and neoplasms of unspecified nature-----	210-239	2.5	2.6	2.6	2.6	2.5	2.6	2.7	2.8	3.0
Asthma-----	241	2.2	2.3	2.3	2.7	2.6	2.7	3.0	2.8	2.9
Diabetes mellitus-----	260	17.7	17.1	16.9	17.2	16.8	16.4	16.7	15.9	16.0
Anemias-----	290-293	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.8	1.8
Meningitis, except meningococcal and tuberculous-----	340	1.2	1.2	1.3	1.2	1.2	1.2	1.3	1.3	1.2
Major cardiovascular-renal diseases-----	330-334, 400-468, 592-594	521.4	516.4	514.3	527.3	521.2	511.4	521.8	515.9	525.5
Diseases of cardiovascular system-----	330-334, 400-468	516.1	510.9	508.5	521.3	515.1	505.1	515.1	508.9	518.5
Vascular lesions affecting central nervous system-----	330-334	104.6	103.7	103.6	106.6	106.2	105.4	108.0	108.4	110.1
Diseases of heart-----	400-402, 410-443	371.2	367.4	365.7	375.2	370.1	362.4	369.0	365.2	367.7
Rheumatic fever and chronic rheumatic heart disease-----	400-402, 410-416	7.7	8.0	8.3	8.8	9.5	9.8	10.3	10.4	10.8
Arteriosclerotic heart disease, including coronary disease-----	420	292.7	289.6	285.0	289.8	285.8	274.4	275.8	269.6	266.2
Nonrheumatic chronic endocarditis and other myocardial degeneration-----	421, 422	27.4	27.4	27.8	29.7	29.4	29.8	31.8	31.8	35.8
Other diseases of heart-----	430-434	15.8	15.1	14.5	14.5	13.9	13.8	14.3	13.8	14.2
Hypertensive heart disease-----	440-443	27.7	28.4	30.0	32.4	33.4	34.6	37.0	38.6	42.7
Other hypertensive disease-----	444-447	5.8	6.0	6.4	6.7	6.7	6.7	7.1	7.4	8.0
General arteriosclerosis-----	450	19.9	19.7	19.4	19.6	19.8	19.3	20.0	19.6	19.9
Other diseases of circulatory system-----	451-468	14.6	14.1	13.5	12.9	12.2	11.3	11.0	10.3	9.9
Chronic and unspecified nephritis and other renal sclerotic-----	592-594	5.3	5.5	5.8	6.0	6.1	6.3	6.7	7.0	8.0
Influenza and pneumonia, except pneumonia of newborn-----	480-493	32.5	31.9	31.1	37.5	32.5	30.1	37.5	31.2	35.8
Influenza-----	480-483	1.4	1.2	0.9	3.8	1.8	1.2	4.4	1.6	2.6
Pneumonia, except pneumonia of newborn-----	490-493	31.0	30.8	30.2	33.8	30.4	29.0	32.9	29.6	31.4
Bronchitis-----	500-502	3.1	3.0	2.8	2.9	2.5	2.2	2.4	2.2	2.3
Other bronchopulmonary diseases-----	525-527	14.5	13.7	12.2	12.3	10.8	9.7	9.6	8.5	8.2
Ulcer of stomach and duodenum-----	540-541	5.3	5.4	5.7	6.4	6.6	6.3	6.3	6.0	6.2
Appendicitis-----	550-553	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.0	1.1
Hernia and intestinal obstruction-----	560-561, 570	5.1	5.2	5.2	5.3	5.2	5.0	5.1	5.2	5.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----	543, 571, 572	3.9	4.1	4.3	4.4	4.4	4.3	4.4	4.4	4.7
Cirrhosis of liver-----	581	13.6	12.8	12.1	11.9	11.7	11.3	11.3	10.9	11.3
Cholelithiasis, cholecystitis, and cholangitis-----	584, 585	2.3	2.4	2.4	2.5	2.6	2.6	2.6	2.5	2.7
Acute nephritis, and nephritis with edema including nephrosis-----	590, 591	0.6	0.7	0.7	0.8	0.8	0.8	0.9	1.0	1.3
Infections of kidney-----	600	4.6	5.1	5.2	4.7	4.4	4.4	4.3	3.9	4.0
Hypertrophy of prostate-----	610	1.6	1.8	2.0	2.3	2.3	2.3	2.5	2.6	2.7
Deliveries and complications of pregnancy, childbirth, and the puerperium-----	640-689	0.5	0.6	0.7	0.8	0.8	0.9	0.9	0.9	1.0
Abortion-----	650-652	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2
Other complications of pregnancy, childbirth, and the puerperium-----	640-649, 660-689	0.4	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.8
Congenital malformations-----	750-759	9.3	10.1	10.6	11.0	11.4	12.0	12.2	12.3	12.8
Certain diseases of early infancy-----	760-776	26.4	28.6	31.5	33.2	34.5	35.9	37.4	38.5	39.1
Birth injuries, postnatal asphyxia, and atelectasis-----	760-762	10.7	11.9	13.2	14.3	15.2	15.8	16.6	17.1	18.2
Infections of newborn-----	763-768	1.8	2.0	2.3	2.3	2.4	2.6	2.7	2.9	3.0
Other diseases peculiar to early infancy, and immaturity unqualified-----	769-776	13.8	14.6	16.1	16.6	16.9	17.5	18.2	18.5	18.3
Symptoms, senility, and ill-defined conditions-----	780-795	12.2	12.1	13.2	11.9	10.6	10.4	11.4	10.8	11.4
All other diseases-----	Residual	29.2	28.6	28.5	28.7	28.1	28.2	29.0	28.8	26.9
Accidents-----	E800-E962	58.0	55.7	54.3	53.4	52.3	50.4	52.3	52.2	55.9
Motor vehicle accidents-----	E810-E835	27.1	25.4	24.5	23.1	22.0	20.8	21.3	21.3	22.7
Other accidents-----	E800-E802, E840-E962	30.9	30.4	29.7	30.3	30.3	29.6	31.0	30.7	33.2
Suicide-----	E963-E970-E979	10.9	11.1	10.8	11.0	10.9	10.4	10.6	10.7	9.8
Homicide-----	E964-E980-E985	5.9	5.5	5.1	4.9	4.8	4.7	4.7	4.6	4.5

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes-----	951.3	2,352.7	95.2	45.8	41.3	102.3	133.4
2	Male-----	1,097.6	2,626.8	101.5	50.8	51.8	145.3	198.9
3	Female-----	810.8	2,026.9	84.6	36.7	30.4	58.7	71.3
4	White-----	948.3	2,021.9	81.7	41.1	39.0	98.3	121.3
5	Male-----	1,095.3	2,302.4	89.6	47.7	49.0	140.0	183.0
6	Female-----	808.6	1,727.4	73.4	34.2	28.7	58.6	62.5
7	Nonwhite-----	973.4	3,885.5	153.3	59.7	55.4	129.8	221.1
8	Male-----	1,129.0	4,259.9	184.3	68.7	69.5	160.9	315.1
9	Female-----	826.7	3,499.7	142.0	50.7	41.2	79.2	134.2
10	Tuberculosis, all forms (001-019)-----	3.9	0.3	0.4	0.1	0.1	0.2	0.3
11	Male-----	5.8	0.3	0.4	0.0	0.1	0.1	0.2
12	Female-----	2.0	0.3	0.3	0.1	0.1	0.2	0.4
13	White-----	3.2	0.1	0.2	0.0	0.1	0.1	0.1
14	Male-----	4.8	0.1	0.2	0.0	0.1	0.1	0.1
15	Female-----	1.6	0.2	0.2	0.1	0.0	0.1	0.2
16	Nonwhite-----	9.1	1.3	1.3	0.2	0.3	0.7	1.4
17	Male-----	13.2	1.6	1.8	0.3	0.3	0.3	1.0
18	Female-----	5.2	1.0	0.7	0.1	0.2	1.1	1.7
19	Tuberculosis of respiratory system (001-008)-----	3.6	0.2	0.1	0.0	0.0	0.1	0.2
20	Male-----	5.5	0.2	0.1	0.0	0.0	0.1	0.2
21	Female-----	1.8	0.3	0.2	0.0	0.0	0.1	0.2
22	White-----	3.0	0.1	0.1	0.0	0.0	0.1	0.1
23	Male-----	4.6	-	0.1	0.0	0.0	0.1	0.1
24	Female-----	1.4	0.1	0.1	0.0	0.0	0.0	0.1
25	Nonwhite-----	8.0	1.0	0.3	0.0	0.1	0.4	1.0
26	Male-----	12.0	1.0	0.4	0.1	0.1	0.1	0.6
27	Female-----	4.3	1.0	0.3	-	0.1	0.8	1.3
28	Tuberculosis, other forms (010-019)-----	0.3	0.1	0.2	0.0	0.1	0.1	0.1
29	Male-----	0.4	0.2	0.3	0.0	0.1	0.0	0.1
30	Female-----	0.2	0.1	0.2	0.0	0.0	0.1	0.1
31	White-----	0.2	0.1	0.1	0.0	0.0	0.0	0.1
32	Male-----	0.2	0.1	0.1	-	0.1	0.0	0.0
33	Female-----	0.1	0.1	0.1	0.0	0.0	0.0	0.1
34	Nonwhite-----	1.1	0.3	0.9	0.2	0.1	0.3	0.4
35	Male-----	1.2	0.6	1.4	0.2	0.2	0.2	0.4
36	Female-----	0.9	-	0.4	0.1	0.1	0.3	0.5
37	Syphilis and its sequelae (020-029)-----	1.1	0.7	-	-	-	0.0	0.0
38	Male-----	1.6	0.8	-	-	-	0.1	0.0
39	Female-----	0.6	0.6	-	-	-	0.0	0.0
40	White-----	1.0	0.3	-	-	-	0.0	0.0
41	Male-----	1.4	0.3	-	-	-	0.0	0.0
42	Female-----	0.5	0.2	-	-	-	0.0	0.0
43	Nonwhite-----	2.2	2.8	-	-	-	0.1	0.1
44	Male-----	2.9	3.2	-	-	-	0.2	-
45	Female-----	1.6	2.3	-	-	-	-	0.1
46	Dysentery, all forms (045-049)-----	0.1	1.2	0.2	0.0	0.0	0.0	0.0
47	Male-----	0.1	1.4	0.2	0.0	0.0	0.0	0.0
48	Female-----	0.1	1.0	0.2	0.0	-	-	0.0
49	White-----	0.1	0.7	0.1	0.0	0.0	0.0	0.0
50	Male-----	0.1	0.7	0.1	0.0	0.0	0.0	0.0
51	Female-----	0.0	0.6	0.1	-	-	-	0.0
52	Nonwhite-----	0.3	3.9	0.8	0.1	-	-	0.1
53	Male-----	0.3	4.9	0.7	0.1	-	-	-
54	Female-----	0.3	3.0	0.8	0.1	-	-	0.2
55	Scarlet fever and streptococcal sore throat (050,051)-----	0.0	0.1	0.0	0.0	0.0	0.0	-
56	Male-----	0.0	0.1	0.0	0.0	0.0	0.0	-
57	Female-----	0.0	0.2	0.1	0.0	0.0	0.0	-
58	White-----	0.0	0.1	0.0	0.0	0.0	0.0	-
59	Male-----	0.0	0.1	0.0	0.0	0.0	-	-
60	Female-----	0.0	0.1	0.0	0.1	-	0.0	-
61	Nonwhite-----	0.1	0.3	0.0	0.0	0.0	0.0	-
62	Male-----	0.0	-	-	0.1	-	0.1	-
63	Female-----	0.1	0.7	0.1	-	0.1	-	-
64	Diphtheria (055)-----	0.0	-	0.0	0.0	0.0	-	-
65	Male-----	0.0	-	0.0	0.0	0.0	-	-
66	Female-----	0.0	-	0.1	0.1	0.0	-	-
67	White-----	0.0	-	0.0	0.0	0.0	-	-
68	Male-----	0.0	-	0.0	0.0	0.0	-	-
69	Female-----	0.0	-	0.0	0.1	0.0	-	-
70	Nonwhite-----	0.0	-	0.2	0.0	0.0	-	-
71	Male-----	0.0	-	0.2	0.1	0.1	-	-
72	Female-----	0.0	-	0.2	-	-	-	-
73	Whooping cough (056)-----	0.0	0.9	0.1	-	-	-	-
74	Male-----	0.0	1.0	0.1	-	-	-	-
75	Female-----	0.0	0.8	0.1	-	-	-	-
76	White-----	0.0	0.6	0.1	-	-	-	-
77	Male-----	0.0	0.6	0.0	-	-	-	-
78	Female-----	0.0	0.5	0.1	-	-	-	-
79	Nonwhite-----	0.1	2.6	0.2	-	-	-	-
80	Male-----	0.1	2.6	0.2	-	-	-	-
81	Female-----	0.1	2.6	0.3	-	-	-	-
82	Meningococcal infections (057)-----	0.4	5.8	1.8	0.4	0.1	0.4	0.2
83	Male-----	0.5	6.1	2.0	0.3	0.2	0.5	0.3
84	Female-----	0.4	5.4	1.5	0.4	0.1	0.3	0.1
85	White-----	0.4	5.9	1.6	0.3	0.1	0.4	0.2
86	Male-----	0.4	6.1	1.9	0.3	0.1	0.4	0.2
87	Female-----	0.4	5.6	1.4	0.3	0.1	0.3	0.1
88	Nonwhite-----	0.8	5.2	2.5	0.9	0.2	0.5	0.7
89	Male-----	0.9	6.1	2.8	0.8	0.2	1.0	1.1
90	Female-----	0.7	4.3	2.3	0.9	0.1	0.1	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1966

are category numbers of the Seventh Revision of the International Lists, 1955]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
137.2	171.9	243.1	374.3	584.6	914.5	1,400.8	2,051.2	3,174.5	4,650.6	6,815.8	10,580.7	20,052.3	1
188.3	218.7	306.1	474.1	754.9	1,222.5	1,922.6	2,924.2	4,299.0	6,163.5	8,509.3	12,320.3	20,933.7	2
87.9	126.8	183.0	280.0	424.2	628.8	916.6	1,366.4	2,236.9	3,482.8	5,568.8	9,374.1	19,506.2	3
116.3	140.3	202.6	323.8	524.7	847.5	1,314.9	1,947.3	2,998.0	4,552.5	6,826.1	10,806.9	20,890.6	4
160.8	180.2	259.5	415.1	698.1	1,150.3	1,835.6	2,741.6	4,130.9	6,086.1	8,556.1	12,656.2	21,862.6	5
72.9	101.3	147.3	236.7	369.7	560.4	831.4	1,235.4	2,057.5	3,388.2	5,558.0	9,552.5	20,267.4	6
290.8	404.4	558.2	797.4	1,124.8	1,535.2	2,253.7	3,098.5	5,267.3	8,293.3	12,687.1	20,806.9	41,001.9	7
400.6	520.8	696.6	992.4	1,380.3	1,906.9	2,788.3	3,635.4	6,224.0	9,303.4	13,886.9	20,806.9	41,001.9	8
193.4	303.9	441.8	627.4	898.7	1,198.9	1,760.1	2,593.5	4,419.8	6,642.1	9,711.3	14,087.6	21,463.3	9
0.7	1.3	2.3	3.6	4.7	6.4	8.8	11.5	14.3	17.5	22.4	24.8	34.5	10
0.8	1.3	2.8	4.8	6.8	9.9	14.4	20.0	25.8	30.9	38.8	40.4	59.3	11
0.6	1.3	1.8	2.4	2.7	3.1	3.6	3.9	4.7	7.2	10.4	14.1	19.2	12
0.3	0.6	1.1	2.1	3.1	4.8	7.1	10.0	11.4	15.1	20.3	22.9	31.8	13
0.3	0.6	1.3	2.8	4.4	7.4	11.7	17.8	20.8	27.1	35.9	37.6	54.8	14
0.3	0.6	1.0	1.5	1.9	2.2	2.8	3.1	3.7	5.8	9.0	12.9	17.8	15
3.6	6.9	11.3	15.4	19.2	21.2	25.6	26.5	48.6	46.4	48.5	47.5	60.4	16
4.8	7.5	15.4	22.4	29.6	32.9	40.7	42.4	83.3	74.7	73.0	69.9	95.7	17
2.6	6.3	7.9	9.2	9.9	10.6	11.7	11.7	17.9	23.5	28.7	29.2	33.3	18
0.6	1.1	2.1	3.2	4.4	6.0	8.3	10.9	13.5	16.6	20.7	23.4	32.9	19
0.7	1.1	2.5	4.5	6.5	9.4	13.7	19.3	24.6	29.6	35.7	38.5	57.0	20
0.5	1.1	1.6	2.1	2.3	2.7	3.2	3.4	4.3	6.5	9.6	13.0	18.0	21
0.2	0.5	1.0	2.0	2.9	4.5	6.7	9.6	10.9	14.4	18.9	21.7	30.6	22
0.2	0.4	1.2	2.7	4.2	7.1	11.3	17.2	19.9	26.1	33.3	36.0	52.7	23
0.3	0.5	0.9	1.4	1.7	2.1	2.5	2.8	3.4	5.3	8.4	11.9	17.0	24
3.0	5.9	10.0	13.6	17.2	19.2	23.4	24.0	44.8	42.9	42.6	43.8	55.7	25
4.2	6.8	13.9	20.2	27.6	31.1	37.8	39.5	78.5	70.8	63.9	64.4	91.3	26
1.9	5.0	6.6	7.8	8.0	8.4	10.1	9.5	14.8	20.4	25.3	27.0	28.3	27
0.1	0.2	0.2	0.3	0.3	0.4	0.5	0.6	0.8	0.9	1.7	1.4	1.6	28
0.1	0.2	0.3	0.4	0.4	0.5	0.7	0.8	1.2	1.2	3.1	1.9	2.3	29
0.1	0.2	0.2	0.3	0.4	0.3	0.4	0.5	0.5	0.7	0.8	1.1	1.2	30
0.0	0.1	0.1	0.1	0.2	0.2	0.4	0.4	0.5	0.7	1.4	1.2	1.3	31
0.0	0.1	0.2	0.1	0.1	0.3	0.5	0.6	0.9	1.0	2.6	1.6	2.1	32
0.0	0.1	0.1	0.1	0.2	0.1	0.3	0.3	0.2	0.5	0.6	1.0	0.8	33
0.7	1.0	1.3	1.8	2.0	2.0	2.2	2.5	3.8	3.5	5.9	3.7	4.7	34
0.6	0.7	1.5	2.3	2.0	1.8	2.9	2.9	4.7	3.9	9.0	5.5	4.3	35
0.7	1.3	1.2	1.4	2.0	2.2	1.6	2.2	3.0	3.2	3.3	2.2	5.0	36
0.0	0.0	0.2	0.2	0.6	1.0	2.5	3.9	6.2	7.6	8.4	9.0	9.4	37
0.1	0.1	0.1	0.3	0.8	1.4	3.9	6.1	10.4	13.0	14.2	12.8	12.6	38
0.0	0.0	0.2	0.1	0.4	0.5	1.1	1.9	2.7	3.4	4.1	6.3	7.5	39
0.0	0.0	0.1	0.1	0.4	0.6	1.8	3.3	4.9	7.0	7.6	8.9	9.2	40
0.1	0.1	0.1	0.2	0.6	1.0	2.8	5.4	8.7	12.0	13.2	12.7	12.7	41
-	-	0.1	0.0	0.1	0.2	0.8	1.4	1.7	3.1	3.5	6.3	7.1	42
0.1	0.2	0.7	1.1	2.2	4.7	8.8	10.3	22.0	15.5	18.8	9.9	11.3	43
-	0.2	0.7	1.1	2.2	6.1	14.1	13.5	30.0	24.7	26.2	13.7	10.9	44
0.1	0.1	0.8	1.0	2.3	3.5	3.8	7.3	14.8	8.1	12.7	6.7	11.7	45
-	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.7	46
-	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.5	0.5	0.7	47
-	0.0	-	0.0	0.1	-	0.0	0.1	0.2	0.1	0.1	0.2	0.7	48
-	0.0	-	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.3	0.7	49
-	0.0	-	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.4	0.5	0.8	50
-	-	-	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.6	51
-	0.1	0.1	0.1	0.1	-	0.2	0.6	0.2	1.5	1.5	0.6	0.9	52
-	-	0.2	-	0.2	-	0.5	0.9	0.4	1.1	1.6	-	0.9	53
-	0.1	-	0.1	-	-	-	0.3	-	1.8	1.3	1.1	1.7	54
0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.4	55
0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.5	56
-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.1	0.1	0.3	0.3	57
0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.4	58
0.0	-	-	-	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.5	59
-	0.0	0.0	-	0.0	0.0	0.0	0.1	-	0.1	0.1	0.3	0.3	60
0.1	0.1	0.1	-	0.1	-	-	-	-	-	0.4	0.6	-	61
0.2	0.2	-	-	-	-	-	-	-	-	0.8	-	-	62
-	-	0.1	-	0.2	-	-	-	-	-	-	1.1	-	63
-	-	-	-	-	-	-	-	0.0	-	-	-	-	64
-	-	-	-	-	-	-	-	0.1	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	0.0	-	-	-	-	67
-	-	-	-	-	-	-	-	0.1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	0.0	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	0.0	-	-	75
-	-	-	-	-	-	-	-	-	-	0.0	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	0.1	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.3	0.5	0.1	0.3	82
0.1	0.1	0.1	0.0	0.3	0.2	0.2	0.3	0.1	0.3	0.3	-	0.5	83
0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.1	84
0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.1	0.3	0.3	0.1	0.3	85
-	0.1	0.0	0.0	0.3	0.2	0.2	0.3	0.1	0.2	0.2	-	0.5	86
-	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.3	0.4	0.2	0.2	87
0.3	0.2	0.4	0.2	0.6	0.3	0.7	0.1	0.4	0.5	0.4	-	-	88
0.5	0.3	0.5	0.2	0.4	0.4	0.5	0.3	-	1.1	0.8	-	-	89
0.1	0.1	0.3	0.3	0.8	0.2	0.9	-	0.8	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group, Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)-----	0.0	0.1	0.0	0.0	0.0	-	0.0
2	Male-----	0.0	0.1	-	-	-	-	0.0
3	Female-----	0.0	0.1	0.0	0.0	0.0	-	-
4	White-----	0.0	0.1	0.0	-	0.0	-	-
5	Male-----	0.0	0.1	-	-	-	-	-
6	Female-----	0.0	0.1	0.0	-	0.0	-	-
7	Nonwhite-----	0.0	-	-	0.0	-	-	0.1
8	Male-----	0.0	-	-	-	-	-	0.1
9	Female-----	0.0	-	-	0.1	-	-	-
10	Measles (085)-----	0.1	1.5	0.8	0.2	0.1	0.0	0.0
11	Male-----	0.2	1.7	0.9	0.2	0.1	0.0	0.0
12	Female-----	0.1	1.3	0.7	0.2	0.1	0.0	-
13	White-----	0.1	1.2	0.6	0.2	0.1	0.0	0.0
14	Male-----	0.1	1.3	0.7	0.2	0.1	0.1	0.0
15	Female-----	0.1	1.0	0.5	0.2	0.0	-	-
16	Nonwhite-----	0.3	2.9	1.8	0.2	0.1	0.0	-
17	Male-----	0.4	3.2	2.1	0.2	-	-	-
18	Female-----	0.3	2.6	1.6	0.3	0.2	0.1	-
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	3.1	18.9	2.5	1.0	0.7	0.8	1.1
20	Male-----	3.3	21.2	2.8	1.0	0.6	0.7	1.1
21	Female-----	2.8	16.5	2.2	1.1	0.8	0.9	1.0
22	White-----	2.8	15.3	2.4	1.0	0.7	0.7	0.9
23	Male-----	3.0	16.9	2.5	0.9	0.6	0.5	1.0
24	Female-----	2.6	13.6	2.2	1.1	0.7	0.8	0.8
25	Nonwhite-----	5.5	36.8	3.1	1.1	0.8	1.7	2.2
26	Male-----	6.1	42.7	4.0	1.2	0.5	1.9	2.1
27	Female-----	4.9	30.7	2.3	0.9	1.2	1.4	2.3
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	155.1	5.6	8.3	6.9	6.0	7.7	9.3
29	Male-----	172.0	5.2	8.8	7.8	6.8	9.2	11.4
30	Female-----	138.8	6.0	7.7	5.9	5.1	6.2	7.3
31	White-----	158.5	5.9	8.8	7.2	6.1	7.8	9.4
32	Male-----	174.9	5.6	8.5	8.3	7.0	9.5	11.7
33	Female-----	142.6	6.3	8.2	6.1	5.1	6.2	7.1
34	Nonwhite-----	130.1	3.9	5.5	4.8	5.2	6.7	8.6
35	Male-----	150.1	3.6	5.4	4.6	5.9	7.1	8.7
36	Female-----	111.3	4.3	5.6	5.0	4.5	6.3	8.5
37	Malignant neoplasm of buccal cavity and pharynx (140-149)-----	3.5	-	0.0	0.0	0.1	0.1	0.2
38	Male-----	5.3	-	0.1	0.0	0.1	0.1	0.2
39	Female-----	1.8	-	0.0	0.0	0.0	0.0	0.1
40	White-----	3.5	-	0.0	0.0	0.1	0.1	0.1
41	Male-----	5.3	-	0.0	0.0	0.1	0.1	0.1
42	Female-----	1.8	-	0.0	0.1	0.0	0.0	0.1
43	Nonwhite-----	3.1	-	0.1	-	0.1	0.2	0.4
44	Male-----	4.7	-	0.2	-	0.2	0.3	0.4
45	Female-----	1.5	-	0.1	-	0.1	0.2	0.5
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	48.5	0.4	0.2	0.1	0.1	0.3	0.7
47	Male-----	53.4	0.3	0.3	0.2	0.2	0.4	0.9
48	Female-----	43.9	0.4	0.2	0.1	0.1	0.2	0.6
49	White-----	49.3	0.4	0.2	0.1	0.1	0.3	0.7
50	Male-----	53.4	0.3	0.3	0.2	0.1	0.3	0.8
51	Female-----	45.4	0.5	0.2	0.1	0.0	0.2	0.6
52	Nonwhite-----	43.0	0.3	0.3	0.1	0.3	0.5	1.2
53	Male-----	53.1	0.3	0.2	0.1	0.3	0.7	1.6
54	Female-----	33.5	0.3	0.3	0.1	0.3	0.3	0.9
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	28.0	0.1	0.0	0.0	0.0	0.1	0.2
56	Male-----	48.0	-	0.0	0.0	0.0	0.1	0.4
57	Female-----	8.9	0.2	-	0.0	0.0	0.1	0.1
58	White-----	28.7	0.1	0.0	0.0	0.0	0.1	0.2
59	Male-----	49.1	-	0.0	0.0	0.0	0.1	0.3
60	Female-----	9.1	0.3	-	0.0	0.0	0.1	0.1
61	Nonwhite-----	23.0	-	0.0	0.1	0.0	0.1	0.6
62	Male-----	40.0	-	0.1	0.1	-	0.3	0.8
63	Female-----	7.0	-	-	0.1	0.1	-	0.5
64	Malignant neoplasm of breast (170)-----	14.1	-	-	-	-	0.0	0.2
65	Male-----	0.2	-	-	-	-	-	-
66	Female-----	27.3	-	-	-	-	0.0	0.5
67	White-----	14.7	-	-	-	-	0.0	0.1
68	Male-----	0.2	-	-	-	-	-	-
69	Female-----	28.6	-	-	-	-	0.0	0.3
70	Nonwhite-----	9.5	-	-	-	-	0.1	0.3
71	Male-----	0.3	-	-	-	-	-	-
72	Female-----	18.1	-	-	-	-	0.2	0.6
73	Malignant neoplasm of genital organs (171-179)-----	20.6	0.1	0.2	0.0	0.2	0.6	1.2
74	Male-----	17.7	0.1	0.2	0.0	0.0	0.6	1.4
75	Female-----	23.4	0.2	0.1	0.1	0.3	0.5	1.1
76	White-----	20.3	0.2	0.2	0.0	0.2	0.6	1.2
77	Male-----	17.4	0.1	0.2	0.0	0.0	0.7	1.5
78	Female-----	23.0	0.2	0.2	0.1	0.3	0.4	0.9
79	Nonwhite-----	23.2	-	0.1	0.1	0.1	0.4	1.3
80	Male-----	19.4	-	0.2	-	-	-	0.1
81	Female-----	26.9	-	0.1	0.1	0.2	0.9	2.4
82	Malignant neoplasm of urinary organs (180,181)-----	7.2	0.6	0.6	0.3	0.1	0.1	0.1
83	Male-----	9.9	0.4	0.5	0.3	0.1	0.1	0.2
84	Female-----	4.7	0.7	0.6	0.4	0.1	0.1	0.1
85	White-----	7.6	0.6	0.6	0.4	0.1	0.1	0.1
86	Male-----	10.4	0.5	0.5	0.3	0.1	0.1	0.2
87	Female-----	4.9	0.7	0.7	0.4	0.1	0.1	0.2
88	Nonwhite-----	4.6	0.3	0.5	0.2	-	0.1	0.3
89	Male-----	5.9	-	0.5	0.1	-	0.1	0.4
90	Female-----	3.5	0.7	0.4	0.3	-	0.2	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.								
1	Malignant neoplasms of other and unspecified sites (156B,16S,190-199)-----	17.9	2.0	2.8	2.2	2.3	3.0	2.6
2	Male-----	19.8	2.5	2.8	2.4	2.3	3.4	3.3
3	Female-----	16.0	1.6	2.8	1.9	2.2	2.5	2.0
4	White-----	18.3	2.2	2.9	2.2	2.3	3.1	2.7
5	Male-----	20.3	2.6	2.9	2.4	2.3	3.6	3.4
6	Female-----	16.4	1.7	2.9	1.9	2.2	2.6	2.1
7	Nonwhite-----	14.5	1.5	1.9	2.0	2.4	2.1	1.9
8	Male-----	16.0	1.9	1.8	2.0	2.7	2.4	2.6
9	Female-----	13.2	1.0	2.0	2.0	2.1	1.8	1.3
10	Leukemia and aleukemia (204)-----	7.2	1.9	4.0	3.5	2.2	2.3	1.8
11	Male-----	8.4	1.5	4.5	4.1	2.8	2.8	2.4
12	Female-----	6.0	2.3	3.6	2.9	1.7	1.7	1.2
13	White-----	7.6	2.0	4.4	3.8	2.4	2.3	1.9
14	Male-----	8.9	1.6	4.9	4.5	2.9	2.9	2.5
15	Female-----	6.3	2.4	3.9	3.1	1.8	1.7	1.3
16	Nonwhite-----	4.1	1.3	2.1	1.9	1.5	1.9	1.3
17	Male-----	4.5	1.0	2.1	1.6	1.8	2.1	1.8
18	Female-----	3.7	1.7	2.1	2.1	1.2	1.7	0.9
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	8.1	0.5	0.4	0.6	1.0	1.4	2.2
20	Male-----	9.3	0.4	0.5	0.8	1.3	1.7	2.7
21	Female-----	6.9	0.5	0.3	0.4	0.6	1.1	1.7
22	White-----	8.5	0.5	0.4	0.6	1.0	1.4	2.3
23	Male-----	9.7	0.4	0.6	0.9	1.4	1.7	2.9
24	Female-----	7.2	0.5	0.3	0.4	0.6	1.1	1.8
25	Nonwhite-----	5.1	0.5	0.5	0.5	0.9	1.2	1.1
26	Male-----	6.2	0.3	0.3	0.7	1.0	1.2	1.1
27	Female-----	4.0	0.7	0.6	0.4	0.6	1.1	1.2
28	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.5	2.3	0.6	0.5	0.4	0.6	0.6
29	Male-----	2.4	2.2	0.6	0.5	0.4	0.6	0.6
30	Female-----	2.6	2.4	0.6	0.5	0.4	0.6	0.6
31	White-----	2.5	2.4	0.5	0.5	0.4	0.6	0.6
32	Male-----	2.4	2.4	0.6	0.5	0.4	0.6	0.6
33	Female-----	2.5	2.3	0.5	0.5	0.4	0.5	0.6
34	Nonwhite-----	2.8	2.0	0.7	0.7	0.6	0.9	0.6
35	Male-----	2.3	1.3	0.5	0.6	0.5	0.7	0.3
36	Female-----	3.3	2.6	0.8	0.6	0.6	1.1	0.9
37	Asthma (241)-----	2.2	0.5	0.2	0.2	0.3	0.3	0.5
38	Male-----	2.6	0.5	0.3	0.2	0.4	0.3	0.3
39	Female-----	1.8	0.4	0.2	0.2	0.3	0.4	0.7
40	White-----	2.1	0.4	0.2	0.1	0.3	0.2	0.3
41	Male-----	2.5	0.4	0.2	0.2	0.3	0.1	0.2
42	Female-----	1.7	0.3	0.2	0.1	0.2	0.3	0.4
43	Nonwhite-----	3.1	1.1	0.6	0.6	0.8	1.0	1.6
44	Male-----	3.6	1.0	0.8	0.7	1.0	1.2	1.0
45	Female-----	2.6	1.3	0.3	0.6	0.6	0.9	2.2
46	Diabetes mellitus (260)-----	17.7	0.5	0.2	0.2	0.4	0.4	1.1
47	Male-----	14.8	0.5	0.2	0.2	0.4	0.3	1.1
48	Female-----	20.4	0.4	0.2	0.2	0.4	0.6	1.1
49	White-----	17.2	0.4	0.2	0.2	0.4	0.4	0.9
50	Male-----	14.7	0.5	0.2	0.2	0.4	0.3	0.9
51	Female-----	19.6	0.3	0.2	0.2	0.4	0.5	0.9
52	Nonwhite-----	21.1	0.8	0.2	0.2	0.3	0.6	2.4
53	Male-----	15.1	0.3	0.2	0.4	0.3	0.3	2.1
54	Female-----	26.8	1.3	0.2	0.1	0.3	1.3	2.2
55	Anemias (290-293)-----	1.8	2.2	0.8	0.5	0.3	0.4	0.5
56	Male-----	1.7	1.7	0.8	0.4	0.3	0.5	0.5
57	Female-----	1.8	2.7	0.8	0.5	0.3	0.4	0.4
58	White-----	1.6	1.3	0.3	0.3	0.2	0.3	0.3
59	Male-----	1.6	1.2	0.3	0.3	0.2	0.3	0.3
60	Female-----	1.6	1.5	0.3	0.4	0.2	0.3	0.2
61	Nonwhite-----	2.9	6.5	3.2	1.3	0.7	1.5	1.9
62	Male-----	2.8	4.2	3.3	1.4	0.4	1.5	1.8
63	Female-----	2.9	8.9	3.1	1.2	1.0	1.5	2.0
64	Meningitis, except meningococcal and tuberculous (340)-----	1.2	21.9	2.1	0.5	0.2	0.2	0.2
65	Male-----	1.4	24.4	2.2	0.5	0.2	0.2	0.3
66	Female-----	1.0	19.3	2.0	0.4	0.2	0.2	0.2
67	White-----	0.9	16.7	1.7	0.3	0.2	0.2	0.2
68	Male-----	1.1	18.5	1.9	0.4	0.2	0.2	0.2
69	Female-----	0.8	14.8	1.5	0.3	0.2	0.2	0.1
70	Nonwhite-----	3.1	47.9	4.2	1.1	0.3	0.4	0.7
71	Male-----	3.5	54.0	3.8	1.0	0.4	0.4	0.8
72	Female-----	2.8	41.6	4.6	1.2	0.2	0.3	0.6
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	521.4	15.2	2.2	1.6	2.7	5.1	9.4
74	Male-----	504.3	16.4	2.4	1.6	2.8	5.6	9.8
75	Female-----	461.0	14.1	2.1	1.6	2.5	4.6	9.1
76	White-----	531.7	12.2	1.8	1.4	2.4	4.4	7.8
77	Male-----	597.7	13.1	1.9	1.5	2.6	4.8	8.6
78	Female-----	468.2	11.3	1.7	1.4	2.2	3.9	7.1
79	Nonwhite-----	445.9	30.2	4.6	2.6	4.4	9.9	21.5
80	Male-----	484.8	33.0	5.0	2.6	4.6	10.6	19.2
81	Female-----	409.3	27.4	4.2	2.6	4.3	9.3	23.6
82	Diseases of cardiovascular system (330-334,400-468)-----	516.1	14.5	2.2	1.4	2.0	4.0	7.8
83	Male-----	578.2	15.5	2.3	1.4	2.2	4.3	7.7
84	Female-----	456.5	13.3	2.0	1.3	1.9	3.7	7.9
85	White-----	527.1	11.5	1.7	1.2	1.8	3.4	6.3
86	Male-----	592.4	12.4	1.8	1.3	2.0	3.7	6.6
87	Female-----	464.2	10.5	1.6	1.1	1.6	3.1	6.0
88	Nonwhite-----	435.4	29.2	4.4	2.3	3.7	8.1	19.0
89	Male-----	473.0	31.4	4.7	2.2	3.7	8.4	16.0
90	Female-----	400.1	27.1	4.2	2.5	3.7	7.8	21.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death]

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases—Con.								
Diseases of cardiovascular system—Con.								
1	Vascular lesions affecting central nervous system (530-534)-----	104.6	2.8	0.7	0.8	0.8	1.2	2.0
2	Male-----	98.6	2.7	0.8	0.7	0.9	1.4	2.0
3	Female-----	110.3	2.8	0.6	0.5	0.7	1.0	2.0
4	White-----	103.6	2.5	0.6	0.6	0.8	1.1	1.6
5	Male-----	96.9	2.3	0.7	0.6	0.9	1.3	1.8
6	Female-----	110.0	2.8	0.5	0.5	0.7	0.9	1.6
7	Nonwhite-----	112.2	3.9	1.1	0.8	1.2	2.1	4.3
8	Male-----	111.4	4.9	1.0	0.9	1.2	2.4	3.6
9	Female-----	112.9	3.0	1.2	0.7	1.2	1.8	5.9
10	Diseases of heart (400-402, 410-443)-----	371.2	10.6	1.3	0.7	1.0	2.0	4.1
11	Male-----	437.9	11.1	1.3	0.7	1.1	2.3	4.7
12	Female-----	307.1	10.0	1.2	0.7	0.8	1.7	3.5
13	White-----	382.7	8.0	0.9	0.6	0.8	1.7	3.3
14	Male-----	453.3	8.6	0.9	0.6	0.9	2.0	4.0
15	Female-----	314.6	7.4	0.9	0.5	0.6	1.4	2.6
16	Nonwhite-----	287.1	23.2	3.1	1.5	2.2	4.2	9.9
17	Male-----	325.7	23.6	3.7	1.2	2.4	4.8	9.9
18	Female-----	252.8	22.8	2.6	1.8	2.1	3.6	9.9
19	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)-----	7.7	0.1	0.1	0.2	0.4	0.6	1.2
20	Male-----	8.7	0.1	0.1	0.2	0.4	0.7	1.2
21	Female-----	8.6	0.1	0.1	0.2	0.4	0.5	1.2
22	White-----	8.0	0.1	0.1	0.1	0.3	0.5	0.9
23	Male-----	6.9	0.1	0.1	0.1	0.3	0.6	1.0
24	Female-----	8.9	0.1	0.1	0.1	0.3	0.4	0.8
25	Nonwhite-----	5.5	0.3	0.4	0.7	1.4	1.7	3.0
26	Male-----	5.2	0.3	0.4	0.5	1.3	2.0	2.5
27	Female-----	5.8	0.3	0.5	0.9	1.5	1.3	3.4
28	Arteriosclerotic heart disease, including coronary disease (420)-----	292.7	0.5	0.0	0.0	0.1	0.3	1.1
29	Male-----	351.6	0.5	0.1	0.0	0.1	0.4	1.5
30	Female-----	226.5	0.4	0.0	0.0	0.1	0.1	0.7
31	White-----	307.9	0.3	0.0	0.0	0.1	0.2	1.0
32	Male-----	381.5	0.3	0.1	0.1	0.1	0.3	1.3
33	Female-----	237.1	0.3	0.0	0.0	0.1	0.1	0.6
34	Nonwhite-----	180.5	1.5	0.1	0.0	0.1	0.5	2.2
35	Male-----	213.9	1.6	-	-	0.1	0.7	3.3
36	Female-----	149.2	1.3	0.2	0.1	-	0.3	1.3
37	Nonrheumatic endocarditis and other myocardial degeneration (421, 422)-----	27.4	1.1	0.2	0.1	0.1	0.3	0.4
38	Male-----	27.2	1.0	0.2	0.1	0.2	0.4	0.5
39	Female-----	27.5	1.3	0.2	0.1	0.1	0.1	0.3
40	White-----	27.8	0.8	0.2	0.1	0.1	0.2	0.3
41	Male-----	27.3	0.8	0.1	0.0	0.1	0.2	0.3
42	Female-----	28.2	0.9	0.2	0.1	0.1	0.1	0.3
43	Nonwhite-----	24.4	2.8	0.5	0.2	0.2	0.6	1.1
44	Male-----	26.5	2.6	0.5	0.3	0.3	0.8	1.0
45	Female-----	22.5	3.0	0.4	0.1	0.1	0.4	1.2
46	Other diseases of heart (430-434)-----	15.8	8.8	0.8	0.4	0.3	0.9	1.2
47	Male-----	17.8	9.5	0.9	0.4	0.4	0.8	1.3
48	Female-----	13.9	8.1	0.8	0.4	0.2	0.9	1.1
49	White-----	15.0	6.8	0.6	0.3	0.3	0.8	1.0
50	Male-----	16.9	7.6	0.6	0.4	0.4	0.8	1.1
51	Female-----	13.2	6.0	0.6	0.3	0.2	0.7	0.8
52	Nonwhite-----	22.1	18.6	2.1	0.7	0.5	1.3	2.9
53	Male-----	25.1	19.1	2.7	0.5	0.6	1.1	2.5
54	Female-----	19.3	18.2	1.6	0.8	0.4	1.6	3.3
55	Hypertensive heart disease (440-443)-----	27.7	0.0	0.0	0.0	0.0	0.0	0.2
56	Male-----	24.5	-	0.0	-	0.0	0.0	0.2
57	Female-----	30.7	0.1	0.0	0.0	0.0	0.0	0.2
58	White-----	24.0	0.0	0.0	0.0	0.0	0.0	0.1
59	Male-----	20.6	-	-	-	0.0	0.0	0.1
60	Female-----	27.2	0.1	0.0	0.0	0.0	0.0	0.1
61	Nonwhite-----	54.6	-	0.0	-	0.1	0.1	0.7
62	Male-----	53.0	-	0.1	-	0.1	0.2	0.6
63	Female-----	56.0	-	-	-	0.1	0.1	0.8
64	Other hypertensive disease (444-447)-----	5.8	-	-	0.0	0.0	0.1	0.2
65	Male-----	8.0	-	-	-	0.0	0.1	0.2
66	Female-----	5.7	-	-	0.0	0.0	0.0	0.2
67	White-----	5.3	-	-	0.0	0.0	0.0	0.1
68	Male-----	5.4	-	-	-	0.0	0.1	0.1
69	Female-----	5.2	-	-	0.0	0.0	-	0.1
70	Nonwhite-----	9.7	-	-	-	0.0	0.2	0.8
71	Male-----	10.5	-	-	-	0.1	0.2	0.6
72	Female-----	9.1	-	-	-	-	0.3	1.0
73	General arteriosclerosis (450)-----	19.9	0.0	-	-	-	-	0.0
74	Male-----	18.2	0.1	-	-	-	-	0.0
75	Female-----	21.5	-	-	-	-	-	0.0
76	White-----	20.9	0.0	-	-	-	-	0.0
77	Male-----	19.0	0.1	-	-	-	-	0.0
78	Female-----	22.7	-	-	-	-	-	0.0
79	Nonwhite-----	12.2	-	-	-	-	-	0.1
80	Male-----	12.3	-	-	-	-	-	0.1
81	Female-----	12.1	-	-	-	-	-	0.1
82	Other diseases of circulatory system (451-468)-----	14.6	1.1	0.2	0.1	0.2	0.7	1.5
83	Male-----	17.5	1.7	0.2	0.1	0.1	0.4	0.8
84	Female-----	11.9	0.6	0.2	0.1	0.3	1.0	2.1
85	White-----	14.7	0.9	0.2	0.1	0.2	0.6	1.2
86	Male-----	17.8	1.4	0.2	0.1	0.1	0.4	0.7
87	Female-----	11.7	0.4	0.2	0.1	0.3	0.8	1.7
88	Nonwhite-----	14.2	2.1	0.2	-	0.2	1.5	3.3
89	Male-----	15.1	2.9	0.1	-	0.1	1.0	1.6
90	Female-----	13.3	1.3	0.3	-	0.4	2.1	4.9

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases—Con.								
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	5.3	0.8	0.1	0.2	0.6	1.1	1.6
2	Male-----	6.0	0.9	0.1	0.2	0.6	1.3	2.1
3	Female-----	4.6	0.7	0.1	0.3	0.6	0.9	1.2
4	White-----	4.6	0.8	0.1	0.2	0.6	1.0	1.5
5	Male-----	5.3	0.7	0.1	0.2	0.6	1.2	1.9
6	Female-----	3.9	0.8	0.1	0.3	0.6	0.8	1.1
7	Nonwhite-----	10.5	1.0	0.2	0.3	0.7	1.8	2.5
8	Male-----	11.8	1.6	0.3	0.5	0.9	2.2	3.3
9	Female-----	9.2	0.3	0.1	0.1	0.6	1.5	1.9
10	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	32.5	189.9	10.9	2.2	1.7	2.3	2.7
11	Male-----	37.1	213.0	11.5	2.1	1.8	2.6	3.1
12	Female-----	28.1	165.8	10.4	2.3	1.6	1.9	2.3
13	White-----	30.6	130.6	8.0	1.9	1.6	2.1	2.3
14	Male-----	34.6	152.0	8.6	1.8	1.6	2.5	2.8
15	Female-----	26.8	108.1	7.4	2.0	1.4	1.7	1.8
16	Nonwhite-----	46.1	485.8	26.2	3.8	2.7	3.3	5.4
17	Male-----	55.8	521.4	27.1	3.4	2.4	3.5	5.2
18	Female-----	37.0	449.5	25.3	4.2	3.1	3.1	5.7
19	Influenza (480-483)-----	1.4	3.5	0.3	0.1	0.1	0.1	0.1
20	Male-----	1.4	3.8	0.3	0.0	0.1	0.2	0.1
21	Female-----	1.5	3.2	0.3	0.1	0.1	0.1	0.1
22	White-----	1.4	1.6	0.2	0.1	0.1	0.1	0.1
23	Male-----	1.4	2.3	0.2	0.0	0.1	0.2	0.1
24	Female-----	1.5	0.9	0.3	0.1	0.1	0.1	0.1
25	Nonwhite-----	1.6	12.9	0.8	0.1	0.2	0.2	0.1
26	Male-----	1.5	11.3	1.0	0.1	0.1	0.3	0.1
27	Female-----	1.7	14.5	0.6	0.1	0.3	0.1	0.1
28	Pneumonia, except pneumonia of newborn (490-493)-----	31.0	186.4	10.6	2.1	1.6	2.1	2.6
29	Male-----	35.7	209.2	11.2	2.0	1.8	2.5	3.0
30	Female-----	26.6	162.6	10.0	2.2	1.5	1.8	2.2
31	White-----	29.2	128.9	7.8	1.6	1.5	2.0	2.2
32	Male-----	33.2	149.7	8.4	1.8	1.7	2.4	2.7
33	Female-----	25.4	107.2	7.2	1.9	1.3	1.6	1.7
34	Nonwhite-----	44.5	472.9	25.4	3.7	2.6	3.1	5.3
35	Male-----	54.3	510.0	26.2	3.3	2.3	3.2	5.0
36	Female-----	35.4	435.0	24.7	4.1	2.8	3.0	5.6
37	Bronchitis (500-502)-----	3.1	9.6	1.1	0.2	0.1	0.1	0.1
38	Male-----	4.7	10.8	1.3	0.2	0.1	0.2	0.1
39	Female-----	1.6	8.3	1.0	0.1	0.1	0.1	0.1
40	White-----	3.3	7.6	1.0	0.2	0.1	0.1	0.1
41	Male-----	5.0	9.9	1.2	0.3	0.1	0.1	0.1
42	Female-----	1.7	6.4	1.0	0.2	0.1	0.1	0.1
43	Nonwhite-----	2.1	19.6	1.4	0.1	0.1	0.2	0.1
44	Male-----	2.9	21.4	1.7	0.2	0.1	0.3	0.1
45	Female-----	1.4	17.8	1.0	0.1	0.1	0.2	0.1
46	Other bronchopulmonic diseases (525-527)-----	14.5	37.0	1.1	0.2	0.1	0.2	0.3
47	Male-----	23.8	42.1	1.2	0.2	0.1	0.2	0.3
48	Female-----	5.6	31.6	1.0	0.2	0.1	0.2	0.3
49	White-----	15.2	27.9	0.9	0.1	0.1	0.2	0.3
50	Male-----	25.1	35.6	0.9	0.1	0.1	0.2	0.3
51	Female-----	5.7	21.8	0.9	0.1	0.1	0.2	0.3
52	Nonwhite-----	9.2	62.4	2.1	0.4	0.1	0.3	0.7
53	Male-----	13.6	85.1	2.4	0.5	-	0.3	0.9
54	Female-----	5.0	79.5	1.7	0.3	0.1	0.3	0.6
55	Ulcer of stomach and duodenum (540,541)-----	5.3	1.5	0.0	0.0	0.0	0.1	0.3
56	Male-----	7.5	1.8	0.1	0.0	0.0	0.1	0.4
57	Female-----	3.1	1.3	0.0	0.0	0.1	0.1	0.2
58	White-----	5.4	1.0	0.0	0.0	0.0	0.1	0.3
59	Male-----	7.7	1.3	0.0	0.0	0.0	0.1	0.4
60	Female-----	3.3	0.7	0.0	0.0	0.0	0.1	0.2
61	Nonwhite-----	4.1	4.1	0.1	0.1	0.1	0.2	0.2
62	Male-----	6.0	4.2	0.2	0.1	-	0.3	0.3
63	Female-----	2.3	4.0	-	-	0.1	0.2	0.2
64	Appendicitis (550-553)-----	0.8	0.5	0.2	0.3	0.3	0.2	0.2
65	Male-----	1.0	0.6	0.3	0.4	0.2	0.3	0.3
66	Female-----	0.7	0.4	0.2	0.2	0.3	0.2	0.2
67	White-----	0.8	0.5	0.2	0.3	0.2	0.2	0.2
68	Male-----	1.0	0.6	0.2	0.3	0.2	0.3	0.3
69	Female-----	0.6	0.4	0.2	0.2	0.2	0.2	0.2
70	Nonwhite-----	1.2	0.7	0.3	0.5	0.5	0.4	0.2
71	Male-----	1.3	1.0	0.5	0.7	0.3	0.3	0.3
72	Female-----	1.0	0.3	0.1	0.3	0.7	0.5	0.2
73	Hernia and intestinal obstruction (560,561,570)-----	5.1	19.5	0.4	0.1	0.1	0.2	0.2
74	Male-----	4.9	23.0	0.5	0.1	0.1	0.2	0.2
75	Female-----	5.4	16.0	0.4	0.1	0.1	0.2	0.3
76	White-----	5.2	18.9	0.4	0.1	0.1	0.2	0.2
77	Male-----	4.8	21.9	0.4	0.1	0.1	0.2	0.1
78	Female-----	5.6	15.8	0.3	0.1	0.1	0.2	0.2
79	Nonwhite-----	4.7	22.5	0.8	0.1	0.2	0.2	0.7
80	Male-----	5.2	28.5	0.9	0.1	0.1	0.3	0.8
81	Female-----	4.3	16.5	0.7	0.1	0.2	-	0.5
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	3.9	36.9	2.1	0.2	0.1	0.2	0.4
83	Male-----	3.7	40.2	2.3	0.2	0.1	0.3	0.4
84	Female-----	4.0	33.4	1.9	0.3	0.1	0.2	0.4
85	White-----	3.6	19.5	1.7	0.2	0.1	0.2	0.4
86	Male-----	3.4	21.4	1.9	0.2	0.1	0.3	0.4
87	Female-----	3.8	17.7	1.4	0.2	0.1	0.2	0.4
88	Nonwhite-----	5.7	123.4	4.3	0.6	0.1	0.3	0.1
89	Male-----	5.9	135.6	4.3	0.4	0.1	0.1	0.1
90	Female-----	5.4	110.9	4.2	0.7	-	0.4	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)-----	13.6	0.7	0.2	0.1	0.2	0.2	0.6
2	Male-----	18.1	0.5	0.2	0.1	0.1	0.1	0.6
3	Female-----	9.3	0.9	0.1	0.0	0.3	0.3	0.5
4	White-----	13.2	0.7	0.2	0.1	0.1	0.2	0.3
5	Male-----	17.8	0.5	0.2	0.1	0.1	0.1	0.3
6	Female-----	8.9	0.9	0.1	0.1	0.2	0.3	0.3
7	Nonwhite-----	16.4	0.7	0.2	-	0.4	0.4	2.5
8	Male-----	20.7	0.3	0.2	-	0.2	0.4	3.0
9	Female-----	12.4	1.0	0.2	-	0.7	0.4	2.0
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.3	-	-	-	-	0.0	0.1
11	Male-----	2.1	-	-	-	-	-	0.0
12	Female-----	2.6	-	-	-	-	0.0	0.1
13	White-----	2.5	-	-	-	-	0.0	0.1
14	Male-----	2.2	-	-	-	-	-	0.0
15	Female-----	2.8	-	-	-	-	0.0	0.1
16	Nonwhite-----	1.2	-	-	-	-	0.0	0.1
17	Male-----	1.0	-	-	-	-	-	-
18	Female-----	1.4	-	-	-	-	0.1	0.1
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.6	0.6	0.3	0.1	0.1	0.2	0.3
20	Male-----	0.7	0.6	0.4	0.1	0.1	0.3	0.3
21	Female-----	0.5	0.5	0.2	0.1	0.1	0.1	0.2
22	White-----	0.5	0.5	0.3	0.1	0.1	0.2	0.2
23	Male-----	0.6	0.4	0.3	0.1	0.1	0.3	0.2
24	Female-----	0.4	0.6	0.2	0.1	0.1	0.1	0.2
25	Nonwhite-----	1.1	1.0	0.3	0.3	0.2	0.2	0.7
26	Male-----	1.2	1.9	0.5	0.3	0.1	0.3	1.1
27	Female-----	0.9	-	0.2	0.3	0.3	0.2	0.3
28	Infections of kidney (600)-----	4.8	0.6	0.1	0.1	0.1	0.2	0.4
29	Male-----	4.7	0.7	0.1	0.1	0.0	0.2	0.5
30	Female-----	5.0	0.5	0.1	0.1	0.1	0.1	0.4
31	White-----	4.5	0.5	0.1	0.1	0.1	0.2	0.4
32	Male-----	4.3	0.6	0.0	0.1	0.0	0.2	0.4
33	Female-----	4.7	0.4	0.1	0.1	0.1	0.2	0.4
34	Nonwhite-----	7.5	1.1	0.2	0.2	0.0	0.2	0.7
35	Male-----	7.6	1.3	0.2	0.3	-	0.3	0.9
36	Female-----	7.4	1.0	0.1	0.2	0.1	0.1	0.6
37	Hyperplasia of prostate (610)-----	1.6	-	-	-	-	-	-
38	Male-----	3.4	-	-	-	-	-	-
39	White-----	1.6	-	-	-	-	-	-
40	Male-----	3.3	-	-	-	-	-	-
41	Nonwhite-----	1.8	-	-	-	-	-	-
42	Male-----	3.7	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.5	-	-	-	0.0	0.5	1.8
44	Female-----	1.0	-	-	-	0.1	1.1	3.4
45	White-----	0.4	-	-	-	0.0	0.3	1.2
46	Female-----	0.7	-	-	-	0.0	0.5	2.4
47	Nonwhite-----	1.9	-	-	-	0.2	2.2	9.7
48	Female-----	3.7	-	-	-	0.4	4.4	11.0
49	Abortion (650-652)-----	0.1	-	-	-	0.0	0.1	0.4
50	Female-----	0.2	-	-	-	0.0	0.2	0.7
51	White-----	0.1	-	-	-	-	0.0	0.2
52	Female-----	0.1	-	-	-	-	0.1	0.5
53	Nonwhite-----	0.4	-	-	-	0.1	0.6	1.3
54	Female-----	0.8	-	-	-	0.1	1.1	2.6
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	0.4	-	-	-	0.0	0.4	1.4
56	Female-----	0.9	-	-	-	0.1	0.9	2.7
57	White-----	0.3	-	-	-	0.0	0.2	1.0
58	Female-----	0.6	-	-	-	0.0	0.5	1.9
59	Nonwhite-----	1.5	-	-	-	0.1	1.7	4.4
60	Female-----	2.9	-	-	-	0.3	3.3	8.5
61	Congenital malformations (750-759)-----	9.3	332.8	10.5	3.1	2.1	2.3	2.2
62	Male-----	10.1	353.9	10.4	3.4	2.0	2.5	2.6
63	Female-----	8.4	310.9	10.7	2.8	2.2	2.2	1.8
64	White-----	9.0	340.5	10.1	3.1	2.0	2.3	2.3
65	Male-----	9.8	380.4	10.0	3.3	1.9	2.4	2.7
66	Female-----	8.2	319.6	10.2	2.9	2.2	2.1	1.9
67	Nonwhite-----	11.5	294.4	12.8	3.2	2.6	2.6	1.8
68	Male-----	12.8	320.1	12.5	3.9	2.7	2.8	2.0
69	Female-----	10.2	268.3	13.0	2.5	2.6	2.4	1.6
70	Certain diseases of early infancy (760-776)-----	26.4	1,407.7	0.1	0.0	0.0	0.0	-
71	Male-----	31.5	1,813.7	0.1	-	0.0	0.0	-
72	Female-----	21.4	1,193.5	0.1	0.0	-	-	-
73	White-----	22.1	1,246.5	0.1	0.0	0.0	0.0	-
74	Male-----	26.8	1,446.5	0.1	-	0.0	0.1	-
75	Female-----	17.6	1,036.6	0.2	0.0	-	-	-
76	Nonwhite-----	57.7	2,212.3	0.2	0.0	-	-	-
77	Male-----	66.7	2,454.7	0.2	-	-	-	-
78	Female-----	49.1	1,965.0	0.1	0.1	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	10.7	574.0	0.0	0.0	-	-	-
80	Male-----	13.0	665.8	0.0	-	-	-	-
81	Female-----	8.6	478.8	-	0.0	-	-	-
82	White-----	9.3	524.8	0.0	-	-	-	-
83	Male-----	11.4	617.8	0.0	-	-	-	-
84	Female-----	7.2	427.2	-	-	-	-	-
85	Nonwhite-----	21.4	819.8	-	0.0	-	-	-
86	Male-----	24.6	906.5	-	-	-	-	-
87	Female-----	18.3	731.4	-	0.1	-	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates For 60 Selected Causes, by
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Certain diseases of early infancy--Con.								
1	Infections of newborn (763-768)-----	1.8	96.0	0.0	-	-	-	-
2	Male-----	2.1	106.6	0.0	-	-	-	-
3	Female-----	1.5	85.1	-	-	-	-	-
4	White-----	1.5	72.3	-	-	-	-	-
5	Male-----	1.5	81.1	-	-	-	-	-
6	Female-----	1.1	63.1	-	-	-	-	-
7	Nonwhite-----	5.6	214.4	0.0	-	-	-	-
8	Male-----	6.4	235.0	0.1	-	-	-	-
9	Female-----	4.8	193.4	-	-	-	-	-
10	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	13.8	737.7	0.1	0.0	0.0	0.0	-
11	Male-----	16.4	841.4	0.1	-	0.0	0.0	-
12	Female-----	11.5	629.8	0.1	0.0	-	-	-
13	White-----	11.5	649.4	0.1	0.0	0.0	0.0	-
14	Male-----	13.8	747.6	0.1	-	0.0	0.1	-
15	Female-----	9.3	546.3	0.2	0.0	-	-	-
16	Nonwhite-----	30.7	1,178.1	0.1	-	-	-	-
17	Male-----	35.7	1,313.3	0.2	-	-	-	-
18	Female-----	26.0	1,040.3	0.1	-	-	-	-
19	Symptoms, senility, and ill-defined conditions (780-795)-----	12.2	72.1	2.8	0.5	0.4	1.0	1.9
20	Male-----	14.7	79.5	3.0	0.5	0.5	1.2	2.3
21	Female-----	9.8	64.5	2.5	0.5	0.2	0.8	1.5
22	White-----	9.1	41.0	1.7	0.4	0.2	0.8	1.4
23	Male-----	11.2	49.0	1.7	0.4	0.3	1.0	1.7
24	Female-----	7.1	32.6	1.7	0.3	0.2	0.6	1.0
25	Nonwhite-----	35.0	227.5	8.3	1.5	1.1	2.1	5.6
26	Male-----	40.5	233.7	9.7	1.2	1.5	2.4	6.4
27	Female-----	29.7	221.1	6.9	1.4	0.7	1.9	4.8
28	All other diseases (residual)-----	29.2	55.4	8.4	4.0	3.9	5.5	8.8
29	Male-----	32.5	62.2	8.9	4.1	4.1	6.7	8.0
30	Female-----	26.0	48.4	7.8	3.8	3.6	4.2	5.7
31	White-----	28.2	49.7	7.9	4.0	3.7	5.0	6.0
32	Male-----	31.1	56.1	8.2	4.1	3.9	6.4	7.1
33	Female-----	25.4	43.0	7.6	3.9	3.4	3.7	4.9
34	Nonwhite-----	36.2	84.0	10.8	4.1	5.0	8.4	13.0
35	Male-----	42.4	92.9	12.3	4.5	5.5	9.0	14.4
36	Female-----	30.4	74.9	9.2	3.6	4.6	7.9	11.7
37	Accidents (E800-E862)-----	58.0	84.5	33.4	20.0	19.5	63.3	71.9
38	Male-----	61.3	94.2	38.4	25.6	28.3	86.1	122.3
39	Female-----	35.6	74.3	28.3	14.3	10.5	28.0	24.1
40	White-----	56.2	68.1	29.5	19.3	18.5	64.2	71.0
41	Male-----	76.1	76.3	34.6	23.5	26.5	96.9	120.8
42	Female-----	35.0	59.5	24.2	12.9	10.2	26.7	23.8
43	Nonwhite-----	71.3	166.2	53.7	30.1	25.8	57.8	78.3
44	Male-----	104.6	184.5	58.1	38.0	39.3	92.7	133.2
45	Female-----	40.0	147.5	49.3	22.1	12.3	23.3	27.4
46	Motor vehicle accidents (E810-E835)-----	27.1	9.7	11.3	10.2	9.0	45.4	53.2
47	Male-----	39.9	10.2	12.6	12.8	12.2	67.3	89.0
48	Female-----	14.7	9.1	9.9	7.6	5.6	23.1	19.3
49	White-----	27.0	9.6	10.9	9.8	9.1	47.5	53.6
50	Male-----	39.5	9.8	12.1	12.1	12.3	70.4	89.7
51	Female-----	14.8	9.3	9.7	7.3	5.8	24.1	19.3
52	Nonwhite-----	28.0	10.3	13.1	12.9	8.0	31.2	50.1
53	Male-----	45.0	12.3	15.3	16.4	11.1	45.8	83.4
54	Female-----	14.0	8.3	11.0	9.3	5.0	16.6	18.3
55	Other accidents (E800-E802, E840-E862)-----	30.9	74.8	22.1	9.8	10.6	18.0	18.7
56	Male-----	41.3	84.0	25.8	12.8	15.1	30.8	33.3
57	Female-----	20.9	65.2	18.4	6.7	4.8	4.9	4.8
58	White-----	29.2	58.5	18.6	8.5	9.4	15.7	17.4
59	Male-----	36.6	66.5	22.5	11.3	14.2	28.5	31.1
60	Female-----	20.2	50.1	14.5	5.6	4.4	4.6	4.5
61	Nonwhite-----	43.3	155.9	40.6	17.2	17.8	26.6	28.1
62	Male-----	61.7	172.2	42.8	21.6	28.2	46.8	49.7
63	Female-----	26.1	139.3	38.3	12.8	7.3	6.7	8.1
64	Suicide (E863, E870-E879)-----	10.9	0.0	0.6	4.3	9.2
65	Male-----	16.1	0.0	0.9	6.5	14.2
66	Female-----	5.9	-	0.2	2.1	4.4
67	White-----	11.7	-	0.6	4.4	9.2
68	Male-----	17.2	-	1.1	6.7	14.2
69	Female-----	6.3	-	0.2	2.1	4.5
70	Nonwhite-----	5.0	0.0	0.3	3.6	8.6
71	Male-----	7.6	0.1	0.2	4.8	14.1
72	Female-----	2.4	-	0.3	2.4	3.6
73	Homicide (E864, E860-E885)-----	5.9	5.8	1.2	0.5	0.7	5.1	10.9
74	Male-----	9.1	6.3	1.1	0.5	0.8	7.8	17.6
75	Female-----	2.3	5.2	1.2	0.5	0.6	2.4	4.5
76	White-----	3.1	5.0	0.9	0.4	0.5	2.5	4.8
77	Male-----	4.5	5.2	0.8	0.4	0.5	3.4	7.2
78	Female-----	1.8	4.7	0.9	0.4	0.5	1.6	2.5
79	Nonwhite-----	26.5	9.6	2.8	1.1	2.1	22.9	55.1
80	Male-----	43.5	11.7	2.7	1.0	2.7	38.0	94.3
81	Female-----	10.6	7.6	2.9	1.2	1.5	7.9	18.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1966

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Table with 13 columns: Cause of death, color, and sex; Total; Under 1 year; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Rows include All causes, Tuberculosis (all forms, respiratory system, other forms), Syphilis and its sequelae, Dysentery, Scarlet fever and streptococcal sore throat, Diphtheria, Whooping cough, Meningococcal infections.

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION I - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1966-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Table with columns: Cause of death, color, and sex; Total; Under 1 year; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Rows include: Major cardiovascular-renal diseases-Con., Diseases of cardiovascular system-Con., Vascular lesions affecting central nervous system (330-334), Diseases of heart (400-402, 410-443), Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416), Arteriosclerotic heart disease, including coronary disease (420), Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422), Other diseases of heart (430-434), Hypertensive heart disease (440-443), Other hypertensive disease (444-447), General arteriosclerosis (450), Other diseases of circulatory system (451-468).

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1966-Con.
[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Table with 13 columns: Cause of death, color, and sex; Total; Under 1 year; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Rows include categories like 'Certain diseases of early infancy', 'Symptoms, senility, and ill-defined conditions', 'All other diseases (residual)', 'Accidents', 'Motor vehicle accidents', 'Suicide', and 'Homicide', each with sub-rows for 'White' and 'Nonwhite' and 'Male' and 'Female'.

1Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-29

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1966

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England ¹	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.8	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.8	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.8	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.9	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.8	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-11. Death Rates: United States, Each Division and State, 1957-66

[Rates per 1,000 population in each area]

Division and State	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957
United States	9.5	9.4	9.4	9.6	9.5	9.3	9.5	9.4	9.5	9.6
Geographic divisions:										
New England ¹	10.3	10.5	9.8	10.4	10.5	10.4	10.6	10.4	10.8	10.7
Middle Atlantic	10.4	10.3	10.4	10.6	10.4	10.4	10.5	10.4	10.4	10.6
East North Central	9.7	9.6	9.6	9.8	9.6	9.4	9.6	9.5	9.6	9.8
West North Central	10.3	10.2	10.2	10.3	10.1	9.9	10.1	10.0	10.1	10.2
South Atlantic	9.2	9.1	9.0	9.2	9.0	8.8	9.1	8.9	8.9	8.9
East South Central	9.6	9.5	9.5	9.8	9.5	9.2	9.5	9.3	9.7	9.5
West South Central	8.7	8.6	8.6	8.8	8.7	8.4	8.7	8.4	8.6	8.6
Mountain	7.9	7.8	7.9	8.0	7.8	7.7	8.1	8.0	8.0	8.1
Pacific	8.5	8.4	8.5	8.5	8.4	8.4	8.7	8.5	8.6	8.8
New England:										
Maine	11.1	11.0	11.0	11.2	11.2	10.8	11.1	11.3	11.1	10.8
New Hampshire	10.5	10.9	10.8	11.1	10.8	10.9	11.0	11.3	11.3	11.7
Vermont	11.1	11.4	11.4	11.4	11.1	11.1	11.4	11.3	11.3	11.7
Massachusetts ¹	10.7	11.0	9.6	10.5	10.8	10.8	11.0	10.7	11.3	11.1
Rhode Island	10.5	10.9	10.5	10.8	10.5	10.3	10.5	10.3	10.3	10.1
Connecticut	9.1	9.1	9.1	9.5	9.4	9.2	9.4	9.3	9.5	9.8
Middle Atlantic:										
New York	10.3	10.2	10.3	10.5	10.4	10.5	10.6	10.6	10.5	10.5
New Jersey	9.6	9.6	9.6	9.8	9.7	9.7	9.8	9.7	9.8	10.0
Pennsylvania	11.0	10.9	10.8	11.1	10.9	10.6	10.7	10.6	10.7	10.9
East North Central:										
Ohio	9.6	9.6	8.5	9.8	9.6	9.4	8.6	9.4	9.6	9.7
Indiana	9.9	9.8	9.7	10.1	9.7	9.5	9.7	9.6	9.7	9.8
Illinois	10.4	10.2	10.1	10.4	10.2	10.1	10.2	10.1	10.3	10.6
Michigan	8.9	8.9	8.8	9.0	8.8	8.6	8.7	8.6	8.6	8.8
Wisconsin	9.7	9.7	9.5	9.8	9.5	9.3	9.7	9.6	9.7	9.7
West North Central:										
Minnesota	9.3	9.1	9.4	9.3	9.1	9.0	9.3	9.2	9.3	9.6
Iowa	10.8	10.7	10.6	10.6	10.4	10.2	10.4	10.4	10.3	10.3
Missouri	11.5	11.2	11.1	11.8	11.2	10.9	11.2	11.0	11.2	11.3
North Dakota	8.8	8.5	8.6	8.5	8.5	8.2	8.6	8.6	8.6	9.0
South Dakota	8.7	8.5	9.4	9.4	9.3	9.1	9.7	9.4	9.6	9.4
Nebraska	10.2	10.2	10.1	10.0	9.8	9.7	10.0	9.9	9.9	9.9
Kansas	9.8	9.7	9.8	10.0	9.8	9.6	9.7	9.5	9.5	9.6
South Atlantic:										
Delaware	9.3	9.0	8.7	9.2	9.1	8.9	9.4	9.0	9.5	9.2
Maryland	8.8	8.7	8.5	9.0	8.8	8.8	9.0	8.8	9.1	9.2
District of Columbia	11.4	11.2	11.3	11.7	11.4	11.4	11.5	11.6	11.8	11.8
Virginia	8.3	8.4	8.4	8.6	8.5	8.3	8.7	8.4	8.5	8.6
West Virginia	10.8	10.6	10.3	10.7	10.2	9.8	9.7	9.5	9.6	9.7
North Carolina	8.5	8.4	8.3	8.5	8.3	8.0	8.4	8.0	8.2	8.0
South Carolina	8.6	8.5	8.5	8.7	8.3	8.3	8.7	8.4	8.6	8.4
Georgia	8.6	8.7	8.7	9.0	8.8	8.5	9.0	8.6	8.8	8.9
Florida	10.5	10.3	10.1	10.1	9.8	9.4	9.7	9.2	9.4	9.2
East South Central:										
Kentucky	9.9	9.8	9.7	10.2	9.8	9.6	9.9	9.6	9.9	10.0
Tennessee	9.3	9.1	9.2	9.5	9.2	9.0	9.2	9.0	9.3	9.1
Alabama	9.4	9.3	9.3	9.5	9.3	8.9	9.3	9.0	9.3	9.1
Mississippi	10.0	9.8	9.8	10.2	10.0	9.5	10.0	9.8	10.3	9.8
West South Central:										
Arkansas	9.9	9.9	10.0	10.3	10.1	9.6	10.0	9.6	9.9	9.6
Louisiana	9.0	9.0	9.0	9.1	9.0	8.7	9.1	8.8	9.2	9.0
Oklahoma	10.1	9.7	9.8	10.0	9.9	9.6	9.8	9.6	9.6	9.4
Texas	8.1	7.9	8.0	8.1	8.0	7.7	8.1	7.8	7.9	8.0
Mountain:										
Montana	9.8	9.4	9.8	9.4	9.2	9.2	9.7	9.8	9.4	9.7
Idaho	8.6	8.6	8.5	8.5	8.0	8.1	8.1	8.3	8.1	8.4
Wyoming	8.1	8.5	8.5	8.5	8.3	7.9	8.5	8.2	8.1	8.3
Colorado	8.5	8.3	8.5	8.4	8.5	8.3	8.7	8.7	8.7	8.7
New Mexico	6.8	6.7	6.8	6.9	6.7	6.6	6.9	6.7	6.9	7.2
Arizona	7.9	7.8	7.8	7.8	7.6	7.5	7.8	7.6	7.6	7.8
Utah	6.8	6.7	6.6	6.8	6.6	6.5	6.8	6.8	6.9	7.0
Nevada	7.2	7.4	7.5	7.5	7.8	8.4	8.9	8.6	8.6	8.2
Pacific:										
Washington	9.8	9.2	9.5	9.3	9.3	9.2	9.3	9.3	9.2	9.3
Oregon	9.7	9.4	9.6	9.7	9.5	9.4	9.5	9.6	9.0	9.2
California	8.3	8.3	8.4	8.4	8.3	8.3	8.8	8.3	8.5	8.7
Alaska ²	4.8	5.0	5.8	5.4	5.4	5.4	5.8	5.1	5.2	5.4
Hawaii ³	5.2	5.1	5.1	5.4	5.1	5.2	5.8	5.4	5.3	5.9

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.²Figures for 1957-58 are by place of occurrence.³Figures for 1957-59 are by place of occurrence.

SECTION 1 - GENERAL MORTALITY

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1966

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	1,049	100	240	224	199	179	95	12
White-----	605	43	145	140	112	97	60	8
Nonwhite-----	444	57	95	84	87	82	35	4
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	119	11	40	27	19	15	7	2
White-----	79	5	26	19	16	8	3	2
Nonwhite-----	40	6	14	8	3	5	4	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	199	33	57	30	28	37	12	2
White-----	101	17	33	14	12	17	7	1
Nonwhite-----	98	16	24	16	16	20	5	1
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	156	13	16	37	38	25	25	2
White-----	30	6	7	24	24	10	17	2
Nonwhite-----	66	7	9	13	14	15	8	-
Ectopic pregnancy (645)-----	59	6	15	14	7	8	8	1
White-----	25	2	7	6	2	3	5	-
Nonwhite-----	34	4	8	8	5	5	3	1
Abortion without mention of sepsis or toxemia (650)-----	48	4	13	7	15	5	4	-
White-----	33	3	8	6	9	3	4	-
Nonwhite-----	15	1	5	1	6	2	1	-
Abortion with sepsis (651)-----	135	15	37	29	26	22	6	-
White-----	61	2	21	15	10	8	5	-
Nonwhite-----	74	13	16	14	16	14	1	-
Abortion with toxemia, without mention of sepsis (652)-----	6	1	1	-	2	2	-	-
White-----	2	-	-	-	1	1	-	-
Nonwhite-----	4	1	1	-	1	1	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	327	17	61	80	64	67	33	3
White-----	214	8	43	56	38	47	19	3
Nonwhite-----	113	9	18	24	26	20	14	2
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	29.1	15.9	18.5	25.7	41.9	70.9	127.6	270.5
White-----	20.2	9.2	13.2	18.7	28.0	46.0	97.6	223.5
Nonwhite-----	72.4	35.2	48.3	68.0	115.7	196.1	269.5	467.3
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	3.3	1.7	3.1	3.1	4.0	5.1	9.4	46.1
White-----	2.6	1.1	2.4	2.5	4.0	3.8	4.9	55.9
Nonwhite-----	6.5	3.7	7.1	6.5	4.0	12.0	30.8	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	5.5	5.2	4.4	3.4	5.9	14.7	16.1	45.1
White-----	3.4	3.6	3.0	1.9	3.0	8.1	11.4	27.9
Nonwhite-----	15.0	9.9	12.2	12.9	21.3	47.0	38.5	116.8
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	4.3	2.1	1.2	4.2	8.0	9.9	33.6	45.1
White-----	3.0	1.3	0.6	3.2	8.0	4.7	27.7	55.0
Nonwhite-----	10.8	4.3	4.6	10.5	18.6	35.9	61.6	-
Ectopic pregnancy (645)-----	1.6	1.0	1.2	1.6	1.5	3.2	10.7	22.5
White-----	0.8	0.4	0.6	0.8	0.5	1.4	8.1	-
Nonwhite-----	5.5	2.5	4.1	6.5	6.7	12.0	23.1	116.8
Abortion without mention of sepsis or toxemia (650)-----	1.3	0.6	1.0	0.8	3.2	2.0	5.4	-
White-----	1.1	0.6	0.7	0.8	2.3	1.4	6.5	-
Nonwhite-----	2.4	0.6	2.5	0.8	8.0	4.8	-	-
Abortion with sepsis (651)-----	3.7	2.4	2.9	3.3	5.5	8.7	8.1	-
White-----	2.0	0.4	1.9	2.0	2.5	3.8	8.1	-
Nonwhite-----	12.1	8.0	8.1	11.3	21.3	33.5	7.7	-
Abortion with toxemia, without mention of sepsis (652)-----	0.2	0.2	0.1	-	0.4	0.8	-	-
White-----	0.1	-	-	-	0.3	0.5	-	-
Nonwhite-----	0.7	0.6	0.5	-	1.3	2.4	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	9.1	2.7	4.7	9.2	14.5	26.5	44.3	112.7
White-----	7.1	1.7	3.9	7.5	9.5	22.3	30.9	83.8
Nonwhite-----	18.4	5.6	9.1	19.4	34.6	47.8	107.8	233.0

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

SECTION 1 - GENERAL MORTALITY

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-66

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time]

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1966	29.1	20.2	72.4	1950	83.3	61.1	221.6
1965	31.6	21.0	85.7	1949	80.3	58.1	234.8
1964	35.5	22.3	89.9	1948	116.6	89.4	301.0
1963 ¹	35.8	24.0	96.9	1947	134.5	108.6	334.6
1962 ¹	35.2	23.8	95.9	1946	156.7	130.7	359.9
1961	36.9	24.9	101.3	1945	207.2	172.1	454.8
1960	37.1	26.0	97.9	1944	227.9	189.4	506.0
1959	37.4	25.8	102.1	1943	245.2	210.5	509.9
1958	37.6	26.3	101.8	1942	258.7	221.8	544.0
1957	41.0	27.5	116.3	1941	316.5	266.0	678.1
1956	40.9	28.7	110.7	1940	376.0	319.8	773.5
1955	47.0	32.8	130.3	1935-39	495.9	439.9	875.5
1954	52.4	37.2	145.8	1930-34 ²	636.0	575.4	1,080.7
1953	61.1	44.1	166.1	1925-29	668.6	615.0	1,163.7
1952	67.8	48.9	188.1	1920-24	689.5	649.2	1,134.8
1951	75.0	54.9	201.3	1915-19	727.9	700.3	1,253.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²For 1932-34, Mexicans are included with "Nonwhite."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1964-66 (3-Year Average)

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group, 1964-66. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	Nonwhite	Division and State	Total	White	Nonwhite
United States	31.4	21.2	62.2	South Atlantic:			
Geographic divisions:				Delaware	*24.7	*19.4	*45.1
New England:				Maryland	31.2	18.3	76.9
New England	16.4	14.3	*55.9	District of Columbia	66.8	*16.4	81.6
Middle Atlantic	32.9	22.0	85.6	Virginia	35.3	19.1	76.4
East North Central	24.8	18.4	70.8	West Virginia	35.7	33.2	*42.8
West North Central	23.2	20.3	59.9	North Carolina	36.8	15.3	85.6
South Atlantic	41.7	22.5	87.0	South Carolina	59.8	24.5	110.0
East South Central	49.7	23.8	112.9	Georgia	51.7	30.6	89.8
West South Central	39.8	29.5	75.0	Florida	42.6	23.9	91.8
Mountain	28.5	23.2	81.4	East South Central:			
Pacific	25.7	19.6	50.1	Kentucky	28.8	26.2	*56.5
New England:				Tennessee	36.4	19.1	97.3
Maine	*25.2	*25.5	-	Alabama	60.4	27.2	119.1
New Hampshire	*5.1	*5.1	-	Mississippi	79.0	*23.4	126.9
Vermont	*12.1	*12.2	-	West South Central:			
Massachusetts	15.9	15.2	*29.1	Arkansas	43.5	*21.4	96.8
Rhode Island	*9.7	*10.1	-	Louisiana	46.9	26.1	78.0
Connecticut	19.6	*12.1	*92.6	Oklahoma	32.2	26.2	*65.3
Middle Atlantic:				Texas	58.0	32.3	67.3
New York	36.9	23.2	107.0	Mountain:			
New Jersey	35.7	23.8	98.7	Montana	*24.2	*26.4	-
Pennsylvania	24.7	19.0	67.2	Idaho	*24.7	*22.8	*97.1
East North Central:				Wyoming	*30.4	*31.9	-
Ohio	23.5	18.4	65.7	Colorado	18.7	*15.9	*74.0
Indiana	23.3	20.4	*55.7	New Mexico	43.6	*29.9	*129.8
Illinois	23.4	16.0	57.2	Arizona	37.9	28.2	*84.3
Michigan	32.4	22.6	102.1	Utah	*18.9	*14.9	*163.0
Wisconsin	17.4	13.7	*96.6	Nevada	*28.0	*32.2	-
West North Central:				Pacific:			
Minnesota	19.1	19.1	*20.0	Washington	19.2	16.2	*79.5
Iowa	19.3	18.4	*70.3	Oregon	*8.1	*8.4	-
Missouri	29.0	21.9	68.8	California	26.3	21.7	58.9
North Dakota	*22.6	*18.5	*88.1	Alaska	*28.7	*14.4	*57.5
South Dakota	*16.6	*10.6	*68.6	Hawaii	*10.3	*6.9	*11.7
Nebraska	*22.6	*21.3	*45.6				
Kansas	26.1	25.4	*34.4				

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1966

1966

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States-----	1,863,149	1,527,434	335,715	271,198	84,516	1,104	67	568	1,132	2,341	495	998	298	1,031	2,347	1,104	37	623
Alabama-----	32,768	27,327	5,441	4,615	826	---	--	--	10	9	1	--	1	3	224	211	2	1
Alaska-----	1,325	1,000	325	248	77	---	---	1	1	10	2	2	--	--	--	--	--	1
Arizona-----	13,225	11,403	1,822	833	989	5	3	---	2	268	35	5	--	3	8	8	--	11
Arkansas-----	19,233	14,642	4,591	3,558	1,032	7	--	4	---	19	2	--	1	1	9	2	--	--
California-----	157,106	140,291	16,815	14,812	2,003	9	7	194	16	---	48	10	3	7	48	6	19	29
Colorado-----	16,786	12,285	4,501	3,584	937	5	1	21	5	87	---	1	--	2	11	4	1	5
Connecticut-----	25,855	22,513	3,342	2,579	763	1	--	1	5	14	5	---	2	1	38	1	--	--
Delaware-----	4,917	4,023	894	456	438	---	---	--	--	4	---	---	---	---	---	---	---	---
District of Columbia-----	10,712	8,185	2,527	---	2,527	4	--	1	3	23	1	5	---	---	---	---	---	---
Florida-----	64,077	54,181	9,896	6,114	3,782	136	--	2	12	39	4	110	10	18	---	257	---	3
Georgia-----	38,866	28,607	10,259	8,794	1,465	323	--	1	5	9	--	3	2	4	335	---	1	3
Hawaii-----	3,848	3,601	247	98	159	---	1	1	--	47	3	1	1	1	1	---	---	---
Idaho-----	5,737	4,488	1,249	88	321	1	1	10	1	39	3	1	---	---	2	---	---	---
Illinois-----	109,381	94,141	15,240	12,679	2,561	18	1	15	31	105	14	4	3	4	132	10	---	3
Indiana-----	48,131	39,095	9,036	7,285	1,751	8	1	11	2	23	4	3	--	1	44	4	---	2
Iowa-----	29,880	22,861	6,799	5,536	1,263	---	--	--	5	45	9	1	--	3	11	---	---	1
Kansas-----	21,706	16,859	4,847	3,637	1,210	5	--	6	14	58	50	1	--	2	8	2	---	2
Kentucky-----	31,337	24,825	7,012	5,630	1,373	4	--	1	4	14	1	3	--	1	32	3	---	---
Louisiana-----	32,893	24,885	8,208	7,187	1,021	53	--	5	106	29	1	1	--	1	46	16	2	1
Maine-----	10,844	8,858	1,986	1,622	364	1	--	--	--	1	1	34	--	2	17	---	---	---
Maryland-----	31,421	23,204	8,217	6,101	2,116	4	--	2	4	14	2	12	120	71.7	63	9	---	---
Massachusetts-----	58,085	48,003	10,082	8,398	1,684	2	--	4	--	19	1	239	4	7	79	4	1	1
Michigan-----	74,225	61,398	12,827	11,554	1,273	20	1	16	19	39	4	6	--	3	109	6	---	---
Minnesota-----	33,956	25,994	7,962	6,268	1,694	6	--	5	3	50	7	7	--	1	35	5	1	4
Mississippi-----	22,875	18,245	4,630	3,900	730	217	--	1	37	12	3	--	--	--	34	13	---	---
Missouri-----	52,472	37,960	14,512	11,881	2,631	11	--	10	132	50	14	5	1	1	20	5	2	3
Montana-----	6,788	5,400	1,388	1,158	230	---	--	3	--	22	3	1	1	1	2	---	1	17
Nebraska-----	14,869	11,347	3,522	2,759	763	1	--	4	2	29	39	2	--	1	2	---	---	2
Nevada-----	3,503	2,771	732	205	527	3	1	12	1	328	8	2	--	1	3	3	---	9
New Hampshire-----	7,021	5,775	1,246	685	561	1	--	--	1	4	1	16	--	2	8	---	---	---
New Jersey-----	64,722	53,202	11,520	9,399	2,121	3	--	--	1	20	2	38	18	11	90	7	---	1
New Mexico-----	6,910	5,477	1,433	960	473	---	1	99	5	58	53	1	1	2	2	2	1	1
New York-----	187,397	164,192	23,205	19,785	3,410	17	--	12	10	69	6	277	7	23	208	16	1	1
North Carolina-----	42,514	32,711	9,803	8,520	1,283	10	--	1	1	7	--	7	--	16	125	49	2	---
North Dakota-----	5,785	3,779	2,006	1,555	451	---	--	--	1	6	4	--	--	--	1	---	---	---
Ohio-----	98,883	83,788	15,095	12,543	2,552	8	--	6	6	50	10	5	3	3	148	8	---	---
Oklahoma-----	24,241	19,577	4,664	4,037	627	2	1	9	51	62	19	6	--	1	2	---	---	---
Oregon-----	15,993	15,518	3,475	2,769	706	---	9	7	2	171	12	2	--	--	4	---	1	102
Pennsylvania-----	126,626	108,455	18,171	15,342	2,829	4	1	1	3	22	5	25	87	25	93	10	---	1
Rhode Island-----	9,485	7,981	1,504	1,014	490	---	--	--	1	6	--	--	98	1	10	---	---	---
South Carolina-----	21,802	17,783	4,019	3,406	613	3	--	--	1	5	1	12	1	6	58	103	---	---
South Dakota-----	6,536	4,411	2,125	1,710	415	1	--	1	--	10	8	--	--	--	2	1	---	3
Tennessee-----	38,060	29,662	8,398	5,481	2,917	174	--	1	414	20	5	1	2	6	54	258	---	---
Texas-----	87,469	70,905	16,564	14,454	2,110	26	--	42	208	182	16	9	2	2	68	37	---	2
Utah-----	7,087	5,735	1,352	946	406	---	--	32	--	61	24	1	--	--	1	---	---	108
Vermont-----	4,599	3,547	1,052	640	412	---	--	1	--	2	--	18	--	1	6	---	---	---
Virginia-----	36,667	22,398	14,269	12,730	1,539	6	--	1	4	15	3	17	8	105	66	17	---	---
Washington-----	28,211	25,330	3,881	2,993	888	1	38	9	1	102	3	--	--	--	4	2	2	196
West Virginia-----	19,606	14,073	5,533	3,892	1,641	---	--	--	1	5	1	2	2	31	13	2	---	---
Wisconsin-----	40,270	35,379	6,891	5,630	1,261	2	--	8	3	34	4	3	--	1	31	3	---	2
Wyoming-----	2,664	2,074	590	319	271	1	--	5	--	36	53	1	--	--	1	---	---	9

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1966—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence—Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Ma.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
United States.....	4,233	2,115	1,237	1,512	1,548	689	595	2,357	1,351	1,866	1,129	1,236	1,917	321	705	284	667	3,584	533
Alabama.....	26	5	1	1	4	23	-	4	1	10	1	116	2	-	-	-	1	6	2
Alaska.....	1	1	2	-	-	-	-	2	1	2	3	-	1	-	1	-	-	-	1
Arizona.....	55	22	35	15	4	7	3	3	8	42	25	5	19	15	16	19	-	14	63
Arkansas.....	45	13	9	19	3	49	-	3	1	13	3	34	194	-	4	1	-	2	5
California.....	128	33	40	42	7	24	8	16	35	82	49	7	39	30	29	166	5	36	30
Colorado.....	30	12	13	110	3	3	1	6	3	17	12	2	28	13	102	8	1	9	73
Connecticut.....	8	3	1	1	1	1	17	6	122	2	-	1	2	1	1	-	8	48	2
Delaware.....	1	-	-	-	1	-	-	119	4	1	1	-	-	-	-	-	1	130	-
District of Columbia.....	11	8	2	3	11	2	3	1,429	11	8	4	1	6	1	2	-	-	27	3
Florida.....	252	129	36	12	56	10	43	54	160	322	48	23	34	1	2	2	21	239	2
Georgia.....	16	16	5	2	13	8	3	7	10	20	3	12	2	-	1	-	-	14	1
Hawaii.....	9	2	1	1	1	2	-	-	1	6	3	1	2	-	-	1	-	7	1
Idaho.....	3	5	2	4	-	-	-	1	-	2	1	-	3	24	-	9	2	2	1
Illinois.....	...	742	116	20	85	11	1	7	7	179	39	29	347	6	13	4	-	15	4
Indiana.....	694	...	7	7	209	2	2	5	1	258	12	1	29	2	2	-	-	13	1
Iowa.....	487	5	...	23	3	1	-	-	3	7	94	2	162	1	212	1	-	-	1
Kansas.....	35	11	26	...	4	5	3	-	4	10	5	2	614	3	60	1	-	4	7
Kentucky.....	99	376	6	3	...	3	2	3	3	58	2	8	19	1	-	-	-	5	-
Louisiana.....	22	3	5	7	8	...	2	2	6	10	2	224	16	1	4	-	-	5	3
Maine.....	2	1	-	1	1	-	...	4	112	-	-	1	2	-	-	-	90	17	-
Maryland.....	20	5	3	3	5	2	5	...	10	11	3	-	6	2	-	1	3	86	2
Massachusetts.....	18	13	2	3	2	3	139	7	...	12	4	2	4	2	1	1	345	52	-
Michigan.....	133	147	9	2	24	8	-	4	5	...	11	10	26	-	3	-	1	8	1
Minnesota.....	142	36	254	17	4	3	1	6	4	64	...	4	22	30	41	-	-	6	3
Mississippi.....	32	6	-	3	4	160	-	1	1	6	1	...	8	-	1	-	-	-	1
Missouri.....	1,030	45	79	882	21	10	4	4	2	27	16	12	...	3	16	2	-	10	3
Montana.....	7	4	2	5	-	-	-	2	1	3	11	2	3	...	5	3	-	3	-
Nebraska.....	16	4	347	110	1	8	-	-	3	15	2	2	37	-	-	-	-
Nevada.....	7	5	5	-	-	1	3	3	8	6	1	1	3	4	-	2	3
New Hampshire.....	1	1	1	1	1	-	104	1	185	1	-	-	-	-	-	11	-
New Jersey.....	11	8	3	1	6	3	6	26	27	6	4	1	1	-	-	1	6	...	1
New Mexico.....	20	4	4	6	-	3	-	-	-	4	5	1	10	2	3	2	1	1	...
New York.....	47	20	3	1	12	5	14	46	168	40	7	3	14	-	2	-	20	1,463	-
North Carolina.....	9	6	2	3	10	3	3	22	9	15	2	5	1	-	-	-	1	23	-
North Dakota.....	4	-	3	2	-	-	-	2	5	280	-	-	3	30	6	-	-	1	1
Ohio.....	74	301	4	2	404	3	1	15	12	344	9	4	12	-	1	-	-	19	2
Oklahoma.....	22	5	5	104	4	8	-	1	-	7	3	7	52	2	4	1	-	6	11
Oregon.....	3	1	5	7	3	1	-	-	-	2	12	1	4	8	7	7	-	1	1
Pennsylvania.....	20	19	3	2	5	5	5	201	24	34	5	1	4	-	-	2	1	1,151	1
Rhode Island.....	3	1	-	-	1	1	6	2	305	-	1	-	2	-	-	-	2	7	-
South Carolina.....	4	3	-	-	8	2	3	7	10	4	-	3	1	-	-	-	-	12	-
South Dakota.....	9	1	77	7	1	-	-	1	7	78	1	1	18	99	-	-	-	-	-
Tennessee.....	53	26	2	4	382	24	1	3	3	35	14	666	104	5	-	1	2	7	1
Texas.....	65	30	28	46	8	251	4	3	13	31	20	35	56	5	12	6	1	14	288
Utah.....	3	1	1	4	-	-	-	-	-	1	4	-	6	10	4	43	-	-	9
Vermont.....	-	-	-	1	-	-	7	2	35	1	-	-	1	-	1	-	152	14	-
Virginia.....	16	6	4	1	35	4	3	126	32	11	6	3	4	2	5	-	3	49	-
Washington.....	5	1	4	3	1	1	-	-	3	2	11	-	3	69	4	-	-	4	1
West Virginia.....	5	5	2	1	183	-	-	197	1	13	-	-	-	-	-	-	-	9	1
Wisconsin.....	528	22	72	8	3	11	2	-	6	2	141	289	3	7	4	1	-	9	1
Wyoming.....	5	2	6	3	-	2	-	-	-	2	4	-	3	32	33	1	-	3	2

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1966-Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence-Con.																			All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	4,148	1,110	451	2,827	1,152	731	3,403	461	931	468	1,036	1,547	199	303	2,314	772	1,418	1,260	281	1,863,149
Alabama-----	7	10	-	15	5	-	6	1	9	-	78	16	-	-	9	2	3	-	-	33,046
Alaska-----	1	1	-	2	-	-	2	-	-	-	1	1	-	-	1	30	-	-	-	1,915
Arizona-----	29	4	7	34	16	19	19	6	-	8	3	47	20	-	-	31	5	20	3	12,064
Arkansas-----	6	2	-	2	302	1	1	-	-	1	55	209	-	-	4	2	-	-	4	19,333
California-----	130	8	10	66	28	157	53	6	3	22	7	84	41	5	22	146	5	26	12	157,444
Colorado-----	29	2	14	13	36	10	5	-	-	18	3	65	20	-	9	11	3	9	101	16,344
Connecticut-----	377	6	-	5	-	1	23	39	-	-	2	2	-	5	6	-	-	3	1	26,080
Delaware-----	13	5	-	3	-	-	144	-	-	-	1	1	-	1	6	-	-	-	-	4,757
District of Columbia-----	51	30	2	17	4	-	74	1	9	1	9	13	2	1	648	9	20	5	-	9,216
Florida-----	848	52	1	259	7	6	247	35	40	6	51	25	1	16	32	3	35	59	3	62,642
Georgia-----	40	79	1	37	6	-	26	-	323	1	96	8	1	1	20	1	7	3	1	30,505
Hawaii-----	13	1	-	6	4	8	7	2	1	1	1	4	2	1	6	6	1	3	-	3,728
Idaho-----	-	-	3	1	3	57	-	-	-	-	1	7	28	1	1	86	1	6	8	5,893
Illinois-----	58	12	8	88	9	39	3	2	5	7	34	44	1	14	7	9	242	2	-	111,053
Indiana-----	17	2	1	285	3	1	17	-	-	-	28	9	1	5	2	8	24	-	-	46,456
Iowa-----	7	3	2	7	6	2	5	-	1	52	3	8	1	-	4	3	1	71	1	29,834
Kansas-----	11	2	2	7	172	5	2	1	2	2	2	38	-	-	8	7	-	-	1	22,008
Kentucky-----	16	9	-	269	2	-	12	1	2	2	210	7	-	-	49	3	134	6	-	31,512
Louisiana-----	13	9	1	10	14	3	5	-	5	1	17	349	1	2	2	2	3	4	1	32,561
Maine-----	37	1	1	6	-	1	9	11	-	-	-	-	-	7	1	1	-	-	-	10,875
Maryland-----	89	43	1	25	1	2	320	5	20	1	17	9	-	1	280	3	182	2	1	51,682
Massachusetts-----	286	1	1	12	1	1	47	306	3	1	4	14	1	41	9	2	2	2	-	77,752
Michigan-----	58	8	1	256	3	-	40	3	4	-	24	21	1	-	4	5	16	223	-	74,808
Minnesota-----	14	1	281	16	2	7	5	-	1	163	5	15	-	-	1	10	-	411	2	33,391
Mississippi-----	8	2	-	6	5	-	5	-	5	-	92	34	-	-	4	1	5	-	-	23,381
Missouri-----	22	6	-	28	49	3	10	-	1	3	19	33	1	-	5	2	-	18	3	51,758
Montana-----	2	1	33	1	4	8	-	-	-	9	2	4	-	-	2	20	1	1	42	6,879
Nebraska-----	3	1	2	3	8	6	5	-	-	65	1	16	2	-	1	3	-	8	17	14,811
Nevada-----	10	1	1	9	5	25	8	1	-	2	2	8	20	-	-	8	-	4	2	3,260
New Hampshire-----	33	-	-	2	2	-	8	3	-	1	1	4	1	161	2	-	-	3	-	7,127
New Jersey-----	909	18	-	20	1	2	826	5	2	-	2	6	-	5	18	1	2	2	-	66,165
New Mexico-----	4	-	2	6	20	-	4	-	1	1	1	131	5	-	1	2	-	3	-	6,970
New York-----	...	22	-	83	9	4	618	14	14	2	5	12	2	48	42	5	10	8	-	188,136
North Carolina-----	58	...	3	19	3	1	30	-	398	1	100	13	-	1	300	-	17	3	-	42,341
North Dakota-----	2	1	...	1	2	3	-	-	-	66	1	5	-	-	-	14	-	6	1	5,785
Ohio-----	95	15	1	...	5	3	394	1	2	-	19	15	-	-	25	3	511	9	-	90,159
Oklahoma-----	13	6	-	6	...	2	8	-	5	2	5	175	1	-	1	3	-	4	1	24,766
Oregon-----	7	-	7	3	...	3	-	-	1	3	-	9	4	-	1	287	1	3	1	19,618
Pennsylvania-----	445	12	1	409	3	-	...	3	3	-	6	10	-	2	41	1	122	10	-	127,200
Rhode Island-----	22	1	-	2	-	-	7	...	-	-	-	4	-	1	5	-	-	-	-	9,458
South Carolina-----	44	245	-	9	-	1	16	1	...	1	10	15	-	1	23	1	4	2	-	22,120
South Dakota-----	-	-	35	5	2	4	1	-	1	...	-	-	-	-	7	4	-	5	28	6,599
Tennessee-----	11	110	-	49	8	-	8	1	26	-	...	8	-	-	400	4	10	5	-	36,179
Texas-----	61	7	5	36	374	9	22	2	8	6	31	...	5	3	11	11	4	20	5	86,906
Utah-----	2	-	-	5	8	9	1	1	-	-	1	6	...	1	2	10	-	4	41	6,880
Vermont-----	152	-	-	5	-	-	6	5	1	-	-	-	-	-	-	-	-	1	-	4,490
Virginia-----	82	359	-	38	8	1	69	6	28	2	77	11	-	1	...	3	295	6	1	37,442
Washington-----	6	-	11	8	-	350	5	-	-	6	3	6	12	-	2	...	1	5	2	29,095
West Virginia-----	12	12	1	626	-	-	232	1	1	-	6	3	-	-	270	2	...	1	-	19,383
Wisconsin-----	16	1	10	7	3	2	6	-	1	1	2	6	-	-	1	4	1	...	-	40,269
Wyoming-----	2	-	2	2	3	3	3	-	-	10	-	12	20	-	-	7	-	3	...	2,674

SECTION 1 - GENERAL MORTALITY

1-45

Table 1-19. Deaths by Month and State of Occurrence: United States and Each State, 1966

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,863,149	166,761	151,296	164,804	158,973	156,466	149,251	159,924	145,184	141,164	154,777	150,678	163,862
Alabama	32,768	3,049	2,744	2,909	2,850	2,677	2,507	2,762	2,485	2,452	2,722	2,682	2,929
Alaska	1,325	112	98	120	108	113	103	126	137	115	101	79	113
Arizona	15,225	1,310	1,184	1,438	1,080	989	983	1,046	948	969	1,047	1,042	1,229
Arkansas	19,233	1,722	1,563	1,765	1,638	1,652	1,498	1,748	1,455	1,380	1,515	1,561	1,696
California	157,106	13,094	14,574	15,905	12,423	12,396	12,222	12,563	12,465	11,608	12,638	12,455	13,861
Colorado	16,786	1,407	1,263	1,560	1,462	1,378	1,293	1,463	1,353	1,340	1,420	1,406	1,441
Connecticut	25,855	2,443	2,022	2,215	2,186	2,197	1,995	2,135	2,002	1,989	2,226	2,104	2,311
Delaware	4,917	439	402	423	405	449	370	429	408	386	389	390	427
District of Columbia	10,712	912	836	858	936	935	868	948	854	820	912	825	908
Florida	64,077	6,071	5,832	5,977	5,410	5,010	4,613	5,017	4,877	4,739	4,984	5,393	6,154
Georgia	38,866	3,712	3,381	3,397	3,105	3,204	3,074	3,168	3,056	2,950	3,235	3,161	3,423
Hawaii	3,848	358	309	347	361	328	324	300	309	305	290	291	326
Idaho	5,737	479	414	562	484	504	488	481	431	420	497	456	521
Illinois	109,381	9,808	8,876	9,242	9,463	9,303	8,885	9,875	8,523	8,351	9,125	8,753	9,407
Indiana	48,131	4,107	3,828	4,127	4,028	4,182	4,254	4,254	3,767	3,659	3,931	3,982	4,234
Iowa	29,660	2,688	2,278	2,454	2,472	2,577	2,373	2,749	2,234	2,305	2,559	2,353	2,638
Kansas	21,706	1,965	1,845	1,934	1,798	1,837	1,852	2,058	1,641	1,688	1,881	1,807	1,922
Kentucky	31,537	2,782	2,510	2,684	2,676	2,547	2,728	2,764	2,426	2,365	2,616	2,508	2,753
Louisiana	32,893	2,985	2,695	2,961	2,814	2,604	2,657	2,820	2,644	2,452	2,643	2,667	3,031
Maine	10,844	920	876	932	854	901	893	956	910	903	965	810	944
Maryland	31,421	2,800	2,533	2,636	2,789	2,693	2,499	2,737	2,337	2,435	2,536	2,541	2,885
Massachusetts	58,095	5,577	4,970	5,019	4,875	4,680	4,632	4,810	4,397	4,476	4,904	4,677	4,988
Michigan	74,225	6,460	5,725	6,305	6,305	6,558	6,434	6,355	5,837	5,751	6,205	6,078	6,309
Minnesota	33,956	2,947	2,561	2,920	3,135	2,944	2,773	2,970	2,539	2,552	2,830	2,687	2,920
Mississippi	28,875	2,149	1,939	2,110	1,898	1,851	1,799	1,910	1,667	1,710	1,922	1,859	2,061
Missouri	52,472	4,741	4,217	4,662	4,448	4,311	4,023	5,530	3,942	3,727	4,335	4,082	4,454
Montana	6,798	553	519	614	627	633	537	620	523	514	521	555	572
Nebraska	14,869	1,324	1,195	1,277	1,291	1,332	1,191	1,351	1,162	1,125	1,205	1,166	1,250
Nevada	3,503	302	287	352	290	283	262	274	286	271	296	270	324
New Hampshire	7,021	582	506	617	565	585	603	629	561	551	634	582	598
New Jersey	64,722	5,767	5,015	5,544	5,554	5,373	5,186	5,823	5,041	4,885	5,429	5,341	5,766
New Mexico	6,910	570	582	664	632	611	525	653	544	477	566	563	623
New York	187,397	16,743	14,823	16,178	16,305	15,864	15,141	16,463	14,590	13,831	15,745	15,249	16,365
North Carolina	42,514	3,791	3,425	3,723	3,790	3,526	3,370	3,484	3,369	3,262	3,476	3,497	3,821
North Dakota	5,795	476	428	470	529	530	466	454	499	470	484	483	497
Ohio	98,883	8,641	7,801	8,428	8,466	8,457	8,315	8,328	7,852	7,639	8,356	8,008	8,592
Oklahoma	24,241	2,172	1,887	2,065	2,155	2,113	1,872	2,022	1,950	1,850	2,021	1,934	2,180
Oregon	18,993	1,713	1,378	2,038	1,638	1,557	1,478	1,492	1,537	1,434	1,581	1,492	1,645
Pennsylvania	126,626	11,456	10,195	10,776	10,910	10,988	10,621	10,860	9,694	9,461	10,504	10,247	10,897
Rhode Island	9,485	880	805	878	782	778	701	794	732	692	770	770	813
South Carolina	21,802	2,051	1,887	1,947	1,897	1,716	1,725	1,747	1,698	1,689	1,740	1,827	1,898
South Dakota	6,536	530	505	530	550	562	521	618	560	513	584	537	536
Tennessee	36,060	3,320	2,922	3,276	3,356	3,211	3,053	3,310	2,984	2,840	3,243	3,128	3,417
Texas	87,469	7,981	7,172	7,792	7,291	7,244	6,816	7,323	6,938	6,757	7,348	6,958	7,849
Utah	7,087	591	540	634	587	581	606	617	574	561	615	573	628
Vermont	4,599	380	362	413	369	409	383	375	375	350	380	412	391
Virginia	36,667	3,346	2,991	3,217	3,131	3,065	2,914	3,074	2,878	2,822	3,021	2,921	3,287
Washington	29,211	2,488	2,230	2,854	2,684	2,582	2,190	2,384	2,224	2,170	2,432	2,402	2,471
West Virginia	19,606	1,690	1,551	1,744	1,803	1,720	1,592	1,538	1,527	1,504	1,622	1,618	1,697
Wisconsin	40,270	3,523	3,038	3,266	3,451	3,569	3,459	3,498	3,158	3,186	3,309	3,286	3,527
Wyoming	2,664	214	205	208	224	230	211	245	234	203	218	220	253

SECTION I - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1966--Con.

Table with columns for Area, color, and sex; Total; and months from Jan. to Dec. Rows include Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, and Nevada, each with sub-rows for White and Nonwhite populations, and Male and Female counts.

SECTION 1 - GENERAL MORTALITY

1-51

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1966-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin-----	40,269	3,559	3,069	3,306	3,472	3,554	3,420	3,441	3,121	3,163	3,313	3,282	3,569
Male-----	23,037	2,039	1,753	1,895	1,968	1,991	1,965	1,989	1,794	1,809	1,933	1,868	2,035
Female-----	17,232	1,520	1,316	1,411	1,504	1,563	1,455	1,452	1,327	1,354	1,380	1,414	1,536
White-----	39,467	3,489	3,014	3,230	3,416	3,487	3,355	3,364	3,067	3,088	3,254	3,220	3,483
Male-----	22,583	2,006	1,715	1,850	1,939	1,950	1,934	1,942	1,766	1,764	1,886	1,831	1,890
Female-----	16,884	1,483	1,299	1,380	1,477	1,537	1,421	1,422	1,301	1,324	1,368	1,389	1,493
Nonwhite-----	802	70	55	76	56	67	65	77	54	75	59	62	86
Male-----	454	33	38	45	29	41	31	47	28	45	37	37	43
Female-----	348	37	17	31	27	26	34	30	26	30	22	25	43
Wyoming-----	2,674	232	212	225	225	226	206	226	210	201	225	223	265
Male-----	1,619	134	123	129	137	136	130	140	131	123	144	132	162
Female-----	1,055	98	89	96	86	90	76	78	79	78	81	101	103
White-----	2,599	227	207	217	219	218	202	220	204	194	221	217	253
Male-----	1,573	130	120	121	135	130	127	144	128	120	142	121	155
Female-----	1,026	97	87	96	84	88	75	76	76	74	79	96	98
Nonwhite-----	75	5	5	8	4	8	4	6	6	7	4	6	12
Male-----	46	4	3	8	2	6	3	4	3	3	2	1	7
Female-----	29	1	2	-	2	2	1	2	3	4	2	5	5

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Specified Race and Sex: United States and Each State, 1966

Area	All races			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,863,149	1,052,827	810,322	924,342	710,119	120,043	95,893	3,039	2,226	1,331	390	1,451	900	1,621	794
Alabama-----	33,046	18,767	14,279	12,718	9,120	6,048	5,158	-	-	1	-	-	-	-	1
Alaska-----	1,515	858	457	568	225	19	17	261	212	1	-	1	-	8	3
Arizona-----	12,804	7,933	4,871	7,083	4,342	326	199	504	325	11	3	-	-	6	2
Arkansas-----	19,333	11,479	7,854	8,967	5,874	2,510	1,975	1	4	1	1	-	-	-	-
California-----	157,444	88,487	68,857	81,813	64,589	4,969	3,671	196	121	504	186	559	311	445	60
Colorado-----	16,344	9,379	6,965	9,092	6,767	245	170	18	10	2	1	19	10	3	7
Connecticut-----	26,090	14,496	11,594	13,880	11,123	600	469	1	-	3	2	1	-	11	-
Delaware-----	4,757	2,674	2,083	2,194	1,740	475	342	3	1	1	-	-	-	1	-
District of Columbia-----	9,216	5,002	4,214	2,065	1,952	2,911	2,253	1	3	21	3	2	1	2	2
Florida-----	62,642	37,367	25,275	31,439	20,901	5,903	4,468	8	2	11	1	1	-	5	3
Georgia-----	38,505	21,788	15,717	14,966	10,787	6,818	5,924	-	-	1	2	1	-	2	4
Hawaii-----	5,726	2,318	1,408	663	413	11	4	4	2	145	87	635	450	2860	3452
Idaho-----	5,939	3,565	2,370	3,509	2,329	9	5	36	35	-	3	9	4	-	-
Illinois-----	111,053	62,269	48,784	54,903	43,273	7,208	5,447	33	14	63	18	32	17	30	15
Indiana-----	48,495	27,155	21,340	25,385	19,862	1,756	1,474	1	2	6	-	1	-	6	1
Iowa-----	29,634	16,525	13,109	16,331	12,961	178	137	12	9	1	-	1	1	2	1
Kansas-----	22,008	12,279	9,729	11,629	9,239	525	476	15	8	-	-	1	-	7	3
Kentucky-----	31,512	17,985	13,527	16,236	12,138	1,745	1,393	1	-	2	-	-	-	1	4
Louisiana-----	32,561	18,535	14,026	12,039	8,587	6,472	5,430	15	8	4	1	1	-	4	-
Maine-----	10,875	5,998	4,877	5,971	4,860	18	8	8	9	-	-	-	-	1	-
Maryland-----	31,662	17,811	13,851	14,186	11,199	3,596	2,645	7	-	12	2	1	3	0	2
Massachusetts-----	57,752	30,692	21,070	29,969	26,495	743	556	5	8	52	6	1	-	12	6
Michigan-----	74,908	43,391	31,417	39,003	28,270	4,314	3,100	48	34	17	4	-	4	9	5
Minnesota-----	33,391	19,219	14,172	18,967	13,966	152	123	88	75	5	3	4	4	3	1
Mississippi-----	23,381	13,147	10,234	7,553	5,434	5,573	4,774	14	21	5	4	-	-	2	1
Missouri-----	51,758	28,651	23,107	25,677	20,584	2,947	2,509	1	4	7	-	-	-	19	11
Montana-----	6,879	4,210	2,669	4,010	2,532	10	8	181	128	1	-	5	1	3	-
Nebraska-----	14,811	8,420	6,391	8,178	6,190	204	157	38	40	-	-	1	3	1	1
Nevada-----	5,260	2,076	1,184	1,931	1,066	85	65	38	30	11	1	6	1	6	1
New Hampshire-----	7,127	3,913	3,214	3,906	3,212	5	2	-	-	-	-	-	-	2	-
New Jersey-----	66,165	36,452	29,713	32,999	26,850	3,399	2,746	5	2	15	5	2	2	135	169
New Mexico-----	6,970	4,217	2,753	3,789	2,478	83	66	326	208	4	-	2	1	3	-
New York-----	199,135	103,334	84,801	93,266	77,143	9,599	7,523	80	60	276	47	31	12	92	16
North Carolina-----	42,541	24,450	17,891	17,869	12,530	6,415	5,239	162	119	2	-	1	2	2	1
North Dakota-----	5,785	3,500	2,185	3,539	2,128	2	3	59	53	-	1	-	-	-	-
Ohio-----	99,158	55,360	43,798	50,442	40,070	4,883	3,713	3	6	13	1	5	2	14	6
Oklahoma-----	24,766	14,312	10,454	12,986	9,304	1,029	900	297	249	-	-	-	-	-	1
Oregon-----	19,018	11,341	7,677	11,099	7,561	129	66	62	31	25	7	18	12	8	-
Pennsylvania-----	127,200	70,204	56,996	64,287	52,402	5,885	4,580	4	1	20	5	3	1	25	7
Rhode Island-----	9,456	5,128	4,328	4,999	4,228	116	91	10	7	3	1	-	-	1	1
South Carolina-----	22,120	12,497	9,623	7,774	5,678	4,718	3,943	2	1	-	1	-	-	3	-
South Dakota-----	6,589	3,990	2,599	3,784	2,431	4	1	189	167	-	-	-	-	3	-
Tennessee-----	36,179	20,512	15,667	16,669	12,337	3,836	3,327	3	-	4	1	-	1	1	1
Texas-----	86,906	50,184	36,722	42,502	30,943	7,645	5,755	11	6	17	6	4	3	5	9
Utah-----	6,880	3,942	2,938	3,857	2,890	27	17	30	21	9	-	18	8	1	2
Vermont-----	4,490	2,500	1,990	2,496	1,989	3	1	-	-	1	-	-	-	-	-
Virginia-----	37,442	21,299	16,143	16,052	12,127	5,231	4,011	5	1	5	-	3	6	1	1
Washington-----	29,065	17,033	12,062	16,414	11,714	299	167	145	125	41	7	76	34	59	15
West Virginia-----	13,383	11,439	7,944	10,726	7,456	711	486	1	1	-	-	-	-	1	1
Wisconsin-----	40,289	23,037	17,232	22,583	16,884	363	295	80	50	8	-	1	2	2	1
Wyoming-----	2,674	1,619	1,065	1,673	1,026	20	15	19	13	1	-	5	1	1	-

¹Includes deaths among Aleuts and Eskimos.
²Includes 381 deaths among Hawaiians and Part-Hawaiians. (In addition there were 17 deaths among Hawaiians and Part-Hawaiians residing in other States.)
³Includes 283 deaths among Hawaiians and Part-Hawaiians. (In addition there were 11 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	All causes-----	1,865,149	1,052,827	810,322	924,342	710,119	128,485	100,203	951.3	1,097.6	810.8	1,093.3	809.6	1,129.8	826.7		
	I. Infective and parasitic diseases																
001-008	Tuberculosis of respiratory system-----	7,044	5,260	1,784	3,891	1,285	1,368	519	3.6	5.5	1.8	4.6	1.4	12.0	4.3		
001	Respiratory tuberculosis with mention of occupational disease of lung-----	275	271	4	234	3	37	1	0.1	0.3	0.0	0.3	0.0	0.5	0.0		
002	Pulmonary tuberculosis-----	6,385	4,751	1,614	3,487	1,141	1,264	473	3.2	5.0	1.6	4.1	1.3	11.1	3.9		
A	Active-----	5,694	4,271	1,423	3,100	979	1,171	444	2.9	4.5	1.4	3.7	1.1	10.3	3.7		
B	Inactive-----	671	480	191	587	162	95	29	0.3	0.5	0.2	0.5	0.2	0.8	0.2		
003	Pleural tuberculosis-----	214	113	101	89	82	24	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
.0	Pleurisy specified as tuberculous-----	25	13	12	9	5	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.1	Pleurisy with effusion without mention of cause-----	189	100	89	80	77	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
004	Primary tuberculosis complex with symptoms-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
005	Tracheobronchial glandular tuberculosis with symptoms-----	4	2	2	1	-	1	2	0.0	0.0	0.0	0.0	-	0.0	0.0		
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
007	Other respiratory tuberculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
008	Tuberculosis, unspecified site-----	185	122	63	83	39	39	24	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
A	Active-----	171	111	60	76	36	35	24	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
B	Inactive-----	14	11	3	7	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
010-019	Tuberculosis, other forms-----	581	342	239	202	125	140	114	0.3	0.4	0.2	0.2	0.1	1.2	0.9		
010	Tuberculosis of meninges and central nervous system-----	157	95	62	41	34	54	28	0.1	0.1	0.1	0.0	0.0	0.5	0.2		
011	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	44	22	22	13	7	9	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
012	Tuberculosis of bones and joints, active or unspecified-----	58	31	27	24	21	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Active or unspecified tuberculosis of vertebral column-----	48	26	22	21	16	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Active or unspecified tuberculosis of hip-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.2	Active or unspecified tuberculosis of knee-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.3	Active or unspecified tuberculosis of other and unspecified bones and joints-----	4	1	3	-	3	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
013	Late effects of tuberculosis of bones and joints-----	7	2	5	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Late effects of tuberculosis of vertebral column-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Late effects of tuberculosis of hip-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.2	Late effects of tuberculosis of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Late effects of tuberculosis of other and unspecified bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
014	Tuberculosis of skin and subcutaneous cellular tissue-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-		
.0	Primary tuberculosis of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Erythema nodosum specified as tuberculous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Lupus-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Other tuberculosis of skin and subcutaneous cellular tissue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
015	Tuberculosis of lymphatic system-----	5	2	3	2	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
016	Tuberculosis of genitourinary system-----	58	42	16	30	11	12	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
017	Tuberculosis of adrenal glands-----	9	6	3	4	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
018	Tuberculosis of other organs-----	38	23	15	13	9	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Tuberculosis of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Tuberculosis of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	38	23	15	13	9	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
019	Disseminated tuberculosis-----	201	119	82	73	33	46	49	0.1	0.1	0.1	0.1	0.0	0.4	0.4		
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Acute miliary tuberculosis, unspecified-----	12	6	6	4	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other forms of disseminated tuberculosis-----	189	113	76	69	29	44	47	0.1	0.1	0.1	0.1	0.0	0.4	0.4		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases—Con.															
020-029	Syphilis and its sequelae-----	2,193	1,558	635	1,224	446	334	189	1.1	1.6	0.6	1.4	0.5	2.9	1.6
020	Congenital syphilis-----	40	24	16	12	8	12	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile neurosyphilis-----	4	3	1	3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.2	Other congenital syphilis-----	36	21	15	9	8	12	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
021	Early syphilis-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
.0	Primary syphilis, except extragenital chancres-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancres-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
.3	Early syphilis, relapse following treatment-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Early syphilis, unspecified stage-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta-----	1,434	1,020	414	907	316	115	98	0.7	1.1	0.4	1.1	0.4	1.0	0.9
023	Other cardiovascular syphilis-----	431	311	120	180	69	151	51	0.2	0.3	0.1	0.2	0.1	1.3	0.4
024	Tabes dorsalis-----	44	37	7	35	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
025	General paralysis of insane-----	67	50	17	38	15	12	4	0.0	0.1	0.0	0.0	0.0	0.1	0.0
026	Other syphilis of central nervous system-----	135	92	43	58	22	34	21	0.1	0.1	0.0	0.1	0.0	0.3	0.2
027	Other forms of late syphilis-----	26	14	12	10	8	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
028	Latent syphilis-----	7	4	3	2	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Early latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Late latent-----	6	4	2	2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
029	Syphilis, unqualified-----	8	5	3	2	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
030-039	Gonococcal infection and other venereal diseases-----	27	16	11	6	-	10	11	0.0	0.0	0.0	0.0	-	0.1	0.1
030	Acute or unspecified gonorrhoea-----	7	5	2	1	-	4	2	0.0	0.0	0.0	0.0	-	0.0	0.0
031	Chronic gonococcal infection of genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
032	Gonococcal infection of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites-----	4	2	2	-	-	2	2	0.0	0.0	0.0	-	-	0.0	0.0
035	Late effects of gonococcal infection-----	7	6	1	3	-	3	1	0.0	0.0	0.0	0.0	-	0.0	0.0
036	Chancroid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
037	Lymphogranuloma venereum-----	6	2	4	1	-	1	4	0.0	0.0	0.0	0.0	-	0.0	0.0
038	Granuloma inguinale, venereal-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
039	Other and unspecified venereal diseases-----	2	-	2	-	-	-	2	0.0	-	0.0	-	-	-	0.0
040-049	Infectious diseases commonly arising in intestinal tract-----	283	166	117	107	86	59	51	0.1	0.2	0.1	0.1	0.1	0.5	0.4
040	Typhoid fever-----	15	7	8	4	4	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
041	Paratyphoid fever-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
042	Other Salmonella infections-----	70	42	28	27	23	15	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Without food as vehicle of infection-----	63	37	26	24	21	13	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	With food as vehicle of infection-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
043	Cholera-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
044	Bacillary dysentery-----	88	52	34	30	16	22	18	0.0	0.1	0.0	0.0	0.0	0.2	0.1
.0	Flexner-Boyd group-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Schmitz-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Shiga-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Some-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Bacillary, other and unspecified-----	75	45	30	24	13	21	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1
046	Amebiasis-----	54	37	17	29	11	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Without mention of liver abscess-----	39	27	12	21	8	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	With liver abscess-----	15	10	5	8	3	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
047	Other protozoal dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery-----	32	13	19	6	8	7	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases--Con.															
Infectious diseases commonly arising in intestinal tract--Con.															
049	Food poisoning (infection and intoxication)-----	20	11	9	8	3	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Staphylococcal-----	4	2	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Botulism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified-----	16	9	7	6	2	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
050-054	Other bacterial diseases-----	3,826	2,060	1,766	1,570	1,376	490	390	2.0	2.1	1.8	1.9	1.6	4.3	3.2
050	Scarlet fever-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat-----	59	26	33	22	26	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
052	Erysipelas-----	12	4	8	4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
053	Septicemia and pyemia-----	2,332	1,372	1,160	1,069	918	305	242	1.3	1.4	1.2	1.3	1.0	2.7	2.0
.0	Streptococcus-----	70	37	33	34	30	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Staphylococcus-----	209	121	88	105	76	16	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Pneumococcus-----	38	22	16	13	14	9	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism-----	171	99	72	74	56	25	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.4	Organism unspecified-----	2,044	1,093	951	843	742	250	209	1.0	1.1	1.0	1.0	0.8	2.2	1.7
054	Bacterial toxemia-----	58	25	33	18	27	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
055	Diphtheria-----	20	9	11	5	9	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
056	Whooping cough-----	49	23	26	13	14	10	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of pneumonia-----	30	13	17	10	10	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	With pneumonia-----	19	10	9	3	4	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
057	Meningococcal infections-----	878	482	394	374	314	108	80	0.4	0.5	0.4	0.4	0.4	0.9	0.7
.0	Meningococcal meningitis-----	435	226	209	172	169	54	40	0.2	0.2	0.2	0.2	0.2	0.5	0.5
.1	Acute and unspecified meningococemia-----	435	253	182	199	144	54	38	0.2	0.3	0.2	0.2	0.2	0.5	0.5
.2	Chronic meningococemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other forms of meningococcal infection-----	6	3	3	3	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
058	Plague-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Bubonic-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Pneumonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Ethyluremia-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
060	Leprosy-----	6	4	2	-	1	4	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.0	Leprosatous leprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Neuroleprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	6	4	2	-	1	4	1	0.0	0.0	0.0	-	0.0	0.0	0.0
061	Tetanus-----	158	82	76	39	41	43	35	0.1	0.1	0.1	0.0	0.0	0.4	0.3
062	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene-----	36	20	16	16	12	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases-----	11	7	4	6	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Epidemic arthritic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Rat-bite fever due to Streptobacillus moniliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Glanders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Melioidosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other-----	11	7	4	6	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070-074	Spirochetal diseases, except syphilis-----	10	7	3	5	1	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070	Vincent's infection-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
071	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis-----	9	7	2	5	-	2	2	0.0	-	0.0	0.0	-	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weill's disease)-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.1	Other and unspecified-----	6	5	1	3	-	2	1	0.0	0.0	0.0	0.0	-	0.0	0.0
073	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases—Con.															
Spirochetal diseases, except syphilis—Con.															
074	Other spirochetal infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Rat-bite fever due to <i>Spirochaeta morsus muris</i> (sodoku)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080-096	Diseases attributable to viruses-----	2,597	1,303	1,294	1,083	1,101	220	193	1.3	1.4	1.3	1.3	1.3	1.9	1.6
080	Acute poliomyelitis-----	9	4	5	3	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Specified as bulbar or polioencephalitis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With other paralysis-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Specified as nonparalytic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	3	-	3	-	2	1	0.0	-	0.0	-	0.0	-	0.0	0.0
081	Late effects of acute poliomyelitis-----	139	76	63	74	62	2	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
082	Acute infectious encephalitis-----	579	305	274	250	236	55	38	0.3	0.3	0.3	0.3	0.3	0.5	0.3
.0	Arthropod-borne encephalitis-----	27	14	13	7	11	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Lymphocytic choriomeningitis-----	69	41	28	33	20	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.2	Lethargic encephalitis-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other and unspecified infectious encephalitis-----	480	247	233	207	205	40	28	0.2	0.3	0.2	0.2	0.2	0.4	0.2
083	Late effects of acute infectious encephalitis-----	75	52	23	49	20	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.0	Postencephalitic Parkinsonism-----	50	38	15	34	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Postencephalitic personality and character disorders-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Postencephalitic psychosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other postencephalitic conditions-----	23	15	8	13	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
084	Smallpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----	261	146	115	106	78	40	37	0.1	0.2	0.1	0.1	0.1	0.4	0.3
.0	Without mention of pneumonia-----	94	49	45	38	34	11	11	0.0	0.1	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia-----	167	97	70	68	44	29	26	0.1	0.1	0.1	0.1	0.1	0.3	0.2
086	Rubella (German measles)-----	12	6	6	4	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
087	Chickenpox-----	137	72	65	65	58	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster-----	69	37	32	34	29	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
089	Mumps-----	43	15	28	13	24	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
090	Dengue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis-----	757	318	439	263	387	55	52	0.4	0.3	0.4	0.3	0.4	0.5	0.4
093	Glandular fever (infectious mononucleosis)-----	18	12	6	12	5	1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
094	Habes-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	-	-	-
095	Trachoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses-----	486	259	227	209	193	50	44	0.3	0.3	0.2	0.2	0.2	0.4	0.4
.0	Herpes febrilis-----	31	17	14	12	11	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Psittacosis and ornithosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Cowpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Epidemic hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Epidemic myalgia (Borrelia disease)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Foot and mouth disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sandfly fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Rift Valley fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	464	241	225	196	182	45	41	0.2	0.3	0.2	0.2	0.2	0.4	0.3
100-108	Typhus and other rickettsial diseases-----	23	12	11	10	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100	Louse-borne epidemic typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse- or flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus-----	21	10	11	8	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
105	Mite-borne typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Volhynian fever (trench fever)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases—Con.															
Typhus and other rickettsial diseases—Con.															
107	Typhus, unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
108	Other rickettsial diseases-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
110-117	Malaria-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
110	Vivax malaria (benign tertian)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Malariae malaria (quartan)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-
113	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
117	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-139	Other infective and parasitic diseases-----	725	430	295	311	174	119	121	0.4	0.4	0.3	0.4	0.2	1.0	1.0
120	Leishmaniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (Oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	African (sleeping sickness)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	South American (Chagas' disease)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Coccidiosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Toxoplasmosis-----	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other-----	4	2	2	2	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Vesical (S. haematobium)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intestinal (S. mansoni)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oriental (S. japonicum)-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Other and unspecified schistosomiasis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
124	Other trematode infestation-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Clonorchiasis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
126	Other cestode infestation-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
127	Filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichinosis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
129	Ancylostomiasis-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
130	Infestation with worms of other, mixed, and unspecified type--	25	14	11	4	1	10	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Ascariasis-----	19	11	8	3	-	8	8	0.0	0.0	0.0	0.0	-	0.1	0.1
.1	Oxyuriasis-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.2	Mixed intestinal helminth infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
131	Dermatophytosis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
132	Actinomycosis-----	21	16	5	12	4	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis-----	45	36	9	27	6	9	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
134	Other fungus infections-----	325	211	114	175	69	56	25	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.0	Blastomycosis-----	12	7	5	3	2	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcus (torulosis)-----	90	59	31	49	25	10	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Histoplasmosis-----	60	45	15	40	12	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Moniliasis-----	87	48	39	39	31	9	8	0.0	0.1	0.0	0.0	0.0	0.1	0.0
.4	Sporotrichosis-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	0.0	-
.5	Other-----	73	49	24	41	19	8	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
I. Infective and parasitic diseases—Con.																	
Other infective and parasitic diseases—Con.																	
135	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136	Pediculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137	Other arthropod infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
138	Other infective and parasitic diseases-----	277	134	143	76	61	58	62	0.1	0.1	0.1	0.1	0.1	0.5	0.7		
.0	Sarcoid of Boeck-----	237	110	127	56	48	54	79	0.1	0.1	0.1	0.1	0.1	0.5	0.7		
.1	Other-----	40	24	16	20	13	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
II. Neoplasms																	
140-148	Malignant neoplasm of buccal cavity and pharynx-----	6,800	5,047	1,753	4,514	1,566	535	187	3.5	5.3	1.8	5.3	1.8	4.7	1.5		
140	Malignant neoplasm of lip-----	150	131	19	129	16	2	3	0.1	0.1	0.0	0.2	0.0	0.0	0.0		
.0	Upper lip-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Lower lip-----	42	39	3	39	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.8	Both lips-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Lip, unspecified (including commissure)-----	102	68	14	87	12	1	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0		
141	Malignant neoplasm of tongue-----	1,629	1,206	423	1,078	378	127	45	0.8	1.3	0.4	1.3	0.4	1.1	0.4		
.0	Base of tongue-----	161	130	31	118	26	12	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.7	Other specified parts of tongue-----	25	21	4	19	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Multiple parts of tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Part unspecified-----	1,443	1,055	388	942	348	113	40	0.7	1.1	0.4	1.1	0.4	1.0	0.3		
142	Malignant neoplasm of salivary gland-----	587	339	248	312	223	27	25	0.3	0.4	0.2	0.4	0.3	0.2	0.2		
.0	Parotid gland-----	438	256	182	234	164	22	18	0.2	0.3	0.2	0.3	0.2	0.2	0.1		
.7	Other salivary gland-----	77	38	39	38	36	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		
.8	Multiple salivary glands-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0		
.9	Gland unspecified-----	69	43	26	38	22	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
143	Malignant neoplasm of floor of mouth-----	507	381	126	343	112	38	14	0.3	0.4	0.1	0.4	0.1	0.3	0.1		
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified-----	1,150	786	344	710	311	76	33	0.6	0.8	0.3	0.8	0.4	0.7	0.3		
145	Malignant neoplasm of oral mesopharynx-----	548	427	121	366	108	61	13	0.3	0.4	0.1	0.4	0.1	0.5	0.1		
.0	Tonsil (excluding pillars)-----	491	380	111	325	98	55	13	0.3	0.4	0.1	0.4	0.1	0.5	0.1		
.7	Other specified parts of mesopharynx-----	55	45	10	40	10	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Multiple parts of mesopharynx-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.9	Part unspecified-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
146	Malignant neoplasm of nasopharynx-----	477	339	139	290	123	48	16	0.2	0.4	0.1	0.3	0.1	0.4	0.1		
147	Malignant neoplasm of hypopharynx-----	431	374	57	331	48	43	9	0.2	0.4	0.1	0.4	0.1	0.4	0.1		
148	Malignant neoplasm of pharynx, unspecified-----	1,341	1,065	276	954	247	111	29	0.7	1.1	0.3	1.1	0.3	1.0	0.2		
150-159	Malignant neoplasm of digestive organs and peritoneum-----	96,429	51,902	44,527	45,755	40,393	6,147	4,154	49.2	54.1	44.6	54.1	46.0	54.1	34.1		
150	Malignant neoplasm of esophagus-----	5,505	4,195	1,310	3,216	1,075	979	235	2.8	4.4	1.3	3.8	1.2	8.6	1.9		
151	Malignant neoplasm of stomach-----	17,623	10,750	6,873	9,051	5,991	1,699	882	9.0	11.2	6.9	10.7	6.8	14.9	7.3		
152	Malignant neoplasm of small intestine, including duodenum-----	693	350	343	326	324	24	19	0.4	0.4	0.3	0.4	0.4	0.2	0.2		
.0	Duodenum-----	177	88	89	82	84	6	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.7	Other specified parts of small intestine-----	242	120	122	109	115	11	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.8	Multiple parts of small intestine-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.9	Part unspecified-----	273	141	132	134	125	7	7	0.1	0.1	0.1	0.2	0.1	0.1	0.1		
153	Malignant neoplasm of large intestine, except rectum-----	32,811	15,022	17,789	13,874	16,495	1,148	1,294	16.6	15.7	17.8	16.4	18.8	10.1	10.7		
.0	Cecum, appendix, and ascending colon-----	4,605	2,024	2,581	1,886	2,422	138	159	2.4	2.1	2.6	2.2	2.8	1.2	1.3		
.1	Transverse colon, including hepatic and splenic flexures-----	1,472	651	821	600	767	51	54	0.8	0.7	0.8	0.7	0.9	0.4	0.4		
.2	Descending colon-----	1,151	521	630	474	591	47	39	0.6	0.5	0.6	0.6	0.7	0.4	0.3		
.3	Sigmoid colon-----	5,614	2,850	2,964	2,661	2,785	189	179	3.0	3.0	3.0	3.1	3.2	1.7	1.5		
.7	Multiple parts of large intestine-----	78	39	39	35	36	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Large intestine (including colon), part unspecified-----	18,155	8,253	9,902	7,591	9,081	662	811	9.3	8.6	9.9	9.0	10.4	5.8	6.7		
.9	Intestinal tract, part unspecified-----	1,536	684	852	627	803	57	49	0.8	0.7	0.9	0.7	0.9	0.5	0.4		
154	Malignant neoplasm of rectum-----	10,863	6,020	4,843	5,573	4,280	447	383	5.4	6.3	4.6	6.6	4.9	3.9	3.2		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
Malignant neoplasm of digestive organs and peritoneum-Con.															
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)-----	6,584	2,933	3,651	2,523	3,392	410	259	3.4	3.1	3.7	3.0	3.9	3.6	2.1
.0	Liver-----	2,112	1,408	704	1,121	612	267	92	1.1	1.5	0.7	1.3	0.7	2.5	0.9
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater-----	4,471	1,525	2,946	1,402	2,779	123	167	2.3	1.6	2.9	1.7	3.2	1.1	1.4
.8	Multiple sites-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)-----	4,499	2,409	2,091	2,036	1,818	372	273	2.3	2.5	2.1	2.4	2.1	3.3	2.3
A	Not stated whether primary or secondary-----	3,149	1,692	1,457	1,426	1,261	286	198	1.6	1.8	1.5	1.7	1.4	2.3	1.6
B	Secondary-----	1,350	716	634	610	557	106	77	0.7	0.7	0.6	0.7	0.6	0.9	0.6
157	Malignant neoplasm of pancreas-----	16,360	9,406	6,954	8,453	6,280	953	674	8.4	9.8	7.0	10.0	7.2	8.4	5.6
158	Malignant neoplasm of peritoneum-----	815	409	407	374	351	34	46	0.4	0.4	0.4	0.4	0.4	0.3	0.4
159	Malignant neoplasm of unspecified digestive organs-----	878	410	466	329	397	61	69	0.4	0.4	0.5	0.4	0.5	0.7	0.6
160-165	Malignant neoplasm of respiratory system-----	56,793	47,345	9,448	42,657	8,522	4,688	926	29.0	49.4	9.5	50.5	9.7	41.2	7.6
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses-----	517	323	194	275	175	48	19	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.0	Nose (internal) and nasal cavities-----	84	48	36	43	34	5	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eustachian tube and middle ear-----	20	11	9	10	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus-----	312	192	120	159	103	33	17	0.2	0.2	0.1	0.2	0.1	0.3	0.1
.7	Other specified sinus (accessory)-----	52	37	15	34	15	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	42	30	12	24	12	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
161	Malignant neoplasm of larynx-----	2,623	2,351	272	2,097	232	254	40	1.3	2.5	0.3	2.5	0.3	2.2	0.3
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary-----	20,913	17,956	2,957	16,130	2,690	1,826	267	10.7	18.7	3.0	19.1	3.1	16.1	2.2
.0	Trachea-----	99	66	33	59	30	7	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Bronchus and lung-----	20,785	17,869	2,914	16,054	2,650	1,815	264	10.6	18.6	2.9	19.0	3.0	16.0	2.2
.2	Pleura-----	17	8	9	8	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites-----	14	13	1	11	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary-----	30,565	25,218	5,347	22,814	4,844	2,404	505	15.6	26.3	5.4	27.0	5.5	21.1	4.1
164	Malignant neoplasm of mediastinum-----	316	222	94	200	77	22	17	0.2	0.2	0.1	0.2	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)-----	1,689	1,276	594	1,141	504	134	80	0.9	1.3	0.6	1.3	0.6	1.2	0.7
170-181	Malignant neoplasm of breast and genitourinary organs-----	82,077	26,652	55,425	23,749	49,553	2,905	5,872	41.9	27.8	55.5	28.1	58.4	25.5	48.4
170	Malignant neoplasm of breast-----	27,533	229	27,304	197	25,111	32	2,133	14.1	0.2	27.3	0.2	28.6	0.3	18.1
171	Malignant neoplasm of cervix uteri-----	7,665	...	7,665	...	5,981	...	1,684	3.9	...	7.7	...	6.8	...	13.9
172	Malignant neoplasm of corpus uteri-----	1,870	...	1,870	...	1,641	...	229	1.0	...	1.9	...	1.9	...	1.9
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma-----	55	...	55	...	40	...	15	0.0	...	0.1	...	0.0	...	0.1
174	Malignant neoplasm of uterus, unspecified-----	3,806	...	3,806	...	3,229	...	578	1.9	...	3.8	...	3.7	...	4.8
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament-----	9,163	...	9,163	...	8,485	...	678	4.7	...	9.2	...	9.7	...	5.6
.0	Ovary-----	9,041	...	9,041	...	8,379	...	662	4.6	...	9.0	...	9.5	...	5.5
.1	Fallopian tube and broad ligament-----	112	...	112	...	97	...	15	0.1	...	0.1	...	0.1	...	0.1
.8	Multiple sites-----	7	...	7	...	6	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
176	Malignant neoplasm of other and unspecified female genital organs-----	865	...	865	...	788	...	76	0.4	...	0.9	...	0.9	...	0.6
.0	Vulva-----	522	...	522	...	485	...	37	0.3	...	0.5	...	0.6	...	0.3
.1	Vagina-----	281	...	281	...	252	...	29	0.1	...	0.3	...	0.3	...	0.2
.7	Other specified sites-----	14	...	14	...	11	...	3	0.0	...	0.0	...	0.0	...	0.0
.8	Multiple sites-----	7	...	7	...	7	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified-----	41	...	41	...	34	...	7	0.0	...	0.0	...	0.0	...	0.1
177	Malignant neoplasm of prostate-----	15,941	15,941	...	13,828	...	2,113	...	8.1	16.6	...	16.4	...	18.6	...
178	Malignant neoplasm of testis-----	736	736	...	710	...	26	...	0.4	0.8	...	0.8	...	0.2	...

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite			Total			White		Nonwhite		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.																	
Malignant neoplasm of breast and genitourinary organs-Con.																	
179	Malignant neoplasm of other and unspecified male genital organs-----	275	275	...	215	...	60	...	0.1	0.3	...	0.3	...	0.5
.0	Penis-----	230	230	...	175	...	85	...	0.1	0.2	...	0.2	...	0.5
.1	Scrotum-----	18	18	...	16	...	2	...	0.0	0.0	...	0.0	...	0.0
.7	Other specified sites-----	18	18	...	16	...	2	...	0.0	0.0	...	0.0	...	0.0
.8	Multiple sites-----	2	2	...	1	...	1	...	0.0	0.0	...	0.0	...	0.0
.9	Site unspecified-----	7	7	...	7	...	-	...	0.0	0.0	...	0.0	...	-
180	Malignant neoplasm of kidney-----	5,941	3,691	2,150	3,457	2,004	234	146	3.0	3.8	2.2	4.1	2.3	2.1	1.2		
181	Malignant neoplasm of bladder and other urinary organs-----	8,325	5,778	2,547	5,342	2,274	436	273	4.3	6.0	2.5	6.3	2.6	3.8	2.3		
.0	Bladder-----	8,156	5,710	2,428	5,290	2,174	420	252	4.2	6.0	2.4	6.3	2.5	3.7	2.1		
.7	Other urinary organs-----	178	64	114	46	94	16	20	0.1	0.1	0.1	0.1	0.1	0.1	0.2		
.8	Multiple sites-----	11	4	7	4	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
190-199	Malignant neoplasm of other and unspecified sites-----	31,823	17,019	14,604	15,440	13,365	1,879	1,441	16.2	17.7	14.9	18.3	15.2	13.9	11.9		
190	Malignant melanoma of skin-----	2,716	1,504	1,212	1,469	1,160	35	32	1.4	1.6	1.2	1.7	1.3	0.3	0.3		
.0	Lips-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Eyelids, including canthi-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Ear and external auricular canal-----	19	16	3	16	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other and unspecified parts of face-----	93	53	40	52	39	1	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
.4	Scalp and neck-----	94	61	33	59	32	2	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
.5	Trunk-----	284	180	104	177	104	3	-	0.1	0.2	0.1	0.2	0.1	0.0	0.0		
.6	Upper limb-----	141	75	66	73	65	2	1	0.1	0.1	0.1	0.1	0.1	0.0	0.0		
.7	Lower limb-----	264	95	169	92	162	3	7	0.1	0.1	0.2	0.1	0.2	0.0	0.1		
.8	Multiple sites-----	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.9	Site unspecified-----	1,804	1,014	790	990	768	24	22	0.9	1.1	0.8	1.2	0.9	0.2	0.2		
191	Other malignant neoplasm of skin-----	1,844	1,185	659	1,114	607	71	52	0.9	1.2	0.7	1.3	0.7	0.6	0.4		
.0	Lips-----	82	73	9	72	9	1	-	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
.1	Eyelids, including canthi-----	20	11	9	7	8	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Ear and external auricular canal-----	79	55	24	55	21	-	3	0.0	0.1	0.0	0.1	0.0	-	0.0		
.3	Other and unspecified parts of face-----	589	372	217	364	210	8	7	0.3	0.4	0.2	0.4	0.2	0.1	0.1		
.4	Scalp and neck-----	198	146	52	138	45	10	7	0.1	0.2	0.1	0.2	0.1	0.1	0.1		
.5	Trunk-----	215	88	127	77	113	11	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.6	Upper limb-----	62	46	16	45	15	1	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0		
.7	Lower limb-----	59	37	22	31	17	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.8	Multiple sites-----	52	36	16	34	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Site unspecified-----	488	321	167	293	154	28	13	0.2	0.3	0.2	0.3	0.2	0.2	0.1		
192	Malignant neoplasm of eye-----	358	170	188	167	161	3	7	0.2	0.2	0.2	0.2	0.2	0.0	0.1		
193	Malignant neoplasm of brain and other parts of nervous system-----	7,355	4,293	3,062	3,998	2,869	303	193	3.8	4.5	3.1	4.7	3.3	2.7	1.6		
.0	Brain-----	5,981	3,419	2,462	3,200	2,322	219	140	3.0	3.6	2.5	3.8	2.6	1.9	1.2		
.1	Spinal cord-----	166	90	76	75	67	15	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.2	Meninges-----	61	36	25	30	23	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.3	Peripheral nerves-----	43	23	20	18	16	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Sympathetic nervous system-----	340	196	144	172	134	24	10	0.2	0.2	0.1	0.2	0.2	0.2	0.1		
.8	Multiple sites-----	14	9	5	9	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.9	Site unspecified-----	850	520	330	486	302	34	28	0.4	0.5	0.3	0.6	0.3	0.3	0.2		
194	Malignant neoplasm of thyroid gland-----	1,008	363	645	331	576	32	69	0.5	0.4	0.6	0.4	0.7	0.3	0.6		
195	Malignant neoplasm of other endocrine glands-----	470	278	192	256	175	22	17	0.2	0.3	0.2	0.3	0.2	0.2	0.1		
.0	Suprarenal gland-----	318	190	128	175	119	15	9	0.2	0.2	0.1	0.2	0.1	0.1	0.1		
.1	Parathyroid gland-----	11	5	6	5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Thyroid-----	91	58	36	51	32	4	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0		
.3	Pituitary gland and craniopharyngeal duct-----	28	18	10	18	6	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Pineal gland-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Other specified glands-----	17	7	10	6	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Multiple glands-----	1	-	-	1	-	-	-	0.0	-	-	-	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
Malignant neoplasm of other and unspecified sites-Con.															
196	Malignant neoplasm of bone.....	1,782	1,021	771	926	684	85	87	0.9	1.1	0.8	1.1	0.8	0.8	0.7
.0	Bones of the skull and face.....	212	115	97	101	84	14	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Lower jaw bone.....	173	113	60	98	54	15	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Vertebral column (excluding sacrum and coccyx).....	261	172	109	160	97	12	12	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.3	Ribs, sternum, and clavicle.....	53	31	22	31	28	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Long bones of upper limb, and scapula.....	92	50	42	48	38	1	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.5	Upper limb, short bones.....	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Pelvic bones, sacrum, coccyx.....	164	96	68	90	59	6	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Lower limb, long bones.....	280	144	136	128	116	16	20	0.1	0.2	0.1	0.2	0.1	0.1	0.2
.8	Lower limb, short bones.....	11	7	4	7	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Multiple sites and site unspecified.....	512	291	221	260	203	31	18	0.3	0.3	0.2	0.3	0.2	0.3	0.1
197	Malignant neoplasm of connective tissue.....	1,318	713	605	650	543	63	62	0.7	0.7	0.6	0.8	0.6	0.6	0.5
.0	Head, face, and neck.....	47	22	25	18	24	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk.....	208	122	86	111	76	11	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder).....	84	41	43	33	40	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip).....	274	146	128	131	114	15	14	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.8	Multiple sites.....	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified.....	697	378	319	353	285	25	34	0.4	0.4	0.3	0.4	0.3	0.2	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes.....	173	115	58	105	54	10	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Head, face, and neck.....	79	58	21	54	18	4	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Intrathoracic.....	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Intra-abdominal.....	4	4	3	3	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Axillary and upper limb.....	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Inguinal and lower limb.....	16	11	5	10	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Other specified sites.....	4	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple sites.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Site unspecified.....	45	28	17	25	15	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites.....	14,789	7,377	7,412	6,432	6,494	945	918	7.6	7.7	7.4	7.6	7.4	8.3	7.6
A	Of other specified sites, not specified as secondary.....	952	581	371	525	335	56	35	0.5	0.6	0.4	0.6	0.4	0.5	0.3
B	Primary site not indicated.....	13,837	6,796	7,041	5,907	6,158	889	883	7.1	7.1	7.0	7.0	7.0	7.8	7.3
200-205	Neoplasms of lymphatic and hematopoietic tissues.....	29,814	17,010	12,804	15,785	11,871	1,224	933	15.2	17.7	12.8	18.7	13.5	10.8	7.7
200	Lymphosarcoma and reticulosarcoma.....	7,563	4,210	3,353	3,928	3,164	282	189	3.9	4.4	3.4	4.6	3.6	2.5	1.6
.0	Reticulum cell sarcoma.....	2,221	1,249	972	1,176	909	73	63	1.1	1.3	1.0	1.4	1.0	0.6	0.5
.1	Lymphosarcoma.....	3,942	2,199	1,744	2,051	1,651	147	93	2.0	2.3	1.7	2.4	1.9	1.3	0.8
.2	Other primary malignant neoplasms of lymphoid tissue.....	1,400	763	637	701	604	62	33	0.7	0.8	0.8	0.8	0.7	0.5	0.3
201	Hodgkin's disease.....	3,412	2,053	1,359	1,923	1,281	130	78	1.7	2.1	1.4	2.3	1.5	1.1	0.6
202	Other forms of lymphoma (reticulosis).....	1,273	704	569	669	533	35	36	0.6	0.7	0.6	0.8	0.6	0.3	0.3
.0	Giant follicular lymphomas (Brill-Symmers' disease).....	136	67	69	67	66	-	3	0.1	0.1	0.1	0.1	0.1	-	0.0
.1	Other.....	1,137	637	500	602	467	35	33	0.6	0.7	0.5	0.7	0.5	0.3	0.3
203	Multiple myeloma (plasmocytoma).....	3,474	1,939	1,535	1,682	1,356	257	179	1.8	2.0	1.5	2.0	1.5	2.3	1.5
204	Leukemia and aleukemia.....	14,012	8,060	5,952	7,548	5,508	514	444	7.2	8.4	6.0	8.9	6.3	4.5	3.7
.0	Lymphatic leukemia.....	1,969	1,271	698	1,651	1,175	118	86	1.7	2.1	1.3	2.2	1.3	1.0	0.8
.1	Myeloid leukemia.....	2,236	1,253	983	1,144	899	109	84	1.1	1.3	1.0	1.4	1.0	1.0	0.7
.2	Monocytic leukemia.....	1,087	611	476	591	457	20	19	0.6	0.6	0.5	0.7	0.5	0.2	0.2
.3	Acute leukemia.....	6,115	3,486	2,649	3,262	2,479	204	170	3.1	3.6	2.7	3.9	2.8	1.8	1.4
.4	Other and unspecified leukemia.....	1,334	781	573	698	498	63	75	0.7	0.8	0.6	0.8	0.6	0.6	0.6
205	Mycosis fungoides.....	80	44	36	38	29	6	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
210-229	Benign neoplasm.....	2,365	963	1,402	845	1,131	117	271	1.2	1.0	1.4	1.0	1.3	1.0	2.2
210	Benign neoplasm of buccal cavity and pharynx.....	8	5	3	4	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system.....	250	135	115	121	102	14	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system.....	159	106	53	93	46	13	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
213	Benign neoplasm of breast.....	5	-	5	-	3	-	2	0.0	-	0.0	-	0.0	-	0.0
214	Uterine fibromyoma.....	191	...	191	...	89	...	102	0.1	...	0.2	...	0.1	...	0.8
215	Other benign neoplasm of uterus.....	39	...	39	...	31	...	7	0.0	...	0.0	...	0.0	...	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
Benign neoplasm-Con.															
216	Benign neoplasm of ovary-----	117	...	117	...	96	...	21	0.1	...	0.1	...	0.1	...	0.2
217	Benign neoplasm of other female genital organs-----	5	...	5	...	3	...	2	0.0	...	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
219	Benign neoplasm of kidney and other urinary organs-----	26	15	13	14	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
220	Benign melanoma of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	Pilonidal cyst-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
222	Other benign neoplasm of skin-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
223	Benign neoplasm of brain and other parts of nervous system-----	973	402	571	347	504	55	67	0.5	0.4	0.6	0.4	0.6	0.5	0.6
224	Benign neoplasm of endocrine glands-----	338	186	172	147	140	19	32	0.2	0.2	0.2	0.2	0.2	0.2	0.3
225	Benign neoplasm of bone and cartilage-----	13	6	7	5	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
228	Lipoma-----	11	6	5	5	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue-----	75	46	29	45	27	1	2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
228	Hemangioma and lymphangioma-----	91	47	44	39	36	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues-----	53	22	31	20	28	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature-----	2,558	1,335	1,223	1,191	1,091	144	132	1.3	1.4	1.2	1.4	1.2	1.3	1.1
230	Neoplasm of unspecified nature of digestive organs-----	272	124	148	115	125	9	13	0.1	0.1	0.1	0.1	0.2	0.1	0.1
231	Neoplasm of unspecified nature of respiratory organs-----	232	213	79	181	70	32	9	0.1	0.2	0.1	0.2	0.1	0.3	0.1
232	Neoplasm of unspecified nature of breast-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
233	Neoplasm of unspecified nature of uterus-----	7	...	7	...	6	...	1	0.0	...	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary-----	26	...	26	...	20	...	6	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
236	Neoplasm of unspecified nature of other genitourinary organs-----	78	47	31	41	28	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system-----	1,580	823	757	748	683	75	74	0.8	0.9	0.8	0.9	0.8	0.7	0.6
238	Neoplasm of unspecified nature of skin and musculoskeletal system-----	23	10	13	8	12	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs-----	277	118	159	98	137	20	22	0.1	0.1	0.2	0.1	0.2	0.2	0.2
III. Allergic, endocrine system, metabolic, and nutritional diseases															
240-245	Allergic disorders-----	4,431	2,549	1,882	2,135	1,552	416	330	2.3	2.7	1.9	2.5	1.8	3.7	2.7
240	Hay fever-----	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
241	Asthma-----	4,324	2,498	1,826	2,093	1,505	405	321	2.2	2.6	1.8	2.5	1.7	3.6	2.6
242	Angioneurotic edema-----	12	6	6	5	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
243	Urticaria-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
244	Allergic eczema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
245	Other allergic disorders-----	86	41	45	32	38	9	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland-----	612	178	634	151	539	27	95	0.4	0.2	0.6	0.2	0.6	0.2	0.8
250	Simple goiter-----	34	8	26	6	18	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter-----	25	2	23	2	17	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0
252	Thyrotoxicosis with or without goiter-----	380	81	299	54	239	17	60	0.2	0.1	0.3	0.1	0.3	0.1	0.5
.0	Toxic diffuse goiter-----	356	77	279	60	220	17	59	0.2	0.1	0.3	0.1	0.3	0.1	0.5
.1	Toxic nodular goiter-----	24	4	20	4	19	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
253	Myxedema and cretinism-----	320	72	248	66	233	6	15	0.2	0.1	0.2	0.1	0.3	0.1	0.1
254	Other diseases of thyroid gland-----	53	15	38	13	32	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
260	Diabetes mellitus-----	34,597	14,163	20,434	12,451	17,189	1,712	3,245	17.7	14.8	20.4	14.7	19.6	15.1	26.8
270-277	Diseases of other endocrine glands-----	974	460	514	393	437	67	77	0.5	0.5	0.5	0.5	0.5	0.6	0.8
270	Disorders of pancreatic internal secretion other than diabetes mellitus-----	116	64	54	47	51	17	23	0.1	0.1	0.1	0.1	0.0	0.1	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
III. Allergic, endocrine system, metabolic, and nutritional diseases—Con.															
Diseases of other endocrine glands—Con.															
271	Diseases of parathyroid gland.....	68	21	47	19	41	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hyperparathyroidism.....	51	19	32	17	28	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hypoparathyroidism.....	14	2	12	2	11	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other and unspecified.....	3	-	3	-	2	-	1	0.0	-	0.0	-	0.0	-	0.0
272	Diseases of pituitary gland.....	215	106	107	89	91	17	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
273	Diseases of thymus gland.....	67	41	26	33	22	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
274	Diseases of adrenal glands.....	442	204	238	182	218	22	20	0.2	0.2	0.2	0.2	0.2	0.2	0.2
275	Ovarian dysfunction.....	-	...	-	...	-	...	-	...	-	...	-	...	-	...
276	Testicular dysfunction.....	-	...	-	...	-	...	-	...	-	...	-	...	-	...
277	Polyslandular dysfunction and other diseases of endocrine glands.....	66	24	42	23	34	1	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
280-289	Avitaminoses and other metabolic diseases.....	4,761	2,320	2,441	1,958	2,059	362	362	2.4	2.4	2.4	2.3	2.3	3.2	3.2
280	Beriberi.....	14	10	4	9	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
281	Pellagra.....	21	12	9	7	8	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
282	Scurvy.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283	Active rickets.....	3	1	2	-	-	1	2	0.0	0.0	0.0	-	-	0.0	0.0
284	Late effects of rickets.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	Osteomalacia.....	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
286	Other avitaminoses and nutritional deficiency states.....	1,560	792	768	611	624	181	144	0.8	0.8	0.8	0.7	0.7	1.8	1.2
.0	Stomatitis and sprue.....	26	15	11	10	10	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Vitamin A deficiency.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Vitamin B deficiency, except beriberi and pellagra.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Vitamin C deficiency, except scurvy.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vitamin D deficiency, except rickets and osteomalacia.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Malnutrition, unqualified.....	1,390	713	687	554	543	159	124	0.7	0.7	0.7	0.7	0.6	1.4	1.0
.6	Kwashiorkor (protein malnutrition).....	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.7	Other and multiple deficiency states.....	150	62	89	45	70	17	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin.....	1,245	474	771	437	626	37	145	0.6	0.5	0.8	0.5	0.7	0.3	1.2
288	Gout.....	148	127	21	101	18	26	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0
289	Other metabolic diseases.....	1,765	902	863	791	778	111	85	0.9	0.9	0.9	0.9	0.9	1.0	0.7
A	Cystic fibrosis.....	672	315	359	305	348	8	11	0.3	0.3	0.4	0.4	0.4	0.1	0.1
.0	Lipidosis (disturbance of lipid metabolism).....	149	63	86	75	62	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis.....	192	125	67	97	61	28	6	0.1	0.1	0.1	0.1	0.1	0.2	0.0
.2	Other.....	752	381	371	314	307	67	64	0.4	0.4	0.4	0.4	0.3	0.6	0.5
IV. Diseases of the blood and blood-forming organs															
290-299	Diseases of blood and blood-forming organs.....	5,426	2,730	2,696	2,317	2,254	415	442	2.8	2.8	2.7	2.7	2.6	3.6	3.6
290	Pernicious and other hyperchromic anemias.....	413	154	259	142	245	12	14	0.2	0.2	0.3	0.2	0.3	0.1	0.1
.0	Pernicious anemia.....	350	139	211	125	211	6	10	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.1	Subacute combined degeneration of spinal cord.....	11	1	10	1	8	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hyperchromic anemias.....	52	24	28	16	26	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
291	Iron deficiency anemias (hypochromic anemias).....	123	50	73	47	60	3	13	0.1	0.1	0.1	0.1	0.1	0.0	0.1
292	Other anemias of specified type.....	1,924	1,002	922	776	691	228	231	1.0	1.0	0.9	0.9	0.8	2.0	1.9
.0	Familial acholuric jaundice.....	126	54	72	48	62	8	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Acute hemolytic anemia.....	25	9	16	9	12	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hemolytic anemias.....	88	45	43	42	41	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Leuko-erythroblastic anemia.....	400	240	160	224	145	16	15	0.2	0.3	0.2	0.3	0.2	0.1	0.1
.4	Aplastic anemia.....	916	466	450	428	412	38	38	0.5	0.5	0.5	0.5	0.5	0.3	0.3
.5	Nonregenerative anemia.....	40	23	17	21	14	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Sickle cell anemia.....	325	164	161	3	2	161	159	0.2	0.2	0.2	0.0	0.0	1.4	1.3
.7	Other specified anemias.....	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
293	Anemia of unspecified type.....	992	453	539	371	444	82	95	0.5	0.5	0.5	0.4	0.5	0.7	0.8
294	Polycythemia.....	494	308	186	295	173	13	13	0.3	0.3	0.3	0.3	0.3	0.1	0.1
295	Henophilia.....	74	73	1	61	1	12	-	0.0	0.1	0.0	0.1	0.0	0.1	0.1
296	Purpura and other hemorrhagic conditions.....	697	312	385	279	335	33	50	0.4	0.3	0.4	0.3	0.4	0.3	0.4
297	Agammaglobulinemia.....	189	78	111	70	107	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Con.														
	Diseases of blood and blood-forming organs—Con.														
298	Diseases of spleen.....	232	135	97	127	88	8	9	0.1	0.1	0.1	0.2	0.1	0.1	0.1
.0	Hepatosplenic fibrosis.....	115	68	47	86	42	2	5	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Other.....	117	67	50	61	46	6	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs.....	288	165	123	149	110	16	13	0.1	0.2	0.1	0.2	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders														
300-309	Psychoses.....	1,745	1,019	726	851	648	168	78	0.9	1.1	0.7	1.0	0.7	1.5	0.6
300	Schizophrenic disorders (dementia praecox).....	113	47	66	42	53	5	13	0.1	0.0	0.1	0.0	0.1	0.0	0.1
.0	Simple type.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Hebephrenic type.....	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Catatonic type.....	28	13	15	11	12	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type.....	15	10	5	10	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Acute schizophrenic reaction.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Latent schizophrenia.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Schizo-affective psychosis.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.7	Other and unspecified.....	61	18	43	15	33	3	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1
301	Manic-depressive reaction.....	19	7	12	7	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Manic and circular.....	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Depressive.....	6	2	4	2	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other.....	9	3	6	3	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
302	Involuntional melancholia.....	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
303	Paranoia and paranoid states.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
304	Senile psychosis.....	288	93	195	89	184	4	11	0.1	0.1	0.2	0.1	0.2	0.0	0.1
305	Presenile psychosis.....	167	81	86	75	84	6	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
307	Alcoholic psychosis.....	581	520	61	408	48	112	15	0.3	0.5	0.1	0.5	0.1	1.0	0.1
309	Other and unspecified psychoses.....	587	268	299	227	264	41	35	0.3	0.3	0.3	0.3	0.3	0.4	0.3
310-318	Psychoneurotic disorders.....	78	22	56	16	55	4	1	0.0	0.0	0.1	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
311	Hysterical reaction without mention of anxiety reaction.....	46	7	39	5	39	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
312	Phobic reaction.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Obsessive-compulsive reaction.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
314	Neurotic-depressive reaction.....	13	5	8	5	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
315	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting circulatory system.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Neurocirculatory asthenia.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other heart manifestations specified as of psychogenic origin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other circulatory manifestations of psychogenic origin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
316	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting digestive system.....	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Mucous colitis specified as of psychogenic origin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Irritability of colon specified as of psychogenic origin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Gastric neuroses.....	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.3	Other digestive manifestations specified as of psychogenic origin.....	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
317	Psychoneurosis with somatic symptoms (somatization reaction)														
	affecting other systems.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.0	Psychogenic reactions affecting respiratory system.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Psychogenic reactions affecting genitourinary system.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Frustrations of psychogenic origin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other cutaneous neuroses.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Psychogenic reactions affecting musculoskeletal system.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Psychogenic reactions affecting other systems.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite			Total			White		Nonwhite		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
V. Mental, psychoneurotic, and personality disorders—Con.																	
Psychoneurotic disorders—Con.																	
318	Psychoneurotic disorders, other, mixed, and unspecified types	8	4	4	2	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	
.0	Hypochondriacal reaction	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Depersonalization	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Occupational neurosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Asthenic reaction	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	
.4	Mixed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Of other and unspecified types	7	3	4	1	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	
320-326	Disorders of character, behavior, and intelligence	3,755	2,750	1,005	2,016	720	734	285	1.9	2.9	1.0	2.4	0.8	6.5	2.4	-	
320	Pathological personality	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	
.0	Schizoid personality	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	
.1	Paranoid personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Cyclothymic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Inadequate personality	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	
.4	Antisocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Asocial personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Sexual deviation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
321	Immature personality	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	
.0	Emotional instability	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	
.1	Passive dependency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Aggressiveness	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Enuresis characterizing immature personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
322	Alcoholism	3,080	2,375	715	1,729	491	646	224	1.6	2.5	0.7	2.0	0.6	5.7	1.8	-	
.0	Acute	934	721	213	511	142	210	71	0.5	0.8	0.2	0.6	0.2	1.8	0.6	-	
.1	Chronic	1,445	1,109	336	815	228	294	108	0.7	1.2	0.3	1.0	0.3	2.6	0.9	-	
.2	Unspecified	711	545	166	403	121	142	45	0.4	0.6	0.2	0.5	0.1	1.2	0.4	-	
323	Other drug addiction	151	107	44	60	24	47	20	0.1	0.1	0.0	0.1	0.0	0.4	0.2	-	
324	Primary childhood behavior disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
325	Mental deficiency	511	266	245	225	204	41	41	0.3	0.3	0.2	0.3	0.2	0.4	0.3	-	
.0	Idiocy	7	2	5	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	-	
.1	Imbecility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Moron	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Borderline intelligence	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Mongolism	245	123	122	104	105	19	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1	-	
.5	Other and unspecified types	259	141	118	119	95	22	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2	-	
326	Other and unspecified character, behavior, and intelligence disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Specific learning defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Acute situational maladjustment	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Other and unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. Diseases of the nervous system and sense organs																	
330-334	Vascular lesions affecting central nervous system	204,841	94,585	110,258	81,912	96,575	12,671	15,683	104.6	98.6	110.3	96.9	110.0	111.4	112.9	-	
330	Subarachnoid hemorrhage	8,531	3,764	4,767	3,130	3,916	634	851	4.4	3.9	4.8	3.7	4.5	5.6	7.0	-	
331	Cerebral hemorrhage	111,446	51,794	59,652	44,138	51,322	7,658	8,330	56.8	54.0	59.7	52.2	58.4	67.3	69.7	-	
332	Cerebral embolism and thrombosis	63,943	29,730	34,213	26,526	30,888	3,204	3,325	32.6	31.0	34.2	31.4	35.2	28.2	27.4	-	
333	Spasm of cerebral arteries	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	
334	Other and ill-defined vascular lesions affecting central nervous system	20,913	9,291	11,622	8,114	10,445	1,177	1,177	10.7	9.7	11.6	9.6	11.9	10.3	9.7	-	

SECTION 1 - GENERAL MORTALITY

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VI. Diseases of the nervous system and sense organs—Con.															
340-345	Inflammatory diseases of central nervous system-----	5,075	2,602	2,473	2,022	1,970	580	503	2.6	2.7	2.5	2.4	2.2	5.1	4.1
340	Meningitis, except meningococcal and tuberculous-----	2,324	1,298	1,026	895	690	403	336	1.2	1.4	1.0	1.1	0.8	3.5	2.8
.0	H. influenzae-----	320	182	138	142	86	40	52	0.2	0.2	0.1	0.2	0.1	0.4	0.4
.1	Pneumococcus-----	594	322	272	207	168	115	104	0.3	0.3	0.3	0.2	0.2	1.0	0.9
.2	Due to other specified organism-----	225	120	105	87	85	23	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.3	With no organism specified as cause-----	1,185	674	511	449	355	225	158	0.6	0.7	0.5	0.5	0.4	2.0	1.3
341	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	51	15	16	12	14	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess-----	283	165	98	147	75	38	23	0.1	0.2	0.1	0.2	0.1	0.3	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)-----	425	233	192	199	151	34	41	0.2	0.2	0.2	0.2	0.2	0.3	0.3
344	Late effects of intracranial abscess or pyogenic infection-----	479	251	228	185	188	66	40	0.2	0.3	0.2	0.2	0.2	0.6	0.3
A	Hydrocephalus not otherwise specified-----	286	147	139	101	112	46	27	0.1	0.2	0.1	0.1	0.1	0.4	0.2
B	Other late effects of intracranial abscess or pyogenic infection-----	193	104	89	84	76	20	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
345	Multiple sclerosis-----	1,533	820	913	584	852	36	61	0.8	0.6	0.9	0.7	1.0	0.3	0.5
350-357	Other diseases of central nervous system-----	9,559	5,247	4,312	4,503	3,841	744	471	4.9	5.5	4.3	5.3	4.4	6.5	3.9
350	Paralysis agitans-----	3,108	1,645	1,463	1,583	1,411	50	54	1.6	1.7	1.5	1.9	1.6	0.4	0.4
351	Cerebral spastic infantile paralysis-----	669	370	289	311	236	59	53	0.3	0.4	0.3	0.4	0.3	0.5	0.4
352	Other cerebral paralysis-----	602	277	225	215	181	62	44	0.3	0.3	0.2	0.3	0.2	0.5	0.4
353	Epilepsy-----	2,043	1,218	825	826	634	392	191	1.0	1.3	0.8	1.0	0.7	3.4	1.6
.0	Petit mal-----	13	6	7	5	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Grand mal-----	471	275	196	192	158	83	38	0.2	0.3	0.2	0.2	0.2	0.7	0.3
.2	Status epilepticus-----	519	326	192	209	143	117	50	0.3	0.3	0.2	0.2	0.2	1.0	0.4
.3	Other and unspecified-----	1,041	611	430	420	327	191	103	0.5	0.6	0.4	0.5	0.4	1.7	0.8
354	Migraine-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
355	Other diseases of brain-----	1,387	697	690	600	609	97	81	0.7	0.7	0.7	0.7	0.7	0.9	0.7
356	Motor neuron disease and muscular atrophy-----	1,589	892	697	838	663	54	34	0.8	0.9	0.7	1.0	0.8	0.5	0.3
.0	Progressive muscular atrophy-----	115	50	65	45	60	7	5	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Amyotrophic lateral sclerosis-----	1,349	779	570	735	545	44	25	0.7	0.8	0.6	0.9	0.6	0.4	0.2
.2	Spinal type of muscular atrophy-----	97	46	51	45	49	3	2	0.0	0.0	0.1	0.1	0.1	0.0	0.0
.3	Other and unspecified manifestations-----	28	17	11	17	9	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
357	Other diseases of spinal cord-----	287	150	117	120	103	30	14	0.1	0.2	0.1	0.1	0.1	0.3	0.1
360-369	Diseases of nerves and peripheral ganglia-----	246	122	124	106	104	16	20	0.1	0.1	0.1	0.1	0.1	0.1	0.2
360	Facial paralysis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
361	Trigeminal neuralgia-----	16	9	7	9	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
362	Brachial neuritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	Sciatica-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
364	Polyneuritis and polyradiculitis-----	186	85	81	75	68	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis-----	12	7	5	4	5	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves-----	9	3	6	2	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
368	Other diseases of peripheral nerves except autonomic-----	30	12	18	10	13	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system-----	11	5	6	5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
370-379	Inflammatory diseases of eye-----	11	4	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
370	Conjunctivitis and ophthalmia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
371	Blepharitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
372	Bordeolum (sty)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
373	Iritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	Keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	Choroiditis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
377	Inflammation of optic nerve and retina-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
378	Inflammation of lachrymal glands and ducts-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
379	Other inflammatory diseases of eye-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VI. Diseases of the nervous system and sense organs—Con.															
380-389	Other diseases and conditions of eye.....	51	24	27	22	20	2	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
380	Refractive errors.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382	Corneal opacity.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus.....	7	2	5	1	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
385	Cataract.....	51	17	14	16	10	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina.....	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	0.0
387	Glaucoma.....	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
388	Other diseases of eye.....	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
389	Blindness.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Blindness, both eyes, specifically defined.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Blindness, one eye, specifically defined.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-399	Diseases of ear and mastoid process.....	173	103	70	79	50	24	20	0.1	0.1	0.1	0.1	0.1	0.2	0.2
390	Otitis externa.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391	Otitis media without mention of mastoiditis.....	111	65	49	45	33	20	15	0.1	0.1	0.0	0.1	0.0	0.2	0.1
.0	Acute.....	17	11	6	8	5	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic.....	10	6	4	5	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified.....	84	46	39	30	24	16	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
392	Otitis media with mastoiditis.....	18	9	9	8	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic.....	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Unspecified.....	13	7	6	6	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media.....	37	26	11	23	6	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute.....	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic.....	12	10	2	10	2	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Unspecified.....	18	13	5	10	3	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
395	Ménière's disease.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
396	Other diseases of ear and mastoid process.....	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
397	Deaf mutism.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness, one ear, and partial deafness in other.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Impairment of hearing, one or both ears.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. Diseases of the circulatory system															
400-402	Rheumatic fever.....	456	224	232	187	173	37	59	0.2	0.2	0.2	0.2	0.2	0.3	0.5
400	Rheumatic fever without mention of heart involvement.....	37	11	26	9	17	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
401	Rheumatic fever with heart involvement.....	414	211	203	176	153	35	50	0.2	0.2	0.2	0.2	0.2	0.3	0.4
.0	Active rheumatic pericarditis.....	160	88	72	78	56	10	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis.....	37	19	18	12	16	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Active rheumatic myocarditis.....	19	6	13	6	8	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Active rheumatic fever with other and multiple types of heart involvement.....	198	96	100	80	73	18	27	0.1	0.1	0.1	0.1	0.1	0.2	0.2
402	Chorea.....	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Without mention of heart involvement.....	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With heart involvement.....	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system—Con.															
410-416	Chronic rheumatic heart disease-----	14,586	6,227	8,329	5,672	7,680	555	649	7.4	6.5	8.3	6.7	8.7	4.9	5.4
410	Diseases of mitral valve-----	5,718	2,290	3,428	2,120	3,183	170	245	2.9	2.4	3.4	2.5	3.6	1.5	2.0
411	Diseases of aortic valve specified as rheumatic-----	1,713	1,115	598	1,030	561	86	37	0.9	1.2	0.6	1.2	0.6	0.7	0.3
412	Diseases of tricuspid valve-----	36	18	18	16	13	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
414	Other endocarditis specified as rheumatic-----	769	310	459	283	424	27	35	0.4	0.3	0.5	0.3	0.5	0.2	0.3
415	Other myocarditis specified as rheumatic-----	217	84	133	79	119	5	14	0.1	0.1	0.1	0.1	0.1	0.0	0.1
416	Other heart disease specified as rheumatic-----	6,099	2,407	3,692	2,141	3,379	266	513	3.1	2.5	3.7	2.5	3.8	2.3	2.6
420-422	Arteriosclerotic and degenerative heart disease-----	628,772	372,977	255,795	345,841	232,987	27,338	20,808	320.0	388.8	254.0	408.8	285.3	240.4	171.7
420	Arteriosclerotic heart disease, including coronary disease-----	573,181	346,855	226,336	322,528	209,254	24,327	18,082	292.7	381.8	226.5	581.5	237.1	213.9	149.2
.0	Arteriosclerotic heart disease no described-----	158,802	78,288	80,514	71,811	74,288	8,677	6,248	81.1	81.6	80.6	84.7	84.6	58.7	51.5
.1	Heart disease specified as involving coronary arteries-----	414,101	268,567	145,704	250,761	133,964	17,656	11,820	211.4	279.8	145.8	286.6	152.5	155.1	97.5
.2	Angina pectoris without mention of coronary disease-----	289	170	118	156	104	14	14	0.1	0.2	0.1	0.2	0.1	0.1	0.1
421	Chronic endocarditis not specified as rheumatic-----	3,785	2,207	1,578	1,972	1,414	235	164	1.9	2.3	1.6	2.3	1.6	2.1	1.4
.0	Of mitral valve, specified as nonrheumatic-----	166	69	97	62	90	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Of aortic valve, not specified as rheumatic-----	2,311	1,518	793	1,365	735	133	58	1.2	1.6	0.8	1.6	0.8	1.2	0.5
.2	Of tricuspid valve, specified as nonrheumatic-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Of pulmonary valve, not specified as rheumatic-----	112	76	36	69	30	7	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Other and ill-defined, not specified as rheumatic-----	1,185	544	651	456	558	88	93	0.6	0.6	0.7	0.5	0.6	0.8	0.8
422	Other myocardial degeneration-----	49,796	23,915	25,881	21,141	23,319	2,774	2,562	25.4	24.9	25.9	25.0	26.6	24.4	21.1
.0	Fatty degeneration-----	30	12	18	11	18	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	With arteriosclerosis-----	41,935	19,949	21,986	17,792	19,961	2,157	2,025	21.4	20.8	22.0	21.0	22.7	19.0	16.7
.2	Other-----	7,831	3,954	3,877	3,338	3,340	616	537	4.0	4.1	3.9	3.9	3.8	5.4	4.4
430-434	Other diseases of heart-----	31,042	17,154	13,888	14,304	11,552	2,850	2,336	15.8	17.9	13.9	16.9	13.2	25.1	19.3
430	Acute and subacute endocarditis-----	757	487	270	417	213	70	57	0.4	0.5	0.3	0.5	0.2	0.6	0.5
.0	Acute and subacute bacterial endocarditis-----	730	471	259	404	203	67	56	0.4	0.5	0.3	0.5	0.2	0.6	0.5
.1	Other acute endocarditis-----	27	16	11	13	10	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
431	Acute myocarditis not specified as rheumatic-----	986	541	445	424	343	117	102	0.5	0.6	0.4	0.5	0.4	1.0	0.8
432	Acute pericarditis specified as nonrheumatic-----	79	43	36	37	30	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart-----	10,008	5,048	4,960	4,434	4,408	614	552	5.1	5.3	5.0	5.2	5.0	5.4	4.6
.0	Heart block-----	5,108	2,725	2,383	2,341	2,021	384	360	2.6	2.6	2.4	2.8	2.3	3.4	3.0
.1	Other disorders of heart rhythm-----	4,882	2,302	2,580	2,072	2,373	230	187	2.5	2.4	2.6	2.5	2.7	2.0	1.5
.2	Other functional diseases of heart-----	40	21	19	21	14	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0
434	Other and unspecified diseases of heart-----	19,212	11,035	8,177	8,892	6,558	2,043	1,819	9.8	11.5	8.2	10.6	7.5	18.0	13.4
.0	Kyphoscoliotic heart disease-----	177	78	99	86	97	12	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Congestive heart failure-----	10,871	5,684	5,187	4,774	4,341	910	846	5.6	5.9	5.2	5.6	4.9	8.0	7.0
.2	Left ventricular failure-----	537	307	230	284	202	43	28	0.3	0.3	0.2	0.3	0.2	0.4	0.2
.3	Other disease of heart-----	388	250	138	202	105	48	35	0.2	0.3	0.1	0.2	0.1	0.4	0.3
.4	Unspecified disease of heart-----	7,239	4,716	2,523	5,686	1,815	1,030	708	3.7	4.9	2.5	4.4	2.1	9.1	5.8
440-443	Hypertensive heart disease-----	54,176	23,479	30,697	17,447	23,911	6,032	6,786	27.7	24.5	30.7	20.6	27.2	53.0	56.0
440	Essential benign hypertensive heart disease-----	149	54	95	34	55	20	40	0.1	0.1	0.1	0.0	0.1	0.2	0.3
441	Essential malignant hypertensive heart disease-----	452	272	180	129	96	143	84	0.2	0.3	0.2	0.2	0.1	1.3	0.7
442	Hypertensive heart disease with arteriolar nephrosclerosis-----	11,606	5,558	6,050	4,555	5,097	1,001	953	5.9	5.8	6.1	5.4	5.8	8.8	7.9
443	Other and unspecified hypertensive heart disease-----	41,969	17,597	24,372	12,729	18,663	4,868	5,709	21.4	18.3	24.4	15.1	21.3	42.8	47.1
444-447	Other hypertensive disease-----	11,380	5,731	5,649	4,542	4,548	1,189	1,101	5.8	6.0	5.7	5.4	5.2	10.5	9.1
444	Essential benign hypertension-----	2,850	1,068	1,762	869	1,474	219	286	1.5	1.1	1.8	1.0	1.7	1.9	2.4
445	Essential malignant hypertension-----	1,491	853	633	416	313	442	320	0.8	0.9	0.6	0.5	0.4	3.9	2.6
446	Hypertension with arteriolar nephrosclerosis-----	6,973	3,723	3,150	3,218	2,677	505	473	3.5	3.9	3.2	3.8	3.0	4.4	3.9
447	Other hypertensive disease without mention of heart-----	166	62	104	39	84	23	20	0.1	0.1	0.1	0.0	0.1	0.2	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system--Con.															
450-456	Diseases of arteries-----	54,120	27,545	26,575	25,449	24,468	2,097	2,107	27.6	28.7	26.6	30.1	27.9	18.4	17.4
450	General arteriosclerosis-----	58,907	17,470	21,437	18,089	19,972	1,401	1,465	19.9	18.2	21.5	19.0	22.7	12.3	12.1
.0	Without mention of gangrene-----	56,565	16,211	20,384	14,923	19,018	1,288	1,338	18.7	16.9	20.4	17.7	21.7	11.3	11.0
.1	With mention of gangrene as a consequence-----	2,342	1,259	1,083	1,146	954	113	129	1.2	1.3	1.1	1.4	1.1	1.0	1.1
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----	11,270	8,168	3,102	7,691	2,790	477	512	5.8	8.5	3.1	9.1	3.2	4.2	2.6
452	Other aneurysm, except of heart and aorta-----	760	425	335	373	288	52	47	0.4	0.4	0.3	0.4	0.3	0.5	0.4
453	Peripheral vascular disease-----	199	115	84	107	75	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Raynaud's disease-----	15	8	7	8	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Thrombocytitis obliterans-----	65	50	15	46	15	4	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.2	Chilblains-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other-----	119	57	62	53	53	4	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
454	Arterial embolism and thrombosis-----	1,057	562	495	525	455	37	40	0.5	0.6	0.5	0.6	0.5	0.3	0.3
455	Gangrene of unspecified cause-----	348	181	167	127	127	54	40	0.2	0.2	0.2	0.2	0.1	0.5	0.3
456	Other diseases of arteries-----	1,579	624	955	556	761	68	194	0.8	0.7	1.0	0.7	0.9	0.6	1.6
460-468	Diseases of veins and other diseases of circulatory system-----	15,469	6,715	6,756	5,690	5,784	1,023	972	6.9	7.0	6.8	6.7	6.6	9.0	6.0
460	Varicose veins of lower extremities-----	236	99	137	86	125	13	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
461	Hemorrhoids-----	33	21	12	16	10	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
462	Varicose veins of other specified sites-----	420	276	144	244	133	32	11	0.2	0.3	0.1	0.3	0.2	0.3	0.1
.0	Varicocele-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Varicose veins of esophagus-----	383	258	125	227	115	31	10	0.2	0.3	0.1	0.3	0.1	0.3	0.1
.2	Other-----	35	17	18	16	17	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
463	Phlebitis and thrombophlebitis of lower extremities-----	1,342	606	736	539	645	67	91	0.7	0.6	0.7	0.6	0.7	0.6	0.8
464	Phlebitis and thrombophlebitis of other sites-----	1,140	482	658	405	555	77	103	0.6	0.5	0.7	0.5	0.6	0.7	0.8
465	Pulmonary embolism and infarction-----	6,893	3,545	3,348	2,997	2,837	548	511	3.5	3.7	3.4	3.5	3.2	4.8	4.2
466	Other venous embolism and thrombosis-----	2,502	1,171	1,331	978	1,152	193	179	1.3	1.2	1.3	1.2	1.3	1.7	1.5
467	Other diseases of circulatory system-----	839	487	352	405	285	82	57	0.4	0.5	0.4	0.5	0.3	0.7	0.5
.0	Hypotension-----	71	51	40	25	35	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Diseases of capillaries-----	41	26	15	25	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases-----	727	430	297	355	246	75	51	0.4	0.4	0.3	0.4	0.3	0.7	0.4
468	Certain diseases of lymph nodes and lymph channels-----	64	26	38	20	32	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Chronic lymphadenitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Non-specific mesenteric lymphadenitis-----	17	9	8	8	5	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified-----	23	8	15	5	13	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels-----	23	9	14	7	13	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VIII. Diseases of the respiratory system															
470-475	Acute upper respiratory infections-----	670	366	304	275	224	91	80	0.3	0.4	0.3	0.3	0.3	0.8	0.7
470	Acute nasopharyngitis (common cold)-----	46	20	26	8	10	12	16	0.0	0.0	0.0	0.0	0.0	0.1	0.1
471	Acute sinusitis-----	14	9	5	5	4	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis-----	69	42	27	38	20	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Sore throat, unqualified-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Other-----	63	37	26	34	19	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
473	Acute tonsillitis-----	30	14	16	10	13	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
474	Acute laryngitis and tracheitis-----	225	132	93	102	69	30	24	0.1	0.1	0.1	0.1	0.1	0.3	0.2
475	Acute upper respiratory infections of multiple or unspecified sites-----	286	149	137	112	108	37	29	0.1	0.2	0.1	0.1	0.1	0.3	0.2
480-483	Influenza-----	2,830	1,344	1,486	1,172	1,285	172	201	1.4	1.4	1.5	1.4	1.5	1.5	1.7
480	Influenza with pneumonia-----	1,607	785	822	675	698	110	124	0.8	0.8	0.8	0.8	0.8	1.0	1.0
481	Influenza with other respiratory manifestations, and influenza unqualified-----	1,109	512	597	457	529	55	68	0.6	0.5	0.6	0.5	0.6	0.5	0.6
482	Influenza with digestive manifestations, but without respiratory symptoms-----	70	25	45	21	39	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms-----	44	22	22	19	19	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

315-402 O - 68 - 5

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VIII. Diseases of the respiratory system—Con.															
490-493	Pneumonia.....	60,785	34,221	26,564	28,043	22,279	6,176	4,205	51.0	35.7	26.6	23.2	25.4	54.3	35.4
490	Lobar pneumonia.....	8,964	5,345	3,519	4,304	2,860	1,041	659	4.5	5.6	3.5	5.1	3.3	9.2	5.4
491	Bronchopneumonia.....	33,276	18,565	14,711	15,480	12,617	3,085	2,094	17.0	19.4	14.7	18.3	14.4	27.1	17.3
492	Primary atypical pneumonia.....	5,729	3,140	2,589	2,549	2,094	581	495	2.9	3.5	2.6	3.0	2.4	5.2	4.1
493	Pneumonia, other and unspecified.....	12,816	7,171	5,745	5,710	4,708	1,481	1,037	6.6	7.5	5.7	6.8	5.4	12.8	8.6
500-502	Bronchitis.....	8,151	4,523	1,628	4,190	1,463	333	165	3.1	4.7	1.6	5.0	1.7	2.9	1.4
500	Acute bronchitis.....	987	547	440	450	364	97	76	0.5	0.6	0.4	0.5	0.4	0.9	0.6
501	Bronchitis, unqualified.....	752	438	318	365	288	73	48	0.4	0.5	0.3	0.4	0.3	0.6	0.4
502	Chronic bronchitis.....	4,412	3,540	872	3,377	831	163	41	2.3	3.7	0.9	4.0	0.9	1.4	0.3
.0	Bronchitis with emphysema.....	3,464	2,915	549	2,901	530	114	19	1.8	3.0	0.5	3.3	0.6	1.0	0.2
.1	Other.....	948	625	323	576	301	49	22	0.5	0.7	0.3	0.7	0.3	0.4	0.2
510-527	Other diseases of respiratory system.....	33,184	26,256	6,928	24,288	6,096	1,988	832	16.9	27.4	6.9	28.7	6.9	17.5	6.9
510	Hypertrophy of tonsils and adenoids.....	82	44	38	54	32	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Without mention of tonsillectomy or adenoidectomy.....	9	6	3	2	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy.....	73	38	35	52	29	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
511	Peritonsillar abscess (quinsy).....	11	6	5	6	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
512	Chronic pharyngitis and nasopharyngitis.....	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Chronic pharyngitis.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chronic nasopharyngitis.....	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
513	Chronic sinusitis.....	60	35	25	27	19	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
514	Deflected nasal septum.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
515	Nasal polyp.....	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
516	Chronic laryngitis.....	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0
517	Other diseases of upper respiratory tract.....	206	128	78	97	62	31	16	0.1	0.1	0.1	0.1	0.1	0.3	0.1
518	Empyema.....	265	197	89	164	72	33	16	0.1	0.2	0.1	0.2	0.1	0.3	0.1
519	Pleurisy.....	162	111	71	94	58	17	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Without mention of effusion or tuberculosis.....	62	59	23	50	19	9	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.1	With effusion, with mention of a bacterial cause other than tuberculosis.....	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other specified forms of effusion, except tuberculous.....	98	51	47	43	39	8	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
520	Spontaneous pneumothorax.....	116	98	28	71	25	17	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung.....	541	402	139	304	97	98	42	0.3	0.4	0.1	0.4	0.1	0.9	0.3
522	Pulmonary congestion and hypostasis.....	1,662	800	862	637	756	163	126	0.8	0.8	0.9	0.8	0.8	1.4	1.0
523	Pneumoconiosis due to silica and silicates (occupational).....	1,620	1,605	15	1,549	13	56	2	0.8	1.7	0.0	1.8	0.0	0.5	0.0
.0	Silicosis.....	427	422	5	390	5	32	-	0.2	0.4	0.0	0.5	0.0	0.3	-
.1	Anthraxosilicosis.....	988	984	4	974	4	10	-	0.5	1.0	0.0	1.2	0.0	0.1	-
.2	Asbestosis.....	29	26	3	26	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other, including pneumoconiosis unspecified.....	176	173	3	159	1	14	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin.....	40	36	4	32	4	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
525	Other chronic interstitial pneumonitis.....	4,271	2,613	1,458	2,406	1,172	407	296	2.2	2.9	1.5	2.8	1.3	3.6	2.4
526	Bronchiectasis.....	1,587	1,028	561	947	530	79	31	0.8	1.1	0.6	1.1	0.6	0.7	0.3
527	Other diseases of lung and pleural cavity.....	22,513	18,959	3,554	17,895	3,270	1,084	284	11.5	19.8	3.6	21.2	3.7	9.4	2.3
.0	Pulmonary collapse (1 year and over).....	219	99	120	83	106	16	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis.....	20,490	17,490	2,772	16,632	2,632	848	140	10.3	18.2	2.8	19.7	3.0	7.5	1.2
.2	Other.....	2,042	1,380	662	1,180	532	200	130	1.0	1.4	0.7	1.4	0.6	1.8	1.1
IX. Diseases of the digestive system															
530-539	Diseases of buccal cavity and esophagus.....	952	539	413	483	371	56	42	0.5	0.6	0.4	0.6	0.4	0.5	0.3
530	Dental caries.....	5	5	-	2	-	3	-	0.0	0.0	-	0.0	-	0.0	-
.0	Dental caries, unqualified.....	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.1	With pulp exposure.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system--Con.															
Diseases of buccal cavity and esophagus--Con.															
550	Dental caries--Con.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	With periapical abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
551	Abscesses of supporting structures of teeth	11	6	5	4	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Periodontal (parietal)	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.2	Other and unspecified	9	5	4	3	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
552	Other inflammatory diseases of supporting structures of teeth	14	8	6	6	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Gingivitis, except ulcerative	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.1	Periodontitis (pyorrhea, inflammatory)	4	3	1	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Periodontitis (pyorrhea, degenerative)	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
.3	Other	9	5	3	4	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
553	Disorders of occlusion, eruption, and tooth development	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Malocclusion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of first dentition	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Impacted teeth	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Unerupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Partially erupted teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital anomalies of teeth	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Chronic dental fluorosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
554	Toothache from unspecified cause	-	-	-	-	-	-	-	-	-	-	-	-	-	-
555	Other diseases of teeth and supporting structures	29	11	18	5	14	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
556	Stomatitis	5	2	3	2	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
557	Diseases of salivary glands	113	58	75	37	72	1	3	0.1	0.0	0.1	0.0	0.1	0.0	0.0
558	Other diseases of buccal cavity	23	11	12	6	10	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
559	Diseases of esophagus	749	456	293	417	265	39	28	2.4	0.5	0.3	0.5	0.3	0.3	0.2
.0	Functional disorders of esophagus	36	20	18	18	17	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other	711	436	275	599	248	37	27	0.4	0.5	0.3	0.5	0.3	0.3	0.2
540-545	Diseases of stomach and duodenum	11,595	8,022	3,573	7,256	3,242	786	331	5.9	8.4	3.6	8.6	3.7	6.7	2.7
540	Ulcer of stomach	5,599	3,767	1,832	3,362	1,669	405	163	2.9	3.9	1.8	4.0	1.9	3.6	1.3
.0	Without mention of perforation	3,754	2,559	1,195	2,302	1,097	257	98	1.9	2.7	1.2	2.7	1.2	2.3	0.8
.1	With perforation	1,845	1,208	637	1,060	572	148	65	0.9	1.3	0.6	1.3	0.7	1.3	0.5
541	Ulcer of duodenum	4,722	3,420	1,302	3,145	1,169	277	114	2.4	3.6	1.5	3.7	1.4	2.4	0.9
.0	Without mention of perforation	2,841	2,098	743	1,938	685	160	58	1.5	2.2	0.7	2.3	0.8	1.4	0.5
.1	With perforation	1,881	1,322	559	1,205	503	117	56	1.0	1.4	0.6	1.4	0.6	1.0	0.5
542	Gastrojejunal ulcer	197	142	55	138	51	4	4	0.1	0.1	0.1	0.2	0.1	0.0	0.0
.0	Without mention of perforation	129	95	34	91	33	4	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	With perforation	68	47	21	47	18	-	3	0.0	0.0	0.0	0.1	0.0	-	0.0
543	Gastritis and duodenitis	426	261	165	239	141	22	24	0.2	0.3	0.2	0.3	0.2	0.2	0.2
544	Disorders of function of stomach	104	63	41	47	28	16	13	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.0	Disorders of gastric secretion	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Disorders of gastric motility	84	58	26	52	21	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Other	37	22	15	12	7	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
545	Other diseases of stomach and duodenum	547	369	178	327	165	42	13	0.3	0.4	0.2	0.4	0.2	0.4	0.1
550-553	Appendicitis	1,627	965	662	814	541	151	121	0.8	1.0	0.7	1.0	0.6	1.3	1.0
550	Acute appendicitis	1,489	897	602	742	493	145	109	0.8	0.9	0.6	0.9	0.6	1.3	0.9
.0	Without mention of peritonitis	133	76	55	70	47	8	6	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.1	With peritonitis	1,356	809	547	672	446	137	101	0.7	0.8	0.5	0.8	0.5	1.2	0.8
551	Appendicitis, unqualified	129	71	58	65	47	6	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
552	Other appendicitis	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
553	Other diseases of appendix	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system--Con.															
560,561	Hernia of abdominal cavity-----	3,296	1,644	1,652	1,460	1,508	184	144	1.7	1.7	1.7	1.7	1.7	1.6	1.2
560	Hernia of abdominal cavity without mention of obstruction-----	1,386	711	655	637	605	74	50	0.7	0.7	0.7	0.8	0.7	0.7	0.4
.0	Inguinal-----	145	180	13	107	15	25	-	0.1	0.1	0.0	0.1	0.0	0.2	-
.1	Femoral-----	14	4	10	5	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Umbilical-----	202	90	112	79	95	11	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)-----	112	53	79	31	72	2	7	0.1	0.0	0.1	0.0	0.1	0.0	0.1
.4	Of other specified site-----	791	374	417	355	395	21	22	0.4	0.4	0.4	0.4	0.4	0.2	0.2
.5	Of unspecified site-----	104	80	24	64	21	16	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction-----	1,930	933	997	823	903	110	94	1.0	1.0	1.0	1.0	1.0	1.0	0.8
.0	Inguinal-----	544	447	97	391	92	66	5	0.3	0.5	0.1	0.5	0.1	0.6	0.0
.1	Femoral-----	242	56	186	55	173	1	13	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.2	Umbilical-----	184	54	130	50	107	4	23	0.1	0.1	0.1	0.1	0.1	0.0	0.2
.3	Ventral (incisional)-----	333	67	266	60	238	7	28	0.2	0.1	0.3	0.1	0.3	0.1	0.2
.4	Of other specified site-----	272	105	167	94	156	11	11	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.5	Of unspecified site-----	355	204	151	183	137	21	14	0.2	0.2	0.2	0.2	0.2	0.2	0.1
570-578	Other diseases of intestines and peritoneum-----	19,019	9,034	9,985	7,639	8,658	1,395	1,327	9.7	9.4	10.0	9.0	9.9	12.3	10.9
570	Intestinal obstruction without mention of hernia-----	6,782	3,029	3,753	2,619	3,380	410	375	3.5	3.2	3.8	3.1	3.8	3.6	3.1
.0	Intussusception-----	85	59	36	49	28	10	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.1	Paralytic ileus-----	276	133	143	111	122	22	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.2	Mesenteric infarction-----	2,538	1,192	1,406	1,084	1,304	108	102	1.3	1.2	1.4	1.3	1.5	0.9	0.8
.3	Volvulus-----	1,024	511	513	421	447	90	66	0.5	0.5	0.5	0.5	0.5	0.6	0.5
.4	Impaction of intestine-----	204	80	124	75	118	5	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.5	Other-----	2,585	1,064	1,551	879	1,361	175	170	1.3	1.1	1.5	1.0	1.5	1.5	1.4
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	3,086	1,571	1,515	1,015	1,035	556	482	1.6	1.6	1.5	1.2	1.2	4.9	4.0
.0	Ages between 4 weeks and 2 years-----	1,544	856	688	406	320	450	369	0.8	0.9	0.7	0.5	0.4	4.0	3.0
.1	Ages 2 years and over-----	1,542	715	827	609	715	106	114	0.8	0.7	0.8	0.7	0.8	0.9	0.9
572	Chronic enteritis and ulcerative colitis-----	4,040	1,727	2,313	1,650	2,180	97	153	2.1	1.8	2.3	1.9	2.5	0.9	1.3
.0	Regional enteritis-----	226	112	114	104	107	8	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis-----	2,937	1,209	1,728	1,145	1,612	64	116	1.5	1.3	1.7	1.4	1.8	0.8	1.0
.2	Ulcerative colitis-----	804	378	426	357	402	21	24	0.4	0.4	0.4	0.4	0.5	0.2	0.2
.3	Other-----	73	28	45	24	39	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
573	Functional disorders of intestines-----	33	13	20	12	17	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation-----	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Mucous colitis-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Irritability of colon-----	3	-	3	-	3	-	-	0.0	-	-	-	0.0	-	-
.3	Other-----	18	7	11	6	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
574	Anal fissure and fistula-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
575	Abscess of anal and rectal regions-----	107	71	36	56	23	15	13	0.1	0.1	0.0	0.1	0.0	0.1	0.1
576	Peritonitis-----	767	401	366	337	314	64	52	0.4	0.4	0.4	0.4	0.4	0.6	0.4
577	Peritoneal adhesion-----	69	27	42	24	39	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum-----	4,130	2,191	1,939	1,942	1,691	249	248	2.1	2.3	1.9	2.3	1.9	2.2	2.0
580-587	Diseases of liver, gallbladder, and pancreas-----	37,228	22,544	14,684	19,564	12,684	2,980	2,000	19.0	23.5	14.7	23.1	14.4	26.2	16.5
580	Acute and subacute yellow atrophy of liver-----	468	215	255	171	221	42	34	0.2	0.2	0.3	0.2	0.3	0.4	0.3
581	Cirrhosis of liver-----	28,892	17,378	9,514	15,024	7,813	2,354	1,501	13.6	16.1	9.3	17.8	8.9	20.7	12.4
.0	Without mention of alcoholism-----	17,320	10,872	6,448	9,486	5,534	1,386	914	8.8	11.3	6.5	11.2	6.3	12.2	7.5
.1	With alcoholism-----	9,572	6,506	2,866	5,538	2,279	968	587	4.8	6.8	2.9	6.6	2.6	8.5	4.9
582	Suppurative hepatitis and liver abscess-----	134	74	60	54	47	20	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver-----	1,185	635	550	531	464	104	86	0.6	0.7	0.6	0.6	0.5	0.9	0.7
584	Cholelithiasis-----	2,901	1,232	1,669	1,176	1,571	56	98	1.5	1.3	1.7	1.4	1.8	0.5	0.8
585	Cholecystitis and cholangitis, without mention of calculi-----	1,691	759	932	708	865	53	67	0.9	0.8	0.9	0.8	1.0	0.5	0.6
586	Other diseases of gallbladder and biliary ducts-----	1,276	541	735	509	684	32	51	0.7	0.6	0.7	0.6	0.8	0.3	0.4

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system—Con. Diseases of liver, gallbladder, and pancreas—Con.															
587	Diseases of pancreas-----	2,881	1,712	1,169	1,595	1,019	319	150	1.5	1.8	1.2	1.6	1.2	2.8	1.2
.0	Acute pancreatitis-----	2,490	1,463	1,027	1,202	895	261	134	1.3	1.5	1.0	1.4	1.0	2.3	1.1
.1	Chronic pancreatitis-----	277	176	102	130	91	45	11	0.1	0.2	0.1	0.2	0.1	0.4	0.1
.2	Other diseases of pancreas-----	114	74	40	61	35	13	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
X. Diseases of the genitourinary system															
590-594	Nephritis and nephrosis-----	11,540	6,454	5,086	4,972	5,855	1,482	1,231	5.9	6.7	5.1	5.9	4.4	13.0	10.2
590	Acute nephritis-----	485	276	209	211	160	65	49	0.2	0.3	0.2	0.2	0.2	0.6	0.4
591	Nephritis with edema, including nephrosis-----	679	380	299	303	235	77	66	0.3	0.4	0.3	0.4	0.3	0.7	0.5
592	Chronic nephritis-----	7,120	3,869	3,251	3,065	2,592	904	759	3.6	4.1	3.2	3.6	2.7	7.9	6.3
593	Nephritis not specified as acute or chronic-----	3,135	1,749	1,385	1,325	1,030	423	355	1.6	1.8	1.4	1.6	1.2	3.7	2.9
594	Other renal sclerosis-----	125	81	42	68	40	15	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
600-609	Other diseases of urinary system-----	13,808	7,062	6,746	5,724	5,579	1,338	1,167	7.1	7.4	6.8	6.8	6.4	11.8	9.6
600	Infections of kidney-----	9,498	4,520	4,978	3,657	4,087	863	891	4.8	4.7	5.0	4.3	4.7	7.6	7.4
.0	Pyelitis, pyelocystitis, and pyelonephritis-----	9,244	4,400	4,844	3,555	3,984	845	860	4.7	4.6	4.8	4.2	4.5	7.4	7.1
.1	Abscess of kidney and perirenal tissue-----	182	75	77	66	56	9	21	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.2	Other-----	102	45	57	36	47	9	10	0.1	0.0	0.1	0.0	0.1	0.1	0.1
601	Hydronephrosis-----	252	149	104	129	91	19	13	0.1	0.2	0.1	0.2	0.1	0.2	0.1
602	Calculi of kidney and ureter-----	1,015	512	501	465	443	47	58	0.5	0.5	0.5	0.5	0.5	0.4	0.5
603	Other diseases of kidney and ureter-----	1,056	613	443	493	348	124	95	0.5	0.6	0.4	0.6	0.4	1.1	0.8
604	Calculi of other parts of urinary system-----	90	69	22	61	19	7	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
605	Cystitis-----	329	169	161	145	149	23	12	0.2	0.2	0.2	0.2	0.2	0.2	0.1
606	Other diseases of bladder-----	276	212	64	173	54	39	10	0.1	0.2	0.1	0.2	0.1	0.3	0.1
607	Urethritis (nonvenereal)-----	7	4	3	2	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
608	Stricture of urethra-----	204	197	7	106	3	91	4	0.1	0.2	0.0	0.1	0.0	0.8	0.0
609	Other diseases of urethra-----	1,083	620	463	497	382	123	81	0.6	0.6	0.5	0.6	0.4	1.1	0.7
610-617	Diseases of male genital organs-----	3,738	3,738	...	3,236	...	502	...	1.9	3.9	...	3.8	...	4.4	...
610	Hyperplasia of prostate-----	3,217	3,217	...	2,800	...	417	...	1.6	3.4	...	3.3	...	3.7	...
611	Prostatitis-----	199	199	...	165	...	34	...	0.1	0.2	...	0.2	...	0.3	...
612	Other diseases of prostate-----	192	192	...	167	...	25	...	0.1	0.2	...	0.2	...	0.2	...
613	Hydrocele-----	7	7	...	7	...	-	...	0.0	0.0	...	0.0	...	-	...
614	Orchitis and epididymitis-----	17	17	...	15	...	2	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis-----	5	5	...	4	...	1	...	0.0	0.0	...	0.0	...	0.0	...
616	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs-----	101	101	...	78	...	23	...	0.1	0.1	...	0.1	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium-----	253	-	253	-	137	-	116	0.1	-	0.3	-	0.2	-	1.0
620	Chronic cystic disease of breast-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
621	Other diseases of breast-----	18	-	18	-	17	-	1	0.0	-	0.0	-	0.0	-	0.0
.0	Acute mastitis not associated with lactation-----	2	-	2	-	2	-	-	0.0	-	0.0	-	-	-	-
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	16	-	16	-	15	-	1	0.0	-	0.0	-	0.0	-	0.0
622	Acute salpingitis and oophoritis-----	15	...	15	...	4	...	11	0.0	...	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis-----	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified-----	69	...	69	...	22	...	47	0.0	...	0.1	...	0.0	...	0.4
625	Other diseases of ovary and fallopian tube-----	17	...	17	...	12	...	5	0.0	...	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)-----	127	...	127	...	78	...	49	0.1	...	0.1	...	0.1	...	0.4
630-637	Diseases of uterus and other female genital organs-----	378	...	378	...	295	...	83	0.2	...	0.4	...	0.3	...	0.7
630	Infective disease of uterus, vagina, and vulva-----	42	...	42	...	35	...	9	0.0	...	0.0	...	0.0	...	0.1
.0	Cervicitis-----	5	...	5	...	4	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus-----	26	...	26	...	20	...	6	0.0	...	0.0	...	0.0	...	0.0
.2	Vaginitis and vulvitis-----	11	...	11	...	9	...	2	0.0	...	0.0	...	0.0	...	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
X. Diseases of the genitourinary system--Con. Diseases of uterus and other female genital organs--Con.															
631	Uterovaginal prolapse-----	72	...	72	...	67	...	5	0.0	...	0.1	...	0.1	...	0.0
632	Malposition of uterus-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
633	Other diseases of uterus-----	173	...	173	...	124	...	49	0.1	...	0.2	...	0.1	...	0.4
634	Disorders of menstruation-----	25	...	25	...	17	...	8	0.0	...	0.0	...	0.0	...	0.1
635	Menopausal symptoms-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
636	Sterility, female-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
637	Other diseases of female genital organs-----	64	...	64	...	53	...	11	0.0	...	0.1	...	0.1	...	0.1
.0	Leukorrhea-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other-----	64	...	64	...	53	...	11	0.0	...	0.1	...	0.1	...	0.1
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium															
640-649	Complications of pregnancy-----	357	...	357	...	193	...	164	0.2	...	0.4	...	0.2	...	1.4
640	Pyelitis and pyelonephritis of pregnancy-----	8	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy-----	183	...	183	...	94	...	89	0.1	...	0.2	...	0.1	...	0.7
.0	Hypertensive disease arising during pregnancy-----	14	...	14	...	8	...	6	0.0	...	0.0	...	0.0	...	0.1
.1	Renal disease arising during pregnancy-----	11	...	11	...	8	...	3	0.0	...	0.0	...	0.0	...	0.0
.2	Preeclampsia of pregnancy-----	16	...	16	...	8	...	8	0.0	...	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy-----	75	...	75	...	35	...	40	0.0	...	0.1	...	0.0	...	0.5
.4	Hyperemesis gravidarum-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.2
.5	Other-----	65	...	65	...	35	...	28	0.0	...	0.1	...	0.0	...	0.2
643	Placenta previa-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
644	Other hemorrhage of pregnancy-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
645	Rotopic pregnancy-----	59	...	59	...	25	...	34	0.0	...	0.1	...	0.0	...	0.3
.0	Without mention of sepsis-----	55	...	55	0.0	22	...	33	0.0	...	0.1	...	0.0	...	0.3
.1	With sepsis-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
646	Anemia of pregnancy-----	3	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	-
647	Pregnancy with malposition of fetus in uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
648	Other complications arising from pregnancy-----	101	...	101	...	62	...	39	0.1	...	0.1	...	0.1	...	0.3
.0	Threatened abortion-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.1	Hydatidiform mole-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere-----	8	...	8	...	8	...	2	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	89	...	89	...	54	...	35	0.0	...	0.1	...	0.1	...	0.3
650-652	Abortion-----	189	...	189	...	96	...	93	0.1	...	0.2	...	0.1	...	0.8
650	Abortion without mention of sepsis or toxemia-----	48	...	48	...	33	...	15	0.0	...	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified-----	21	...	21	...	15	...	6	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.2	Induced for other reasons-----	25	...	25	...	17	...	8	0.0	...	0.0	...	0.0	...	0.1
.3	Other-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
651	Abortion with sepsis-----	135	...	135	...	61	...	74	0.1	...	0.1	...	0.1	...	0.6
.0	Spontaneous or unspecified-----	86	...	86	...	44	...	42	0.0	...	0.1	...	0.1	...	0.3
.1	Induced for medical or legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons-----	48	...	48	...	16	...	32	0.0	...	0.0	...	0.0	...	0.3
.3	Other-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
652	Abortion with toxemia, without mention of sepsis-----	6	...	6	...	2	...	4	0.0	...	0.0	...	0.0	...	0.0
.0	Spontaneous or unspecified-----	5	...	5	...	1	...	4	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.3	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
660	Delivery without mention of complication-----	24	...	24	...	12	...	12	0.0	...	0.0	...	0.0	...	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.														
670-678	Delivery with specified complication-----	313	...	313	...	201	...	112	0.2	...	0.3	...	0.2	...	0.9
670	Delivery complicated by placenta previa or antepartum hemorrhage-----	79	...	79	...	53	...	26	0.0	...	0.1	...	0.1	...	0.2
671	Delivery complicated by retained placenta-----	18	...	18	...	11	...	7	0.0	...	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage-----	56	...	56	...	23	...	33	0.0	...	0.1	...	0.0	...	0.3
673	Delivery complicated by abnormality of bony pelvis-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
674	Delivery complicated by disproportion or malposition of fetus-----	25	...	25	...	14	...	11	0.0	...	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin-----	15	...	15	...	8	...	7	0.0	...	0.0	...	0.0	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
677	Delivery with other trauma-----	38	...	38	...	27	...	11	0.0	...	0.0	...	0.0	...	0.1
678	Delivery with other complications of childbirth-----	80	...	80	...	65	...	15	0.0	...	0.1	...	0.1	...	0.1
680-689	Complications of the puerperium-----	166	...	166	...	103	...	63	0.1	...	0.2	...	0.1	...	0.5
690	Puerperal urinary infection without other sepsis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
691	Sepsis of childbirth and the puerperium-----	44	...	44	...	26	...	18	0.0	...	0.0	...	0.0	...	0.1
692	Puerperal phlebitis and thrombosis-----	28	...	28	...	25	...	5	0.0	...	0.0	...	0.0	...	0.0
693	Fyrexia of unknown origin during the puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
694	Puerperal pulmonary embolism-----	39	...	39	...	24	...	15	0.0	...	0.0	...	0.0	...	0.1
695	Puerperal eclampsia-----	10	...	10	...	3	...	7	0.0	...	0.0	...	0.0	...	0.1
696	Other forms of puerperal toxemia-----	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0
697	Cerebral hemorrhage in the puerperium-----	12	...	12	...	8	...	4	0.0	...	0.0	...	0.0	...	0.0
698	Other and unspecified complication of the puerperium-----	27	...	27	...	15	...	12	0.0	...	0.0	...	0.0	...	0.1
.0	Anemia of puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Puerperal psychosis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Sudden death from unknown cause in the puerperium-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
.3	Other-----	25	...	25	...	15	...	10	0.0	...	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
	XII. Diseases of the skin and cellular tissue														
690-699	Infections of skin and subcutaneous tissue-----	490	248	240	200	196	49	42	0.2	0.3	0.2	0.2	0.2	0.4	0.3
690	Boil and carbuncle-----	37	18	19	15	18	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of face-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Of neck-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Of trunk-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.3	Of upper arm and forearm-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.4	Of hand-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Of buttock-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.6	Of other parts of lower extremity-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.7	Of other and multiple sites-----	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Of unspecified site-----	9	4	5	4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
691	Cellulitis of finger and toe-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
692	Other cellulitis and abscess without mention of lymphangitis-----	265	191	174	155	146	39	29	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.0	Of head and neck-----	33	17	16	11	14	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Of trunk-----	88	58	30	44	25	14	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Of upper arm and forearm-----	19	9	10	9	7	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Of hand, except fingers-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Of leg-----	108	47	61	39	50	9	11	0.1	0.0	0.1	0.0	0.1	0.1	0.1
.5	Of foot, except toes-----	13	6	7	4	7	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Of other, multiple, and unspecified sites-----	98	51	47	44	40	7	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis-----	7	3	4	3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of head and neck-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Of trunk-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of upper arm and forearm-----	2	1	1	1	1	-	-	0.0	0.0	-	0.0	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total		White		Nonwhite		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female		
XII. Diseases of the skin and cellular tissue-Con.															
Infections of skin and subcutaneous tissue-Con.															
693	Other cellulitis and abscess with lymphangitis-Con.	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of hand, except fingers-----	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of leg-----	2	1	1	1	1	-	0.0	0.0	0.0	0.0	-	-		
.5	Of foot, except toes-----	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Of other, multiple, and unspecified sites-----	1	-	1	-	1	-	0.0	-	0.0	-	-	-		
694	Acute lymphadenitis-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-		
695	Impetigo-----	4	2	2	-	1	2	0.0	0.0	0.0	0.0	0.0	0.0		
696	Infectious warts-----	-	-	-	-	-	-	-	-	-	-	-	-		
697	Molluscum contagiosum-----	-	-	-	-	-	-	-	-	-	-	-	-		
698	Other local infections of skin and subcutaneous tissue-----	73	32	41	27	29	5	12	0.0	0.0	0.0	0.0	0.0		
700-716	Other diseases of skin and subcutaneous tissue-----	1,859	561	1,298	440	1,046	121	252	0.9	0.6	1.3	0.5	1.2		
700	Seborrheic dermatitis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	-		
701	Eczema-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0		
702	Occupational dermatitis-----	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Other-----	-	-	-	-	-	-	-	-	-	-	-	-		
703	Other dermatitis-----	22	15	7	13	5	2	2	0.0	0.0	0.0	0.0	0.0		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	4	2	2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Due to other specified agents-----	7	5	2	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Unqualified-----	11	8	3	7	2	1	1	0.0	0.0	0.0	0.0	0.0		
704	Pemphigus-----	133	56	77	47	84	9	13	0.1	0.1	0.1	0.1	0.1		
.0	Dermatitis herpetiformis-----	2	2	-	2	-	-	-	0.0	0.0	-	-	-		
.1	Other-----	131	54	77	45	84	9	13	0.1	0.1	0.1	0.1	0.1		
705	Erythematous conditions-----	435	107	328	83	246	24	82	0.2	0.1	0.3	0.1	0.3		
.0	Toxic erythema-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-		
.1	Erythema multiforme (erythema iris)-----	36	13	23	9	17	4	6	0.0	0.0	0.0	0.0	0.0		
.2	Erythema nodosum-----	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Rosacea-----	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Lupus erythematosus-----	363	76	287	60	213	16	74	0.2	0.1	0.3	0.1	0.3		
.5	Other and unqualified-----	35	17	18	13	16	4	2	0.0	0.0	0.0	0.0	0.0		
706	Psoriasis and similar disorders-----	20	13	7	12	7	1	-	0.0	0.0	0.0	0.0	0.0		
.0	Psoriasis-----	19	12	7	11	7	1	-	0.0	0.0	0.0	0.0	0.0		
.1	Parapsoriasis-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-		
.2	Pityriasis rosea-----	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other-----	-	-	-	-	-	-	-	-	-	-	-	-		
707	Lichen planus-----	-	-	-	-	-	-	-	-	-	-	-	-		
708	Pruritus and related conditions-----	2	1	1	1	-	-	1	0.0	0.0	0.0	-	-		
.0	Pruritus ani-----	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Lichenification and lichen simplex chronicus-----	2	1	1	1	-	-	1	0.0	0.0	0.0	-	-		
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other pruritic conditions-----	-	-	-	-	-	-	-	-	-	-	-	-		
709	Corns and callusities-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XII. Diseases of the skin and cellular tissue—Con.																	
Other diseases of skin and subcutaneous tissue—Con.																	
710	Other hypertrophic and atrophic conditions of skin-----	554	142	412	116	341	26	71	0.3	0.1	0.4	0.1	0.4	0.2	0.6		
.0	Scleroderma and dermatomyositis-----	546	139	407	113	338	26	69	0.3	0.1	0.4	0.1	0.4	0.2	0.6		
.1	Keratoderma-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
.2	Hereditary edema of legs (Milroy's disease)-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Siriae atrophica-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Keloid scar-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other hypertrophic and atrophic conditions of skin-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
711	Other dermatoses-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
712	Diseases of nail-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
713	Diseases of hair and hair follicles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
714	Diseases of sweat and sebaceous glands-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.0	Diseases of sweat glands-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.1	Acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other diseases of sebaceous glands-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
715	Chronic ulcer of skin-----	674	221	453	164	372	57	81	0.3	0.2	0.5	0.2	0.4	0.5	0.7		
716	Other diseases of skin-----	9	2	7	1	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
XIII. Diseases of the bones and organs of movement																	
720-727	Arthritis and rheumatism, except rheumatic fever-----	2,137	753	1,384	684	1,285	69	99	1.1	0.8	1.4	0.8	1.5	0.6	0.8		
720	Acute arthritis due to pyogenic organisms-----	26	19	7	16	6	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
721	Acute nonpyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
722	Rheumatoid arthritis and allied conditions-----	1,454	497	957	463	897	34	60	0.7	0.5	1.0	0.5	1.0	0.3	0.5		
.0	Rheumatoid arthritis-----	1,403	459	944	431	896	28	58	0.7	0.5	0.9	0.5	1.0	0.2	0.5		
.1	Spondylitis ankylopoietica-----	51	38	13	32	11	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
723	Osteoarthritis (arthrosis) and allied conditions-----	295	112	183	92	172	20	11	0.2	0.1	0.2	0.1	0.2	0.2	0.1		
.0	Osteoarthritis (arthrosis)-----	256	83	173	69	162	14	11	0.1	0.1	0.2	0.1	0.2	0.1	0.1		
.1	Spondylitis osteoarthritis (spondylarthrosis)-----	38	29	10	22	10	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-		
.2	Adult osteochondrosis of spine-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
724	Other specified forms of arthritis-----	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
725	Arthritis, unspecified-----	295	95	200	69	184	6	16	0.2	0.1	0.2	0.1	0.2	0.1	0.1		
726	Muscular rheumatism-----	54	22	32	16	22	6	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Lumbago-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Myofibrosis of humeroscapular region-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other muscular rheumatism, fibrositis, and myalgia-----	52	21	31	15	21	6	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
727	Rheumatism, unspecified-----	4	3	1	3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
730-738	Osteomyelitis and other diseases of bone and joint-----	743	321	422	284	386	37	36	0.4	0.3	0.4	0.3	0.4	0.3	0.3		
730	Osteomyelitis and periostitis-----	172	90	82	72	67	18	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.0	Acute osteomyelitis-----	10	4	6	3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Chronic osteomyelitis-----	43	23	20	19	20	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.2	Unspecified osteomyelitis-----	119	63	56	50	42	13	14	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
.3	Periostitis without mention of osteomyelitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
731	Osteitis deformans-----	123	70	53	62	49	8	4	0.1	0.1	0.1	0.1	0.1	0.0	-		
732	Osteochondrosis-----	1	-	1	-	-	-	-	0.0	-	0.0	-	0.0	-	-		
733	Other diseases of bone-----	309	87	222	80	208	7	14	0.2	0.1	0.2	0.1	0.2	0.1	0.1		
734	Internal derangement of knee joint-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
735	Displacement of intervertebral disk-----	51	35	16	33	13	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
736	Affection of sacroiliac joint-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
737	Ankylosis of joint-----	13	8	5	8	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Of spine-----	9	5	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XIII. Diseases of the bones and organs of movement-Con. Osteomyelitis and other diseases of bone and joint-Con.															
737	Ankylosis of joint-Con.														
.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other and multiple sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint-----	69	29	40	27	40	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
740-749	Other diseases of musculoskeletal system-----	1,054	642	412	586	571	56	41	0.5	0.7	0.4	0.7	0.4	0.5	0.3
740	Bunion-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin-----	5	3	2	5	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
742	Synovitis, bursitis, and tenosynovitis of occupational origin-----	1	-	1	-	-	-	-	0.0	-	0.0	-	0.0	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia-----	7	4	3	2	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
744	Other diseases of muscle, tendon, and fascia-----	921	592	329	546	295	46	34	0.5	0.6	0.3	0.6	0.3	0.4	0.3
.0	Myasthenia gravis-----	250	112	138	102	117	10	21	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.1	Inborn defect of muscle-----	621	455	166	420	158	33	10	0.3	0.5	0.2	0.5	0.2	0.3	0.1
.2	Other-----	50	27	23	24	20	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine-----	95	37	58	33	54	4	4	0.0	0.0	0.1	0.0	0.1	0.0	0.0
746	Flatfoot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Hallux valgus and varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Clubfoot-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
749	Other deformities-----	20	6	14	2	13	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
XIV. Congenital malformations															
750-759	Congenital malformations-----	18,158	9,721	8,437	8,265	7,199	1,456	1,238	9.3	10.1	8.4	9.8	8.2	12.8	10.2
750	Monstrosity-----	1,126	454	672	420	622	34	50	0.6	0.5	0.7	0.5	0.7	0.3	0.4
751	Spina bifida and meningocele-----	1,151	494	657	450	610	44	47	0.6	0.5	0.7	0.5	0.7	0.4	0.4
A	Without mention of hydrocephalus-----	535	226	309	204	288	22	21	0.3	0.2	0.3	0.2	0.3	0.2	0.2
B	With mention of hydrocephalus-----	616	268	348	246	322	22	26	0.3	0.3	0.3	0.3	0.4	0.2	0.2
752	Congenital hydrocephalus-----	1,072	584	508	458	425	106	85	0.5	0.6	0.5	0.5	0.5	0.3	0.7
753	Other congenital malformations of nervous system and sense organs-----	684	333	351	280	306	55	45	0.3	0.3	0.4	0.3	0.3	0.5	0.4
.0	Congenital cataract-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other-----	684	333	351	280	306	55	45	0.3	0.3	0.4	0.3	0.3	0.5	0.4
754	Congenital malformations of circulatory system-----	9,080	4,940	4,080	4,194	3,402	746	678	4.6	5.2	4.1	5.0	3.9	6.6	5.6
.0	Tetralogy of Fallot-----	528	310	218	276	197	34	21	0.3	0.3	0.2	0.3	0.2	0.3	0.2
.1	Patent ductus arteriosus (Botalli)-----	285	135	153	101	121	32	32	0.1	0.1	0.2	0.1	0.1	0.3	0.3
.2	Interventricular septal defect-----	767	379	388	317	326	62	62	0.4	0.4	0.4	0.4	0.4	0.5	0.5
.3	Interatrial septal defect-----	468	214	254	178	229	36	25	0.2	0.2	0.3	0.2	0.3	0.3	0.2
.4	Fibroelastosis cordis-----	359	191	168	146	109	45	59	0.2	0.2	0.2	0.2	0.1	0.4	0.5
.5	Other and unspecified malformations of heart-----	4,906	2,659	2,236	2,242	1,836	427	400	2.5	2.8	2.2	2.7	2.1	3.8	3.3
.6	Coarctation of aorta-----	255	169	86	155	78	14	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.7	Other circulatory malformations-----	1,452	875	577	779	506	96	71	0.7	0.9	0.6	0.9	0.6	0.8	0.8
755	Cleft palate and harelip-----	59	25	34	22	31	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
756	Congenital malformations of digestive system-----	1,303	751	557	623	458	129	99	0.7	0.8	0.6	0.7	0.5	1.1	0.8
.0	Congenital hypertrophic pyloric stenosis-----	39	28	11	18	8	10	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Imperforate anus-----	96	64	32	53	26	11	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Other-----	1,173	659	514	552	424	107	90	0.6	0.7	0.5	0.7	0.5	0.9	0.7
757	Congenital malformations of genitourinary system-----	1,519	699	619	776	553	123	86	0.8	0.9	0.6	0.9	0.6	1.1	0.7
.0	Undescended testicle-----	4	4	3	1	0.0	0.0	0.0	0.0
.1	Polycystic disease of kidney-----	994	528	466	470	413	58	53	0.5	0.6	0.5	0.6	0.5	0.5	0.4
.2	Congenital malformations of external genital organs-----	14	10	4	8	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Other-----	506	357	149	295	118	62	31	0.3	0.4	0.1	0.3	0.1	0.5	0.3

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XIV. Congenital malformations--Con.																	
Congenital malformations--Con.																	
758	Congenital malformations of bone and joint-----	309	174	135	150	122	24	13	0.2	0.2	0.1	0.2	0.1	0.2	0.1		
.0	Congenital dislocation of hip-----	2	-	2	-	2	-	-	0.0	0.0	0.0	-	0.0	-	-		
.1	Chondrodystrophy-----	66	34	32	29	29	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Congenital malformations of skull-----	45	26	19	22	17	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Brittle bones-----	54	28	26	25	22	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Congenital abnormalities of lumbosacral region-----	8	4	4	5	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Other congenital malformations of bone and joint-----	134	82	52	71	49	11	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
759	Other and unspecified congenital malformations not elsewhere classified-----	1,911	1,087	824	892	692	195	132	1.0	1.1	0.8	1.1	0.8	1.7	1.1		
.0	Of respiratory system-----	433	267	166	215	154	52	32	0.2	0.3	0.2	0.3	0.2	0.5	0.3		
.1	Of skin-----	39	24	15	18	11	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Of muscle-----	153	85	68	68	62	17	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.3	Other and unspecified-----	1,288	711	577	591	485	120	92	0.7	0.7	0.6	0.7	0.6	1.1	0.8		
XV. Certain diseases of early infancy																	
760-769	Birth injuries, asphyxia, and infections of newborn-----	25,198	14,851	10,367	11,229	7,508	3,602	2,859	12.9	15.5	10.4	15.3	8.5	31.7	23.6		
760	Intracranial and spinal injury at birth-----	2,305	1,409	897	1,089	654	549	243	1.2	1.5	0.9	1.3	0.7	3.1	2.0		
.0	Without mention of immaturity-----	1,213	745	468	584	344	181	124	0.6	0.8	0.5	0.7	0.4	1.4	1.0		
.5	With immaturity-----	1,092	663	429	475	310	188	119	0.6	0.7	0.4	0.6	0.4	1.7	1.0		
761	Other birth injury-----	4,786	2,799	1,987	2,305	1,599	496	388	2.4	2.9	2.0	2.7	1.8	4.4	3.2		
.0	Without mention of immaturity-----	1,479	854	625	665	472	189	153	0.8	0.9	0.6	0.8	0.5	1.7	1.3		
.5	With immaturity-----	3,307	1,945	1,362	1,638	1,127	307	235	1.7	2.0	1.4	1.9	1.3	2.7	1.9		
762	Postnatal asphyxia and atelectasis-----	13,959	8,260	5,699	6,303	4,113	1,957	1,586	7.1	8.5	5.7	7.5	4.7	17.2	13.1		
.0	Without mention of immaturity-----	3,710	2,223	1,487	1,746	1,106	477	379	1.9	2.3	1.5	2.1	1.3	4.2	3.1		
.5	With immaturity-----	10,249	6,037	4,212	4,557	3,005	1,480	1,207	5.2	6.3	4.2	5.4	3.4	13.0	10.0		
763	Pneumonia of newborn-----	2,477	1,417	1,060	929	677	488	383	1.3	1.5	1.1	1.1	0.8	4.3	3.2		
.0	Without mention of immaturity-----	1,805	1,016	789	646	485	379	304	0.9	1.1	0.8	0.8	0.6	3.3	2.5		
.5	With immaturity-----	672	401	271	283	192	118	79	0.3	0.4	0.3	0.3	0.2	1.0	0.7		
764	Diarrhea of newborn-----	250	134	116	54	37	80	79	0.1	0.1	0.1	0.1	0.0	0.7	0.7		
.0	Without mention of immaturity-----	182	103	79	40	25	63	54	0.1	0.1	0.1	0.0	0.0	0.6	0.4		
.5	With immaturity-----	68	31	37	14	12	17	25	0.0	0.0	0.0	0.0	0.0	0.1	0.2		
765	Ophthalmia neonatorum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Without mention of immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	With immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
766	Empyema neonatorum-----	15	8	7	4	5	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Without mention of immaturity-----	12	7	5	4	3	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.5	With immaturity-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
767	Umbilical sepsis-----	40	19	21	11	11	8	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Without mention of immaturity-----	32	14	18	9	9	5	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.5	With immaturity-----	8	5	3	2	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
768	Other sepsis of newborn-----	740	418	322	271	210	147	112	0.4	0.4	0.3	0.3	0.2	1.3	0.9		
.0	Without mention of immaturity-----	429	260	169	167	109	93	60	0.2	0.3	0.2	0.2	0.1	0.8	0.5		
.5	With immaturity-----	311	158	153	104	101	54	52	0.2	0.2	0.2	0.1	0.1	0.5	0.4		
769	Neonatal disorders arising from certain diseases of the mother during pregnancy-----	626	368	258	295	202	73	56	0.3	0.4	0.3	0.3	0.2	0.6	0.5		
.0-4	Without mention of immaturity-----	241	135	106	96	86	39	20	0.1	0.1	0.1	0.1	0.1	0.3	0.2		
.0	Attributed to "toxemia of pregnancy"-----	70	46	24	31	15	15	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	Attributed to maternal diabetes-----	84	44	40	30	35	14	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Attributed to maternal rubella-----	45	22	23	18	19	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Attributed to toxoplasmosis-----	13	8	5	8	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Attributed to other or unspecified diseases of the mother during pregnancy-----	29	15	14	9	12	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
<p>XV. Certain diseases of early infancy--Con. Birth injuries, asphyxia, and infections of newborn--Con.</p>															
769	Neonatal disorders arising from certain diseases of the mother during pregnancy--Con.														
.5-.9	With immaturity-----	365	253	152	199	116	34	36	0.2	0.2	0.2	0.2	0.1	0.3	0.3
.5	Attributed to "toxemia of pregnancy"-----	142	88	54	75	59	15	15	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.6	Attributed to maternal diabetes-----	119	74	45	67	59	7	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.7	Attributed to maternal rubella-----	10	5	5	5	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Attributed to toxoplasmosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Attributed to other or unspecified diseases of the mother during pregnancy-----	114	66	49	52	53	14	15	0.1	0.1	0.0	0.1	0.0	0.1	0.1
770-776	Other diseases peculiar to early infancy-----	26,446	15,595	11,051	11,408	7,954	3,987	3,097	13.5	16.0	11.1	13.5	9.1	35.1	25.6
770	Hemolytic disease of newborn (erythroblastosis)-----	1,295	697	598	651	558	46	40	0.7	0.7	0.6	0.8	0.6	0.4	0.3
.0	Erythroblastosis, without mention of nervous affection or immaturity-----	878	469	409	438	385	31	24	0.4	0.5	0.4	0.5	0.4	0.3	0.2
.1	Kernicterus, without mention of immaturity-----	37	21	16	18	15	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Erythroblastosis, without mention of nervous affection but with immaturity-----	367	197	170	188	158	9	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.6	Kernicterus with immaturity-----	12	10	2	7	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	Hemorrhagic disease of newborn-----	482	299	183	201	123	98	60	0.2	0.3	0.2	0.2	0.1	0.9	0.5
.0	Without mention of immaturity-----	295	181	114	124	81	57	33	0.2	0.2	0.1	0.1	0.1	0.5	0.3
.5	With immaturity-----	187	118	69	77	42	41	27	0.1	0.1	0.1	0.1	0.0	0.4	0.2
772	Nutritional maladjustment-----	532	204	128	76	47	128	81	0.2	0.2	0.1	0.1	0.1	1.1	0.7
.0	Without mention of immaturity-----	281	173	108	68	39	107	69	0.1	0.2	0.1	0.1	0.0	0.9	0.6
.5	With immaturity-----	51	31	20	10	8	21	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1
773	Ill-defined diseases peculiar to early infancy-----	9,888	6,060	3,828	4,774	2,945	1,286	895	5.1	6.3	3.8	5.6	3.4	11.3	7.4
.0	Without mention of immaturity-----	2,143	1,370	773	1,121	611	249	162	1.1	1.4	0.8	1.3	0.7	2.2	1.3
.5	With immaturity-----	7,785	4,690	3,065	3,653	2,334	1,037	733	4.0	4.9	3.1	4.3	2.7	9.1	6.0
774	Immaturity with mention of any other subsidiary condition-----	1,211	685	528	492	365	191	165	0.6	0.7	0.5	0.6	0.4	1.7	1.4
776	Immaturity, unqualified-----	13,228	7,452	5,776	5,214	3,918	2,238	1,858	6.8	7.8	5.8	6.2	4.5	19.7	15.8
<p>XVI. Symptoms, senility, and ill-defined conditions</p>															
780-789	Symptoms referable to systems or organs-----	5,178	1,875	1,303	1,453	1,000	422	305	1.6	2.0	1.3	1.7	1.1	3.7	2.5
780	Certain symptoms referable to nervous system and special senses-----	153	90	63	60	42	30	21	0.1	0.1	0.1	0.1	0.0	0.3	0.2
.0	Coma and stupor-----	23	12	11	8	9	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Delirium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions-----	125	76	49	50	32	26	17	0.1	0.1	0.0	0.1	0.0	0.2	0.1
.3	Jacksonian epilepsy-----	3	-	3	-	1	-	2	0.0	-	0.0	-	-	-	0.0
.4	Abnormal involuntary movement-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Disturbance of coordination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Vertigo-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Disturbance of sleep-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Disturbance of memory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Meningismus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
781	Other symptoms referable to nervous system and special senses-----	84	44	40	35	32	9	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Disturbance of vision except defective sight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Oculomotor disturbance-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Photophobia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Disturbance of hearing except deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.5	Stammering and stuttering-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other disturbance of speech, including alexia and agraphia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbance of sensation-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.8	Encephalopathy-----	82	44	38	35	32	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Hallucinations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions--Con. Symptoms referable to systems or organs--Con.														
782	Symptoms referable to cardiovascular and lymphatic system-----	2,272	1,368	904	1,073	683	295	221	1.2	1.4	0.9	1.3	0.8	2.8	1.8
.0	Precordial pain-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Palpitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Pallor and cyanosis (not of newborn)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute heart failure, undefined-----	2,154	1,309	845	1,027	657	282	208	1.1	1.4	0.8	1.2	0.7	2.5	1.7
.5	Syncope or collapse-----	5	1	4	1	1	1	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Edema and dropsy (not of newborn)-----	8	5	3	-	2	5	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.7	Enlargement of lymph node-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Splenomegaly-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Shock without mention of trauma-----	101	52	49	44	41	8	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1
783	Symptoms referable to respiratory system-----	155	103	52	72	42	31	10	0.1	0.1	0.1	0.1	0.0	0.3	0.1
.0	Epistaxis-----	11	5	6	4	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	132	90	42	63	34	27	8	0.1	0.1	0.0	0.1	0.0	0.2	0.1
.2	Dyspnea-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.3	Cough-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Excess of sputum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract-----	225	124	101	111	84	13	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Anorexia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Nausea and vomiting-----	13	7	6	6	3	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Epylospasm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	Hematemesis-----	210	116	94	104	90	12	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.6	Excessive salivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	95	44	49	30	33	14	16	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Abdominal swelling (not referable to any particular organ)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hepatomegaly-----	5	1	4	1	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Jaundice (not of newborn)-----	22	9	13	6	10	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Ascites-----	5	-	5	-	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Flatulence-----	4	2	2	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Abdominal pain-----	14	10	4	5	3	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Diarrhea, age 2 years and over-----	38	20	18	16	12	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Incontinence of feces-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Melena (age 1 year and over)-----	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Visible peristalsis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system-----	29	19	10	12	8	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Pain referable to urinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Retention of urine-----	9	9	-	5	-	4	-	0.0	0.0	-	0.0	-	0.0	-
.2	Incontinence of urine-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Frequency of micturition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)-----	19	10	9	7	7	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Priapism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back-----	5	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Swelling of limb-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Pain in joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Pain in back-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.6	Difficulty in walking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVI. Symptoms, senility, and ill-defined conditions—Con. Symptoms referable to systems or organs—Con.															
788	Other general symptoms-----	157	78	79	56	61	22	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Dehydration-----	37	19	18	11	11	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Excessive sweating-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Rash-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Subcutaneous nodules-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Loss of weight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Acidosis-----	10	8	4	6	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.7	Alkalosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Pyrexia of unknown origin-----	93	42	51	30	44	12	7	0.0	0.0	0.1	0.0	0.1	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere-----	17	11	6	9	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause-----	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Albuminuria, unqualified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Albuminuria, orthostatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pyuria and bacteriuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Chyluria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Hematuria-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
.5	Hemoglobinuria-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.6	Glycosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Acetonuria-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases-----	20,792	12,245	8,557	8,056	5,259	4,189	3,298	10.6	12.6	8.5	9.5	6.0	36.8	27.2
790	Nervousness and debility-----	62	20	42	17	40	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Nervousness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Debility and undue fatigue-----	62	20	42	17	40	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Depression-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
791	Headache-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
792	Uremia-----	632	365	267	279	203	86	64	0.5	0.4	0.5	0.5	0.2	0.8	0.5
794	Senility without mention of psychosis-----	1,958	764	1,194	563	982	201	212	1.0	0.8	1.2	0.7	1.1	1.8	1.7
795	Ill-defined and unknown causes of mortality-----	18,127	11,088	7,031	7,197	4,011	3,999	3,020	9.5	11.6	7.0	8.5	4.6	34.3	24.9
.0	Other ill-defined conditions-----	1,476	921	555	580	329	341	226	0.8	1.0	0.6	0.7	0.4	3.0	1.9
.2	Sudden death (cause unknown)-----	1,476	928	548	626	326	302	222	0.8	1.0	0.6	0.7	0.4	2.7	1.8
.3	Found dead (cause unknown)-----	294	193	101	119	52	74	49	0.2	0.2	0.1	0.1	0.1	0.7	0.4
.4	Died without sign of disease-----	8,597	5,430	3,167	3,582	1,737	1,848	1,430	4.4	5.7	3.2	4.2	2.0	16.3	11.8
.5	Other unknown and unspecified causes-----	6,284	3,624	2,660	2,290	1,567	1,334	1,093	3.2	3.8	2.7	2.7	1.8	11.7	9.0
XVII. Accidents, poisonings, and violence															
E800-E802	Railway accidents-----	1,027	897	130	710	95	187	95	0.5	0.9	0.1	0.8	0.1	1.6	0.5
E800	Railway accident involving railroad employee-----	151	150	1	137	1	13	-	0.1	0.2	0.0	0.2	0.0	0.1	-
E801	Railway accident involving passenger-----	20	15	5	12	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E802	Railway accident involving other and unspecified person-----	856	732	124	561	90	171	34	0.4	0.8	0.1	0.7	0.1	1.5	0.3
E810-E825	Motor vehicle traffic accidents-----	51,933	37,458	14,475	32,686	12,819	4,792	1,856	26.5	39.1	14.5	38.6	14.6	42.1	13.7
E810	Motor vehicle traffic accident involving collision with railway train-----	1,800	1,253	547	1,164	503	89	44	0.9	1.3	0.5	1.4	0.6	0.8	0.4
E811	Motor vehicle traffic accident involving collision with streetcar-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E812	Motor vehicle traffic accident to pedestrian-----	8,675	6,101	2,574	4,795	2,116	1,306	458	4.4	6.4	2.6	5.7	2.4	11.5	3.8
E813	Motor vehicle traffic accident to pedal cyclist-----	660	580	80	513	73	67	7	0.3	0.6	0.1	0.6	0.1	0.6	0.1
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	106	99	7	96	7	3	-	0.1	0.1	0.0	0.1	0.0	0.0	-
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle-----	1,268	1,178	110	1,135	105	43	5	0.7	1.2	0.1	1.3	0.1	0.4	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles-----	18,447	12,111	6,336	10,826	5,603	1,285	533	9.4	12.6	6.3	12.8	6.8	11.3	4.4

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence--Con.															
Motor vehicle traffic accidents--Con.															
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle-----	72	45	27	40	24	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object-----	2,065	1,594	469	1,360	399	214	70	1.1	1.7	0.5	1.6	0.5	1.9	0.6
E820	Motor vehicle traffic accident while boarding and alighting--	34	18	16	17	15	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision-----	610	567	43	552	43	15	-	0.3	0.6	0.0	0.7	0.0	0.1	-
E822	Motor vehicle traffic accident involving overturning in roadway-----	1,216	889	227	795	209	94	18	0.6	0.9	0.2	0.9	0.2	0.8	0.1
E825	Motor vehicle traffic accident involving running off roadway-----	11,632	9,090	2,542	7,967	2,212	1,123	330	5.9	9.5	2.5	9.4	2.5	9.9	2.7
E824	Other noncollision motor vehicle traffic accident-----	899	676	223	566	194	110	29	0.5	0.7	0.2	0.7	0.2	1.0	0.2
E825	Motor vehicle traffic accident of unspecified nature-----	4,526	3,254	1,272	2,818	1,114	435	158	2.3	3.4	1.3	3.3	1.3	3.8	1.3
E830-E835	Motor vehicle nontraffic accidents-----	1,208	858	250	762	214	96	36	0.6	0.9	0.3	0.9	0.2	0.8	0.3
E830	Motor vehicle nontraffic accident to pedestrian-----	615	457	178	394	152	53	26	0.3	0.5	0.2	0.5	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle-----	39	39	-	39	-	-	-	0.0	0.0	-	0.0	-	-	-
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles-----	28	21	7	20	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E834	Motor vehicle nontraffic accident while boarding and alighting-----	20	15	5	14	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E835	Motor vehicle nontraffic accident of other and unspecified nature-----	402	344	58	303	52	41	6	0.2	0.4	0.1	0.4	0.1	0.4	0.0
E840-E845	Other road vehicle accidents-----	282	208	84	188	76	20	8	0.1	0.2	0.1	0.2	0.1	0.2	0.1
E840	Streetcar accident to pedestrian-----	7	3	4	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E841	Other streetcar accident, except collision with motor vehicle-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E842	Accident to pedestrian caused by pedal cycle-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E843	Accident to rider of pedal cycle not involving collision with motor vehicle-----	75	56	17	53	14	3	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
E845	Other nonmotor road vehicle accidents-----	199	141	58	125	55	16	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
E850-E858	Water transport accidents-----	1,630	1,476	154	1,248	131	228	23	0.8	1.5	0.2	1.5	0.1	2.0	0.2
E850	Submersion of occupant of small boat-----	1,275	1,150	125	965	104	195	21	0.7	1.2	0.1	1.1	0.1	1.8	0.2
E851	Other water transport injury by submersion-----	122	117	5	95	5	22	-	0.1	0.1	0.0	0.1	0.0	0.2	-
E852	Fall on stairs and ladders in water transport-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
E853	Other falls from one level to another in water transport-----	19	19	-	19	-	-	-	0.0	0.0	-	0.0	-	-	-
E854	Falls on same level in water transport-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E855	Unspecified falls in water transport-----	6	6	-	5	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E856	Machinery accident in water transport-----	15	13	-	11	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E857	Other specified accidents in water transport-----	182	159	23	141	21	18	2	0.1	0.2	0.0	0.2	0.0	0.2	0.0
E858	Water transport accident of unspecified cause-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E860-E866	Aircraft accidents-----	1,510	1,283	227	1,252	222	31	5	0.8	1.3	0.2	1.5	0.3	0.3	0.0
E860	Accident to personnel in military aircraft-----	199	199	-	198	-	1	-	0.1	0.2	-	0.2	-	0.0	-
E861	Injury to occupant by accident to commercial "transport" aircraft-----	108	72	36	71	36	1	-	0.1	0.1	0.0	0.1	0.0	0.0	-
E862	Other injury in commercial "transport" aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	Injury to occupant by accident to other specified aircraft-----	472	398	74	392	72	6	2	0.2	0.4	0.1	0.5	0.1	0.1	0.0
E864	Aircraft accident at airfield to person not in aircraft-----	14	13	1	12	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E865	Aircraft accident elsewhere to person not in aircraft-----	10	8	2	8	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E866	Other and unspecified aircraft accidents-----	707	593	114	571	111	22	3	0.4	0.6	0.1	0.7	0.1	0.2	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XVII. Accidents, poisonings, and violence--Con.																	
E870-E889	Accidental poisoning by solid and liquid substances-----	2,285	1,309	974	864	783	345	191	1.2	1.4	1.0	1.1	0.9	3.0	1.6		
E870	Accidental poisoning by morphine and other opium derivatives--	146	130	16	85	10	45	6	0.1	0.1	0.0	0.1	0.0	0.4	0.0		
E871	Accidental poisoning by barbituric acid and derivatives-----	553	287	296	229	272	28	24	0.3	0.3	0.3	0.3	0.3	0.2	0.2		
E872	Accidental poisoning by aspirin and salicylates-----	176	75	101	54	79	21	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
E873	Accidental poisoning by bromides-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E874	Accidental poisoning by other analgesic and soporific drugs--	454	259	175	172	143	87	32	0.2	0.3	0.2	0.2	0.2	0.8	0.3		
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E876	Accidental poisoning by strychnine-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E877	Accidental poisoning by belladonna, hyoscyne, and atropine--	3	2	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	-	-		
E878	Accidental poisoning by other and unspecified drugs-----	248	106	142	91	126	15	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
E879	Accidental poisoning by noxious foodstuffs-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E880	Accidental poisoning by alcohol-----	200	162	38	111	20	51	18	0.1	0.2	0.0	0.1	0.0	0.4	0.1		
E881	Accidental poisoning by petroleum products-----	40	29	11	12	2	17	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
E882	Accidental poisoning by industrial solvents-----	45	35	10	28	4	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	39	26	13	19	11	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E884	Accidental poisoning by mercury and its compounds-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E885	Accidental poisoning by lead and its compounds-----	61	26	35	10	13	16	22	0.0	0.0	0.0	0.0	0.0	0.1	0.2		
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	29	16	13	7	8	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E887	Accidental poisoning by fluorides-----	7	3	4	1	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	285	173	113	135	86	38	27	0.1	0.2	0.1	0.2	0.1	0.3	0.2		
E890-E895	Accidental poisoning by gases and vapors-----	1,648	1,251	397	1,104	337	147	60	0.8	1.3	0.4	1.3	0.4	1.3	0.5		
E890	Accidental poisoning by utility (illuminating) gas-----	269	196	95	165	79	31	14	0.1	0.2	0.1	0.2	0.1	0.3	0.1		
E891	Accidental poisoning by motor vehicle exhaust gas-----	843	686	177	604	186	62	21	0.4	0.7	0.2	0.7	0.2	0.6	0.2		
E892	Accidental poisoning by other carbon monoxide gas-----	372	261	111	214	88	47	23	0.2	0.3	0.1	0.3	0.1	0.4	0.2		
E893	Accidental poisoning by cyanide gas-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
E894	Accidental poisoning by other specified gases and vapors-----	125	112	13	106	12	6	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
E895	Accidental poisoning by unspecified gases and vapors-----	17	14	3	13	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E900-E904	Accidental falls-----	20,066	9,899	10,167	8,804	9,589	1,085	578	10.2	10.3	10.2	10.4	10.9	9.6	4.8		
E900	Fall on stairs-----	2,165	1,275	890	1,125	829	150	61	1.1	1.3	0.9	1.3	0.9	1.3	0.5		
E901	Fall from ladders-----	333	310	23	280	23	30	-	0.2	0.3	0.0	0.3	0.0	0.3	-		
E902	Other falls from one level to another-----	3,274	2,272	1,002	1,929	882	343	120	1.7	2.4	1.0	2.3	1.0	3.0	1.0		
E903	Fall on same level-----	5,593	2,460	3,133	2,257	3,014	203	119	2.9	2.6	3.1	2.7	3.4	1.8	1.0		
E904	Unspecified falls-----	6,701	3,582	3,119	3,213	4,841	369	276	4.4	3.7	5.1	3.8	5.5	3.2	2.3		
E910-E916	Other accidents-----	29,923	22,090	7,833	17,329	5,666	4,761	2,147	15.3	23.0	7.6	20.5	6.5	41.9	17.7		
E910	Blow from falling or projected object or missile-----	1,459	1,379	80	1,181	66	198	14	0.7	1.4	0.1	1.4	0.1	1.7	0.1		
E911	Accident caused by vehicle-----	115	113	2	97	2	16	-	0.1	0.1	0.0	0.1	0.0	0.1	-		
E912	Accident caused by machinery-----	2,070	2,002	68	1,794	64	208	4	1.1	2.1	0.1	2.1	0.1	1.8	0.0		
E913	Accident caused by cutting and piercing instruments-----	137	101	36	64	26	37	10	0.1	0.1	0.0	0.1	0.0	0.3	0.1		
E914	Accident caused by electric current-----	1,025	952	73	859	64	93	9	0.5	1.0	0.1	1.0	0.1	0.8	0.1		
E915	Accident caused by explosion of pressure vessel-----	48	47	1	42	1	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E916	Accident caused by fire and explosion of combustible material-----	8,084	4,767	3,317	3,452	2,199	1,315	1,118	4.1	5.0	3.3	4.1	2.5	11.6	9.2		
E917	Accident caused by hot substance, corrosive liquid, and steam-----	408	236	172	171	134	65	38	0.2	0.2	0.2	0.2	0.2	0.6	0.3		
E918	Accident caused by radiation-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
E919	Accident caused by firearm-----	2,558	2,188	370	1,758	268	430	102	1.3	2.3	0.4	2.1	0.3	3.8	0.8		
E920	Foreign body entering eye and annex-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,464	879	585	715	474	164	111	0.7	0.9	0.6	0.8	0.5	1.4	0.9		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence—Con. Other accidents—Con.															
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	367	233	134	173	105	60	31	0.2	0.2	0.1	0.2	0.1	0.5	0.3
E923	Foreign body entering other orifice-----	1,131	690	441	521	336	169	105	0.6	0.7	0.4	0.6	0.4	1.5	0.9
E924	Accidental mechanical suffocation in bed and cradle-----	683	402	281	272	185	130	96	0.3	0.4	0.3	0.3	0.2	1.1	0.8
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	580	442	138	346	98	96	40	0.3	0.5	0.1	0.4	0.1	0.8	0.3
E926	Lack of care of infants under 1 year of age-----	16	11	5	3	2	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E927	Accidents caused by bites and stings of venomous animals and insects-----	48	35	13	29	12	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals-----	131	107	24	101	21	6	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E929	Accidental drowning-----	5,697	4,724	965	3,630	821	1,094	142	2.9	4.9	1.0	4.3	0.9	9.6	1.2
E930	High and low air pressure-----	11	10	1	8	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E931	Excessive heat and insolation-----	531	291	240	212	163	79	77	0.3	0.3	0.2	0.3	0.2	0.7	0.6
E932	Excessive cold-----	365	286	79	163	39	105	40	0.2	0.3	0.1	0.2	0.0	0.9	0.3
E933	Hunger, thirst, and exposure-----	180	156	44	96	21	50	23	0.1	0.1	0.0	0.1	0.0	0.4	0.2
E934	Cataclysm-----	155	97	58	62	41	15	17	0.1	0.1	0.1	0.1	0.0	0.1	0.1
E935	Lightning-----	110	98	12	74	10	24	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
E936	Other and unspecified accidents-----	2,559	1,964	695	1,476	535	388	160	1.3	1.9	0.7	1.7	0.6	3.4	1.5
E940-E946	Complications due to nontherapeutic medical and surgical procedures-----	123	68	55	54	45	14	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E940	Generalized vaccinia following vaccination-----	6	5	1	4	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
E941	Postvaccinal encephalitis-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E942	Other complications of smallpox vaccination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E943	Postimmunization jaundice and hepatitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E944	Other complications of prophylactic inoculation-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E945	Complications of anesthesia for nontherapeutic purpose-----	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E946	Other complications due to nontherapeutic medical and surgical procedures-----	102	53	49	41	40	12	9	0.1	0.1	0.0	0.0	0.0	0.1	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures-----	1,288	636	652	553	573	83	79	0.7	0.7	0.7	0.7	0.7	0.7	0.7
E950	Therapeutic misadventure in surgical treatment-----	684	359	325	314	278	45	47	0.3	0.4	0.3	0.4	0.3	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion-----	149	76	73	65	68	11	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
E952	Therapeutic misadventure in local applications-----	18	7	11	3	11	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E953	Therapeutic misadventure in administration of drugs or biologicals-----	189	89	100	77	89	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia-----	47	16	31	13	22	3	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure-----	84	49	35	44	31	5	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
E956	Late complication of surgical operation-----	90	32	58	29	55	3	3	0.0	0.0	0.1	0.0	0.1	0.0	0.0
E957	Late complication of amputation stump-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E958	Late complication of irradiation-----	14	3	11	3	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E959	Late complications of other forms of treatment-----	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E960-E965	Late effects of injury and poisoning-----	784	582	222	452	199	110	23	0.4	0.6	0.2	0.5	0.2	1.0	0.2
E960	Late effect of motor vehicle accident-----	151	111	40	97	33	14	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1
E961	Late effect of accidental poisoning-----	17	10	7	10	4	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
E962	Late effect of other accidental injury-----	564	392	172	306	159	88	13	0.3	0.4	0.2	0.4	0.2	0.8	0.1
E963	Late effect of self-inflicted injury-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E964	Late effect of injury purposely inflicted by another person (not in war)-----	17	15	2	6	2	9	-	0.0	0.0	0.0	0.0	0.0	0.1	-
E965	Late effects of injuries due to war operations-----	29	29	-	28	-	1	-	0.0	0.0	-	0.0	-	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1966- Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total		White		Nonwhite		Total		White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female		
XVII. Accidents, poisonings, and violence--Con.															
E970-E979	Suicide-----	21,275	15,411	5,864	14,522	5,572	889	292	10.9	16.1	5.9	17.2	6.3	7.8	2.4
E970	Suicide from poisoning by analgesic and soporific substances--	2,621	889	1,733	863	1,688	25	45	1.3	0.9	1.7	1.0	1.9	0.2	0.4
A	By morphine and other opium derivatives-----	12	7	5	6	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
B	By barbituric acid and derivatives-----	1,790	622	1,168	605	1,144	17	24	0.9	0.6	1.2	0.7	1.3	0.1	0.2
C	By acetylsalicylic acid-----	49	15	33	16	33	-	-	0.0	0.0	0.0	0.0	0.0	-	-
D	By methyl salicylate-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
E	By other salicylates-----	27	6	21	6	19	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
F	By bromides-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
G	By antipyretic substances, not elsewhere classified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H	By other analgesic and soporific substances-----	597	191	406	185	391	6	15	0.3	0.2	0.4	0.2	0.4	0.1	0.1
M	By unspecified drugs-----	141	46	95	45	91	1	4	0.1	0.0	0.1	0.1	0.1	0.0	0.0
E971	Suicide from poisoning by other solid and liquid substances--	616	316	300	298	274	24	26	0.3	0.3	0.3	0.3	0.3	0.2	0.2
A	By strychnine-----	37	19	18	19	18	-	-	0.0	0.0	0.0	0.0	0.0	-	-
B	By phenol compounds-----	13	9	4	8	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
C	By lye and potash-----	48	16	32	12	29	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	By cresol compounds-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By mercury and its compounds-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
F	By arsenic and its compounds-----	57	32	25	31	24	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G	By fluorides-----	20	6	14	5	10	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H	By other and unspecified solid and liquid substances-----	454	231	205	216	185	15	18	0.2	0.2	0.2	0.3	0.2	0.1	0.1
E972	Suicide from poisoning by gases in domestic use-----	155	93	62	89	59	4	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0
E973	Suicide from poisoning by other gases-----	2,196	1,673	523	1,647	521	26	2	1.1	1.7	0.5	1.8	0.6	0.2	0.0
A	By motor vehicle exhaust gas-----	2,046	1,560	486	1,538	484	22	2	1.0	1.6	0.5	1.8	0.6	0.2	0.0
B	By other motor exhaust gas-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
C	By other carbon monoxide-----	135	103	32	101	32	2	-	0.1	0.1	0.0	0.1	0.0	0.0	-
D	By other poisonous gases-----	11	7	4	6	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E974	Suicide by hanging and strangulation-----	2,863	2,231	632	2,085	591	136	41	1.5	2.3	0.6	2.5	0.7	1.2	0.3
E975	Suicide by submersion (drowning)-----	555	293	262	247	238	46	24	0.3	0.3	0.3	0.3	0.3	0.4	0.2
E976	Suicide by firearm and explosive-----	10,407	8,780	1,627	8,292	1,538	488	89	5.3	9.2	1.6	9.8	1.8	4.3	0.7
E977	Suicide by cutting and piercing instruments-----	451	346	105	321	96	25	9	0.2	0.4	0.1	0.4	0.1	0.2	0.1
E978	Suicide by jumping from high place-----	790	487	303	409	266	78	37	0.4	0.5	0.3	0.5	0.3	0.7	0.3
E979	Suicide by other and unspecified means-----	621	304	317	267	301	37	16	0.3	0.3	0.3	0.3	0.3	0.3	0.1
E980-E985	Homicide (not in war)-----	11,589	8,714	2,875	3,779	1,595	4,935	1,280	5.9	9.1	2.9	4.5	1.8	43.4	10.6
E980	Nonaccidental poisoning by another person-----	47	21	26	17	24	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive-----	6,855	5,376	1,479	2,327	794	3,049	685	3.5	5.6	1.5	2.8	0.9	26.8	5.7
E982	Assault by cutting and piercing instruments-----	2,330	1,619	511	533	230	1,286	281	1.8	1.9	0.5	0.6	0.3	11.3	2.3
E983	Assault by other means-----	2,058	1,203	855	751	545	452	308	1.1	1.3	0.9	0.9	0.6	4.0	2.5
E984	Injury by intervention of police-----	298	294	4	150	1	144	3	0.2	0.3	0.0	0.2	0.0	1.3	0.0
E985	Execution-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E990-E999	Injury resulting from operations of war-----	45	45	-	34	-	11	-	0.0	0.0	-	0.0	-	0.1	-
E990	Injury due to war operations by gas and chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E991	Injury due to war operations by gunshot-----	14	14	-	12	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E992	Injury due to war operations by grenade and landmine-----	7	7	-	5	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E993	Injury due to war operations by bomb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E994	Injury due to war operations by marine mine, depth charge, and torpedo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E995	Injury due to war operations by explosion of artillery shell-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E996	Injury due to war operations by explosion of undetermined origin-----	9	9	-	5	-	4	-	0.0	0.0	-	0.0	-	0.0	-
E997	Injury due to war operations by aircraft destruction-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E998	Injury due to war operations by other and unspecified means-----	9	9	-	7	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E999	Injury due to war operations but occurring after cessation of hostilities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1966—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Chronic enteritis and ulcerative colitis.....572	4,040	321	297	348	327	369	301	331	359	324	316	385	362
Cirrhosis of liver.....581	26,692	2,295	2,065	2,245	2,215	2,157	2,111	2,195	2,086	2,148	2,341	2,337	2,529
Without mention of alcoholism.....581.0	17,320	1,455	1,365	1,486	1,454	1,409	1,359	1,404	1,356	1,397	1,533	1,467	1,637
With alcoholism.....581.1	9,372	842	700	757	761	748	752	791	730	751	808	840	892
Cholelithiasis, cholecystitis, and cholangitis.....584,585	4,592	385	386	353	385	361	372	413	398	379	362	404	394
Other diseases of digestive system.....536-539, 542,544,545,573-580,582,583,586,587	12,793	1,098	1,006	1,120	999	1,019	940	1,178	1,102	1,016	1,132	1,084	1,099
X. Diseases of the genitourinary system													
Nephritis and nephrosis.....590-594	11,540	1,040	1,035	1,081	999	1,049	976	938	861	814	846	906	995
Acute nephritis.....590	488	45	45	47	49	53	58	45	58	55	52	41	58
Nephritis with edema, including nephrosis.....591	679	58	71	65	59	69	71	60	51	45	49	47	52
Chronic and unspecified nephritis and other renal sclerosis.....592-594	10,378	937	919	968	911	947	867	835	772	732	765	818	905
Infections of kidney.....600	9,498	825	769	835	782	747	760	875	764	692	773	833	823
Calculi of urinary system.....602,604	1,103	89	85	84	95	93	87	92	99	102	96	86	87
Other diseases of urinary system.....601,603,605-609	3,207	278	288	269	259	258	226	317	274	266	286	278	268
Hyperplasia of prostate.....610	3,217	304	285	257	244	275	214	271	282	253	286	261	290
Diseases of breast.....620,621	19	1	3	1	-	3	1	2	1	1	4	2	-
Other diseases of genital organs.....611-617,622-637	1,133	96	102	93	91	85	87	94	91	97	118	97	82
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium													
Sepsis of pregnancy, childbirth, and puerperium.....640,641,661,662,664	119	10	7	13	4	9	8	12	13	13	9	10	11
Toxemias of pregnancy and puerperium, except abortion with toxemia.....642,665,686	199	26	22	15	15	16	13	19	21	12	15	15	12
Hemorrhage of pregnancy and childbirth.....643,644,670-672	156	18	11	15	9	14	17	10	14	11	11	12	11
Ectopic pregnancy.....645	59	1	7	4	4	4	6	3	6	7	5	8	4
Abortion without mention of sepsis or toxemia.....650	48	5	5	4	2	4	4	5	9	2	4	2	2
Abortion with sepsis.....651	135	18	8	11	17	10	11	14	11	8	12	7	8
Abortion with toxemia, without mention of sepsis.....652	6	1	1	-	1	-	-	-	2	1	-	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication.....646-649,660,673-680,683,687-689	327	25	43	29	30	23	27	28	23	23	25	22	29
XII. Diseases of the skin and cellular tissue													
Infections of skin and subcutaneous tissue.....690-698	488	40	44	42	40	51	42	46	33	35	41	34	40
Other diseases of skin and subcutaneous tissue.....700-716	1,959	163	137	164	162	165	138	154	152	140	154	165	165
XIII. Diseases of the bones and organs of movement													
Arthritis and spondylitis.....720-725	2,078	185	175	184	159	175	167	168	165	163	189	166	185
Muscular rheumatism and rheumatism unspecified.....725,727	58	10	3	1	5	3	4	5	6	7	5	2	7
Osteomyelitis and periostitis.....730	172	15	9	16	20	14	2	21	13	17	12	18	15
Ankylosis and acquired musculoskeletal deformities.....737,745-749	129	20	15	13	7	7	8	7	11	9	9	14	9
Inborn defect of muscle.....744.1	621	53	54	61	49	47	43	53	37	41	65	51	67
Other diseases of musculoskeletal system.....731-736,738-744.0,744.2	875	66	69	72	69	63	73	93	85	54	81	70	80
XIV. Congenital malformations													
Spina bifida and meningocele.....751	1,151	90	93	96	76	97	94	103	120	90	88	102	103
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	1,756	157	144	154	137	142	130	157	143	144	133	146	169
Congenital malformations of circulatory system.....754	9,020	861	754	818	753	726	762	754	673	684	734	729	772
Other congenital malformations.....750,755-759	6,231	551	469	545	507	514	499	541	546	545	494	504	516
XV. Certain diseases of early infancy													
Scurvy.....760	51,644	4,223	3,715	4,222	4,075	4,503	4,502	4,720	4,693	4,362	4,364	3,973	4,232
XVI. Symptoms, senility, and ill-defined conditions													
Senility without mention of psychosis.....794	1,959	215	181	199	175	144	141	160	163	122	152	153	164
Symptoms, ill-defined, and unknown causes.....790-793,795	22,002	2,137	1,897	2,001	1,887	1,823	1,644	1,867	1,557	1,549	1,743	1,798	2,039
XVII. Accidents, poisonings, and violence													
Accidents.....E800-E962	113,563	9,027	7,965	8,599	9,066	9,285	9,793	11,372	10,186	9,072	9,774	9,312	10,112
Railway accidents.....E800-E902	1,027	65	68	88	59	80	85	110	92	87	102	90	101
Motor vehicle accidents.....E810-E835	53,041	3,667	3,320	3,770	4,319	4,290	4,391	5,031	5,024	4,632	5,008	4,615	4,974
Motor vehicle traffic accidents.....E810-E825	51,933	3,613	3,258	3,697	4,243	4,184	4,261	4,907	4,931	4,519	4,903	4,521	4,896
Motor vehicle traffic accident involving collision with railway train.....E810	1,800	192	195	147	119	116	112	127	120	116	144	168	244
Motor vehicle traffic accident to pedestrian.....E812	8,675	652	599	679	689	686	604	677	719	754	852	832	953
Other motor vehicle traffic accidents involving collision.....E811,E813-E819	22,641	1,506	1,396	1,553	1,676	1,904	1,979	2,214	2,297	1,933	2,102	1,900	2,078
Motor vehicle noncollision traffic accidents.....E820-E824	14,291	908	800	999	1,190	1,207	1,183	1,479	1,371	1,312	1,368	1,261	1,213
Motor vehicle traffic accident of unspecified nature.....E825	4,526	355	267	319	367	391	394	410	424	404	437	360	408
Motor vehicle nontraffic accidents.....E830-E835	1,108	54	62	73	76	106	130	124	93	113	105	94	78
Other road vehicle accidents.....E840-E845	292	15	15	12	26	19	43	32	51	24	26	18	11
Water transport accidents.....E850-E858	1,630	47	50	77	132	219	261	249	171	150	112	94	68
Aircraft accidents.....E860-E866	1,510	82	91	93	170	137	109	171	187	137	149	115	69
Accidental poisoning by solid and liquid substances.....E870-E889	2,283	193	151	168	184	222	194	193	202	182	184	185	225
Accidental poisoning by gases and vapors.....E890-E895	1,648	308	205	168	110	75	61	40	44	76	122	163	257
Accidental falls.....E900-E904	20,066	1,842	1,638	1,697	1,605	1,610	1,824	1,741	1,701	1,531	1,732	1,599	1,746
Fall from one level to another.....E900-E902	5,772	488	373	430	462	476	496	570	555	501	513	444	484
Fall on same level.....E903	5,583	550	517	518	459	435	436	461	434	370	477	431	495
Unspecified falls.....E904	8,701	804	748	749	674	699	692	710	712	660	742	724	787

SECTION 1 - GENERAL MORTALITY

1-91

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1966—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Blow from falling or projected object or missile.....E910	1,459	93	92	110	111	135	138	113	165	126	156	121	99
Accident caused by machinery.....E912	2,070	89	108	156	155	203	219	221	224	207	193	167	128
Accident caused by electric current.....E914	1,025	47	42	62	61	94	125	182	155	87	75	56	39
Accident caused by fire and explosion of combustible material.....E916	8,094	1,126	974	874	775	556	443	373	330	392	568	706	967
Accident caused by hot substance, corrosive liquid, steam, and radiation.....E917,E918	409	39	35	41	33	33	28	29	25	28	43	36	39
Accident caused by firearm.....E919	2,558	224	159	156	167	186	130	179	206	196	306	348	303
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	1,831	169	149	164	162	133	147	171	144	133	148	147	164
Accidental drowning.....E929	5,687	171	178	249	335	655	1,113	1,351	703	402	226	150	154
Excessive heat and insolation.....E931	531	-	-	-	1	4	32	451	29	5	4	1	4
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures.....E940-E959	1,411	118	114	111	109	111	132	135	143	99	100	123	129
All other accidents.....E911,E913,E915,E920,E923,E926,E930,E932-E936,E960-E962	7,001	735	576	603	592	523	518	610	590	579	520	560	635
Suicide.....E963,E970-E979													
Suicide by poisoning.....E970-E973	21,281	1,757	1,620	1,921	1,805	1,904	1,825	1,698	1,805	1,711	1,785	1,665	1,689
Suicide by hanging and strangulation.....E974	5,588	485	438	553	502	522	457	441	451	405	475	447	454
Suicide by firearm and explosive.....E976	2,863	228	193	231	272	266	261	256	249	224	240	189	254
Suicide by firearm and explosive.....E976	10,407	851	840	914	922	904	896	782	871	869	896	828	854
Suicide by all other means.....E965,E975,E977-E979	2,423	193	149	223	207	212	211	219	254	213	174	201	167
Homicide.....E964,E980-E985													
Assault by firearm and explosive.....E981	11,606	828	781	861	892	925	880	1,180	1,075	992	1,063	986	1,143
Assault by cutting and piercing instruments.....E982	6,855	490	450	524	533	560	500	663	614	593	639	589	700
Assault by other means.....E964,E980,E983	2,330	164	139	157	195	181	212	272	219	193	200	192	206
Injury by intervention of police.....E984	2,122	151	172	165	153	160	152	216	200	178	195	176	204
Execution.....E985	298	23	20	15	11	24	16	29	41	28	29	29	33
Injury resulting from operations of war.....E965,E990-E999	1	-	-	-	-	-	-	-	1	-	-	-	-
Injury resulting from operations of war.....E965,E990-E999	74	1	6	4	7	10	5	11	5	7	6	3	9

Table 1-24. Deaths From 258 Selected Causes,
[Numbers after causes of death are category numbers]

Intermediate List number ¹	Cause of death	All races		
		Total	Male	Female
1	All causes.....	1,863,149 ¹	1,062,627	810,322
2	I. Infective and parasitic diseases.....	17,314	11,159	6,155
3	Tuberculosis, all forms.....001-019	7,625	5,602	2,023
4 A 1	Tuberculosis of respiratory system.....001-008	7,044	5,280	1,764
5 A 2	Tuberculosis of meninges and central nervous system.....010	157	95	62
6 A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands.....011	44	22	22
7 A 4	Tuberculosis of bones and joints.....012, 013	65	33	32
8 A 5 pt.	Tuberculosis of other organs and systems.....014-018	114	73	41
9 A 5 pt.	Disseminated tuberculosis.....019	201	119	82
10	Syphilis and its sequelae.....020-029	2,193	1,558	635
11 A 6	Congenital syphilis.....020	40	24	16
12 A 7	Early syphilis.....021	1	1	-
13 A 10 pt.	Aneurysm of aorta.....022	1,434	1,020	414
14 A 10 pt.	Other cardiovascular syphilis.....023	431	311	120
15 A 8	Tabas dorsalis.....024	44	37	7
16 A 9	General paralysis of insane.....025	67	50	17
17 A 10 pt.	Other syphilis of central nervous system.....026	135	92	43
18 A 10 pt.	All other syphilis.....027-029	41	23	18
19 A 11	Gonococcal infection.....030-035	18	13	5
20 A 12	Typhoid fever.....040	15	7	8
21 A 13	Paratyphoid fever and other Salmonella infections.....041, 042	73	44	29
22 A 14	Cholera.....043	-	-	-
23 A 15	Brucellosis (undulant fever).....044	3	2	1
24 A 16	Dysentery, all forms.....045-048	172	103	70
25 A 43 pt.	Food poisoning (infection and intoxication).....049	20	11	9
26 A 17	Scarlet fever.....050	6	3	3
27 A 18	Streptococcal sore throat.....051	59	26	33
28 A 19	Erysipelas.....052	12	4	8
29 A 20	Sepsicemia and pyemia.....053	2,532	1,578	1,150
30 A 21	Diphtheria.....055	20	9	11
31 A 22	Whooping cough.....056	49	23	26
32 A 23	Meningococcal infections.....057	876	482	394
33 A 24	Plague.....058	1	1	-
34 A 25	Leprosy.....060	6	4	2
35 A 26	Tetanus.....061	158	82	76
36 A 27	Anthrax.....062	-	-	-
37 A 28	Acute poliomyelitis.....080	9	4	5
38 A 30 pt.	Late effects of acute poliomyelitis.....081	129	76	62
39 A 29	Acute infectious encephalitis.....082	579	305	274
40 A 30 pt.	Late effects of acute infectious encephalitis.....083	75	52	23
41 A 31	Smallpox.....084	-	-	-
42 A 32	Measles.....085	261	146	115
43 A 33	Yellow fever.....091	-	-	-
44 A 34	Infectious hepatitis.....092	757	318	439
45 A 35	Rabies.....094	2	1	1
46 A 36 pt.	Tick-borne typhus.....104	21	10	11
47 A 36 pt.	All other rickettsial diseases.....100-103, 105-108	2	2	-
48 A 37	Malaria.....110-117	5	5	-
49 A 38	Schistosomiasis.....123	3	2	1
50 A 39	Hydatid disease.....125	7	5	2
51 A 40	Filariasis.....127	-	-	-
52 A 41	Ancylostomiasis.....129	5	2	3
53 A 42	Other diseases due to helminths.....124, 126, 128, 130	22	13	13
54 A 43 pt.	All other infective and parasitic diseases.....036-039, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	1,579	867	712
55	II. Neoplasms.....	308,859	167,273	141,386
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	303,736	164,975	138,761
57 A 44	Malignant neoplasm of buccal cavity and pharynx.....140-148	6,800	5,047	1,753
58	Of lip.....140	150	131	19
59	Of tongue.....141	1,629	1,206	423
60	Of other and unspecified parts of buccal cavity.....142-144	2,224	1,506	718
61	Of pharynx.....145-148	2,797	2,204	593
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary.....150-158A, 157-159	95,079	51,188	43,893
63 A 45	Of esophagus.....150	5,505	4,195	1,310
64 A 46	Of stomach.....151	17,623	10,780	6,843
65 A 47 pt.	Of small intestine, including duodenum.....152	693	350	343
66 A 47 pt.	Of large intestine, except rectum.....153	32,811	15,022	17,789
67	Cecum, appendix, and ascending colon.....153.0	4,605	2,024	2,581
68	Transverse colon, including hepatic and splenic flexures.....153.1	1,472	651	821
69	Descending colon.....153.2	1,151	521	630
70	Sigmoid colon.....153.3	5,814	2,850	2,964
71	Multiple parts of large intestine.....153.7	78	39	39
72	Large intestine (including colon), part unspecified.....153.8	18,155	8,233	9,922
73	Intestinal tract, part unspecified.....153.9	1,536	684	852
74 A 48	Of rectum.....154	10,663	6,020	4,643
75 A 57 pt.	Of biliary passages and of liver (stated to be primary site).....155	6,584	2,933	3,651
76	Liver.....155.0	2,112	1,408	704
77	Other and multiple sites of biliary passages.....155.1, 155.8	4,472	1,525	2,947
78 A 57 pt.	Of liver not stated whether primary or secondary.....156A	3,149	1,692	1,457
79 A 57 pt.	Of pancreas.....157	16,360	9,406	6,954
80 A 57 pt.	Of peritoneum and of unspecified digestive organs.....158-159	1,691	818	873
81	Malignant neoplasm of respiratory system, not specified as secondary.....160-164	54,934	46,070	8,864
82 A 49	Of larynx.....161	2,623	2,351	272
83 A 50 pt.	Of bronchus and trachea, and of lung specified as primary.....162	20,913	17,956	2,957
84 A 50 pt.	Of lung, unspecified as to whether primary or secondary.....163	30,563	23,218	7,345
85 A 57 pt.	Of other parts of respiratory system.....160, 164	833	545	288
86 A 51	Malignant neoplasm of breast.....170	27,533	229	27,304

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

by Specified Race and Sex: United States, 1966
of the Seventh Revision of the International Lists, 1955]

Table with columns for race (White, Negro, Indian, Chinese, Japanese, Other races) and sex (Male, Female). It lists mortality counts for various age groups (e.g., 1,634,466, 12,979, 5,486, etc.) across different categories.

Table 1-24. Deaths From 258 Selected Causes,
[Numbers after causes of death are category numbers]

Inter- mediate List number ¹	Cause of death	All races		
		Total	Male	Female
	II. Neoplasms--Con.			
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.			
1	Malignant neoplasm of genital organs-----171-179	40,378	16,954	23,424
2	A 52 Of cervix uteri-----171	7,665	...	7,685
3	A 53 Of other and unspecified parts of uterus-----172-174	5,731	...	5,731
4	A 57 pt. Of ovary, fallopian tube, and broad ligament-----175	9,163	...	9,163
5	A 57 pt. Of other and unspecified female genital organs-----176	865	...	865
6	A 54 Of prostate-----177	15,941	15,941	...
7	A 57 pt. Of all other and unspecified male genital organs-----178,179	1,013	1,013	...
8	A 57 pt. Malignant neoplasm of urinary organs-----180,181	14,166	9,469	4,697
9	Of kidney-----180	5,841	3,691	2,150
10	Of bladder and other urinary organs-----181	8,325	5,778	2,547
11	Malignant neoplasm of other and unspecified sites-----156B,165,190-199	35,032	19,010	16,022
12	A 55 Of skin-----190,191	4,560	2,609	1,951
13	A 57 pt. Of eye-----192	358	170	188
14	A 57 pt. Of brain and other parts of nervous system-----193	7,355	4,293	3,062
15	A 57 pt. Of thyroid gland-----194	1,008	363	645
16	A 56 pt. Of bone-----196	1,792	1,021	771
17	A 56 pt. Of connective tissue-----197	1,318	713	605
18	A 57 pt. Of other specified sites, not stated to be secondary-----195,199A	1,422	859	563
19	A 57 pt. Of unspecified sites-----156B,165,190,199B	17,219	8,902	8,317
20	A 56 Leukemia and aleukemia-----204	14,012	8,060	5,952
21	A 59 Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	15,802	8,950	6,852
22	Lymphosarcoma and reticulosarcoma-----200	7,563	4,210	3,353
23	Hodgkin's disease-----201	3,412	2,053	1,359
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	4,827	2,687	2,140
25	A 60 Benign neoplasms and neoplasms of unspecified nature-----210-239	4,325	2,288	2,037
26	Benign neoplasms of female genital organs-----214-217	351	...	351
27	Benign neoplasm of brain and other parts of nervous system-----223	973	402	571
28	Other benign neoplasms-----210-213, 218-222, 224-229	1,041	561	480
29	Neoplasm of unspecified nature of female genital organs-----233-235	34	...	34
30	Neoplasm of unspecified nature of brain and other parts of nervous system-----237	1,580	823	757
31	Other neoplasms of unspecified nature-----230-232, 236, 238, 239	944	512	432
32	III. Allergic, endocrine system, metabolic, and nutritional diseases-----	45,575	19,670	25,905
33	A 66 pt. Asthma-----241	4,324	2,498	1,826
34	A 61 Nontoxic goiter-----250,251	59	10	49
35	A 62 Thyrotoxicosis with or without goiter-----252	300	81	219
36	A 66 pt. All other diseases of thyroid gland-----253,254	373	87	286
37	A 63 Diabetes mellitus-----260	34,597	14,163	20,434
38	A 66 pt. Diseases of thymus gland-----273	67	41	26
39	A 66 pt. Diseases of adrenal glands-----274	442	204	238
40	A 64 pt. Pellagra-----281	12	...	12
41	A 64 pt. Other avitaminoses and nutritional deficiency states-----280,282-286	1,522	805	717
42	A 66 pt. Cystic fibrosis-----289A	672	313	359
43	A 66 pt. All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287,288,289.0,289.1,289.2	3,068	1,456	1,612
44	IV. Diseases of the blood and blood-forming organs-----	5,426	2,730	2,696
45	A 65 Anemias-----290-293	3,452	1,659	1,793
46	Pernicious and other hyperchromic anemias-----290	413	154	259
47	Anemias of other and unspecified type-----291-293	3,039	1,505	1,534
48	A 66 pt. Purpura and other hemorrhagic conditions-----296	697	312	385
49	A 66 pt. Other diseases of blood and blood-forming organs-----294,295,297-299	1,277	759	518
50	V. Mental, psychoneurotic, and personality disorders-----	5,578	3,791	1,787
51	A 67 pt. Senile psychosis-----304	288	93	195
52	A 67 pt. Alcoholic psychosis-----307	581	520	61
53	A 67 pt. Other psychoses-----300-303, 305, 306, 308, 309	876	406	470
54	A 68 pt. Alcoholism-----322	3,090	2,375	715
55	A 69 Mental deficiency-----325	611	266	345
56	A 68 pt. Other disorders of personality-----310-321, 323, 324, 326	232	131	101
57	VI. Diseases of the nervous system and sense organs-----	219,956	102,685	117,271
58	A 70 Vascular lesions affecting central nervous system-----330-334	204,841	94,583	110,258
59	Subarachnoid hemorrhage-----330	8,531	3,764	4,767
60	Cerebral hemorrhage-----331	111,446	51,794	59,652
61	Cerebral embolism and thrombosis-----332	63,943	29,730	34,213
62	Other vascular lesions affecting central nervous system-----333,334	20,921	9,292	11,629
63	A 71 Meningitis, except meningococcal and tuberculous-----340	2,324	1,298	1,026
64	A 72 Multiple sclerosis-----345	1,533	820	713
65	A 78 pt. Paralysis agitans-----350	3,108	1,643	1,465
66	A 78 pt. Cerebral spastic infantile paralysis-----351	659	370	289
67	A 73 Epilepsy-----353	2,045	1,219	825
68	A 74 Inflammatory diseases of eye-----370-379	11	4	7
69	A 75 Cataract-----385	31	17	14
70	A 76 Glaucoma-----387	5	...	5
71	A 77 Otitis media and mastoiditis-----391-393	166	88	78
72	A 78 pt. Other diseases of nervous system and sense organs-----341-344, 352, 354-369, 380-384, 396, 398-399, 394-398	5,235	2,832	2,403
73	VII. Diseases of the circulatory system-----	805,971	460,050	345,921
74	Diseases of heart-----400-402, 410-443	727,002	420,061	306,941
75	A 79 Rheumatic fever-----400-402	456	224	232
76	A 80 Chronic rheumatic heart disease-----410-416	14,556	6,227	8,329
77	Diseases of mitral valve-----410	5,718	2,290	3,428
78	Diseases of aortic valve specified as rheumatic-----411	1,713	1,115	598
79	Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----413,414	773	333	440
80	Other rheumatic heart diseases-----412,415,416	6,352	2,509	3,843

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

Table 1-24. Deaths From 258 Selected Causes,
[Numbers after causes of death are category numbers]

Inter- mediate List number ¹	Cause of death	All races		
		Total	Male	Female
	VII. Diseases of the circulatory system—Con.			
	Diseases of heart—Con.			
1 A 81 pt.	Arteriosclerotic heart disease, including coronary disease.....420	573,191	346,856	226,336
2	Arteriosclerotic heart disease so described.....420.0	158,802	78,288	80,514
3	Heart disease specified as involving coronary arteries.....420.1	414,161	268,567	145,704
4	Angina pectoris without mention of coronary disease.....420.2	268	170	118
5 A 81 pt.	Chronic endocarditis not specified as rheumatic.....421	3,785	2,207	1,578
6	Of mitral valve, specified as nonrheumatic.....421.0	166	69	87
7	Of aortic valve, not specified as rheumatic.....421.1	2,311	1,518	793
8	Of other valves, not specified as rheumatic.....421, 2-421.4	1,308	620	688
9 A 81 pt.	Other myocardial degeneration.....422	49,796	23,915	25,881
10	With arteriosclerosis.....422.1	41,935	19,949	21,986
11	Without mention of arteriosclerosis.....422.0, 422.2	7,861	3,966	3,895
12 A 82	Other diseases of heart.....430-434	31,042	17,154	13,888
13	Acute and subacute endocarditis.....430	757	487	270
14	Acute myocarditis and acute pericarditis, not specified as rheumatic.....431, 432	1,066	684	481
15	Functional disease of heart.....433	10,008	5,048	4,960
16	Other and unspecified diseases of heart.....434	19,212	11,035	8,177
17 A 85	Hypertensive heart disease.....440-443	84,176	28,479	30,697
18	Hypertensive heart disease with arteriolar nephrosclerosis.....442	11,606	5,856	6,050
19	Other hypertensive heart disease.....440, 441, 443	42,570	17,923	24,647
20 A 84	Other hypertensive disease.....444-447	11,380	5,731	5,649
21	Hypertension with arteriolar nephrosclerosis.....446	6,873	3,723	3,150
22	Essential hypertension and other hypertensive disease without mention of heart.....444, 445, 447	4,507	2,008	2,499
23 A 85	Diseases of arteries.....450-456	54,120	27,545	26,575
24	General arteriosclerosis.....450	38,907	17,470	21,437
25	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm.....451	11,270	6,168	5,102
26	Gangrene of unspecified cause.....456	348	181	167
27	Other arterial diseases.....452-454, 456	3,595	1,726	1,869
28 A 86	Diseases of veins and other diseases of circulatory system.....460-468	13,469	6,713	6,756
29	VIII. Diseases of the respiratory system	103,620	66,710	36,910
30 A 87	Acute upper respiratory infections.....470-475	670	366	304
31 A 88	Influenza.....480-483	2,830	1,344	1,486
32	Pneumonia, except pneumonia of newborn.....490-493	60,765	34,221	26,544
33 A 89	Lobar pneumonia.....490	6,864	3,345	3,519
34 A 90	Bronchopneumonia.....491	33,276	18,565	14,711
35 A 91 pt.	Primary atypical pneumonia.....492	5,729	3,140	2,589
36 A 91 pt.	Pneumonia, other and unspecified.....493	12,916	7,177	5,745
37 A 92	Acute bronchitis.....500	987	547	440
38 A 93	Bronchitis, chronic and unqualified.....501, 502	5,164	3,976	1,188
39 A 94	Hypertrophy of tonsils and adenoids.....510	82	44	38
40 A 95	Empyema and abscess of lung.....518, 521	826	539	287
41 A 96	Pleurisy.....519	182	111	71
42 A 97 pt.	Other chronic interstitial pneumonia.....525	4,271	2,613	1,658
43 A 97 pt.	Bronchiectasis.....526	1,587	1,026	561
44 A 97 pt.	Other diseases of lung and pleural cavity.....527	22,513	18,959	3,554
45	Emphysema without mention of bronchitis.....527.1	20,252	17,480	2,772
46	All other diseases of lung and pleural cavity.....527.0, 527.2	2,261	1,479	782
47 A 97 pt.	Other respiratory diseases.....511-517, 520, 522-524	3,723	2,704	1,019
48	IX. Diseases of the digestive system	73,717	42,746	30,969
49 A 98	Diseases of teeth and supporting structures.....530-535	62	32	30
50 A 99	Ulcer of stomach.....540	5,599	3,767	1,832
51 A 100	Ulcer of duodenum.....541	4,722	3,420	1,302
52 A 101	Gastritis and duodenitis.....543	426	261	165
53 A 102	Appendicitis.....550-553	1,627	965	662
54 A 103	Hernia and intestinal obstruction.....560, 561, 570	10,078	4,873	5,405
55 A 104 pt.	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over.....571	3,066	1,571	1,516
56 A 104 pt.	Chronic enteritis and ulcerative colitis.....572	4,040	1,727	2,313
57 A 105	Cirrhosis of liver.....581	26,692	17,376	9,314
58	Without mention of alcoholism.....581.0	17,320	10,672	6,448
59	With alcoholism.....581.1	9,372	6,506	2,866
60 A 106	Cholelithiasis, cholecystitis, and cholangitis.....584, 585	4,592	1,991	2,601
61 A 107	Other diseases of digestive system.....536-539, 542, 544, 545, 573-580, 582, 583, 586, 587	12,793	6,963	5,830
62	X. Diseases of the genitourinary system	29,717	17,254	12,463
63	Nephritis and nephrosis.....590-594	11,540	6,454	5,086
64 A 108	Acute nephritis.....590	485	276	209
65 A 109 pt.	Nephritis with edema, including nephrosis.....591	679	380	299
66 A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis.....592-594	10,376	5,798	4,578
67 A 110	Infections of kidney.....600	9,498	4,820	4,678
68 A 111	Calculi of urinary system.....602, 604	1,103	580	523
69 A 114 pt.	Other diseases of urinary system.....601, 603, 605-609	3,207	1,962	1,245
70 A 112	Hyperplasia of prostate.....610	3,217	3,217
71 A 113	Diseases of breast.....620, 621	19	19
72 A 114 pt.	Other diseases of genital organs.....611-617, 622-637	1,133	521	612
73	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,049	1,049
74 A 115	Sepsis of pregnancy, childbirth, and puerperium.....640, 641, 661, 662, 684	119	119
75 A 116 pt.	Toxemia of pregnancy and puerperium, except abortion with toxemia.....642, 665, 686	199	199
76 A 117 pt.	Hemorrhage of pregnancy and childbirth.....643, 644, 670-672	158	158
77 A 120 pt.	Ectopic pregnancy.....645	59	59
78 A 118	Abortion without mention of sepsis or toxemia.....650	49	48
79 A 119	Abortion with sepsis.....651	135	125
80 A 116 pt.	Abortion with toxemia, without mention of sepsis.....652	6	6
81 A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication.....646-649, 660, 673-680, 683, 687-689	327	327

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 258 Selected Causes,
[Numbers after causes of death are category numbers]

Inter-mediate List number ¹	Cause of death	All races		
		Total	Male	Female
1	XII. Diseases of the skin and cellular tissue.....	2,347	809	1,538
2 A 121	Infections of skin and subcutaneous tissue.....890-898	488	248	240
3 A 126 pt.	Other diseases of skin and subcutaneous tissue.....700-716	1,859	561	1,298
4	XIII. Diseases of the bones and organs of movement.....	3,934	1,716	2,218
5 A 122	Arthritis and spondylitis.....720-725	2,079	728	1,351
6 A 123	Muscular rheumatism and rheumatism unspecified.....726,727	56	25	31
7 A 124	Osteomyelitis and periostitis.....750	172	90	82
8 A 126	Ankylosis and acquired musculoskeletal deformities.....737,745-749	129	51	78
9 A 126 pt.	Inborn defect of muscle.....744.1	621	453	168
10 A 126 pt.	Other diseases of musculoskeletal system.....751-756, 758-744.0, 744.2	875	359	506
11	XIV. Congenital malformations.....	16,158	9,721	8,437
12 A 127	Spina bifida and meningocele.....751	1,151	494	657
13 A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752, 753	1,756	897	859
14 A 128	Congenital malformations of circulatory system.....754	9,020	4,940	4,080
15 A 129 pt.	Other congenital malformations.....750, 755-759	6,231	3,390	2,841
16 A 130-1135	XV. Certain diseases of early infancy.....	51,644	30,226	21,418
17	XVI. Symptoms, senility, and ill-defined conditions.....	23,960	14,120	9,840
18 A 136	Senility without mention of psychosis.....794	1,958	764	1,194
19 A 137	Symptoms, ill-defined, and unknown causes.....780-793, 795	22,002	13,356	8,646
20	XVII. Accidents, poisonings, and violence.....	146,524	102,165	44,359
21	Accidents.....E900-E962	113,563	77,946	35,617
22 AE 139 pt.	Railway accidents.....E900-E902	1,027	897	130
23 AE 139	Motor vehicle accidents.....E910-E935	53,041	38,316	14,725
24	Motor vehicle traffic accidents.....E910-E925	51,933	37,458	14,475
25	Motor vehicle traffic accident involving collision with railway train.....E910	1,800	1,252	547
26	Motor vehicle traffic accident to pedestrian.....E912	8,675	6,101	2,574
27	Other motor vehicle traffic accidents involving collision.....E911, E913-E919	22,641	15,610	7,031
28	Motor vehicle noncollision traffic accidents.....E920-E924	14,291	11,240	3,051
29	Motor vehicle traffic accident of unspecified nature.....E925	4,526	3,234	1,292
30	Motor vehicle nontraffic accidents.....E930-E935	1,108	858	250
31 AE 139 pt.	Other road vehicle accidents.....E940-E945	292	206	86
32 AE 139 pt.	Water transport accidents.....E950-E958	1,620	1,476	144
33 AE 139 pt.	Aircraft accidents.....E960-E966	1,510	1,283	227
34 AE 140 pt.	Accidental poisoning by solid and liquid substances.....E970-E988	2,283	1,309	974
35 AE 140 pt.	Accidental poisoning by gases and vapors.....E990-E995	1,648	1,251	397
36 AE 141	Accidental falls.....E900-E904	20,066	9,899	10,167
37	Fall from one level to another.....E900-E902	5,772	3,657	2,115
38	Fall on same level.....E905	5,595	2,460	3,135
39	Unspecified falls.....E904	8,701	3,582	5,119
40 AE 147 pt.	Blow from falling or projected object or missile.....E910	1,459	1,370	89
41 AE 142	Accident caused by machinery.....E912	2,070	2,002	68
42 AE 147 pt.	Accident caused by electric current.....E914	1,025	952	73
43 AE 143	Accident caused by fire and explosion of combustible material.....E916	8,084	4,767	3,317
44 AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation.....E917, E918	409	236	173
45 AE 145	Accident caused by firearm.....E919	2,558	2,188	370
46 AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921, E922	1,851	1,112	739
47 AE 146	Accidental drowning.....E929	5,697	4,724	973
48 AE 147 pt.	Excessive heat and insulation.....E931	551	291	260
49 AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures.....E940-E959	1,411	704	707
50 AE 147 pt.	All other accidents.....E911, E913, E915, E920, E923-E928, E930, E932-E936, E960-E962	7,001	4,952	2,049
51 AE 148	Suicide.....E963, E970-E979	21,281	15,416	5,865
52	Suicide by poisoning.....E970-E973	5,598	2,970	2,628
53	Suicide by hanging and strangulation.....E974	2,865	2,231	634
54	Suicide by firearm and explosive.....E976	10,407	8,780	1,627
55	Suicide by all other means.....E963, E975, E977-E979	2,423	1,435	988
56 AE 149	Homicide.....E964, E980-E985	11,606	8,729	2,877
57	Assault by firearm and explosive.....E981	6,855	5,375	1,479
58	Assault by cutting and piercing instruments.....E982	2,330	1,819	511
59	Assault by other means.....E984, E980, E983	2,122	1,293	829
60	Injury by intervention of police.....E984	298	284	14
61	Execution.....E985	1	1	-
62 AE 150	Injury resulting from operations of war.....E965, E980-E989	74	74	-

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume I*, World Health Organization, Geneva, Switzerland, 1957.

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

Table with columns: Cause of death, race, and sex; Total; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5-9 years; 10-14 years; 15-19 years. Rows include WHOOPING COUGH, MENINGOCOCCAL INFECTIONS, PLAGUE, LEPROSY, TETANUS, ANTHRAX, ACUTE POLIOMYELITIS, LATE EFFECTS OF ACUTE POLIOMYELITIS, ACUTE INFECTIOUS ENCEPHALITIS, and LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS, with detailed race and sex breakdowns.

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
																	01
																	02
																	03
																	04
																	05
																	06
																	07
																	08
																	09
											1						10
											1						11
											1						12
																	13
																	14
																	15
																	16
																	17
																	18
																	19
																	20
																	21
																	22
																	23
																	24
																	25
																	26
																	27
40	30	36	46	58	44	54	61	78	57	58	47	35	11	3	1		28
19	13	14	16	25	16	18	22	34	28	26	26	19	6				29
21	17	22	30	33	28	36	39	44	29	32	21	16	5	3	1		30
14	10	10	12	20	14	17	17	34	23	23	26	19	6				31
14	14	19	26	26	23	28	37	40	28	31	21	14	5	3	1		32
5	3	4	4	4	2	1	4	3	3	3							33
7	3	3	4	6	4	8	1	3	1	1		2					34
				1			1		2								35
				1	1		1	1		1							36
																	37
																	38
																	39
																	40
																	41
																	42
																	43
																	44
																	45
																	46
						1	2			2							47
1					1	2											48
1					1	1											49
1					1	1				2							50
																	51
																	52
																	53
																	54
							1			1							55
							1			1							56
							1			1							57
							1			1							58
																	59
																	60
																	61
																	62
																	63
																	64
								1				1					65
								1				1					66
												1					67
																	68
																	69
																	70
																	71
																	72
																	73
				1													74
				1													75
				1													76
				1													77
				1													78
				1													79
				1													80
				1													81
			1			1	1	1	1	2							82
			1			1	1	1	1	1							83
			1			1	1	1	1	1							84
			1			1	1	1	1	1							85
			1			1	1	1	1	1							86
			1			1	1	1	1	1							87
			1			1	1	1	1	1							88
			1			1	1	1	1	1							89
			1			1	1	1	1	1							90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

Table with 18 columns representing age groups (20-24 years to 100 and over) and a final column for 'Not stated'. Each cell contains a number representing mortality data for that age group and category.

SECTION I - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ANEMIAS--CON.										
02	ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	3,039	80	60	36	16	16	208	99	57	79
03	MALE.....	1,505	32	30	20	6	9	97	47	25	42
04	FEMALE.....	1,534	48	30	16	10	7	111	52	32	37
05	WHITE.....MALE.....	1,194	19	12	4	4	2	41	26	20	25
06	FEMALE.....	1,195	21	11	5	5	2	44	33	18	20
07	NEGRO.....MALE.....	305	13	18	16	2	7	56	21	5	17
08	FEMALE.....	329	26	18	11	5	5	65	17	14	17
09	OTHER.....MALE.....	6	-	-	-	-	-	-	-	-	-
	FEMALE.....	10	1	1	-	-	-	2	2	-	-
10	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	697	50	12	10	5	1	78	8	11	18
11	MALE.....	312	28	5	8	5	-	46	3	3	7
12	FEMALE.....	385	22	7	2	-	1	32	5	8	11
13	WHITE.....MALE.....	279	21	3	7	4	-	35	3	2	5
14	FEMALE.....	335	20	5	2	-	1	28	3	6	7
15	NEGRO.....MALE.....	28	7	2	-	-	-	9	-	-	2
16	FEMALE.....	45	2	2	-	-	-	4	2	2	4
17	OTHER.....MALE.....	5	-	-	1	1	-	2	-	1	-
18	FEMALE.....	5	-	-	-	-	-	-	-	-	-
19	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....294,295,297-299	1,277	53	12	9	10	4	88	14	15	14
20	MALE.....	759	31	8	8	7	3	57	10	12	9
21	FEMALE.....	518	22	4	1	3	1	31	4	3	5
22	WHITE.....MALE.....	702	18	5	8	6	3	40	8	10	8
23	FEMALE.....	479	17	3	1	3	1	25	4	3	2
24	NEGRO.....MALE.....	54	12	3	-	1	-	16	1	2	1
25	FEMALE.....	37	4	1	-	-	-	5	-	-	3
26	OTHER.....MALE.....	3	1	-	-	-	-	1	1	-	-
27	FEMALE.....	2	1	-	-	-	-	1	-	-	-
28	V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.....	5,578	139	45	37	22	12	255	57	50	67
29	MALE.....	3,791	74	21	19	13	6	133	34	18	45
30	FEMALE.....	1,787	65	24	18	9	6	122	23	32	22
31	WHITE.....MALE.....	2,885	63	15	15	11	6	110	29	12	33
32	FEMALE.....	1,423	55	21	14	7	5	102	17	21	19
33	NEGRO.....MALE.....	852	10	6	4	2	-	22	4	5	10
34	FEMALE.....	334	4	3	4	2	1	14	5	9	3
35	OTHER.....MALE.....	54	1	-	-	-	-	1	1	1	2
36	FEMALE.....	30	6	-	-	-	-	6	1	2	-
37	SENILE PSYCHOSIS.....304	288	-	-	-	-	-	-	-	-	-
38	MALE.....	93	-	-	-	-	-	-	-	-	-
39	FEMALE.....	195	-	-	-	-	-	-	-	-	-
40	WHITE.....MALE.....	89	-	-	-	-	-	-	-	-	-
41	FEMALE.....	184	-	-	-	-	-	-	-	-	-
42	NEGRO.....MALE.....	4	-	-	-	-	-	-	-	-	-
43	FEMALE.....	10	-	-	-	-	-	-	-	-	-
44	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
45	FEMALE.....	1	-	-	-	-	-	-	-	-	-
46	ALCOHOLIC PSYCHOSIS.....307	581	-	-	-	-	-	-	-	-	-
47	MALE.....	520	-	-	-	-	-	-	-	-	-
48	FEMALE.....	61	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	408	-	-	-	-	-	-	-	-	-
50	FEMALE.....	46	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	105	-	-	-	-	-	-	-	-	-
52	FEMALE.....	15	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE.....	7	-	-	-	-	-	-	-	-	-
54	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	OTHER PSYCHOSES.....300-303,305,306,308,309	876	-	-	2	-	-	2	-	3	4
56	MALE.....	406	-	-	1	-	-	1	-	2	1
57	FEMALE.....	470	-	-	-	-	-	1	-	1	3
58	WHITE.....MALE.....	354	-	-	1	-	-	1	-	1	1
59	FEMALE.....	418	-	-	-	-	-	-	-	1	3
60	NEGRO.....MALE.....	49	-	-	-	-	-	-	-	-	-
61	FEMALE.....	52	-	-	1	-	-	1	-	-	-
62	OTHER.....MALE.....	3	-	-	-	-	-	-	-	1	-
63	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	ALCOHOLISM.....322	3,090	-	-	-	-	-	-	-	-	21
65	MALE.....	2,375	-	-	-	-	-	-	-	-	19
66	FEMALE.....	715	-	-	-	-	-	-	-	-	2
67	WHITE.....MALE.....	1,729	-	-	-	-	-	-	-	-	14
68	FEMALE.....	491	-	-	-	-	-	-	-	-	2
69	NEGRO.....MALE.....	607	-	-	-	-	-	-	-	-	3
70	FEMALE.....	204	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE.....	39	-	-	-	-	-	-	-	-	2
72	FEMALE.....	20	-	-	-	-	-	-	-	-	-
73	MENTAL DEFICIENCY.....325	511	138	45	35	21	12	251	55	46	27
74	MALE.....	266	73	21	18	12	6	130	33	16	16
75	FEMALE.....	245	65	24	17	9	6	121	22	30	11
76	WHITE.....MALE.....	225	62	15	14	10	6	107	28	11	13
77	FEMALE.....	204	55	21	14	7	5	102	17	19	9
78	NEGRO.....MALE.....	39	10	6	4	2	-	22	4	5	3
79	FEMALE.....	33	4	3	3	2	1	13	5	9	2
80	OTHER.....MALE.....	2	1	-	-	-	-	1	1	-	-
81	FEMALE.....	8	6	-	-	-	-	6	-	2	-
82	OTHER DISORDERS OF PERSONALITY310-321,323,324,326	232	1	-	-	1	-	2	2	1	15
83	MALE.....	131	1	-	-	1	-	2	1	-	9
84	FEMALE.....	101	-	-	-	-	-	-	-	-	6
85	WHITE.....MALE.....	80	1	-	-	1	-	2	1	-	5
86	FEMALE.....	80	-	-	-	-	-	-	-	1	5
87	NEGRO.....MALE.....	48	-	-	-	-	-	-	-	-	4
88	FEMALE.....	20	-	-	-	-	-	-	-	-	1
89	OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
90	FEMALE.....	1	-	-	-	-	-	-	1	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by
[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
01	EPILEPSY.....	353	2,043	13	13	15	11	17	69	53	70	158
02	MALE.....	1,218	7	6	11	7	12	43	31	38	100	
03	FEMALE.....	825	6	7	4	4	5	26	22	32	58	
04	WHITE.....	826	6	6	8	7	9	36	24	30	74	
05	FEMALE.....	634	4	7	4	4	4	23	16	21	49	
06	NEGRO.....	381	1	-	3	-	3	7	6	7	24	
07	FEMALE.....	181	2	-	-	-	1	3	6	10	9	
08	OTHER.....	11	-	-	-	-	-	-	1	1	2	
09	FEMALE.....	10	-	-	-	-	-	-	-	1	-	
10	INFLAMMATORY DISEASES OF EYE.....	370-379	11	2	-	-	-	2	-	1	-	
11	MALE.....	4	1	-	-	-	-	1	-	1	-	
12	FEMALE.....	7	1	-	-	-	-	1	-	-	-	
13	WHITE.....	3	1	-	-	-	-	1	-	1	-	
14	FEMALE.....	6	-	-	-	-	-	-	-	-	-	
15	NEGRO.....	1	-	-	-	-	-	-	-	-	-	
16	FEMALE.....	1	1	-	-	-	-	1	-	-	-	
17	OTHER.....	1	-	-	-	-	-	-	-	-	-	
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-	
19	CATARACT.....	385	31	-	-	-	-	-	-	-	-	
20	MALE.....	17	-	-	-	-	-	-	-	-	-	
21	FEMALE.....	14	-	-	-	-	-	-	-	-	-	
22	WHITE.....	16	-	-	-	-	-	-	-	-	-	
23	FEMALE.....	10	-	-	-	-	-	-	-	-	-	
24	NEGRO.....	1	-	-	-	-	-	-	-	-	-	
25	FEMALE.....	4	-	-	-	-	-	-	-	-	-	
26	OTHER.....	-	-	-	-	-	-	-	-	-	-	
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-	
28	GLAUCOMA.....	387	5	-	-	-	-	-	-	-	-	
29	MALE.....	2	-	-	-	-	-	-	-	-	-	
30	FEMALE.....	3	-	-	-	-	-	-	-	-	-	
31	WHITE.....	2	-	-	-	-	-	-	-	-	-	
32	FEMALE.....	2	-	-	-	-	-	-	-	-	-	
33	NEGRO.....	1	-	-	-	-	-	-	-	-	-	
34	FEMALE.....	1	-	-	-	-	-	-	-	-	-	
35	OTHER.....	1	-	-	-	-	-	-	-	-	-	
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-	
37	OTITIS MEDIA AND MASTOIDITIS.....	391-393	166	39	11	5	4	2	61	9	11	5
38	MALE.....	98	24	5	4	1	1	35	6	6	4	
39	FEMALE.....	68	15	6	1	3	1	26	3	5	1	
40	WHITE.....	74	13	3	2	1	1	20	4	5	4	
41	FEMALE.....	49	5	3	-	2	1	11	2	5	1	
42	NEGRO.....	21	8	2	2	-	-	12	2	1	-	
43	FEMALE.....	17	8	3	1	1	-	13	1	-	-	
44	OTHER.....	3	3	-	-	-	-	3	-	-	-	
45	FEMALE.....	2	2	-	-	-	-	2	-	-	-	
46	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....	RESIDUAL	5,235	268	148	72	75	56	619	189	154	136
47	MALE.....	2,832	130	78	38	41	30	317	108	87	78	
48	FEMALE.....	2,403	138	70	34	34	26	302	81	67	58	
49	WHITE.....	2,431	105	59	31	33	26	254	83	74	67	
50	FEMALE.....	2,101	116	54	25	26	20	241	67	57	48	
51	NEGRO.....	375	22	17	6	8	4	57	25	13	10	
52	FEMALE.....	290	20	13	9	7	6	55	14	10	10	
53	OTHER.....	26	3	2	1	-	-	6	-	-	1	
54	FEMALE.....	12	2	3	-	1	-	6	-	-	-	
55	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	805,971	429	106	46	42	38	661	160	235	494	
56	MALE.....	460,050	240	56	29	21	19	365	79	126	255	
57	FEMALE.....	345,921	189	50	17	21	19	296	81	109	239	
58	WHITE.....	418,931	158	31	14	15	16	234	60	92	187	
59	FEMALE.....	311,103	116	29	11	14	15	185	53	75	170	
60	NEGRO.....	38,914	76	24	15	5	3	123	18	32	66	
61	FEMALE.....	33,778	67	19	5	6	4	101	25	32	64	
62	OTHER.....	2,205	6	1	-	1	-	8	1	2	2	
63	FEMALE.....	1,040	6	2	1	1	-	10	3	2	5	
64	DISEASES OF HEART.....	400-402, 410-443	727,002	387	94	40	37	32	590	145	188	360
65	MALE.....	420,061	208	50	25	18	17	318	72	111	208	
66	FEMALE.....	306,941	179	44	15	19	15	272	73	77	152	
67	WHITE.....	383,251	135	26	10	12	14	197	53	79	153	
68	FEMALE.....	276,303	110	25	9	12	13	169	45	48	110	
69	NEGRO.....	34,800	68	23	15	5	3	114	18	30	53	
70	FEMALE.....	29,719	63	17	5	6	2	93	25	28	39	
71	OTHER.....	2,010	5	1	-	1	-	7	1	2	2	
72	FEMALE.....	919	6	2	1	1	-	10	3	1	3	
73	RHEUMATIC FEVER.....	400-402	456	3	3	3	6	3	18	27	33	15
74	MALE.....	224	2	2	1	1	3	9	14	13	8	
75	FEMALE.....	232	1	1	2	5	-	9	13	20	7	
76	WHITE.....	187	1	1	1	1	1	5	8	10	7	
77	FEMALE.....	173	-	1	1	1	-	3	5	9	3	
78	NEGRO.....	36	1	1	-	-	2	4	6	3	1	
79	FEMALE.....	57	1	-	1	4	-	6	8	11	3	
80	OTHER.....	1	-	-	-	-	-	-	-	-	-	
81	FEMALE.....	2	-	-	-	-	-	-	-	-	1	
82	CHRONIC RHEUMATIC HEART DISEASE.....	410-416	14,556	1	1	1	-	4	7	14	48	99
83	MALE.....	6,227	-	1	1	-	1	3	3	3	26	58
84	FEMALE.....	8,329	1	-	-	-	3	4	11	22	41	
85	WHITE.....	5,672	-	-	-	-	1	1	2	12	36	
86	FEMALE.....	7,680	1	-	-	-	2	3	5	12	30	
87	NEGRO.....	505	-	1	1	-	-	2	-	13	20	
88	FEMALE.....	611	-	-	-	-	1	1	4	10	11	
89	OTHER.....	50	-	-	-	-	-	-	1	1	2	
90	FEMALE.....	38	-	-	-	-	-	-	2	-	-	

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	HEART DISEASE--CON.										
02	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC--CON.										
03	OF AORTIC VALVE, NCT SPECIFIED AS RHEUMATIC.....421.1	2,311	-	-	-	-	-	-	-	2	7
04	MALE.....	1,518	-	-	-	-	-	-	-	2	5
05	FEMALE.....	793	-	-	-	-	-	-	-	-	2
06	WHITE.....MALE.....	1,385	-	-	-	-	-	-	-	1	3
07	FEMALE.....	735	-	-	-	-	-	-	-	-	2
08	NEGRO.....MALE.....	127	-	-	-	-	-	-	-	1	2
09	FEMALE.....	57	-	-	-	-	-	-	-	-	-
10	OTHER.....MALE.....	6	-	-	-	-	-	-	-	-	-
11	FEMALE.....	1	-	-	-	-	-	-	-	-	-
12	OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC.....421.2-421.4	1,308	3	2	2	2	-	9	1	-	4
13	MALE.....	620	1	1	1	-	-	2	1	-	2
14	FEMALE.....	688	2	2	1	2	-	7	-	-	2
15	WHITE.....MALE.....	525	-	-	1	-	-	1	1	-	1
16	FEMALE.....	589	2	2	-	2	-	6	-	-	1
17	NEGRO.....MALE.....	93	1	-	-	-	-	1	-	-	1
18	FEMALE.....	97	-	-	1	-	-	1	-	-	1
19	OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
20	FEMALE.....	2	-	-	-	-	-	-	-	-	-
21	OTHER MYOCARDIAL DEGENERATION.....422	49,796	38	12	4	7	6	67	13	20	34
22	MALE.....	23,915	17	6	4	5	1	33	7	13	25
23	FEMALE.....	25,881	21	6	-	2	5	34	6	7	9
24	WHITE.....MALE.....	21,141	10	4	2	2	1	19	3	10	19
25	FEMALE.....	23,319	12	4	-	1	4	21	5	6	5
26	NEGRO.....MALE.....	2,637	7	2	2	3	-	14	4	3	6
27	FEMALE.....	2,501	9	1	-	-	1	11	1	1	4
28	OTHER.....MALE.....	137	-	-	-	-	-	-	-	-	-
29	FEMALE.....	61	-	1	-	1	-	2	-	-	-
30	WITH ARTERIOSCLEROSIS.....422.1	41,935	3	-	-	-	-	3	-	-	1
31	MALE.....	19,949	2	-	-	-	-	2	-	-	1
32	FEMALE.....	21,986	1	-	-	-	-	1	-	-	-
33	WHITE.....MALE.....	17,792	2	-	-	-	-	2	-	-	-
34	FEMALE.....	19,961	1	-	-	-	-	1	-	-	-
35	NEGRO.....MALE.....	2,052	-	-	-	-	-	-	-	-	1
36	FEMALE.....	1,981	-	-	-	-	-	-	-	-	-
37	OTHER.....MALE.....	105	-	-	-	-	-	-	-	-	-
38	FEMALE.....	44	-	-	-	-	-	-	-	-	-
39	WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0-422.2	7,861	35	12	4	7	6	64	13	20	33
40	MALE.....	3,966	15	6	4	5	1	31	7	13	24
41	FEMALE.....	3,895	20	6	-	2	5	33	6	7	9
42	WHITE.....MALE.....	3,349	8	4	2	2	1	17	3	10	19
43	FEMALE.....	3,358	11	4	-	1	4	20	5	6	5
44	NEGRO.....MALE.....	585	7	2	2	3	-	14	4	3	5
45	FEMALE.....	520	9	1	-	-	1	11	1	1	4
46	OTHER.....MALE.....	32	-	-	-	-	-	-	-	-	-
47	FEMALE.....	17	-	1	-	1	-	2	-	-	-
48	OTHER DISEASES OF HEART.....430-434	31,042	323	70	30	21	16	460	82	63	147
49	MALE.....	17,154	178	37	18	12	10	255	42	43	72
50	FEMALE.....	13,888	145	33	12	9	6	205	40	20	75
51	WHITE.....MALE.....	14,304	119	18	6	9	9	161	34	35	59
52	FEMALE.....	11,552	90	17	8	8	6	129	28	14	57
53	NEGRO.....MALE.....	2,750	54	18	12	2	1	87	8	7	13
54	FEMALE.....	2,260	50	15	3	1	-	69	11	5	16
55	OTHER.....MALE.....	100	5	1	-	1	-	7	-	1	2
56	FEMALE.....	76	5	1	1	-	-	7	1	1	2
57	ACUTE AND SUBACUTE ENDOCARDITIS.....430	757	6	2	-	3	1	12	6	6	19
58	MALE.....	487	4	1	-	3	1	9	4	4	8
59	FEMALE.....	270	2	1	-	-	-	3	2	2	11
60	WHITE.....MALE.....	417	3	1	-	2	1	7	4	4	9
61	FEMALE.....	213	2	1	-	-	-	3	2	1	7
62	NEGRO.....MALE.....	68	1	-	-	1	-	2	-	-	1
63	FEMALE.....	55	-	-	-	-	-	-	-	1	1
64	OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
65	FEMALE.....	2	-	-	-	-	-	-	-	-	1
66	ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC.....431-432	1,065	45	19	10	3	8	85	17	12	31
67	MALE.....	584	24	9	4	3	5	45	10	7	17
68	FEMALE.....	481	21	10	6	-	3	40	7	5	14
69	WHITE.....MALE.....	461	16	3	2	2	5	28	6	6	16
70	FEMALE.....	373	14	5	2	-	3	24	4	4	10
71	NEGRO.....MALE.....	121	7	6	2	-	-	15	4	1	1
72	FEMALE.....	100	5	5	3	-	-	13	3	1	4
73	OTHER.....MALE.....	2	1	-	-	1	-	2	-	-	-
74	FEMALE.....	8	2	-	1	-	-	3	-	-	-
75	FUNCTIONAL DISEASE OF HEART.....433	10,008	203	26	9	6	7	251	31	24	50
76	MALE.....	5,048	115	14	8	4	4	145	15	16	26
77	FEMALE.....	4,960	88	12	1	2	3	106	16	8	24
78	WHITE.....MALE.....	4,434	77	8	4	4	3	96	14	11	20
79	FEMALE.....	4,408	55	8	1	2	3	69	11	5	20
80	NEGRO.....MALE.....	580	34	5	4	-	1	44	1	4	6
81	FEMALE.....	521	30	4	-	-	-	34	4	2	4
82	OTHER.....MALE.....	34	4	1	-	-	-	5	-	1	-
83	FEMALE.....	31	3	-	-	-	-	3	1	1	-
84	OTHER AND UNSPECIFIED DISEASES OF HEART.....434	19,212	69	23	11	9	-	112	28	21	47
85	MALE.....	11,035	35	13	6	2	-	56	13	16	21
86	FEMALE.....	8,177	34	10	5	7	-	56	15	5	26
87	WHITE.....MALE.....	8,992	23	6	-	1	-	30	10	14	16
88	FEMALE.....	6,558	19	3	5	6	-	33	11	4	18
89	NEGRO.....MALE.....	1,981	12	7	6	1	-	26	3	2	5
90	FEMALE.....	1,584	15	6	-	1	-	22	4	1	7
	OTHER.....MALE.....	62	-	-	-	-	-	-	-	-	-
	FEMALE.....	35	-	1	-	-	-	1	-	-	1

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	DISEASES OF ARTERIES—CON.										
02	OTHER ARTERIAL DISEASES.....452-454,456	3,595	6	1	1	1	3	12	5	23	77
03	MALE.....	1,726	3	1	1	1	2	8	2	5	19
04	FEMALE.....	1,869	3	-	-	-	1	4	3	18	58
05	WHITE.....MALE.....	1,561	3	1	1	1	2	6	2	5	11
06	FEMALE.....	1,579	2	-	-	-	1	3	3	17	39
07	NEGRO.....MALE.....	155	-	-	-	-	-	-	-	-	8
08	FEMALE.....	278	1	-	-	-	-	1	-	-	17
09	OTHER.....MALE.....	10	-	-	-	-	-	-	-	-	-
	FEMALE.....	12	-	-	-	-	-	-	-	1	2
10	DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....460-468	13,469	33	10	5	4	3	55	8	16	37
11	MALE.....	6,713	26	4	3	2	-	35	4	6	16
12	FEMALE.....	6,756	7	6	2	2	3	20	4	10	21
13	WHITE.....MALE.....	5,690	18	3	3	2	-	26	4	5	14
14	FEMALE.....	5,784	4	4	2	2	1	13	4	7	16
15	NEGRO.....MALE.....	988	7	1	-	-	-	8	-	1	2
16	FEMALE.....	947	3	2	-	-	2	7	-	3	5
17	OTHER.....MALE.....	35	1	-	-	-	-	1	-	-	-
18	FEMALE.....	25	-	-	-	-	-	-	-	-	-
19	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	103,620	9,204	1,267	536	322	197	11,526	609	420	506
20	MALE.....	66,710	5,299	702	290	177	103	6,571	310	229	295
21	FEMALE.....	36,910	3,905	565	246	145	94	4,955	299	191	211
22	WHITE.....MALE.....	57,948	3,254	444	193	113	82	4,086	239	187	239
23	FEMALE.....	31,347	2,160	343	163	95	71	2,832	228	139	164
24	NEGRO.....MALE.....	8,209	1,944	245	91	61	17	2,358	71	38	53
25	FEMALE.....	5,250	1,648	209	79	47	23	2,006	70	52	47
26	OTHER.....MALE.....	553	101	13	6	3	4	127	-	4	3
27	FEMALE.....	313	97	13	4	3	-	117	1	-	-
28	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	670	279	50	29	9	11	378	34	9	8
29	MALE.....	366	168	31	14	8	4	225	18	5	4
30	FEMALE.....	304	111	19	15	1	7	153	16	4	4
31	WHITE.....MALE.....	275	116	24	11	5	3	159	15	4	2
32	FEMALE.....	224	61	13	12	1	6	93	16	2	3
33	NEGRO.....MALE.....	86	50	7	3	1	1	64	3	1	2
34	FEMALE.....	74	46	6	2	-	1	55	-	2	1
35	OTHER.....MALE.....	5	2	-	-	-	-	2	-	-	-
36	FEMALE.....	6	4	-	1	-	-	5	-	-	-
37	INFLUENZA.....480-483	2,830	129	29	6	9	9	182	15	19	22
38	MALE.....	1,344	71	15	3	7	2	98	5	8	15
39	FEMALE.....	1,486	58	14	3	2	7	84	10	11	7
40	WHITE.....MALE.....	1,172	36	9	1	3	1	50	4	7	12
41	FEMALE.....	1,285	14	9	2	1	6	32	9	7	6
42	NEGRO.....MALE.....	158	33	6	1	3	1	44	1	1	3
43	FEMALE.....	177	39	4	1	1	1	46	1	4	1
44	OTHER.....MALE.....	14	2	1	1	1	-	4	-	-	-
45	FEMALE.....	24	5	1	-	-	-	6	-	-	-
46	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	60,785	6,832	966	395	235	123	8,551	440	316	380
47	MALE.....	34,221	3,917	524	213	119	69	4,842	216	174	222
48	FEMALE.....	26,564	2,915	442	182	116	54	3,709	224	142	158
49	WHITE.....MALE.....	28,043	2,341	319	140	71	51	2,922	165	143	185
50	FEMALE.....	22,279	1,597	255	109	73	37	2,071	161	104	123
51	NEGRO.....MALE.....	5,812	1,497	196	68	46	14	1,821	51	28	34
52	FEMALE.....	4,068	1,249	177	70	41	17	1,554	62	38	33
53	OTHER.....MALE.....	366	79	9	5	2	4	99	-	3	3
54	FEMALE.....	217	69	10	3	2	-	84	1	-	-
55	LOBAR PNEUMONIA.....490	8,064	484	87	39	21	9	640	50	37	53
56	MALE.....	5,345	286	47	18	11	4	366	19	20	32
57	FEMALE.....	3,519	198	40	21	10	5	274	31	17	21
58	WHITE.....MALE.....	4,304	173	31	11	5	3	223	14	17	27
59	FEMALE.....	2,860	98	18	12	6	3	137	20	13	13
60	NEGRO.....MALE.....	992	109	16	7	6	1	139	5	3	5
61	FEMALE.....	632	95	22	9	4	2	132	10	4	8
62	OTHER.....MALE.....	49	4	-	-	-	-	4	-	-	-
63	FEMALE.....	27	5	-	-	-	-	5	1	-	-
64	BRONCHOPNEUMONIA.....491	33,276	2,865	466	195	121	67	3,714	232	171	220
65	MALE.....	18,565	1,610	250	108	61	38	2,067	120	94	124
66	FEMALE.....	14,711	1,255	216	87	60	29	1,647	112	77	96
67	WHITE.....MALE.....	15,480	884	147	71	38	28	1,168	91	78	109
68	FEMALE.....	12,617	648	120	46	39	20	873	83	52	79
69	NEGRO.....MALE.....	2,904	692	98	34	22	8	854	29	15	15
70	FEMALE.....	1,995	580	91	40	20	9	740	29	25	17
71	OTHER.....MALE.....	181	34	5	3	1	2	45	-	1	-
72	FEMALE.....	99	27	5	1	1	-	34	-	-	-
73	PRIMARY ATYPICAL PNEUMONIA.....492	5,729	1,989	202	83	37	22	2,333	66	52	40
74	MALE.....	3,140	1,163	117	44	19	14	1,357	34	29	25
75	FEMALE.....	2,589	826	85	39	18	8	976	32	23	15
76	WHITE.....MALE.....	2,549	832	86	33	12	10	973	29	24	19
77	FEMALE.....	2,094	547	61	31	10	7	656	24	20	12
78	NEGRO.....MALE.....	543	310	31	11	7	2	361	5	4	3
79	FEMALE.....	464	265	22	7	7	1	302	8	3	3
80	OTHER.....MALE.....	48	21	-	-	-	-	23	-	1	3
81	FEMALE.....	31	14	2	1	1	-	18	-	-	-
82	PNEUMONIA, OTHER AND UNSPECIFIED.....493	12,916	1,494	211	78	56	25	1,864	92	56	67
83	MALE.....	7,171	858	110	43	28	13	1,052	43	31	41
84	FEMALE.....	5,745	636	101	35	28	12	812	49	25	26
85	WHITE.....MALE.....	5,710	452	55	25	16	10	558	31	24	30
86	FEMALE.....	4,708	304	56	20	18	7	405	34	19	19
87	NEGRO.....MALE.....	1,373	386	51	16	11	3	467	12	6	11
88	FEMALE.....	977	309	42	14	10	5	380	15	6	7
89	OTHER.....MALE.....	88	20	4	2	1	-	27	-	1	-
90	FEMALE.....	60	23	3	1	-	-	27	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACUTE BRONCHITIS.....500	987	209	58	30	10	15	322	20	11	11
02	MALE.....	547	115	31	18	7	9	180	11	7	6
03	FEMALE..	440	94	27	12	3	6	142	9	4	5
04	WHITE.....MALE....	450	78	24	13	5	8	128	10	5	3
05	FEMALE..	364	62	23	11	2	6	104	9	4	5
06	NEGRO.....MALE....	88	32	7	5	2	1	47	1	1	3
07	FEMALE..	68	27	4	1	1	-	33	-	-	-
08	OTHER.....MALE....	9	5	-	-	-	-	5	-	1	-
09	FEMALE..	8	5	-	-	-	-	5	-	-	-
10	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	5,164	143	34	19	11	7	214	21	10	11
11	MALE.....	3,976	88	22	10	9	2	131	15	4	8
12	FEMALE..	1,188	55	12	9	2	5	83	6	6	3
13	WHITE.....MALE....	3,740	59	17	8	8	2	94	13	4	8
14	FEMALE..	1,099	33	6	9	2	4	54	5	4	1
15	NEGRO.....MALE....	216	26	4	2	1	-	33	2	-	-
16	FEMALE..	81	20	5	-	-	1	26	1	2	2
17	OTHER.....MALE....	20	3	1	-	-	-	4	-	-	-
18	FEMALE..	8	2	1	-	-	-	3	-	-	-
19	HYPERTROPHY OF TONSILS AND ADENOIDS.....510	82	-	4	4	9	9	26	22	12	6
20	MALE.....	44	-	2	2	5	5	14	13	5	2
21	FEMALE..	38	-	2	2	4	4	12	9	7	4
22	WHITE.....MALE....	34	-	1	1	5	5	12	10	3	2
23	FEMALE..	32	-	2	2	3	4	11	8	5	3
24	NEGRO.....MALE....	10	-	1	1	-	-	2	3	2	1
25	FEMALE..	5	-	-	-	-	-	1	1	2	1
26	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	1	-	-	-	1	-	1	-	-	-
28	EMPHYEMA AND ABSCESS OF LUNG.....518,521	826	15	5	1	-	-	21	5	5	7
29	MALE.....	599	8	2	1	-	-	11	3	2	3
30	FEMALE..	227	7	3	-	-	-	10	2	3	4
31	WHITE.....MALE....	468	5	1	1	-	-	7	2	1	2
32	FEMALE..	169	5	2	-	-	-	7	2	2	2
33	NEGRO.....MALE....	124	3	1	-	-	-	4	1	1	1
34	FEMALE..	55	2	1	-	-	-	3	-	1	2
35	OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
36	FEMALE..	3	-	-	-	-	-	-	-	-	-
37	PLEURISY.....519	182	20	-	-	-	-	20	-	-	1
38	MALE.....	111	15	-	-	-	-	15	-	-	1
39	FEMALE..	71	5	-	-	-	-	5	-	-	-
40	WHITE.....MALE....	94	11	-	-	-	-	11	-	-	1
41	FEMALE..	58	3	-	-	-	-	3	-	-	-
42	NEGRO.....MALE....	17	4	-	-	-	-	4	-	-	-
43	FEMALE..	13	2	-	-	-	-	2	-	-	-
44	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,271	1,080	68	27	14	13	1,202	15	10	14
47	MALE.....	2,813	632	41	15	6	5	699	8	4	8
48	FEMALE..	1,458	448	27	12	8	8	503	7	6	6
49	WHITE.....MALE....	2,406	424	24	9	5	5	467	4	4	8
50	FEMALE..	1,172	263	19	11	5	6	304	6	5	6
51	NEGRO.....MALE....	384	205	16	6	1	-	228	4	-	-
52	FEMALE..	267	179	7	1	3	2	192	1	1	-
53	OTHER.....MALE....	23	3	1	-	-	-	4	-	-	-
54	FEMALE..	19	6	1	-	-	-	7	-	-	-
55	BRONCHIECTASIS.....526	1,587	2	1	1	-	1	5	6	-	6
56	MALE.....	1,026	1	-	-	-	-	1	4	-	4
57	FEMALE..	561	1	1	1	-	1	4	2	-	2
58	WHITE.....MALE....	947	1	-	-	-	-	1	3	-	2
59	FEMALE..	530	-	1	1	-	-	2	1	-	2
60	NEGRO.....MALE....	62	-	-	-	-	-	1	1	-	2
61	FEMALE..	25	-	-	-	-	1	1	-	-	-
62	OTHER.....MALE....	17	-	-	-	-	-	-	-	-	-
63	FEMALE..	6	1	-	-	-	-	1	-	-	-
64	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	22,513	273	26	13	10	3	325	13	10	19
65	MALE.....	18,959	156	14	6	6	3	185	6	5	9
66	FEMALE..	3,554	117	12	7	4	-	140	7	5	10
67	WHITE.....MALE....	17,895	101	9	5	4	3	122	4	5	7
68	FEMALE..	3,270	62	8	4	4	-	78	4	4	6
69	NEGRO.....MALE....	986	54	4	1	2	-	61	2	5	2
70	FEMALE..	266	53	4	3	-	-	60	3	1	4
71	OTHER.....MALE....	78	1	1	-	-	-	2	-	-	-
72	FEMALE..	18	2	-	-	-	-	2	-	-	-
73	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	20,252	54	-	1	2	1	58	2	3	3
74	MALE.....	17,480	37	-	-	-	1	39	1	2	2
75	FEMALE..	2,772	17	-	1	1	-	19	1	1	1
76	WHITE.....MALE....	16,632	30	-	-	-	1	32	1	2	1
77	FEMALE..	2,632	13	-	-	-	-	14	1	-	-
78	NEGRO.....MALE....	762	7	-	-	-	-	7	-	-	1
79	FEMALE..	131	4	-	1	-	-	5	-	1	1
80	OTHER.....MALE....	66	-	-	-	-	-	-	-	-	-
81	FEMALE..	9	-	-	-	-	-	-	-	-	-
82	ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527.0,527.2	2,261	219	26	12	8	2	267	11	7	16
83	MALE.....	1,479	119	14	6	5	2	146	5	3	9
84	FEMALE..	782	100	12	6	3	-	121	6	4	7
85	WHITE.....MALE....	1,263	71	9	5	3	2	90	3	3	6
86	FEMALE..	638	49	4	4	3	-	64	3	4	6
87	NEGRO.....MALE....	204	47	4	1	2	-	54	2	-	1
88	FEMALE..	135	49	4	2	-	-	55	3	-	3
89	OTHER.....MALE....	12	1	1	-	-	-	-	-	-	-
90	FEMALE..	9	2	-	-	-	-	2	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

Table with columns: Cause of death, race, and sex; Total; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5-9 years; 10-14 years; 15-19 years. Rows include categories like OTHER RESPIRATORY DISEASES, DISEASES OF THE DIGESTIVE SYSTEM, etc.

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM, AND DELIVERY WITHOUT MENTION OF COMPLICATION.....RESIDUAL	327	-	-	-	-	-	-	-	-	17
02	WHITE.....FEMALE..	214	-	-	-	-	-	-	-	-	8
03	NEGRO.....FEMALE..	107	-	-	-	-	-	-	-	-	9
04	OTHER.....FEMALE..	6	-	-	-	-	-	-	-	-	-
05	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,347	27	4	3	3	2	39	11	15	40
06	MALE.....	809	16	2	1	2	-	21	2	7	10
07	FEMALE..	1,538	11	2	2	1	2	18	9	8	30
08	WHITE.....MALE.....	640	11	2	1	1	-	15	1	7	5
09	FEMALE..	1,244	5	2	1	1	1	10	7	7	17
10	NEGRO.....MALE.....	161	5	-	-	-	-	5	1	-	5
11	FEMALE..	280	6	-	1	-	1	8	2	1	13
12	OTHER.....MALE.....	8	-	-	-	1	-	1	-	-	-
13	FEMALE..	14	-	-	-	-	-	-	-	-	-
14	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	488	14	2	1	1	-	18	2	3	5
15	MALE.....	248	9	1	1	1	-	12	1	2	3
16	FEMALE..	240	5	1	-	-	-	6	1	1	2
17	WHITE.....MALE.....	200	6	1	1	-	-	8	-	2	1
18	FEMALE..	198	2	1	-	-	-	3	1	1	1
19	NEGRO.....MALE.....	47	3	-	-	-	-	3	1	-	2
20	FEMALE..	40	3	-	-	-	-	3	1	-	1
21	OTHER.....MALE.....	1	-	-	-	1	-	1	-	-	-
22	FEMALE..	2	-	-	-	-	-	-	-	-	-
23	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,859	13	2	2	2	2	21	9	12	35
24	MALE.....	561	7	1	-	1	-	9	1	5	7
25	FEMALE..	1,298	6	1	2	1	2	12	8	7	28
26	WHITE.....MALE.....	440	5	1	-	1	-	7	1	5	4
27	FEMALE..	1,046	3	1	1	1	1	7	6	6	16
28	NEGRO.....MALE.....	114	2	-	-	-	-	2	-	-	3
29	FEMALE..	240	3	-	1	-	1	5	2	1	12
30	OTHER.....MALE.....	7	-	-	-	-	-	-	-	-	-
31	FEMALE..	12	-	-	-	-	-	-	-	-	-
32	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.....	3,934	99	11	11	11	6	138	30	68	169
33	MALE.....	1,716	53	4	4	7	3	71	19	49	153
34	FEMALE..	2,218	46	7	7	4	3	67	11	19	16
35	WHITE.....MALE.....	1,554	48	4	4	4	3	63	15	42	141
36	FEMALE..	2,042	41	6	4	4	3	58	10	17	12
37	NEGRO.....MALE.....	152	5	-	-	3	-	8	3	6	9
38	FEMALE..	163	5	1	2	-	-	8	1	2	3
39	OTHER.....MALE.....	10	-	-	-	-	-	1	1	1	3
40	FEMALE..	13	-	-	1	-	-	1	-	-	1
41	ARTHRITIS AND SPONDYLITIS.....720-725	2,079	-	1	-	1	-	2	7	5	2
42	MALE.....	728	-	-	-	-	-	-	4	3	1
43	FEMALE..	1,351	-	1	-	1	-	2	3	2	1
44	WHITE.....MALE.....	665	-	-	-	-	-	-	2	3	1
45	FEMALE..	1,263	-	1	-	1	-	2	3	2	1
46	NEGRO.....MALE.....	58	-	-	-	-	-	-	2	-	1
47	FEMALE..	81	-	-	-	-	-	-	-	-	-
48	OTHER.....MALE.....	5	-	-	-	-	-	-	-	-	-
49	FEMALE..	7	-	-	-	-	-	-	-	-	-
50	MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726-727	58	-	-	-	1	-	1	1	-	1
51	MALE.....	25	-	-	-	1	-	1	-	-	1
52	FEMALE..	33	-	-	-	-	-	-	1	-	-
53	WHITE.....MALE.....	19	-	-	-	-	-	-	-	-	-
54	FEMALE..	22	-	-	-	-	-	-	1	-	-
55	NEGRO.....MALE.....	6	-	-	-	1	-	1	-	-	1
56	FEMALE..	11	-	-	-	-	-	-	-	-	-
57	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
58	FEMALE..	-	-	-	-	-	-	-	-	-	-
59	OSTEOMYELITIS AND PERIOSTITIS.....730	172	2	-	-	2	-	4	1	1	1
60	MALE.....	90	2	-	-	2	-	4	1	1	-
61	FEMALE..	82	-	-	-	-	-	-	-	-	1
62	WHITE.....MALE.....	72	-	-	-	2	-	2	1	1	-
63	FEMALE..	67	-	-	-	-	-	-	-	-	1
64	NEGRO.....MALE.....	18	2	-	-	-	-	2	-	-	-
65	FEMALE..	13	-	-	-	-	-	-	-	-	-
66	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
67	FEMALE..	2	-	-	-	-	-	-	-	-	-
68	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737, 745-749	129	5	-	-	2	1	8	1	10	5
69	MALE.....	51	1	-	-	2	-	3	1	1	2
70	FEMALE..	78	4	-	-	-	1	5	-	9	3
71	WHITE.....MALE.....	43	1	-	-	1	-	2	1	-	2
72	FEMALE..	73	3	-	-	-	1	4	-	8	3
73	NEGRO.....MALE.....	8	-	-	-	1	-	1	-	1	-
74	FEMALE..	5	1	-	-	-	-	1	-	1	-
75	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
76	FEMALE..	-	-	-	-	-	-	-	-	-	-
77	INBORN DEFECT OF MUSCLE.....744.1	621	78	7	6	5	4	100	19	45	147
78	MALE.....	453	38	2	2	2	3	47	12	40	143
79	FEMALE..	168	40	5	4	3	1	53	7	5	4
80	WHITE.....MALE.....	420	35	2	2	1	3	43	10	34	135
81	FEMALE..	158	37	5	2	3	1	48	6	5	3
82	NEGRO.....MALE.....	29	3	-	-	1	-	4	1	5	6
83	FEMALE..	8	3	-	1	-	-	4	1	-	-
84	OTHER.....MALE.....	4	-	-	-	-	-	-	1	1	2
85	FEMALE..	2	-	-	1	-	-	1	-	-	1

SECTION I - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	875	14	3	5	-	-	23	1	7	13
02	MALE.....	369	12	2	2	-	-	16	1	4	6
03	FEMALE..	506	2	1	3	-	1	7	-	3	7
04	WHITE.....MALE.....	335	12	2	2	-	-	16	1	4	4
05	FEMALE..	459	1	-	2	-	1	4	-	2	4
06	NEGRO.....MALE.....	33	-	-	-	-	-	-	-	-	1
07	FEMALE..	45	1	1	1	-	-	3	-	1	3
08	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	1
09	FEMALE..	2	-	-	-	-	-	-	-	-	-
10	XIV. CONGENITAL MALFORMATIONS.....	18,158	12,200	820	411	271	201	13,903	646	410	415
11	MALE.....	9,721	6,625	411	199	144	103	7,482	359	197	223
12	FEMALE..	8,437	5,575	409	212	127	98	6,421	287	213	192
13	WHITE.....MALE.....	8,265	5,636	337	153	118	84	6,328	299	161	191
14	FEMALE..	7,199	4,762	335	158	103	82	5,440	248	178	164
15	NEGRO.....MALE.....	1,345	908	71	42	26	16	1,063	55	31	31
16	FEMALE..	1,151	753	71	51	23	15	913	36	31	28
17	OTHER.....MALE.....	111	81	3	4	-	3	91	5	5	1
18	FEMALE..	87	60	3	3	1	1	68	3	4	-
19	SPINA BIFIDA AND MENINGOCELE.....	751	1,151	980	72	21	14	1,097	16	9	9
20	MALE.....	494	420	33	10	3	3	469	8	5	3
21	FEMALE..	657	560	39	11	11	7	628	8	4	6
22	WHITE.....MALE.....	450	382	29	10	3	3	427	8	5	3
23	FEMALE..	610	520	37	10	10	5	582	8	3	6
24	NEGRO.....MALE.....	43	38	4	-	-	-	42	-	-	-
25	FEMALE..	40	34	2	1	-	2	39	-	1	-
26	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
27	FEMALE..	7	6	-	-	1	-	7	-	-	-
28	CONGENITAL HYDROCEPHALUS, ETC.....	752,753	1,756	973	189	98	70	1,382	146	90	49
29	MALE.....	897	501	97	46	36	25	705	79	37	26
30	FEMALE..	859	472	92	52	34	27	677	67	53	23
31	WHITE.....MALE.....	738	410	85	35	31	20	581	63	31	19
32	FEMALE..	729	407	75	42	26	24	574	57	47	18
33	NEGRO.....MALE.....	144	83	11	9	5	5	113	14	5	6
34	FEMALE..	124	62	15	10	8	3	98	10	5	5
35	OTHER.....MALE.....	15	8	1	2	-	-	11	2	1	1
36	FEMALE..	6	3	2	-	-	-	5	-	1	-
37	CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....	754	9,020	5,748	425	226	140	113	6,652	417	250
38	MALE.....	4,940	3,271	206	111	73	58	3,719	231	120	153
39	FEMALE..	4,080	2,477	219	115	67	55	2,933	186	130	124
40	WHITE.....MALE.....	4,194	2,782	165	84	57	47	3,195	192	97	133
41	FEMALE..	3,402	2,039	172	85	55	46	2,397	160	105	108
42	NEGRO.....MALE.....	685	444	40	26	16	9	535	36	20	20
43	FEMALE..	626	405	46	27	12	8	498	23	22	16
44	OTHER.....MALE.....	61	45	1	1	-	2	49	3	3	-
45	FEMALE..	52	33	1	3	-	1	38	3	3	-
46	OTHER CONGENITAL MALFORMATIONS.....	750,755-759	6,231	4,499	134	66	47	26	4,772	67	61
47	MALE.....	3,390	2,433	75	32	32	17	2,589	41	35	41
48	FEMALE..	2,841	2,066	59	34	15	9	2,183	26	26	39
49	WHITE.....MALE.....	2,883	2,062	58	24	27	14	2,185	36	28	36
50	FEMALE..	2,458	1,796	51	21	12	7	1,887	23	23	32
51	NEGRO.....MALE.....	473	343	16	7	5	2	373	5	6	5
52	FEMALE..	361	252	8	13	3	2	278	3	3	7
53	OTHER.....MALE.....	34	28	1	1	-	1	31	-	1	-
54	FEMALE..	22	18	-	-	-	-	18	-	-	-
55	XV. CERTAIN DISEASES OF EARLY INFANCY.....	51,644	51,608	12	2	5	-	51,627	5	2	4
56	MALE.....	30,226	30,209	5	1	2	-	30,217	-	2	4
57	FEMALE..	21,418	21,399	7	1	3	-	21,410	-	-	-
58	WHITE.....MALE.....	22,637	22,624	3	1	1	-	22,629	-	2	4
59	FEMALE..	15,462	15,445	6	1	3	-	15,455	4	-	-
60	NEGRO.....MALE.....	7,233	7,229	2	-	1	-	7,232	-	-	-
61	FEMALE..	5,683	5,681	1	-	-	-	5,682	1	-	-
62	OTHER.....MALE.....	356	356	-	-	-	-	356	-	-	-
63	FEMALE..	273	273	-	-	-	-	273	-	-	-
64	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.....	23,960	2,644	215	127	67	39	3,092	102	70	175
65	MALE.....	14,120	1,488	114	74	40	20	1,736	54	48	106
66	FEMALE..	9,840	1,156	101	53	27	19	1,356	48	22	69
67	WHITE.....MALE.....	9,509	766	54	37	19	11	887	36	27	79
68	FEMALE..	6,239	486	56	23	19	12	596	27	13	47
69	NEGRO.....MALE.....	4,391	685	55	34	17	8	799	17	19	26
70	FEMALE..	3,437	616	42	24	8	7	697	20	9	21
71	OTHER.....MALE.....	220	37	3	3	4	1	50	1	2	1
72	FEMALE..	164	54	5	6	-	-	63	1	-	1
73	SENILITY WITHOUT MENTION OF PSYCHOSIS.....	794	1,958	-	-	-	-	-	-	-	-
74	MALE.....	764	-	-	-	-	-	-	-	-	-
75	FEMALE..	1,194	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	563	-	-	-	-	-	-	-	-	-
77	FEMALE..	982	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	180	-	-	-	-	-	-	-	-	-
79	FEMALE..	204	-	-	-	-	-	-	-	-	-
80	OTHER.....MALE.....	21	-	-	-	-	-	-	-	-	-
81	FEMALE..	8	-	-	-	-	-	-	-	-	-
82	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....	780-793,795	22,002	2,644	215	127	67	3,092	102	70	175
83	MALE.....	13,356	1,488	114	74	40	20	1,736	54	48	106
84	FEMALE..	8,646	1,156	101	53	27	19	1,356	48	22	69
85	WHITE.....MALE.....	8,946	766	54	37	19	11	887	36	27	79
86	FEMALE..	5,257	486	56	23	19	12	596	27	13	47
87	NEGRO.....MALE.....	4,211	685	55	34	17	8	799	17	19	26
88	FEMALE..	3,233	616	42	24	8	7	697	20	9	21
89	OTHER.....MALE.....	199	37	5	3	4	1	50	1	2	1
90	FEMALE..	156	54	3	6	-	-	63	1	-	1

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.										
01 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,459	5	8	14	27	16	70	57	35	81
02 MALE.....	1,379	3	6	8	18	8	43	37	26	78
03 FEMALE.....	80	2	2	6	9	8	27	20	9	3
04 WHITE.....MALE.....	1,181	2	6	8	15	6	37	34	23	72
05 FEMALE.....	66	2	1	3	8	8	22	16	7	3
06 NEGRO.....MALE.....	182	1	-	-	3	1	5	3	3	5
07 FEMALE.....	13	-	1	2	1	-	4	4	2	1
08 OTHER.....MALE.....	16	-	-	-	-	1	1	-	-	1
09 FEMALE.....	1	-	-	1	-	-	1	-	-	-
10 ACCIDENT CAUSED BY MACHINERY.....E912	2,070	-	11	21	19	22	73	69	80	138
11 MALE.....	2,002	-	6	13	16	14	49	60	73	137
12 FEMALE.....	68	-	5	8	3	8	24	9	7	1
13 WHITE.....MALE.....	1,794	-	6	13	15	12	46	55	66	117
14 FEMALE.....	64	-	5	7	3	8	23	8	7	-
15 NEGRO.....MALE.....	191	-	-	-	1	2	3	5	7	20
16 FEMALE.....	4	-	-	1	-	-	1	1	-	1
17 OTHER.....MALE.....	17	-	-	-	-	-	-	-	-	-
18 FEMALE.....	-	-	-	-	-	-	-	-	-	-
19 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	1,025	9	14	5	7	5	40	32	44	127
20 MALE.....	952	5	7	2	3	4	21	26	36	122
21 FEMALE.....	73	4	7	3	4	1	19	6	8	5
22 WHITE.....MALE.....	859	4	6	2	3	3	18	24	30	110
23 FEMALE.....	64	2	7	3	4	1	17	6	6	5
24 NEGRO.....MALE.....	88	1	1	-	-	1	3	2	5	12
25 FEMALE.....	8	2	-	-	-	-	2	-	1	-
26 OTHER.....MALE.....	5	-	-	-	-	-	-	-	1	-
27 FEMALE.....	1	-	-	-	-	-	-	-	1	-
28 ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	8,084	264	298	294	307	270	1,433	564	203	169
29 MALE.....	4,767	136	159	161	160	118	734	274	108	117
30 FEMALE.....	3,317	128	139	133	147	152	699	290	95	52
31 WHITE.....MALE.....	3,452	61	86	94	90	70	401	151	75	94
32 FEMALE.....	2,199	59	68	67	77	78	349	163	58	42
33 NEGRO.....MALE.....	1,247	71	70	67	66	46	320	119	32	20
34 FEMALE.....	1,057	66	67	63	65	69	330	113	36	10
35 OTHER.....MALE.....	68	4	3	-	4	2	13	4	1	3
36 FEMALE.....	61	3	4	3	5	5	20	14	1	-
37 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	409	34	64	28	9	7	142	10	1	4
38 MALE.....	236	22	34	14	2	5	77	3	1	4
39 FEMALE.....	173	12	30	14	7	2	65	7	-	-
40 WHITE.....MALE.....	171	16	25	7	2	2	52	2	1	4
41 FEMALE.....	134	11	17	10	4	2	44	4	-	-
42 NEGRO.....MALE.....	63	6	9	7	-	3	25	1	-	-
43 FEMALE.....	38	1	13	3	3	-	20	3	-	-
44 OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
45 FEMALE.....	1	-	-	1	-	-	1	-	-	-
46 ACCIDENT CAUSED BY FIREARM.....E919	2,558	3	14	26	32	26	101	119	315	489
47 MALE.....	2,188	1	11	20	22	14	68	78	267	444
48 FEMALE.....	370	2	3	6	10	12	33	41	48	45
49 WHITE.....MALE.....	1,758	1	5	17	13	11	47	57	226	349
50 FEMALE.....	268	2	3	3	6	10	24	32	40	30
51 NEGRO.....MALE.....	396	-	5	3	3	3	19	20	37	88
52 FEMALE.....	96	-	-	3	3	2	8	7	8	15
53 OTHER.....MALE.....	34	-	1	-	1	-	2	1	4	7
54 FEMALE.....	6	-	-	-	1	-	1	2	-	-
55 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	1,831	618	102	45	21	17	803	46	25	38
56 MALE.....	1,112	368	67	30	11	10	486	28	17	33
57 FEMALE.....	719	250	35	15	10	7	317	18	15	5
58 WHITE.....MALE.....	888	267	49	21	8	8	353	23	10	24
59 FEMALE.....	577	172	23	12	8	3	218	16	12	4
60 NEGRO.....MALE.....	208	93	17	9	2	2	124	5	2	4
61 FEMALE.....	134	74	11	3	2	4	94	2	1	1
62 OTHER.....MALE.....	16	8	1	-	-	-	9	-	-	2
63 FEMALE.....	8	4	1	-	-	-	5	-	-	-
64 ACCIDENTAL DROWNING.....E929	5,687	68	267	221	163	125	844	616	706	1,025
65 MALE.....	4,724	37	165	156	124	96	578	486	583	934
66 FEMALE.....	963	31	102	65	39	29	266	130	123	91
67 WHITE.....MALE.....	3,630	29	159	149	117	88	542	376	367	688
68 FEMALE.....	821	25	95	60	37	22	239	109	98	76
69 NEGRO.....MALE.....	982	8	4	5	4	6	27	102	207	234
70 FEMALE.....	115	6	3	4	2	4	19	18	22	12
71 OTHER.....MALE.....	112	-	2	2	2	2	9	8	9	12
72 FEMALE.....	27	-	4	1	-	3	8	3	3	3
73 EXCESSIVE HEAT AND INSOLATION.....E931	531	12	4	1	1	1	19	1	3	8
74 MALE.....	291	7	2	-	1	1	11	-	1	8
75 FEMALE.....	240	5	2	1	-	-	8	1	2	-
76 WHITE.....MALE.....	212	3	2	-	1	1	7	-	1	5
77 FEMALE.....	163	1	-	1	-	-	2	-	1	-
78 NEGRO.....MALE.....	76	4	-	-	-	-	4	-	-	3
79 FEMALE.....	74	3	2	-	-	-	5	1	1	-
80 OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
81 FEMALE.....	3	1	-	-	-	-	1	-	-	-
82 COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,411	34	9	3	7	3	56	11	11	11
83 MALE.....	704	22	6	2	4	2	36	4	7	7
84 FEMALE.....	707	12	3	1	3	1	20	7	4	4
85 WHITE.....MALE.....	607	16	5	2	4	2	29	4	6	3
86 FEMALE.....	618	8	1	1	3	1	14	7	3	6
87 NEGRO.....MALE.....	90	6	1	-	-	-	7	-	1	1
88 FEMALE.....	89	3	2	-	-	-	5	-	1	1
89 OTHER.....MALE.....	7	-	-	-	-	-	-	-	-	-
90 FEMALE.....	4	1	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex	Total	Under	1	2	3	4	Under	5-9	10-14	15-19
		1 year	year	years	years	years	5 years	years	years	years
ACCIDENTS--CON.										
01 ALL OTHER ACCIDENTS.....RESIDUAL	7,001	1,462	193	83	66	56	1,860	224	246	284
02 MALE.....	4,952	838	120	53	43	38	1,092	168	204	251
03 FEMALE.....	2,049	624	73	30	23	18	768	56	42	33
04 WHITE.....MALE.....	3,797	553	91	41	32	32	749	144	176	215
05 FEMALE.....	1,526	400	54	21	17	15	507	44	32	26
06 NEGRO.....MALE.....	1,057	268	26	11	10	6	321	22	23	30
07 FEMALE.....	487	211	16	8	5	3	243	8	10	6
08 OTHER.....MALE.....	98	17	3	1	1	-	22	2	5	6
09 FEMALE.....	36	13	3	1	1	-	18	2	-	1
10 SUICIDE.....E963, E970-E979	21,281	1	115	765
11 MALE.....	15,416	1	93	578
12 FEMALE.....	5,865	-	22	187
13 WHITE.....MALE.....	14,527	-	90	523
14 FEMALE.....	5,573	-	18	199
15 NEGRO.....MALE.....	731	1	2	44
16 FEMALE.....	225	-	4	20
17 OTHER.....MALE.....	158	-	-	11
18 FEMALE.....	67	-	-	8
19 SUICIDE BY POISONING.....E970-E973	5,588	-	6	174
20 MALE.....	2,970	-	2	100
21 FEMALE.....	2,618	-	4	74
22 WHITE.....MALE.....	2,891	-	2	93
23 FEMALE.....	2,542	-	3	67
24 NEGRO.....MALE.....	60	-	-	5
25 FEMALE.....	57	-	-	5
26 OTHER.....MALE.....	19	-	1	5
27 FEMALE.....	19	-	-	2
28 SUICIDE BY HANGING AND STRANGULATION.....E974	2,663	-	51	131
29 MALE.....	2,231	-	46	121
30 FEMALE.....	632	-	5	10
31 WHITE.....MALE.....	2,095	-	45	113
32 FEMALE.....	591	-	4	7
33 NEGRO.....MALE.....	80	-	-	5
34 FEMALE.....	14	-	-	1
35 OTHER.....MALE.....	56	-	1	3
36 FEMALE.....	27	-	-	3
37 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	10,407	1	53	396
38 MALE.....	8,780	1	41	320
39 FEMALE.....	1,627	-	12	76
40 WHITE.....MALE.....	8,292	-	40	287
41 FEMALE.....	1,538	-	10	65
42 NEGRO.....MALE.....	443	-	1	28
43 FEMALE.....	76	1	-	8
44 OTHER.....MALE.....	45	-	-	2
45 FEMALE.....	13	-	-	5
46 SUICIDE BY ALL OTHER MEANS.....E963, E975, E977-E979	2,423	-	5	64
47 MALE.....	1,435	-	4	37
48 FEMALE.....	988	-	1	27
49 WHITE.....MALE.....	1,249	-	3	30
50 FEMALE.....	902	-	-	20
51 NEGRO.....MALE.....	148	-	1	6
52 FEMALE.....	78	-	-	7
53 OTHER.....MALE.....	38	-	-	1
54 FEMALE.....	8	-	-	-
55 HOMICIDE.....E964, E980-E985	11,606	211	65	48	38	38	400	108	142	912
56 MALE.....	8,729	118	41	24	12	18	213	55	82	697
57 FEMALE.....	2,877	93	24	24	26	20	187	53	60	215
58 WHITE.....MALE.....	3,785	82	22	16	7	14	141	40	46	263
59 FEMALE.....	1,597	12	14	19	12	7	127	35	39	124
60 NEGRO.....MALE.....	4,847	36	19	7	5	3	70	15	36	430
61 FEMALE.....	1,244	22	12	9	6	8	57	18	21	89
62 OTHER.....MALE.....	97	-	-	1	-	1	2	-	-	4
63 FEMALE.....	36	1	-	1	1	-	3	-	-	2
64 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	6,855	10	4	7	9	12	42	47	74	571
65 MALE.....	5,376	6	2	4	3	6	21	27	50	441
66 FEMALE.....	1,479	4	2	3	6	6	21	20	24	130
67 WHITE.....MALE.....	2,327	5	-	3	3	4	15	17	29	152
68 FEMALE.....	794	3	1	3	2	2	12	14	12	65
69 NEGRO.....MALE.....	3,006	1	2	1	-	2	10	10	21	287
70 FEMALE.....	678	1	1	-	3	4	9	6	12	65
71 OTHER.....MALE.....	43	-	-	-	-	-	-	-	-	2
72 FEMALE.....	7	-	-	-	-	-	-	-	-	-
73 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	2,330	5	6	4	4	2	21	14	27	191
74 MALE.....	1,819	1	4	-	-	-	5	7	9	154
75 FEMALE.....	511	4	2	4	4	2	16	7	18	37
76 WHITE.....MALE.....	533	1	3	-	-	-	4	6	4	51
77 FEMALE.....	230	2	1	2	3	2	10	6	14	21
78 NEGRO.....MALE.....	1,264	-	1	-	-	-	1	1	5	103
79 FEMALE.....	273	1	1	2	1	-	5	1	4	16
80 OTHER.....MALE.....	22	-	-	-	-	-	-	-	-	-
81 FEMALE.....	8	1	-	-	-	-	1	-	-	-
82 ASSAULT BY OTHER MEANS.....E964, E980, E983	2,122	196	55	37	25	24	337	47	37	102
83 MALE.....	1,239	111	35	20	9	12	187	21	19	54
84 FEMALE.....	883	85	20	17	16	12	150	26	18	48
85 WHITE.....MALE.....	774	76	19	13	4	10	122	17	12	36
86 FEMALE.....	572	65	10	9	13	8	105	15	13	38
87 NEGRO.....MALE.....	434	35	16	6	5	1	63	4	7	17
88 FEMALE.....	290	20	10	7	2	4	43	11	5	8
89 OTHER.....MALE.....	31	-	-	1	-	1	2	-	-	1
90 FEMALE.....	21	-	-	1	1	-	2	-	-	2

Table 1-26. Deaths From 283 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Table with columns for CAUSE OF DEATH, UNITED STATES (Total, White, Nonwhite), and sub-columns for Both sexes, Male, and Female. It lists 283 causes of death with corresponding death counts.

SECTION 1 - GENERAL MORTALITY

1-163

and Sex: United States and Each State, 1966

of the International Lists, 1955. For complete category titles, see table 1-24]

Total	ALABAMA					ALASKA					ARIZONA				
	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
33,046	12,716	9,120	6,049	5,159	1,315	560	225	290	232	12,804	7,083	4,342	850	529	C1
465	144	89	146	86	25	3	2	13	7	232	101	48	28	25	02
266	80	40	99	47	9	2	1	2	4	105	60	25	8	12	03
241	74	35	92	40	8	2	1	2	3	97	59	22	7	9	04
8	2	-	4	2	-	-	-	-	-	3	-	2	-	1	05
8	2	-	2	4	-	-	-	-	-	1	-	-	-	1	06
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	07
2	-	2	-	-	1	-	-	-	1	2	1	-	-	1	08
6	2	2	1	1	-	-	-	-	-	1	-	-	1	-	09
39	15	5	14	5	1	-	-	1	-	12	6	1	4	1	10
1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	11
25	15	4	4	2	-	-	-	-	-	7	5	-	2	-	12
9	-	-	7	2	-	-	-	-	-	3	1	1	1	-	13
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
3	-	1	1	1	-	-	-	-	-	2	-	-	-	1	15
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	16
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17
1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	18
2	-	1	1	-	-	-	-	-	-	1	-	-	-	1	19
8	3	3	2	-	-	-	-	-	-	8	3	-	2	3	20
2	1	3	1	-	-	-	-	-	-	1	1	-	-	-	21
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	22
8	3	3	2	-	-	-	-	-	-	8	3	-	2	3	23
2	1	3	1	-	-	-	-	-	-	1	1	-	-	-	24
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25
2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	27
48	11	20	6	11	2	-	-	2	-	13	8	1	1	3	28
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
20	6	4	7	3	5	1	1	2	1	8	5	2	1	1	30
16	1	3	8	4	-	-	-	-	-	1	-	-	1	-	31
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-	32
11	6	2	1	2	1	-	-	1	-	7	4	2	1	-	33
1	1	1	-	-	-	-	-	-	-	7	4	2	1	-	34
4	3	-	-	1	-	-	-	-	-	10	2	2	4	2	35
4	-	3	-	1	1	-	-	-	1	5	-	4	1	-	36
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	39
37	15	4	6	12	5	-	-	5	-	23	9	8	4	2	40
4,521	1,785	1,534	610	592	153	75	31	29	18	1,967	1,069	764	76	58	41
4,420	1,748	1,502	598	572	145	72	31	28	14	1,932	1,054	747	74	57	42
90	45	35	7	3	4	2	-	1	1	41	25	13	1	2	43
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	44
16	13	3	-	-	2	2	-	-	-	8	3	5	-	-	45
40	12	25	1	2	1	-	-	1	-	16	9	7	-	-	46
32	18	7	6	1	1	-	-	-	1	16	12	1	1	2	47
1,236	461	409	203	163	38	17	11	7	3	561	308	214	20	19	48
72	32	13	22	5	2	1	-	1	-	26	18	7	-	1	49
235	76	58	64	37	5	2	-	2	1	117	61	49	5	2	50
13	5	7	1	-	-	-	-	-	-	6	5	1	-	-	51
385	127	162	46	50	18	6	8	2	2	171	89	74	3	5	52
43	16	18	6	3	1	1	1	-	-	25	13	11	-	1	53
17	6	8	3	-	2	1	-	-	1	5	4	1	-	-	54
9	3	2	3	1	-	-	-	-	-	7	4	2	-	1	55
52	17	24	6	5	4	-	-	3	-	25	14	11	-	-	56
259	83	108	27	41	11	5	4	1	1	156	51	49	3	3	57
5	2	2	1	-	-	-	-	-	-	3	3	-	-	-	58
102	32	36	12	22	4	3	-	1	-	61	34	26	3	8	59
89	33	35	15	6	3	2	1	-	-	48	19	18	1	8	60
45	25	6	14	-	2	2	-	-	-	13	9	4	-	-	61
44	8	29	1	6	1	-	-	1	-	35	10	14	3	8	62
64	33	12	9	10	-	-	-	-	-	20	15	5	-	-	63
251	115	82	28	26	6	3	-	1	-	95	61	27	4	3	64
25	8	4	6	7	-	-	-	-	-	17	6	7	4	-	65

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

ALABAMA					ALASKA					ARIZONA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
812	544	83	158	27	37	28	1	8	-	407	335	52	18	2
34	23	2	8	1	2	2	-	-	-	17	15	1	1	-
350	239	30	75	6	13	12	-	1	-	183	160	15	8	-
416	275	48	73	20	21	14	1	6	-	195	153	33	7	2
12	7	3	2	-	1	-	-	1	-	12	7	3	2	-
373	1	274	1	97	11	-	10	-	1	157	3	147	1	6
681	160	263	92	166	9	3	3	-	3	292	116	150	13	13
216	117	117	...	99	5	...	2	...	3	63	55	8
89	...	50	...	39	1	...	1	...	-	30	...	26	...	4
115	...	91	...	24	-	...	-	...	-	68	...	67	...	1
9	...	5	...	4	-	...	-	...	-	2	...	2	...	-
236	145	...	91	...	1	1	117	104	...	13	...
16	15	...	1	...	2	2	12	12	...	-	...
170	83	49	23	15	5	5	-	-	-	73	54	15	3	1
74	41	20	7	6	3	3	-	-	-	29	18	10	1	-
96	42	29	16	9	2	2	-	-	-	44	36	5	-	1
619	257	223	70	69	30	12	3	11	4	203	101	84	9	9
98	44	48	4	2	-	-	-	-	-	30	22	6	2	-
4	2	2	-	-	-	-	-	-	-	1	1	-	-	-
106	58	35	7	6	5	2	2	1	-	46	24	22	-	-
15	3	8	1	3	1	-	-	-	-	11	4	4	1	2
34	16	12	5	1	1	1	-	-	-	19	7	11	2	1
18	8	7	2	1	-	-	-	-	-	8	6	2	-	-
29	14	8	7	-	1	1	-	-	-	4	3	-	1	-
315	112	103	44	56	22	8	1	10	3	84	34	39	5	6
211	96	78	15	22	10	5	2	1	2	83	47	29	6	1
228	101	88	29	10	1	-	1	-	-	115	65	43	3	4
105	43	42	14	6	1	-	-	-	-	67	35	28	3	1
51	28	16	6	1	-	-	-	-	-	27	18	9	-	-
72	30	30	9	3	-	-	-	-	-	21	12	6	-	3
101	37	32	12	20	8	3	-	1	4	35	15	17	2	1
8	...	2	...	6	-	...	-	...	-	1	...	1	...	-
11	3	4	2	2	1	-	-	-	-	7	3	4	-	-
26	10	8	4	4	2	1	-	-	-	9	5	3	-	1
32	...	9	...	3	4	...	-	...	-	6	...	4	...	-
24	6	9	4	5	1	-	-	1	-	12	5	5	2	-
755	202	253	92	208	19	8	8	-	3	379	167	169	20	23
72	26	19	12	15	6	3	3	-	-	84	46	31	4	3
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	1	2	2	-	-	-	-	-	5	5	-	-	-
6	1	3	1	1	-	-	-	-	-	2	1	-	-	-
571	145	201	63	162	9	4	4	-	1	235	97	110	12	16
9	3	3	2	1	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	6	3	10	8	1	-	-	-	-	13	5	4	3	1
18	7	8	3	8	1	1	-	-	-	8	6	2	-	-
43	11	14	2	16	3	-	1	-	2	24	8	12	1	3
92	23	32	16	21	2	1	-	-	1	37	20	13	1	3
68	12	21	14	21	1	-	-	-	1	29	16	10	1	2
2	1	-	-	1	-	-	-	-	-	4	2	2	-	-
66	11	21	14	20	1	-	-	-	1	25	14	8	1	2
12	4	6	2	-	-	-	-	-	-	3	2	-	-	-
12	7	5	-	-	1	1	-	-	-	5	2	3	-	-
120	43	31	29	17	17	5	3	3	6	53	29	9	9	6
7	2	3	1	1	-	-	-	-	-	3	2	1	-	-
5	2	-	2	2	-	1	-	1	-	2	2	-	-	-
29	5	14	7	3	1	1	-	-	-	4	2	-	-	-
61	29	8	15	9	12	3	2	2	5	33	19	4	7	3
14	2	5	4	3	2	-	1	-	1	10	3	2	2	3
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-
4,799	1,444	1,559	874	922	85	35	19	12	19	1,208	564	547	50	47
4,522	1,358	1,475	819	870	62	30	14	7	11	1,088	510	506	36	36
159	53	59	24	23	9	4	1	1	3	52	19	25	5	3
2,749	790	817	559	583	26	13	6	2	5	646	298	299	21	28
1,193	405	453	153	182	16	6	4	3	3	297	151	133	9	4
421	110	146	83	82	11	7	3	1	-	93	42	49	1	1
50	16	9	14	11	9	2	1	3	3	33	13	6	7	7
9	3	2	1	3	1	1	-	-	-	13	9	4	-	-
33	12	15	4	2	1	1	-	-	-	17	11	5	1	-
20	12	4	3	1	2	2	-	-	-	4	2	1	1	-
43	12	9	15	7	3	-	1	-	2	16	6	7	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	1	-	-	1	-	-	1	-	1	1	-	-	-
118	30	44	17	27	6	-	2	1	3	36	12	18	4	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

ALABAMA					ALASKA					ARIZONA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
37	...	9	...	28	1	...	-	...	1	9	...	3	...	6	01
4	...	1	...	3	-	...	-	...	-	-	...	-	...	-	02
11	...	2	...	9	-	...	-	...	-	3	...	1	...	2	03
8	...	1	...	7	-	...	-	...	-	3	...	-	...	3	04
1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
6	...	3	...	3	-	...	-	...	-	-	...	-	...	-	07
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	08
6	...	2	...	4	-	...	-	...	-	3	...	2	...	1	09
69	18	21	8	22	-	-	-	-	-	8	1	7	-	-	10
15	2	5	5	3	-	-	-	-	-	3	1	2	-	-	11
54	16	16	3	19	-	-	-	-	-	5	-	5	-	-	12
84	32	37	7	8	1	-	-	1	-	47	22	24	1	-	13
52	18	24	4	6	-	-	-	-	-	37	13	23	1	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	16
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	17
16	8	6	2	2	1	-	-	1	-	6	6	-	-	-	18
13	5	5	1	2	-	-	-	-	-	1	1	-	-	-	19
326	123	123	40	40	32	14	11	4	3	174	83	65	15	11	20
34	14	19	-	1	1	-	1	-	-	8	2	4	-	2	21
30	9	12	5	4	1	1	-	-	-	25	11	10	2	2	22
150	55	57	16	22	11	4	3	2	2	87	37	33	11	6	23
112	45	35	19	13	19	9	7	2	1	54	33	18	2	1	24
1,062	352	231	266	213	90	28	18	21	23	468	224	153	56	35	25
1,836	448	266	627	495	52	14	9	17	12	200	62	39	54	45	26
77	19	26	16	16	13	4	-	7	2	10	2	5	2	1	27
1,759	429	240	611	479	39	10	9	10	10	190	60	34	52	44	28
3,194	1,509	576	812	297	413	172	53	115	73	1,403	813	309	221	60	29
2,507	1,216	495	558	238	342	143	43	92	64	1,089	616	240	188	45	30
37	20	1	12	4	-	-	-	-	-	10	9	-	1	-	31
1,204	639	226	254	85	72	38	12	13	9	563	302	127	110	24	32
1,180	626	221	248	85	69	36	11	13	9	557	299	126	109	23	33
46	21	13	8	4	1	-	-	-	-	5	4	1	-	-	34
195	74	38	58	25	10	3	2	3	2	104	42	23	37	2	35
519	276	122	82	39	23	11	4	6	2	221	122	59	33	7	36
293	183	29	69	12	35	22	4	4	5	179	108	33	26	12	37
127	72	19	31	5	-	-	-	-	-	48	23	10	13	2	38
24	13	5	6	-	3	2	1	-	-	6	3	1	1	1	39
5	2	-	3	-	4	1	-	2	1	8	2	1	5	-	40
42	32	5	5	-	49	23	2	21	3	3	3	-	-	-	41
38	36	2	-	-	41	28	7	5	1	21	18	3	-	-	42
49	22	10	9	8	4	2	1	2	1	53	21	24	4	4	43
22	13	4	4	1	3	2	-	-	-	18	14	4	-	-	44
264	83	134	28	19	12	4	4	1	3	83	51	23	7	2	45
45	19	11	10	5	5	2	1	-	2	26	20	4	2	-	46
41	15	23	2	1	1	1	-	-	-	21	13	5	3	-	47
178	49	100	16	13	6	1	3	1	1	36	18	14	2	2	48
37	25	2	10	-	-	-	-	-	-	11	8	1	2	-	49
44	33	1	10	-	7	6	-	1	-	18	15	-	3	-	50
21	18	-	3	-	1	1	-	-	-	16	14	1	-	1	51
244	68	37	64	75	68	10	10	18	30	56	29	16	7	4	52
8	3	2	1	2	-	-	-	-	-	3	1	1	-	1	53
105	55	10	34	14	4	5	-	6	3	42	32	6	4	-	54
43	18	8	12	9	4	4	2	3	-	14	8	5	1	-	55
126	60	20	40	6	28	10	3	10	5	68	38	12	15	3	56
8	2	-	4	2	-	-	-	-	-	14	8	2	3	1	57
30	9	16	3	2	2	1	-	-	1	7	4	2	2	1	58
180	78	17	62	23	28	10	2	10	6	81	39	12	26	4	59
308	216	51	34	7	44	23	7	11	3	211	158	41	8	4	60
28	17	10	1	-	5	2	-	1	2	51	32	17	-	2	61
15	11	3	-	1	1	1	-	-	-	16	13	-	2	1	62
246	176	36	30	4	37	20	7	9	1	136	107	24	5	-	63
19	12	2	3	2	1	-	-	1	-	8	6	-	1	1	64
377	76	30	219	52	27	6	3	12	6	132	38	28	25	11	65
256	55	22	152	27	13	4	2	7	-	66	24	17	16	9	66
81	10	3	49	19	13	1	-	1	-	17	11	1	3	2	67
35	11	5	13	6	13	2	1	4	6	17	2	10	5	-	68
5	-	-	5	-	-	-	-	-	-	2	1	-	1	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	19,333	8,967	5,874	2,512	1,980	157,444	81,813	64,589	6,674	4,368
02 I. INFECTIVE AND PARASITIC DISEASES.....	254	117	59	52	26	1,442	787	432	154	69
03 TUBERCULOSIS, ALL FORMS.....001-019	114	58	25	22	9	537	316	130	69	22
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	103	52	22	22	7	487	290	116	65	16
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	4	2	1	-	1	15	8	4	1	2
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	1	1	-	-	4	1	1	-	2
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	8	4	3	1	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	3	2	-	-	1	7	5	1	1	-
09 DISSEMINATED TUBERCULOSIS.....019	2	1	1	-	-	16	8	5	1	2
10 SYPHILIS AND ITS SEQUELAE.....020-029	31	16	3	8	4	275	173	62	28	12
11 CONGENITAL SYPHILIS.....020	1	1	-	-	-	5	3	2	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	21	13	3	2	3	179	127	41	6	5
14 OTHER CARDIOVASCULAR SYPHILIS.....023	5	1	-	3	1	52	27	12	12	1
15 TABES DORSALIS.....024	-	-	-	-	-	4	3	-	1	-
16 GENERAL PARALYSIS OF INSANE.....025	1	-	-	1	-	10	7	2	1	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	-	-	2	-	19	5	3	7	4
18 ALL OTHER SYPHILIS.....027-029	1	1	-	-	-	6	1	2	1	2
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	1	-	-	1	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	3	1	2	-	-	7	3	1	2	1
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	5	2	1	-	2	11	7	4	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	1	1	-	1	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	3	-	2	1	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	36	12	10	12	2	180	90	69	14	7
30 DIPHTHERIA.....055	-	-	-	-	-	2	1	1	-	-
31 WHOOPING COUGH.....054	3	-	1	1	1	4	4	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	10	5	4	-	-	109	47	39	16	7
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	1	-	1	-	-
35 TETANUS.....061	-	-	1	2	2	7	3	4	-	-
36 ANTHRAX.....062	5	-	-	-	-	7	3	4	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	2	1	-	-	20	1	1	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	8	3	4	1	-	39	11	9	2	1
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	6	5	16	2	1
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	4	2	1	1	-	19	9	7	2	1
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	7	4	2	-	1	92	27	53	4	8
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	1	1	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	3	2	1	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	2	1	-	-	1
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	23	11	4	4	4	121	69	28	16	8
55 II. NEOPLASMS.....	2,939	1,351	1,025	310	253	27,124	13,396	11,901	1,063	764
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	2,885	1,330	1,004	303	248	26,703	13,202	11,702	1,052	747
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	64	46	13	5	-	595	372	176	34	13
58 OF LIP.....140	1	1	-	-	-	11	11	-	-	-
59 OF TONGUE.....141	13	6	6	1	-	136	87	42	3	4
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	20	14	5	1	-	190	106	71	10	3
61 OF PHARYNX.....145-148	30	25	2	3	-	258	168	63	21	6
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	817	344	290	111	72	7,916	3,809	3,487	395	225
63 OF ESOPHAGUS.....150	33	13	9	9	2	430	264	105	51	10
64 OF STOMACH.....151	170	80	40	36	14	1,570	828	597	97	48
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	3	-	1	-	77	36	39	1	1
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	265	89	137	21	18	2,608	1,085	1,390	72	61
67 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	33	12	18	2	1	391	150	225	7	9
68 TRANSVERSE COLON.....153-1	10	5	4	1	-	113	46	62	3	2
69 DESCENDING COLON.....153-2	14	4	10	-	-	89	27	53	6	3
70 SIGMOID COLON.....153-3	25	10	10	5	-	550	231	289	20	10
71 MULTIPLE PARTS OF LARGE INTESTINE.....153-7	-	-	-	-	-	3	1	2	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153-8	170	55	89	12	14	1,371	594	710	32	35
73 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	13	3	6	2	2	91	36	49	4	2
74 OF RECTUM.....154	54	24	19	4	7	893	470	361	40	22
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	45	16	21	5	3	587	248	262	51	26
76 LIVER.....155-0	22	10	7	4	1	194	105	46	35	8
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155-8	23	6	14	1	2	393	143	216	16	18
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	50	16	11	9	14	180	73	89	14	4
79 OF PANCREAS.....157	170	94	47	17	12	1,438	745	582	63	48
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	26	9	6	9	2	133	60	62	6	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16,344	9,092	6,767	287	198	26,090	13,880	11,123	616	471	4,757	2,194	1,740	480	343	01
134	76	52	5	1	202	110	71	15	6	43	18	7	14	4	02
44	33	11	-	-	75	49	14	10	2	19	5	-	11	3	03
43	32	11	-	-	71	47	14	9	1	14	4	-	10	-	04
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	05
-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	06
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	07
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	08
-	-	-	-	-	2	1	-	1	-	2	-	-	-	2	09
23	16	5	2	-	31	20	10	1	-	6	3	3	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
16	12	4	-	-	28	19	8	1	-	6	3	3	-	-	12
6	3	1	2	-	2	1	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
20	8	10	2	-	33	17	14	1	1	6	4	1	1	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	30
4	2	2	-	-	12	7	4	-	1	3	2	-	1	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	-	1	-	-	2	-	2	-	-	1	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
2	2	-	-	-	3	1	2	-	-	-	-	-	-	-	35
12	5	6	-	1	3	2	1	-	-	-	-	-	-	-	36
1	1	1	-	-	3	2	1	-	-	-	-	-	-	-	37
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	38
10	3	7	-	-	12	2	9	1	-	2	1	1	-	-	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
14	7	6	1	-	22	9	10	2	1	6	3	2	1	-	44
2,541	1,361	1,125	29	26	4,819	2,583	2,077	96	63	796	337	339	74	46	55
2,490	1,339	1,097	28	26	4,701	2,522	2,023	94	62	778	331	329	72	46	56
45	35	9	1	-	130	101	26	-	3	21	15	2	3	1	57
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	58
12	10	2	-	-	28	22	6	-	-	3	2	1	-	-	59
13	9	3	1	-	47	34	11	-	2	6	4	-	1	1	60
18	14	4	-	-	54	44	9	-	1	11	8	1	2	-	61
752	416	319	8	9	1,574	830	693	31	20	250	101	108	23	18	62
37	28	7	2	-	117	81	24	10	2	10	6	1	3	-	63
149	103	40	3	3	281	180	92	7	2	48	17	19	8	4	64
8	4	4	-	-	7	4	3	-	-	2	1	1	-	-	65
254	111	137	3	3	581	258	310	3	10	106	43	55	3	5	66
36	16	19	1	1	96	34	60	-	2	11	7	3	-	1	67
8	4	3	-	-	27	13	14	-	-	6	6	1	-	-	68
7	4	3	-	-	23	9	14	-	-	4	3	1	-	-	69
39	19	19	-	1	109	56	51	1	1	17	7	10	-	-	70
155	64	88	1	2	294	130	156	2	6	58	21	30	3	4	71
9	4	5	-	-	31	16	14	-	1	10	5	5	-	-	72
83	44	38	-	1	183	103	79	-	1	24	12	6	2	4	74
53	23	30	-	-	112	45	61	3	3	8	6	1	2	-	75
9	8	1	-	-	27	17	8	1	2	3	3	1	-	-	76
44	15	29	-	-	85	28	53	2	2	7	5	1	1	-	77
19	10	9	-	-	35	14	19	1	1	7	1	4	-	1	78
140	88	50	-	2	238	136	96	5	1	42	21	14	3	4	79
9	5	4	-	-	20	9	9	2	-	3	-	2	1	-	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Table with columns for Cause of Death, Arkansas (Total, White Male/Female, Nonwhite Male/Female), and California (Total, White Male/Female, Nonwhite Male/Female). Rows include categories like Malignant Neoplasms, Allergic/Endocrine/Metabolic, Diseases of Blood, Mental/Personality Disorders, and Diseases of Nervous System.

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
400	329	66	4	1	816	668	117	28	3	159	102	29	24	4	01
17	16	1	-	-	58	54	3	1	3	7	7	-	-	-	02
138	120	15	3	-	156	135	19	1	1	89	55	12	19	3	03
232	188	42	1	1	586	469	90	26	1	60	38	17	4	1	04
13	5	8	-	-	16	10	5	-	1	3	2	-	1	-	05
213	-	207	2	4	454	5	441	-	8	65	1	57	-	7	06
348	151	187	3	7	530	227	288	8	7	79	23	42	8	6	07
74	71	-	3	3	68	63	-	-	5	16	-	11	-	5	08
36	34	-	2	2	76	76	-	-	6	11	-	6	-	5	09
82	80	-	-	2	135	134	-	-	1	22	-	22	-	-	10
2	2	-	-	-	16	15	-	-	1	4	-	3	-	1	11
136	134	-	2	-	222	214	-	8	-	26	18	-	8	-	12
18	17	-	1	-	13	13	-	-	5	5	-	-	-	-	13
103	73	29	1	-	266	176	76	10	-	29	12	11	4	2	14
46	30	15	1	-	104	64	37	2	2	10	7	4	-	1	15
57	43	14	-	-	162	112	39	7	4	19	10	4	4	1	16
329	168	153	6	2	526	301	208	6	11	107	46	53	4	4	17
47	25	22	-	-	65	38	24	1	2	13	6	6	1	-	18
5	2	4	-	-	92	51	41	-	-	17	1	-	-	-	19
53	34	16	3	-	16	9	6	1	-	5	6	9	1	1	20
10	6	6	-	-	19	10	7	1	1	6	2	3	1	-	21
12	6	6	-	-	15	8	-	-	1	4	3	1	-	-	22
17	11	6	-	-	24	15	8	-	1	3	3	-	-	-	23
5	2	3	-	-	295	170	115	3	7	58	25	29	1	3	24
179	84	90	3	2	176	102	70	1	3	32	15	13	3	1	25
135	82	52	1	-	229	112	104	10	3	36	16	14	3	3	26
165	85	75	2	3	101	52	43	3	3	16	8	7	2	1	27
80	36	42	1	1	47	23	21	3	-	7	3	3	-	1	28
35	19	16	-	-	81	37	40	4	-	11	5	4	1	1	29
50	30	17	1	2	118	61	54	2	1	18	6	10	2	-	30
51	22	28	1	-	3	6	9	-	1	1	1	1	1	-	31
4	3	4	1	-	15	13	10	-	-	2	2	-	-	-	32
9	3	5	1	-	25	13	10	1	1	2	1	-	-	-	33
28	14	14	1	-	3	3	3	-	-	1	1	-	-	-	34
10	5	5	-	-	50	29	21	-	-	11	5	4	-	-	35
10	5	5	-	-	22	13	8	1	-	2	-	2	-	-	36
325	135	180	6	4	583	231	323	11	18	175	53	88	10	24	38
39	16	22	1	-	42	17	19	3	3	13	5	5	2	1	39
1	-	1	-	-	1	-	4	-	-	-	-	-	-	-	40
2	1	1	-	-	4	-	7	-	-	1	-	-	-	-	41
225	93	126	4	2	466	184	264	5	13	148	44	74	7	23	42
2	2	2	-	1	2	2	-	-	-	2	-	1	-	-	43
26	12	13	-	1	12	7	4	1	-	3	2	1	-	-	44
6	2	4	-	-	7	4	3	-	-	1	1	-	-	-	45
21	9	11	1	-	42	19	19	2	2	4	1	3	-	-	46
60	33	26	-	1	79	33	41	4	1	12	4	4	3	1	47
35	16	19	-	-	42	19	19	3	1	8	3	2	2	1	48
4	1	3	-	-	1	-	-	-	1	2	1	-	-	-	49
31	15	16	-	-	41	19	19	3	-	6	3	1	2	-	50
8	4	3	-	1	14	6	8	-	-	1	1	-	-	-	51
17	13	4	-	-	23	8	14	1	-	3	-	2	1	-	52
41	24	14	2	1	103	65	21	13	4	27	15	3	8	1	53
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	54
2	1	-	1	-	5	5	-	-	-	1	-	-	-	-	55
6	3	3	-	-	10	5	5	-	-	4	2	1	-	-	56
28	18	9	-	1	79	49	13	13	4	19	13	5	1	1	57
4	1	2	1	-	6	5	1	-	-	3	2	1	-	-	58
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	59
1,716	761	900	25	30	3,032	1,277	1,639	48	66	361	151	168	27	35	60
1,570	680	839	22	29	2,832	1,175	1,555	39	63	339	132	155	19	33	61
61	29	28	2	2	153	57	81	4	11	20	6	10	2	2	62
895	395	476	8	16	1,402	575	766	26	35	166	60	78	7	21	63
432	179	234	10	9	1,039	456	562	8	13	119	53	50	10	6	64
182	77	101	2	2	238	87	146	1	4	34	13	17	-	4	65
16	12	4	-	-	21	14	3	1	3	6	3	1	2	-	66
20	6	13	-	1	29	13	14	1	1	3	1	1	1	-	67
24	12	12	-	-	47	24	22	1	-	5	3	2	-	-	68
7	4	3	-	-	3	2	1	-	-	1	-	-	-	-	69
16	6	10	-	-	26	16	7	2	1	5	-	2	2	1	70
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	74
5	2	2	1	-	-	-	-	-	-	-	-	1	-	-	75
58	39	17	2	-	73	32	37	4	-	20	11	6	3	-	76

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.
of the International Lists, 1955. For complete category titles, see table 1-24]

COLORADO					CONNECTICUT					DELAWARE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,755	3,788	2,600	103	64	11,633	6,334	4,990	167	142	2,193	1,067	818	172	136	01
5,918	3,362	2,408	91	57	10,323	5,676	4,374	148	125	1,989	978	733	161	117	02
3	-	2	-	1	4	2	2	-	-	-	-	-	-	-	03
202	76	122	-	4	267	112	143	9	3	36	16	19	1	-	04
87	29	55	-	3	92	32	58	1	1	15	4	10	1	-	05
23	15	8	-	-	34	28	4	2	-	4	3	1	-	-	06
9	4	4	-	1	5	5	76	-	2	12	5	7	-	-	07
83	28	55	-	-	136	52	6	6	2	12	5	7	-	-	08
4,827	2,882	1,841	66	38	8,741	5,027	3,512	110	92	1,351	735	461	88	67	09
1,376	653	678	29	16	3,295	1,605	1,597	45	48	329	115	149	36	29	10
3,448	2,227	1,162	37	22	5,444	3,420	1,915	65	44	1,022	620	312	52	38	11
3	2	1	-	-	4	2	-	-	-	-	-	-	-	-	12
29	17	11	1	-	33	16	15	1	1	11	5	3	1	2	13
-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	14
17	11	6	-	-	25	15	9	-	-	6	4	1	-	1	15
12	6	5	1	-	6	1	4	1	1	4	1	2	-	1	16
281	123	154	3	1	412	167	237	6	2	262	105	120	24	13	17
220	100	119	1	-	371	149	219	2	1	252	103	115	23	11	18
61	23	35	3	1	41	18	18	4	1	10	2	5	1	2	19
292	150	131	8	3	310	143	143	14	10	88	37	37	8	6	20
8	6	2	-	-	9	6	4	-	-	6	5	1	-	-	21
16	9	6	1	-	15	5	5	-	-	3	13	2	1	-	22
132	66	62	2	2	131	52	66	4	4	30	13	15	2	-	23
136	69	61	5	1	155	76	68	5	6	49	19	19	5	6	24
284	114	147	13	10	556	209	322	8	17	241	80	93	39	29	25
96	48	44	1	3	127	60	66	1	-	31	11	5	9	2	26
188	66	103	12	7	429	149	256	7	17	210	69	84	30	27	27
78	34	41	2	1	166	73	85	4	4	27	8	10	2	7	28
63	29	31	2	1	100	51	44	3	2	16	7	4	-	3	29
15	5	10	-	-	66	22	41	1	2	11	1	6	-	4	30
543	279	254	6	4	672	446	410	8	8	147	72	61	7	7	31
394	177	210	4	3	837	286	342	3	6	101	40	50	5	6	32
109	81	25	2	1	181	134	42	3	2	37	27	9	1	-	33
2	1	-	-	6	3	3	-	-	-	1	1	2	-	1	34
38	20	18	4	2	48	23	23	2	7	8	4	2	-	1	35
216	113	97	4	2	272	139	121	7	5	30	9	14	2	5	36
1,252	790	427	19	16	1,504	911	517	49	27	253	137	53	42	21	37
7	3	3	1	-	7	6	1	-	-	1	1	-	-	-	38
13	7	6	-	-	8	4	3	1	23	3	3	-	-	-	39
754	414	314	14	12	985	518	410	34	23	125	56	31	24	14	40
107	75	30	1	1	150	84	60	4	2	20	11	5	5	2	41
388	205	168	10	5	455	240	190	17	8	72	30	16	14	10	42
65	37	27	1	-	84	32	40	4	8	8	3	3	2	2	43
194	97	89	2	6	296	162	120	9	5	25	12	8	3	2	44
7	3	4	-	-	17	7	8	2	-	2	-	-	2	-	45
68	51	16	-	1	91	78	11	-	2	10	6	4	-	-	46
1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	47
8	6	1	1	-	13	9	4	-	-	-	-	-	-	-	48
1	1	-	-	-	3	2	1	-	-	2	-	2	-	-	49
31	15	16	-	-	38	25	10	3	-	25	8	6	5	6	50
12	5	7	-	-	24	17	7	-	-	4	-	2	2	-	51
306	256	47	2	1	282	222	49	9	2	76	60	6	9	1	52
297	249	45	2	1	232	187	38	6	1	69	57	4	7	1	53
9	7	2	-	-	50	35	11	3	1	7	3	2	2	-	54
44	28	13	1	2	34	22	12	-	-	5	3	2	-	-	55
703	364	318	12	9	1,072	601	419	23	29	183	87	62	20	14	56
2	-	2	-	-	2	1	1	-	-	-	-	-	-	-	57
52	34	18	-	-	74	51	22	1	-	15	6	5	2	2	58
44	24	18	-	2	65	40	22	1	2	5	2	3	-	-	59
7	7	-	-	-	3	3	-	-	-	-	-	-	-	-	60
19	9	9	1	-	18	12	5	-	1	4	2	1	1	-	61
99	45	53	1	-	110	54	52	1	3	23	7	10	2	4	62
30	10	18	-	2	28	14	12	1	1	4	1	-	2	1	63
41	14	26	1	-	54	18	34	2	-	12	6	4	1	1	64
212	122	80	6	4	442	273	141	12	16	71	47	17	4	3	65
124	74	45	2	3	299	178	103	9	9	40	25	11	3	1	66
88	48	35	4	1	143	95	38	3	7	31	22	6	1	2	67
45	24	20	1	-	71	34	36	1	-	15	3	10	1	1	68
152	75	74	2	1	205	101	94	4	6	34	13	12	7	2	69
207	123	77	2	5	321	172	128	13	8	73	31	23	10	9	70
83	47	33	-	3	144	81	48	10	5	31	11	12	4	4	71
3	2	1	-	-	4	2	2	-	-	1	-	-	1	-	72
3	2	1	-	-	6	3	1	2	-	-	-	-	-	-	73
77	43	31	-	3	134	76	45	8	5	30	11	12	3	4	74
68	34	32	-	2	88	33	52	1	2	18	7	6	3	2	75
5	5	-	-	-	8	4	4	-	-	7	3	2	2	-	76
14	7	8	1	-	32	17	15	-	-	13	8	3	1	1	77
29	28	...	1	...	37	35	...	2	...	2	2	-	78
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	79
5	2	3	-	-	12	2	9	-	1	2	-	-	-	2	80

Table I-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	19	...	7	...	12	71	...	47	...	24
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC....640,641,681,682,684	2	...	-	...	2	11	...	6	...	5
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	4	...	-	...	4	9	...	7	...	2
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	4	...	2	...	2	9	...	7	...	2
05 ECTOPIC PREGNANCY.....645	2	...	1	...	1	4	...	1	...	3
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	9	...	7	...	2
07 ABORTION WITH SEPSIS.....651	2	...	2	...	-	12	...	6	...	6
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	5	...	2	...	3	17	...	13	...	4
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	31	7	11	7	6	181	59	103	8	11
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	7	3	1	1	2	46	22	21	2	1
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	24	4	10	6	4	135	37	82	6	10
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	43	15	19	2	7	343	138	191	6	8
14 ARTHRITIS AND SPONDYLITIS.....720-725	30	9	15	1	5	186	56	125	2	3
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	1	-	-	1	4	1	3	-	-
16 OSTEOXYELITIS AND PERIOSYITIS.....730	2	1	-	-	1	15	5	8	2	-
17 ANKLYOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	9	1	8	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	5	2	2	1	-	45	33	11	1	-
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	4	3	1	-	-	84	42	36	1	5
20 XIV. CONGENITAL MALFORMATIONS.....	161	63	59	21	18	1,683	803	704	86	90
21 SPINA BIFIDA AND MENINGOCELE.....751	7	4	2	-	1	74	27	41	2	4
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	21	8	9	2	2	122	63	51	5	3
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	83	33	30	1.	9	899	421	375	52	51
24 OTHER CONGENITAL MALFORMATIONS...750,755-759	50	18	18	8	6	588	292	237	27	32
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	471	172	128	104	67	4,319	2,144	1,452	430	293
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	588	213	137	123	115	395	199	142	36	18
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	76	10	26	20	20	66	25	37	2	2
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	512	203	111	103	95	329	174	105	34	16
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,739	957	356	288	108	15,373	9,199	4,708	1,060	406
30 ACCIDENTS.....E800-E862	1,451	822	314	225	90	10,945	6,612	3,358	695	280
31 RAILWAY ACCIDENTS.....E800-E802	17	10	1	5	1	96	83	5	8	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	669	417	157	75	20	5,288	3,388	1,423	333	144
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	659	409	154	74	20	5,152	3,293	1,395	325	139
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	70	16	5	2	-	144	81	54	6	3
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	23	5	2	-	-	144	81	54	6	3
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E815	210	138	54	15	9	926	535	264	88	39
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	146	103	26	14	3	2,314	1,441	677	135	61
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	210	126	61	18	5	1,640	1,157	360	90	33
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	10	8	1	1	-	136	95	28	8	5
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	1	1	-	-	36	23	12	-	1
41 WATER TRANSPORT ACCIDENTS.....E850-E858	43	24	3	13	3	129	100	16	12	1
42 AIRCRAFT ACCIDENTS.....E860-E866	23	15	7	1	-	270	219	45	3	3
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	22	9	7	3	3	366	189	125	42	10
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	13	9	3	1	-	108	71	19	12	6
45 ACCIDENTAL FALLS.....E900-E904	139	68	62	6	3	2,014	885	1,011	84	34
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	26	18	5	3	-	480	276	161	35	8
47 FALL ON SAME LEVEL.....E903	14	9	4	-	1	939	376	520	31	12
48 UNSPECIFIED FALLS.....E904	99	41	53	3	2	595	233	330	18	14
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	25	18	1	6	-	78	59	7	10	2
50 ACCIDENT CAUSED BY MACHINERY.....E912	26	18	1	7	-	121	113	2	6	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	18	15	1	2	-	66	55	6	4	1
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	154	54	29	35	36	580	317	197	40	26
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	2	1	3	-	37	22	10	3	2
54 ACCIDENT CAUSED BY FIREARM.....E919	53	39	2	11	1	157	115	21	19	2
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	19	8	4	4	3	171	100	62	7	2
56 ACCIDENTAL DROWNING.....E929	93	53	15	25	-	535	382	106	35	12
57 EXCESSIVE HEAT AND INSULATION.....E931	15	7	-	5	3	18	10	3	4	1
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	13	7	5	-	1	290	128	134	19	9
59 ALL OTHER ACCIDENTS.....RESIDUAL	101	48	14	23	16	585	353	154	54	24
60 SUICIDE.....E963,E970-E979	148	101	33	10	4	3,454	2,145	1,148	105	56
61 SUICIDE BY POISONING.....E970-E973	14	6	6	2	-	1,451	682	724	22	23
62 SUICIDE BY HANGING AND STRANGULATION.....E974	16	10	4	2	-	341	244	65	22	10
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	111	84	18	6	3	1,305	1,025	223	40	17
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	7	1	5	-	1	357	194	136	21	6
65 HOMICIDE.....E964,E980-E985	109	34	9	52	14	969	438	202	259	70
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	77	24	6	37	10	502	207	99	149	47
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	17	2	1	11	3	183	80	29	66	8
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	13	6	2	4	1	244	124	74	31	15
69 INJURY BY INTERVENTION OF POLICE.....E984	2	2	-	-	-	39	26	-	13	-
70 EXECUTION.....E985	-	-	-	-	-	1	1	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	-	-	1	-	5	4	-	1	-

SECTION I - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	9,216	2,065	1,952	2,937	2,262	62,642	31,439	20,801	5,928	4,474
02 I. INFECTIVE AND PARASITIC DISEASES.....	140	29	9	62	40	556	219	130	121	86
03 TUBERCULOSIS, ALL FORMS.....001-019	93	21	5	44	23	214	96	32	60	26
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	85	20	4	41	20	193	90	27	57	19
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	7	1	2	2	2
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	2	-	-	-	2
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	-	-	-	-	-	2	-	2	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	-	-	-	1	2	1	-	1	-
09 DISSEMINATED TUBERCULOSIS.....019	7	1	1	3	2	8	4	1	-	3
10 SYPHILIS AND ITS SEQUELAE.....020-029	13	3	2	4	4	74	16	14	31	13
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	4	-	1	1	2
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	8	2	1	2	3	40	11	9	14	6
14 OTHER CARDIOVASCULAR SYPHILIS.....023	4	-	1	2	1	28	4	3	16	5
15 TABES DORSALIS.....024	-	-	-	-	-	1	1	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	-	1	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	2	-	-	-	2
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	1	-	-	-	1	2	1	-	-	1
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	1	-	-	-	1
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	1	-	1	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	18	2	1	7	8	105	41	38	12	14
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	-	-	-	-	-	1	-	-	-	1
32 MENINGOCOCCAL INFECTIONS.....057	5	-	-	4	1	22	7	8	3	4
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	-	-	-	-	-	13	1	2	4	6
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	3	2	-	1	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	1	1	-	-	-	9	3	4	1	1
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	1	1	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	-	-	-	-	-	5	3	1	-	1
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	1	1	-	-	-	35	14	16	2	3
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	1	-	-	1	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	2	-	-	-	2
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	7	-	1	3	3	65	34	14	6	11
55 II. NEOPLASMS.....	1,521	363	365	452	341	10,945	5,578	4,040	768	559
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	1,496	358	359	447	332	10,791	5,521	3,978	756	536
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	53	21	10	20	2	268	185	59	20	4
58 OF LIP.....140	1	-	1	-	-	-	-	-	-	-
59 OF TONGUE.....141	17	9	3	4	1	57	35	13	6	3
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	10	3	-	6	1	93	59	27	6	1
61 OF PHARYNX.....145-148	25	9	6	10	-	118	91	19	8	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	515	103	108	182	122	3,186	1,573	1,217	262	134
63 OF ESOPHAGUS.....150	82	16	7	52	7	200	119	32	45	4
64 OF STOMACH.....151	73	12	11	34	16	551	269	168	78	36
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	1	-	1	-	-	24	9	10	5	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	159	32	49	31	47	1,121	550	492	42	37
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	31	4	10	5	12	157	71	77	3	6
68 TRANSVERSE COLON.....153.1	5	-	2	2	2	45	20	23	1	1
69 DESCENDING COLON.....153.2	5	-	2	2	1	31	16	10	1	4
70 SIGMOID COLON.....153.3	29	5	7	6	11	164	85	69	9	1
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	4	1	3	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	87	21	29	16	21	666	329	286	27	24
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	2	2	-	-	-	54	28	24	1	1
74 OF RECTUM.....154	42	9	13	9	11	334	175	126	18	15
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	39	13	5	14	7	206	79	104	15	8
76 LIVER.....155.0	24	7	2	12	3	73	36	22	11	4
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	15	6	3	2	4	133	43	82	4	4
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	17	5	3	8	1	117	60	37	14	6
79 OF PANCREAS.....157	96	16	18	30	32	593	299	227	42	25
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	6	-	1	4	1	40	13	21	3	3

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
38,505	14,966	10,787	6,822	5,930	3,726	663	413	1,655	995	5,939	3,509	2,329	54	47	01
438	130	86	121	101	58	6	2	36	14	40	22	11	5	2	02
136	55	19	39	23	28	3	-	20	5	11	8	2	1	-	03
121	52	16	33	20	25	2	-	19	4	11	8	2	1	-	04
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	05
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	06
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	07
4	1	1	1	1	2	1	-	1	-	-	-	-	-	-	08
6	1	1	3	1	1	-	-	-	1	-	-	-	-	-	09
47	14	4	16	13	3	1	1	1	-	8	5	2	1	-	10
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	11
26	10	4	3	9	2	1	-	1	-	6	4	2	-	-	12
13	1	-	10	2	-	-	-	-	-	2	1	-	1	-	13
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	14
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	17
4	-	-	3	1	-	-	-	-	-	-	-	-	-	-	18
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	19
12	4	2	2	4	1	-	-	-	1	1	-	-	1	-	20
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	21
100	28	21	25	26	13	2	1	5	5	4	2	1	-	1	22
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	23
2	2	6	9	9	1	-	-	1	-	-	-	-	-	-	24
29	5	6	9	9	1	-	-	4	1	-	-	-	-	-	25
7	-	2	2	3	5	-	-	1	1	-	-	-	-	-	26
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	27
13	5	2	3	3	-	-	-	-	-	1	1	-	1	-	28
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	29
7	2	1	4	-	-	-	-	-	-	1	-	1	-	-	30
21	2	11	4	4	3	-	-	1	2	-	-	-	-	-	31
3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	32
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
44	11	9	11	13	2	-	-	2	-	9	3	4	1	1	35
5,368	2,126	1,811	713	718	703	110	76	308	209	881	478	386	8	9	36
5,269	2,095	1,778	702	694	691	109	74	303	205	859	466	376	8	9	37
153	87	37	22	7	26	4	2	17	3	13	6	7	-	-	38
4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	39
35	20	12	3	-	6	1	-	4	1	3	-	3	-	-	40
59	34	14	8	3	5	2	-	2	1	2	-	2	-	-	41
55	31	10	11	3	15	1	2	11	1	8	6	2	-	-	42
1,455	528	505	226	196	291	33	22	156	80	264	129	129	4	2	43
98	33	15	30	20	28	5	1	22	-	8	6	2	-	-	44
279	96	66	74	43	115	10	7	61	37	60	37	23	-	-	45
11	4	3	-	4	-	-	-	-	-	3	-	3	-	-	46
448	142	197	41	68	54	8	9	20	17	90	32	57	1	-	47
44	14	22	3	5	6	-	-	2	4	17	5	11	1	-	48
15	3	9	2	1	4	2	-	2	-	3	1	2	-	-	49
13	3	6	2	2	3	-	2	1	-	4	1	3	-	-	50
65	28	28	4	5	13	-	3	6	4	20	8	12	-	-	51
297	88	127	29	53	25	1	1	1	1	1	1	1	-	-	52
14	6	5	1	2	1	5	3	8	9	28	15	23	-	-	53
108	39	44	12	13	20	-	-	-	-	7	2	5	-	-	54
82	34	29	14	5	28	3	-	13	4	26	16	9	1	-	55
37	14	11	9	3	11	2	2	16	8	17	7	9	-	1	56
45	20	18	5	2	17	2	-	7	2	4	2	2	-	-	57
64	23	20	14	7	3	-	2	9	6	13	7	7	-	1	58
332	140	121	39	32	40	5	3	21	11	45	24	19	1	1	59
33	17	10	2	4	3	-	-	2	1	5	2	3	-	-	60

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.—CON.										
02 MALIGNANT NEOPLOSM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	275	102	24	128	21	2,370	1,789	332	216	33
03 OF LARYNX.....161	23	7	1	15	-	109	84	15	10	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	139	46	6	75	12	899	698	101	89	11
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	109	48	15	37	9	1,342	994	211	116	21
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	4	1	2	1	-	20	13	5	1	1
MALIGNANT NEOPLOSM OF BREAST.....170	142	1	82	-	59	866	7	768	-	91
07 MALIGNANT NEOPLOSM OF GENITAL ORGANS.....171-179	211	45	53	51	62	1,421	530	653	92	146
08 OF CERVIX UTERI.....171	55	---	18	---	37	265	---	189	---	76
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	24	---	12	---	12	205	---	156	---	49
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	3	---	21	---	12	298	---	279	---	19
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	3	---	2	---	1	31	---	29	---	2
12 OF PROSTATE.....177	90	49	---	47	---	596	509	---	87	---
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	6	2	---	4	---	26	21	---	5	---
14 MALIGNANT NEOPLOSM OF URINARY ORGANS.....180,181	62	21	13	14	14	510	317	131	36	26
15 OF KIDNEY.....180	22	8	4	7	3	177	108	55	7	7
16 OF BLADDER AND OTHER URINARY ORGANS.....181	40	13	9	7	11	333	209	76	29	19
17 MALIGNANT NEOPLOSM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	123	33	34	28	28	1,227	624	455	81	67
18 OF SKIN.....190,191	13	2	5	4	2	161	99	50	9	3
19 OF EYE.....192	-	-	-	-	-	17	7	10	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	26	8	6	5	7	235	124	90	12	9
21 OF THYROID GLAND.....194	4	-	1	1	2	37	12	20	3	2
22 OF BONE.....196	1	-	-	-	1	39	19	13	1	6
23 OF CONNECTIVE TISSUE.....197	6	3	1	1	2	33	14	16	1	2
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	7	4	1	1	1	63	30	23	4	6
25 OF UNSPECIFIED SITES.....156B,165,198,199B	66	16	20	17	13	642	319	233	51	39
26 LEUKEMIA AND ALEUKEMIA.....204	64	20	18	12	14	445	248	163	18	16
27 LYMPHOSARCOMA, ETC.....200-203,205	51	12	17	12	10	498	248	200	31	19
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	23	8	6	5	4	260	132	112	9	7
29 HODGKINS DISEASE.....201	7	1	2	1	2	88	44	33	7	4
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	21	3	9	5	4	150	72	55	15	8
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	25	5	6	5	9	154	57	62	12	23
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	---	1	---	2	18	---	11	---	7
33 BENIGN NEOPLOSM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	7	1	3	1	2	30	11	15	2	2
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	4	1	-	1	2	35	13	13	3	6
35 UNSPECIFIED NEOPLOSM OF FEMALE GENITAL ORGANS.....233-235	-	---	-	---	-	1	---	1	---	-
36 NEOPLOSM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	6	1	1	1	3	35	15	14	4	2
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	5	2	1	2	-	35	18	8	3	6
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	231	26	44	62	99	1,344	496	533	113	202
39 ASTHMA.....241	37	3	4	14	16	158	60	54	23	21
40 NONTOXIC GOITER.....250,251	-	-	-	-	-	2	1	1	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	-	-	1	1	11	1	5	1	4
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	9	4	5	-	-
43 DIABETES MELLITUS.....260	163	16	31	39	77	956	350	396	65	145
44 DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	4	-	1	2	1	24	8	12	2	2
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	14	2	5	4	3	50	16	17	9	8
48 CYSTIC FIBROSIS.....289A	2	1	1	-	-	20	11	8	-	1
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS.....RESIDUAL	8	4	1	2	1	114	45	35	13	21
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS....	24	3	4	8	9	195	78	66	27	24
51 ANEMIAS.....290-293	18	3	3	6	6	133	53	39	20	21
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	-	-	-	-	14	6	6	2	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	17	3	2	6	6	119	47	33	18	21
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	-	-	1	2	28	10	14	3	1
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	3	-	1	1	1	34	15	13	4	2
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS..	39	7	2	21	9	211	92	68	30	21
57 SENILE PSYCHOSIS.....304	-	-	-	-	-	18	1	16	-	1
58 ALCOHOLIC PSYCHOSIS.....307	4	1	-	2	1	20	11	3	5	1
59 OTHER PSYCHOSES.....300-303,305,306,308,309	5	-	-	2	3	42	19	16	2	5
60 ALCOHOLISM.....322	25	4	2	15	4	107	53	22	20	12
61 MENTAL DEFICIENCY.....325	4	2	-	1	1	16	5	6	3	2
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	-	-	1	-	8	3	5	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	858	155	231	212	260	7,588	3,092	3,111	666	719
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	787	145	219	180	243	7,100	2,899	2,952	580	669
65 SUBARACHNOID HEMORRHAGE.....330	60	9	13	10	28	306	107	132	30	37
66 CEREBRAL HEMORRHAGE.....331	346	60	68	106	112	3,421	1,382	1,352	315	372
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	307	65	106	55	81	2,521	1,091	1,077	174	179
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	74	11	32	9	22	852	319	391	61	81
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	20	1	-	11	8	88	28	14	24	22
70 MULTIPLE SCLEROSIS.....345	3	-	1	-	2	37	13	19	1	4
71 PARALYSIS AGITANS.....350	9	3	4	-	2	89	46	40	2	1
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	1	-	-	1	-	20	6	9	3	2
73 EPILEPSY.....353	13	2	1	9	1	75	22	19	28	6
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	-	-	-	1
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	1	-	-	1	-	2	-	-	2	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	24	4	6	10	4	176	78	58	26	14

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

GEORGIA					HAWAII					IDAHO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,024	704	109	174	37	100	27	8	49	16	119	104	14	-	1
49	35	4	10	-	3	2	-	1	-	5	5	-	-	-
450	314	41	82	13	29	10	-	12	7	45	38	6	-	1
506	345	63	79	19	64	14	8	33	9	67	59	8	-	-
19	10	1	3	5	4	1	-	3	-	2	2	-	-	-
451	1	336	2	112	33	-	9	-	24	78	1	77	-	-
822	199	297	126	200	56	12	11	11	22	136	77	55	2	2
209	...	111	...	98	11	...	4	...	7	14	...	14	...	-
131	...	76	...	55	5	...	1	...	4	21	...	19	...	2
146	...	103	...	43	12	...	6	...	6	22	...	22	...	-
11	...	7	...	4	5	...	-	...	5	-	...	-	...	-
307	187	...	120	...	21	11	...	10	...	76	74	...	2	...
18	12	...	6	...	2	1	...	1	...	3	3	...	-	...
207	95	66	29	17	18	5	2	8	3	45	31	13	-	1
86	46	29	7	4	8	1	1	4	2	23	14	8	-	1
121	49	37	22	13	10	4	1	4	1	22	17	5	-	-
716	291	268	75	82	93	19	11	33	30	108	61	45	1	1
124	71	40	8	5	11	4	1	3	3	12	7	5	-	-
11	5	6	-	-	-	-	-	-	-	1	1	-	-	-
153	69	60	18	6	19	6	2	9	2	21	12	8	1	-
16	3	7	1	5	7	1	1	3	2	2	1	1	-	-
26	12	7	3	4	6	1	1	-	4	7	6	1	-	-
31	13	6	6	6	5	-	-	2	3	7	3	4	-	-
34	14	14	3	3	5	-	-	3	2	8	8	5	-	-
321	104	128	36	53	40	7	6	13	14	50	28	21	-	1
217	87	87	25	18	30	3	4	13	10	50	31	16	1	2
224	103	73	23	25	44	6	5	16	17	46	26	20	-	-
97	44	34	9	10	23	4	2	9	8	19	7	12	-	-
48	30	12	2	4	7	-	-	3	4	11	6	5	-	-
79	29	27	12	11	14	2	3	4	5	16	13	3	-	-
99	31	33	11	24	12	1	2	5	4	22	12	10	-	-
14	...	4	...	10	2	...	-	-	2	1	...	1	...	-
19	7	6	5	1	3	...	1	...	2	7	...	3	...	-
12	2	3	1	6	2	-	-	-	-	5	3	2	-	-
1	...	-	...	1	1	...	-	...	-	-	...	-	...	-
33	16	14	-	3	2	-	-	1	1	7	...	3	...	-
20	6	6	5	3	3	1	1	-	1	2	1	1	-	-
819	234	265	105	215	169	13	26	66	64	170	79	88	1	2
80	27	22	15	16	31	2	7	15	7	18	12	6	-	-
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
8	-	4	1	3	-	-	-	-	-	3	-	2	-	1
10	2	7	1	1	-	-	-	-	-	1	1	-	-	-
577	155	184	70	168	119	8	16	44	51	123	53	68	1	1
2	1	1	-	-	-	-	-	-	-	2	2	-	-	-
3	2	1	-	-	-	-	-	-	-	1	-	-	-	-
49	16	14	9	10	4	1	-	1	2	7	4	1	-	-
14	6	8	-	-	2	1	1	-	-	1	4	3	-	-
71	25	20	10	16	12	1	2	6	3	14	7	7	-	-
119	35	43	20	21	13	3	3	4	3	17	7	10	-	-
84	21	30	15	18	4	-	2	1	1	15	6	9	-	-
4	-	3	1	-	-	-	-	-	-	6	2	4	-	-
80	21	27	14	18	4	-	2	1	1	9	4	5	-	-
12	4	5	2	1	5	1	-	3	1	-	-	-	-	-
23	10	8	3	2	4	2	1	-	1	2	1	1	-	-
211	85	44	51	31	9	3	1	3	2	12	5	5	2	-
6	1	4	-	-	-	-	-	-	-	1	-	-	-	-
20	12	2	3	3	2	1	-	1	-	1	-	1	-	-
22	8	11	3	-	2	-	-	1	1	-	-	-	-	-
149	62	23	44	20	4	2	1	1	1	13	5	3	2	-
11	1	3	-	7	1	-	-	-	1	-	-	-	-	-
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
5,815	1,656	1,886	1,074	1,199	331	35	44	151	101	717	359	350	1	7
5,490	1,536	1,811	1,008	1,135	307	32	38	141	96	666	332	329	1	4
216	61	64	40	51	29	2	1	9	17	22	10	11	-	1
3,263	864	985	681	733	185	18	23	86	58	433	196	205	-	2
1,631	505	634	232	260	76	10	11	40	15	152	80	72	-	-
380	106	128	55	91	17	2	3	6	6	89	46	41	1	1
72	17	16	18	21	6	-	2	2	2	2	-	2	-	-
15	6	5	1	3	2	-	-	-	-	2	4	3	-	-
37	23	11	-	3	4	1	1	1	1	16	11	5	-	-
24	10	4	4	6	2	-	-	2	-	-	-	-	-	-
61	15	13	19	14	2	1	1	-	-	2	1	-	-	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5	3	-	-	2	-	-	-	-	-	2	1	-	-	-
109	46	24	24	15	8	1	2	5	-	22	10	10	-	2

SECTION 1 - GENERAL MORTALITY

1-183

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
14,363	6,158	4,130	2,134	1,941	1,351	275	147	577	352	2,405	1,486	906	7	6	01
12,855	5,625	3,684	1,860	1,686	1,237	256	130	535	316	2,178	1,357	809	7	5	02
11	1	3	1	6	1	—	—	1	—	1	1	—	—	—	03
160	57	61	11	31	40	5	6	21	8	64	26	38	—	—	04
68	29	27	4	8	22	2	1	12	7	31	13	18	—	—	05
18	8	7	1	2	3	—	—	2	—	4	1	3	—	—	06
10	4	2	—	1	—	—	—	—	—	5	4	1	—	—	07
64	16	24	4	20	15	3	3	8	1	24	8	16	—	—	08
9,308	4,652	2,677	1,115	864	867	209	95	360	203	1,736	1,143	583	5	5	09
1,373	472	513	206	182	207	38	27	84	58	381	199	181	—	—	10
7,927	4,176	2,160	909	682	660	171	68	276	145	1,353	942	402	5	4	11
8	4	4	—	—	—	—	—	—	—	2	2	—	—	—	12
66	25	22	9	10	3	—	2	1	—	25	14	11	—	—	13
1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	14
37	17	12	7	1	3	—	2	1	—	16	12	4	—	—	15
28	8	9	2	9	—	—	—	—	—	8	2	6	—	—	16
818	240	305	121	152	78	8	11	40	19	122	62	60	—	—	17
603	190	242	77	94	47	3	9	22	13	86	40	46	—	—	18
215	50	63	44	58	31	5	2	18	6	36	22	14	—	—	19
960	319	214	215	212	53	9	5	20	19	101	55	46	—	—	20
17	3	—	5	9	2	—	—	1	—	—	—	—	—	—	21
22	7	4	7	4	2	—	—	—	—	3	2	1	—	—	22
315	94	94	66	61	28	5	2	10	11	32	13	19	—	—	23
606	215	116	137	138	21	4	3	9	5	66	40	26	—	—	24
1,532	331	402	388	411	195	25	11	92	67	129	56	71	2	—	25
276	60	93	59	64	16	—	2	9	5	44	22	20	2	—	26
1,256	271	309	329	347	179	25	9	83	62	85	34	51	—	—	27
261	67	45	89	60	13	—	2	3	8	30	10	20	—	—	28
117	44	19	34	20	7	—	—	1	6	10	5	5	—	—	29
144	23	26	55	40	6	—	2	2	2	20	5	15	—	—	30
929	355	288	139	147	87	16	10	35	26	155	96	58	—	—	31
630	197	223	98	112	41	4	7	19	11	103	55	47	—	—	32
208	129	35	28	16	37	11	2	15	9	37	31	6	—	—	33
15	4	—	5	—	—	—	—	—	—	—	—	—	—	—	34
76	25	28	8	15	9	1	1	1	6	15	10	5	—	—	35
318	111	113	46	48	14	3	5	4	2	42	23	19	—	—	36
2,532	984	570	543	435	209	39	20	111	39	362	234	123	2	3	37
11	4	1	2	4	—	—	—	—	—	1	1	—	—	—	38
63	10	15	19	19	3	—	1	1	1	31	16	15	—	—	39
1,615	467	420	381	347	133	24	11	69	29	181	91	86	1	3	40
186	61	32	47	46	17	5	1	10	1	23	11	12	—	—	41
702	200	220	141	141	72	12	8	32	20	63	34	27	1	1	42
129	35	27	43	24	29	5	1	17	6	16	9	7	—	—	43
590	171	141	150	136	15	2	1	10	2	79	37	40	—	—	44
14	4	4	3	3	2	—	—	—	—	1	1	—	—	—	45
85	52	19	12	8	8	2	—	5	1	13	11	2	—	—	46
2	2	—	—	—	—	—	—	—	—	1	—	1	—	—	47
23	8	5	3	7	2	—	—	1	—	2	—	—	—	—	48
2	—	—	1	—	—	—	—	—	—	1	—	1	—	—	49
141	43	22	41	35	12	1	3	3	5	11	10	1	—	—	50
16	7	6	1	2	9	1	2	6	—	5	4	1	—	—	51
517	369	66	72	10	36	11	2	21	2	100	89	11	—	—	52
391	300	50	39	2	33	10	2	19	2	93	85	8	—	—	53
126	69	16	33	8	3	1	—	2	—	7	4	3	—	—	54
43	18	12	8	5	4	—	1	3	—	15	9	5	1	—	55
1,352	575	371	221	185	146	35	18	57	36	219	114	98	4	3	56
2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	57
127	64	30	21	12	15	3	10	2	2	22	15	7	—	—	58
88	52	18	15	3	11	4	—	6	1	24	14	9	1	—	59
3	1	—	—	—	2	1	—	1	—	4	2	2	—	—	60
42	12	10	12	8	2	—	—	1	—	3	1	2	—	—	61
178	66	62	25	25	24	8	1	3	12	44	15	28	1	—	62
127	29	19	43	36	6	1	—	2	3	8	3	5	—	—	63
64	23	29	7	5	6	2	—	2	3	12	7	5	—	—	64
368	181	95	47	45	40	13	9	14	4	44	23	17	2	—	65
258	122	69	34	31	26	6	6	11	3	31	17	13	—	—	66
110	59	26	11	14	14	7	3	3	1	13	6	4	2	—	67
53	22	24	2	5	12	2	1	6	3	16	8	8	—	—	68
300	124	82	48	46	28	4	4	12	8	42	26	15	—	—	69
873	253	213	233	174	90	15	12	38	25	83	49	31	2	1	70
338	81	60	111	86	40	6	1	22	11	38	20	16	2	—	71
21	7	3	7	4	1	—	—	—	—	1	1	—	—	—	72
21	3	6	6	6	2	—	—	—	—	3	—	—	—	—	73
296	71	51	98	76	37	6	—	20	11	34	18	14	2	—	74
296	86	105	55	50	35	4	9	9	13	21	8	12	—	—	75
34	6	14	1	13	4	—	—	2	—	1	1	—	—	—	76
102	33	26	30	13	3	—	—	2	—	7	5	2	—	—	77
60	35	—	25	—	4	—	—	—	—	12	12	—	—	—	78
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	79
43	12	8	11	12	4	3	—	—	1	4	3	1	—	—	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	11	...	1	...	10	40	...	18	...	22
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	2	...	1	...	1	6	...	4	...	2
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	-	...	-	...	-	7	...	2	...	5
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	-	...	-	...	-	6	...	3	...	3
05 ECTOPIC PREGNANCY...645	4	...	-	...	4	4	...	-	...	4
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA...650	-	...	-	...	-	3	...	2	...	1
07 ABORTION WITH SEPSIS...651	3	...	-	...	3	5	...	-	...	5
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS...652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	-	...	2	9	...	7	...	2
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	28	3	5	8	12	88	28	42	9	9
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE...690-698	1	-	-	1	-	15	5	8	2	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE...700-716	27	3	5	7	12	73	23	34	7	9
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	19	5	9	1	4	127	46	66	11	4
14 ARTHRITIS AND SPONDYLITIS...720-725	10	2	6	-	2	61	15	39	5	2
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED...726,727	-	-	-	-	-	1	1	-	-	-
16 OSTEOHYELITIS AND PERIOSTITIS...730	2	-	-	1	1	4	1	3	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	3	1	1	-	1	4	2	1	-	1
18 INBORN DEFECT OF MUSCLE...744.1	-	-	-	-	-	17	10	5	2	-
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	4	2	2	-	-	40	17	18	4	1
20 XIV. CONGENITAL MALFORMATIONS.....	93	11	13	41	28	553	223	191	74	65
21 SPINA BIFIDA AND MENINGOCELE...751	4	-	1	3	-	33	13	15	3	2
22 CONGENITAL HYDROCEPHALUS, ETC...752,753	8	-	1	3	4	67	22	23	11	11
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	40	4	7	17	12	276	114	94	34	34
24 OTHER CONGENITAL MALFORMATIONS...750,755-759	41	7	4	18	12	177	74	59	26	18
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	403	27	22	199	155	1,668	568	403	387	310
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	186	20	31	87	48	1,337	571	307	268	191
27 SENILITY WITHOUT MENTION OF PSYCHOSIS...794	1	-	1	-	-	71	18	39	5	9
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	185	20	30	87	48	1,266	553	268	263	182
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	685	156	83	335	111	5,309	2,675	1,252	1,024	358
30 ACCIDENTS...E800-E962	476	111	75	220	70	3,890	2,006	933	644	247
31 RAILWAY ACCIDENTS...E800-E802	1	-	-	-	-	36	17	2	12	5
32 MOTOR VEHICLE ACCIDENTS...E810-E835	126	37	17	53	19	1,823	1,011	471	261	80
33 MOTOR VEHICLE TRAFFIC ACCIDENTS...E810-E825	125	37	17	52	19	1,781	989	463	251	78
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN...E810	-	-	-	-	-	67	46	16	5	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN...E812	41	14	4	17	6	326	145	78	74	29
36 OTHER TRAFFIC ACCIDENTS, ETC...E811,E813-E819	39	11	6	14	8	818	482	239	74	23
37 NONCOLLISION TRAFFIC ACCIDENTS...E820-E824	22	5	4	12	1	491	274	108	85	24
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE...E825	23	7	3	9	4	79	42	22	13	2
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS...E830-E835	1	-	-	1	-	42	22	8	10	2
40 OTHER ROAD VEHICLE ACCIDENTS...E840-E845	-	-	-	-	-	4	4	-	-	-
41 WATER TRANSPORT ACCIDENTS...E850-E858	1	-	-	1	-	93	72	6	11	4
42 AIRCRAFT ACCIDENTS...E860-E866	4	3	1	-	-	62	55	7	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS...E870-E888	4	1	-	1	2	85	27	35	12	11
44 ACCIDENTAL POISONING BY GASES AND VAPORS...E890-E895	2	1	1	-	-	31	18	9	3	1
45 ACCIDENTAL FALLS...E900-E904	128	31	33	54	10	494	241	205	28	20
46 FALL FROM ONE LEVEL TO ANOTHER...E900-E902	43	12	4	25	2	125	77	30	12	6
47 FALL ON SAME LEVEL...E903	21	7	5	8	1	159	73	75	6	5
48 UNSPECIFIED FALLS...E904	64	12	24	21	7	210	91	100	10	9
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	2	-	-	2	-	34	22	1	10	1
50 ACCIDENT CAUSED BY MACHINERY...E912	1	-	-	1	-	45	30	2	13	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT...E914	-	-	-	-	-	56	41	3	11	1
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	41	7	8	17	9	280	82	48	84	66
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	1	1	-	-	-	11	5	3	3	-
54 ACCIDENT CAUSED BY FIREARM...E919	13	-	1	9	3	103	65	6	25	7
55 INHALATION AND INGESTION OF OBJECTS, ETC...E921-E922	15	3	5	4	3	58	20	21	12	5
56 ACCIDENTAL DROWNING...E929	20	8	-	12	-	336	171	50	102	13
57 EXCESSIVE HEAT AND INSOLATION...E931	1	-	-	1	-	7	4	1	2	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	4	2	-	1	1	33	11	15	5	2
59 ALL OTHER ACCIDENTS...RESIDUAL	112	16	9	64	23	239	110	48	50	31
60 SUICIDE...E963,E970-E979	76	37	4	24	11	809	515	254	31	9
61 SUICIDE BY POISONING...E970-E973	5	3	-	2	-	222	113	104	2	3
62 SUICIDE BY HANGING AND STRANGULATION...E974	19	9	-	7	3	77	53	20	4	-
63 SUICIDE BY FIREARM AND EXPLOSIVE...E976	27	14	2	10	1	428	310	97	18	3
64 SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	25	11	2	5	7	82	39	33	7	3
65 HOMICIDE...E964,E980-E985	133	8	4	91	30	667	152	65	348	102
66 ASSAULT BY FIREARM AND EXPLOSIVE...E981	68	3	1	46	18	440	115	32	233	60
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	39	3	-	31	5	121	20	4	83	14
68 ASSAULT BY OTHER MEANS...E964,E980,E983	23	2	3	11	7	94	12	29	25	28
69 INJURY BY INTERVENTION OF POLICE...E984	3	-	-	3	-	12	5	-	7	-
70 EXECUTION...E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	-	-	-	-	-	3	2	-	1	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	111,053	54,903	43,273	7,366	5,511	46,495	25,385	19,862	1,770	1,478
02 I. INFECTIVE AND PARASITIC DISEASES.....	857	456	215	120	66	439	223	170	31	15
03 TUBERCULOSIS, ALL FORMS.....001-019	410	233	59	88	30	198	119	51	20	8
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	376	222	56	73	25	180	112	44	19	5
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	6	-	-	4	2	4	1	2	-	1
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	-	1	-	1	-	-	-	1
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	4	2	1	-	1	4	2	1	1	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	5	3	-	2	-	4	2	2	-	-
09 DISSEMINATED TUBERCULOSIS.....019	18	6	2	8	2	5	2	2	-	1
10 SYPHILIS AND ITS SEQUELAE.....020-029	113	63	23	15	12	71	39	28	3	1
11 CONGENITAL SYPHILIS.....020	1	1	-	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	80	47	20	6	7	52	29	19	3	1
14 OTHER CARDIOVASCULAR SYPHILIS.....023	21	8	1	7	5	12	6	6	-	-
15 TABES DORSALIS.....024	2	1	1	-	-	1	1	1	-	-
16 GENERAL PARALYSIS OF INSANE.....025	5	2	1	2	-	2	1	1	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	4	-	-	-	4	2	2	-	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	1	1	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	1	-	1	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	5	4	-	-	1	1	1	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	-	-	1	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	-	-	-	1	-	-	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	74	34	32	4	4	54	19	29	4	2
30 DIPHtheria.....055	1	-	1	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	1	1	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	35	9	19	3	4	31	12	15	1	3
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	2	1	1	-	-	3	1	2	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	7	4	3	-	-	2	-	2	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	38	22	15	1	-	14	4	10	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	8	4	3	-	1	2	-	2	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	27	9	13	2	3	9	6	3	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	50	23	22	4	1	14	9	5	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	1	-	1	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	1	-	-	-	1	-	1	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	80	47	22	3	8	37	12	21	3	1
55 II. NEOPLASMS.....	18,343	8,884	7,686	982	791	7,764	3,870	3,391	275	228
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	18,070	8,768	7,568	969	765	7,655	3,828	3,335	270	222
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	430	302	83	34	11	161	109	41	8	3
58 OF LIP.....140	9	9	-	-	-	6	-	-	-	-
59 OF TONGUE.....141	112	77	22	12	1	41	27	10	3	1
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	140	90	33	9	8	47	30	16	-	1
61 OF PHARYNX.....145-148	169	126	28	13	2	67	46	15	5	1
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	6,004	2,891	2,485	380	248	2,449	1,190	1,088	93	78
63 OF ESOPHAGUS.....150	345	199	67	59	20	102	63	21	13	5
64 OF STOMACH.....151	1,080	561	353	109	57	367	189	138	28	12
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	47	24	18	2	3	23	12	9	2	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,086	901	1,035	79	71	922	395	478	17	32
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	318	116	186	10	6	120	45	70	1	4
68 TRANSVERSE COLON.....153.1	108	47	56	2	3	46	19	25	2	-
69 DESCENDING COLON.....153.2	89	43	40	4	2	29	10	19	-	-
70 SIGMOID COLON.....153.3	399	199	181	7	12	161	67	86	4	4
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	4	4	-	-	-	1	-	1	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,106	463	543	53	47	517	238	248	7	24
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	62	29	29	3	1	48	16	29	3	-
74 OF RECTUM.....154	744	398	298	27	21	282	150	115	8	9
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	421	138	242	27	14	162	66	86	5	5
76 LIVER.....155.0	110	51	32	21	6	43	24	15	4	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	311	87	210	6	8	119	42	71	1	5
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	225	101	90	16	18	110	51	47	7	5
79 OF PANCREAS.....157	966	529	342	56	39	441	249	170	13	9
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	90	40	40	5	5	40	15	24	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.
of the International Lists, 1955. For complete category titles, see table 1-24]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
29,634	16,331	12,961	194	148	22,008	11,629	9,239	650	490	31,512	16,236	12,138	1,749	1,389	01
149	85	59	1	4	141	80	50	6	5	370	202	120	25	23	02
47	31	15	-	1	35	22	7	4	2	205	118	60	15	12	03
46	31	14	-	1	30	20	6	3	1	188	108	56	13	11	04
-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	05
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	06
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	07
-	-	-	-	-	1	1	1	-	-	4	2	2	-	-	08
-	-	-	-	-	2	-	-	1	1	7	4	1	1	1	09
17	12	3	1	1	30	20	7	1	2	24	13	3	4	4	10
-	-	-	-	-	2	-	1	1	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
7	5	2	-	-	18	14	2	-	2	12	9	2	-	1	13
3	2	-	1	-	4	2	2	-	-	6	1	1	2	2	14
3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	15
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	16
3	3	-	-	-	3	1	2	-	-	4	2	-	1	1	17
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	1	-	1	-	-	1	1	-	-	-	23
-	-	-	-	-	2	-	1	1	-	1	1	1	-	-	24
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	26
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	27
28	18	10	-	-	25	14	11	-	-	39	19	15	3	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
10	6	4	-	-	8	4	4	-	-	25	13	7	2	3	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	-	1	-	-	1	1	-	-	-	3	2	1	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	37
9	3	6	-	-	11	7	4	-	-	15	9	6	-	-	38
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	40
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
8	3	5	-	-	5	2	3	-	-	13	5	8	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	52
22	9	12	-	1	21	9	11	-	1	31	15	15	-	1	53
4,753	2,458	2,228	41	26	3,541	1,768	1,603	104	66	4,804	2,332	2,029	236	207	54
4,704	2,441	2,199	41	23	3,492	1,744	1,582	103	63	4,708	2,300	1,970	236	202	55
92	62	27	2	1	76	53	18	4	1	114	69	29	14	2	56
4	3	1	-	-	4	4	-	-	-	5	4	1	-	-	57
16	11	4	1	-	17	11	4	1	1	23	15	5	3	-	58
31	18	12	-	1	27	18	7	2	-	40	25	15	-	-	59
41	30	10	1	-	28	20	7	1	-	46	25	8	11	2	60
1,434	736	682	12	4	1,065	510	504	32	19	1,455	676	623	91	65	61
64	40	20	3	1	49	33	8	7	1	80	35	17	22	6	62
258	159	96	3	-	167	91	64	9	3	249	134	89	17	9	63
10	6	4	-	-	6	2	4	-	-	8	4	4	-	-	64
550	299	305	4	2	400	180	207	8	5	475	185	252	18	20	65
91	41	50	-	-	58	32	24	-	2	61	25	33	2	1	66
17	9	8	-	-	18	6	12	-	-	11	7	3	-	1	67
20	7	13	-	-	22	9	12	1	-	14	6	7	-	1	68
84	38	44	2	-	51	28	22	1	-	62	26	33	2	1	69
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	70
302	130	169	2	1	239	99	131	6	3	297	112	156	13	16	71
35	14	20	-	1	12	6	6	-	-	29	9	19	1	-	72
139	82	56	1	-	115	59	52	1	3	150	78	58	7	7	73
107	36	69	1	1	91	29	58	2	2	112	45	62	2	3	74
17	12	5	-	-	22	10	9	2	1	30	17	13	-	-	75
90	24	64	1	1	69	19	49	-	1	82	28	49	2	3	76
66	33	33	-	-	39	20	17	2	-	84	42	30	6	6	77
215	126	89	-	-	179	87	84	3	5	266	141	96	16	13	78
25	15	10	-	-	19	9	10	-	-	31	12	15	3	1	79

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.										
01 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,201	2,436	440	265	60	1,325	1,039	185	88	13
02 OF LARYNX.....161	156	122	11	18	5	59	53	1	5	-
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,302	1,012	151	127	12	527	420	54	44	9
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,703	1,277	268	118	40	722	556	125	39	2
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	40	25	10	2	3	17	10	5	-	2
06 MALIGNANT NEOPLASM OF BREAST.....170	1,695	12	1,568	-	115	631	1	599	-	31
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,369	809	1,258	114	188	1,080	411	586	31	52
08 OF CERVIX UTERI.....171	436	...	337	...	99	220	...	199	...	21
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	386	...	338	...	48	159	...	144	...	15
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	561	...	524	...	37	244	...	230	...	14
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	63	...	59	...	4	15	...	13	...	2
12 OF PROSTATE.....177	866	755	...	111	...	416	385	...	31	...
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	57	54	...	3	...	26	26	...	-	...
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	830	529	247	33	21	383	226	135	10	12
15 OF KIDNEY.....180	359	225	119	7	8	179	99	68	5	7
16 OF BLADDER AND OTHER URINARY ORGANS.....181	471	304	128	26	13	204	127	67	5	5
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,190-199	1,822	894	782	77	69	836	419	371	25	21
18 OF SKIN.....190,191	201	114	76	4	7	102	54	47	-	1
19 OF EYE.....192	22	10	12	-	-	10	6	4	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	425	236	155	19	15	184	107	71	4	2
21 OF THYROID GLAND.....194	58	23	31	2	2	15	5	9	1	-
22 OF BONE.....196	91	50	32	4	5	61	32	26	2	1
23 OF CONNECTIVE TISSUE.....197	65	32	29	2	2	43	24	16	-	3
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	89	46	38	2	3	37	19	14	4	-
25 OF UNSPECIFIED SITES.....1568,165,198,199B	871	383	409	44	35	384	172	184	14	14
26 LEUKEMIA AND ALEUKEMIA.....204	820	431	330	33	26	369	199	157	6	7
27 LYMPHOSARCOMA, ETC.....200-203,205	899	464	375	33	27	421	234	173	9	5
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	463	235	207	13	8	208	111	92	2	3
29 HODGKINS DISEASE.....201	188	114	63	5	5	92	55	33	2	2
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	248	115	105	14	14	121	68	48	5	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	273	116	118	13	26	109	42	56	5	6
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	27	...	16	...	8	8	...	5	...	3
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	57	18	26	8	5	22	9	12	-	1
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	59	28	26	1	4	25	7	14	1	1
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	2	2	...	2	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	70	39	28	1	2	28	14	10	3	1
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	59	31	21	3	4	26	12	13	1	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	2,477	922	1,269	123	163	1,367	515	717	56	79
39 ASTHMA.....241	207	97	74	19	17	105	41	51	7	6
40 NONTOXIC GOITER.....250,251	2	...	1	...	2	2	1	1	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	23	6	15	-	1	3	9	-	-	1
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	20	4	14	-	2	15	3	9	-	1
43 DIABETES MELLITUS.....260	1,969	692	1,059	88	130	1,083	407	574	39	63
44 DISEASES OF THYMUS GLAND.....273	1	1	-	-	-	1	1	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	23	11	11	1	-	13	1	1	2	-
46 PELLAGRA.....281
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	59	26	22	7	4	42	14	23	2	3
48 CYSTIC FIBROSIS.....289A	37	23	13	1	-	20	8	12	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	136	62	60	7	7	83	29	43	6	9
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	274	124	116	18	16	147	67	64	6	10
51 ANEMIAS.....290-293	168	65	75	15	13	91	39	42	3	7
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	25	7	18	-	-	12	6	6	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	143	58	57	15	13	79	33	36	3	7
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	39	18	18	1	2	15	6	6	-	3
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	67	41	23	2	1	41	22	16	3	-
56 V. MENTAL, PSYCHONEUROLOGIC, AND PERSONALITY DISORDERS.	192	109	52	22	9	128	69	37	16	6
57 SENILE PSYCHOSIS.....304	13	7	6	-	-	9	3	6	-	-
58 ALCOHOLIC PSYCHOSIS.....307	32	23	1	8	-	17	11	3	3	-
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	26	9	11	2	4	19	5	11	1	2
60 ALCOHOLISM.....322	84	61	11	9	3	67	45	9	10	3
61 MENTAL DEFICIENCY.....325	23	7	11	3	2	13	5	6	1	1
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	14	2	12	-	-	3	-	2	1	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	11,844	4,787	5,753	625	679	6,633	2,882	3,352	189	210
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	11,065	4,453	5,428	553	631	6,231	2,684	3,173	174	200
65 SUBARACHNOID HEMORRHAGE.....330	417	138	200	34	45	184	71	89	15	9
66 CEREBRAL HEMORRHAGE.....331	5,976	2,432	2,881	311	352	3,491	1,476	1,759	110	146
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	3,747	1,508	1,861	176	202	1,851	829	960	34	28
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	925	375	486	32	32	705	308	365	15	17
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	121	45	34	23	19	52	27	18	4	3
70 MULTIPLE SCLEROSIS.....345	94	30	57	4	3	41	12	27	1	1
71 PARALYSIS AGITANS.....350	146	64	61	-	1	87	39	48	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	27	11	12	2	2	19	5	4	-	-
73 EPILEPSY.....353	109	48	28	20	13	36	22	11	3	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	4	1	2	-	1	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	12	2	7	3	-	3	3	-	-	1
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	266	133	104	20	9	163	80	71	7	9

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966.—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
708	578	111	15	4	585	450	101	29	5	847	653	124	54	16
23	19	3	1	—	25	21	—	2	2	46	35	6	3	2
239	200	33	4	2	183	147	29	6	1	319	261	31	21	6
434	354	68	10	2	363	274	67	21	1	460	344	79	29	8
12	5	7	—	—	14	8	5	—	1	22	13	8	1	—
443	2	438	—	3	331	3	316	—	12	388	1	357	—	30
695	335	350	5	5	513	207	271	15	20	699	242	367	38	52
102	—	99	—	3	106	—	88	—	18	157	—	132	—	25
86	—	85	—	1	63	—	63	—	—	96	—	82	—	14
150	—	149	—	1	110	—	109	—	1	149	—	137	—	12
17	—	17	—	—	12	—	11	—	1	17	—	16	—	1
321	316	—	5	—	212	199	—	13	—	271	235	—	36	—
19	19	—	—	—	10	8	—	2	—	9	7	—	2	—
260	175	84	1	—	170	116	50	2	2	206	118	76	8	4
108	66	42	—	—	85	56	27	2	—	82	46	31	3	2
152	109	42	1	—	85	60	23	—	2	124	72	45	5	2
532	260	265	4	3	362	200	146	13	3	556	287	229	19	21
67	40	27	—	—	51	35	15	1	—	92	62	25	1	4
6	3	3	—	—	4	3	1	—	—	7	6	—	—	—
109	47	61	1	—	98	56	37	4	1	116	59	53	1	3
14	6	8	—	—	8	5	3	—	—	10	2	7	—	2
26	12	14	—	—	21	12	9	—	—	41	18	20	2	1
21	12	9	—	—	22	12	10	—	—	22	10	10	2	—
30	18	11	1	—	14	8	6	—	—	14	8	5	1	—
259	122	132	2	3	144	69	65	8	2	254	122	108	12	12
261	152	107	—	2	178	98	78	2	—	221	137	72	7	5
279	141	135	2	1	212	107	98	6	1	222	117	73	5	7
133	66	66	1	—	102	56	43	3	—	99	54	38	2	5
56	30	25	—	1	40	23	17	—	—	52	28	23	1	—
90	45	44	1	—	70	28	38	3	1	71	35	32	2	2
49	17	29	—	3	49	24	21	1	3	96	32	59	—	5
7	—	6	—	1	5	—	3	—	2	14	—	10	—	4
11	4	5	—	2	13	5	7	—	—	14	4	9	—	1
10	3	7	—	—	12	10	2	—	—	21	10	11	—	—
6	—	—	—	—	—	—	—	—	—	2	—	2	—	—
15	6	9	—	—	11	5	6	—	—	17	6	11	—	—
744	319	419	4	2	588	248	300	13	27	851	322	423	51	55
68	42	24	2	—	73	39	25	3	6	95	43	37	13	2
1	—	1	—	—	—	—	—	—	—	3	—	2	—	—
5	1	4	—	—	6	—	4	—	2	7	1	6	—	—
4	1	3	—	—	5	—	5	—	—	6	2	4	—	—
591	246	342	2	1	421	175	225	7	14	625	229	327	28	41
1	—	1	—	—	1	1	2	—	—	4	2	2	1	1
6	—	6	—	—	4	2	2	—	—	8	2	6	—	—
13	8	5	—	—	—	—	—	—	—	—	—	—	—	—
4	3	1	—	—	22	10	10	—	2	36	14	12	5	5
51	18	32	—	1	10	3	7	—	—	13	6	7	—	—
103	56	45	1	1	46	18	22	3	3	54	23	22	4	5
74	40	33	—	1	75	37	34	1	3	93	44	42	4	3
18	10	8	—	—	51	20	29	—	2	58	30	23	3	2
56	30	25	—	1	5	1	4	—	—	2	1	—	—	1
9	5	4	—	—	46	19	25	—	2	56	29	23	3	1
20	11	8	1	—	9	5	3	1	—	14	5	8	—	1
71	40	29	1	1	15	12	2	—	1	21	9	11	1	—
6	—	6	—	—	54	42	11	1	—	92	64	18	7	3
8	7	—	1	—	5	3	2	—	—	4	2	2	—	—
22	9	13	—	—	9	9	—	—	—	13	12	—	1	—
26	18	7	—	1	9	7	2	—	—	15	7	6	1	—
9	6	3	—	—	24	20	3	1	—	47	33	8	4	2
—	—	—	—	—	2	2	—	—	—	11	9	2	—	—
—	—	—	—	—	5	1	4	—	—	2	1	—	1	—
4,213	1,961	2,208	27	17	2,865	1,246	1,460	78	81	4,338	1,862	1,983	247	246
3,931	1,820	2,072	23	16	2,678	1,158	1,373	70	77	4,106	1,747	1,895	226	238
76	41	33	2	—	81	42	31	3	5	119	45	59	6	9
2,265	1,059	1,186	12	8	1,463	636	763	33	31	2,335	1,015	1,066	116	138
1,118	532	575	4	7	804	348	397	25	34	1,196	491	561	76	68
472	188	278	5	1	330	132	182	9	7	456	196	209	28	23
22	13	9	—	—	23	13	9	1	—	26	11	6	8	1
49	18	24	1	—	20	6	11	1	—	14	7	7	—	—
86	41	44	—	1	55	24	29	—	2	56	29	24	3	—
8	5	3	—	—	4	1	3	—	—	19	8	9	1	—
—	—	—	—	—	20	8	8	4	—	31	12	11	6	2
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	1	—	—	2	2	—	—	—	2	1	1	—	—
98	48	48	2	—	62	33	27	2	—	83	46	30	3	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,373	7,586	5,671	53	63	9,709	5,268	4,021	237	183	13,287	7,077	4,990	653	567	01
11,897	6,903	4,891	49	54	8,659	4,798	3,491	297	165	11,866	6,435	4,364	576	491	02
7	3	4	-	-	4	4	-	-	-	6	3	2	-	1	03
191	109	81	-	1	150	68	80	-	4	150	71	69	3	7	04
89	49	39	-	1	71	28	43	-	2	69	31	34	3	1	05
15	10	5	-	-	16	12	4	-	-	20	16	3	-	1	06
22	15	7	-	-	11	6	5	-	-	2	1	1	-	-	07
65	39	30	-	-	52	22	28	-	2	59	23	31	-	5	08
9,574	5,786	3,711	41	36	6,907	4,026	2,601	161	119	9,145	5,302	3,162	399	282	09
2,318	1,144	1,151	12	11	1,834	854	859	44	55	2,089	936	965	95	93	10
7,250	4,639	2,557	29	25	5,073	3,170	1,742	97	64	7,055	4,366	2,196	304	189	11
6	3	3	-	-	-	-	-	-	-	1	1	-	-	-	12
76	40	36	-	-	62	32	30	-	-	38	20	18	-	-	13
3	1	2	-	-	4	4	-	-	-	3	2	1	-	-	14
36	22	14	-	-	31	17	14	-	-	18	9	9	-	-	15
37	17	20	-	-	27	15	12	-	-	17	9	8	-	-	16
853	398	447	2	6	609	284	305	12	8	814	328	402	46	38	17
647	295	347	1	4	473	214	245	8	6	681	275	350	31	25	18
206	103	100	1	2	136	70	60	4	2	133	53	52	15	13	19
512	279	225	3	5	388	194	170	15	9	767	378	308	49	32	20
7	5	2	-	-	6	5	1	-	-	6	3	5	1	1	21
14	11	2	1	-	14	5	7	2	-	12	6	1	-	-	22
198	97	98	2	1	181	94	75	6	6	148	69	65	10	4	23
293	166	123	-	4	187	90	87	7	3	601	300	237	37	27	24
684	288	387	3	6	539	190	305	19	25	946	333	403	79	131	25
282	132	147	1	2	143	61	77	3	2	243	93	79	30	41	26
402	156	240	2	4	396	129	228	16	23	703	240	324	49	90	27
188	90	95	1	2	138	61	65	6	6	190	89	77	9	15	28
129	70	57	1	1	92	47	39	3	3	128	64	51	6	7	29
59	20	38	-	1	46	14	26	3	3	62	25	3	3	8	30
1,107	507	594	1	5	746	342	382	15	7	964	454	427	40	43	31
870	351	514	1	4	568	240	309	12	7	779	344	369	30	36	32
189	135	53	-	1	137	87	48	2	-	109	72	29	5	3	33
8	3	5	-	-	1	1	-	-	-	12	8	2	2	-	34
40	18	22	-	-	40	14	25	1	-	64	30	27	3	4	35
181	86	91	2	2	166	69	83	9	5	267	99	122	28	18	36
1,650	1,033	597	14	6	1,156	699	405	37	15	1,773	1,013	581	114	65	37
10	3	7	-	-	7	2	4	1	-	14	7	3	2	2	38
36	19	17	-	-	32	14	18	-	-	60	24	33	2	1	39
995	543	434	12	6	646	317	291	26	12	1,046	513	411	77	45	40
141	92	46	3	-	85	44	35	3	3	145	75	54	11	5	41
414	217	192	4	1	318	158	142	13	5	434	217	165	32	20	42
111	58	50	-	3	58	29	21	5	3	47	21	18	4	4	43
329	176	146	5	2	185	86	93	5	1	420	200	174	30	16	44
11	4	7	-	-	8	4	4	-	-	19	13	5	1	-	45
61	48	13	-	-	61	47	12	2	-	97	80	13	4	-	46
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	47
13	8	5	-	-	6	4	2	-	-	16	9	4	2	1	48
1	-	1	-	-	-	-	-	-	-	3	2	1	-	-	49
60	36	24	-	-	54	41	11	2	-	72	42	23	6	1	50
30	21	9	-	-	18	9	9	-	-	44	26	15	1	2	51
392	330	60	2	-	285	245	33	5	2	334	260	51	15	8	52
349	306	41	2	-	263	228	29	5	1	264	214	33	10	7	53
43	24	19	-	-	22	17	4	-	1	70	46	18	5	1	54
41	21	20	-	-	39	16	21	1	1	66	36	21	4	5	55
958	531	411	10	6	819	418	352	28	21	1,181	613	473	48	47	56
1	1	-	-	-	4	2	2	-	-	-	-	-	-	-	57
79	51	28	-	-	75	46	28	1	-	81	48	28	4	1	58
74	54	16	1	-	50	34	11	3	2	73	51	17	4	1	59
3	3	-	-	-	4	1	2	1	-	5	2	3	-	-	60
32	14	15	2	1	23	11	10	1	1	29	12	11	3	3	61
168	72	94	1	1	147	54	79	7	7	179	75	84	4	16	62
33	15	18	-	-	29	15	10	2	2	71	27	36	5	3	63
61	25	36	-	-	61	25	35	-	1	60	26	29	2	3	64
203	147	53	2	1	189	117	56	10	6	332	209	99	13	11	65
151	104	45	2	-	121	67	42	8	4	250	150	83	9	8	66
52	43	8	-	1	68	50	14	2	2	82	59	16	4	3	67
90	37	52	-	-	55	21	33	-	1	99	37	60	1	1	68
214	110	99	4	1	182	92	86	3	1	252	126	106	12	8	69
398	239	155	2	2	385	223	130	24	8	543	271	188	48	36	70
172	91	79	1	1	161	84	59	12	6	215	103	76	16	20	71
6	3	3	-	-	6	4	2	-	-	15	5	7	1	2	72
10	8	2	-	-	9	3	5	-	1	9	6	3	-	-	73
156	80	74	1	1	146	77	52	12	5	191	92	66	15	18	74
92	43	49	-	-	100	46	47	6	1	183	77	79	18	9	75
12	6	6	-	-	11	5	6	-	-	17	14	3	-	-	76
46	33	13	-	-	41	28	9	4	-	55	19	25	7	4	77
51	50	...	1	...	49	48	...	1	...	56	50	...	6	...	78
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	79
25	16	8	-	1	21	12	7	1	1	17	8	5	1	3	80

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9	...	9	...	-	11	...	11	...	-	23	...	21	...	2
3	...	3	...	-	3	...	3	...	-	4	...	4	...	-
1	...	1	...	-	2	...	2	...	-	1	...	1	...	-
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-
2	...	2	...	-	1	...	1	...	-	1	...	1	...	-
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
3	...	3	...	-	3	...	3	...	-	13	...	11	...	2
34	11	23	-	-	25	8	15	-	2	21	4	14	1	2
3	1	2	-	-	4	1	3	-	-	4	-	2	-	2
31	10	21	-	-	21	7	12	-	2	17	4	12	1	-
87	38	48	1	-	47	19	27	1	-	82	35	45	-	2
44	17	27	-	-	23	10	13	-	-	56	22	32	-	2
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	1	-	1	-	-	4	3	1	-	-
3	1	2	-	-	1	1	-	-	-	3	1	2	-	-
15	9	6	-	-	10	5	4	1	-	9	6	3	-	-
20	8	12	-	-	12	3	9	-	-	10	3	7	-	-
265	151	109	2	3	189	94	82	8	5	295	159	113	14	9
15	8	7	-	-	5	2	3	-	-	28	13	13	1	1
16	7	8	1	-	14	7	7	-	-	32	20	11	1	-
138	79	55	1	3	98	49	44	3	2	136	74	48	8	6
96	57	39	-	-	72	36	28	5	3	99	52	41	4	2
595	311	267	10	7	474	260	158	33	23	803	388	293	79	43
56	29	27	-	-	195	88	93	6	8	214	104	85	12	13
14	7	7	-	-	64	22	36	1	5	49	14	32	1	2
42	22	20	-	-	131	66	57	5	3	165	90	53	11	11
2,176	1,483	656	27	10	1,734	1,131	487	73	43	2,742	1,746	720	210	66
1,817	1,224	568	17	8	1,409	923	407	48	31	2,196	1,379	625	143	49
9	7	2	-	-	12	10	1	-	1	19	16	1	2	-
934	647	279	6	2	709	473	191	30	15	1,052	699	272	64	17
917	633	276	6	2	695	460	190	30	15	1,028	681	267	63	17
72	51	21	-	-	52	39	13	-	-	17	8	6	1	-
74	40	32	2	-	55	36	13	3	3	160	107	31	15	7
476	318	154	3	1	326	204	105	12	5	459	275	142	30	6
271	209	60	1	1	202	142	45	9	6	356	264	72	16	4
24	15	9	-	-	60	39	14	6	1	42	27	14	1	-
17	14	3	-	-	14	13	1	-	-	24	18	5	1	-
6	5	1	-	-	2	2	-	-	-	3	3	-	-	-
12	11	-	1	-	18	17	1	-	-	30	23	3	4	-
17	13	4	-	-	18	18	-	-	-	9	9	3	-	-
14	9	5	-	-	16	5	9	-	2	19	9	8	-	2
37	30	7	-	-	31	21	9	1	-	38	29	6	1	2
360	162	191	4	3	220	115	100	3	2	398	170	204	14	10
117	73	40	2	2	56	38	16	2	2	87	53	28	3	3
113	37	73	2	1	64	27	34	1	2	107	50	53	4	4
130	52	78	-	-	100	50	50	-	-	204	67	123	7	7
24	24	-	-	-	12	11	1	-	-	53	50	2	1	-
83	81	2	-	-	48	45	3	-	-	48	41	3	3	1
25	25	-	-	-	18	16	2	-	-	23	19	2	2	-
75	47	25	1	2	83	47	24	6	6	192	94	62	27	9
5	3	1	-	-	11	5	6	-	-	5	2	2	1	-
31	28	3	-	-	36	32	2	1	1	57	51	5	1	-
21	13	7	-	1	15	10	4	1	-	24	10	8	4	2
50	32	15	3	-	46	33	10	3	3	88	68	11	8	1
14	11	3	-	-	9	3	3	1	2	6	3	1	1	1
13	8	4	1	-	14	6	8	-	-	14	4	9	-	1
87	68	19	-	-	91	54	33	2	2	118	82	23	10	3
310	236	70	3	1	256	183	61	7	5	336	252	67	17	-
75	49	26	-	-	55	32	21	-	2	41	24	15	2	-
56	39	16	1	-	36	23	13	-	-	33	27	6	-	-
153	137	14	2	-	138	112	19	7	-	245	194	37	14	-
26	11	14	-	1	27	16	8	-	3	17	7	9	1	-
49	23	18	7	1	68	24	19	18	7	209	114	28	50	17
34	18	11	5	-	38	12	8	13	5	160	93	19	40	8
6	2	2	1	1	10	3	2	4	1	15	7	2	4	2
7	2	5	-	-	18	7	9	1	1	30	11	7	5	7
2	1	-	1	-	2	2	-	-	-	4	3	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	32,561	12,039	8,587	6,496	5,439	10,875	5,971	4,860	27	17
02 I. INFECTIVE AND PARASITIC DISEASES.....	473	158	78	162	75	83	55	28	-	-
03 TUBERCULOSIS, ALL FORMS.....001-019	180	71	19	70	20	34	27	7	-	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	171	68	18	65	20	31	25	6	-	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	6	3	-	3	-	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	1	-	1	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	3	-	1	2	-	2	2	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	58	23	6	18	11	11	7	4	-	-
11 CONGENITAL SYPHILIS.....020	2	-	1	1	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	36	17	5	8	6	7	5	2	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	14	2	-	7	5	3	2	1	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	3	-	2	-	1	-	1	-	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	1	-	1	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	5	1	-	1	3	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	96	24	24	32	16	11	7	4	-	-
30 DIPHTHERIA.....055	1	-	-	-	1	-	-	-	-	-
31 WHOOPING COUGH.....056	4	-	-	3	1	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	35	11	6	12	6	6	2	4	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	11	3	-	6	2	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	4	2	1	1	-	2	1	1	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	11	3	3	5	-	3	2	1	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	2	1	-	1	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	4	1	-	1	2	-	-	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	17	8	4	4	1	3	2	1	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	3	-	-	1	2	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	40	9	15	6	10	13	7	6	-	-
55 II. NEOPLASMS.....	5,017	2,003	1,502	850	662	1,776	960	813	2	1
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	4,938	1,981	1,473	833	651	1,742	945	794	2	1
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	134	75	21	29	9	30	25	5	-	-
58 OF LIP.....140	2	1	-	1	-	1	1	-	-	-
59 OF TONGUE.....141	27	15	4	8	-	8	7	1	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	48	27	9	7	5	3	3	-	-	-
61 OF PHARYNX.....145-148	57	32	8	13	4	18	14	4	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,449	509	443	301	196	589	299	289	1	-
63 OF ESOPHAGUS.....150	105	34	18	41	12	31	22	9	-	-
64 OF STOMACH.....151	333	96	65	115	57	104	60	44	-	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	3	-	-	4	1	3	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	417	140	172	46	59	219	97	122	-	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	49	16	24	3	6	25	14	11	-	-
68 TRANSVERSE COLON.....153.1	11	6	4	1	-	13	3	10	-	-
69 DESCENDING COLON.....153.2	10	-	7	2	1	8	5	3	-	-
70 SIGMOID COLON.....153.3	45	19	18	2	6	51	24	27	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	284	94	112	37	41	101	43	58	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	18	5	7	1	5	21	8	13	-	-
74 OF RECTUM.....154	127	50	38	23	16	74	38	36	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	84	29	31	16	8	28	13	14	1	-
76 LIVER.....155.0	42	16	10	13	3	5	4	1	-	-
77 OF 6 MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	42	13	21	3	5	23	9	13	1	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	82	29	18	23	12	22	9	13	-	-
79 OF PANCREAS.....157	271	117	92	36	26	94	50	44	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	26	13	6	1	6	13	9	4	-	-

SECTION 1 - GENERAL MORTALITY

1-195

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,662	14,186	11,199	3,625	2,652	57,752	29,869	26,495	813	575	74,808	39,003	28,270	4,388	3,147	01
422	173	87	100	62	509	319	173	9	8	656	324	177	102	53	02
209	96	33	61	19	193	134	50	5	4	303	166	47	63	27	03
195	93	29	55	18	179	127	48	4	—	286	160	43	58	25	04
2	—	—	2	—	2	—	—	—	2	2	—	—	2	—	05
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	06
2	1	—	—	—	2	1	1	—	—	3	1	1	—	—	07
2	—	—	2	—	—	2	—	—	—	2	1	1	—	—	08
7	2	3	—	1	7	4	1	—	2	10	4	2	3	1	09
56	24	6	16	10	99	70	28	—	1	86	49	21	10	6	10
1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
32	21	3	4	4	89	63	25	—	1	43	29	8	2	4	13
15	1	1	9	4	5	4	1	—	—	21	8	6	6	1	14
1	—	—	—	—	—	—	—	—	—	6	6	—	—	—	15
2	—	—	—	—	—	—	—	—	—	3	3	—	—	—	16
4	—	—	—	—	—	—	—	—	—	4	1	—	—	—	17
1	—	—	—	—	—	—	—	—	—	8	2	4	1	1	18
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	1	—	7	5	2	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
2	—	—	—	—	—	—	—	—	—	4	4	—	—	—	24
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	27
—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	28
77	26	25	11	15	117	66	49	2	—	94	30	49	13	2	29
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	30
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	31
11	5	5	1	—	16	12	3	—	1	35	18	8	5	4	32
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	33
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	34
3	—	—	2	—	—	—	—	—	—	4	2	2	—	—	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	37
5	4	1	—	—	6	4	2	—	—	4	1	3	—	—	38
9	2	5	1	1	10	5	4	—	1	23	13	6	1	3	39
2	—	1	—	—	—	—	—	—	—	2	2	—	—	—	40
6	3	1	1	1	—	—	—	—	—	6	4	1	—	—	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
8	1	3	1	3	21	6	15	—	—	34	7	21	3	3	43
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	44
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	45
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	46
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	47
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	48
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	50
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	52
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	53
27	9	6	4	8	36	17	16	2	1	57	25	19	6	7	54
5,473	2,458	2,069	561	385	10,286	5,194	4,885	120	87	12,704	6,415	5,051	738	500	55
5,334	2,401	2,008	551	374	10,100	5,108	4,786	119	87	12,519	6,338	4,973	724	484	56
159	93	37	23	6	240	183	56	1	—	244	168	56	12	8	57
3	3	—	—	—	8	8	—	—	—	4	3	1	—	—	58
30	23	3	4	—	59	45	14	—	—	77	45	21	6	5	59
62	28	23	8	3	69	53	15	1	—	71	53	15	1	2	60
64	39	11	11	3	104	77	27	—	—	92	67	19	5	1	61
1,549	677	580	169	123	3,438	1,695	1,664	50	29	3,951	1,983	1,570	242	156	62
134	56	20	48	10	209	144	54	9	2	265	155	54	44	12	63
248	108	84	36	20	650	352	281	13	4	767	427	247	60	33	64
8	6	2	—	—	19	9	9	—	—	28	11	16	—	1	65
537	219	240	30	48	1,246	518	704	12	12	1,307	574	621	57	55	66
52	19	26	3	4	147	73	74	—	—	202	62	97	11	12	67
26	7	14	2	3	42	14	27	1	—	70	30	36	2	2	68
20	9	11	—	—	34	14	18	1	1	46	18	27	—	1	69
98	45	40	3	10	237	97	137	1	2	258	111	128	13	6	70
—	—	—	—	—	5	2	3	—	—	12	6	5	—	—	71
311	128	136	16	31	653	270	369	7	7	658	294	304	29	31	72
30	11	13	6	—	128	48	76	2	2	61	33	24	2	2	73
174	87	61	15	11	411	225	181	3	2	438	258	149	21	10	74
83	26	45	10	2	214	93	116	3	2	295	119	151	13	13	75
32	13	12	7	—	59	39	16	3	1	91	54	24	7	6	76
51	13	33	3	2	155	54	100	—	1	204	65	127	5	7	77
71	32	26	5	8	105	51	52	1	1	137	62	57	10	8	78
264	135	92	20	17	546	279	254	8	5	644	346	243	34	21	79
30	8	10	5	7	38	24	13	1	—	70	31	32	4	3	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.--CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	1,050	702	95	212	41	312	271	41	-	-
03 OF LARYNX.....161	41	25	5	9	2	19	19	-	-	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	384	283	26	67	8	126	111	15	-	-
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	616	392	62	132	30	162	138	24	-	-
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	9	2	2	4	1	5	3	2	-	-
07 MALIGNANT NEOPLASM OF BREAST.....170	383	2	274	1	106	139	2	136	-	1
08 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	503	136	193	107	147	215	84	131	-	-
09 OF CERVIX UTERI.....171	133	...	62	...	71	47	...	47
10 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	99	...	49	...	50	28	...	28
11 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	98	...	77	...	21	49	...	49
12 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	10	...	5	...	5	7	...	7
13 OF PROSTATE.....177	231	126	...	105	...	80
14 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	12	10	...	2	...	4	...	4
15 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	220	101	56	42	21	96	57	39	-	-
16 OF KIDNEY.....180	90	39	30	14	7	28	13	15	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	130	62	26	28	14	68	44	24	-	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,190-199	668	267	229	95	77	211	114	96	1	-
18 OF SKIN.....190,191	93	53	35	2	3	18	11	7	-	-
19 OF EYE.....192	3	2	1	-	-	5	2	3	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	106	58	33	11	4	46	28	18	-	-
21 OF THYROID GLAND.....194	14	2	7	1	4	7	4	3	-	-
22 OF BONE.....196	33	13	6	14	-	10	6	3	1	-
23 OF CONNECTIVE TISSUE.....197	18	9	4	1	4	8	5	3	-	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	16	8	3	5	-	9	5	4	-	-
25 OF UNSPECIFIED SITES.....1568,165,198,199B	385	122	140	61	62	108	53	55	-	-
26 LEUKEMIA AND ALEUKEMIA.....200	235	102	77	24	32	70	49	21	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	216	87	85	22	22	80	44	36	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	95	41	38	6	10	27	16	11	-	-
29 HODGKINS DISEASE.....201	50	24	17	5	5	28	15	13	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	71	22	30	12	7	25	13	12	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	79	22	29	17	11	34	15	19	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	2	...	1	...	1
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	16	3	8	2	3	-	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	15	9	1	3	2	10	5	5	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	30	4	15	7	4	15	5	10	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	16	6	4	5	1	8	5	3	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,008	246	321	146	295	227	106	120	1	-
39 ASTHMA.....241	107	43	27	18	19	31	20	11	-	-
40 NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	6	1	2	1	2	2	2	2	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	7	2	2	1	2	5	1	4	-	-
43 DIABETES MELLITUS.....260	766	165	256	104	241	163	71	92	-	-
44 DISEASES OF THYMUS GLAND.....273	5	1	2	2	2	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	10	2	6	1	1	1	-	-	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	47	11	11	11	14	4	2	2	-	-
48 CYSTIC FIBROSIS.....289A	5	2	2	-	-	3	1	2	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	55	19	15	8	13	18	11	6	1	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	118	42	29	23	24	32	19	13	-	-
51 ANEMIAS.....290-293	81	26	18	17	20	21	13	8	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	9	3	3	2	1	4	3	1	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	72	23	15	15	19	17	10	7	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	11	4	5	-	2	4	2	2	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	26	12	6	6	2	7	4	3	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	70	38	11	20	1	30	17	13	-	-
57 SENILE PSYCHOSIS.....304	4	2	1	1	-	15	7	8	-	-
58 ALCOHOLIC PSYCHOSIS.....307	9	6	1	2	-	2	2	-	-	-
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	16	9	3	4	-	1	-	1	-	-
60 ALCOHOLISM.....322	30	15	2	12	1	10	7	3	-	-
61 MENTAL DEFICIENCY.....325	11	6	4	1	-	1	-	-	-	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	1	1	1	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	3,699	1,047	1,148	731	773	1,342	607	726	3	6
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	3,458	986	1,085	667	720	1,266	572	686	2	6
65 SUBARACHNOID HEMORRHAGE.....330	142	37	38	30	37	41	16	24	-	1
66 CEREBRAL HEMORRHAGE.....331	2,260	590	655	466	549	670	307	361	-	2
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	775	253	292	132	98	423	196	223	1	3
68 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	281	106	100	39	36	132	53	78	1	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	58	9	6	27	16	13	7	6	-	-
70 MULTIPLE SCLEROSIS.....345	11	2	5	1	3	5	4	1	-	-
71 PARALYSIS AGITANS.....350	30	11	14	2	3	19	4	15	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	12	2	4	3	3	4	3	1	-	-
73 EPILEPSY.....353	41	10	8	17	6	11	4	6	1	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	1	-	-	1	-	-	-	-	-	-
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	1	-	-	-	1	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	87	27	26	13	21	24	13	11	-	-

SECTION 1 - GENERAL MORTALITY

1-197

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,085	773	121	174	17	1,702	1,364	302	33	3	2,347	1,809	277	226	35
68	49	5	13	1	112	100	9	3	—	89	71	6	11	1
405	283	56	62	4	395	313	71	10	1	802	646	80	66	10
593	433	54	95	11	1,181	947	213	19	2	1,415	1,068	180	144	23
19	8	6	4	1	14	4	9	1	—	41	24	11	5	1
488	5	432	—	51	1,023	8	1,003	—	12	1,081	8	983	2	88
688	209	322	73	84	1,207	496	680	11	20	1,664	635	839	81	109
152	—	110	—	42	152	—	155	—	5	296	—	237	—	59
87	—	63	—	24	182	—	177	—	5	230	—	209	—	21
152	—	135	—	17	334	—	324	—	10	381	—	357	—	24
15	—	14	—	1	24	—	24	—	—	41	—	36	—	5
259	191	—	68	—	490	480	—	10	—	675	597	—	78	—
23	18	—	5	—	17	—	16	—	—	41	—	38	—	—
209	121	60	10	18	486	326	152	5	3	601	388	176	22	15
84	41	31	5	7	178	107	64	4	3	238	134	88	12	4
125	80	29	5	11	308	219	88	1	—	363	254	88	10	11
677	292	274	61	50	1,079	529	523	12	15	1,402	684	602	74	42
86	39	42	3	2	136	72	62	2	—	144	76	58	6	4
4	2	2	—	—	12	3	9	—	—	17	12	5	—	—
108	56	38	12	2	187	96	87	1	3	317	177	122	11	7
17	3	6	2	6	29	6	23	—	—	35	12	20	—	3
27	16	9	2	—	64	36	26	1	1	80	43	28	6	3
24	9	9	2	4	42	22	20	—	—	41	21	17	1	2
19	9	7	2	1	49	29	19	—	1	51	23	22	5	1
392	158	161	38	35	560	265	277	8	10	717	320	330	45	22
207	95	83	18	11	410	237	169	2	2	578	319	222	24	13
272	136	99	23	14	515	270	237	5	3	651	344	248	41	18
129	58	57	8	6	222	116	100	4	2	299	157	119	16	7
65	36	21	6	2	124	74	49	1	—	141	88	42	8	3
78	42	21	9	6	169	80	88	—	1	211	99	87	17	8
139	57	61	10	11	186	86	99	1	—	185	77	78	14	16
7	—	4	—	3	4	—	4	—	—	14	—	10	—	4
24	11	8	2	3	27	8	19	—	—	43	13	23	5	2
15	7	7	—	1	41	23	18	—	—	55	27	21	4	3
1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
64	28	29	5	2	75	39	36	—	—	49	26	14	4	5
28	11	13	3	1	39	16	22	1	—	23	11	9	1	2
883	302	376	75	130	1,315	567	706	21	21	2,767	1,095	1,363	137	172
68	32	16	10	10	113	65	44	2	2	206	108	68	15	15
—	—	—	—	—	1	—	1	—	—	4	1	2	—	1
5	2	1	—	2	8	1	7	—	—	21	4	13	1	3
6	—	5	1	—	16	6	10	—	—	17	7	10	—	—
679	228	305	47	99	1,010	410	567	15	18	2,238	850	1,142	107	139
—	—	—	—	—	3	1	2	—	—	7	5	1	1	—
5	1	2	1	1	9	6	3	—	—	22	12	10	—	—
—	—	—	—	—	1	—	—	—	—	1	1	—	—	—
34	11	12	6	5	62	34	23	4	1	54	29	18	4	3
12	4	8	—	—	21	9	12	—	—	25	11	12	1	1
74	24	27	10	13	71	34	37	—	—	172	67	87	8	10
116	42	44	13	17	149	74	70	4	1	268	124	108	24	12
75	24	29	11	11	93	40	49	4	—	182	76	73	21	12
10	3	6	1	—	20	2	18	—	—	29	14	15	—	—
65	21	23	10	11	73	38	31	4	—	153	62	58	21	12
18	6	8	—	4	21	11	9	—	1	29	12	16	1	—
23	12	7	2	2	35	23	12	—	—	57	36	19	2	—
128	49	34	31	14	124	79	38	6	1	211	98	62	35	16
3	—	2	—	1	6	2	4	—	—	8	1	6	—	1
13	8	1	4	—	18	14	3	1	—	23	15	2	5	1
12	4	6	1	1	27	10	14	2	1	39	12	24	2	1
79	33	14	23	9	59	45	12	2	—	103	52	19	24	8
16	3	8	3	2	8	4	4	—	—	24	13	7	1	3
5	1	3	—	1	6	4	1	1	—	14	5	4	3	2
2,810	1,012	1,227	294	277	6,293	2,590	3,565	71	67	8,414	3,668	3,946	389	411
2,494	893	1,120	240	241	5,812	2,360	3,334	57	61	7,736	3,354	3,674	334	374
183	62	74	21	26	274	113	150	6	5	372	148	178	15	31
1,286	451	529	160	146	2,951	1,229	1,665	27	30	4,206	1,817	1,952	198	239
779	294	387	41	57	2,141	872	1,233	17	19	2,512	1,113	1,223	92	84
246	86	130	18	12	446	146	286	7	7	646	276	321	29	20
50	19	14	8	9	59	28	28	2	1	81	33	27	4	17
23	6	15	1	1	80	25	22	2	1	73	34	34	3	2
53	23	25	—	5	120	47	70	3	—	157	86	66	4	1
16	8	5	3	—	11	8	3	—	—	21	6	13	1	1
43	12	7	20	4	97	52	37	7	1	112	42	42	21	7
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	1	—	—	2	—	—	—	—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
11	—	2	—	4	6	—	—	—	—	4	—	—	—	—
120	51	39	17	13	135	63	69	2	1	228	108	90	22	8

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	13,212	5,102	3,604	2,298	2,208	5,130	2,842	2,271	10	7
02 DISEASES OF HEART.....400-402,410-443	12,020	4,691	3,234	2,093	2,002	4,606	2,592	2,000	7	7
03 RHEUMATIC FEVER.....400-402	4	2	1	1	1	2	1	1	1	1
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	137	31	48	11	17	62	23	38	1	1
05 DISEASES OF MITRAL VALVE.....410	46	13	22	5	6	16	6	9	1	1
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	10	5	5	1	1	6	2	4	1	1
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	3	1	2	1	1	3	2	1	1	1
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	48	12	19	6	11	35	12	23	1	1
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	9,086	4,040	2,462	1,380	1,204	3,769	2,223	1,536	6	4
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,843	864	886	507	586	892	431	459	1	1
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	6,239	3,175	1,574	872	618	2,867	1,787	1,072	5	3
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	1	2	1	1	10	5	5	1	1
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	50	17	11	14	8	27	11	16	1	1
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	1	1	1	1	1	1	1	1	1
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	31	11	6	11	3	12	7	5	1	1
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	18	5	5	3	5	14	4	10	1	1
17 OTHER MYOCARDIAL DEGENERATION.....422	772	195	221	181	175	309	141	166	1	2
18 WITH ARTERIOSCLEROSIS.....422.1	591	151	193	126	121	165	72	93	1	1
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0+422.2	181	44	28	55	54	144	69	73	1	2
20 OTHER DISEASES OF HEART.....430-434	803	219	199	201	184	150	77	73	1	1
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	7	1	1	2	1	6	4	2	1	1
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	21	9	5	4	3	5	4	1	1	1
23 FUNCTIONAL DISEASE OF HEART.....433	183	55	62	40	26	41	20	21	1	1
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	592	154	132	155	151	98	49	49	1	1
25 HYPERTENSIVE HEART DISEASE.....440-443	1,198	187	292	306	413	287	116	170	1	1
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	105	24	34	22	25	73	33	39	1	1
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,093	163	258	284	388	214	83	131	1	1
28 OTHER HYPERTENSIVE DISEASE.....444-447	181	46	52	45	38	59	23	35	1	1
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	90	35	33	10	12	40	15	25	1	1
30 ESSENTIAL HYPERTENSION.....444,445,447	91	11	19	35	26	19	8	10	1	1
31 DISEASES OF ARTERIES.....450-456	765	294	251	114	106	394	188	204	2	2
32 GENERAL ARTERIOSCLEROSIS.....450	517	174	197	84	62	314	129	183	2	2
33 AORTIC ANEURYSM, NONSYMPHILITIC, ETC.....451	158	91	34	15	18	58	44	14	1	1
34 GANGRENE OF UNSPECIFIED CAUSE.....455	8	3	1	3	1	3	3	1	1	1
35 OTHER ARTERIAL DISEASES.....452-454,456	82	26	19	12	25	16	3	3	1	1
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	246	71	67	46	62	71	39	32	1	1
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,633	635	352	407	239	566	348	214	3	1
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	12	1	5	5	1	2	2	1	1	1
39 INFLUENZA.....480-483	18	4	2	6	6	27	10	17	1	1
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	986	291	239	275	181	300	150	147	2	1
41 LOBAR PNEUMONIA.....490	155	48	37	41	29	42	23	19	1	1
42 BRONCHOPNEUMONIA.....491	369	116	86	106	61	164	78	83	2	1
43 PRIMARY ATYPICAL PNEUMONIA.....492	117	32	38	27	20	33	20	13	1	1
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	345	95	78	101	71	61	29	32	1	1
45 ACUTE BRONCHITIS.....500	17	9	4	2	2	4	3	1	1	1
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	83	49	15	10	9	31	21	9	1	1
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	1	1	1	1	1	1	1
48 EMPHYEMA AND ABSCESS OF LUNG.....518;521	22	10	2	7	3	4	3	1	1	1
49 PLEURISY.....519	6	1	1	1	1	1	1	1	1	1
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	62	27	16	26	13	24	17	7	1	1
51 BRONCHIECTASIS.....526	15	12	3	1	1	15	9	6	1	1
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	359	222	60	67	10	144	124	20	1	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	274	190	38	44	2	133	115	18	1	1
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	85	32	22	23	8	11	9	2	1	1
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	31	10	4	8	9	14	8	6	1	1
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,279	507	356	222	194	383	232	148	2	1
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	1	1	1	1	1	1	1	1	1
58 ULCER OF STOMACH.....540	80	47	9	17	7	36	25	11	1	1
59 ULCER OF DUODENUM.....541	52	29	10	7	6	34	27	5	2	1
60 GASTRITIS AND DUODENITIS.....543	9	6	3	1	1	3	2	1	1	1
61 APPENDICITIS.....550-553	28	11	8	2	7	10	6	4	1	1
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	193	63	73	21	36	55	25	30	1	1
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	81	14	12	35	20	9	6	3	1	1
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	41	11	21	3	6	21	13	8	1	1
65 CIRRHOSIS OF LIVER.....581	381	188	94	63	36	108	70	37	1	1
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	288	142	80	43	23	70	42	27	1	1
67 WITH ALCOHOLISM.....581.1	93	46	14	20	13	38	28	10	1	1
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	60	17	29	4	10	26	13	13	1	1
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	353	120	97	70	66	80	45	35	1	1
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	672	211	165	163	133	164	106	58	1	1
71 NEPHRITIS AND NEPHROSIS.....590-594	242	82	45	60	55	61	39	22	1	1
72 ACUTE NEPHRITIS.....590	5	2	2	1	1	2	2	1	1	1
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	7	3	3	1	1	5	1	1	1	1
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	230	77	40	59	54	53	32	21	1	1
75 INFECTIONS OF KIDNEY.....600	228	51	84	44	49	56	29	27	1	1
76 CALCULI OF URINARY SYSTEM.....602,604	19	7	7	4	1	6	1	5	1	1
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	91	27	19	29	16	13	12	1	1	1
78 HYPERPLASIA OF PROSTATE.....610	48	29	19	19	11	24	14	10	1	1
79 DISEASES OF BREAST.....620-621	2	1	1	1	1	1	1	1	1	1
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	42	15	8	7	12	4	1	3	1	1

SECTION 1 - GENERAL MORTALITY

Table I-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	LOUISIANA						MAINE					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM.....	31	...	9	...	22	-	...	-	...	-		
02 SEPSIS OF PREGNANCY, CHILD BIRTH, ETC...640,641,681,682,684	5	...	1	...	4	-	...	-	...	-		
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	5	...	1	...	4	-	...	-	...	-		
04 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH.....643,644,670-672	3	...	-	...	3	-	...	-	...	-		
05 ECTOPIC PREGNANCY.....645	1	...	-	...	1	-	...	-	...	-		
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	2	...	-	-	...	-	...	-		
07 ABORTION WITH SEPSIS.....651	5	...	1	...	4	-	...	-	...	-		
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-		
09 DT. COMPLICATIONS OF PREGNANCY, CHILD BIRTH, ETC...RESIDUAL	10	...	4	...	6	-	...	-	...	-		
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	48	5	17	9	17	10	4	6	-	-		
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	10	-	4	4	2	4	1	3	-	-		
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	38	5	13	5	15	6	3	3	-	-		
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	62	21	30	7	4	20	6	14	-	-		
14 ARTHRITIS AND SPONDYLITIS.....720-725	24	6	13	2	3	12	3	9	-	-		
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-		
16 OSTEOMYELITIS AND PERIOSTITIS.....730	4	1	3	-	-	2	-	-	-	-		
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	1	-	-	-	1	-	1	-	-		
18 INBORN DEFECT OF MUSCLE.....744-1	13	6	4	3	3	3	3	-	-	-		
19 DT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	20	7	10	2	1	4	-	4	-	-		
20 XIV. CONGENITAL MALFORMATIONS.....	378	109	123	81	65	88	39	49	-	-		
21 SPINA BIFIDA AND MENINGOCELE.....751	23	7	14	1	1	14	4	10	-	-		
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	41	9	17	4	11	7	4	3	-	-		
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	174	39	53	47	35	40	17	23	-	-		
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	140	54	39	29	18	27	14	13	-	-		
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,344	348	215	436	345	271	148	119	4	-		
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	202	67	43	42	50	69	24	45	-	-		
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	29	10	12	1	6	46	13	33	-	-		
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	173	57	31	41	44	23	11	12	-	-		
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	3,315	1,500	584	899	332	684	458	223	2	1		
30 ACCIDENTS.....E800-E962	2,673	1,264	502	632	275	520	334	184	2	-		
31 RAILWAY ACCIDENTS.....E800-E802	19	6	-	12	1	1	-	1	-	-		
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	1,216	637	210	282	87	222	165	57	-	-		
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,205	631	209	279	86	215	158	57	-	-		
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	30	15	7	6	2	4	2	2	-	-		
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	226	103	29	71	23	42	30	12	-	-		
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	564	308	119	110	27	83	52	31	-	-		
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	262	146	29	64	23	82	72	10	-	-		
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	123	59	25	28	11	4	2	2	-	-		
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	11	6	1	3	1	7	7	-	-	-		
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	3	2	-	-	2	1	1	-	-		
41 WATER TRANSPORT ACCIDENTS.....E850-E858	115	83	3	28	1	16	13	3	-	-		
42 AIRCRAFT ACCIDENTS.....E860-E866	40	35	3	2	-	9	9	-	-	-		
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	40	10	13	9	8	5	4	1	-	-		
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	22	6	8	6	2	12	6	6	-	-		
45 ACCIDENTAL FALLS.....E900-E904	355	135	146	38	36	98	32	65	1	-		
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	87	60	12	10	5	28	15	12	1	-		
47 FALL ON SAME LEVEL.....E903	51	15	28	7	1	10	4	6	-	-		
48 UNSPECIFIED FALLS.....E904	217	60	106	21	30	60	13	47	-	-		
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	28	17	1	9	1	11	10	1	-	-		
50 ACCIDENT CAUSED BY MACHINERY.....E912	50	33	-	16	1	15	15	-	-	-		
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	47	38	-	9	-	6	4	1	1	-		
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	249	53	46	62	88	46	27	19	-	-		
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	13	4	4	4	1	-	-	-	-	-		
54 ACCIDENT CAUSED BY FIREARM.....E919	76	37	11	23	5	8	7	1	-	-		
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	42	14	5	11	12	12	7	5	-	-		
56 ACCIDENTAL DROWNING.....E929	144	69	8	62	5	32	21	11	-	-		
57 EXCESSIVE HEAT AND INSULATION.....E931	3	1	-	2	-	-	-	-	-	-		
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	40	13	11	7	9	9	4	5	-	-		
59 ALL OTHER ACCIDENTS.....RESIDUAL	169	70	31	50	18	16	9	7	-	-		
60 SUICIDE.....E963,E970-E979	242	157	54	30	1	144	113	31	-	-		
61 SUICIDE BY POISONING.....E970-E973	22	14	6	2	-	38	26	12	-	-		
62 SUICIDE BY HANGING AND STRANGULATION.....E974	20	11	6	3	-	18	12	6	-	-		
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	187	126	39	22	-	74	68	6	-	-		
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	13	6	3	3	1	14	7	7	-	-		
65 HOMICIDE.....E964,E980-E985	399	79	28	236	56	19	10	8	-	1		
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	260	55	18	155	32	7	4	3	-	-		
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	84	12	3	54	15	1	-	1	-	-		
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	43	11	7	16	9	11	6	4	-	1		
69 INJURY BY INTERVENTION OF POLICE.....E984	12	1	-	11	-	-	-	-	-	-		
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-		
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	-	-	1	-	1	1	-	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	...	9	...	13	13	...	13	51	...	25	...	26	01
-	...	-	...	-	3	...	3	7	...	3	...	4	02
3	...	2	...	1	2	...	2	5	...	3	...	2	03
1	...	1	...	-	-	...	-	7	...	4	...	3	04
1	...	1	...	-	-	...	-	4	...	1	...	3	05
2	...	-	...	2	2	...	2	1	...	-	...	1	06
4	...	1	...	3	-	...	-	11	...	3	...	8	07
2	...	1	...	1	1	...	1	-	...	-	...	-	08
9	...	3	...	4	5	...	5	16	...	11	...	5	09
57	9	34	5	9	52	22	26	1	1	109	25	62	9	13	10
8	2	4	-	2	12	5	6	1	-	22	9	9	2	2	11
49	7	30	5	7	40	17	22	-	-	87	16	53	7	11	12
59	19	28	4	8	115	39	72	-	4	171	73	83	8	7	13
28	8	18	-	2	61	17	42	-	2	104	36	62	3	3	14
1	1	-	-	-	3	-	3	-	-	2	-	2	-	-	15
4	1	-	-	3	4	3	1	-	-	4	3	-	1	-	16
5	2	2	-	1	2	-	2	-	-	6	1	3	2	-	17
11	4	4	2	1	9	5	4	-	-	26	22	2	1	1	18
10	3	4	2	1	36	14	20	-	2	29	11	14	1	3	19
358	144	140	39	35	462	250	191	10	11	905	439	342	60	64	20
28	7	16	3	2	43	19	22	1	1	57	25	28	1	3	21
22	12	4	3	3	35	17	14	3	1	96	44	40	4	8	22
191	84	68	17	22	228	135	83	5	5	448	227	160	28	33	23
117	41	52	16	8	156	79	72	1	4	304	143	114	27	20	24
1,042	423	241	215	163	1,325	716	496	63	50	2,376	1,079	746	303	248	25
125	55	28	22	20	327	184	136	1	4	602	262	187	84	69	26
12	3	7	-	2	10	3	5	-	2	32	10	21	1	-	27
113	52	21	22	18	317	181	131	1	4	570	252	166	83	69	28
2,486	1,251	576	483	176	3,189	1,887	1,175	94	33	6,021	3,598	1,640	574	209	29
1,802	927	433	314	128	2,670	1,559	1,022	66	23	4,746	2,919	1,339	344	144	30
5	4	-	1	-	10	7	3	-	-	31	27	2	2	-	31
744	445	147	119	33	957	670	260	21	6	2,436	1,580	618	168	70	32
735	440	144	118	33	939	656	256	21	6	2,397	1,549	612	167	69	33
13	3	1	4	5	21	16	5	-	-	82	57	20	4	1	34
156	86	32	33	5	236	145	83	8	-	406	239	116	39	12	35
321	193	72	39	17	308	208	89	6	5	1,034	652	288	61	33	36
150	100	18	28	4	282	226	50	6	-	610	433	116	49	12	37
95	58	21	14	2	92	61	29	1	1	265	168	72	14	11	38
9	5	3	1	-	18	14	4	-	-	39	31	6	1	1	39
1	1	-	-	-	7	5	2	-	-	7	4	3	-	-	40
22	17	-	4	1	12	11	-	1	-	78	68	5	5	-	41
19	17	2	-	-	14	12	2	-	-	45	35	10	-	-	42
45	23	13	3	6	41	20	20	1	-	64	22	28	8	6	43
31	18	4	6	3	31	21	8	1	1	106	75	20	8	3	44
354	147	145	46	14	939	381	545	7	6	875	399	401	53	22	45
116	58	31	20	7	207	118	85	2	2	228	141	53	27	7	46
70	27	29	10	4	343	123	216	2	2	112	51	57	3	1	47
168	62	85	16	5	389	140	244	3	2	535	207	291	23	14	48
18	14	-	4	-	16	12	3	1	-	52	44	4	3	1	49
27	20	-	7	-	24	20	-	4	1	68	59	2	6	1	50
13	11	1	1	-	13	11	2	-	-	32	29	3	-	-	51
185	54	43	49	39	194	109	67	11	7	275	137	93	27	18	52
8	2	2	2	2	13	6	7	-	-	14	6	6	1	1	53
35	20	6	8	1	16	11	4	1	-	58	49	9	7	3	54
44	17	17	6	4	51	36	14	1	-	69	39	19	8	3	55
101	58	12	27	4	122	96	15	10	1	251	193	37	20	1	56
1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	57
23	3	13	2	5	49	28	21	-	-	24	10	10	2	2	58
126	56	28	28	14	161	103	49	7	2	249	143	69	26	11	59
411	266	113	22	10	399	267	127	2	3	843	545	242	43	13	60
114	59	56	1	-	146	73	70	1	2	261	142	125	9	5	61
52	35	10	4	3	87	74	13	-	-	133	84	42	6	1	62
191	145	28	13	5	94	84	9	1	-	333	273	39	15	6	63
52	27	19	4	2	72	36	35	-	1	96	46	34	13	1	64
271	56	30	147	38	117	58	26	26	7	430	132	59	187	52	65
141	29	16	79	17	62	33	10	16	3	236	74	34	107	21	66
73	7	4	52	10	24	9	5	9	1	161	17	4	62	16	67
54	19	10	14	11	30	16	11	-	3	82	32	19	16	15	68
3	1	-	2	-	1	-	-	1	-	11	9	-	2	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	2	-	-	-	3	3	-	-	-	2	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	33,391	18,967	13,966	252	206	23,381	7,553	5,434	5,594	4,800
02 I. INFECTIVE AND PARASITIC DISEASES.....	214	132	70	8	4	245	67	48	84	46
03 TUBERCULOSIS, ALL FORMS.....001-019	72	51	18	2	1	100	31	15	37	17
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	66	47	16	2	1	94	30	15	33	16
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	1	-	-	1	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	1	-	-	3	1	-	1	1
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	1	1	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	3	3	-	-	-	2	-	-	2	-
09 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	26	19	6	1	-	17	6	1	8	2
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	16	14	2	-	-	6	3	-	2	1
14 OTHER CARDIOVASCULAR SYPHILIS.....023	5	2	3	-	-	8	2	-	5	1
15 TABES DORSALIS.....024	2	2	-	-	-	1	1	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	1	-	1	-	2	-	1	1	-
18 ALL OTHER SYPHILIS.....027-029	1	-	1	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	1	-	-	1	-
20 TYPHOID FEVER.....040	-	-	-	-	-	1	-	-	-	1
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	1	1	-	-	3	-	1	2	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	1	1	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	1	-	-	-	1	11	1	1	6	3
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	3	-	-	1	2
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	-	-	1	-	2	-	1	-	1
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	25	12	10	2	1	29	5	11	8	5
30 DIPHTHERIA.....055	-	-	-	-	-	1	-	-	1	-
31 WHOOPING COUGH.....056	1	-	1	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	12	5	7	-	-	9	5	3	1	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	2	2	-	-	-	12	2	3	2	5
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	1	-	-	1	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	7	4	3	-	-	-	-	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	8	5	3	-	-	5	-	3	2	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	4	4	-	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	7	5	2	-	-	10	2	-	4	4
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	10	4	6	-	-	11	5	5	-	1
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	-	-	1	-	3	1	-	2	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	34	19	13	1	1	26	9	4	8	5
55 II. NEOPLASMS.....	5,693	3,011	2,623	30	29	3,151	1,125	896	605	525
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,637	2,989	2,589	30	29	3,107	1,115	882	597	513
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	115	81	32	-	2	62	31	13	10	8
58 OF LIP.....140	4	3	1	-	-	5	2	2	-	1
59 OF TONGUE.....141	21	12	9	-	-	12	7	1	1	3
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	44	28	14	-	2	19	7	8	4	-
61 OF PHARYNX.....145-148	46	38	8	-	-	26	15	2	5	4
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,894	1,032	845	11	6	934	307	265	212	150
63 OF ESOPHAGUS.....150	106	79	25	1	1	59	19	16	20	4
64 OF STOMACH.....151	401	250	147	1	3	220	66	35	87	32
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	23	13	10	-	-	4	3	-	-	1
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	635	293	340	1	1	278	86	102	32	58
67 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	120	52	66	1	1	31	10	12	5	4
68 TRANSVERSE COLON.....153-1	45	17	28	-	-	9	5	3	-	1
69 DESCENDING COLON.....153-2	25	12	13	-	-	11	3	4	1	3
70 SIGMOID COLON.....153-3	113	55	58	-	-	37	12	10	8	7
71 MULTIPLE PARTS OF LARGE INTESTINE.....153-7	4	3	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153-8	332	144	158	-	-	179	55	68	16	40
73 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	26	10	16	-	-	11	5	2	2	3
74 OF RECTUM.....154	200	135	64	1	-	67	20	26	12	9
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	150	56	93	-	1	60	23	17	13	7
76 LIVER.....155-0	27	18	9	-	-	36	13	7	12	4
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155-1,155-8	123	38	84	-	1	24	10	10	1	3
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	31	14	14	3	-	47	10	9	14	14
79 OF PANCREAS.....157	327	183	140	4	-	170	76	52	28	14
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	21	9	12	-	-	29	4	8	6	11

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,758	25,677	20,584	2,974	2,523	6,879	4,010	2,532	200	137	14,811	8,178	6,190	242	201	01
450	244	128	42	36	49	29	12	7	1	81	49	23	3	6	02
185	114	39	21	11	21	12	2	6	1	24	19	2	-	3	03
172	110	36	19	7	19	10	2	6	1	23	18	2	-	3	04
3	-	-	2	1	1	1	-	-	-	-	-	-	-	-	05
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	06
4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	07
5	3	-	-	2	1	1	-	-	-	1	1	-	-	-	08
75	46	18	5	6	10	8	2	-	-	9	5	3	-	1	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	11
46	30	9	3	4	10	8	2	-	-	3	1	2	-	-	12
12	6	4	1	1	-	-	-	-	-	4	2	1	-	1	13
5	3	1	1	-	-	-	-	-	-	1	1	-	-	-	14
10	6	4	-	-	-	-	-	-	-	1	1	-	-	-	15
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	1	-	-	1	1	1	1	-	-	-	-	-	-	-	20
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	23
2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	24
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
55	28	20	4	3	5	3	2	-	-	12	4	7	1	-	26
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	27
24	8	14	1	1	2	1	1	-	-	4	4	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	30
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	31
12	5	7	-	-	2	-	2	-	-	8	4	3	-	1	32
2	2	-	-	-	1	1	-	-	-	2	2	-	-	-	33
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
13	7	2	1	3	1	1	-	-	-	9	3	4	2	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
68	25	23	10	10	5	2	2	1	-	9	6	2	-	1	40
8,164	3,950	3,414	444	356	986	559	396	17	14	2,491	1,299	1,120	35	37	41
8,066	3,912	3,370	437	347	969	551	388	16	14	2,464	1,290	1,103	35	36	42
169	115	32	15	7	12	10	2	-	-	41	31	8	2	-	43
8	7	1	-	-	1	1	-	-	-	1	1	-	-	-	44
44	28	10	4	2	2	1	1	-	-	4	3	1	-	-	45
46	31	9	2	4	5	4	1	-	-	17	11	4	2	-	46
71	49	12	9	1	4	4	-	-	-	19	16	3	-	-	47
2,378	1,048	1,091	128	111	302	181	110	6	5	807	400	382	14	11	48
129	81	22	19	7	8	7	1	-	-	32	25	4	3	-	49
392	185	161	21	25	77	53	21	2	1	141	74	61	2	4	50
18	10	7	1	-	1	1	-	-	-	7	2	5	-	-	51
899	340	489	36	34	101	52	46	2	1	295	128	162	3	2	52
132	49	71	7	5	8	5	3	-	-	54	26	27	1	-	53
27	8	17	1	1	2	1	1	-	-	17	5	12	-	-	54
34	10	21	3	3	3	2	1	-	-	12	6	6	-	-	55
151	67	74	4	6	9	7	2	-	-	60	26	34	-	-	56
4	2	1	-	-	-	-	-	-	-	3	2	-	-	1	57
516	193	284	20	19	75	36	36	2	1	141	61	77	2	1	58
35	11	21	1	2	4	1	3	-	-	8	2	6	-	-	59
224	123	81	9	11	25	9	14	-	2	105	62	42	1	-	60
168	58	94	7	9	16	6	8	1	1	61	27	31	1	2	61
56	27	20	7	2	6	4	2	-	-	20	16	4	-	-	62
112	31	74	-	7	10	2	6	1	1	41	11	27	1	2	63
113	56	48	6	3	10	8	2	-	-	3	-	2	1	-	64
390	174	174	22	20	60	43	16	1	-	153	79	68	3	3	65
45	21	15	7	2	4	2	2	-	-	10	3	7	-	-	66

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.—CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	722	583	126	10	3	498	314	51	111	22
03 OF LARYNX.....161	26	22	2	2	2	17	8	1	7	1
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	212	169	37	5	1	223	145	24	49	5
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	467	382	81	3	1	252	159	24	53	16
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	17	10	6	-	1	6	2	2	2	-
07 MALIGNANT NEOPLASM OF BREAST.....170	548	4	542	-	2	245	1	160	1	83
08 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	795	402	385	3	5	527	129	144	123	131
09 OF CERVIX UTERI.....171	71	...	70	...	1	123	...	52	...	71
10 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	96	...	95	...	1	82	...	37	...	45
11 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	203	...	200	...	3	62	...	50	...	12
12 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	20	...	20	...	-	8	...	5	...	3
13 OF PROSTATE.....177	387	384	...	3	...	241	121	...	120	...
14 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	18	18	11	8	...	3	...
15 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	280	180	95	2	3	129	56	29	28	14
16 OF KIDNEY.....180	133	83	47	2	1	48	23	13	5	7
16 OF BLADDER AND OTHER URINARY ORGANS.....181	147	97	48	-	2	81	35	16	23	7
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	570	296	267	3	4	424	147	123	74	80
18 OF SKIN.....190,191	80	44	36	-	-	58	31	19	3	5
19 OF EYE.....192	5	1	4	-	-	8	4	3	1	1
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	163	87	74	1	1	68	29	21	12	6
21 OF THYROID GLAND.....194	27	14	13	-	-	13	3	4	2	4
22 OF BONE.....196	24	14	10	-	-	21	9	5	4	2
23 OF CONNECTIVE TISSUE.....197	25	13	12	-	-	18	9	2	4	3
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	11	6	5	-	-	32	12	9	6	5
25 OF UNSPECIFIED SITES.....156B,165,198,199B	235	117	113	2	3	206	49	60	43	54
26 LEUKEMIA AND ALEUKEMIA.....204	339	193	143	-	3	136	64	41	15	16
27 LYMPHOSARCOMA, ETC.....200-203,205	374	218	154	1	1	152	64	56	23	9
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	194	105	89	-	-	64	36	17	8	3
29 HODGKINS DISEASE.....201	67	41	25	-	1	36	12	19	3	2
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	113	72	40	1	-	52	16	20	12	4
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	56	22	34	-	-	44	10	14	8	12
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	3	...	2	...	1
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	14	4	10	-	-	9	2	2	3	2
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	15	5	10	-	-	8	3	1	1	4
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	-	...	-	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	12	7	5	-	-	19	4	9	3	3
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	12	6	6	-	-	5	1	1	1	2
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	837	404	413	8	12	497	91	132	98	176
39 ASTHMA.....241	91	61	27	2	1	42	13	11	13	5
40 NONTOXIC GOITER.....250,251	1	1	-	-	-	2	1	-	-	1
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	7	1	5	-	1	4	-	-	1	3
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	13	3	10	-	-	3	1	1	-	1
43 DIABETES MELLITUS.....260	622	285	323	4	10	374	59	97	65	153
44 DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	9	4	5	-	-	2	-	2	-	-
46 PELLAGRA.....281	-	-	-	-	-	1	-	-	1	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	21	10	10	1	-	30	5	8	13	4
48 CYSTIC FIBROSIS.....289A	10	5	5	-	-	11	4	7	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	63	34	28	1	-	28	8	6	5	9
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	100	47	52	-	1	78	22	16	22	18
51 ANEMIAS.....290-293	56	29	27	-	-	56	11	12	16	17
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	13	5	8	-	-	1	-	-	-	1
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	43	24	19	-	-	55	11	12	16	16
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	15	4	10	-	1	7	3	2	1	1
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	29	14	15	-	-	15	8	2	5	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS..	126	72	48	4	2	34	15	3	10	6
57 SENILE PSYCHOSIS.....304	14	6	8	-	-	2	-	1	-	1
58 ALCOHOLIC PSYCHOSIS.....307	13	11	2	-	-	1	1	-	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	28	13	15	-	-	5	1	-	1	3
60 ALCOHOLISM.....322	52	36	11	3	2	19	13	-	5	1
61 MENTAL DEFICIENCY.....325	12	4	8	-	-	7	-	2	4	1
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	7	2	4	1	-	-	-	-	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	4,848	2,279	2,523	19	27	3,302	849	911	727	815
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	4,522	2,110	2,374	17	21	3,121	797	872	685	767
65 SUBARACHNOID HEMORRHAGE.....330	185	89	91	1	4	93	27	21	20	25
66 CEREBRAL HEMORRHAGE.....331	2,480	1,137	1,328	9	6	1,939	463	511	444	521
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,287	639	634	5	9	703	214	233	130	124
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	570	245	321	2	2	386	93	107	91	95
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	27	10	14	1	2	55	9	6	20	20
70 MULTIPLE SCLEROSIS.....345	41	19	21	-	1	12	4	6	1	1
71 PARALYSIS AGITANS.....350	88	50	38	-	-	16	11	2	2	3
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	19	9	10	-	-	10	3	2	2	1
73 EPILEPSY.....353	34	23	10	1	-	25	4	3	8	10
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	2	1	1	-	-	3	1	-	-	2
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	115	57	55	-	3	60	20	20	9	11

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,506	1,153	193	132	28	146	127	16	3	-	384	304	69	8	3
80	61	10	7	2	6	6	-	-	-	23	19	3	1	-
462	373	56	28	5	51	46	3	2	-	334	263	61	7	3
950	711	125	93	21	88	74	13	1	-	20	17	3	-	-
14	8	2	4	-	1	1	-	-	-	7	5	2	-	-
715	9	644	1	61	86	-	81	-	5	210	1	204	-	5
1,101	423	544	52	82	128	65	62	-	1	333	147	174	5	7
215	...	172	...	43	15	...	14	...	1	39	...	35	...	4
160	...	145	...	15	23	...	23	...	-	53	...	52	...	1
233	...	211	...	22	24	...	24	...	-	83	...	82	...	1
18	...	16	...	2	1	...	1	...	-	6	...	5	...	1
444	395	...	49	...	59	59	...	-	...	142	137	...	5	...
31	28	...	3	...	6	6	...	-	...	10	10	...	-	...
356	216	111	22	7	59	41	18	-	-	144	94	45	1	4
133	76	49	6	2	32	19	13	-	-	65	38	25	1	1
223	140	62	16	5	27	22	5	-	-	79	56	20	-	3
1,033	502	439	57	35	120	56	55	7	2	253	137	109	4	3
141	82	58	1	-	14	8	6	-	-	38	22	15	1	-
8	3	5	-	-	-	-	-	-	-	4	1	3	-	-
142	77	60	4	1	21	10	9	2	-	66	34	30	1	1
15	7	7	-	1	3	-	3	-	-	7	5	2	-	-
48	20	25	3	-	8	5	2	1	-	11	6	5	-	-
44	23	15	3	3	6	4	2	-	-	12	7	5	-	-
31	17	13	1	-	6	4	1	1	-	13	7	5	-	1
604	273	256	45	30	62	25	32	3	2	102	55	44	2	1
395	221	155	12	7	65	40	25	-	-	149	88	59	1	1
413	225	161	18	9	51	31	19	-	1	143	88	53	-	2
212	110	93	7	2	25	13	12	-	-	81	47	32	-	2
76	44	27	3	2	11	9	2	-	-	29	19	10	-	-
125	71	41	8	5	15	9	5	-	1	33	22	11	-	-
98	38	44	7	9	17	8	8	1	-	27	9	17	-	1
8	...	8	...	-	-	...	-	...	-	3	...	2	...	1
19	...	9	1	2	5	3	1	...	1	13	3	10	...	-
15	10	3	1	1	2	2	2	-	-	6	3	3	-	-
4	...	3	...	3	9	-	...	3	-	...	-
29	11	12	3	1	9	4	5	-	-	4	3	1	-	-
23	10	9	2	2	1	1	-	-	-	1	-	1	-	-
1,167	472	539	62	94	157	74	74	2	7	395	188	197	7	3
113	72	28	9	4	17	12	5	-	-	37	26	10	1	-
3	1	2	-	-	-	-	1	-	-	-	-	-	-	-
9	1	6	1	1	2	2	-	-	-	5	-	4	-	-
856	327	434	43	72	105	44	55	2	4	298	141	151	4	2
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	5	4	-	-	5	3	2	-	-	9	4	5	-	-
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
61	15	32	6	8	6	4	2	-	-	6	2	3	1	-
21	8	13	-	-	6	2	3	-	1	6	2	4	-	-
84	40	35	2	7	15	7	6	-	2	28	13	14	1	-
151	66	62	11	12	18	9	9	-	-	55	23	28	1	3
95	41	38	7	9	9	3	6	-	-	37	16	18	1	2
13	5	6	-	2	2	2	-	-	-	8	1	7	-	-
82	36	32	7	7	7	1	6	-	-	29	15	11	1	2
25	12	10	3	-	5	3	2	-	-	9	1	7	-	1
31	13	14	1	3	4	3	1	-	-	9	6	3	-	-
100	54	24	15	7	33	23	5	4	1	56	34	17	3	2
8	2	5	1	-	3	1	2	-	-	7	1	6	-	-
11	7	-	4	-	3	2	1	-	-	6	5	-	1	-
32	12	11	4	5	2	1	1	-	-	5	-	5	-	-
36	25	3	6	2	23	18	-	4	1	33	24	5	2	2
12	8	4	-	-	2	1	1	-	-	4	3	1	-	-
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
6,746	2,772	3,221	363	390	843	427	384	17	15	2,026	948	1,029	29	20
6,372	2,591	3,067	338	376	764	386	352	15	11	1,888	883	961	25	19
216	74	103	15	24	22	9	13	-	-	47	20	25	-	-
3,267	1,365	1,608	159	135	452	224	217	8	3	1,073	504	544	13	12
2,202	871	1,018	134	179	190	111	68	5	6	560	260	285	9	6
687	281	338	30	38	100	42	54	2	2	208	99	107	1	1
54	24	18	7	5	10	7	2	-	1	18	6	9	2	1
36	13	19	2	2	11	5	6	-	-	23	8	15	-	-
87	49	34	2	2	16	10	5	-	1	42	22	20	-	-
32	22	8	1	1	3	1	2	-	-	4	1	3	-	-
46	23	12	9	2	15	5	7	2	1	12	7	5	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	4	2	1	-	1	1	1	-	-	-
116	49	61	4	2	20	11	9	-	-	37	20	15	2	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MISSOURI					MONTANA					NEBRASKA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,624	11,471	9,248	982	923	2,728	1,643	1,007	49	29	6,486	3,675	2,668	71	72	01
20,195	10,431	8,120	852	792	2,415	1,488	858	43	26	5,819	3,314	2,385	64	56	02
15	5	5	3	2	-	-	-	-	-	2	1	-	1	-	03
318	117	170	13	18	59	21	35	2	1	106	41	62	2	1	04
127	52	57	7	11	16	6	9	1	-	44	15	28	-	1	05
33	19	10	1	3	4	1	3	-	-	20	9	10	1	-	06
13	4	7	1	1	8	1	6	-	1	8	2	6	-	-	07
145	42	96	4	3	31	13	17	1	-	34	15	18	1	-	08
16,014	8,685	6,128	644	557	1,850	1,206	591	32	21	4,723	2,853	1,776	51	43	09
4,806	2,058	2,328	185	235	424	238	179	4	3	1,051	540	472	20	19	10
11,193	6,615	3,797	459	322	1,423	966	411	28	18	3,669	2,311	1,303	31	24	11
15	12	3	-	-	3	2	1	-	-	3	2	1	-	-	12
99	42	43	8	6	20	9	11	-	-	39	20	17	2	-	13
9	3	5	1	-	-	-	-	-	-	5	2	3	-	-	14
52	25	20	4	3	10	5	5	-	-	13	6	5	2	-	15
38	14	18	3	3	10	4	6	-	-	21	12	9	-	-	16
1,402	589	760	25	28	193	98	92	2	1	434	183	249	2	1	17
1,096	454	608	18	16	142	70	70	1	1	341	144	197	-	-	18
306	135	152	7	12	51	28	22	1	-	93	39	52	2	-	19
1,063	548	383	73	59	170	100	60	7	3	182	89	87	1	5	20
19	8	7	2	2	1	1	-	-	-	4	2	2	-	-	21
40	16	19	4	1	3	1	2	-	-	5	1	3	-	1	22
323	157	138	17	11	59	32	23	1	3	93	37	56	-	-	23
681	367	219	50	45	107	66	35	6	-	80	49	26	1	4	24
1,284	445	631	86	122	123	54	69	-	-	333	127	194	5	7	25
405	185	188	14	18	30	19	11	-	-	146	57	86	1	2	26
879	260	443	72	104	93	35	58	-	-	187	70	108	4	5	27
377	138	168	28	43	21	9	12	-	-	100	56	38	4	2	28
222	97	93	14	18	7	4	3	-	-	74	43	30	1	-	29
155	41	75	14	25	14	5	9	-	-	26	13	8	3	2	30
1,601	721	762	57	61	246	129	111	4	2	492	268	211	1	12	31
1,246	489	661	46	50	194	96	95	2	1	354	181	162	1	10	32
268	193	62	5	8	36	24	12	-	-	104	72	30	-	-	33
6	3	2	-	-	1	-	1	-	-	-	-	-	-	-	34
81	36	37	5	3	15	9	3	2	1	34	15	19	-	-	35
451	181	198	45	27	46	17	26	2	1	75	37	34	2	2	36
2,973	1,652	967	204	150	480	293	147	19	21	829	517	278	21	13	37
13	7	5	-	1	1	-	1	-	-	4	-	4	-	-	38
55	28	25	1	2	49	22	21	2	4	43	24	19	-	-	39
1,886	905	708	153	120	235	120	89	13	13	477	248	204	16	9	40
291	137	95	29	30	32	14	11	3	4	76	43	30	2	1	41
790	379	316	55	40	65	38	23	1	3	222	113	98	6	5	42
199	90	61	26	22	23	13	9	-	1	53	27	23	2	1	43
606	299	236	43	28	115	55	46	9	5	126	65	53	6	2	44
26	13	8	4	1	7	3	3	-	1	9	3	5	1	-	45
114	87	22	4	1	27	16	10	-	1	36	29	6	-	1	46
2	1	1	-	-	-	-	-	-	-	4	-	-	-	-	47
19	10	5	1	3	3	3	-	-	-	4	4	-	-	-	48
6	3	1	1	1	1	1	-	-	-	1	-	-	-	-	49
88	55	22	7	4	10	7	1	1	1	27	14	12	1	-	50
49	26	19	2	2	10	6	4	-	-	15	11	4	-	-	51
606	477	96	24	9	121	106	12	2	1	200	179	17	2	2	52
551	451	73	22	5	113	101	10	2	-	191	171	16	2	2	53
55	26	23	2	4	8	5	2	-	1	9	8	1	-	-	54
109	40	55	7	7	16	9	6	1	-	14	5	7	1	1	55
1,842	945	654	149	94	288	159	101	16	12	500	272	207	5	16	56
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	57
134	86	37	6	5	24	19	5	-	-	43	28	15	-	-	58
134	85	35	13	1	21	19	2	-	-	58	36	20	2	-	59
8	2	6	-	-	2	2	-	-	-	3	1	2	-	-	60
40	25	12	3	-	8	4	2	2	-	21	11	7	2	1	61
294	121	145	12	16	49	19	28	1	1	70	31	39	-	-	62
65	25	28	5	7	16	6	6	4	-	18	7	11	-	-	63
97	42	46	3	6	9	2	7	-	-	37	10	27	-	-	64
572	331	135	73	33	70	35	20	6	9	120	81	29	1	9	65
432	230	114	64	24	50	25	18	2	5	33	17	14	-	2	66
140	101	21	9	9	20	10	2	4	4	87	64	15	1	7	67
128	56	64	1	7	23	15	8	-	-	54	23	28	-	3	68
368	170	146	33	19	66	38	23	3	2	76	44	29	-	3	69
843	428	288	73	54	101	53	38	7	3	193	115	68	5	5	70
367	167	137	30	33	43	20	19	4	-	75	33	37	3	2	71
17	9	7	1	-	1	-	-	1	-	1	-	1	-	-	72
15	5	8	1	1	6	3	3	-	-	8	4	3	-	1	73
335	153	122	28	32	36	17	16	3	-	66	29	33	3	1	74
254	104	113	21	16	24	7	13	2	2	50	27	19	2	2	75
24	14	8	1	1	3	1	2	-	-	5	3	2	-	-	76
77	44	21	10	2	14	9	4	1	-	8	6	2	-	-	77
94	86	...	8	...	14	14	...	-	...	42	42	...	-	...	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
27	13	9	3	2	3	2	-	-	1	13	4	8	-	1	80

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.
of the International Lists, 1955. For complete category titles, see table 1-24]

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
16	...	9	...	7	2	...	2	...	-	6	...	5	...	1
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
9	...	4	...	5	1	...	1	...	-	2	...	1	...	1
60	16	35	4	5	12	3	8	-	1	13	5	8	-	-
16	5	8	2	1	2	1	1	-	-	2	1	1	-	-
44	11	27	2	4	10	2	7	-	1	11	4	7	-	-
98	40	54	3	1	16	10	5	-	1	51	15	35	-	1
52	16	36	-	-	7	4	3	-	-	34	7	26	-	1
2	1	1	-	1	1	1	-	-	-	-	-	-	-	1
2	1	1	-	-	3	2	-	-	1	1	1	-	-	-
3	1	2	-	-	-	-	-	-	-	2	1	-	-	-
22	14	6	2	2	1	1	-	-	-	5	3	2	-	-
17	7	9	1	-	4	2	2	-	-	9	4	5	-	-
350	165	136	27	22	55	29	22	2	2	123	72	46	3	2
13	4	8	1	-	-	-	-	-	-	5	2	3	-	-
24	10	10	2	2	4	3	1	-	-	12	6	6	-	-
193	94	74	12	13	35	20	13	1	1	59	32	24	1	2
120	57	44	12	7	16	6	8	1	1	47	32	13	2	-
1,119	476	331	157	155	170	81	63	15	11	302	174	106	15	7
1,070	569	374	75	52	254	165	81	6	2	37	24	11	1	1
85	32	49	2	2	27	7	17	3	-	8	5	3	-	-
985	537	325	73	50	227	158	64	3	2	29	19	8	1	1
3,985	2,357	1,100	363	165	687	453	178	39	17	1,167	768	344	43	12
3,198	1,881	953	233	131	569	369	145	38	17	987	656	292	28	11
25	18	5	2	-	8	5	1	1	1	8	7	-	1	-
1,418	965	358	77	18	268	166	67	26	9	443	306	124	9	4
1,390	940	356	76	18	258	160	65	25	8	427	294	120	9	4
74	50	24	-	-	6	4	2	-	-	41	30	11	-	-
166	96	42	24	4	31	22	6	3	-	49	30	15	2	2
643	438	169	26	10	121	70	41	6	4	232	155	74	2	1
472	338	109	21	4	94	60	14	16	4	102	79	18	5	-
35	18	12	5	-	6	4	2	-	-	3	-	2	-	1
28	25	2	1	-	10	6	2	1	1	16	12	4	-	-
6	3	3	-	-	5	5	-	-	-	7	7	-	-	-
21	16	3	2	-	5	4	1	-	-	7	6	1	-	-
24	20	4	-	-	15	15	-	-	-	35	26	9	-	-
31	10	14	2	5	5	1	4	-	-	8	3	4	-	1
32	20	8	1	3	10	9	-	1	-	17	15	2	-	-
592	228	307	33	24	80	37	39	3	1	178	80	94	3	1
155	71	61	16	7	21	16	3	2	-	52	33	18	1	-
108	39	62	4	3	24	12	12	-	-	76	31	45	-	-
329	118	184	13	14	35	9	24	1	1	50	16	31	2	1
47	41	1	4	1	14	14	-	-	-	11	8	1	1	1
64	59	3	2	-	22	22	-	-	-	49	47	2	-	-
33	30	2	1	-	7	7	-	-	-	14	13	1	-	-
242	116	79	29	18	22	11	10	-	1	54	37	14	3	-
10	3	4	2	1	2	2	-	-	-	3	1	2	-	-
96	66	14	11	5	17	15	1	-	1	24	19	3	2	-
35	20	13	1	1	12	6	5	-	1	8	4	4	-	-
112	86	15	10	1	37	24	7	5	1	34	24	5	4	1
186	58	63	27	38	-	-	-	-	-	10	4	5	-	1
36	16	13	5	2	3	1	2	-	-	13	6	5	1	1
188	106	44	24	14	37	25	8	2	2	64	43	16	4	1
511	369	125	13	4	96	72	24	-	-	142	99	41	1	1
118	63	53	-	2	19	8	11	-	-	33	14	19	-	-
54	40	12	2	-	4	3	1	-	-	28	21	7	-	-
297	247	42	8	-	72	61	11	-	-	68	58	9	1	-
42	19	16	3	2	1	-	1	-	-	13	6	6	-	1
275	106	22	117	30	22	12	9	1	-	36	11	11	14	-
183	74	15	80	14	16	9	6	1	-	17	7	3	7	-
43	10	1	24	8	1	1	-	-	-	7	2	2	3	-
44	18	6	12	8	4	1	3	-	-	11	2	6	3	-
5	4	-	1	-	1	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	NEVADA						NEW HAMPSHIRE			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	3,260	1,931	1,086	145	98	7,127	3,906	3,212	7	2
02 I. INFECTIVE AND PARASITIC DISEASES.....	27	16	7	4	-	32	17	15	-	-
03 TUBERCULOSIS, ALL FORMS.....001-019	10	8	1	1	-	10	5	5	-	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	8	7	1	-	-	10	5	5	-	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	1	-	-	1	-	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	1	-	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	5	3	2	-	-	4	4	-	-	-
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	3	1	2	-	-	3	3	-	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	1	1	-	-	-	1	1	-	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	3	2	-	1	-	4	-	4	-	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	1	1	-	-	-	1	-	1	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	-	-	-	-	-	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	1	-	1	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	1	-	1	-	-	4	3	1	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	2	-	1	1	-	-	-	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	1	1	-	-	-	4	2	2	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	1	1	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	4	1	2	1	-	3	2	1	-	-
55 II. NEOPLASMS.....	463	264	167	15	17	1,300	672	626	2	-
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	447	254	161	15	17	1,283	661	620	2	-
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	15	11	4	-	-	21	13	8	-	-
58 OF LIP.....140	1	1	-	-	-	-	-	-	-	-
59 OF TONGUE.....141	1	1	-	-	-	10	5	5	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	5	5	-	-	-	3	3	-	-	-
61 OF PHARYNX.....145-148	8	4	4	-	-	8	5	3	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	110	64	35	4	7	414	229	184	1	-
63 OF ESOPHAGUS.....150	4	4	-	-	-	22	16	6	-	-
64 OF STOMACH.....151	22	13	5	3	1	65	45	20	-	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	1	1	-	-	-	5	3	2	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	34	14	17	-	3	154	65	89	1	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	9	2	6	-	1	25	10	15	-	-
68 TRANSVERSE COLON.....153.1	1	-	1	-	-	5	2	3	-	-
69 DESCENDING COLON.....153.2	1	-	-	-	1	8	5	3	-	-
70 SIGMOID COLON.....153.3	5	3	2	-	-	33	15	18	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	18	9	8	-	1	73	30	42	1	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	-	-	-	-	-	10	3	7	-	-
74 OF RECTUM.....154	12	10	2	-	-	60	32	28	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	11	7	3	-	1	22	15	7	-	-
76 LIVER.....155.0	2	1	1	-	-	10	8	2	-	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	9	6	2	-	1	12	7	5	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	5	3	2	-	-	12	8	4	-	-
79 OF PANCREAS.....157	20	11	6	1	2	70	42	28	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	1	1	-	-	-	4	3	1	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

NEW JERSEY					NEW MEXICO					NEW YORK					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
66,165	32,898	26,850	3,554	2,863	6,970	3,799	2,478	418	275	188,135	93,266	77,143	10,068	7,658	01
583	302	138	102	41	114	57	24	21	12	1,467	743	328	265	131	02
300	159	51	74	16	51	27	9	10	5	844	444	118	202	80	03
285	156	50	66	13	42	23	8	8	3	784	428	103	188	65	04
5	-	-	4	1	2	-	1	1	-	21	4	6	8	3	05
3	1	-	1	1	1	1	-	-	-	2	1	-	1	-	06
4	1	1	2	-	3	2	-	1	-	6	2	1	1	3	07
3	1	-	1	-	3	1	-	-	2	10	4	4	1	1	08
44	26	10	6	2	12	9	2	1	-	21	7	3	3	8	09
4	1	1	1	1	-	-	-	-	-	122	76	22	15	9	10
27	19	5	2	1	8	7	1	-	-	2	2	-	-	-	11
7	3	1	3	-	2	1	1	-	-	82	53	18	7	4	13
3	2	1	-	-	1	1	-	-	-	22	13	2	6	1	14
1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	15
1	-	-	-	-	-	-	-	-	-	5	2	1	2	-	16
1	1	1	-	-	1	-	-	1	-	8	4	1	-	3	17
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	19
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	20
4	2	1	1	-	1	-	-	-	1	7	4	1	2	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
8	6	2	-	-	10	3	2	3	2	8	7	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	10	5	4	1	-	27
92	46	28	5	13	11	5	2	2	2	191	96	75	7	13	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	29
2	-	-	1	1	-	-	-	-	-	2	2	-	-	-	30
24	11	8	2	3	6	3	1	2	-	40	17	17	2	4	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	-	-	-	-	-	8	5	3	-	-	37
24	11	10	2	1	2	1	1	-	-	33	11	16	4	2	38
3	2	1	-	-	-	-	-	-	-	7	2	4	1	-	39
3	1	2	-	-	5	2	-	1	2	12	5	3	2	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
27	12	11	4	-	5	3	2	-	-	71	29	33	6	3	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	53
45	21	12	7	5	11	4	5	2	-	102	35	29	21	17	54
12,256	6,029	5,278	523	426	994	499	443	28	24	34,733	16,961	15,047	1,491	1,234	55
12,081	5,958	5,204	513	406	969	488	431	28	22	34,217	16,746	14,811	1,470	1,190	56
247	174	48	19	6	17	15	2	-	-	771	509	186	58	18	57
5	4	-	-	-	1	1	-	-	-	10	9	1	-	-	58
66	51	10	3	2	5	4	1	-	-	215	144	47	19	5	59
85	55	22	7	1	5	5	-	-	-	259	158	81	16	4	60
91	64	16	9	2	6	5	1	-	-	287	198	57	23	9	61
4,021	1,941	1,773	186	121	304	152	137	11	4	11,428	5,651	4,902	521	354	62
230	147	36	38	9	10	8	2	-	-	655	394	118	110	33	63
734	394	261	50	29	83	46	29	7	1	2,120	1,131	797	119	73	64
26	10	16	-	-	5	3	2	-	-	73	30	38	3	2	65
1,451	621	755	37	38	83	37	45	-	-	4,104	1,874	2,030	96	104	66
211	91	113	5	2	10	5	5	-	-	596	259	314	10	13	67
73	28	39	3	3	4	3	1	-	-	207	87	107	6	7	68
61	22	32	4	3	1	-	1	-	-	137	61	71	3	2	69
295	127	153	8	7	11	4	7	-	-	815	412	368	13	22	70
2	1	1	-	-	-	-	-	-	-	12	6	6	-	-	71
738	320	383	16	19	52	22	29	-	1	2,170	977	1,077	58	58	72
71	32	34	1	4	5	3	2	-	-	167	72	87	6	2	73
538	288	219	15	16	17	7	8	1	1	1,467	801	577	46	43	74
246	93	140	7	6	25	9	13	2	1	802	308	437	36	21	75
67	41	21	3	2	3	2	1	-	-	276	146	97	25	8	76
179	52	119	4	4	22	7	12	2	1	526	162	340	11	13	77
128	68	50	6	4	15	5	10	-	-	220	98	91	22	9	78
593	287	260	30	16	5,791	33	25	1	-	1,771	922	713	81	55	79
75	33	36	3	3	7	4	3	-	-	216	93	101	8	14	80

SECTION I - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.										
01 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	97	84	8	4	1	220	181	38	1	-
02 OF LARYNX.....161	3	2	-	1	1	10	9	1	-	-
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	35	32	1	1	1	47	39	8	-	-
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	58	49	7	2	-	161	131	29	1	-
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	1	1	-	-	-	2	2	-	-	-
06 MALIGNANT NEOPLASM OF BREAST.....170	45	2	41	-	2	136	-	136	-	-
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	61	25	28	3	5	182	72	110	-	-
08 OF CERVIX UTERI.....171	13	...	11	...	2	38	...	38
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	3	...	3	...	-	22	...	22
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	16	...	14	...	2	42	...	42
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	1	...	-	...	1	8	...	8
12 OF PROSTATE.....177	25	22	...	3	...	68	68
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	3	...	-	...	4	4
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	17	10	6	-	1	70	38	32	-	-
15 OF KIDNEY.....180	8	5	3	-	-	24	13	11	-	-
16 OF BLADDER AND OTHER URINARY ORGANS.....181	9	5	3	-	1	46	25	21	-	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	54	25	25	3	1	131	62	69	-	-
18 OF SKIN.....190,191	11	6	4	1	1	16	8	8	-	-
19 OF EYE.....192	-	-	-	-	-	-	-	-	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	7	3	4	-	-	18	10	8	-	-
21 OF THYROID GLAND.....194	1	-	1	-	-	1	-	1	-	-
22 OF BONE.....196	4	2	1	1	-	9	4	5	-	-
23 OF CONNECTIVE TISSUE.....197	3	1	2	-	-	6	3	3	-	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	2	2	-	-	-	8	6	2	-	-
25 OF UNSPECIFIED SITES.....156B,165,190,199B	26	11	13	1	1	73	31	42	-	-
26 LEUKEMIA AND ALEUKEMIA.....204	24	16	8	-	-	59	34	25	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	24	17	6	1	-	50	32	18	-	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	9	8	1	-	-	27	17	10	-	-
29 HODGKINS DISEASE.....201	5	2	3	-	-	9	7	2	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	10	7	2	1	-	14	8	6	-	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	16	10	6	-	-	17	11	6	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	-	...	-	...	-	1	...	1
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	2	1	1	-	-	2	1	1	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	3	2	1	-	-	3	2	1	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	...	-	...	-	-	...	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	9	5	4	-	-	8	6	2	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	2	2	-	-	-	3	2	1	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	69	36	27	4	2	201	87	114	-	-
39 ASTHMA.....241	17	12	5	-	-	17	10	7	-	-
40 NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	-	-	-	-	-	3	1	2	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	-	1	-	-	3	-	3	-	-
43 DIABETES MELLITUS.....260	39	20	15	3	1	149	61	88	-	-
44 DISEASES OF THYMUS GLAND.....273	1	-	-	1	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	1	-	-	-	1	1	-	1	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	4	1	3	-	-	2	2	-	-	-
48 CYSTIC FIBROSIS.....289A	2	-	2	-	-	3	2	1	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	4	3	1	-	-	23	11	12	-	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	7	5	2	-	-	23	7	16	-	-
51 ANEMIAS.....290-293	3	2	1	-	-	16	5	11	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	-	-	-	-	-	1	-	1	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	3	2	1	-	-	15	5	10	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	2	1	1	-	-	3	1	2	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	2	2	-	-	-	4	1	3	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	29	17	11	-	1	10	6	4	-	-
57 SENILE PSYCHOSIS.....304	-	-	-	-	-	1	-	1	-	-
58 ALCOHOLIC PSYCHOSIS.....307	6	4	2	-	-	1	1	-	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	2	-	2	-	-	8	-	-	-	-
60 ALCOHOLISM.....322	21	13	7	-	1	8	5	3	-	-
61 MENTAL DEFICIENCY.....325	-	-	-	-	-	-	-	-	-	-
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	-	-	-	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	299	143	138	9	9	856	398	457	1	-
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	277	130	129	9	9	797	372	424	1	-
65 SUBARACHNOID HEMORRHAGE.....330	11	5	6	-	-	30	13	17	-	-
66 CEREBRAL HEMORRHAGE.....331	164	71	79	6	8	428	207	220	1	-
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	74	40	32	2	-	265	120	145	-	-
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	28	14	12	1	1	74	32	42	-	-
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	7	4	3	-	-	4	-	4	-	-
70 MULTIPLE SCLEROSIS.....345	-	-	-	-	-	9	1	8	-	-
71 PARALYSIS AGITANS.....350	2	1	1	-	-	16	10	6	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	-	-	-	-	-	1	1	-	-	-
73 EPILEPSY.....353	6	3	3	-	-	9	2	7	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	1	1	-	-	-	1	-	1	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	6	4	2	-	-	19	12	7	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,188	721	399	39	29	3,286	1,813	1,470	2	1
02 DISEASES OF HEART.....400-402,410-443	1,073	664	350	33	26	2,876	1,612	1,261	2	1
03 RHEUMATIC FEVER.....400-402	1	1	-	-	-	-	-	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	22	9	12	-	1	50	20	30	-	-
05 DISEASES OF MITRAL VALVE.....410	9	3	5	-	1	15	6	9	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1	1	-	-	-	7	4	3	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	1	1	-	-	-	2	1	1	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	11	4	7	-	-	26	9	17	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	818	551	227	26	14	2,386	1,393	990	2	1
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	197	108	79	4	6	654	291	363	-	-
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	620	442	148	22	8	1,732	1,102	627	2	1
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	1	1	-	-	-	-	-	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	8	5	3	-	-	23	10	13	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	-	-	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	3	2	1	-	-	11	8	3	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	5	3	2	-	-	12	2	10	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	73	25	44	2	2	117	54	63	-	-
18 WITH ARTERIOSCLEROSIS.....422.1	56	18	35	2	1	89	41	48	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	17	7	9	-	-	28	13	15	-	-
20 OTHER DISEASES OF HEART.....430-434	85	48	29	3	5	120	67	53	-	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	1	1	-	-	-	3	1	2	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	1	-	-	-	1	6	3	3	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	28	12	14	1	1	37	16	21	-	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	55	35	15	2	3	74	47	27	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	66	25	35	2	4	180	68	112	-	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	15	3	11	1	-	30	15	15	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	51	22	24	1	4	150	53	97	-	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	13	2	8	2	1	42	29	13	-	-
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	8	1	7	-	-	31	24	7	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	5	1	1	2	1	11	5	6	-	-
31 DISEASES OF ARTERIES.....450-456	76	40	30	4	2	327	155	172	-	-
32 GENERAL ARTERIOSCLEROSIS.....450	53	22	27	3	1	272	122	150	-	-
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	16	14	1	1	-	39	25	14	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	1	1	-	-	-	2	2	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	6	3	2	-	1	14	6	8	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	26	15	11	-	-	41	17	24	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	202	131	52	12	7	309	208	101	-	-
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	2	2	-	-	-	2	1	1	-	-
39 INFLUENZA.....480-483	6	2	2	2	-	13	8	5	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	73	37	25	7	4	171	95	76	-	-
41 LOBAR PNEUMONIA.....490	21	9	6	4	2	20	15	5	-	-
42 BRONCHOPNEUMONIA.....491	23	11	10	2	-	74	38	36	-	-
43 PRIMARY ATYPICAL PNEUMONIA.....492	13	9	2	1	1	30	20	10	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	16	8	7	-	-	47	22	25	-	-
45 ACUTE BRONCHITIS.....500	2	-	2	-	-	2	-	2	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	15	11	4	-	-	20	17	3	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	1	1	-	-	-	2	1	1	-	-
49 PLEURISY.....519	-	-	-	-	-	1	1	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	20	11	5	1	3	10	8	2	-	-
51 BRONCHIECTASIS.....526	3	3	-	-	-	8	7	1	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	69	57	11	1	-	70	64	6	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	67	56	10	1	-	65	60	5	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	2	1	1	-	-	5	4	1	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	11	7	3	1	-	10	6	4	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	175	94	66	5	10	272	161	111	-	-
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	6	5	-	-	1	20	12	8	-	-
59 ULCER OF DUODENUM.....541	7	6	1	-	-	17	13	4	-	-
60 GASTRITIS AND DUODENITIS.....543	2	2	-	-	-	1	1	-	-	-
61 APPENDICITIS.....550-553	2	2	-	-	-	11	7	4	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	17	8	6	2	1	40	21	19	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	6	2	2	1	1	6	4	2	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	14	5	8	-	1	16	7	9	-	-
65 CIRRHOSIS OF LIVER.....581	83	45	32	2	4	87	57	30	-	-
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	44	22	20	1	1	63	36	27	-	-
67 WITH ALCOHOLISM.....581.1	39	23	12	1	3	24	21	3	-	-
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	9	2	5	-	2	26	11	15	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	29	17	12	-	-	48	28	20	-	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	49	30	14	3	2	107	65	42	-	-
71 NEPHRITIS AND NEPHROSIS.....590-594	27	14	9	2	2	53	32	21	-	-
72 ACUTE NEPHRITIS.....590	1	1	-	-	-	5	4	1	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	5	2	2	1	-	2	1	1	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	21	11	7	1	2	46	27	19	-	-
75 INFECTIONS OF KIDNEY.....600	10	7	3	-	-	19	8	11	-	-
76 CALCULI OF URINARY SYSTEM.....602,604	2	1	1	-	-	3	1	2	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	5	3	1	1	-	13	8	5	-	-
78 HYPERPLASIA OF PROSTATE.....610	4	4	-	-	-	15	15	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	1	1	-	-	-	4	1	3	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

Total	NEW JERSEY				Total	NEW MEXICO				Total	NEW YORK				
	White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
41	...	21	...	20	10	...	7	...	3	104	...	62	...	42	01
-	...	-	...	-	2	...	2	...	-	8	...	4	...	4	02
8	...	4	...	4	2	...	-	...	2	14	...	11	...	3	03
6	...	3	...	3	-	...	-	...	-	15	...	10	...	5	04
3	...	2	...	1	-	...	-	...	-	4	...	1	...	3	05
4	...	3	...	1	-	...	-	...	-	5	...	2	...	3	06
8	...	3	...	5	-	...	-	...	-	28	...	14	...	14	07
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	08
12	...	6	...	6	6	...	5	...	1	29	...	20	...	9	09
96	24	55	6	11	12	3	6	2	1	206	55	123	9	19	10
17	8	6	3	-	2	2	-	-	-	51	24	21	2	4	11
79	16	49	3	11	10	1	6	2	1	155	31	102	7	15	12
108	45	55	5	3	16	9	5	1	1	281	97	164	10	10	13
51	20	27	3	1	11	5	4	1	1	148	36	102	5	5	14
6	1	4	1	-	2	1	1	-	-	7	-	4	-	3	15
5	1	4	-	-	2	-	-	-	-	13	5	4	3	1	16
16	11	4	1	-	2	2	-	-	-	8	1	7	-	-	17
30	12	16	-	2	1	1	-	-	-	45	36	8	1	-	18
										60	19	39	1	1	19
551	238	240	47	26	109	49	48	9	3	1,642	748	646	127	121	20
30	14	15	-	1	4	1	3	-	-	95	41	45	5	4	21
44	14	23	4	3	14	6	4	2	2	163	67	72	11	13	22
290	132	118	24	16	54	26	25	2	1	803	372	300	64	67	23
187	78	84	19	6	37	16	16	5	-	581	268	229	47	37	24
1,724	674	493	304	253	319	159	110	30	20	4,584	1,905	1,307	778	594	25
307	127	127	31	22	389	208	93	52	36	1,299	525	451	174	149	26
36	11	20	2	3	18	6	6	3	3	37	13	24	-	-	27
271	116	107	29	19	371	202	87	49	33	1,262	512	427	174	149	28
3,750	2,067	1,044	454	185	976	606	208	121	41	10,565	5,791	3,031	1,313	430	29
2,959	1,601	869	347	142	804	475	184	110	35	8,091	4,478	2,495	824	294	30
23	16	1	6	-	11	3	1	7	-	94	61	11	19	3	31
1,161	720	279	123	39	403	243	87	54	19	3,102	1,958	828	222	94	32
1,139	706	277	118	38	391	238	83	54	16	3,044	1,913	819	219	93	33
18	11	6	-	-	7	2	1	4	-	52	35	13	2	2	34
290	163	71	46	10	67	36	13	14	4	879	514	240	88	37	35
455	274	125	37	19	140	84	38	13	5	1,081	653	346	60	22	36
334	233	65	31	5	155	104	24	20	7	893	632	175	62	24	37
42	25	10	3	4	22	12	7	3	-	139	79	45	7	8	38
22	14	2	5	1	12	5	4	-	3	58	45	9	3	1	39
7	4	3	-	-	9	6	1	2	-	12	8	4	-	-	40
36	28	3	5	-	9	4	2	2	1	122	92	9	21	-	41
30	23	6	1	-	19	15	4	-	-	40	31	7	2	-	42
82	30	27	18	7	23	9	10	3	1	246	100	50	74	22	43
40	28	7	4	1	32	19	8	3	2	101	72	20	7	2	44
751	323	361	43	24	85	37	37	7	4	2,280	1,019	1,020	175	66	45
234	133	71	20	10	22	10	5	5	2	691	364	220	85	22	46
122	47	68	6	1	37	16	18	2	1	897	360	484	30	23	47
395	143	222	17	13	26	11	14	-	1	692	295	316	60	21	48
23	18	2	3	-	10	5	1	4	-	62	51	3	7	1	49
21	18	-	3	-	20	20	-	-	-	89	80	4	5	-	50
17	15	1	1	-	6	6	-	-	-	37	30	3	4	-	51
228	96	58	47	27	35	25	7	1	2	615	250	232	80	53	52
17	3	6	5	3	1	-	-	1	-	46	20	17	6	3	53
45	35	4	5	1	29	21	1	7	-	96	74	13	7	2	54
71	27	16	17	11	14	4	5	3	2	135	63	54	12	6	55
171	115	27	28	1	30	16	6	7	1	401	255	59	74	13	56
9	4	3	1	1	1	1	-	-	-	34	15	15	2	2	57
43	10	24	5	4	8	4	3	-	1	89	40	39	6	4	58
184	88	41	32	23	59	37	11	9	2	490	259	107	101	23	59
544	389	132	15	8	102	83	16	2	1	1,519	998	405	89	27	60
156	91	62	1	2	15	10	5	-	-	339	175	152	12	-	61
137	110	19	5	3	9	7	2	-	-	361	284	61	15	1	62
164	145	14	5	-	73	65	7	1	-	353	308	32	11	2	63
87	43	37	4	3	5	1	2	1	1	466	231	160	51	24	64
245	75	43	92	35	69	47	8	9	5	949	309	131	400	109	65
97	21	16	50	10	43	29	7	5	2	309	125	38	125	21	66
61	20	5	27	9	6	4	-	2	-	359	82	43	190	44	67
81	31	22	12	16	16	10	1	2	3	247	85	50	69	43	68
6	3	-	3	-	4	4	-	-	-	34	17	-	16	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	2	-	-	-	1	1	-	-	-	6	6	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
61 ALL CAUSES.....	42,341	17,868	12,530	6,582	5,361	5,785	3,539	2,128	61	57
02 I. INFECTIVE AND PARASITIC DISEASES.....	461	172	90	124	75	39	21	8	9	1
03 TUBERCULOSIS, ALL FORMS.....001-019	178	72	23	61	22	8	4	-	3	1
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	159	67	22	53	17	7	3	-	3	1
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	10	3	1	4	2	1	1	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	1	-	-	1	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	1	-	1	-	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	6	1	-	2	3	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	45	24	4	7	10	2	2	-	-	-
11 CONGENITAL SYPHILIS.....020	2	-	-	1	1	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	35	22	3	4	6	2	2	-	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	6	2	1	1	2	-	-	-	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	-	-	1	1	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	-	-	1	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	4	2	-	1	1	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	1	-	1	-	-	1	1	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	81	25	16	28	12	9	5	3	1	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	38	14	14	5	5	3	3	-	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	5	-	-	3	2	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	4	-	3	-	1	1	1	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	20	8	7	3	2	6	2	2	2	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	5	3	2	-	-	1	-	1	-	-
41 SMALL POX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	8	3	2	2	1	1	-	-	1	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	17	4	5	3	5	4	2	2	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	4	2	-	-	2	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	1	1	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATIID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	49	14	13	10	12	3	1	-	2	-
55 II. NEOPLASMS.....	5,788	2,376	2,060	707	645	910	506	390	5	9
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,664	2,321	2,023	695	625	893	499	380	5	9
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	128	70	28	22	8	16	13	1	1	1
58 OF LIP.....140	1	1	-	-	-	1	1	-	-	-
59 OF TONGUE.....141	24	14	4	3	3	4	3	1	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	41	14	16	7	4	4	3	-	1	-
61 OF PHARYNX.....145-148	62	41	8	12	1	7	6	-	-	1
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,530	557	558	249	166	317	178	134	3	2
63 OF ESOPHAGUS.....150	103	39	13	46	5	8	6	2	-	-
64 OF STOMACH.....151	295	90	90	78	37	81	59	21	-	1
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	12	6	4	1	1	2	1	1	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	460	150	223	35	52	84	39	45	-	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	51	17	27	3	4	7	4	3	-	-
68 TRANSVERSE COLON.....153-1	22	7	6	3	6	-	-	-	-	-
69 DESCENDING COLON.....153-2	15	4	10	-	1	2	1	1	-	-
70 SIGMOID COLON.....153-3	64	23	29	6	6	13	7	6	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153-7	1	-	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153-8	290	92	142	22	34	59	25	34	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	17	7	8	1	1	3	2	1	-	-
74 OF RECTUM.....154	148	62	64	13	9	31	17	14	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	82	27	37	7	11	33	11	21	1	-
76 LIVER.....155-0	29	14	7	3	5	5	2	2	1	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155-1,155-8	53	13	30	4	6	28	9	19	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	67	23	23	14	7	10	7	3	-	-
79 OF PANCREAS.....157	335	152	93	49	41	64	36	25	2	1
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	28	8	11	6	3	4	2	2	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966 -Con.
of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
99,158	50,442	40,070	4,918	3,728	24,766	12,986	9,304	1,326	1,150	19,018	11,099	7,561	242	116	01
750	383	232	86	49	225	126	55	24	20	120	71	47	2	-	02
340	199	73	49	19	94	54	16	14	10	44	34	9	1	-	03
322	189	67	48	18	90	52	15	14	9	40	32	7	1	-	04
3	1	1	1	-	2	1	-	-	1	2	1	1	-	-	05
4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	06
3	1	2	-	1	1	-	1	-	-	-	-	-	-	-	07
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	08
2	1	1	-	-	1	1	-	-	-	2	1	1	-	-	09
82	47	15	12	8	38	25	6	5	2	16	12	4	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
37	21	9	4	3	23	19	3	1	-	14	10	4	-	-	12
25	11	4	7	3	8	3	2	3	-	1	1	-	-	-	13
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	14
7	5	2	-	-	1	1	-	-	-	-	-	-	-	-	15
8	5	-	1	2	4	1	-	1	2	-	-	-	-	-	16
2	2	-	-	-	2	1	1	-	-	1	1	-	-	-	17
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	19
1	1	-	-	-	2	-	1	1	-	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	22
1	1	1	-	1	1	1	-	-	1	1	-	1	-	-	23
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	24
3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	25
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
109	51	46	7	5	27	12	12	2	1	19	8	11	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	1	-	1	1	2	-	-	-	1	-	-	-	-	-	29
50	18	26	4	2	11	3	6	-	2	15	5	10	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
8	3	5	-	-	1	-	1	-	-	3	1	2	-	-	34
41	13	19	5	4	7	4	2	-	1	8	4	4	-	-	35
4	3	1	-	-	2	2	-	-	-	1	1	-	-	-	36
4	1	3	-	-	5	3	1	-	1	2	2	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
27	10	16	-	1	8	4	3	1	-	3	1	2	-	-	39
-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	40
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
63	30	21	5	7	21	17	3	-	1	7	3	4	-	-	53
16,815	8,234	7,107	866	608	3,974	2,038	1,615	171	150	3,076	1,719	1,314	29	14	55
16,602	8,157	6,991	858	596	3,914	2,010	1,591	167	146	3,036	1,696	1,297	29	14	56
365	242	85	33	5	76	55	18	3	-	66	46	19	-	1	57
10	8	1	1	-	4	3	1	-	-	1	1	-	-	-	58
96	63	19	13	1	16	9	7	-	-	28	18	9	-	1	59
101	67	26	6	2	32	23	7	2	-	19	15	4	-	-	60
158	104	39	13	2	24	20	3	1	-	18	12	6	-	-	61
5,276	2,557	2,238	304	177	1,111	536	469	54	52	912	497	402	9	4	62
315	214	59	35	7	43	26	9	7	1	46	33	11	2	-	63
871	493	275	66	37	198	103	70	12	13	166	104	59	2	1	64
37	14	20	2	1	9	3	6	-	-	10	5	5	-	-	65
1,947	848	963	74	62	370	147	187	14	22	320	158	160	1	1	66
270	112	136	15	7	39	17	19	2	1	46	23	23	-	-	67
111	47	57	2	5	11	5	5	-	-	15	6	8	1	-	68
88	42	41	4	1	8	4	3	-	1	10	5	5	-	-	69
329	163	138	16	12	71	28	36	2	5	69	43	26	-	-	70
5	1	3	1	-	-	-	-	-	-	1	1	-	-	-	71
1,066	450	547	33	36	218	85	113	8	12	162	75	86	-	1	72
78	33	41	3	1	23	8	11	2	2	17	5	12	-	-	73
599	285	268	27	19	95	44	46	2	3	98	56	39	2	1	74
393	147	209	24	13	75	32	32	7	4	67	31	34	2	-	75
114	51	42	18	3	20	17	7	3	1	22	15	6	1	-	76
279	96	167	6	10	47	15	25	4	3	45	16	28	1	-	77
154	72	71	7	4	59	36	20	2	1	19	8	10	-	1	78
857	442	321	67	27	234	130	88	10	6	170	94	76	-	-	79
103	42	52	2	7	28	15	11	-	2	16	8	8	-	-	80

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,028	2,271	465	247	45	711	561	106	39	5	579	488	78	12	1
149	116	13	17	3	19	18	1	-	-	20	17	3	-	-
1,275	964	170	125	16	203	163	27	11	2	287	244	36	7	-
1,549	1,158	265	104	22	483	379	73	28	3	262	218	38	5	1
55	33	17	1	4	6	1	5	-	-	10	9	1	-	-
1,542	10	1,425	1	106	313	5	283	-	25	256	1	253	-	2
2,274	851	1,181	103	139	538	215	261	26	36	413	185	222	2	4
435	...	375	...	60	109	...	89	...	20	75	...	75	...	-
328	...	287	...	41	87	...	75	...	12	53	...	52	...	1
506	...	470	...	36	94	...	91	...	3	89	...	88	...	1
51	...	49	...	2	7	...	6	...	1	9	...	7	...	2
866	765	...	101	...	225	201	...	24	...	186	184	...	2	...
88	86	...	2	...	16	14	...	2	...	1	1	...	-	...
817	504	260	37	16	181	115	55	9	...	154	110	40	3	...
350	209	120	14	7	79	47	25	6	1	63	44	17	2	1
467	295	140	23	9	102	68	30	3	1	91	66	23	1	1
1,676	836	705	70	65	531	279	213	24	15	301	167	132	1	1
207	121	77	5	4	86	48	35	1	2	41	22	19	-	-
19	5	11	-	3	3	1	1	1	-	7	2	5	-	-
416	208	181	15	12	109	68	37	3	1	83	54	29	-	-
53	18	30	4	1	18	5	12	-	1	7	1	5	-	1
96	47	38	4	7	37	18	14	3	2	23	13	10	-	-
67	32	27	3	5	16	5	11	-	-	13	8	5	-	-
82	51	28	2	1	30	16	10	3	1	11	8	3	-	-
736	354	313	37	32	232	118	93	13	8	116	59	56	1	-
758	432	284	27	15	238	125	102	5	6	169	100	69	-	-
866	454	348	36	28	215	119	84	7	5	186	102	82	2	-
394	215	159	12	8	101	56	41	1	3	96	55	41	-	-
191	105	78	5	3	47	26	18	2	1	35	20	15	-	-
281	134	111	19	17	67	37	25	4	1	55	27	26	2	-
213	77	116	8	12	60	28	24	4	4	40	23	17	-	-
19	...	13	...	6	5	...	4	...	1	-	...	4	...	-
65	19	43	2	1	10	5	5	-	-	5	1	4	-	-
50	21	25	3	1	16	10	5	1	-	15	14	1	-	-
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
41	16	21	2	2	20	9	9	-	2	12	3	9	-	-
37	21	13	1	2	8	4	-	3	1	7	5	2	-	-
2,956	1,133	1,528	119	176	594	221	267	32	74	391	167	207	11	6
217	113	76	17	11	50	32	15	2	1	45	27	18	-	-
4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
28	6	20	1	1	4	-	3	-	1	5	1	4	-	-
20	8	12	-	-	3	-	3	-	-	-	-	-	-	-
2,384	876	1,286	81	141	450	153	208	25	64	276	107	155	9	5
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
20	9	10	1	-	6	2	4	-	-	4	2	-	-	-
...	3
65	32	26	2	5	28	13	12	2	1	21	10	10	1	-
31	16	14	1	-	9	4	5	-	-	10	6	4	-	-
185	70	81	16	18	40	16	15	2	7	29	13	14	1	1
307	132	143	12	20	74	35	34	1	4	43	27	13	3	-
180	66	88	12	14	39	18	19	-	2	30	17	11	2	-
24	7	17	-	-	1	1	-	-	-	5	3	2	-	-
156	59	71	12	14	38	17	19	-	2	25	14	9	-	-
38	19	16	3	3	13	4	7	-	2	6	5	1	-	-
89	47	39	-	3	22	13	8	1	-	7	5	1	1	-
267	141	69	42	15	69	41	14	10	4	57	35	17	4	1
15	7	8	-	-	4	1	3	-	-	6	2	4	-	-
18	13	-	5	-	5	3	-	2	-	7	6	-	1	-
51	28	20	2	1	12	6	5	1	-	9	4	5	-	-
143	71	26	34	12	40	28	2	6	4	24	17	3	3	1
36	18	15	1	2	6	3	3	-	-	10	6	4	-	-
4	4	-	-	-	2	-	1	1	-	1	-	1	-	-
12,277	5,191	6,084	485	517	3,368	1,489	1,540	158	181	2,547	1,194	1,314	22	17
11,455	4,814	5,718	443	480	3,174	1,393	1,463	142	176	2,405	1,120	1,253	16	16
454	167	221	29	37	87	37	41	3	6	98	47	51	-	-
6,162	2,588	3,069	244	261	1,942	869	873	91	109	1,167	524	623	13	7
3,741	1,602	1,859	130	150	766	331	365	29	41	880	417	451	3	9
1,098	457	569	40	32	379	156	184	19	20	260	132	128	-	-
93	41	31	12	9	27	13	11	2	1	13	7	5	1	-
108	42	65	1	-	14	7	7	-	-	21	8	13	-	-
187	88	96	2	1	35	19	15	1	-	36	20	15	1	-
51	25	19	4	3	10	6	3	1	-	6	4	1	1	-
109	39	45	16	9	29	16	8	3	2	17	9	6	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	4	1	-	1	2	2	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
7	6	1	-	-	3	2	-	1	-	1	-	1	-	-
260	132	107	7	14	74	31	33	8	2	48	26	20	2	-

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	17,031	7,736	5,192	2,196	1,907	2,455	1,556	875	12	12
02 DISEASES OF HEART.....400-402,410-443	15,455	7,158	4,630	1,989	1,678	2,189	1,410	757	11	11
03 RHEUMATIC FEVER.....400-402	14	5	2	3	4	-	-	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	213	02	76	21	34	48	21	27	-	-
05 DISEASES OF MITRAL VALVE.....410	72	30	21	7	14	18	5	13	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	24	11	8	3	2	6	5	1	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	12	5	5	1	1	4	3	1	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	105	36	42	10	17	20	8	12	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	11,050	5,756	3,194	1,207	893	1,819	1,225	577	9	8
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,976	745	795	233	203	401	224	169	3	5
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	9,060	5,005	2,394	973	688	1,418	1,001	408	6	3
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	14	6	5	1	2	-	-	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	62	30	16	8	8	19	12	7	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	1	-	-	-	-	-	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	39	20	12	5	2	15	10	5	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	22	9	4	3	6	4	2	2	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	1,215	397	510	164	144	94	41	51	-	2
18 WITH ARTERIOSCLEROSIS.....422.1	1,084	361	462	138	123	77	35	40	-	2
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	131	36	48	26	21	17	6	11	-	-
20 OTHER DISEASES OF HEART.....430-434	1,196	488	327	216	165	106	66	38	1	1
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	19	7	6	4	2	1	1	-	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	136	46	34	29	27	1	1	-	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	374	141	143	40	50	32	17	15	-	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	667	294	144	143	86	72	47	23	1	1
25 HYPERTENSIVE HEART DISEASE.....440-443	1,705	400	505	370	430	103	45	57	1	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIODLAR NEPHROSCLEROSIS.....442	383	101	108	85	89	15	6	9	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,322	299	397	285	341	88	39	48	1	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	306	96	71	67	72	44	22	21	1	-
29 HYPERTENSION WITH ARTERIODLAR NEPHROSCLEROSIS.....446	186	67	48	35	36	32	16	15	1	-
30 ESSENTIAL HYPERTENSION.....444,445,447	120	29	23	32	36	12	6	6	-	-
31 DISEASES OF ARTERIES.....450-456	997	389	388	112	108	197	113	84	-	-
32 GENERAL ARTERIOSCLEROSIS.....450	705	237	318	77	73	152	83	69	-	-
33 AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	213	131	40	24	18	33	22	11	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	12	2	3	2	5	1	1	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	67	19	27	9	12	11	7	4	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	273	93	103	28	49	25	11	13	-	1
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,143	958	517	372	296	372	233	129	5	5
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	30	7	6	4	13	4	1	3	-	-
39 INFLUENZA.....480-483	75	21	26	11	17	21	11	9	1	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,317	464	350	285	218	248	136	105	3	4
41 LOBAR PNEUMONIA.....490	157	51	51	36	19	37	23	14	-	-
42 BRONCHOPNEUMONIA.....491	496	195	139	93	69	164	87	70	3	4
43 PRIMARY ATYPICAL PNEUMONIA.....492	146	49	29	37	31	15	11	4	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	518	169	131	119	99	32	15	17	-	-
45 ACUTE BRONCHITIS.....500	17	6	6	1	4	2	2	-	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	120	81	23	11	5	26	21	5	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	4	-	2	1	1	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	24	10	5	6	3	-	-	-	-	-
49 PLEURISY.....519	3	-	1	1	1	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	71	40	20	4	7	14	11	3	-	-
51 BRONCHIECTASIS.....526	33	11	18	2	2	3	3	-	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	412	299	53	42	18	49	45	2	1	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	344	265	37	35	7	45	41	2	1	1
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	68	34	16	7	11	4	4	-	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	37	19	7	4	7	5	3	2	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,445	597	451	215	182	211	122	82	-	7
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	111	58	24	19	10	23	18	5	-	-
59 ULCER OF DUODENUM.....541	91	53	12	20	6	13	12	1	-	-
60 GASTRITIS AND DUODENITIS.....543	12	1	6	2	3	3	2	1	-	-
61 APPENDICITIS.....550-553	33	16	6	7	4	5	2	3	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	218	70	97	25	26	49	27	22	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	108	23	18	36	31	5	3	2	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	66	22	33	3	8	15	7	8	-	-
65 CIRRHOSIS OF LIVER.....581	398	190	111	48	49	49	26	18	-	5
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	257	111	80	32	34	33	17	13	-	3
67 WITH ALCOHOLISM.....581.1	141	79	31	16	15	16	9	5	-	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	79	29	36	5	9	20	6	13	-	1
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	329	135	108	50	36	29	19	9	-	1
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	900	347	242	160	151	97	67	27	1	2
71 NEPHRITIS AND NEPHROSIS.....590-594	322	109	67	79	67	28	17	10	1	-
72 ACUTE NEPHRITIS.....590	8	1	1	3	3	2	1	1	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	28	13	5	4	6	4	4	1	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	286	95	61	72	58	22	12	9	1	-
75 INFECTIONS OF KIDNEY.....600	328	124	126	26	52	28	19	7	-	2
76 CALCULI OF URINARY SYSTEM.....602,604	39	18	14	2	5	2	2	-	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	111	38	26	30	17	10	5	5	-	-
78 HYPERPLASIA OF PROSTATE.....610	71	50	-	21	-	19	19	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	1	1	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	29	8	9	2	10	9	5	4	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
45	...	31	...	14	7	...	3	...	4	3	...	3	...	01
2	...	2	...	-	1	...	1	...	-	1	...	1	...	02
8	...	7	...	-	1	...	-	...	-	1	...	1	...	03
9	...	7	...	2	1	...	-	...	1	-	...	-	...	04
5	...	3	...	2	3	...	1	...	2	-	...	-	...	05
4	...	2	...	2	-	...	-	...	-	-	...	-	...	06
2	...	1	...	1	-	...	-	...	-	-	...	-	...	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	08
15	...	9	...	6	2	...	1	...	1	1	...	1	...	09
122	32	80	3	7	26	9	11	1	5	26	7	17	-	2 10
26	12	11	2	1	2	1	1	-	-	5	4	1	-	- 11
96	20	69	1	6	24	8	10	1	5	21	3	16	-	2 12
217	78	123	9	7	52	21	23	2	6	41	25	15	1	- 13
134	37	88	5	4	21	6	13	-	2	19	11	7	1	- 14
3	1	1	-	1	1	-	-	-	1	3	3	1	-	- 15
5	1	3	1	1	6	2	3	-	1	1	1	-	-	- 16
1	1	6	-	1	2	1	1	-	-	-	-	-	-	- 17
33	22	10	1	1	7	4	2	2	1	9	8	1	-	- 18
34	16	15	2	1	15	8	4	2	1	9	2	7	-	- 19
1,037	504	413	64	56	187	90	77	11	9	179	85	86	6	2 20
61	29	24	3	5	24	6	16	1	1	5	1	3	-	1 21
95	41	43	5	6	20	11	6	3	-	30	14	14	2	- 22
510	256	194	32	28	88	40	39	5	4	79	40	38	1	- 23
371	178	152	24	17	55	33	16	2	4	65	30	31	3	1 24
2,514	1,246	828	244	196	552	266	177	51	58	389	232	144	6	7 25
761	374	227	116	44	642	324	207	62	49	216	125	77	8	6 26
27	10	16	1	-	85	31	50	2	2	30	13	15	1	1 27
734	364	211	115	44	557	293	157	60	47	186	112	62	7	5 28
6,943	4,135	2,053	558	197	2,069	1,258	546	179	86	1,639	1,130	448	54	7 29
5,380	3,264	1,670	312	134	1,715	1,040	475	125	75	1,323	920	365	33	5 30
43	32	4	7	-	18	13	1	2	2	4	4	-	-	- 31
2,612	1,763	686	123	40	809	536	191	53	29	712	482	212	15	3 32
2,556	1,725	671	120	40	788	522	188	52	26	701	476	208	14	3 33
117	72	42	2	1	37	26	11	-	-	15	12	3	-	- 34
375	244	93	27	11	66	52	9	2	3	98	60	33	4	1 35
1,164	747	343	55	19	438	276	116	30	16	268	179	85	4	- 36
608	462	116	25	5	221	152	45	18	6	195	145	46	4	- 37
292	200	77	11	4	26	16	7	2	1	125	80	41	2	2 38
56	38	15	3	-	21	14	3	1	3	11	6	4	1	- 39
11	10	1	-	-	10	7	3	-	-	4	2	2	-	- 40
65	54	3	8	-	12	10	2	-	-	22	19	2	1	- 41
60	47	12	1	-	27	23	3	1	-	39	30	9	9	- 42
81	31	30	8	12	30	9	17	-	4	16	7	8	1	- 43
119	83	18	14	4	50	27	15	5	3	9	6	3	-	- 44
1,193	491	635	38	29	263	114	132	10	7	159	92	62	4	1 45
377	207	138	20	12	63	17	4	4	2	63	47	13	2	1 46
908	143	250	9	6	62	29	31	1	1	34	18	15	1	- 47
408	141	247	9	11	138	45	84	5	4	62	27	34	1	- 48
68	62	4	2	-	22	20	-	2	-	49	48	1	-	- 49
100	90	2	8	-	34	31	1	2	-	32	30	-	2	- 50
39	33	4	2	-	28	24	2	2	-	1	1	-	-	- 51
917	170	104	25	18	134	64	40	16	14	72	45	27	1	- 52
25	12	11	1	1	3	2	1	-	-	5	4	-	1	- 53
67	47	9	10	1	44	32	6	4	2	32	30	2	-	- 54
73	37	27	3	6	28	12	3	8	5	24	17	7	-	- 55
201	139	38	23	1	70	44	13	9	4	79	65	7	6	1 56
10	6	2	1	1	4	1	2	1	-	-	-	-	-	- 57
41	15	17	6	3	25	13	10	1	1	10	3	7	-	- 58
255	142	63	32	18	104	58	33	9	4	54	35	16	3	- 59
1,065	717	296	38	14	222	165	50	5	2	247	177	65	5	- 60
274	122	143	5	4	35	20	15	-	-	68	44	24	-	- 61
167	121	44	2	-	13	10	3	-	-	19	12	6	1	- 62
496	403	62	25	6	165	130	29	5	1	134	106	26	2	- 63
128	71	47	6	4	9	5	3	-	1	26	15	9	2	- 64
494	150	87	208	49	132	53	21	49	9	68	32	18	16	2 65
301	94	40	136	31	82	33	13	32	4	40	20	9	9	2 66
78	13	16	41	8	18	4	2	11	1	11	3	2	6	- 67
96	34	31	22	9	30	15	6	5	4	16	8	7	1	- 68
19	9	-	9	1	2	1	-	1	-	1	1	-	-	- 69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 70
4	4	-	-	-	-	-	-	-	-	1	1	-	-	- 71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	PENNSYLVANIA						RHODE ISLAND					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 ALL CAUSES.....	127,200	64,287	52,402	5,917	4,594	9,456	4,998	4,228	130	100		
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,137	631	305	131	70	65	38	24	3	-		
03 TUBERCULOSIS, ALL FORMS.....001-019	589	365	105	85	34	24	16	7	1	-		
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	559	355	97	77	30	24	16	7	1	-		
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	8	4	1	2	1	-	-	-	-	-		
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	1	-	-	-	-	-	-	-		
07 TUBERCULOSIS OF BONES AND JOINTS.....012-013	5	1	2	1	1	-	-	-	-	-		
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	6	2	2	2	-	-	-	-	-	-		
09 DISSEMINATED TUBERCULOSIS.....019	10	3	2	3	2	-	-	-	-	-		
10 SYPHILIS AND ITS SEQUELAE.....020-029	168	95	40	20	13	10	6	3	1	-		
11 CONGENITAL SYPHILIS.....020	1	-	-	1	-	-	-	-	-	-		
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-		
13 ANEURYSM OF AORTA.....022	119	76	32	5	6	8	5	3	-	-		
14 OTHER CARDIOVASCULAR SYPHILIS.....023	26	8	4	10	4	2	1	-	1	-		
15 TABES DORSALIS.....024	5	4	1	-	-	-	-	-	-	-		
16 GENERAL PARALYSIS OF INSANE.....025	5	2	2	-	1	-	-	-	-	-		
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	11	5	-	4	2	-	-	-	-	-		
18 ALL OTHER SYPHILIS.....027-029	1	-	1	-	-	-	-	-	-	-		
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-		
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-		
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	1	-	-	1	1	1	-	-	-		
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-		
23 BRUCELLOSIS.....044	1	1	-	-	-	-	-	-	-	-		
24 DYSENTERY, ALL FORMS.....045-048	2	2	-	-	-	2	-	2	-	-		
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-		
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-		
27 STREPTOCOCCAL SORE THROAT.....051	3	1	2	-	-	-	-	-	-	-		
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-		
29 SEPTICEMIA AND PYEMIA.....053	165	77	67	9	12	10	6	4	-	-		
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-		
31 WHOOPING COUGH.....056	2	-	-	1	1	-	-	-	-	-		
32 MENINGOCOCCAL INFECTIONS.....057	30	12	13	5	-	3	2	-	1	-		
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-		
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-		
35 TETANUS.....061	4	3	-	1	-	-	-	-	-	-		
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-		
37 ACUTE POLIOMYELITIS.....080	1	-	1	-	-	-	-	-	-	-		
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	3	-	-	-	-	-	-	-	-		
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	29	12	15	2	-	4	2	2	-	-		
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	2	2	-	-	-	-	-	-	-	-		
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-		
42 MEASLES.....085	10	3	5	1	1	-	-	-	-	-		
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-		
44 INFECTIOUS HEPATITIS.....092	34	9	21	2	2	5	3	2	-	-		
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-		
46 TICK-BORNE TYPHUS.....104	1	-	1	-	-	-	-	-	-	-		
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-		
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-		
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-		
50 HYDATID DISEASE.....125	1	1	-	-	-	-	-	-	-	-		
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-		
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-		
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-		
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	90	44	35	5	6	6	2	4	-	-		
55 II. NEOPLASMS.....	21,474	10,521	9,211	1,024	718	1,815	962	822	17	14		
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	21,074	10,351	9,022	1,004	697	1,785	947	807	17	14		
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	469	328	90	34	17	38	34	3	1	-		
58 OF LIP.....140	6	5	1	-	-	1	1	-	-	-		
59 OF TONGUE.....141	119	85	21	9	4	8	6	2	-	-		
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	158	104	37	11	6	14	13	-	1	-		
61 OF PHARYNX.....145-148	186	134	31	14	7	15	14	1	-	-		
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	6,940	3,321	3,040	379	200	647	308	325	7	7		
63 OF ESOPHAGUS.....150	423	262	71	77	13	37	25	11	1	-		
64 OF STOMACH.....151	1,229	632	460	101	36	110	51	58	1	-		
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	45	24	17	2	2	1	1	-	-	-		
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,445	1,049	1,273	53	70	259	112	140	3	4		
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	313	131	168	7	34	112	49	63	2	2		
68 TRANSVERSE COLON.....153.1	115	48	62	2	3	13	4	9	-	-		
69 DESCENDING COLON.....153.2	89	42	43	1	3	13	4	9	-	-		
70 SIGMOID COLON.....153.3	469	217	231	11	10	49	19	29	-	1		
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	4	2	1	1	-	-	-	-	-	-		
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,261	533	675	27	46	131	63	66	2	3		
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	174	76	93	4	1	19	9	8	1	1		
74 OF RECTUM.....154	968	506	407	38	17	85	49	36	-	-		
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	417	146	236	20	15	31	10	21	-	-		
76 LIVER.....155.0	113	61	32	13	7	10	5	5	-	-		
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	304	85	204	7	8	21	5	16	-	-		
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	246	108	114	17	7	21	12	9	-	-		
79 OF PANCREAS.....157	1,033	542	400	61	30	89	40	44	2	3		
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	134	52	62	10	10	14	8	6	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,120	7,774	5,678	4,723	3,945	6,589	3,784	2,431	206	168	36,179	16,668	12,337	3,844	3,330	01
285	75	40	106	64	67	25	18	13	11	456	216	122	66	52	02
125	27	11	57	30	27	9	4	8	6	233	127	58	28	20	03
110	26	11	49	24	21	8	3	6	4	206	118	51	24	13	04
4	-	-	3	1	1	-	1	-	-	7	2	3	1	1	05
-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	06
-	-	-	-	-	1	1	-	-	-	4	-	2	1	1	07
5	1	-	2	2	1	-	-	-	1	7	4	1	1	1	08
6	-	-	3	3	2	-	-	2	-	8	3	1	1	3	09
33	9	3	14	7	10	8	2	-	-	25	7	7	8	3	10
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
23	8	3	7	5	10	8	2	-	-	10	2	5	2	1	13
2	-	-	1	1	-	-	-	-	-	12	3	2	5	2	14
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	15
5	1	-	3	1	-	-	-	-	-	1	1	-	-	-	16
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	19
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
7	-	-	5	2	2	-	-	-	2	2	-	-	2	-	23
1	1	-	-	-	-	-	-	-	-	2	-	-	-	1	24
-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	26
29	13	9	3	4	6	1	1	4	-	59	19	17	13	10	27
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	29
13	6	4	3	-	4	1	1	1	1	19	10	2	3	4	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	1	-	-	1	-	-	-	-	-	3	-	-	1	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	37
15	5	2	3	5	14	7	5	1	-	14	7	5	1	1	38
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
14	1	3	5	5	3	1	-	-	2	10	4	3	1	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
9	4	2	3	-	5	2	3	-	-	21	10	8	1	2	43
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	51
7	-	-	3	4	-	-	-	-	-	-	-	-	-	-	52
24	7	6	7	4	7	1	6	-	-	49	20	17	5	7	53
2,884	1,136	899	431	418	1,022	558	440	5	19	5,279	2,320	2,020	460	479	54
2,831	1,119	881	424	407	1,004	548	432	5	19	5,190	2,293	1,985	453	459	55
64	37	12	5	10	12	10	2	-	-	122	64	36	18	4	56
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	57
12	7	3	-	2	3	2	1	-	-	28	18	6	2	2	58
23	11	5	1	6	4	3	1	-	-	55	23	25	6	1	59
27	18	3	4	2	5	5	-	-	-	39	23	5	10	1	60
772	273	252	147	100	342	189	145	3	5	1,520	637	609	140	134	61
66	26	12	18	10	14	11	3	-	-	102	40	30	24	8	62
148	40	29	54	25	74	50	23	-	1	250	118	71	35	26	63
7	3	4	-	-	2	2	-	-	-	8	5	2	1	-	64
240	79	110	28	23	95	48	45	1	1	515	182	255	38	40	65
27	10	8	5	4	19	10	8	1	-	64	26	30	5	3	66
7	2	5	-	-	5	2	3	-	-	17	6	7	4	-	67
4	1	3	-	-	1	1	1	-	-	19	7	8	2	2	68
33	13	11	3	6	9	5	4	-	-	73	24	40	5	4	69
1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	70
197	52	78	16	11	57	29	28	-	-	326	113	161	22	30	71
11	1	5	3	2	4	2	1	-	1	14	6	7	-	1	72
62	25	18	9	10	47	24	20	2	1	122	49	55	5	13	73
41	12	18	8	3	30	7	21	-	2	111	49	41	9	12	74
11	6	18	5	3	9	4	6	-	-	44	23	10	6	5	75
30	6	18	3	3	21	4	15	-	2	67	26	31	3	7	76
35	17	5	7	7	10	6	4	-	-	75	33	36	2	4	77
163	69	53	21	21	65	40	25	-	-	305	148	105	25	27	78
10	3	3	3	1	5	1	4	-	-	32	13	14	1	4	79

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,543	2,726	489	277	51	322	272	45	4	1
02 OF LARYNX.....161	197	168	8	20	1	10	15	3	-	-
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	1,261	957	167	121	16	128	108	16	3	1
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	2,033	1,571	296	133	33	173	148	24	1	-
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	52	30	18	3	1	3	1	2	-	-
06 MALIGNANT NEOPLASM OF BREAST.....170	1,917	13	1,785	2	117	159	2	156	-	1
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,801	1,024	1,513	106	158	203	89	110	-	4
08 OF CERVIX UTERI.....171	474	...	393	...	81	28	...	27	...	1
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	471	...	430	...	41	33	...	32	...	1
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	648	...	615	...	33	49	...	47	...	2
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	78	...	75	...	3	4	...	4	...	-
12 OF PROSTATE.....177	1,048	966	...	104	...	84	84
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	62	60	...	2	...	5	...	5
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	926	611	255	40	20	91	62	28	1	-
15 OF KIDNEY.....180	342	213	111	12	6	34	23	11	-	-
16 OF BLADDER AND OTHER URINARY ORGANS.....181	584	398	144	28	14	57	39	17	1	-
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	2,473	1,245	1,046	96	86	169	94	71	3	1
18 OF SKIN.....190,191	273	162	99	7	5	19	16	3	-	-
19 OF EYE.....192	15	6	9	-	-	3	2	1	-	-
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	441	258	155	15	13	45	24	19	2	-
21 OF THYROID GLAND.....194	72	22	46	2	2	8	2	6	-	-
22 OF BONE.....196	143	83	49	6	5	7	2	5	-	-
23 OF CONNECTIVE TISSUE.....197	83	44	34	3	2	3	2	-	1	-
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	80	42	32	3	3	8	7	1	-	-
25 OF UNSPECIFIED SITES.....156B,165,198,199B	1,366	628	622	60	56	76	39	36	-	1
26 LEUKEMIA AND ALEUKEMIA.....204	922	501	372	33	16	73	38	35	-	-
27 LYMPHOSARCOMA, ETC.....200-203,205	1,083	582	432	37	32	83	48	34	1	-
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	500	260	214	13	13	31	17	14	-	-
29 HODGKINS DISEASE.....201	269	148	110	7	4	25	17	8	-	-
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	314	174	108	17	15	27	14	12	1	-
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	400	170	189	20	21	30	15	15	-	-
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	27	...	19	...	8
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	57	31	31	3	5	6	2	4	-	-
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	74	35	30	4	5	4	2	2	-	-
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	5	...	5	...	-	-
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	151	73	68	7	3	18	10	8	-	-
37 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	86	44	36	6	-	2	1	1	-	-
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	3,507	1,226	1,918	132	231	310	120	177	8	5
39 ASTHMA.....241	264	131	98	20	15	25	11	12	1	1
40 NONTOXIC GOITER.....250,251	5	-	3	1	1	1	-	1	-	-
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	37	4	26	1	6	2	1	1	-	-
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	30	6	22	1	1	30	-	1	-	-
43 DIABETES MELLITUS.....260	2,832	948	1,613	88	183	259	100	149	6	4
44 DISEASES OF THYMUS GLAND.....273	10	4	5	1	-	-	-	-	-	-
45 DISEASES OF ADRENAL GLANDS.....274	28	9	17	2	-	3	-	3	-	-
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	95	41	43	7	4	6	1	5	-	-
48 CYSTIC FIBROSIS.....289A	34	16	18	-	-	4	2	2	-	-
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	172	67	73	11	21	9	5	3	1	-
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	355	171	148	19	17	22	11	11	-	-
51 ANEMIAS.....290-293	205	89	88	14	14	8	5	3	-	-
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	30	14	15	-	1	1	1	3	-	-
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	175	75	73	14	13	7	4	3	-	-
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	40	13	23	3	1	6	2	4	-	-
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	110	69	37	2	2	8	4	4	-	-
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	216	114	64	27	11	23	13	10	-	-
57 SENILE PSYCHOSIS.....304	10	1	7	-	2	3	-	3	-	-
58 ALCOHOLIC PSYCHOSIS.....307	30	21	-	9	-	-	-	-	-	-
59 OTHER PSYCHOSES.....300-303,305,306,308,309	50	19	26	3	2	4	2	2	-	-
60 ALCOHOLISM.....322	83	55	11	11	6	9	8	1	-	-
61 MENTAL DEFICIENCY.....325	37	16	17	3	1	6	3	3	-	-
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	6	2	3	1	-	1	-	1	-	-
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	13,594	5,715	6,880	405	514	930	394	513	12	11
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	12,626	5,289	6,449	429	459	865	366	478	10	11
65 SUBARACHNOID HEMORRHAGE.....330	507	207	235	19	46	36	16	18	-	2
66 CEREBRAL HEMORRHAGE.....331	6,777	2,778	3,485	249	265	445	191	241	6	7
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	4,184	1,813	2,126	126	119	333	141	187	4	1
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,158	491	603	35	29	51	18	32	-	1
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	120	46	44	16	14	7	3	3	1	-
70 MULTIPLE SCLEROSIS.....345	120	49	65	2	4	10	3	7	-	-
71 PARALYSIS AGITANS.....350	210	99	105	3	3	18	7	11	-	-
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	48	27	16	3	2	2	1	1	-	-
73 EPILEPSY.....353	138	62	55	13	8	7	5	2	-	-
74 INFLAMMATORY DISEASES OF EYE.....370-379	2	-	2	-	-	-	-	-	-	-
75 CATARACT.....385	2	1	1	-	-	1	-	1	-	-
76 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	8	3	3	1	1	-	-	-	-	-
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	320	139	140	18	23	33	9	10	1	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
545	366	60	90	29	137	112	24	-	1	983	705	137	116	25	01
27	16	4	5	2	4	4	-	-	-	43	32	5	6	-	02
161	112	13	29	7	97	80	16	-	1	412	310	37	60	5	03
351	237	42	54	18	31	25	6	-	-	510	358	85	48	19	04
6	1	1	2	2	5	3	2	-	-	18	5	10	2	1	05
247	-	182	-	65	75	1	73	-	1	443	4	350	1	88	06
460	125	147	70	118	158	79	73	1	5	778	221	364	86	107	07
125	...	61	...	64	18	...	15	...	3	192	...	134	...	58	08
62	...	32	...	30	24	...	23	...	1	102	...	81	...	21	09
71	...	49	...	22	31	...	30	...	1	162	...	135	...	27	10
7	...	5	...	2	5	...	5	...	-	15	...	14	...	1	11
182	117	...	65	...	77	76	...	1	...	264	205	...	79	...	12
13	8	...	5	...	3	3	...	-	...	23	16	...	7	...	13
96	47	20	18	11	66	42	22	-	2	221	111	82	13	15	14
44	23	11	4	6	38	23	13	-	2	90	50	34	5	1	15
52	24	9	14	5	28	19	9	-	-	131	61	48	8	14	16
388	168	112	64	44	104	56	44	-	4	616	287	228	43	58	17
47	25	14	5	3	9	7	2	-	-	115	66	41	3	5	18
-	-	-	-	-	2	2	-	-	-	5	2	2	1	-	19
91	44	33	6	8	29	19	10	-	-	151	86	49	8	8	20
15	6	6	1	2	3	1	2	-	-	11	2	7	-	2	21
25	5	7	4	9	2	2	-	-	-	37	15	15	5	2	22
13	8	3	2	-	4	3	1	-	-	24	12	9	2	1	23
12	10	1	1	-	4	2	2	-	-	20	14	3	1	2	24
185	70	48	45	22	51	20	27	-	4	253	90	102	23	38	25
129	53	48	12	16	52	32	20	-	-	234	125	83	11	15	26
130	50	48	18	14	58	27	29	1	1	273	139	96	25	13	27
68	24	28	9	7	25	11	14	-	-	125	64	46	10	5	28
26	8	9	6	3	15	6	9	-	-	59	35	17	5	2	29
36	18	11	3	4	18	10	6	1	1	89	40	33	10	6	30
53	17	18	7	11	18	10	8	-	-	89	27	35	7	20	31
5	...	4	...	4	2	...	2	...	-	14	...	6	...	8	32
12	5	4	2	1	5	2	3	-	-	22	9	8	1	4	33
14	3	3	4	4	5	2	1	-	-	19	7	7	3	2	34
-	...	9	...	-	-	...	-	...	-	1	...	-	...	1	35
16	5	3	2	3	3	2	1	-	-	17	8	5	2	2	36
6	4	1	1	-	5	4	1	-	-	16	3	9	1	3	37
511	121	150	95	145	148	63	73	2	10	693	236	281	53	123	38
34	10	10	8	6	19	13	5	1	-	68	29	18	11	10	39
2	-	-	1	1	-	-	-	-	-	3	1	1	-	1	40
6	1	-	-	3	2	-	2	-	-	8	-	5	1	2	41
6	5	-	-	1	3	-	3	-	-	3	1	2	-	-	42
397	91	114	70	122	108	46	52	1	9	494	161	207	30	96	43
-	-	-	-	-	2	-	-	-	-	1	1	1	-	-	44
1	1	-	-	-	-	-	-	-	-	6	2	-	-	3	45
1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	46
15	2	4	8	1	6	3	2	-	1	26	6	14	2	4	47
15	7	8	-	-	6	3	-	-	-	15	6	8	-	1	48
34	9	7	7	11	8	1	7	-	-	68	31	23	9	5	49
65	14	15	13	23	19	13	6	-	-	89	27	35	9	18	50
43	7	5	13	18	14	10	4	-	-	69	19	26	8	16	51
4	-	2	1	1	2	-	2	-	-	5	1	3	1	-	52
39	7	3	12	17	12	10	2	-	-	64	18	23	7	16	53
11	-	8	3	3	1	1	-	-	-	8	1	5	-	2	54
11	7	2	-	2	4	2	2	-	-	12	7	4	1	-	55
69	32	11	21	5	17	10	1	3	3	129	62	29	27	11	56
3	1	2	-	-	-	-	-	-	-	10	3	6	-	1	57
8	2	2	-	-	1	1	-	-	-	7	5	-	2	-	58
5	1	3	-	1	1	1	-	-	-	20	12	8	-	-	59
48	23	2	19	4	12	6	-	3	3	85	39	13	25	8	60
5	1	2	-	-	3	2	1	-	-	5	2	1	-	2	61
-	-	-	-	-	3	2	-	-	-	2	1	1	-	-	62
3,238	817	947	722	752	862	438	406	13	5	5,260	1,927	2,135	592	606	63
3,062	772	902	671	717	802	401	390	10	1	5,019	1,829	2,057	562	571	64
119	30	37	26	26	22	13	9	-	-	186	57	77	21	31	65
1,897	441	497	446	513	499	253	239	6	1	2,798	1,017	1,084	339	358	66
824	229	294	156	145	192	93	97	2	-	1,484	559	652	141	132	67
222	72	74	43	33	89	42	45	2	-	551	196	244	61	50	68
42	6	9	13	14	10	5	3	1	1	50	17	12	9	12	69
6	3	2	1	-	3	2	1	-	-	18	4	12	1	1	70
17	10	5	-	2	17	15	2	-	-	33	17	13	-	3	71
5	3	3	1	1	1	1	-	-	-	15	7	2	3	3	72
43	8	5	21	9	7	3	2	2	-	37	12	9	9	7	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
2	-	1	-	1	2	-	-	-	1	5	3	1	1	-	77
61	18	20	15	8	20	11	7	-	2	83	38	29	7	9	78

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	59,783	31,047	25,411	1,760	1,565	4,596	2,474	2,037	42	43
02 DISEASES OF HEART.....400-402,410-443	54,051	28,486	22,644	1,547	1,374	4,222	2,296	1,847	40	39
03 RHEUMATIC FEVER.....400-402	45	25	16	2	2	1	1	-	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	1,188	453	659	30	46	79	32	45	1	1
05 DISEASES OF MITRAL VALVE.....410	499	187	277	12	23	29	13	15	1	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	111	64	40	5	2	7	6	1	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	74	27	45	1	1	2	1	-	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	504	175	297	12	20	41	12	28	-	1
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	41,239	23,268	16,205	956	810	3,684	2,061	1,564	32	27
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	11,004	4,881	5,582	260	281	1,222	551	651	6	14
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	30,219	18,378	10,616	696	529	2,462	1,510	913	26	13
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	16	9	7	-	-	-	-	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	309	143	138	15	13	20	13	7	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	12	3	8	-	-	2	2	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	163	93	53	10	7	16	10	6	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	134	47	77	5	5	2	1	1	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	5,379	2,306	2,714	206	153	120	45	73	1	1
18 WITH ARTERIOSCLEROSIS.....422.1	4,761	2,039	2,411	182	129	73	33	40	-	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	618	267	303	24	24	47	12	33	1	1
20 OTHER DISEASES OF HEART.....430-434	2,033	943	904	97	89	110	60	48	2	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	57	30	19	4	4	7	4	2	1	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	63	29	28	3	3	4	2	2	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	734	337	344	28	25	40	21	18	1	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,179	547	513	62	57	59	33	26	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	3,858	1,348	2,008	241	261	208	84	110	4	10
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	967	390	511	37	29	39	18	21	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	2,891	958	1,497	204	232	169	66	89	4	10
28 OTHER HYPERTENSIVE DISEASE.....444-447	717	289	343	44	41	78	40	36	1	1
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	439	212	192	16	19	53	30	22	1	1
30 ESSENTIAL HYPERTENSION.....444,445,447	278	77	151	28	22	25	10	14	-	-
31 DISEASES OF ARTERIES.....450-456	3,804	1,771	1,868	91	74	233	109	120	1	3
32 GENERAL ARTERIOSCLEROSIS.....450	2,807	1,168	1,569	49	41	158	59	96	1	2
33 AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	723	487	191	30	15	57	39	18	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	30	8	15	4	3	2	1	1	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	244	108	113	8	15	16	10	5	-	1
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	1,211	501	556	78	76	63	29	34	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,728	4,357	1,777	383	211	400	251	141	6	2
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	26	6	18	2	-	8	4	3	1	-
39 INFLUENZA.....480-483	83	36	43	1	3	2	-	2	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	3,438	1,693	1,310	261	174	243	133	103	5	2
41 LOBAR PNEUMONIA.....490	508	264	172	51	21	24	15	9	-	-
42 BRONCHOPNEUMONIA.....491	1,704	834	667	120	83	136	78	54	3	1
43 PRIMARY ATYPICAL PNEUMONIA.....492	415	198	167	22	28	33	15	16	2	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	811	397	304	68	42	50	25	24	1	1
45 ACUTE BRONCHITIS.....500	57	32	20	3	2	1	1	-	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	203	150	38	11	4	29	24	5	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	-	2	1	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	38	24	7	6	1	-	-	-	-	-
49 PLEURISY.....519	14	11	2	1	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	285	197	63	17	8	11	8	3	-	-
51 BRONCHIECTASIS.....526	84	52	26	5	1	5	1	4	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,310	1,040	201	57	12	94	75	19	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	1,158	952	147	51	8	79	67	12	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	152	88	54	6	4	15	8	7	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	1,187	1,116	47	18	6	7	5	2	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	4,819	2,500	1,894	260	165	351	198	144	5	4
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	3	-	-	2	1	-	-	-	-	-
58 ULCER OF STOMACH.....540	368	233	108	22	5	24	14	10	-	-
59 ULCER OF DUODENUM.....541	291	201	66	14	10	16	14	1	-	1
60 GASTRITIS AND DUODENITIS.....543	25	10	11	1	3	3	3	-	-	-
61 APPENDICITIS.....550-553	113	53	47	5	8	5	4	1	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	711	293	363	33	22	53	20	30	2	1
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	142	61	68	8	5	8	3	5	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	281	116	146	8	11	18	9	9	-	-
65 CIRRHOSIS OF LIVER.....581	1,622	947	508	111	56	139	86	51	1	1
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	1,159	653	404	62	40	78	45	31	1	1
67 WITH ALCOHOLISM.....581.1	463	294	104	49	16	61	41	20	-	-
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	277	110	158	4	5	25	11	14	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	986	476	419	52	39	60	34	23	2	1
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,842	948	648	130	116	126	72	50	3	1
71 NEPHRITIS AND NEPHROSIS.....590-594	834	392	312	67	63	57	33	22	2	-
72 ACUTE NEPHRITIS.....590	34	18	11	3	2	2	2	-	-	-
73 NEPHRITIS WITH OEDEMA, INCLUDING NEPHROSIS.....591	37	17	14	2	4	3	2	1	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	763	357	287	62	57	52	29	21	2	-
75 INFECTIONS OF KIDNEY.....600	487	229	207	25	35	36	15	20	-	1
76 CALCULI OF URINARY SYSTEM.....602,604	63	31	29	2	1	3	2	1	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	210	113	66	20	11	12	7	4	1	-
78 HYPERPLASIA OF PROSTATE.....610	177	165	...	12	...	15	15
79 DISEASES OF BREAST.....620,621	4	-	3	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	67	27	31	4	5	3	-	3	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,775	3,397	2,402	1,568	1,408	2,842	1,750	1,019	44	29	14,959	7,342	5,044	1,357	1,216	01
7,801	3,097	2,132	1,410	1,242	2,594	1,622	903	43	26	13,431	6,730	4,447	1,199	1,055	02
5	2	-	-	3	2	2	2	-	-	8	1	6	-	1	03
93	33	28	22	10	33	18	12	1	2	183	81	78	11	13	04
34	14	14	3	3	16	10	4	-	2	65	33	27	2	3	05
13	11	-	1	1	2	2	-	-	-	28	15	9	3	1	06
5	1	2	1	3	3	-	3	-	-	9	4	5	-	-	07
41	7	12	17	5	12	6	5	1	-	81	29	37	6	9	08
5,499	2,555	1,557	785	602	2,112	1,377	688	28	19	10,512	5,688	3,309	863	652	09
1,048	350	365	176	157	424	212	205	3	4	2,566	1,019	1,003	317	227	10
4,447	2,204	1,191	607	445	1,687	1,164	483	25	15	7,940	4,665	2,306	545	424	11
4	1	1	2	-	1	1	-	-	-	6	4	-	1	1	12
41	20	8	8	5	9	6	3	-	-	67	24	21	14	8	13
2	-	1	-	1	-	-	-	-	-	4	2	1	1	-	14
26	17	6	3	-	6	5	1	-	-	28	14	11	3	-	15
13	3	1	5	4	3	1	2	-	-	35	8	9	10	8	16
546	154	193	99	100	161	82	74	5	-	844	305	372	83	84	17
454	135	167	73	79	142	74	65	3	-	586	207	268	49	62	18
92	19	26	26	21	19	8	9	2	-	258	98	104	34	22	19
486	156	105	114	111	142	84	47	8	3	536	246	199	45	46	20
12	3	2	4	3	1	1	-	-	-	5	3	5	1	1	21
15	6	1	4	4	2	2	-	-	-	16	7	7	3	3	22
120	40	44	15	21	48	27	19	-	2	171	73	73	12	13	23
339	107	58	91	83	91	54	28	8	1	344	165	121	29	29	24
1,211	177	241	382	411	135	55	77	1	2	1,281	385	462	183	251	25
250	44	54	73	87	25	10	15	-	-	257	96	107	28	26	26
953	133	187	309	324	110	45	62	1	2	1,024	289	355	155	225	27
157	35	28	64	30	24	17	7	-	-	307	108	92	55	52	28
69	21	17	22	9	19	14	5	-	-	172	73	55	25	19	29
88	14	11	42	21	5	3	2	-	-	135	35	37	30	33	30
638	228	207	83	120	189	97	89	1	2	971	417	421	56	77	31
462	141	165	59	97	141	64	74	1	2	753	298	360	39	56	32
126	71	20	20	15	38	27	11	-	-	151	97	32	11	11	33
4	1	-	1	2	-	-	-	-	-	1	-	-	1	-	34
46	15	22	3	6	10	6	4	-	-	66	22	29	5	10	35
99	37	35	11	16	35	14	20	-	1	250	87	84	47	32	36
1,160	398	238	295	229	359	235	93	14	17	2,119	1,017	660	250	192	37
20	3	2	9	6	5	3	2	-	-	13	6	5	2	-	38
44	-	3	18	23	14	7	6	-	1	78	23	35	7	13	39
767	189	182	220	176	196	107	66	10	13	1,313	509	476	181	147	40
175	39	30	59	47	30	16	11	2	1	181	81	48	30	22	41
341	91	89	82	79	82	49	23	6	4	661	240	252	91	78	42
85	18	27	22	18	31	16	14	-	1	75	29	25	10	11	43
166	41	36	57	32	53	26	18	2	7	396	159	151	50	36	44
15	3	6	2	4	1	1	-	-	-	20	8	4	4	4	45
39	22	6	8	3	14	13	1	-	-	109	77	25	5	2	46
2	1	-	1	-	1	-	1	-	-	3	1	-	1	1	47
8	4	1	2	1	2	2	-	-	-	11	3	4	2	2	48
2	-	1	1	-	-	-	-	-	-	2	1	1	-	-	49
32	16	9	5	2	11	5	3	1	2	75	43	23	5	4	50
10	5	3	2	-	13	10	2	-	1	54	27	22	2	3	51
203	151	23	21	8	88	77	9	2	-	409	308	52	36	13	52
172	140	15	15	2	82	74	7	1	-	388	297	48	33	10	53
31	11	8	6	6	6	3	2	1	-	21	11	4	3	3	54
18	4	2	6	6	14	10	3	1	-	32	11	13	5	3	55
692	250	203	116	123	211	110	77	9	15	1,059	486	413	92	68	56
1	-	-	1	-	-	-	-	-	-	2	-	2	-	-	57
65	32	13	15	5	18	11	5	1	1	93	51	28	8	6	58
48	25	11	9	3	14	13	1	-	-	89	54	26	6	3	59
5	4	-	-	1	-	-	-	-	-	6	3	2	1	-	60
18	3	3	2	10	9	6	2	-	1	30	14	7	6	3	61
101	28	40	12	21	39	16	22	-	1	170	64	82	13	11	62
93	4	9	35	45	13	3	3	4	3	58	22	11	12	13	63
26	9	11	1	5	12	10	2	-	-	60	18	35	4	3	64
157	78	50	17	12	41	25	12	2	2	243	123	84	20	16	65
120	61	37	13	19	27	14	11	1	1	177	84	71	11	11	66
37	17	13	4	3	14	11	1	1	1	66	39	13	9	5	67
49	19	23	1	6	22	7	12	-	3	94	35	53	4	2	68
129	48	43	23	15	43	19	18	2	4	214	102	83	18	11	69
403	108	99	111	85	69	43	20	5	1	659	273	188	123	75	70
152	30	28	55	39	23	11	11	1	-	246	108	62	46	30	71
5	1	1	2	1	1	-	1	-	-	11	2	4	3	2	72
11	1	2	5	3	1	-	1	-	-	15	9	1	4	1	73
136	28	25	48	35	21	11	9	1	-	220	97	57	39	27	74
130	40	43	24	23	14	7	7	-	-	221	65	92	31	33	75
31	12	11	-	8	3	1	2	-	-	17	6	9	1	1	76
49	11	14	15	9	7	7	-	-	-	65	27	16	16	6	77
29	13	---	16	---	20	17	---	3	---	88	61	---	27	---	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
12	2	3	1	6	2	-	-	1	1	22	6	9	2	5	80

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966,—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30	...	7	...	23	3	...	1	...	2	24	...	10	...	14	01
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	02
9	...	4	...	5	-	...	-	...	-	9	...	5	...	4	03
9	...	-	...	9	1	...	-	...	1	7	...	3	...	4	04
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	05
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
11	...	3	...	8	2	...	1	...	1	4	...	1	...	3	09
36	11	8	9	8	8	1	7	-	-	42	15	16	8	3	10
6	1	-	4	1	1	1	-	-	-	4	2	-	1	1	11
30	10	8	5	7	7	-	7	-	-	38	13	16	7	2	12
47	16	20	4	7	19	13	6	-	-	76	30	40	3	3	13
22	4	13	1	4	7	5	2	-	-	45	14	28	1	2	14
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	15
1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	16
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	17
15	10	2	2	1	4	4	-	-	-	15	11	4	-	-	18
7	1	5	1	-	7	3	4	-	-	14	3	8	2	1	19
252	96	75	46	35	68	36	29	2	1	396	166	142	48	40	20
28	10	15	2	1	3	1	2	-	-	25	8	14	2	1	21
24	7	7	6	4	8	4	4	-	-	50	21	15	10	4	22
137	52	38	29	18	35	20	13	1	1	201	81	72	26	22	23
63	27	15	9	12	22	11	10	1	-	120	56	41	10	13	24
705	218	156	196	135	175	85	60	15	15	1,026	426	275	205	120	25
596	87	52	236	221	77	35	16	14	12	701	260	193	126	122	26
11	4	2	1	4	10	3	4	3	-	20	3	16	1	-	27
585	83	50	235	217	67	32	12	11	12	681	257	177	125	122	28
2,372	998	356	754	264	623	369	159	67	28	3,212	1,865	734	425	188	29
1,834	782	294	547	211	541	320	138	57	26	2,486	1,465	605	266	150	30
20	8	-	10	2	1	1	-	-	-	31	18	1	9	3	31
933	450	150	254	79	281	159	70	35	17	1,260	801	293	118	48	32
915	443	147	249	76	274	155	69	34	16	1,233	784	288	115	46	33
27	17	3	6	1	13	9	4	-	-	35	24	7	1	3	34
176	49	23	76	28	17	7	6	-	-	159	84	36	28	11	35
217	118	49	38	12	139	76	41	14	6	636	399	172	49	16	36
182	84	24	65	9	98	57	22	14	5	359	246	66	34	13	37
313	175	48	64	26	7	6	7	-	-	44	31	7	3	3	38
18	7	3	5	3	7	4	1	1	1	27	17	5	3	2	39
7	2	-	5	-	4	4	-	-	-	1	1	-	-	-	40
37	24	4	9	-	3	3	-	-	-	23	21	2	-	-	41
20	16	2	2	-	8	6	2	-	-	13	12	-	1	-	42
33	7	10	12	4	7	2	2	2	1	49	25	16	7	1	43
17	8	1	5	3	6	6	-	-	-	9	4	2	1	2	44
143	57	62	13	11	83	38	41	4	-	325	139	156	16	14	45
35	19	10	5	1	24	15	7	2	-	86	45	28	11	2	46
30	12	11	4	3	16	7	9	-	-	75	32	40	2	1	47
78	26	41	4	7	43	16	25	2	-	164	62	88	3	11	48
29	11	-	17	1	8	6	-	2	-	38	32	3	2	1	49
28	20	-	8	-	22	18	4	-	-	60	56	1	3	-	50
25	18	1	5	1	2	2	-	-	-	21	20	1	-	-	51
175	35	16	67	57	33	17	9	4	3	214	82	51	35	46	52
5	1	3	-	1	-	-	-	-	-	10	4	2	1	3	53
62	27	7	24	4	13	11	2	-	-	80	49	13	13	5	54
41	8	8	20	5	3	2	-	-	1	39	23	6	8	2	55
102	31	10	52	9	18	13	-	5	-	114	74	10	22	8	56
3	1	-	1	1	1	1	-	-	-	20	7	5	5	3	57
11	7	3	1	1	2	2	-	-	-	23	3	12	4	4	58
143	51	17	42	33	46	29	8	5	4	156	94	31	21	10	59
210	154	37	16	3	66	44	17	4	1	389	265	96	20	8	60
21	12	8	-	1	5	2	3	-	-	55	26	27	-	2	61
17	12	1	2	2	15	6	5	3	1	36	29	5	2	-	62
163	126	25	12	-	40	34	5	1	-	263	196	47	17	3	63
9	4	3	2	-	6	2	4	-	-	35	14	17	1	3	64
328	62	25	191	50	16	5	4	6	1	333	131	33	139	30	65
246	51	17	147	31	7	3	2	2	-	241	107	19	100	15	66
49	3	1	32	13	4	1	3	3	-	49	12	4	24	9	67
28	7	7	8	6	4	1	1	1	1	39	11	9	13	6	68
5	1	-	4	-	1	1	-	-	-	4	1	1	2	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	86,906	42,502	30,943	7,682	5,779	6,880	3,857	2,890	85	48
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,187	554	348	181	104	53	28	17	4	4
03 TUBERCULOSIS, ALL FORMS.....001-019	404	247	74	59	24	14	10	2	-	2
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	379	236	71	52	20	13	10	2	-	1
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	8	2	1	4	1	1	-	-	-	1
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	2	-	-	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	7	3	2	1	1	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	8	4	-	2	2	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	146	75	28	29	14	9	7	2	-	-
11 CONGENITAL SYPHILIS.....020	6	1	1	3	1	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	94	53	22	11	8	6	4	2	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	30	13	4	10	3	1	1	-	-	-
15 TABES DORSALIS.....024	1	1	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	3	1	-	1	1	2	2	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	8	5	-	2	1	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	4	1	1	2	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	1	1	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	6	1	2	2	1	1	-	1	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	31	8	11	9	3	1	-	-	-	1
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	2	1	1	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	1	-	1	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	11	4	6	-	1	-	-	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	219	80	75	38	26	15	7	7	1	-
30 DIPHTHERIA.....055	6	2	4	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	9	3	6	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	59	29	19	7	4	-	-	-	-	-
33 PLAGUE.....058	-	-	-	-	-	1	-	-	1	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	29	7	7	8	7	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	4	1	2	-	1	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	8	4	4	-	-	-	-	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	52	17	19	12	4	-	-	-	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	2	1	1	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	36	19	11	2	4	4	-	1	2	1
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	54	12	35	5	2	2	1	1	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	1	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	105	41	41	10	13	6	3	3	-	-
55 II. NEOPLASMS.....	14,170	6,807	5,540	999	824	1,002	545	443	10	4
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	13,957	6,720	5,444	988	805	979	533	432	10	4
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	309	198	72	27	12	14	8	6	-	-
58 OF LIP.....140	3	3	-	-	-	-	-	-	-	-
59 OF TONGUE.....141	70	45	17	7	1	4	3	1	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	92	53	32	4	3	9	5	4	-	-
61 OF PHARYNX.....145-148	144	97	23	16	8	1	-	1	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	4,017	1,831	1,637	326	223	293	163	125	4	1
63 OF ESOPHAGUS.....150	215	119	54	34	8	9	8	1	-	-
64 OF STOMACH.....151	763	366	230	115	52	72	42	29	1	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	22	10	10	1	1	3	2	1	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,279	499	659	57	64	89	49	38	2	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	169	59	98	3	9	14	8	6	-	-
68 TRANSVERSE COLON.....153.1	42	13	24	-	5	3	1	1	1	-
69 DESCENDING COLON.....153.2	33	15	14	3	1	2	2	-	-	-
70 SIGMOID COLON.....153.3	165	72	77	10	6	13	8	5	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	2	1	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	835	327	430	39	39	52	29	23	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	33	12	15	2	4	5	1	3	1	-
74 OF RECTUM.....154	347	152	147	21	27	28	14	13	1	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	335	138	154	30	13	23	10	13	-	-
76 LIVER.....155.0	174	95	47	22	10	6	5	1	-	-
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	161	43	107	8	3	17	5	12	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	110	48	39	9	14	9	2	6	-	1
79 OF PANCREAS.....157	865	467	304	54	40	52	33	19	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	81	32	40	5	4	8	3	5	-	-

SECTION 1 - GENERAL MORTALITY

1-235

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,490	2,496	1,989	4	1	37,442	16,052	12,127	5,247	4,016	29,095	16,414	11,714	619	348	01
31	16	15	-	-	408	159	85	97	67	193	130	47	9	7	02
12	7	5	-	-	180	71	24	57	28	63	47	8	6	2	03
12	7	5	-	-	162	65	21	51	25	63	47	8	6	2	04
-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	07
-	-	-	-	-	4	1	1	2	1	-	-	-	-	-	08
-	-	-	-	-	6	2	-	2	2	-	-	-	-	-	09
6	2	4	-	-	59	29	7	16	7	39	33	4	2	-	10
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	11
-	-	-	-	-	36	22	4	6	4	33	28	4	1	-	12
5	2	3	-	-	16	5	1	9	1	4	3	-	-	-	13
1	1	1	-	-	2	1	1	-	-	1	1	-	-	-	14
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	15
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	16
-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	17
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	23
1	-	1	-	-	2	-	-	1	-	1	1	-	-	-	24
-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	25
-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	26
1	3	1	-	-	3	-	-	2	1	1	-	-	-	-	27
4	3	1	-	-	62	23	20	7	12	37	21	12	1	3	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	30
1	1	-	-	-	23	10	7	2	4	15	7	7	-	1	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	1	-	-	-	3	-	-	-	-	2	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	5	3	2	-	-	1	1	-	-	-	35
1	1	-	-	-	12	6	4	-	2	2	2	3	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	4	1	1	2	-	1	1	-	-	-	38
-	-	-	-	-	19	5	8	2	4	11	5	6	-	-	39
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	52
4	1	3	-	-	28	9	8	4	7	14	8	6	-	-	53
690	384	304	11	1	5,785	2,370	2,103	744	568	4,745	2,625	1,999	78	43	54
602	378	302	1	1	5,678	2,326	2,062	735	555	4,678	2,595	1,966	77	40	55
17	12	5	-	-	139	80	28	24	7	103	76	27	-	-	56
1	1	-	-	-	7	6	1	-	-	3	2	1	-	-	57
4	3	1	-	-	33	16	8	7	2	13	9	4	-	-	58
4	-	4	-	-	45	24	11	6	4	29	20	9	-	-	59
8	8	-	-	-	54	34	8	11	1	58	45	13	-	-	60
228	119	108	1	-	1,617	596	588	248	185	1,392	767	581	29	15	61
14	10	4	-	-	110	46	14	42	8	75	53	18	4	-	62
28	16	12	-	-	297	122	80	62	33	254	162	80	8	4	63
1	1	-	-	-	11	3	7	1	-	18	11	7	-	-	64
82	38	43	1	-	558	173	261	56	68	486	233	243	6	4	65
22	8	14	-	-	88	22	45	8	13	67	42	24	-	1	66
7	5	2	-	-	19	3	9	3	4	18	10	7	-	1	67
4	2	2	-	-	16	7	4	2	3	14	5	8	1	-	68
28	13	14	1	-	60	20	26	7	7	89	44	44	1	-	69
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	70
19	9	10	-	-	351	117	162	33	39	276	126	144	4	2	71
2	1	1	-	-	23	4	14	3	2	22	6	16	-	-	72
39	20	19	-	-	151	74	39	20	18	144	86	55	1	2	73
10	3	7	-	-	97	30	48	10	9	93	43	45	4	1	74
1	-	1	-	-	35	16	7	8	4	32	18	9	4	1	75
9	3	6	-	-	62	14	41	2	5	61	25	36	-	-	76
7	3	4	-	-	75	22	25	13	15	40	21	17	1	1	77
45	28	17	-	-	288	119	102	40	27	254	150	98	4	2	78
2	-	2	-	-	30	7	12	4	7	28	8	18	1	1	79

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS						UTAH					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 MALIGNANT NEOPLASMS, ETC.—CON.												
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED												
AS SECONDARY.....160-164	2,792	2,083	401	253	55	116	100	13	3			
OF LARYNX.....161	125	107	7	9	2	6	6					
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,081	838	139	85	19	47	42	4	1			
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,540	1,111	241	156	32	61	51	8	2			
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	46	27	14	3	2	2	1	1				
06 MALIGNANT NEOPLASM OF BREAST.....170	1,147	8	1,013	4	122	101	1	99			1	
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,848	639	853	155	201	138	79	56	2	1		
OF CERVIX UTERI.....171	399	...	314	...	85	9	...	9	1	
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	245	...	180	...	65	23	...	22	
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	373	...	325	...	48	22	...	22	
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	37	...	34	...	3	3	...	3	
OF PROSTATE.....177	738	586	...	152	...	78	76	...	2	
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	56	53	...	3	...	3	3	
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	583	344	175	44	20	40	23	17	
OF KIDNEY.....180	256	151	86	9	10	17	5	12	
16 OF BLADDER AND OTHER URINARY ORGANS.....181	327	193	89	35	10	23	18	5	
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED												
SITES.....156B,165,190-199	1,833	909	714	100	110	151	86	64	1			
OF SKIN.....190,191	332	197	126	6	3	18	12	6				
OF EYE.....192	11	4	7			4		4				
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	391	206	155	20	10	49	27	22				
OF THYROID GLAND.....194	44	15	26		3	3	1	2				
OF BONE.....196	90	50	31	2	7	7	5	1	1			
OF CONNECTIVE TISSUE.....197	62	28	29	3	2	6	4	2				
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	88	53	28	3	4	12	6	6				
OF UNSPECIFIED SITES.....156B,165,198,199B	815	356	312	66	81	52	31	21				
26 LEUKEMIA AND ALEUKEMIA.....204	737	383	289	32	33	68	43	25			1	
27 LYMPHOSARCOMA, ETC.....200-203,205	691	325	290	47	29	58	30	27				
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	335	153	150	20	12	17	10	7			1	
29 HODGKINS DISEASE.....201	144	80	50	9	5	15	8	6				
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC												
TISSUES.....202,203,205	212	92	90	18	12	26	12	14				
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	213	87	96	11	19	23	12	11				
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	12	...	4	...	8	
33 BENIGN NEOPLASMS OF BRAIN & OT. PTS. OF NERVOUS SYS...223	48	19	25	3	1	11	3	8				
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	47	18	24	2	3	5	4	1				
35 UNSPECIFIED NEOPLASMS OF FEMALE GENITAL ORGANS.....233-235	2	...	1	...	1	
36 NEOPLASMS OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	57	28	23	3	3	3	2	1				
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	47	22	19	3	3	4	3	1				
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND												
NUTRITIONAL DISEASES.....	1,999	711	934	140	214	209	88	117	2	2		
39 ASTHMA.....241	175	81	57	23	14	21	14	7				
40 NONTOXIC GOITER.....250,251												
41 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	13	5	4	1	3	4		4				
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	23	1	17	3	2	5		5				
43 DIABETES MELLITUS.....260	1,420	483	688	82	167	145	60	81	2	2		
44 DISEASES OF THYMUS GLAND.....273	7	3	2									
45 DISEASES OF ADRENAL GLANDS.....274	27	11	13	1	2	4	1	3				
46 PELLAGRA.....281	2	2										
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	116	41	48	18	9	8	4	4				
48 CYSTIC FIBROSIS.....289A	33	9	23	1		6	4	2				
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	183	75	82	9	17	16	5	11				
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	290	102	133	30	25	15	8	7				
51 ANEMIAS.....290-293	197	69	82	26	20	9	4	5				
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	9	2	6		1	1		1				
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	188	67	76	26	19	8	4	4				
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	29	8	18		3	3	2	1				
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	64	25	33	4	2	3	2	1				
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	197	103	62	24	8	37	26	10	1			
57 SENILE PSYCHOSIS.....304	16	5	11									
58 ALCOHOLIC PSYCHOSIS.....307	22	14	2	6		3	3					
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	45	16	27		2	6	4	2				
60 ALCOHOLISM.....322	92	54	15	18	5	17	12	4	1			
61 NENTAL DEFICIENCY.....325	18	13	4		1	11	7	4				
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	4	1	3									
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	10,807	4,301	4,757	867	882	765	347	410	4	4		
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	10,056	3,969	4,470	791	826	684	296	382	4	2		
65 SUBARACHNOID HEMORRHAGE.....330	370	144	156	31	39	22	5	17				
66 CEREBRAL HEMORRHAGE.....331	6,078	2,399	2,665	488	526	386	171	209	4	2		
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	2,360	968	1,067	168	157	190	85	105				
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,248	458	582	104	104	86	35	51				
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	145	59	48	20	18	16	9	5			2	
70 MULTIPLE SCLEROSIS.....345	42	16	21	1	4	12	6	6				
71 PARALYSIS AGITANS.....350	117	58	56	2	1	21	13	8				
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	37	16	12	3	6	1		1				
73 EPILEPSY.....353	88	30	32	18	8	6	5	1				
74 INFLAMMATORY DISEASES OF EYE.....370-379	2		2									
75 CATARACT.....385			1									
76 GLAUCOMA.....387												
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	8	3	3	1	1							
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	311	150	112	31	18	25	18	7				

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
127	110	17	-	-	1,091	713	140	201	37	867	695	144	26	2	01
5	5	-	-	-	39	22	4	11	2	35	30	5	-	-	02
40	35	5	-	-	326	222	47	47	10	323	277	36	9	1	03
82	70	12	-	-	707	459	84	139	25	495	379	98	17	1	04
-	-	-	-	-	19	10	5	4	-	14	9	5	-	-	05
58	-	58	-	-	504	6	410	3	85	425	5	415	-	5	06
85	39	46	-	-	817	224	359	109	125	597	285	294	5	13	07
6	...	6	...	-	194	...	129	...	65	85	...	77	...	8	08
17	...	17	...	-	93	...	63	...	30	75	...	72	...	3	09
20	...	20	...	-	180	...	151	...	29	135	...	134	...	1	10
3	...	3	...	-	17	...	16	...	1	12	...	11	...	1	11
37	37	309	207	...	102	...	273	268	...	5	...	12
2	2	24	17	...	7	...	17	17	...	-	...	13
28	21	7	-	-	251	126	73	33	19	252	174	75	2	1	14
8	6	2	-	-	117	60	38	12	7	101	70	29	1	1	15
20	15	5	-	-	134	66	35	21	12	151	104	46	1	-	16
67	30	36	-	1	720	314	263	81	62	534	299	222	12	1	17
10	6	4	-	-	93	43	42	7	1	62	33	28	1	-	18
-	-	-	-	-	9	5	3	1	3	7	5	2	-	-	19
11	6	5	-	-	127	73	42	9	3	135	90	42	3	-	20
3	2	1	-	-	13	4	7	1	1	16	4	12	-	-	21
6	5	1	-	-	27	11	12	1	3	26	14	12	-	-	22
2	1	1	-	-	23	9	7	4	3	22	18	4	-	-	23
1	-	1	-	-	29	15	9	2	3	14	9	4	1	-	24
34	10	23	-	1	399	154	141	56	48	252	126	118	7	1	25
29	21	8	-	-	257	124	96	17	20	240	137	100	1	2	26
43	26	17	-	-	282	143	105	19	15	268	157	108	2	1	27
20	14	6	-	-	138	67	60	6	5	116	68	48	-	-	28
8	5	3	-	-	51	30	16	4	1	65	41	24	-	-	29
15	7	8	-	-	93	46	29	9	9	87	48	36	2	1	30
8	6	2	-	-	107	44	41	9	13	67	30	33	1	3	31
-	...	-	...	-	7	...	4	...	3	4	...	3	...	1	32
1	1	-	-	-	12	3	7	1	1	18	7	10	-	1	33
3	3	-	-	-	17	9	5	2	1	20	7	11	1	1	34
2	...	1	...	-	2	...	1	...	1	-	...	-	...	-	35
2	1	1	-	-	48	25	15	4	4	17	11	6	-	-	36
2	1	1	-	-	21	7	9	2	3	8	5	3	-	-	37
83	30	53	-	-	762	262	270	84	146	702	319	354	22	7	38
7	3	4	-	-	93	36	24	18	15	91	49	39	3	-	39
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	40
-	-	-	-	-	5	-	4	1	-	4	1	3	-	-	41
1	-	1	-	-	6	2	3	-	1	5	1	4	-	-	42
60	23	37	-	-	537	181	198	52	106	498	213	266	12	7	43
1	1	1	-	-	9	5	2	-	2	2	2	-	-	-	44
2	1	1	-	-	9	5	2	-	2	7	3	3	1	-	45
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	46
1	1	-	-	-	22	3	6	4	9	27	17	9	1	-	47
3	-	3	-	-	20	7	13	-	-	13	7	6	-	-	48
8	2	6	-	-	67	27	20	9	11	55	26	24	5	-	49
9	3	6	-	-	98	32	35	13	18	97	39	54	1	3	50
7	2	5	-	-	69	22	22	9	16	65	26	36	-	3	51
1	-	1	-	-	3	1	2	-	-	10	2	8	-	-	52
6	2	4	-	-	66	21	20	9	16	55	24	28	-	3	53
-	-	-	-	-	15	5	6	2	2	13	5	8	-	-	54
2	1	1	-	-	14	5	7	2	-	19	8	10	1	-	55
16	10	6	-	-	212	108	45	45	14	100	62	34	3	1	56
-	-	-	-	-	6	2	1	1	2	11	3	8	-	-	57
1	1	-	-	-	16	12	1	2	1	12	10	1	1	-	58
7	2	5	-	-	30	7	19	3	1	18	6	11	1	-	59
7	6	1	-	-	147	80	21	36	10	52	39	11	1	1	60
1	1	-	-	-	13	7	3	3	-	5	3	2	-	-	61
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	62
519	231	288	-	-	4,447	1,477	1,722	647	601	3,703	1,771	1,840	50	42	63
469	209	260	-	-	4,099	1,339	1,616	584	560	3,459	1,624	1,750	45	40	64
25	11	14	-	-	241	83	95	38	25	184	72	101	6	5	65
206	95	111	-	-	2,221	716	850	310	345	1,896	881	970	23	22	66
192	82	110	-	-	1,244	425	505	170	144	1,034	515	499	11	9	67
46	21	25	-	-	393	115	166	66	46	345	156	180	5	4	68
6	5	1	-	-	71	24	17	21	9	26	17	7	2	-	69
7	2	5	-	-	23	8	11	1	3	31	9	22	-	-	70
8	1	7	-	-	60	32	24	1	3	62	44	17	-	1	71
2	1	1	-	-	18	6	4	4	4	7	5	2	-	-	72
6	3	3	-	-	62	13	13	22	14	20	12	7	1	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
1	-	1	-	-	4	2	1	1	-	4	1	2	-	1	77
28	10	10	-	-	110	53	36	13	8	94	59	33	2	-	78

Table I-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	33,009	17,005	11,452	2,541	2,011	2,581	1,463	1,083	22	13
02 DISEASES OF HEART.....400-402,410-443	29,744	15,615	10,062	2,292	1,775	2,311	1,323	957	21	10
03 RHEUMATIC FEVER.....400-402	19	2	8	3	6	2	1	1	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	394	157	192	14	31	110	52	57	1	-
05 DISEASES OF MITRAL VALVE.....410	151	50	90	4	7	49	18	31	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	43	32	9	-	2	12	9	3	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	29	12	12	1	4	6	3	2	1	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	171	63	81	9	18	43	22	21	-	-
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	22,636	12,744	7,216	1,545	1,101	1,760	1,089	651	12	8
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,288	1,890	1,763	351	284	396	182	210	2	2
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	18,301	10,843	5,448	1,194	816	1,364	907	441	10	6
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	17	11	5	-	1	-	-	-	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	154	85	45	14	10	11	8	3	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	4	2	2	-	-	1	-	1	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	92	62	18	8	4	5	5	-	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	58	21	25	6	6	5	3	2	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	1,957	779	862	169	147	134	57	76	1	-
18 WITH ARTERIOSCLEROSIS.....422.1	1,522	595	665	138	124	109	45	63	1	-
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	435	184	197	31	23	25	12	13	-	-
20 OTHER DISEASES OF HEART.....430-434	2,599	1,220	912	270	197	127	63	61	2	1
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	28	15	8	4	1	1	1	-	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	45	21	15	3	6	1	1	-	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	602	272	258	37	35	50	25	22	2	1
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,924	912	631	226	155	75	36	39	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	2,015	628	827	277	283	167	53	108	5	1
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	393	152	158	55	28	37	16	18	3	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,622	476	669	222	255	130	37	90	2	1
28 OTHER HYPERTENSIVE DISEASE.....444-447	481	183	156	79	63	26	11	15	-	-
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	259	117	84	30	28	14	7	7	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	222	66	72	49	35	12	4	8	-	-
31 DISEASES OF ARTERIES.....450-456	2,165	950	992	109	114	178	89	85	1	3
32 GENERAL ARTERIOSCLEROSIS.....450	1,544	611	785	70	78	121	50	68	-	3
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	392	244	110	23	15	43	33	9	1	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	16	6	2	6	2	-	-	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	213	89	95	10	19	14	6	8	-	-
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	619	257	242	61	59	66	40	26	-	-
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,164	2,784	1,620	466	294	377	253	116	7	1
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	28	11	10	3	4	8	4	3	-	1
39 INFLUENZA.....480-483	116	52	39	14	11	19	8	11	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	2,980	1,325	1,112	321	222	179	98	75	6	-
41 LOBAR PNEUMONIA.....490	385	197	129	38	21	21	14	7	-	-
42 BRONCHOPNEUMONIA.....491	1,237	562	484	117	74	81	40	37	4	-
43 PRIMARY ATYPICAL PNEUMONIA.....492	242	97	87	35	23	11	7	4	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	1,116	469	412	131	104	66	37	27	2	-
45 ACUTE BRONCHITIS.....500	33	16	10	4	3	4	-	4	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	321	238	63	17	3	23	14	9	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	5	2	3	-	-	1	1	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	57	31	8	15	3	4	3	1	-	-
49 PLEURISY.....519	10	3	6	1	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	226	98	72	33	23	14	13	1	-	-
51 BRONCHIECTASIS.....526	66	37	26	2	1	1	-	1	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,151	904	195	41	11	107	98	8	1	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	1,030	837	157	33	3	86	81	5	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	121	67	38	8	8	21	17	3	1	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	171	67	76	15	13	17	14	3	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,388	1,665	1,302	237	184	288	150	129	3	6
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	4	-	2	2	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	220	141	59	15	5	23	15	7	-	1
59 ULCER OF DUODENUM.....541	189	132	44	8	5	24	20	4	-	-
60 GASTRITIS AND DUODENITIS.....543	25	12	8	2	3	2	1	1	-	-
61 APPENDICITIS.....550-553	65	30	19	9	7	10	5	5	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	548	200	262	48	38	47	18	28	-	1
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	285	133	92	31	29	13	9	4	-	-
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	154	50	93	5	6	18	8	10	-	-
65 CIRRHOSIS OF LIVER.....581	963	569	294	65	35	54	26	24	1	3
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	690	389	236	41	24	34	17	16	-	1
67 WITH ALCOHOLISM.....581.1	273	180	58	24	11	20	9	8	1	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	218	79	127	5	7	23	12	11	-	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	717	319	302	47	49	74	36	35	2	1
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,641	686	558	242	155	99	66	31	2	-
71 NEPHRITIS AND NEPHROSIS.....590-594	704	278	232	109	85	40	28	11	1	-
72 ACUTE NEPHRITIS.....590	43	13	12	11	7	2	2	-	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NERPHROSIS.....591	36	10	19	4	3	2	2	-	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	625	255	201	94	75	36	24	11	1	-
75 INFECTIONS OF KIDNEY.....600	513	177	234	57	45	26	13	13	-	-
76 CALCULI OF URINARY SYSTEM.....602,604	53	28	18	6	1	3	3	-	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	166	71	51	34	10	15	11	4	-	-
78 HYPERPLASIA OF PROSTATE.....610	126	98	-	28	-	8	7	-	-	-
79 DISEASES OF BREAST.....620,621	1	-	1	-	-	-	-	-	1	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	78	34	22	8	14	7	4	3	-	-

SECTION 1 - GENERAL MORTALITY

1-239

and Sex: United States and Each State, 1966,—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,022	1,128	894	-	-	15,810	7,134	5,183	1,918	1,575	12,644	7,315	5,040	191	98	01
1,797	1,008	789	-	-	14,191	6,536	4,593	1,700	1,362	11,315	6,648	4,418	172	77	02
-	-	-	-	-	10	-	1	4	5	6	2	3	-	-	03
34	13	21	-	-	216	65	106	30	15	260	108	148	3	1	04
15	5	10	-	-	80	23	44	5	8	94	42	52	-	-	05
4	2	2	-	-	29	16	7	6	-	36	19	16	1	-	06
2	1	1	-	-	11	3	4	3	1	16	7	8	-	-	07
13	5	8	-	-	96	23	51	16	6	114	40	72	2	-	08
1,510	888	622	-	-	10,521	5,474	3,217	1,096	734	9,071	5,603	3,287	128	53	09
496	246	250	-	-	2,315	917	1,016	187	195	2,158	1,073	1,024	41	20	10
1,011	641	370	-	-	8,201	4,554	2,200	908	539	6,907	4,529	2,258	87	33	11
3	1	2	-	-	5	3	1	1	-	6	1	5	-	-	12
13	6	7	-	-	64	31	15	13	5	91	61	28	1	1	13
1	1	-	-	-	2	2	-	-	-	6	3	3	-	-	14
11	5	6	-	-	45	22	11	8	4	71	49	21	1	-	15
1	-	1	-	-	17	7	4	5	1	14	9	4	-	-	16
91	38	53	-	-	1,263	410	540	140	173	584	295	276	8	5	17
75	29	46	-	-	1,070	346	482	97	145	482	241	231	6	4	18
16	9	7	-	-	193	64	58	43	28	102	54	45	2	1	19
43	28	15	-	-	678	243	240	109	86	568	300	260	5	3	20
2	1	1	-	-	15	6	7	1	1	13	9	4	-	-	21
-	-	-	-	-	30	13	4	10	3	12	6	6	-	-	22
15	11	4	-	-	263	98	96	41	28	220	112	103	3	2	23
26	16	10	-	-	370	126	133	57	54	323	173	147	2	1	24
106	35	71	-	-	1,439	313	474	308	34	735	279	416	27	13	25
23	10	13	-	-	343	87	125	62	69	260	117	130	7	6	26
83	25	58	-	-	1,096	226	349	246	275	475	162	286	20	7	27
35	14	21	-	-	234	67	60	51	56	110	56	47	1	6	28
21	10	11	-	-	120	50	35	15	20	62	34	25	-	3	29
14	4	10	-	-	114	17	25	36	36	48	22	22	1	3	30
146	81	65	-	-	1,117	429	434	132	120	1,062	541	496	12	13	31
110	53	57	-	-	814	259	352	110	93	802	380	406	8	8	32
25	21	4	-	-	226	143	51	15	17	198	129	61	3	5	33
1	-	1	-	-	10	4	3	2	1	5	3	2	-	-	34
10	7	3	-	-	67	23	30	5	9	57	29	27	1	-	35
44	25	19	-	-	268	102	94	35	37	157	70	79	6	2	36
305	195	109	1	-	2,166	1,057	570	329	210	1,887	1,163	650	49	25	37
3	1	1	-	-	20	5	7	6	2	5	3	2	-	-	38
19	10	9	-	-	49	15	18	7	9	154	76	76	1	1	39
176	101	75	-	-	1,303	538	397	227	141	1,065	573	435	35	22	40
19	13	6	-	-	187	82	53	32	20	121	66	42	10	3	41
98	56	42	-	-	658	284	205	108	61	574	312	294	18	10	42
21	10	11	-	-	112	39	36	18	19	102	57	38	2	5	43
38	22	16	-	-	346	133	103	69	41	268	138	121	5	4	44
5	3	2	-	-	20	7	5	5	3	14	9	4	-	-	45
24	20	4	-	-	133	92	27	10	4	78	65	13	1	-	46
-	-	-	-	-	2	1	1	-	-	1	1	1	-	-	47
-	-	-	-	-	19	12	4	3	-	8	4	3	1	-	48
-	-	-	-	-	3	-	1	1	1	3	2	-	-	-	49
10	8	2	-	-	129	56	27	20	26	80	43	34	3	-	50
4	3	1	-	-	22	12	8	2	-	33	20	13	-	-	51
58	48	10	-	-	414	294	62	37	21	403	342	53	6	2	52
47	43	4	-	-	341	261	46	26	8	345	298	42	5	-	53
11	5	6	-	-	73	33	16	11	13	58	44	11	1	2	54
6	1	5	-	-	52	25	13	11	3	43	26	16	1	-	55
166	85	81	-	-	1,371	564	491	187	129	1,003	553	393	35	22	56
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	57
15	8	7	-	-	87	39	28	14	6	81	49	31	1	-	58
12	7	5	-	-	69	37	16	10	6	62	37	23	2	-	59
1	-	1	-	-	8	3	2	2	1	8	4	1	3	-	60
2	2	-	-	-	44	15	11	9	9	19	9	10	-	-	61
28	10	18	-	-	216	74	96	29	17	153	59	87	3	4	62
9	3	6	-	-	78	18	24	20	16	28	10	15	2	1	63
14	7	7	-	-	67	27	34	2	4	66	31	32	1	2	64
34	28	6	-	-	413	214	118	44	37	345	210	106	18	11	65
25	20	5	-	-	274	140	80	27	27	219	134	70	9	6	66
9	8	1	-	-	139	74	38	17	10	126	76	36	9	5	67
12	4	8	-	-	73	26	37	4	6	46	23	21	1	1	68
39	16	23	-	-	315	110	125	53	27	195	121	67	4	3	69
72	43	29	-	-	663	234	195	133	101	306	166	123	5	12	70
23	14	9	-	-	244	73	65	56	50	140	64	63	3	10	71
2	1	1	-	-	8	5	2	-	1	5	3	2	-	-	72
1	1	-	-	-	17	7	5	2	3	5	2	3	-	-	73
20	12	6	-	-	219	61	58	54	46	130	59	58	3	10	74
23	9	14	-	-	225	74	84	30	37	78	41	34	1	2	75
4	2	2	-	-	31	14	16	1	-	7	4	3	-	-	76
9	5	4	-	-	74	26	20	21	7	50	30	19	1	-	77
11	11	...	-	...	68	45	...	23	...	22	22	78
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	79
2	2	-	-	-	20	2	10	2	6	9	5	4	-	-	80

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE-OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	73	...	53	...	20	5	...	4	...	1
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	2	...	3	2	...	2	...	-
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	16	...	11	...	5	1	...	-	...	1
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	15	...	12	...	3	-	...	-	...	-
05 ECTOPIC PREGNANCY.....645	2	...	2	...	-	1	...	1	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	1	...	-	-	...	-	...	-
07 ABORTION WITH SEPSIS.....651	16	...	12	...	4	-	...	-	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	18	...	13	...	5	1	...	1	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	122	27	69	11	15	17	7	10	-	-
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	24	10	10	3	1	5	3	2	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	98	17	59	8	14	12	4	8	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	209	79	107	11	12	23	12	11	-	-
14 ARTHRITIS AND SPONDYLITIS.....720-725	104	34	61	4	5	14	8	6	-	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	-	2	1	-	-	-	-	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	11	4	5	2	-	-	-	-	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES.....737,745-749	6	2	2	-	-	-	-	-	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	29	16	12	1	-	-	-	-	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS.....731-736,738-744.0,744.2.	58	23	25	3	7	9	4	5	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	934	437	373	67	57	104	55	46	2	1
21 SPINA BIFIDA AND MENINGOCELE.....751	60	23	32	2	3	7	1	6	-	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	86	42	37	6	1	8	6	2	-	-
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	476	233	170	42	31	48	29	18	-	1
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	312	139	134	17	22	41	19	20	2	-
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	3,090	1,339	976	411	364	271	157	109	1	4
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,917	857	542	299	219	299	159	131	6	3
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	226	70	108	29	19	61	21	40	-	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....760-793,795	1,691	787	434	270	200	238	138	91	6	3
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	8,709	5,045	2,117	1,156	391	735	493	216	21	5
30 ACCIDENTS.....E800-E962	6,698	3,931	1,752	715	300	602	394	188	16	4
31 RAILWAY ACCIDENTS.....E800-E802	39	29	-	8	2	1	1	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	3,513	2,141	910	395	127	320	212	101	6	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	3,426	2,084	890	328	124	307	200	101	6	-
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	150	85	44	15	6	14	11	3	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	438	248	108	57	25	54	38	14	2	-
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,954	1,159	559	172	64	157	94	62	1	-
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	757	516	149	72	20	78	53	22	3	-
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	127	76	30	12	9	4	4	-	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	87	57	20	7	3	13	12	-	-	1
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	19	11	7	1	-	-	-	-	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	86	63	9	12	2	3	3	-	-	-
42 AIRCRAFT ACCIDENTS.....E860-E866	99	87	10	2	-	10	8	2	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	95	44	36	9	6	4	3	1	-	-
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	78	47	18	10	3	13	11	1	1	1
45 ACCIDENTAL FALLS.....E900-E904	768	337	368	35	28	84	35	46	1	2
46 FALL ON SAME LEVEL TO ANOTHER.....E900-E902	194	117	57	16	4	38	20	15	1	2
47 FALL ON SAME LEVEL.....E903	178	73	92	5	8	13	5	8	-	-
48 UNSPECIFIED FALLS.....E904	396	147	219	14	16	33	10	23	-	-
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	62	51	1	10	-	19	19	-	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	126	110	4	12	-	13	10	2	1	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	112	92	6	12	2	5	4	1	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	414	161	106	74	73	13	6	6	1	-
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	21	9	9	2	1	2	1	1	-	-
54 ACCIDENT CAUSED BY FIREARM.....E919	230	174	28	27	1	21	20	1	-	-
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	128	63	39	14	12	12	8	3	1	-
56 ACCIDENTAL DROWNING.....E929	362	233	47	75	7	27	20	6	1	-
57 EXCESSIVE HEAT AND INSULATION.....E931	18	11	2	3	2	2	1	1	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	77	30	39	5	3	5	3	2	-	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	451	238	113	69	31	48	29	14	4	1
60 SUICIDE.....E963,E970-E979	980	688	249	29	14	102	81	17	3	1
61 SUICIDE BY POISONING.....E970-E973	231	94	102	1	4	21	13	8	-	-
62 SUICIDE BY HANGING AND STRANGULATION.....E974	77	66	10	1	-	13	12	1	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	652	499	120	23	10	65	55	6	3	1
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	50	29	17	4	-	3	1	2	-	-
65 HOMICIDE.....E964,E980-E985	1,020	417	116	410	77	31	18	11	2	-
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	719	300	73	295	51	14	8	5	1	-
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	177	64	6	92	15	6	5	-	1	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	113	46	37	19	11	9	3	6	-	-
69 INJURY BY INTERVENTION OF POLICE.....E984	11	7	-	4	-	2	2	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	11	9	-	2	-	-	-	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	28	...	16	...	12	11	...	8	...	3 01
-	...	-	...	-	1	...	-	...	1	-	...	-	...	- 02
-	...	-	...	-	9	...	5	...	4	3	...	1	...	2 03
-	...	-	...	-	5	...	2	...	3	2	...	1	...	1 04
-	...	-	...	-	-	...	-	...	-	-	...	-	...	- 05
-	...	-	...	-	1	...	1	...	-	-	...	-	...	- 06
-	...	-	...	-	2	...	1	...	1	-	...	-	...	- 07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	- 08
1	...	1	...	-	10	...	7	...	3	6	...	6	...	- 09
6	1	5	-	-	41	9	19	3	10	35	8	27	-	- 10
2	-	2	-	-	10	3	5	-	2	4	3	1	-	- 11
4	1	3	-	-	31	6	14	3	8	31	5	26	-	- 12
8	3	5	-	-	107	40	45	11	11	72	27	43	1	1 13
5	2	3	-	-	62	22	29	3	8	39	10	28	1	- 14
1	1	-	-	-	-	-	-	-	-	2	1	1	-	- 15
1	-	1	-	-	6	2	2	1	1	2	-	1	-	1 16
-	-	-	-	-	2	1	-	-	-	-	-	-	-	- 17
-	-	1	-	-	15	7	5	3	-	18	14	4	-	- 18
1	-	1	-	-	22	8	9	3	2	11	2	9	-	- 19
49	30	19	-	-	407	166	149	55	37	247	110	118	7	12 20
2	1	1	-	-	35	8	25	1	1	8	3	5	-	- 21
5	2	3	-	-	35	12	12	8	3	35	15	19	1	- 22
31	20	11	-	-	198	87	67	23	21	122	51	56	5	10 23
11	7	4	-	-	139	59	45	23	12	82	41	38	1	2 24
104	63	40	1	-	1,306	541	329	238	198	651	347	235	44	25 25
55	27	28	-	-	511	193	123	106	89	270	146	104	10	10 26
2	-	2	-	-	53	10	25	8	10	45	16	28	-	1 27
53	27	26	-	-	458	183	98	98	79	225	130	76	10	9 28
354	247	106	1	-	3,320	1,706	747	637	230	2,429	1,633	645	114	37 29
286	191	94	1	-	2,464	1,250	580	446	188	1,897	1,272	509	85	31 30
5	3	2	-	-	24	20	-	4	-	16	11	1	4	- 31
111	79	32	-	-	1,085	589	254	173	69	878	613	217	33	15 32
105	76	29	-	-	1,062	575	251	168	68	855	595	214	31	15 33
6	4	2	-	-	18	10	6	2	-	12	7	5	-	- 34
17	11	6	-	-	165	79	34	37	15	139	86	40	10	3 35
37	31	6	-	-	360	189	105	40	26	373	263	94	13	3 36
33	22	11	-	-	301	165	60	53	23	232	171	48	6	7 37
12	8	4	-	-	218	132	46	36	4	99	68	27	2	2 38
6	3	3	-	-	23	14	3	5	1	23	18	3	2	- 39
3	-	3	-	-	2	2	-	-	-	5	4	1	-	- 40
5	5	-	-	-	37	26	2	8	1	81	67	8	5	1 41
5	4	1	-	-	20	17	1	2	-	44	33	11	-	- 42
7	4	3	-	-	65	27	10	19	9	27	13	10	3	1 43
4	3	1	-	-	14	8	2	2	2	17	13	4	-	- 44
58	29	29	-	-	421	156	208	36	21	331	177	137	13	4 45
18	10	8	-	-	115	64	29	17	5	112	84	22	5	1 46
18	10	8	-	-	78	25	46	6	1	84	39	42	2	1 47
22	9	13	-	-	228	67	133	13	15	135	54	73	6	2 48
5	4	1	-	-	51	41	1	8	1	39	36	3	-	- 49
9	9	-	-	-	55	43	1	11	-	39	38	1	-	- 50
-	-	-	-	-	22	20	-	2	-	16	13	2	1	- 51
24	17	7	-	-	219	86	36	56	41	117	58	38	13	8 52
3	3	-	-	-	7	1	1	3	2	7	4	3	-	- 53
5	4	1	-	-	58	31	6	15	6	26	20	4	2	- 54
3	2	1	-	-	39	12	11	7	9	21	12	9	-	- 55
20	15	4	1	-	139	66	13	58	2	113	88	18	7	- 56
-	-	-	-	-	4	1	1	1	1	1	1	-	-	- 57
3	-	3	-	-	20	13	4	-	3	24	11	13	-	- 58
16	10	6	-	-	182	91	29	41	21	95	60	29	4	2 59
61	51	16	-	-	538	373	124	37	4	441	321	106	12	2 60
16	13	3	-	-	107	48	57	2	-	144	88	55	-	1 61
6	6	-	-	-	38	28	7	3	-	49	41	5	2	1 62
35	30	5	-	-	353	275	48	28	2	168	158	23	7	- 63
4	2	2	-	-	40	22	12	4	2	60	34	23	3	- 64
6	4	2	-	-	316	83	43	152	38	89	39	30	16	4 65
5	4	1	-	-	196	60	23	88	25	34	17	8	7	2 66
-	-	-	-	-	55	5	5	41	4	11	2	4	5	- 67
1	-	1	-	-	61	17	15	20	9	38	15	18	3	2 68
-	-	-	-	-	4	1	-	3	-	6	5	-	1	- 69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 70
1	1	-	-	-	2	-	-	2	-	2	1	-	1	- 71

SECTION I - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	WEST VIRGINIA						WISCONSIN					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 ALL CAUSES.....	19,383	10,726	7,456	713	488	40,269	22,583	16,884	454	348		
02 I. INFECTIVE AND PARASITIC DISEASES.....	200	110	66	17	7	260	159	89	7	5		
03 TUBERCULOSIS, ALL FORMS.....001-019	110	64	34	10	2	95	68	24	3	-		
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	102	62	30	9	1	88	67	19	2	-		
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	2	-	2	-	-	3	-	2	1	-		
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-		
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	1	-	-	-	1	-	1	-	-		
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	-	1	-	-	2	-	1	-	-		
09 DISSEMINATED TUBERCULOSIS.....019	3	1	1	1	1	2	1	1	-	-		
10 SYPHILIS AND ITS SEQUELAE.....020-029	31	18	6	4	3	18	12	4	1	1		
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-		
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-		
13 ANEURYSM OF AORTA.....022	20	14	6	-	-	12	8	3	-	-		
14 OTHER CARDIOVASCULAR SYPHILIS.....023	3	1	-	1	1	3	2	-	1	1		
15 TABES DORSALIS.....024	1	-	-	1	-	1	1	-	-	-		
16 GENERAL PARALYSIS OF INSANE.....025	2	1	-	-	1	1	1	-	-	-		
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	2	-	2	1	1	-	1	-	-		
18 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-		
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-		
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-		
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	-	1	-	-	6	4	2	-	-		
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-		
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-		
24 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	-	-	-	-	-		
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	2	2	-	-	-		
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-		
27 STREPTOCOCCAL SORE THROAT.....051	1	1	-	-	-	1	1	-	-	-		
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-		
29 SEPTICEMIA AND PYEMIA.....053	15	8	6	1	-	45	26	17	1	1		
30 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-		
31 WHOOPING COUGH.....054	-	-	-	-	-	-	-	-	-	-		
32 MENINGOCOCCAL INFECTIONS.....057	7	5	2	-	-	19	13	4	1	1		
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-		
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-		
35 TETANUS.....061	-	-	-	-	-	-	-	-	-	-		
36 ANTHRAX.....062	-	-	-	-	-	4	2	2	-	-		
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-		
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	-	2	-	-	4	3	1	-	-		
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	6	3	2	-	1	14	8	6	-	-		
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	-	1	-	-	-	-	-	-	-		
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-		
42 MEASLES.....085	3	2	1	-	-	4	1	2	1	-		
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-		
44 INFECTIOUS HEPATITIS.....092	6	2	3	-	1	14	2	12	-	-		
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-		
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-		
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-		
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-		
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-		
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-		
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-		
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-		
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-		
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	17	7	8	2	-	34	17	15	-	2		
55 II. NEOPLASMS.....	2,883	1,514	1,224	85	60	7,009	3,794	3,103	64	48		
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	2,840	1,498	1,199	85	58	6,908	3,742	3,058	61	47		
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	68	51	15	1	1	139	115	22	2	-		
58 OF LIP.....140	2	2	-	-	-	2	2	-	-	-		
59 OF TONGUE.....141	15	12	3	-	-	25	23	2	-	-		
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	24	16	7	-	1	42	33	9	-	-		
61 OF PHARYNX.....145-148	27	21	5	1	-	70	57	11	2	-		
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	841	406	383	32	20	2,386	1,320	1,039	11	16		
63 OF ESOPHAGUS.....150	35	24	7	3	1	105	89	15	1	-		
64 OF STOMACH.....151	169	94	61	10	4	468	291	169	3	5		
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	6	4	-	-	17	4	12	-	1		
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	248	95	136	8	9	843	422	413	3	5		
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	28	11	15	-	2	133	57	75	-	1		
68 TRANSVERSE COLON.....153.1	11	6	4	1	-	44	26	18	-	-		
69 DESCENDING COLON.....153.2	7	2	5	-	-	32	15	17	-	-		
70 SIGMOID COLON.....153.3	36	11	23	1	1	150	84	66	-	-		
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	1	-	-	-		
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	147	55	83	6	3	434	216	211	3	4		
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	19	10	6	-	3	49	23	26	-	-		
74 OF RECTUM.....154	92	47	42	1	2	291	178	112	1	2		
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	69	29	38	2	-	194	76	114	2	2		
76 LIVER.....155.0	23	16	5	2	-	36	20	13	2	1		
77 OF 6 MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	46	13	33	-	-	158	56	101	-	1		
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	36	21	14	1	-	62	31	31	-	-		
79 OF PANCREAS.....157	161	84	67	6	4	373	212	157	1	3		
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	21	6	14	1	-	33	17	16	-	-		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2,674	1,973	1,026	46	29	01
17	9	7	-	1	02
3	2	1	-	-	03
3	2	1	-	-	04
-	-	-	-	-	05
-	-	-	-	-	06
-	-	-	-	-	07
-	-	-	-	-	08
-	-	-	-	-	09
4	3	-	-	1	10
-	-	-	-	-	11
-	-	-	-	-	12
3	3	-	-	-	13
1	-	-	-	1	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
-	-	-	-	-	20
-	-	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
1	1	-	-	-	27
-	-	-	-	-	28
1	1	-	-	-	29
-	-	-	-	-	30
-	-	-	-	-	31
3	1	2	-	-	32
-	-	-	-	-	33
-	-	-	-	-	34
-	-	-	-	-	35
-	-	-	-	-	36
-	-	-	-	-	37
-	-	-	-	-	38
2	-	2	-	-	39
-	-	-	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
-	-	-	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
-	-	-	-	-	47
-	-	-	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
-	-	-	-	-	53
3	1	2	-	-	54
368	206	155	4	3	55
359	203	149	4	3	56
2	2	-	-	-	57
-	-	-	-	-	58
1	1	-	-	-	59
-	-	-	-	-	60
1	1	-	-	-	61
108	67	39	2	-	62
3	2	-	1	-	63
19	13	6	-	-	64
2	2	-	-	-	65
38	23	14	1	-	66
4	2	2	-	-	67
-	-	-	-	-	68
-	-	-	-	-	69
7	5	2	-	-	70
-	-	-	-	-	71
25	16	8	1	-	72
2	-	2	-	-	73
13	9	4	-	-	74
8	5	3	-	-	75
2	1	1	-	-	76
6	4	2	-	-	77
3	1	2	-	-	78
22	12	10	-	-	79
-	-	-	-	-	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NEOPLASMS, ETC.—CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	558	440	90	24	4	951	781	144	24	2
03 OF LARYNX.....161	30	23	6	1	—	45	41	4	—	—
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	185	154	25	5	1	378	310	50	17	1
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	336	258	57	18	3	505	412	85	7	1
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	7	5	2	—	—	23	18	5	—	—
07 MALIGNANT NEOPLASM OF BREAST.....170	193	2	183	—	8	658	5	645	—	8
08 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	412	157	229	12	14	895	424	450	10	11
09 OF CERVIX UTERI.....171	122	...	114	...	8	136	...	128	...	8
10 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	43	...	38	...	5	107	...	104	...	3
11 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	71	...	71	...	—	202	...	202	...	—
12 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	7	...	6	...	1	16	...	16	...	—
13 OF PROSTATE.....177	159	148	...	11	...	409	401	...	8	...
14 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	10	9	...	1	...	25	23	...	2	...
15 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	118	69	44	3	2	364	248	113	3	—
16 OF KIDNEY.....180	53	30	20	2	1	175	121	54	—	—
17 OF BLADDER AND OTHER URINARY ORGANS.....181	65	39	24	1	1	189	127	59	3	—
18 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	402	225	166	8	3	736	396	328	7	5
19 OF SKIN.....190,191	44	28	16	—	—	66	34	32	—	—
20 OF EYE.....192	5	2	3	—	—	4	3	1	—	—
21 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	81	52	29	—	—	187	102	82	3	—
22 OF THYROID GLAND.....194	4	1	3	—	—	32	8	23	—	1
23 OF BONE.....196	21	15	6	—	—	44	30	14	—	—
24 OF CONNECTIVE TISSUE.....197	10	7	3	—	—	28	16	12	—	—
25 OF OTHER SPECIFIED SITES, NOT SECONDARY.....198,199A	20	14	4	1	1	23	15	8	—	—
26 OF UNSPECIFIED SITES.....156B,165,198,199B	217	106	102	7	2	352	188	156	4	4
27 LEUKEMIA AND ALEUKEMIA.....204	116	70	45	1	—	395	224	166	2	3
28 LYMPHOSARCOMA, ETC.....200-203,205	132	78	44	4	6	384	229	151	2	2
29 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	66	37	26	2	1	191	116	73	1	1
30 HODGKINS DISEASE.....201	24	18	5	—	1	75	38	36	—	1
31 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	42	23	13	2	4	118	75	42	1	—
32 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	43	16	25	—	2	101	52	45	3	1
33 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	—	5	...	5	...	—
34 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	2	4	—	—	19	10	9	—	—
35 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	6	2	4	—	—	30	17	10	3	—
36 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	—	—	—	—	...	—
37 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	17	9	8	—	—	23	16	7	—	—
38 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	10	3	5	—	2	24	9	14	—	1
39 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	440	163	241	14	22	1,040	439	574	17	10
40 ASTHMA.....241	64	37	23	3	1	85	42	38	4	1
41 NONTOXIC GOITER.....250,251	3	—	2	—	1	—	—	—	—	—
42 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	10	1	8	—	1	10	2	8	—	—
43 ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	2	—	—	—	9	2	7	—	—
44 DIABETES MELLITUS.....260	293	93	177	11	12	803	328	455	11	9
45 DISEASES OF THYROID GLAND.....273	—	—	—	—	—	—	—	—	—	—
46 DISEASES OF ADRENAL GLANDS.....274	6	2	4	—	—	10	6	4	—	—
47 PELLAGRA.....281	1	—	1	—	—	—	—	—	—	—
48 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	17	9	7	—	1	22	7	14	1	—
49 CYSTIC FIBROSIS.....289A	13	6	7	—	—	10	4	5	1	—
50 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	31	13	12	—	6	91	48	43	—	—
51 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	54	25	27	1	1	127	67	54	3	3
52 ANEMIAS.....290-293	34	15	17	1	1	82	44	35	1	2
53 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	7	3	3	1	—	19	9	10	—	—
54 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	27	12	14	—	1	63	35	25	1	2
55 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	7	1	6	—	—	18	7	8	2	1
56 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	13	9	4	—	—	27	16	11	—	—
57 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	51	28	15	7	1	101	65	33	2	1
58 SENILE PSYCHOSIS.....304	5	1	4	—	—	6	3	3	—	—
59 ALCOHOLIC PSYCHOSIS.....307	6	4	1	1	—	15	14	1	—	—
60 OTHER PSYCHOSES.....300-303,305,306,308,309	7	5	1	1	—	22	11	11	—	—
61 ALCOHOLISM.....322	29	17	6	5	1	47	33	12	2	—
62 MENTAL DEFICIENCY.....325	3	1	2	—	—	11	4	6	—	1
63 OTHER DISORDERS OF PERSONALITY...RESIDUAL	1	—	1	—	—	—	—	—	—	—
64 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,265	1,041	1,063	86	75	5,151	2,396	2,674	34	47
65 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	2,121	966	1,004	79	72	4,790	2,211	2,507	31	41
66 SUBARACHNOID HEMORRHAGE.....330	71	35	31	1	4	166	56	104	1	5
67 CEREBRAL HEMORRHAGE.....331	1,146	514	553	39	40	2,693	1,277	1,392	10	14
68 CEREBRAL EMBOLISM AND THROMBOSIS.....332	643	303	289	31	20	1,358	629	700	14	15
69 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	261	114	131	8	8	573	249	311	6	7
70 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	15	8	5	2	—	21	13	6	1	1
71 MULTIPLE SCLEROSIS.....345	15	4	11	—	—	47	17	30	—	—
72 PARALYSIS AGITANS.....350	28	14	13	1	—	112	64	48	—	—
73 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	11	6	4	—	1	12	3	7	1	1
74 EPILEPSY.....353	24	17	5	2	—	49	26	20	—	3
75 INFLAMMATORY DISEASES OF EYE.....370-379	—	—	—	—	—	—	—	—	—	—
76 CATARACT.....385	—	—	—	—	—	—	—	—	—	—
77 GLAUCOMA.....387	—	—	—	—	—	—	—	—	—	—
78 OTITIS MEDIA AND MASTOIDITIS.....391-393	3	2	1	—	—	3	1	2	—	—
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	48	24	20	2	2	116	61	53	1	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966.—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
72	58	12	1	1	01
2	1	1	-	-	02
20	15	4	1	-	03
45	39	5	-	1	04
5	3	2	-	-	05
22	-	22	-	-	06
51	23	26	1	1	07
5	...	5	...	-	08
5	...	5	...	-	09
17	...	16	...	1	10
-	...	-	...	-	11
24	23	...	1	...	12
-	-	...	-	...	13
16	6	10	-	-	14
6	2	4	-	-	15
10	4	6	-	-	16
35	18	16	-	1	17
3	1	2	-	-	18
-	-	-	-	-	19
6	2	4	-	-	20
-	-	-	-	-	21
2	-	2	-	-	22
5	3	2	-	-	23
19	12	6	-	1	24
26	13	13	-	-	25
27	16	11	-	-	26
9	4	5	-	-	27
2	2	-	-	-	28
16	10	6	-	-	29
9	3	6	-	-	30
-	...	-	...	-	31
3	-	3	-	-	32
4	2	2	-	-	33
-	...	-	...	-	34
2	1	1	-	-	35
-	-	-	-	-	36
-	-	-	-	-	37
65	28	32	4	1	38
11	6	4	1	-	39
-	-	-	-	-	40
1	-	1	-	-	41
-	-	-	-	-	42
37	16	18	2	1	43
1	1	-	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
4	1	2	1	-	47
1	-	1	-	-	48
10	4	6	-	-	49
7	3	3	-	1	50
6	3	2	-	1	51
2	2	-	-	-	52
4	1	2	-	1	53
-	-	-	-	-	54
1	-	1	-	-	55
11	10	1	-	-	56
1	1	-	-	-	57
2	2	-	-	-	58
-	-	-	-	-	59
8	7	1	-	-	60
-	-	-	-	-	61
-	-	-	-	-	62
326	151	167	6	2	63
301	139	155	5	2	64
11	6	5	-	-	65
190	96	92	2	-	66
68	24	43	2	2	67
32	13	18	1	-	68
2	1	1	-	-	69
5	-	5	-	-	70
3	1	2	-	-	71
1	1	-	-	-	72
4	3	1	-	-	73
-	-	-	-	-	74
-	-	-	-	-	75
-	-	-	-	-	76
-	-	-	-	-	77
10	6	3	1	-	78

+

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,514	4,745	3,289	271	209	18,175	10,579	7,320	163	113
02 DISEASES OF HEART.....400-402,410-443	7,650	4,324	2,887	249	190	16,102	9,516	6,353	142	91
03 RHEUMATIC FEVER.....400-402	9	5	3	-	1	6	2	4	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	128	55	69	2	2	314	145	160	5	4
05 DISEASES OF MITRAL VALVE.....410	41	16	23	1	1	116	44	72	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	15	8	7	-	-	39	31	6	-	2
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	9	4	5	-	-	31	13	18	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	63	27	34	1	1	128	57	64	5	2
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	5,852	3,482	2,086	164	120	13,124	8,080	4,885	107	52
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,695	807	782	60	46	3,561	1,767	1,754	26	14
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	4,152	2,673	1,302	104	73	9,559	6,311	3,129	81	38
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	5	2	2	-	1	4	2	2	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	45	26	14	1	4	81	48	33	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	2	-	-	1	1	1	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	18	13	3	1	1	38	26	12	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	24	11	11	-	2	42	21	21	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	538	262	249	13	14	1,031	511	515	3	2
18 WITH ARTERIOSCLEROSIS.....422.1	453	220	213	11	9	848	410	433	3	2
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	85	42	36	2	5	183	101	82	-	-
20 OTHER DISEASES OF HEART.....430-434	430	246	140	27	17	547	322	216	4	5
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	11	9	2	-	-	20	12	7	-	1
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	5	2	2	-	1	14	8	6	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	169	95	53	12	9	222	123	94	3	2
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	245	140	83	15	7	291	179	109	1	2
25 HYPERTENSIVE HEART DISEASE.....440-443	648	248	326	42	32	999	408	540	23	28
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	156	63	78	10	5	263	123	133	2	5
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	492	185	248	32	27	736	285	407	21	23
28 OTHER HYPERTENSIVE DISEASE.....444-447	148	64	75	3	6	249	131	109	7	2
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	111	55	51	3	2	156	96	55	3	2
30 ESSENTIAL HYPERTENSION.....444,445,447	37	9	24	-	4	93	35	54	4	-
31 DISEASES OF ARTERIES.....450-456	597	296	278	14	9	1,512	778	715	10	9
32 GENERAL ARTERIOSCLEROSIS.....450	454	199	237	10	8	1,163	542	609	6	6
33 AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	113	77	31	4	1	264	190	71	3	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	3	1	2	-	-	10	3	6	-	1
35 OTHER ARTERIAL DISEASES.....452-454,456	27	19	8	-	-	75	43	29	1	2
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	119	61	49	5	4	312	154	143	4	11
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,291	817	398	60	16	1,763	1,087	636	18	22
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	7	4	3	-	-	12	7	5	-	-
39 INFLUENZA.....480-483	48	24	23	1	-	44	17	27	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	746	410	284	38	14	1,059	568	464	12	15
41 LOBAR PNEUMONIA.....490	137	66	56	8	7	133	84	45	-	4
42 BRONCHOPNEUMONIA.....491	373	217	137	16	3	527	288	227	7	5
43 PRIMARY ATYPICAL PNEUMONIA.....492	59	32	23	1	3	121	64	49	2	6
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	177	95	68	13	1	278	132	143	3	-
45 ACUTE BRONCHITIS.....500	9	5	3	1	-	18	7	8	-	3
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	73	54	17	1	1	82	62	18	1	1
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	-	-	3	2	-	-	1
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	7	6	1	-	-	7	4	3	-	-
49 PLEURISY.....519	4	3	1	-	-	1	-	1	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	34	21	12	1	-	83	55	24	1	1
51 BRONCHIECTASIS.....526	18	9	8	-	1	27	18	8	1	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	265	222	34	9	-	380	314	62	3	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	250	213	29	8	-	364	293	49	2	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	15	9	5	1	-	36	21	13	1	1
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	78	58	11	9	-	47	33	14	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	565	310	225	14	16	1,447	825	590	13	19
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	50	32	15	3	-	120	80	37	1	2
59 ULCER OF DUODENUM.....541	34	25	8	1	-	109	82	26	1	-
60 GASTRITIS AND DUODENITIS.....543	6	4	1	-	1	5	2	3	-	-
61 APPENDICITIS.....550-553	15	7	8	-	-	40	21	18	-	1
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	115	47	58	6	4	221	111	108	2	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	22	9	11	1	1	48	19	25	3	1
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	38	20	17	1	-	103	43	59	-	1
65 CIRRHOSIS OF LIVER.....581	152	96	48	2	6	390	262	118	2	8
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	110	61	43	2	4	287	181	99	1	6
67 WITH ALCOHOLISM.....581.1	42	35	5	-	2	103	81	19	1	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	34	10	24	-	-	166	69	95	1	1
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	99	60	35	-	4	245	136	101	3	5
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	296	174	91	21	10	609	364	228	7	10
71 NEPHRITIS AND NEPHROSIS.....590-594	117	62	41	9	5	191	99	83	5	4
72 ACUTE NEPHRITIS.....590	10	7	3	-	-	6	3	1	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	10	5	2	3	-	12	7	3	1	1
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	97	50	36	6	5	173	87	79	4	3
75 INFECTIONS OF KIDNEY.....600	92	47	34	8	3	192	89	99	1	3
76 CALCULI OF URINARY SYSTEM.....602,604	10	4	4	1	1	25	13	12	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	22	12	8	1	1	70	45	21	1	3
78 HYPERPLASIA OF PROSTATE.....610	43	42	...	1	...	104	104	...	-	...
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	12	7	4	1	-	27	14	13	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966.—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1,039	631	390	10	8	01
925	561	350	7	7	02
-	-	-	-	-	03
28	9	19	-	-	04
14	2	12	-	-	05
4	3	1	-	-	06
-	-	-	-	-	07
10	4	6	-	-	08
747	483	255	5	4	09
189	93	94	1	1	10
557	389	161	4	3	11
1	1	-	-	-	12
5	2	3	-	-	13
1	1	-	-	-	14
2	1	1	-	-	15
2	-	2	-	-	16
52	22	28	1	1	17
31	12	17	1	1	18
21	10	11	-	-	19
52	28	21	1	2	20
-	-	-	-	-	21
1	-	1	-	-	22
23	8	14	-	1	23
28	20	6	1	1	24
41	17	24	-	-	25
11	7	4	-	-	26
30	10	20	-	-	27
15	6	8	1	-	28
9	5	4	-	-	29
6	1	4	1	-	30
72	47	23	2	-	31
49	27	20	2	-	32
18	16	2	-	-	33
-	-	-	-	-	34
5	4	1	-	-	35
27	17	9	-	1	36
164	116	43	4	1	37
1	-	1	-	-	38
3	1	1	1	-	39
75	40	31	3	1	40
10	3	6	1	-	41
40	21	18	-	1	42
8	5	2	1	-	43
17	11	5	1	-	44
2	1	1	-	-	45
7	6	1	-	-	46
-	-	-	-	-	47
1	1	-	-	-	48
-	-	-	-	-	49
7	4	3	-	-	50
1	1	-	-	-	51
63	58	5	-	-	52
59	54	5	-	-	53
4	4	-	-	-	54
4	4	-	-	-	55
135	75	53	3	4	56
-	-	-	-	-	57
11	7	3	1	-	58
12	4	8	-	-	59
2	1	1	-	-	60
2	1	1	-	-	61
25	15	10	-	-	62
5	2	3	-	-	63
12	5	5	-	2	64
26	18	5	2	1	65
13	7	3	2	1	66
13	11	2	-	-	67
8	5	3	-	-	68
32	17	14	-	1	69
36	23	10	1	2	70
14	7	7	1	1	71
1	1	-	-	-	72
-	-	-	-	-	73
15	6	7	1	1	74
9	7	1	-	-	75
1	-	1	-	-	76
6	5	1	-	-	77
4	4	-	-	-	78
-	-	-	-	-	79
-	-	-	-	-	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 285 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	7	...	7	...	-	21	...	16	...	5
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC....640,641,681,682,684	1	...	1	...	-	6	...	4	...	2
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC....642,685,686	1	...	1	...	-	2	...	1	...	1
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	1	...	1	...	-	4	...	3	...	1
05 ECTOPIC PREGNANCY.....645	-	...	-	...	-	-	...	-	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
07 ABORTION WITH SEPSIS.....651	-	...	-	...	-	3	...	2	...	1
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	4	...	4	...	-	6	...	6	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	15	8	5	1	1	43	17	26	-	-
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	1	2	-	-	11	8	3	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	12	7	3	1	1	32	9	23	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	30	16	14	-	-	92	36	53	2	1
14 ARTHRITIS AND SPONDYLITIS.....720-725	16	8	8	-	-	48	14	32	1	1
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	1	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	1	1	1	-	-	3	2	1	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES.....737,745-749	3	1	2	-	-	2	1	-	1	-
18 INBORN DEFECT OF MUSCLE.....744.1	4	2	2	-	-	19	14	5	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	6	4	2	-	-	19	5	14	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	194	113	70	8	3	381	180	182	13	6
21 SPINA BIFIDA AND MENINGOCELE.....751	17	11	6	-	-	21	8	13	-	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	25	13	10	2	-	34	17	14	2	1
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	87	52	28	5	2	177	84	82	9	2
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	65	37	26	1	1	149	71	73	2	3
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	468	274	172	19	23	1,081	619	399	33	30
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	595	341	187	40	27	171	83	86	2	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	28	13	15	-	-	56	17	39	-	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	567	328	172	40	27	115	66	47	2	-
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,495	1,047	362	69	17	2,798	1,873	821	76	28
30 ACCIDENTS.....E800-E962	1,247	869	314	48	16	2,282	1,526	687	46	23
31 RAILWAY ACCIDENTS.....E800-E802	19	14	-	4	1	16	13	3	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	531	384	105	9	3	1,125	793	296	26	10
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	495	378	105	9	3	1,100	775	290	25	10
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	11	10	1	-	-	49	39	10	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	88	67	17	2	2	140	92	41	4	3
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	150	106	40	4	-	589	364	180	11	4
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	124	101	20	3	-	330	266	53	8	3
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	122	94	27	-	1	22	14	6	2	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	6	6	-	-	-	25	18	6	1	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	4	-	1	-	3	2	1	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	6	6	-	-	-	33	4	1	-	-
42 AIRCRAFT ACCIDENTS.....E860-E866	3	3	-	-	-	5	4	1	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	12	6	6	-	-	43	19	19	2	3
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	26	17	8	1	-	43	33	9	1	-
45 ACCIDENTAL FALLS.....E900-E904	225	105	111	5	4	468	220	243	2	3
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	53	35	15	2	1	139	95	42	1	1
47 FALL ON SAME LEVEL.....E903	27	13	12	1	1	144	63	80	-	1
48 UNSPECIFIED FALLS.....E904	145	57	84	2	2	185	62	121	1	1
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	58	56	1	1	-	29	26	3	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	32	31	1	-	-	69	61	6	2	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	9	8	1	-	-	21	18	3	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	133	74	47	7	5	93	57	28	5	3
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	-	-	-	-	-	5	3	1	-	1
54 ACCIDENT CAUSED BY FIREARM.....E919	37	30	6	1	-	40	36	3	1	-
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	14	9	5	2	-	34	23	11	-	-
56 ACCIDENTAL DROWNING.....E929	62	61	10	10	1	114	91	17	5	1
57 EXCESSIVE HEAT AND INSOLATION.....E931	1	1	-	-	-	8	4	4	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	7	4	3	-	-	13	9	4	-	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	75	56	10	7	2	120	85	31	2	2
60 SUICIDE.....E963,E970-E979	178	137	35	6	-	426	313	108	4	1
61 SUICIDE BY POISONING.....E970-E973	21	12	9	-	-	111	67	43	-	1
62 SUICIDE BY HANGING AND STRANGULATION.....E974	17	13	4	-	-	82	57	25	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	120	103	14	3	-	190	160	27	3	-
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	20	9	8	3	-	43	29	13	1	-
65 HOMICIDE.....E964,E980-E985	70	41	13	15	1	89	33	26	26	4
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	41	25	7	9	-	49	20	11	16	2
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	11	5	3	3	-	15	3	4	8	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	17	10	3	3	1	24	9	11	2	2
69 INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	1	1	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1966.—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2	...	2	...	-	01
-	...	-	...	-	02
1	...	1	...	-	03
-	...	-	...	-	04
1	...	1	...	-	05
-	...	-	...	-	06
-	...	-	...	-	07
-	...	-	...	-	08
-	...	-	...	-	09
3	1	2	-	-	10
1	1	-	-	-	11
2	-	2	-	-	12
10	5	5	-	-	13
5	3	2	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
2	1	1	-	-	18
3	1	2	-	-	19
22	14	7	1	-	20
-	-	-	-	-	21
2	1	1	-	-	22
13	9	3	1	-	23
7	4	3	-	-	24
106	50	48	6	2	25
44	26	16	1	1	26
5	1	4	-	-	27
39	25	12	1	1	28
319	225	85	6	3	29
251	177	70	2	2	30
1	1	-	-	-	31
130	93	35	1	1	32
127	90	35	1	1	33
1	-	1	-	-	34
11	8	2	1	-	35
46	30	15	-	1	36
63	49	14	-	-	37
6	3	3	-	-	38
3	3	-	-	-	39
2	-	2	-	-	40
3	1	2	-	-	41
1	1	-	-	-	42
4	3	1	-	-	43
8	5	3	-	-	44
36	19	17	-	-	45
14	8	6	-	-	46
5	2	3	-	-	47
17	9	8	-	-	48
4	4	-	-	-	49
7	7	-	-	-	50
2	2	-	-	-	51
7	6	1	-	-	52
-	-	-	-	-	53
11	11	-	-	-	54
6	3	3	-	-	55
11	8	2	1	-	56
1	1	-	-	-	57
5	3	2	-	-	58
12	9	2	-	1	59
57	46	10	1	-	60
13	6	7	-	-	61
6	4	2	-	-	62
36	34	1	1	-	63
2	2	-	-	-	64
11	2	5	3	1	65
5	1	3	1	-	66
1	-	-	1	-	67
5	1	2	1	1	68
-	-	-	-	-	69
-	-	-	-	-	70
-	-	-	-	-	71

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-66 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1966-----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race and sex: United States, 1966 -----	2-3
2-4. Infant mortality rates by age and color: United States, 1957-66-----	2-4
2-5. Infant mortality rates for 55 selected causes: United States, 1957-66 -----	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1962-66 -----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1962-66-----	2-7
2-8. Deaths under 1 year, by age, race, and sex: United States and each State, 1966-----	2-8
2-9. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1966 -----	2-22
2-10. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1966-----	2-29
2-11. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1966 -----	2-32
2-12. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1966 -----	2-38
2-13. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1966 -----	2-56

SECTION 2 - INFANT MORTALITY

2-3

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-66

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	Non-white	Total	White	Non-white		Total	White	Non-white	Total	White	Non-white
1966	23.7	20.6	38.8	17.2	15.6	24.8	1950	29.2	25.8	44.5	20.5	19.4	27.5
1965	24.7	21.5	40.3	17.7	16.1	25.4	1949	31.3	28.9	47.3	21.4	20.3	28.6
1964	24.8	21.6	41.1	17.9	16.2	26.5	1948	32.0	29.9	46.5	22.2	21.2	29.1
1963 ¹	25.2	22.2	41.5	18.2	16.7	26.1	1947	32.2	30.1	48.5	22.8	21.7	31.0
1962	25.3	22.3	41.4	18.3	16.9	26.1	1946	33.8	31.8	49.5	24.0	23.1	31.5
1961	25.3	22.4	40.7	18.4	16.8	26.2	1945	38.3	35.6	57.0	24.3	23.3	32.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1944	39.8	36.9	60.3	24.7	23.6	32.5
1959	26.4	23.2	44.0	19.0	17.5	27.7	1943	40.4	37.5	62.5	24.7	23.7	32.9
1958	27.1	23.8	45.7	19.5	17.8	29.0	1942	40.4	37.3	64.6	25.7	24.5	34.6
1957	26.3	23.3	43.7	19.1	17.5	27.6	1941	45.3	41.2	74.8	27.7	26.1	39.0
1956	26.0	23.2	42.1	18.9	17.5	27.0	1940	47.0	43.2	73.8	28.8	27.2	39.7
1955	26.4	23.6	42.8	19.1	17.7	27.2	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1954	26.6	23.8	42.9	19.1	17.8	27.0	1930-34 ²	60.4	55.2	86.6	34.4	32.5	48.2
1953	27.8	25.0	44.7	19.6	18.3	27.4	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1952	28.4	25.5	47.0	19.8	18.5	28.0	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1951	28.4	25.8	44.8	20.0	18.9	27.3	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.²For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1966

[Rates per 100,000 live births in specified group]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,371.3	2,664.0	2,064.5	2,063.0	2,345.2	1,765.7	3,876.9	4,241.0	3,505.5
Under 28 days	1,717.6	1,947.5	1,476.5	1,560.8	1,785.1	1,324.4	2,483.3	2,750.9	2,209.0
Under 1 day	894.7	1,124.4	858.7	903.6	1,029.2	771.3	1,439.7	1,595.5	1,280.0
Under 1 hour	191.7	203.8	179.2	177.3	187.3	166.7	282.5	285.1	239.2
1-23 hours	603.0	920.7	679.6	726.3	841.9	604.6	1,177.2	1,310.3	1,040.7
1 day	254.2	282.3	214.3	236.8	273.8	197.8	339.3	384.1	293.4
2 days	181.3	177.2	124.2	145.8	172.3	117.9	178.3	201.0	165.0
3 days	67.0	77.6	55.8	63.4	75.2	51.0	84.3	89.2	79.3
4 days	38.3	44.5	31.7	35.1	41.4	28.5	53.5	59.9	46.9
5 days	27.3	31.0	23.5	24.7	27.7	21.4	40.5	47.4	33.4
6 days	20.7	25.0	18.3	17.6	20.1	15.0	35.9	37.4	34.4
7-13 days	78.4	84.9	71.6	65.9	71.4	60.2	139.3	151.8	126.5
14-20 days	45.4	50.1	40.4	36.0	40.7	31.1	91.0	86.7	85.2
21-27 days	40.3	42.4	38.1	31.8	33.1	30.4	81.6	88.0	75.0
28-59 days	161.7	181.1	141.4	125.7	141.7	100.8	337.7	376.0	298.3
2 months	119.9	137.4	101.6	91.4	108.2	73.7	259.4	281.9	236.2
3 months	92.2	100.1	83.9	70.5	78.2	62.5	198.0	206.8	187.0
4 months	68.3	75.0	61.2	51.2	57.8	44.2	151.7	160.1	143.1
5 months	49.9	54.1	45.6	37.7	41.9	33.3	109.6	114.1	105.1
6 months	38.1	40.4	37.8	29.5	30.9	28.1	86.0	87.3	84.6
7 months	31.6	32.9	30.2	24.5	25.9	22.9	66.6	67.7	65.4
8 months	27.8	30.7	24.7	21.9	24.2	19.4	56.4	62.8	49.9
9 months	22.5	24.2	20.6	17.9	19.7	16.1	44.5	46.4	42.6
10 months	21.0	21.2	20.8	16.0	16.0	16.1	45.2	46.7	43.6
11 months	19.7	19.3	20.2	15.9	15.5	16.3	38.5	38.3	38.7

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race and Sex: United States, 1966

[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	All races			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	85,516	49,173	36,343	36,010	26,759	12,429	9,998	457	392	30	26	55	39	192	149
Rate	23.7	26.6	20.6	23.5	17.7	44.0	36.2	39.0	34.7	10.5	9.3	12.2	8.9	21.3	18.1
UNDER 28 DAYS															
Number	61,941	35,948	25,995	27,410	19,307	8,119	6,352	208	171	23	16	40	31	149	116
Rate	17.2	19.5	14.8	17.9	13.2	28.8	23.0	17.7	15.1	8.0	5.7	8.9	7.1	16.5	14.1
28 DAYS TO 11 MONTHS															
Number	23,575	13,225	10,350	8,600	6,432	4,310	3,646	249	221	7	10	15	8	44	33
Rate	6.5	7.2	5.9	5.6	4.4	15.3	13.2	21.2	19.6	2.4	3.6	3.3	1.8	4.9	4.0

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1957-66

[Rates per 100,000 live births in specified group]

Age and color	1966	1965	1964	1963 ¹	1962 ¹	1961	1960	1959	1958	1957
TOTAL										
Under 1 year	2,371.3	2,469.6	2,477.5	2,522.9	2,551.1	2,529.2	2,604.0	2,638.7	2,706.0	2,834.0
Under 28 days	1,717.6	1,766.3	1,788.4	1,821.6	1,832.0	1,838.7	1,872.6	1,903.0	1,945.8	1,965.0
Under 1 day	994.7	1,016.5	1,022.6	1,037.5	1,037.7	1,028.8	1,054.2	1,089.8	1,021.5	994.0
1 day	254.2	258.3	263.2	265.6	262.0	266.5	271.2	277.7	277.0	270.2
2 days	151.3	158.9	160.2	168.2	173.1	172.0	176.9	182.3	186.0	185.3
3 days	67.0	66.4	72.2	72.9	77.4	79.1	82.6	85.2	89.9	89.6
4 days	38.3	37.4	40.0	41.8	43.6	44.3	46.3	50.1	57.7	53.1
5 days	27.3	28.9	28.4	30.7	31.2	34.7	34.2	36.8	44.5	42.0
6 days	20.7	20.7	21.4	22.4	22.8	24.1	25.0	28.3	32.7	31.0
7-13 days	78.4	85.2	85.5	85.7	91.5	93.5	99.0	105.2	118.9	116.9
14-20 days	45.4	53.2	51.3	52.8	53.0	56.2	58.2	59.8	64.2	65.9
21-27 days	40.3	42.9	43.5	43.9	41.5	42.5	45.0	47.8	49.5	50.3
28-59 days	161.7	170.1	165.4	162.5	161.5	162.0	170.8	172.5	177.1	166.2
2 months	119.9	130.4	128.7	129.4	132.4	129.4	132.9	132.9	137.1	128.6
3 months	92.2	103.5	95.9	99.2	96.9	97.6	100.7	102.3	104.7	97.8
4 months	68.3	74.3	69.7	75.0	71.4	70.6	77.2	74.8	78.9	78.3
5 months	49.9	52.1	53.4	55.8	55.6	55.6	57.4	62.5	61.6	59.4
6 months	39.1	41.7	43.4	45.0	44.3	45.6	47.2	47.1	50.8	49.4
7 months	31.6	33.8	34.9	36.4	35.7	34.3	39.2	38.3	39.0	39.2
8 months	27.8	28.1	29.1	29.7	30.4	29.7	33.2	32.5	33.4	34.5
9 months	22.5	25.6	26.1	24.7	26.0	24.9	26.7	26.9	29.6	29.6
10 months	21.0	21.8	21.9	22.1	23.1	21.4	23.0	23.0	23.3	23.8
11 months	19.7	21.8	20.6	21.6	21.9	21.2	22.9	22.3	23.8	23.0
WHITE										
Under 1 year	2,063.0	2,151.1	2,158.6	2,216.5	2,235.7	2,243.4	2,290.6	2,320.9	2,377.6	2,330.0
Under 28 days	1,560.8	1,608.3	1,620.4	1,667.8	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2
Under 1 day	903.6	930.1	929.3	954.1	959.1	953.5	960.7	954.2	948.9	923.3
1 day	236.8	240.0	244.9	248.1	247.4	252.4	253.3	262.9	260.3	261.1
2 days	145.8	152.9	152.4	162.3	165.2	163.3	172.0	175.2	176.4	176.0
3 days	63.4	61.9	66.8	67.4	73.3	74.8	77.7	79.6	84.4	82.4
4 days	35.1	33.0	36.3	36.6	39.3	39.0	41.3	45.3	50.4	47.7
5 days	24.7	24.3	24.8	27.1	27.7	30.1	30.4	31.7	36.5	37.1
6 days	17.6	17.7	19.0	19.8	19.4	21.0	22.5	24.9	27.3	28.0
7-13 days	65.9	69.4	72.8	74.4	77.4	78.0	85.3	87.8	100.7	101.7
14-20 days	36.0	43.8	41.2	42.7	42.7	45.5	46.2	48.3	51.9	52.7
21-27 days	31.8	35.2	32.8	35.3	34.3	34.0	34.8	37.6	38.3	41.1
28-59 days	125.7	130.0	130.6	129.8	129.3	128.7	133.8	137.0	133.6	134.2
2 months	81.4	100.9	99.4	101.9	104.5	103.8	103.4	103.3	106.0	93.5
3 months	70.5	80.5	74.8	76.3	74.7	77.7	78.6	78.5	82.8	76.0
4 months	51.2	56.1	52.3	57.2	53.7	54.5	57.3	55.7	60.6	61.4
5 months	37.7	39.3	40.2	41.7	41.3	42.7	43.2	47.6	49.7	45.5
6 months	29.5	32.1	33.8	33.6	34.7	34.2	35.2	36.0	39.5	38.4
7 months	24.5	26.0	27.8	28.5	28.2	27.5	30.4	30.4	31.5	31.1
8 months	21.9	21.7	22.8	23.4	23.6	24.6	25.4	25.4	27.2	27.9
9 months	17.9	20.9	21.7	20.2	21.1	20.1	21.3	21.4	23.7	23.4
10 months	16.0	17.4	17.8	18.7	19.1	18.2	18.4	20.1	21.3	20.0
11 months	15.9	17.9	17.2	17.4	17.6	17.8	18.3	18.1	19.9	19.5
NONWHITE										
Under 1 year	3,876.9	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8	4,569.1	4,370.0
Under 28 days	2,483.3	2,541.6	2,648.1	2,610.0	2,605.1	2,621.9	2,685.7	2,765.9	2,900.5	2,778.5
Under 1 day	1,439.7	1,440.5	1,500.0	1,456.8	1,454.1	1,416.1	1,436.6	1,449.6	1,432.4	1,591.9
1 day	339.3	348.3	357.0	353.7	337.8	342.0	369.5	360.1	371.8	356.1
2 days	178.3	188.1	200.2	203.2	215.4	208.4	203.9	221.7	239.9	225.0
3 days	84.3	89.3	99.8	102.4	100.8	102.3	109.4	116.5	147.4	139.7
4 days	33.5	38.9	59.4	68.6	66.1	72.7	73.9	76.3	98.7	89.2
5 days	40.5	51.2	46.6	50.4	50.2	59.6	55.4	65.7	78.7	70.1
6 days	35.9	35.5	33.9	37.2	41.6	41.1	38.3	47.3	63.3	54.2
7-13 days	139.3	150.9	150.5	142.3	168.8	177.7	175.9	202.2	221.5	217.3
14-20 days	91.0	99.1	102.7	106.1	109.1	115.7	124.3	123.6	133.5	140.9
21-27 days	81.6	80.8	98.0	89.4	81.2	88.2	100.4	104.1	113.2	103.3
28-59 days	337.7	367.0	343.6	342.0	337.6	341.3	373.5	369.7	369.1	349.1
2 months	259.4	275.3	279.9	280.6	289.3	267.7	294.8	297.2	338.5	281.5
3 months	198.0	216.5	204.0	225.7	219.8	204.8	221.7	234.8	228.7	217.7
4 months	151.7	165.9	158.9	173.4	169.3	157.8	186.3	180.9	181.9	174.8
5 months	109.6	115.2	121.4	131.5	133.4	125.3	135.6	144.9	134.9	139.3
6 months	86.0	89.1	92.2	107.2	93.7	94.7	113.2	108.9	114.3	112.6
7 months	66.6	72.3	71.1	79.2	77.5	72.1	87.5	82.0	81.1	89.7
8 months	58.4	59.4	61.5	63.5	68.1	56.8	70.5	71.8	69.1	72.9
9 months	44.5	46.7	48.9	50.2	52.4	50.9	56.3	57.5	62.2	69.2
10 months	45.2	45.4	42.8	41.0	46.1	38.7	48.2	44.6	48.0	45.3
11 months	39.5	40.7	38.3	44.9	43.6	39.6	47.8	45.7	51.8	48.6

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1962-66

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Table with 16 columns: Division and State, 1966 (Total, White, Non-white), 1965 (Total, White, Non-white), 1964 (Total, White, Non-white), 1963 (Total, White, Non-white), 1962 (Total, White, Non-white). Rows include United States and various Geographic Divisions and States.

Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Iowa	945	122	310	117	70	34	15	11	8
2	Male	521	54	174	65	40	22	8	9	3
3	Female	422	68	136	52	30	12	7	2	5
4	White	917	120	303	112	67	34	15	11	7
5	Male	507	52	170	63	39	22	8	9	2
6	Female	410	68	133	49	28	12	7	2	5
7	Negro	20	2	5	4	3	-	-	-	1
8	Male	11	2	3	1	1	-	-	-	1
9	Female	9	-	2	3	2	-	-	-	-
10	Other	6	-	2	1	-	-	-	-	-
11	Male	3	-	1	1	-	-	-	-	-
12	Female	3	-	1	-	-	-	-	-	-
13	Kansas	785	70	280	80	44	25	13	9	8
14	Male	457	38	172	47	25	19	9	5	5
15	Female	308	32	108	33	19	6	4	4	3
16	White	672	57	246	77	40	25	12	6	9
17	Male	402	33	149	45	23	17	8	3	4
18	Female	270	24	97	32	17	8	4	3	1
19	Negro	89	13	32	3	4	2	1	3	1
20	Male	51	5	21	2	2	2	1	2	1
21	Female	38	8	11	1	2	-	-	1	-
22	Other	4	-	2	-	-	-	-	-	-
23	Male	4	-	2	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	Kentucky	1,450	108	450	143	102	35	20	22	10
26	Male	850	54	254	94	62	23	15	11	6
27	Female	600	52	196	49	40	12	5	11	4
28	White	1,230	88	394	120	85	32	18	18	10
29	Male	708	44	220	80	52	21	13	8	6
30	Female	522	44	174	40	33	11	5	10	4
31	Negro	217	18	55	23	17	3	2	4	-
32	Male	140	10	34	14	10	2	2	3	-
33	Female	77	8	21	9	7	1	1	1	-
34	Other	3	-	1	-	-	-	-	-	-
35	Male	2	-	-	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	Louisiana	2,232	137	741	245	144	46	28	28	16
38	Male	1,264	75	431	140	92	24	19	15	8
39	Female	968	62	310	105	52	22	9	13	8
40	White	906	65	315	126	60	30	14	14	4
41	Male	529	35	195	69	41	17	11	8	1
42	Female	377	30	120	57	19	13	3	6	3
43	Negro	1,320	72	423	118	84	16	14	14	12
44	Male	751	40	253	71	51	7	8	7	7
45	Female	569	32	190	47	33	9	6	7	5
46	Other	6	-	3	1	-	-	-	-	-
47	Male	4	-	3	-	-	-	-	-	-
48	Female	2	-	-	1	-	-	-	-	-
49	Maine	415	47	126	52	32	15	9	9	1
50	Male	222	20	69	29	16	10	6	6	1
51	Female	193	27	57	23	16	5	3	3	-
52	White	411	47	123	52	32	14	9	9	1
53	Male	218	20	66	29	16	9	6	6	1
54	Female	193	27	57	23	16	5	3	3	-
55	Negro	3	-	2	-	-	1	-	-	-
56	Male	3	-	2	-	-	1	-	-	-
57	Female	-	-	-	-	-	-	-	-	-
58	Other	1	-	1	-	-	-	-	-	-
59	Male	1	-	1	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	Maryland	1,688	130	624	182	95	49	29	20	11
62	Male	979	72	393	111	57	32	16	10	9
63	Female	689	58	241	71	38	17	13	10	2
64	White	1,073	80	413	126	67	36	23	14	5
65	Male	651	43	265	76	44	25	14	8	5
66	Female	422	37	148	50	23	11	9	6	5
67	Negro	593	50	210	56	28	13	6	6	6
68	Male	327	29	117	35	13	7	2	2	4
69	Female	266	21	93	21	15	6	4	4	2
70	Other	2	-	1	-	-	-	-	-	-
71	Male	1	-	1	-	-	-	-	-	-
72	Female	1	-	-	-	-	-	-	-	-
73	Massachusetts	2,070	167	750	247	157	62	45	14	18
74	Male	1,218	93	446	142	88	39	23	10	9
75	Female	852	74	304	105	69	24	22	4	9
76	White	1,908	156	692	235	148	59	40	13	14
77	Male	1,125	87	415	134	84	36	21	9	8
78	Female	783	69	277	101	64	23	19	4	6
79	Negro	157	11	54	12	8	3	5	1	4
80	Male	90	6	29	8	3	2	2	1	1
81	Female	67	5	25	4	5	1	3	-	3
82	Other	5	-	4	-	1	-	-	-	-
83	Male	3	-	2	-	1	-	-	-	-
84	Female	2	-	2	-	-	-	-	-	-
85	Michigan	3,741	357	1,362	406	250	104	65	37	32
86	Male	2,165	195	794	237	162	58	36	21	17
87	Female	1,576	162	568	169	88	46	19	16	15
88	White	2,895	278	1,058	313	217	79	44	32	26
89	Male	1,709	155	620	190	142	43	28	17	15
90	Female	1,184	123	438	123	75	36	16	15	11
91	Negro	838	78	302	93	52	24	11	5	6
92	Male	452	39	173	47	19	15	8	4	2
93	Female	386	39	129	46	13	9	3	1	4
94	Other	10	1	2	-	1	-	-	-	-
95	Male	4	1	-	-	-	-	-	-	-
96	Female	6	-	1	-	-	1	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota-----	1,304	106	442	166	81	44	22	15	13
2	Male-----	773	54	274	100	54	32	15	12	8
3	Female-----	531	52	168	66	27	12	7	3	5
4	White-----	1,249	100	428	163	80	43	21	15	13
5	Male-----	741	51	266	98	53	32	14	12	8
6	Female-----	508	49	162	65	27	11	7	3	5
7	Negro-----	29	4	8	3	1	-	1	-	-
8	Male-----	17	1	5	2	1	-	1	-	-
9	Female-----	12	3	3	1	-	-	-	-	-
10	Other-----	26	2	6	-	-	1	-	-	-
11	Male-----	15	2	3	-	-	-	-	-	-
12	Female-----	11	-	3	-	-	1	-	-	-
13	Mississippi-----	1,864	114	440	182	99	61	32	28	24
14	Male-----	1,040	69	248	103	54	38	17	19	13
15	Female-----	824	45	192	79	45	23	15	9	11
16	White-----	822	40	174	69	38	20	7	9	4
17	Male-----	320	23	101	40	26	14	5	5	4
18	Female-----	202	12	73	29	12	6	2	4	-
19	Negro-----	1,350	72	266	110	61	41	24	18	20
20	Male-----	715	39	147	61	28	24	12	13	9
21	Female-----	617	33	119	49	33	17	12	5	11
22	Other-----	12	2	-	3	-	-	1	1	-
23	Male-----	7	2	-	2	-	-	-	1	-
24	Female-----	5	-	-	1	-	-	1	-	-
25	Missouri-----	1,825	141	625	222	92	52	27	25	18
26	Male-----	1,021	72	358	120	57	32	16	14	11
27	Female-----	804	69	267	102	35	20	11	11	7
28	White-----	1,509	117	459	156	78	56	18	13	15
29	Male-----	764	58	290	82	48	24	13	7	9
30	Female-----	545	59	179	74	30	12	5	6	6
31	Negro-----	516	24	166	65	13	16	9	12	3
32	Male-----	257	14	78	38	6	8	3	7	2
33	Female-----	259	10	88	28	5	8	6	5	1
34	Other-----	-	-	-	-	-	-	-	-	-
35	Male-----	-	-	-	-	-	-	-	-	-
36	Female-----	-	-	-	-	-	-	-	-	-
37	Montana-----	284	32	91	30	21	6	6	1	1
38	Male-----	156	19	56	17	12	3	3	-	-
39	Female-----	128	13	35	13	9	3	3	1	1
40	White-----	258	22	77	29	21	5	6	1	1
41	Male-----	131	11	48	16	12	2	3	-	-
42	Female-----	107	11	29	13	9	3	3	1	1
43	Negro-----	3	2	-	1	-	-	-	-	-
44	Male-----	2	1	-	1	-	-	-	-	-
45	Female-----	1	1	-	-	-	-	-	-	-
46	Other-----	43	8	14	-	-	1	-	-	-
47	Male-----	23	7	8	-	-	1	-	-	-
48	Female-----	20	1	6	-	-	-	-	-	-
49	Nebraska-----	463	40	195	70	19	12	7	6	1
50	Male-----	287	29	117	49	10	6	5	3	1
51	Female-----	176	11	78	21	9	6	2	3	-
52	White-----	427	37	192	64	17	12	6	6	1
53	Male-----	265	27	111	44	9	6	4	3	1
54	Female-----	162	10	71	20	8	6	2	3	-
55	Negro-----	81	3	12	6	2	1	1	-	-
56	Male-----	18	2	5	5	1	-	1	-	-
57	Female-----	13	1	7	1	1	-	-	-	-
58	Other-----	5	-	1	-	-	-	-	-	-
59	Male-----	4	-	1	-	-	-	-	-	-
60	Female-----	1	-	-	-	-	-	-	-	-
61	Nevada-----	220	16	85	24	14	2	3	6	-
62	Male-----	139	10	56	16	8	2	2	2	1
63	Female-----	81	6	30	8	6	-	1	4	-
64	White-----	185	14	78	21	14	1	3	5	-
65	Male-----	117	9	51	15	8	1	2	2	-
66	Female-----	68	5	27	6	6	1	1	3	-
67	Negro-----	27	2	6	2	-	1	-	1	-
68	Male-----	16	1	4	-	-	1	-	-	-
69	Female-----	11	1	2	2	-	-	-	1	-
70	Other-----	8	-	1	1	-	-	-	-	-
71	Male-----	6	-	-	1	-	-	-	-	-
72	Female-----	2	-	1	-	-	-	-	-	-
73	New Hampshire-----	271	25	97	33	19	8	2	2	2
74	Male-----	165	11	61	20	12	7	1	2	1
75	Female-----	106	14	36	13	7	1	1	-	1
76	White-----	270	25	96	33	19	8	2	2	2
77	Male-----	164	11	60	20	12	7	1	2	1
78	Female-----	106	14	36	13	7	1	1	-	1
79	Negro-----	1	-	1	-	-	-	-	-	-
80	Male-----	-	-	1	-	-	-	-	-	-
81	Female-----	-	-	-	-	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male-----	-	-	-	-	-	-	-	-	-
84	Female-----	-	-	-	-	-	-	-	-	-
85	New Jersey-----	2,692	220	997	297	186	74	37	36	26
86	Male-----	1,515	121	561	154	107	46	22	23	14
87	Female-----	1,177	99	436	143	79	28	15	13	12
88	White-----	1,858	160	658	210	142	50	31	24	20
89	Male-----	1,047	86	350	113	86	51	18	20	12
90	Female-----	811	74	308	97	56	19	13	4	8
91	Negro-----	806	60	294	95	43	21	6	11	6
92	Male-----	453	35	163	41	20	12	4	2	2
93	Female-----	353	25	131	44	23	9	2	9	4
94	Other-----	28	-	5	2	-	3	-	1	-
95	Male-----	15	-	2	-	-	1	-	-	-
96	Female-----	13	-	3	2	-	-	-	1	-

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-25 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico-----	599	42	180	52	32	15	15	4	6
2	Male-----	332	20	100	31	20	8	9	2	4
3	Female-----	267	22	80	21	12	5	4	2	2
4	White-----	489	34	156	48	28	11	10	3	5
5	Male-----	254	15	85	27	18	6	7	1	4
6	Female-----	210	19	71	19	10	5	3	2	1
7	Negro-----	16	-	7	1	-	-	-	-	-
8	Male-----	9	-	4	1	-	-	-	-	-
9	Female-----	7	-	3	-	-	-	-	-	-
10	Other-----	119	8	17	5	4	2	3	1	1
11	Male-----	69	5	11	3	2	2	1	-	-
12	Female-----	50	3	6	2	2	-	1	-	1
13	New York-----	7,251	658	2,670	805	426	209	129	75	60
14	Male-----	4,183	370	1,536	489	258	124	78	42	34
15	Female-----	3,048	288	1,134	316	168	85	50	33	26
16	White-----	5,201	506	1,849	586	339	173	97	61	43
17	Male-----	3,058	281	1,075	344	208	104	58	34	26
18	Female-----	2,165	225	776	242	131	69	39	27	17
19	Negro-----	2,002	151	617	217	85	33	29	14	17
20	Male-----	1,138	89	460	125	50	17	19	8	8
21	Female-----	874	62	357	94	35	16	10	6	9
22	Other-----	28	1	4	2	2	3	2	-	-
23	Male-----	17	-	3	2	2	3	1	-	-
24	Female-----	11	1	1	-	2	-	1	-	-
25	North Carolina-----	2,690	187	750	275	158	67	47	27	30
26	Male-----	1,480	84	445	159	83	43	27	14	18
27	Female-----	1,210	103	307	116	75	24	20	13	12
28	White-----	1,415	96	474	190	98	42	29	14	20
29	Male-----	811	47	281	120	49	31	17	7	12
30	Female-----	604	49	195	70	49	11	12	7	8
31	Negro-----	1,220	91	259	78	59	24	18	13	10
32	Male-----	640	37	151	37	33	12	10	7	6
33	Female-----	580	54	108	41	26	12	8	6	4
34	Other-----	55	-	17	7	1	-	-	-	-
35	Male-----	28	-	11	2	1	-	-	-	-
36	Female-----	26	-	6	5	-	1	-	-	-
37	North Dakota-----	252	34	95	25	19	5	-	2	1
38	Male-----	164	21	61	18	14	3	-	1	-
39	Female-----	88	13	34	7	5	2	-	-	1
40	White-----	228	31	91	23	19	4	-	2	-
41	Male-----	151	20	59	16	14	2	-	1	-
42	Female-----	77	11	32	7	5	2	-	1	-
43	Negro-----	3	-	1	-	-	-	-	-	-
44	Male-----	1	-	-	-	-	-	-	-	-
45	Female-----	2	-	1	-	-	-	-	-	-
46	Other-----	21	3	3	2	-	-	-	-	1
47	Male-----	12	1	2	2	-	-	-	-	-
48	Female-----	9	2	1	-	-	-	-	-	1
49	Ohio-----	4,073	414	1,469	465	246	97	67	48	39
50	Male-----	2,396	242	860	279	146	58	41	26	19
51	Female-----	1,677	172	609	186	100	39	26	22	19
52	White-----	3,565	333	1,204	408	204	87	57	40	32
53	Male-----	1,990	135	712	247	121	54	35	23	15
54	Female-----	1,573	138	492	161	83	33	22	17	17
55	Negro-----	707	81	264	57	42	10	10	8	6
56	Male-----	405	47	148	32	25	4	6	3	4
57	Female-----	302	34	116	25	17	6	4	5	2
58	Other-----	3	-	1	-	-	-	-	-	-
59	Male-----	1	-	-	-	-	-	-	-	-
60	Female-----	2	-	1	-	-	-	-	-	-
61	Oklahoma-----	932	60	283	122	71	26	16	7	6
62	Male-----	534	34	167	69	42	15	7	6	4
63	Female-----	398	26	116	53	29	11	9	1	2
64	White-----	726	48	230	97	65	22	12	6	4
65	Male-----	434	27	144	56	38	15	6	5	3
66	Female-----	294	21	86	41	27	7	6	1	1
67	Negro-----	151	11	44	21	4	2	4	-	2
68	Male-----	74	7	20	10	3	-	1	-	1
69	Female-----	77	4	24	11	1	2	3	-	1
70	Other-----	53	1	9	4	2	2	-	1	-
71	Male-----	25	-	3	3	1	-	-	1	-
72	Female-----	27	1	6	1	2	-	-	-	-
73	Oregon-----	685	53	253	59	42	13	8	12	7
74	Male-----	422	32	157	32	22	11	2	6	5
75	Female-----	275	21	96	27	20	2	6	6	2
76	White-----	664	52	244	57	40	12	8	12	7
77	Male-----	404	32	152	30	22	10	2	6	5
78	Female-----	260	20	92	27	18	2	6	6	2
79	Negro-----	15	1	7	-	-	1	-	-	-
80	Male-----	8	-	5	-	-	1	-	-	-
81	Female-----	7	1	2	-	-	-	-	-	-
82	Other-----	16	-	2	2	2	-	-	-	-
83	Male-----	10	-	-	2	-	-	-	-	-
84	Female-----	6	-	2	-	2	-	-	-	-
85	Pennsylvania-----	4,374	412	1,672	459	266	132	75	43	39
86	Male-----	2,483	225	984	271	166	62	41	26	19
87	Female-----	1,891	187	708	188	100	70	34	17	20
88	White-----	3,512	339	1,359	387	234	112	65	35	29
89	Male-----	2,012	186	787	232	148	56	33	21	15
90	Female-----	1,500	152	572	155	88	56	32	14	14
91	Negro-----	855	74	311	70	51	19	10	8	10
92	Male-----	466	39	176	37	17	6	8	5	4
93	Female-----	389	35	135	33	14	13	2	3	6
94	Other-----	7	-	2	2	1	1	-	-	-
95	Male-----	5	-	1	2	1	-	-	-	-
96	Female-----	2	-	1	-	-	1	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Washington-----	1,095	88	364	111	80	31	15	15	9
2	Male-----	838	45	216	69	51	21	10	7	3
3	Female-----	457	43	148	42	29	10	5	8	6
4	White-----	975	81	324	95	76	27	14	13	9
5	Male-----	568	41	194	56	49	18	10	5	3
6	Female-----	407	40	130	39	27	9	4	8	6
7	Negro-----	64	7	28	6	3	1	-	1	-
8	Male-----	40	4	15	5	2	1	-	1	-
9	Female-----	24	3	13	1	1	-	-	-	-
10	Other-----	56	-	12	10	1	3	1	1	-
11	Male-----	30	-	7	8	-	2	-	1	-
12	Female-----	26	-	5	2	1	1	-	-	-
13	West Virginia-----	791	68	253	96	68	33	16	11	5
14	Male-----	475	37	163	47	41	20	9	6	4
15	Female-----	316	31	90	49	17	13	7	5	1
16	White-----	728	60	224	91	54	31	15	11	4
17	Male-----	445	34	150	46	41	19	8	6	3
18	Female-----	283	26	84	45	13	12	7	5	1
19	Negro-----	62	8	19	4	4	2	1	-	1
20	Male-----	30	5	13	1	-	1	-	-	1
21	Female-----	32	3	6	3	4	1	-	-	-
22	Other-----	1	-	-	1	-	-	-	-	-
23	Male-----	-	-	-	-	-	-	-	-	-
24	Female-----	1	-	-	1	-	-	-	-	-
25	Wisconsin-----	1,638	181	620	178	105	46	20	21	17
26	Male-----	958	94	388	97	67	29	11	14	13
27	Female-----	680	87	232	81	38	17	9	7	4
28	White-----	1,542	170	584	175	99	42	20	19	15
29	Male-----	907	90	368	95	64	26	11	13	12
30	Female-----	635	80	216	80	35	16	9	6	3
31	Negro-----	90	10	34	3	6	4	-	2	2
32	Male-----	49	4	19	2	3	3	-	1	1
33	Female-----	41	6	15	1	3	1	-	1	1
34	Other-----	6	1	2	-	-	-	-	-	-
35	Male-----	2	-	1	-	-	-	-	-	-
36	Female-----	4	1	1	-	-	-	-	-	-
37	Wyoming-----	143	11	65	10	7	5	1	2	1
38	Male-----	81	4	33	6	6	4	1	1	-
39	Female-----	62	7	32	4	1	1	-	1	1
40	White-----	133	8	62	9	6	5	1	2	1
41	Male-----	73	2	31	5	5	4	1	1	-
42	Female-----	60	6	31	4	1	1	1	1	1
43	Negro-----	3	1	1	-	1	-	-	-	-
44	Male-----	2	-	1	-	1	-	-	-	-
45	Female-----	1	1	-	-	-	-	-	-	-
46	Other-----	7	2	2	1	-	-	-	-	-
47	Male-----	6	2	1	1	-	-	-	-	-
48	Female-----	1	-	1	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1966-Con.

Table with columns for Area, age, and color; Total; and months Jan. to Dec. It is divided into Male and Female sections, with further sub-division by age (Under 28 days, 1-23 hours, 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, 7-13 days, 14-20 days, 21-27 days, 28-59 days, 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months) and color (White, Nonwhite). Total deaths under 1 year are 36,343 (Male) and 25,739 (Female).

SECTION 2 - INFANT MORTALITY

2-25

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1966—Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year-----	822	65	58	58	71	70	58	85	80	66	73	74	59
White-----	762	59	57	51	62	76	53	74	78	61	68	71	54
Nonwhite--	60	6	1	7	9	2	5	11	2	5	5	3	5
Under 28 days-----	619	44	48	40	52	60	40	64	65	52	54	52	48
White-----	575	39	47	37	45	58	35	56	63	51	51	50	43
Nonwhite--	44	5	1	3	7	2	5	8	2	1	3	2	5
CONNECTICUT													
Under 1 year-----	1,109	111	81	97	94	105	88	104	92	76	86	72	92
White-----	930	89	69	80	79	81	90	87	75	68	70	62	80
Nonwhite--	179	22	12	17	15	25	8	17	17	8	16	10	12
Under 28 days-----	950	83	58	68	69	82	77	90	81	60	58	51	75
White-----	716	72	49	55	59	65	71	75	65	53	43	43	65
Nonwhite--	134	11	9	13	10	17	6	15	16	7	13	8	9
DELAWARE													
Under 1 year-----	234	33	18	13	12	20	18	24	25	22	19	14	16
White-----	145	17	8	8	6	16	10	17	20	12	10	10	11
Nonwhite--	89	16	10	5	6	4	8	7	5	10	9	4	5
Under 28 days-----	165	19	10	8	10	11	13	19	22	17	14	11	11
White-----	108	11	5	4	5	9	8	14	18	11	9	8	6
Nonwhite--	57	8	5	4	5	2	5	5	4	6	5	3	5
DISTRICT OF COLUMBIA													
Under 1 year-----	567	52	44	50	50	48	57	63	49	36	51	34	33
White-----	74	5	7	8	10	7	7	13	3	3	3	4	4
Nonwhite--	493	47	37	42	40	41	50	46	46	33	48	30	29
Under 28 days-----	430	29	30	39	38	37	48	54	44	30	35	22	24
White-----	62	3	5	8	10	5	6	10	3	2	2	4	4
Nonwhite--	368	26	25	31	28	32	42	44	41	28	33	18	20
FLORIDA													
Under 1 year-----	2,793	283	243	223	203	221	201	230	203	243	262	215	266
White-----	1,566	151	130	128	122	132	102	123	117	141	140	134	146
Nonwhite--	1,227	132	113	95	81	88	99	107	86	102	122	81	120
Under 28 days-----	1,963	159	135	156	156	185	141	183	152	194	215	149	180
White-----	1,194	104	87	100	95	105	72	101	89	114	121	100	106
Nonwhite--	769	55	48	56	61	80	69	82	63	80	92	49	74
GEORGIA													
Under 1 year-----	2,499	320	225	217	185	192	195	155	200	178	176	222	234
White-----	1,175	123	90	96	85	86	105	89	98	98	82	95	116
Nonwhite--	1,324	197	135	121	90	104	90	66	102	80	94	127	118
Under 28 days-----	1,559	153	108	137	121	130	136	116	153	135	119	134	116
White-----	872	80	59	73	68	62	68	76	86	79	80	70	71
Nonwhite--	686	73	49	64	53	68	68	40	67	56	39	64	45
HAWAII													
Under 1 year-----	279	23	20	25	25	16	34	27	32	16	26	15	20
White-----	63	4	4	6	4	4	9	8	10	1	7	1	4
Nonwhite--	217	19	16	19	21	12	25	19	22	15	19	14	16
Under 28 days-----	234	22	16	20	20	11	30	22	30	13	22	12	16
White-----	54	4	4	6	4	2	8	5	9	1	6	1	4
Nonwhite--	180	18	12	14	16	9	22	17	21	12	16	11	12
IDAHO													
Under 1 year-----	269	18	16	33	22	22	24	24	16	22	23	22	28
White-----	260	17	15	32	20	22	24	25	16	21	21	22	27
Nonwhite--	9	1	1	-	2	-	-	1	-	1	2	-	1
Under 28 days-----	196	15	9	22	16	16	16	20	10	14	18	17	23
White-----	190	14	9	22	14	16	16	20	10	13	17	17	22
Nonwhite--	6	1	-	-	2	-	-	-	-	1	1	-	1
ILLINOIS													
Under 1 year-----	5,066	466	376	444	431	432	392	436	406	430	405	423	426
White-----	3,475	305	251	292	289	311	284	313	268	292	295	279	296
Nonwhite--	1,591	161	125	152	142	121	108	123	138	138	110	144	130
Under 28 days-----	3,702	315	258	326	312	338	302	341	313	327	295	293	282
White-----	2,656	215	179	224	216	250	234	255	215	232	220	204	222
Nonwhite--	1,046	100	79	102	96	88	68	86	98	95	75	89	70
INDIANA													
Under 1 year-----	2,180	173	168	167	184	197	195	157	184	174	198	183	200
White-----	1,874	146	140	148	164	173	168	134	162	150	169	151	169
Nonwhite--	306	27	28	19	20	24	27	23	22	24	29	32	31
Under 28 days-----	1,654	130	108	124	138	148	156	121	149	137	151	138	157
White-----	1,438	112	90	114	124	135	136	102	131	117	128	113	136
Nonwhite--	216	18	16	10	12	14	20	19	18	20	23	25	21
IOWA													
Under 1 year-----	943	82	63	87	75	92	67	91	76	82	80	61	87
White-----	917	78	62	85	73	90	65	89	74	81	79	60	82
Nonwhite--	26	4	1	2	2	2	2	2	2	1	2	1	5
Under 28 days-----	745	59	49	66	57	79	53	73	61	68	62	50	68
White-----	725	56	49	65	55	77	51	72	60	67	61	49	63
Nonwhite--	20	3	-	1	2	2	2	1	1	1	1	1	5

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1966 - Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year-----	765	94	45	60	53	68	51	68	57	66	66	65	72
White-----	672	84	40	54	45	57	45	62	51	64	55	57	58
Nonwhite--	93	10	5	6	8	11	6	6	6	2	11	8	14
Under 28 days-----	583	63	29	41	41	55	42	50	46	56	52	48	60
White-----	517	55	28	36	36	47	38	48	41	54	45	43	48
Nonwhite--	66	8	1	5	5	8	4	4	5	2	7	5	12
KENTUCKY													
Under 1 year-----	1,450	131	125	116	117	135	113	108	135	133	107	111	119
White-----	1,230	108	106	101	100	112	97	91	114	115	92	95	99
Nonwhite--	220	23	19	15	17	23	16	17	21	18	15	16	20
Under 28 days-----	998	77	79	68	63	92	85	78	107	104	74	79	82
White-----	849	67	65	61	56	75	74	68	89	94	66	66	66
Nonwhite--	139	10	14	7	7	17	11	10	18	10	8	13	14
LOUISIANA													
Under 1 year-----	2,232	208	162	170	172	166	167	192	182	187	209	184	203
White-----	1,906	80	67	67	65	65	67	85	81	81	96	87	95
Nonwhite--	1,326	128	115	103	107	101	100	107	111	96	113	117	108
Under 28 days-----	1,578	120	113	108	117	123	127	148	160	151	153	134	124
White-----	700	51	53	49	51	46	53	51	84	73	76	56	57
Nonwhite--	878	69	60	59	66	77	74	97	96	78	77	78	47
MAINE													
Under 1 year-----	415	40	44	32	32	33	37	28	44	30	36	19	40
White-----	411	39	44	32	32	33	37	28	42	29	36	19	40
Nonwhite--	4	1	0	0	0	0	0	0	2	1	0	0	0
Under 28 days-----	317	31	32	21	19	27	33	22	39	25	29	10	29
White-----	313	30	32	21	19	27	33	22	37	24	29	10	29
Nonwhite--	4	1	0	0	0	0	0	0	2	1	0	0	0
MARYLAND													
Under 1 year-----	1,668	172	140	134	119	138	128	163	173	133	117	130	121
White-----	1,073	115	88	88	76	92	85	100	127	81	74	78	73
Nonwhite--	595	57	52	46	43	46	43	63	46	52	43	52	48
Under 28 days-----	1,262	128	94	108	71	110	101	129	147	109	84	92	91
White-----	841	90	60	72	48	72	70	81	108	68	59	59	62
Nonwhite--	421	38	34	34	23	38	31	48	41	41	31	33	29
MASSACHUSETTS													
Under 1 year-----	2,070	179	172	171	165	168	192	190	129	171	178	177	178
White-----	1,908	171	162	165	148	144	175	173	121	158	162	161	168
Nonwhite--	162	8	10	6	17	24	17	17	8	13	16	16	10
Under 28 days-----	1,605	145	129	130	128	127	156	151	108	139	141	126	124
White-----	1,485	139	126	126	115	107	143	139	101	129	129	113	119
Nonwhite--	120	7	3	4	13	20	13	12	7	11	12	12	6
MICHIGAN													
Under 1 year-----	3,741	304	284	319	304	340	287	353	312	280	325	300	333
White-----	2,893	256	224	237	228	261	217	261	248	227	242	230	256
Nonwhite--	848	69	60	82	76	79	70	92	64	53	83	62	77
Under 28 days-----	2,820	216	203	226	218	261	235	292	245	220	234	220	250
White-----	2,217	166	164	173	168	201	178	234	199	183	186	176	189
Nonwhite--	603	50	39	53	50	60	57	58	46	37	48	44	61
MINNESOTA													
Under 1 year-----	1,304	105	93	106	124	105	106	105	110	98	107	110	135
White-----	1,249	101	90	102	120	104	98	102	107	95	95	108	127
Nonwhite--	55	4	3	4	4	1	8	3	3	3	12	2	8
Under 28 days-----	989	79	67	87	95	83	88	77	86	76	84	75	92
White-----	950	77	65	85	94	83	85	76	84	74	77	74	87
Nonwhite--	29	2	1	2	1	0	3	1	2	2	7	1	5
MISSISSIPPI													
Under 1 year-----	1,864	198	176	159	117	123	139	156	129	167	173	146	181
White-----	522	42	47	49	32	38	36	48	40	46	46	39	50
Nonwhite--	1,342	156	129	110	85	85	103	108	89	121	127	107	122
Under 28 days-----	1,132	88	80	88	79	80	93	113	102	119	112	81	97
White-----	369	31	27	35	24	32	29	37	35	34	37	28	39
Nonwhite--	743	57	53	53	55	48	64	76	68	85	75	53	58
MISSOURI													
Under 1 year-----	1,825	156	142	161	139	170	145	176	145	133	134	171	153
White-----	1,309	115	103	116	97	131	107	117	103	91	97	118	114
Nonwhite--	516	41	39	45	42	39	38	59	42	42	37	53	39
Under 28 days-----	1,317	81	89	121	90	124	119	125	121	103	96	127	111
White-----	972	71	66	87	62	94	89	90	91	73	74	87	89
Nonwhite--	345	20	23	34	28	30	30	35	30	30	22	40	23
MONTANA													
Under 1 year-----	284	29	20	23	16	23	21	26	19	34	17	33	23
White-----	238	24	19	19	13	18	16	24	17	29	16	27	16
Nonwhite--	46	5	1	4	3	5	5	2	2	5	1	6	7
Under 28 days-----	215	21	15	17	13	19	15	19	13	25	13	26	19
White-----	185	18	14	13	11	17	11	18	12	23	12	22	14
Nonwhite--	30	3	1	4	2	2	4	1	1	2	1	4	5

SECTION 2 - INFANT MORTALITY

2-27

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1966-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	463	32	37	50	35	49	34	37	31	34	37	33	54
White	427	31	35	47	31	47	29	34	30	30	32	32	49
Nonwhite	36	1	2	3	4	2	5	3	1	4	5	1	5
Under 28 days	373	25	31	36	31	35	25	33	28	28	32	28	41
White	348	25	29	34	27	33	22	30	28	24	28	27	38
Nonwhite	28	-	2	2	4	2	5	3	-	4	4	1	3
NEVADA													
Under 1 year	220	15	27	25	21	10	16	13	16	17	17	17	16
White	165	15	23	21	17	8	17	10	16	17	17	14	12
Nonwhite	35	2	4	4	4	2	1	3	2	4	2	3	4
Under 28 days	161	8	16	23	18	7	13	11	14	16	12	9	14
White	143	8	15	21	15	6	13	9	13	15	12	7	10
Nonwhite	18	-	1	2	3	1	-	3	1	1	-	2	4
NEW HAMPSHIRE													
Under 1 year	271	28	16	23	25	21	17	19	21	19	23	36	25
White	270	25	16	23	25	21	17	19	21	19	23	36	25
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	204	18	10	18	21	15	12	14	15	18	18	26	19
White	203	17	10	18	21	15	12	14	15	18	18	26	19
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,492	227	203	241	237	217	212	245	239	199	225	215	234
White	1,858	150	142	172	162	149	148	162	166	133	150	155	159
Nonwhite	834	77	61	69	75	68	64	83	72	65	65	60	75
Under 28 days	2,039	154	146	167	185	177	172	195	195	163	167	154	164
White	1,443	103	109	128	129	125	117	133	137	111	125	110	116
Nonwhite	596	51	37	39	56	52	55	62	58	52	42	44	48
NEW MEXICO													
Under 1 year	599	54	46	52	41	54	48	52	49	58	45	44	58
White	464	44	36	41	32	44	39	40	37	39	34	33	45
Nonwhite	135	10	10	11	9	10	9	12	12	17	11	11	13
Under 28 days	373	25	31	35	25	37	32	34	40	39	22	19	34
White	320	20	27	29	22	32	29	31	32	34	19	18	27
Nonwhite	53	5	4	6	3	5	3	3	8	5	3	1	7
NEW YORK													
Under 1 year	7,231	661	593	659	550	608	597	597	649	573	574	563	619
White	5,201	481	417	481	410	402	450	424	485	408	426	404	454
Nonwhite	2,030	180	166	178	140	206	147	173	164	165	148	159	165
Under 28 days	5,457	490	409	480	395	457	476	468	534	481	456	411	420
White	3,954	360	295	365	298	302	356	331	381	352	348	298	286
Nonwhite	1,503	130	114	115	97	155	120	137	153	129	106	113	132
NORTH CAROLINA													
Under 1 year	2,690	280	239	241	224	203	180	223	217	202	206	213	260
White	1,415	143	127	111	116	108	96	123	128	116	121	112	114
Nonwhite	1,275	137	112	130	108	95	84	100	89	86	87	101	146
Under 28 days	1,729	142	133	141	139	138	129	171	166	149	144	131	146
White	1,057	91	85	81	79	78	76	100	109	93	96	89	81
Nonwhite	672	51	48	60	60	60	53	71	58	56	48	42	65
NORTH DAKOTA													
Under 1 year	252	25	16	20	18	26	18	19	13	26	25	20	26
White	229	24	14	19	17	25	17	17	11	24	19	19	22
Nonwhite	24	1	2	1	1	1	2	2	2	2	6	1	4
Under 28 days	197	21	15	19	12	21	14	15	8	22	16	15	19
White	184	21	15	18	12	20	13	14	7	21	14	15	16
Nonwhite	13	-	2	1	-	1	1	1	1	1	2	-	3
OHIO													
Under 1 year	4,073	365	290	331	361	324	325	307	374	317	349	352	378
White	3,263	299	236	284	308	274	267	252	300	269	269	298	318
Nonwhite	710	77	54	47	53	50	58	55	74	48	80	54	60
Under 28 days	3,104	266	206	235	274	242	263	245	316	244	287	251	295
White	2,590	209	173	208	231	205	221	202	253	206	211	209	252
Nonwhite	524	57	33	27	43	37	42	43	63	38	56	42	43
OKLAHOMA													
Under 1 year	932	88	73	79	63	90	72	66	69	76	89	86	101
White	728	71	57	62	45	70	63	54	53	61	50	62	80
Nonwhite	204	17	16	17	18	20	9	12	16	15	19	24	21
Under 28 days	662	51	51	55	41	67	54	45	58	60	53	63	66
White	535	49	41	47	30	52	48	38	44	47	39	45	55
Nonwhite	127	2	10	8	11	15	6	7	12	13	14	18	11
OREGON													
Under 1 year	695	64	51	62	59	56	68	46	60	58	50	64	57
White	664	57	50	60	54	56	64	45	58	58	47	62	55
Nonwhite	31	7	1	2	5	-	4	1	2	2	3	2	2
Under 28 days	505	39	34	43	43	43	54	33	51	50	34	48	34
White	466	34	34	42	38	43	52	32	49	49	32	47	34
Nonwhite	19	4	-	1	5	-	2	1	2	1	2	1	-
PENNSYLVANIA													
Under 1 year	4,374	361	351	397	364	385	415	379	370	343	339	346	324
White	3,512	290	269	325	289	303	339	309	307	277	272	268	266
Nonwhite	862	71	82	72	76	82	77	70	63	66	67	78	58
Under 28 days	3,390	255	255	301	274	301	340	306	308	276	271	263	240
White	2,781	213	202	254	217	243	283	258	259	224	220	206	202
Nonwhite	609	42	53	47	57	58	57	48	49	52	51	57	38

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1966-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	359	29	39	28	35	18	27	38	24	27	34	31	29
White	326	27	33	26	31	15	25	34	22	26	29	29	29
Nonwhite	33	2	6	2	4	3	2	4	2	1	5	2	-
Under 28 days	268	22	32	23	23	12	18	29	19	20	26	22	20
White	244	20	28	21	20	10	16	26	18	19	25	21	20
Nonwhite	24	2	4	2	3	2	2	3	1	1	3	1	-
SOUTH CAROLINA													
Under 1 year	1,517	161	153	143	126	93	102	107	102	113	140	138	139
White	641	45	54	56	48	50	55	45	51	61	72	54	50
Nonwhite	876	116	99	87	78	43	47	62	51	52	68	84	89
Under 28 days	874	66	74	67	69	70	78	75	75	81	78	66	73
White	492	29	41	37	35	41	45	35	42	47	53	39	39
Nonwhite	382	37	33	30	34	29	33	40	33	34	25	29	35
SOUTH DAKOTA													
Under 1 year	311	28	22	22	22	28	22	30	25	17	40	28	27
White	251	19	18	17	18	24	17	27	23	15	30	22	21
Nonwhite	60	9	4	5	4	4	5	3	2	2	10	6	6
Under 28 days	212	19	14	17	15	17	16	25	20	13	26	17	13
White	177	13	11	12	14	15	12	22	19	12	21	16	10
Nonwhite	35	6	3	5	1	2	4	3	1	1	5	1	3
TENNESSEE													
Under 1 year	1,804	160	147	129	146	150	153	169	135	139	164	152	160
White	1,205	106	99	84	106	102	101	116	101	91	92	100	97
Nonwhite	599	54	48	35	40	48	52	53	34	48	72	52	63
Under 28 days	1,255	100	76	79	100	111	123	134	110	102	121	108	91
White	873	68	55	60	71	79	83	97	84	72	70	75	59
Nonwhite	382	32	21	19	29	32	40	37	26	30	51	33	32
TEXAS													
Under 1 year	5,285	477	394	416	436	446	444	454	470	381	452	435	460
White	3,930	358	288	324	328	328	349	368	336	263	324	339	337
Nonwhite	1,355	119	106	92	108	120	95	86	134	118	128	98	123
Under 28 days	3,663	296	236	279	296	326	340	345	364	280	329	291	279
White	2,602	226	180	226	231	245	267	281	260	201	237	232	216
Nonwhite	861	70	56	53	67	81	73	64	104	79	92	59	63
UTAH													
Under 1 year	414	30	31	34	33	30	41	37	29	29	36	42	42
White	403	30	29	33	32	30	40	37	28	27	36	39	42
Nonwhite	11	-	2	1	1	-	1	-	1	2	-	3	-
Under 28 days	335	23	25	27	24	26	33	31	25	28	28	30	37
White	329	23	25	27	24	26	32	31	24	25	28	29	37
Nonwhite	6	-	2	-	-	-	1	-	1	1	-	1	-
VERMONT													
Under 1 year	180	14	20	19	21	15	14	15	20	6	12	15	9
White	179	14	19	19	21	15	14	15	20	6	12	15	9
Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-
Under 28 days	135	10	10	13	15	9	12	15	18	3	11	12	6
White	132	10	9	13	15	9	12	15	18	3	11	12	6
Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,146	180	176	213	177	168	165	195	185	178	177	151	182
White	1,369	109	111	139	116	117	103	126	108	105	117	97	122
Nonwhite	777	71	64	75	61	51	62	69	77	73	60	54	60
Under 28 days	1,578	113	124	147	133	134	133	157	144	134	128	110	119
White	1,075	78	88	99	93	94	85	110	86	85	89	78	90
Nonwhite	503	35	36	48	42	40	48	47	58	49	39	32	29
WASHINGTON													
Under 1 year	1,095	75	76	101	95	102	85	100	94	81	86	93	107
White	975	64	69	86	80	96	78	87	86	72	77	82	96
Nonwhite	120	11	7	15	15	6	7	13	8	9	9	11	9
Under 28 days	780	50	53	67	69	76	66	70	74	53	60	64	78
White	697	46	47	52	59	71	59	63	69	48	51	58	74
Nonwhite	83	4	6	15	10	5	7	7	5	5	9	6	4
WEST VIRGINIA													
Under 1 year	791	72	69	66	68	90	55	62	67	63	51	65	65
White	728	65	67	60	63	86	49	55	64	55	47	54	63
Nonwhite	63	7	2	6	5	4	6	7	3	8	4	9	2
Under 28 days	587	52	48	47	47	66	42	51	55	51	38	48	62
White	532	43	46	44	43	65	37	44	52	46	35	41	51
Nonwhite	45	4	2	3	4	1	5	7	3	5	3	7	1
WISCONSIN													
Under 1 year	1,638	124	131	129	127	151	154	132	141	148	140	115	146
White	1,542	118	124	117	123	141	148	122	134	138	136	109	132
Nonwhite	96	6	7	12	4	10	6	10	7	10	4	6	14
Under 28 days	1,285	93	101	102	92	122	130	115	126	115	104	78	107
White	1,213	89	95	95	91	114	124	106	119	106	101	73	100
Nonwhite	72	4	6	7	1	8	6	9	7	9	3	5	7
WYOMING													
Under 1 year	143	14	7	14	9	13	17	11	15	14	11	7	11
White	133	14	7	11	9	10	16	11	14	12	11	7	11
Nonwhite	10	-	-	3	-	3	1	-	1	2	-	-	-
Under 28 days	114	10	5	8	8	10	13	10	14	13	9	5	9
White	106	10	5	6	6	8	12	10	13	11	9	5	9
Nonwhite	8	-	-	2	-	2	1	-	1	2	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 1 year—all causes	85,516	47,803	37,713	53,812	40,427	13,385	31,704	7,376	24,328
Dysentery, all forms	44	8	35	11	6	5	33	2	31
Septicemia and pyemia	297	165	132	161	128	33	136	37	99
Whooping cough	55	15	20	15	11	2	20	2	18
Meningococcal infections	212	117	95	134	101	33	78	16	62
Tetanus	30	9	21	7	5	2	23	4	19
Other infective and parasitic dis.	463	220	243	289	172	57	234	48	186
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	205	120	85	136	108	30	69	14	55
Benign neoplasms and neoplasms of unspecified nature	85	44	41	51	35	16	54	9	25
Diseases of thymus gland	51	22	29	25	16	9	26	6	20
Meningitis, except meningococcal and tuberculous	802	452	350	512	397	115	290	55	235
Other diseases of nervous system and sense organs	517	269	249	312	219	93	205	49	156
Acute upper respiratory infections	279	150	129	177	136	41	102	14	88
Influenza and pneumonia, except pneumonia of newborn	6,961	3,546	3,415	3,911	2,993	918	3,057	553	2,497
Pneumonia, except pneumonia of newborn	128	56	72	39	23	16	90	13	77
Influenza	6,832	3,510	3,322	3,872	2,970	902	2,960	540	2,420
Bronchitis	352	197	155	284	169	55	188	28	100
Other diseases of respiratory system	1,612	947	665	1,147	857	290	465	90	375
Pulmonary congestion and hypostasis	185	119	66	142	111	31	45	8	35
Other chronic interstitial pneumonia	1,080	662	418	839	621	218	241	41	200
Bronchiectasis	2	1	1	1	1	—	1	—	1
Other diseases of lung and pleural cavity	219	94	125	91	70	21	128	24	104
All other diseases of respiratory system	128	71	55	74	54	20	52	17	35
Hernia and intestinal obstruction	716	404	312	469	339	130	247	65	182
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	1,352	530	822	537	405	134	815	127	688
Other diseases of digestive system	329	184	145	206	154	52	123	30	93
Congenital malformations	12,200	6,798	5,402	7,999	5,774	2,225	4,201	1,024	3,177
Spina bifida and meningocele	980	500	480	604	404	200	376	96	280
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	973	521	452	625	458	165	350	83	267
Congenital malformations of circulatory system	5,748	3,215	2,533	3,795	2,728	1,065	1,955	487	1,468
Other congenital malformations	4,499	2,562	1,937	2,979	2,184	795	1,520	378	1,142
Certain diseases of early infancy	51,608	30,092	21,516	33,625	25,627	8,998	17,983	4,565	13,418
Birth injuries	7,088	3,979	3,109	4,523	3,534	1,189	2,565	645	1,920
Without mention of immaturity (.0)	6,890	3,439	3,451	4,326	3,335	1,064	2,444	590	1,854
With immaturity (.5)	4,398	2,540	1,857	2,897	2,139	758	1,501	401	1,100
Intracranial and spinal injury at birth	2,505	1,560	945	1,567	1,177	390	738	183	555
Without mention of immaturity (.0)	1,213	664	549	750	555	197	463	111	352
With immaturity (.5)	1,092	696	307	817	624	138	278	72	233
Other birth injury	4,785	2,619	2,154	2,866	2,157	739	1,827	462	1,365
Without mention of immaturity (.0)	1,477	775	702	876	642	234	601	133	468
With immaturity (.5)	3,308	1,844	1,452	2,080	1,515	565	1,226	329	897
Postnatal asphyxia and atelectasis	13,956	8,513	5,443	9,672	7,359	2,313	4,284	1,154	3,130
Without mention of immaturity (.0)	3,709	2,023	1,686	2,354	1,718	616	1,375	311	1,064
With immaturity (.5)	10,247	6,490	3,757	7,318	5,641	1,697	2,909	843	2,066
Pneumonia of newborn	765	423	342	533	333	100	944	223	721
Without mention of immaturity (.0)	1,806	1,029	777	1,123	677	246	882	151	731
With immaturity (.5)	672	395	277	410	273	87	262	72	190
Diarrhea of newborn	764	250	93	157	75	22	153	18	135
Without mention of immaturity (.0)	182	71	111	78	61	17	104	10	94
With immaturity (.5)	68	22	46	19	14	5	49	8	41
Other infections of newborn	791	447	347	501	381	120	293	66	227
Without mention of immaturity (.0)	472	249	224	297	209	78	185	39	146
With immaturity (.5)	322	199	123	214	172	42	108	27	81
Neonatal disorders arising from certain diseases of mother during pregnancy	769	611	346	307	281	106	224	65	159
Without mention of immaturity (.0-4)	227	134	93	140	106	34	87	28	59
With immaturity (.5-9)	542	212	172	247	175	72	137	37	100
Hemolytic disease of newborn (erythroblastosis)	770	1,284	719	891	613	278	593	106	287
Without mention of immaturity (.0-2)	905	503	402	622	430	192	283	73	210
With immaturity (.5-7)	379	216	163	269	183	86	110	33	77
Hemorrhagic disease of newborn	771	492	278	300	238	62	182	40	142
Without mention of immaturity (.0)	295	168	127	173	142	31	122	28	96
With immaturity (.5)	187	110	77	127	96	31	60	14	46
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772, 775	10,228	5,651	4,577	6,328	4,692	1,636	3,900	959
Without mention of immaturity (.0)	2,422	1,165	1,257	1,358	948	360	1,114	217	897
With immaturity (.5)	7,806	4,486	3,320	5,020	3,744	1,276	2,786	742	2,044
Immaturity with mention of any other subsidiary condition	774	1,210	735	475	845	653	187	365	77
Immaturity, unspecified	776	13,228	7,908	5,320	8,548	6,696	1,852	4,680	1,212
Symptoms and ill-defined conditions	780-793, 795	2,644	1,209	1,435	1,307	992	315	1,337	217
All other diseases—Residual	1,417	721	696	696	605	249	564	116	449
Accidents	E900-E962	3,096	1,443	1,653	1,614	1,158	456	1,482	285
Inhalation and ingestion of food or other object causing obstruction or suffocation	E921, E922	618	282	336	318	228	90	300	54
Accidental mechanical suffocation in bed and cradle	E924	653	281	372	281	214	77	362	205
Other accidental causes	E900-E920, E923, E925-E962	1,825	880	945	1,005	716	289	820	164
Homicide	E964, E980-E984	211	144	67	152	124	28	59	20

SECTION 2 - INFANT MORTALITY

2-33

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966--Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year--all causes-----	61,749	32,547	29,202	39,576	26,685	11,691	23,173	5,662	17,511
Dysentery, all forms-----045-048	20	5	15	6	3	3	14	2	12
Septicemia and pyemia-----053	184	105	89	105	79	26	89	26	63
Whooping cough-----056	17	6	11	6	5	1	11	10	1
Meningococcal infections-----057	180	90	90	108	76	32	72	14	58
Tetanus-----061	9	3	6	3	3	0	5	5	0
Other infective and parasitic dis.---001-044, 049-052, 054, 055, 058-060, 062-138	317	149	168	166	116	50	151	33	118
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	181	104	77	120	91	29	61	13	48
Benign neoplasms and neoplasms of unspecified nature-----210-239	73	33	40	44	28	16	29	5	24
Diseases of thymus gland-----273	41	15	26	18	11	7	23	4	19
Meningitis, except meningococcal and tuberculous-----340	508	268	241	323	228	95	186	40	146
Other diseases of nervous system and sense organs-----330-334, 341-398	388	197	201	242	159	83	156	38	118
Acute upper respiratory infections-----470-475	177	97	80	127	91	36	50	6	44
Influenza and pneumonia, except pneumonia of newborn-----480-493	3,988	1,942	2,046	2,312	1,603	709	1,676	339	1,337
Influenza-----480-483	50	13	37	19	10	9	31	3	28
Pneumonia, except pneumonia of newborn-----490-493	3,938	1,929	2,009	2,293	1,593	700	1,645	336	1,309
Bronchitis-----500-502	232	124	108	148	102	46	84	22	62
Other diseases of respiratory system-----510-522, 525-527	1,017	552	465	724	490	234	283	62	221
Pulmonary congestion and hypostasis-----522	117	63	54	82	57	25	35	6	29
Other chronic interstitial pneumonia-----525	687	361	306	528	353	175	159	28	131
Bronchiectasis-----526	1	-	1	-	-	-	1	-	1
Other diseases of lung and pleural cavity-----527.2	120	55	65	56	39	17	64	16	48
All other diseases of respiratory system-----510-521, 527.1	92	53	39	58	41	17	34	12	22
Hernia and intestinal obstruction-----560, 561, 570	570	315	285	379	264	115	189	51	148
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	597	248	349	274	189	85	323	59	264
Other diseases of digestive system-----530-542, 544-553, 573-587	224	124	100	145	101	44	79	23	56
Congenital malformations-----750-759	10,598	5,560	4,838	6,731	4,663	2,068	3,667	897	2,770
Spina bifida and meningocele-----751	902	447	455	550	357	193	352	90	262
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	817	427	390	522	372	150	295	55	240
Congenital malformations of circulatory system-----754	4,821	2,568	2,253	3,123	2,149	974	1,698	419	1,279
Other congenital malformations-----750, 755-759	3,858	2,118	1,740	2,536	1,785	751	1,322	333	989
Certain diseases of early infancy-----780-776	39,069	20,476	17,595	24,005	16,853	7,152	14,064	3,623	10,441
Birth injuries-----780, 781	5,614	2,931	2,683	3,468	2,397	1,071	2,146	534	1,612
Without mention of immaturity (.0)-----	2,064	1,030	1,034	1,238	849	389	826	181	645
With immaturity (.5)-----	3,550	1,901	1,649	2,230	1,548	682	1,320	353	967
Intracranial and spinal injury at birth-----780	1,713	932	781	1,125	783	342	588	149	439
Without mention of immaturity (.0)-----	1,298	661	637	863	563	291	172	365	90
With immaturity (.5)-----	785	451	354	562	392	170	223	59	164
Other birth injury-----781	3,901	1,999	1,902	2,343	1,614	729	1,558	385	1,173
Without mention of immaturity (.0)-----	1,136	549	537	675	458	217	461	81	370
With immaturity (.5)-----	2,765	1,450	1,365	1,668	1,156	512	1,097	294	803
Postnatal asphyxia and atelectasis-----782	10,413	5,772	4,641	6,913	4,842	2,071	3,500	930	2,570
Without mention of immaturity (.0)-----	2,835	1,452	1,401	1,751	1,197	554	1,102	255	847
With immaturity (.5)-----	7,580	4,320	3,240	5,162	3,645	1,517	2,398	675	1,723
Pneumonia of newborn-----783	1,806	975	751	999	719	281	607	157	450
Without mention of immaturity (.0)-----	1,131	615	516	717	511	206	434	104	330
With immaturity (.5)-----	475	260	235	282	207	75	173	53	120
Diarrhea of newborn-----784	91	40	51	47	30	17	44	10	34
Without mention of immaturity (.0)-----	65	26	39	35	22	13	30	4	26
With immaturity (.5)-----	26	14	12	12	8	4	14	6	8
Other infections of newborn-----785-788	512	275	237	329	229	100	183	46	137
Without mention of immaturity (.0)-----	301	154	147	193	129	65	108	26	82
With immaturity (.5)-----	211	121	90	136	101	35	75	20	55
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	482	261	221	307	212	95	175	49	126
Without mention of immaturity (.0-.4)-----	169	92	76	105	74	29	65	18	47
With immaturity (.5-.9)-----	313	169	145	204	138	66	110	31	79
Hemolytic disease of newborn (erythroblastosis)-----770	1,199	659	540	830	560	270	369	99	270
Without mention of immaturity (.0-.2)-----	845	462	383	590	393	197	265	69	196
With immaturity (.5-.7)-----	354	197	157	250	167	65	104	30	74
Hemorrhagic disease of newborn-----771	324	173	151	196	143	53	128	30	98
Without mention of immaturity (.0)-----	205	111	94	118	91	27	87	20	67
With immaturity (.5)-----	119	62	57	78	52	26	41	10	31
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	7,841	4,041	3,800	4,715	3,254	1,461	3,126	797	2,339
Without mention of immaturity (.0)-----	1,836	857	979	1,012	690	322	824	167	657
With immaturity (.5)-----	6,005	3,184	2,821	3,703	2,564	1,139	2,302	630	1,682
Immaturity with mention of any other subsidiary condition-----774	855	434	371	584	423	161	271	61	210
Immaturity, unqualified-----776	9,152	4,965	4,167	5,617	4,045	1,572	3,515	920	2,595
Symptoms and ill-defined conditions-----780-783, 785	1,252	599	653	744	502	242	508	97	411
All other diseases-----Residual	1,047	509	538	625	417	208	422	92	330
Accidents-----E900-E962	2,079	930	1,149	1,114	730	384	965	200	765
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	439	193	246	237	158	79	202	35	167
Accidental mechanical suffocation in bed and cradle-----E924	431	177	254	132	66	66	233	45	188
Other accidental causes-----E900-E920, E923, E925-E962	1,209	560	649	679	440	239	530	120	410
Homicide-----E964, E960-E964	152	96	56	106	81	25	46	15	31

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966--Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 1 year--all causes	23,767	15,256	8,511	15,236	13,542	1,694	8,531	1,714	6,817
Dysentery, all forms	24	3	21	5	3	2	19	-	19
Septicemia and pyemia	108	60	48	56	49	7	47	11	36
Whooping cough	16	7	9	7	6	1	9	1	8
Meningococcal infections	32	27	5	26	25	1	6	2	4
Tetanus	21	6	15	3	2	1	18	4	14
Other infective and parasitic dis.	146	71	75	63	56	7	83	15	68
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	24	16	8	16	15	1	8	1	7
Benign neoplasms and neoplasms of unspecified nature	12	11	1	7	7	-	5	4	1
Diseases of thymus gland	10	7	3	7	5	2	3	2	1
Meningitis, except meningococcal and tuberculous	285	184	101	189	169	20	104	15	89
Other diseases of nervous system and sense organs	119	71	48	70	60	10	49	11	38
Acute upper respiratory infections	102	53	49	50	45	5	52	8	44
Influenza and pneumonia, except pneumonia of newborn	2,973	1,604	1,369	1,599	1,390	209	1,374	214	1,160
Influenza	79	23	56	20	15	7	59	10	49
Pneumonia, except pneumonia of newborn	2,894	1,581	1,313	1,579	1,377	202	1,315	204	1,111
Bronchitis	120	73	47	76	67	9	44	6	38
Other diseases of respiratory system	595	395	200	423	367	56	172	28	144
Pulmonary congestion and hypostasis	68	56	12	60	54	6	8	2	6
Other chronic interstitial pneumonia	525	281	244	311	268	43	82	13	69
Bronchiectasis	1	1	-	1	-	-	-	-	-
Other diseases of lung and pleural cavity	99	39	60	55	31	4	64	8	56
All other diseases of respiratory system	34	18	16	16	13	3	18	5	13
Hernia and intestinal obstruction	138	89	49	90	75	15	48	14	34
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	755	282	473	263	214	49	492	68	424
Other diseases of digestive system	105	60	45	61	53	8	44	7	37
Congenital malformations	1,802	1,238	564	1,268	1,111	157	534	127	407
Spina bifida and meningocele	78	53	25	54	47	7	24	6	18
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	156	94	62	101	86	15	55	8	47
Congenital malformations of circulatory system	927	647	280	670	579	91	257	68	189
Other congenital malformations	641	444	197	443	399	44	198	45	153
Certain diseases of early infancy	13,539	9,616	3,923	9,620	8,674	946	3,919	942	2,977
Birth injuries	1,474	1,048	426	1,055	937	118	419	111	308
Without mention of immaturity (.0)	626	409	217	389	346	42	238	63	175
With immaturity (.5)	848	639	209	667	591	76	181	48	133
Intracranial and spinal injury at birth	592	428	164	442	394	48	150	54	116
Without mention of immaturity (.0)	285	183	102	187	162	25	98	21	77
With immaturity (.5)	307	255	62	255	232	23	52	13	39
Other birth injury	682	620	62	613	543	70	289	77	182
Without mention of immaturity (.0)	341	226	115	201	184	17	140	42	98
With immaturity (.5)	341	394	147	412	359	53	129	35	94
Postnatal asphyxia and atelectasis	3,543	2,741	802	2,759	2,517	242	784	224	560
Without mention of immaturity (.0)	856	577	279	583	521	62	275	56	217
With immaturity (.5)	2,687	2,164	523	2,176	1,996	180	511	168	343
Pneumonia of newborn	871	548	323	554	482	72	357	66	271
Without mention of immaturity (.0)	674	413	261	406	366	40	268	47	221
With immaturity (.5)	197	135	62	128	116	12	89	19	50
Diarrhea of newborn	159	53	106	50	45	5	109	8	101
Without mention of immaturity (.0)	117	45	72	45	39	4	74	6	68
With immaturity (.5)	42	8	34	7	6	1	35	2	33
Other infections of newborn	282	172	110	172	152	20	110	20	90
Without mention of immaturity (.0)	171	94	77	94	81	13	77	13	64
With immaturity (.5)	111	78	33	78	71	7	33	7	26
Neonatal disorders arising from certain diseases of mother during pregnancy	129	85	44	80	69	11	49	16	33
Without mention of immaturity (.0-4)	59	42	17	37	32	5	22	10	12
With immaturity (.5-9)	70	43	27	43	37	6	27	6	21
Hemolytic disease of newborn (erythroblastosis)	85	60	25	61	55	6	24	7	17
Without mention of immaturity (.0-2)	60	41	19	42	37	5	18	4	14
With immaturity (.5-7)	25	19	6	19	16	3	6	3	3
Hemorrhagic disease of newborn	158	105	53	104	95	9	54	10	44
Without mention of immaturity (.0)	90	57	33	55	51	4	35	6	29
With immaturity (.5)	68	48	20	49	44	5	19	4	15
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	2,587	1,610	777	1,613	1,438	175	774	172	602
Without mention of immaturity (.0)	586	308	278	296	258	38	290	50	240
With immaturity (.5)	1,801	1,302	499	1,317	1,180	137	484	122	362
Immaturity with mention of any other subsidiary condition	535	251	284	261	255	6	94	16	78
Immaturity, unqualified	4,096	2,945	1,151	2,931	2,661	270	1,165	292	873
Symptoms and ill-defined conditions	1,392	610	782	563	490	73	829	120	709
All other diseases--Residual	370	212	158	228	186	42	142	24	118
Accidents	1,017	513	504	500	438	62	517	85	432
Inhalation and ingestion of food or other object causing obstruction or suffocation	179	89	90	81	70	11	98	19	79
Accidental mechanical suffocation in bed and cradle	222	104	118	95	82	11	129	22	107
Other accidental causes	615	320	296	326	276	50	290	44	246
Homicide	59	48	11	46	43	3	13	5	8

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966-Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days--all causes	61,941	35,751	26,210	40,212	30,269	9,944	21,729	5,463	18,266
Dysentery, all forms	4	-	4	-	-	-	4	-	4
Septicemia and pyemia	-	-	-	-	-	-	-	-	-
Whooping cough	1	1	-	1	1	-	-	-	-
Meningococcal infections	18	12	6	8	8	-	10	4	6
Tetanus	28	8	18	6	5	1	20	3	17
Other infective and parasitic dis.	75	41	34	34	28	6	41	13	28
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	25	16	9	20	15	5	5	1	4
Benign neoplasms and neoplasms of unspecified nature	41	17	24	24	15	9	17	2	15
Diseases of thymus gland	10	5	5	5	4	1	5	1	4
Meningitis, except meningococcal and tuberculous	255	159	96	183	156	27	72	25	47
Other diseases of nervous system and sense organs	21	11	10	12	9	3	9	2	7
Acute upper respiratory infections	28	14	14	18	12	6	10	2	8
Influenza and pneumonia, except pneumonia of newborn	8	3	5	3	2	1	5	1	4
Influenza	8	3	5	3	2	1	5	1	4
Pneumonia, except pneumonia of newborn
Bronchitis	28	19	9	21	18	3	7	1	6
Other diseases of respiratory system	159	89	70	96	73	23	65	16	47
Pulmonary congestion and hypostasis	39	22	17	25	19	7	14	4	10
Other chronic interstitial pneumonia	14	11	3	13	11	2	1	-	1
Bronchiectasis	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity	39	15	24	15	11	4	24	4	20
All other diseases of respiratory system	67	41	26	43	33	10	24	8	16
Hernia and intestinal obstruction	527	305	222	352	257	95	175	48	127
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	4	4	-	3	3	-	1	1	-
Other diseases of digestive system	166	101	65	108	84	24	58	17	41
Congenital malformations	8,149	4,513	3,636	5,342	3,829	1,513	2,807	684	2,123
Spina bifida and meningocele	751	302	449	355	242	113	221	60	161
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	752,753	316	436	324	235	89	192	31	161
Congenital malformations of circulatory system	754	3,393	1,860	2,218	1,571	647	1,175	289	886
Other congenital malformations	755-759	3,684	2,085	1,579	2,445	1,781	664	1,219	304
Certain diseases of early infancy	760-776	50,656	29,599	21,057	35,085	25,102	7,983	17,571	4,497
Birth injuries	760,761	7,074	3,974	3,100	4,515	3,330	1,185	2,559	644
Without mention of immaturity (.0)	2,678	1,434	1,244	1,618	1,191	427	1,060	243	817
With immaturity (.5)	4,396	2,540	1,856	2,897	2,139	758	1,499	401	1,099
Intracranial and spinal injury at birth	760	2,305	1,360	945	1,567	1,177	390	738	163
Without mention of immaturity (.0)	1,213	664	549	750	553	197	463	111	352
With immaturity (.5)	1,092	696	396	817	624	193	275	72	205
Other birth injury	761	4,769	2,614	2,948	2,185	795	1,821	461	1,360
Without mention of immaturity (.0)	1,465	770	695	668	638	230	537	132	465
With immaturity (.5)	3,304	1,844	1,464	2,060	1,515	565	1,224	329	895
Postnatal asphyxia and atelectasis	762	13,721	8,365	5,356	9,508	7,227	2,281	4,213	1,388
Without mention of immaturity (.0)	3,524	1,919	1,605	2,211	1,622	589	1,313	297	1,016
With immaturity (.5)	10,197	6,446	3,751	7,297	5,605	1,692	2,900	841	2,059
Pneumonia of newborn	763	2,477	1,423	1,054	1,633	1,200	333	944	223
Without mention of immaturity (.0)	1,805	1,028	777	1,123	877	246	682	151	531
With immaturity (.5)	672	395	277	410	325	87	262	72	190
Diarrhea of newborn	764	249	95	156	97	75	22	152	18
Without mention of immaturity (.0)	181	71	110	78	61	17	103	10	93
With immaturity (.5)	68	22	46	19	14	5	49	8	41
Other infections of newborn	765-768	789	444	345	497	378	119	292	66
Without mention of immaturity (.0)	466	246	222	284	207	77	184	39	145
With immaturity (.5)	321	198	123	213	171	42	108	27	81
Neonatal disorders arising from certain diseases of mother during pregnancy	769	584	330	254	372	289	105	212	61
Without mention of immaturity (.0-.4)	202	120	82	127	96	31	75	24	51
With immaturity (.5-.9)	382	210	172	245	175	72	137	37	100
Hemolytic disease of newborn (erythroblastosis)	770	1,273	712	561	882	606	276	391	106
Without mention of immaturity (.0-.2)	896	497	399	615	424	191	281	73	208
With immaturity (.5-.7)	377	215	162	267	182	85	110	33	77
Hemorrhagic disease of newborn	771	472	273	199	294	233	61	178	40
Without mention of immaturity (.0)	285	163	122	167	137	30	118	26	92
With immaturity (.5)	187	110	77	127	96	31	60	14	46
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772,773	9,802	5,465	4,339	6,131	4,535	1,596	3,671	928
Without mention of immaturity (.0)	2,052	1,004	1,048	1,142	813	329	810	191	719
With immaturity (.5)	7,750	4,459	3,291	4,989	5,722	1,267	2,761	737	2,024
Immaturity with mention of any other subsidiary condition	774	1,059	652	407	744	583	161	315	69
Immaturity, unqualified	776	13,156	7,870	5,286	8,612	6,666	1,846	4,644	1,204
Symptoms and ill-defined conditions	780-795,795	703	288	415	290	228	62	413	60
All other diseases	Residual	551	297	254	347	250	97	204	47
Accidents	E800-E962	385	163	222	182	132	50	203	31
Inhalation and ingestion of food or other object causing obstruction or suffocation	E921,E922	105	42	63	47	36	11	58	6
Accidental mechanical suffocation in bed and cradle	E924	66	30	36	29	24	5	37	6
Other accidental causes	E800-E920,E923,E925-E962	214	91	123	106	72	34	108	19
Homicide	E964,E980-E984	101	66	35	72	57	15	29	9

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966-Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days—all causes	46,717	25,075	21,642	29,569	20,695	8,874	17,149	4,380	12,769
Dysentery, all forms	2	-	2	-	-	-	2	-	2
Septicemia and pyemia	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-
Meningococcal infections	16	10	6	6	6	-	10	4	6
Tetanus	8	3	5	3	3	-	5	-	5
Other infective and parasitic dis.	51	28	23	26	20	6	25	8	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	24	15	9	19	14	5	5	1	4
Benign neoplasms and neoplasms of unspecified nature	36	12	24	20	11	9	16	1	15
Diseases of thymus gland	8	3	5	3	2	1	5	1	4
Meningitis, except meningococcal and tuberculous	184	108	76	134	90	44	50	18	32
Other diseases of nervous system and sense organs	20	10	10	11	8	3	9	2	7
Acute upper respiratory infections	18	11	7	17	11	6	1	-	1
Influenza and pneumonia, except pneumonia of newborn	2	-	2	-	-	-	2	-	2
Influenza	2	-	2	-	-	-	2	-	2
Pneumonia, except pneumonia of newborn
Bronchitis	19	13	6	15	12	3	4	1	3
Other diseases of respiratory system	117	65	52	75	53	22	42	12	30
Pulmonary congestion and hypostasis	29	14	15	18	11	7	11	3	8
Other chronic interstitial pneumonia	10	7	3	9	7	2	1	-	1
Bronchiectasis	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity	22	9	13	9	6	3	13	3	10
All other diseases of respiratory system	56	35	21	39	29	10	17	6	11
Hernia and intestinal obstruction	446	251	195	291	206	85	155	45	110
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	3	3	-	3	3	-	-	-	-
Other diseases of digestive system	108	61	47	69	46	21	39	13	26
Congenital malformations	7,071	3,755	3,318	4,579	3,153	1,426	2,492	600	1,892
Spina bifida and meningocele	535	271	264	323	215	108	212	56	156
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	443	221	222	277	194	83	166	27	139
Congenital malformations of circulatory system	2,917	1,526	1,391	1,879	1,278	601	1,028	248	790
Other congenital malformations	3,176	1,735	1,441	2,100	1,465	634	1,076	269	807
Certain diseases of early infancy	37,575	20,227	17,546	23,710	16,641	7,069	15,865	3,586	10,277
Birth injuries	5,605	2,928	2,677	3,462	2,394	1,068	2,143	534	1,609
Without mention of immaturity (.0)	2,055	1,027	1,028	1,232	846	386	823	161	642
With immaturity (.5)	3,550	1,901	1,649	2,230	1,545	682	1,320	373	967
Intracranial and spinal injury at birth	1,715	932	781	1,125	785	342	588	149	439
Without mention of immaturity (.0)	929	481	447	563	391	172	365	90	275
With immaturity (.5)	785	451	334	562	392	170	223	59	164
Other birth injury	3,892	1,996	1,896	2,337	1,611	726	1,555	395	1,170
Without mention of immaturity (.0)	1,127	546	581	669	455	214	459	91	367
With immaturity (.5)	2,765	1,450	1,315	1,668	1,156	512	1,097	294	803
Postnatal asphyxia and atelectasis	10,262	5,691	4,571	6,815	4,773	2,042	3,447	918	2,529
Without mention of immaturity (.0)	2,725	1,384	1,341	1,670	1,140	530	1,055	244	811
With immaturity (.5)	7,537	4,307	3,230	5,145	3,633	1,512	2,392	674	1,718
Pneumonia of newborn	1,606	875	731	999	716	281	607	157	450
Without mention of immaturity (.0)	1,131	615	516	717	511	206	414	104	310
With immaturity (.5)	475	260	215	282	207	75	193	53	140
Diarrhea of newborn	91	40	51	47	30	17	44	10	34
Without mention of immaturity (.0)	65	28	39	35	22	13	30	4	26
With immaturity (.5)	26	14	12	12	8	4	14	6	8
Other infections of newborn	509	273	256	327	227	100	182	46	136
Without mention of immaturity (.0)	298	152	146	191	126	65	107	26	81
With immaturity (.5)	211	121	90	136	101	35	75	20	55
Neonatal disorders arising from certain diseases of mother during pregnancy	459	248	211	294	202	92	165	46	119
Without mention of immaturity (.0-4)	147	81	66	92	66	26	55	15	40
With immaturity (.5-9)	312	167	145	202	136	66	110	31	79
Hemolytic disease of newborn (erythroblastosis)	1,191	654	537	824	555	269	367	99	268
Without mention of immaturity (.0-2)	839	458	381	576	389	187	263	69	194
With immaturity (.5-7)	352	196	156	248	166	82	104	30	74
Hemorrhagic disease of newborn	319	171	148	193	141	52	126	30	96
Without mention of immaturity (.0)	200	109	91	115	89	26	85	20	65
With immaturity (.5)	119	62	57	78	52	26	41	10	31
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	7,655	3,855	3,700	4,623	3,184	1,439	3,032	771	2,261
Without mention of immaturity (.0)	1,675	781	694	933	628	305	742	153	589
With immaturity (.5)	5,980	3,174	2,806	3,690	2,556	1,134	2,290	618	1,672
Immaturity with mention of any other subsidiary condition	774	443	331	525	384	141	249	59	190
Immaturity, unqualified	9,102	4,949	4,153	5,601	4,033	1,568	3,501	916	2,585
Symptoms and ill-defined conditions	268	136	132	154	116	38	114	20	94
All other diseases	429	220	209	263	181	82	186	39	147
Accidents	238	100	138	121	80	41	117	20	97
Inhalation and ingestion of food or other object causing obstruction or suffocation	77	33	44	40	29	11	37	4	33
Accidental mechanical suffocation in bed and cradle	35	16	19	18	12	4	19	4	15
Other accidental causes	126	51	75	65	39	26	61	12	49
Homicide	76	46	30	50	37	13	26	9	17

SECTION 2 - INFANT MORTALITY

2-37

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1966-Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 28 days—all causes	15,224	10,656	4,568	10,643	9,573	1,070	4,581	1,083	3,498
Dysentery, all forms—045-048	2	-	2	-	-	-	2	-	2
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	1	-	1	1	-	-	-	-
Meningococcal infections—057	2	2	-	2	2	-	-	-	-
Tetanus—061	18	5	13	3	2	1	15	3	12
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	24	13	11	8	6	-	16	5	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1	1	-	1	1	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature—210-239	5	5	-	4	4	-	1	1	-
Diseases of thymus gland—273	2	2	-	2	2	-	-	-	-
Meningitis, except meningococcal and tuberculous—340	71	51	20	49	46	3	22	5	17
Other diseases of nervous system and sense organs—330-334,341-398	1	1	-	1	1	-	-	-	-
Acute upper respiratory infections—470-475	10	3	7	1	1	-	9	2	7
Influenza and pneumonia, except pneumonia of newborn—480-493	6	3	3	5	2	1	3	1	2
Influenza—480-483	6	3	3	5	2	1	3	1	2
Pneumonia, except pneumonia of newborn—480-493
Bronchitis—500-502	9	6	3	6	6	-	3	-	3
Other diseases of respiratory system—510-522,525-527	42	24	18	21	20	1	21	4	17
Pulmonary congestion and hypostasis—522	10	8	2	7	7	-	3	1	2
Other chronic interstitial pneumonia—525	4	4	-	4	4	-	-	-	-
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	17	6	11	6	5	1	11	1	10
All other diseases of respiratory system—510-521,527.1	11	6	5	4	4	-	7	2	5
Hernia and intestinal obstruction—560,561,570	81	54	27	61	51	10	20	8	17
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—545,571,572	1	1	-	-	-	-	1	1	-
Other diseases of digestive system—530-542,544-553,573-587	58	40	18	39	36	3	19	4	15
Congenital malformations—750-759	1,078	780	318	763	676	87	315	84	231
Spina bifida and meningocele—751	41	31	10	32	27	5	9	4	5
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,765	73	45	28	47	41	6	26	4	22
Congenital malformations of circulatory system—754	476	334	142	339	293	46	137	41	96
Other congenital malformations—750,755-759	488	350	138	345	315	30	143	35	108
Certain diseases of early infancy—760-776	15,083	9,372	3,711	9,375	8,461	914	3,708	911	2,797
Birth injuries—760,761	1,469	1,046	423	1,053	936	117	416	110	306
Without mention of immaturity (.0)—623	407	216	191	386	345	41	237	62	175
With immaturity (.5)—846	639	429	210	667	591	76	179	48	131
Intracranial and spinal injury at birth—760	592	428	164	442	394	48	150	34	116
Without mention of immaturity (.0)—285	183	102	81	187	162	25	98	21	77
With immaturity (.5)—307	245	62	183	255	232	23	52	13	39
Other birth injury—761	877	618	259	611	542	69	268	76	190
Without mention of immaturity (.0)—338	224	114	110	199	163	36	139	41	98
With immaturity (.5)—539	394	145	249	412	359	53	127	35	92
Postnatal asphyxia and atelectasis—762	3,459	2,674	785	2,693	2,454	239	766	220	546
Without mention of immaturity (.0)—799	535	284	251	541	482	59	258	53	205
With immaturity (.5)—2,660	2,139	521	1,618	2,152	1,972	180	508	167	341
Pneumonia of newborn—763	871	548	323	534	492	42	337	66	271
Without mention of immaturity (.0)—674	413	261	152	406	366	40	268	47	221
With immaturity (.5)—197	135	62	73	128	116	12	69	19	50
Diarrhea of newborn—764	158	53	105	50	45	5	108	8	100
Without mention of immaturity (.0)—116	45	71	43	39	4	35	73	6	67
With immaturity (.5)—42	8	34	26	7	6	1	35	2	33
Other infections of newborn—765-768	280	171	109	170	151	19	110	20	90
Without mention of immaturity (.0)—170	94	76	18	93	81	12	77	13	64
With immaturity (.5)—110	77	33	44	77	70	7	33	7	26
Neonatal disorders arising from certain diseases of mother during pregnancy—769	125	82	43	78	67	11	47	15	32
Without mention of immaturity (.0-.4)—55	39	16	23	35	30	5	20	9	11
With immaturity (.5-.9)—70	43	27	16	43	37	6	27	6	21
Hemolytic disease of newborn (erythroblastosis)—770	82	58	24	58	51	7	24	7	17
Without mention of immaturity (.0-.2)—57	39	18	21	39	35	4	18	4	14
With immaturity (.5-.7)—25	19	6	13	19	16	3	6	3	3
Hemorrhagic disease of newborn—771	153	102	51	101	92	9	52	10	42
Without mention of immaturity (.0)—85	54	31	23	52	48	4	33	6	27
With immaturity (.5)—68	48	20	28	49	44	5	19	4	15
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,147	1,508	639	1,508	1,351	157	639	157	482
Without mention of immaturity (.0)—377	223	154	69	209	185	24	168	58	130
With immaturity (.5)—1,770	1,285	485	800	1,299	1,166	133	471	119	352
Immaturity with mention of any other subsidiary condition—774	285	209	76	199	139	60	66	10	56
Immaturity, unqualified—776	4,054	2,921	1,133	2,911	2,633	278	1,143	288	855
Symptoms and ill-defined conditions—780-793,795	455	152	283	136	112	24	299	40	259
All other diseases—Residual	122	77	45	84	69	15	38	8	30
Accidents—E800-E862	147	63	84	61	52	9	86	11	75
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	28	9	19	7	7	-	21	2	19
Accidental mechanical suffocation in bed and cradle—E924	31	14	17	13	12	1	18	2	16
Other accidental causes—E800-E920,E923,E925-E962	88	40	48	41	33	8	47	7	40
Homicide—E964,E980-E984	25	20	5	22	20	2	3	-	3

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers.]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, both sexes--all causes-----	85,516	6,915	28,957	9,168	5,456	2,415	1,380	936	749
2 Dysentery, all forms-----045-048	44	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	297	-	-	-	-	-	-	-	-
4 Whooping cough-----056	33	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	212	-	-	-	-	1	1	2	2
6 Tetanus-----061	30	-	-	-	1	1	1	2	2
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	463	2	11	9	3	3	3	6	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	205	1	10	3	-	-	-	-	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	85	7	19	5	1	2	-	2	-
10 Diseases of thymus gland-----273	51	2	3	1	2	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	802	-	2	5	23	22	18	17	18
12 Other diseases of nervous system and sense organs-----350-354,341-398	517	-	2	3	3	-	-	-	-
13 Acute upper respiratory infections-----470-475	279	-	1	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	6,961	-	2	-	-	-	1	1	-
15 Influenza-----490-493	129	-	2	-	-	-	1	1	-
16 Pneumonia, except pneumonia of newborn-----490-493	6,832	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	352	-	1	1	2	2	1	1	1
18 Other diseases of respiratory system-----510-522,525-527	1,612	11	44	24	15	9	6	2	1
19 Pulmonary congestion and hypostasis-----522	185	2	6	7	2	4	2	1	-
20 Other chronic interstitial pneumonia-----525	1,090	1	2	1	-	-	-	-	-
21 Bronchiectasis-----526	2	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	219	-	11	3	4	3	2	1	1
23 All other diseases of respiratory system-----510-521,527-1	125	8	25	13	9	1	2	-	-
24 Hernia and intestinal obstruction-----560,561,570	716	67	210	73	39	19	9	11	7
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,352	-	-	-	-	-	-	-	1
26 Other diseases of digestive system-----530-542,544-553,573-587	329	-	14	10	18	15	21	12	7
27 Congenital malformations-----750-759	12,200	1,167	2,331	737	755	520	360	253	194
28 Spina bifida and meningocele-----751	980	85	132	38	48	27	19	17	12
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,755	973	152	173	35	27	16	11	5	6
30 Congenital malformations of circulatory system-----754	5,748	106	613	392	478	336	221	157	110
31 Other congenital malformations-----750,755-759	4,499	825	1,413	272	202	141	109	84	65
32 Certain diseases of early infancy-----760-776	51,608	5,467	25,970	8,128	4,458	1,715	888	615	474
33 Birth injuries-----760,761	7,088	1,303	3,480	1,034	573	236	118	77	66
34 Without mention of immaturity (.0)-----	2,690	524	1,039	461	287	136	65	37	24
35 With immaturity (.5)-----	4,398	779	2,441	573	286	100	53	40	42
36 Intracranial and spinal injury at birth-----760	2,305	104	833	493	353	177	90	52	43
37 Without mention of immaturity (.0)-----	1,215	71	410	247	189	106	61	29	17
38 With immaturity (.5)-----	1,092	33	423	246	164	71	39	23	32
39 Other birth injury-----761	4,783	1,199	2,647	541	220	59	28	25	17
40 Without mention of immaturity (.0)-----	1,477	453	629	214	98	30	14	8	7
41 With immaturity (.5)-----	3,306	746	2,018	327	122	29	14	17	10
42 Postnatal asphyxia and atelectasis-----762	13,956	1,229	7,668	2,485	1,212	428	173	111	78
43 Without mention of immaturity (.0)-----	3,709	398	1,642	734	397	162	56	25	19
44 With immaturity (.5)-----	10,247	841	6,026	1,749	815	266	117	86	59
45 Pneumonia of newborn-----763	2,477	27	351	287	268	149	115	72	73
46 Without mention of immaturity (.0)-----	1,805	22	228	202	169	101	69	39	48
47 With immaturity (.5)-----	672	5	123	85	99	47	46	33	25
48 Diarrhea of newborn-----764	250	-	1	2	8	5	4	4	4
49 Without mention of immaturity (.0)-----	182	-	1	1	5	4	3	4	1
50 With immaturity (.5)-----	68	-	-	1	3	-	2	-	3
51 Other infections of newborn-----765-768	794	52	162	72	67	50	55	54	30
52 Without mention of immaturity (.0)-----	472	15	77	44	41	31	36	32	16
53 With immaturity (.5)-----	322	37	85	28	26	19	19	22	14
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	611	80	295	101	49	26	6	6	3
55 Without mention of immaturity (.0-.4)-----	227	27	88	41	20	10	2	2	1
56 With immaturity (.5-.9)-----	384	53	207	60	29	16	4	4	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,284	274	577	155	104	69	24	14	17
58 Without mention of immaturity (.0-.2)-----	905	202	417	103	65	49	16	9	7
59 With immaturity (.5-.7)-----	379	72	160	52	39	20	8	5	10
60 Hemorrhagic disease of newborn-----771	482	9	139	97	80	51	25	14	10
61 Without mention of immaturity (.0)-----	285	4	96	54	53	26	14	7	4
62 With immaturity (.5)-----	187	5	43	43	27	25	11	7	6
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,228	549	4,747	2,178	1,283	591	165	106	80
64 Without mention of immaturity (.0)-----	2,422	107	755	510	382	114	37	22	15
65 With immaturity (.5)-----	7,806	442	3,992	1,668	901	277	129	84	64
66 Immaturity with mention of any other subsidiary condition-----774	1,210	96	492	160	91	53	31	23	22
67 Immaturity, unqualified-----775	13,228	1,849	8,058	1,559	723	259	171	134	91
68 Symptoms and ill-defined conditions-----780-793,795	2,644	95	176	77	47	34	23	13	17
69 All other diseases-----Residual	1,417	26	115	73	61	43	27	21	12
70 Accidents-----E800-E962	3,096	14	25	9	24	30	20	16	12
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	618	-	3	3	7	8	7	6	6
72 Accidental mechanical suffocation in bed and cradle-----E934	655	-	3	1	-	2	1	2	3
73 Other accidental causes-----E800-E920,E923,E925-E962	1,825	14	19	5	17	20	12	8	4
74 Homicide-----E964,E980-E984	211	56	21	11	4	-	1	1	-

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, male--all causes-----	49,175	3,761	16,994	5,396	3,270	1,432	822	573	425
2 Dysentery, all forms-----045-048	26	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	167	-	-	-	-	-	-	-	-
4 Whooping cough-----056	18	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	115	-	-	-	-	1	1	1	-
6 Tetanus-----061	15	-	-	-	1	1	1	1	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	268	-	6	4	2	3	3	3	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	98	-	6	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	42	3	8	1	1	-	-	1	-
10 Diseases of thymus gland-----273	34	2	1	1	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	456	-	1	4	16	13	9	9	14
12 Other diseases of nervous system and sense organs-----330-334,341-398	270	-	-	2	2	-	-	-	-
13 Acute upper respiratory infections-----470-475	168	-	-	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	3,988	-	1	-	-	-	1	1	-
15 Influenza-----480-483	71	-	1	-	-	-	1	1	-
16 Pneumonia, except pneumonia of newborn-----480-483	3,917
17 Bronchitis-----500-502	203	-	-	1	2	-	-	-	1
18 Other diseases of respiratory system-----510-522,525-527	940	8	23	16	8	3	2	1	-
19 Pulmonary congestion and hypostasis-----522	105	-	3	2	1	2	1	1	-
20 Other chronic interstitial pneumonia-----525	632	-	-	1	-	-	-	-	-
21 Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	119	-	5	3	1	1	1	-	-
23 All other diseases of respiratory system-----510-521,527.1	83	8	15	10	6	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	430	36	115	36	27	12	6	5	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	753	-	-	-	-	-	15	7	5
26 Other diseases of digestive system-----530-542,544-553,573-587	185	-	7	6	8	7	207	138	110
27 Congenital malformations-----750-759	6,625	532	1,308	439	470	309	8	9	3
28 Spina bifida and meningocele-----751	420	25	62	16	21	13	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	501	71	91	18	10	10	7	-	4
30 Congenital malformations of circulatory system-----754	3,271	53	371	253	325	208	124	85	66
31 Other congenital malformations-----750,755-759	2,435	383	784	152	114	78	68	44	37
32 Certain diseases of early infancy-----760-776	30,209	3,073	15,319	4,792	2,650	1,020	537	371	270
33 Birth injuries-----760,761	4,206	736	2,067	610	353	148	76	48	41
34 Without mention of immaturity (.0)-----	1,598	275	620	282	190	79	45	22	14
35 With immaturity (.5)-----	2,607	461	1,447	328	163	69	31	26	27
36 Intracranial and spinal injury at birth-----760	1,408	57	492	310	223	114	54	30	30
37 Without mention of immaturity (.0)-----	745	36	239	158	131	66	32	17	9
38 With immaturity (.5)-----	663	21	253	152	92	48	22	13	21
39 Other birth injury-----761	2,797	679	1,575	300	130	34	22	18	11
40 Without mention of immaturity (.0)-----	853	239	381	124	59	13	13	5	5
41 With immaturity (.5)-----	1,944	440	1,194	176	71	21	9	13	6
42 Postnatal asphyxia and atelectasis-----762	8,256	714	4,564	1,478	735	248	97	61	39
43 Without mention of immaturity (.0)-----	2,223	219	967	458	264	101	33	12	11
44 With immaturity (.5)-----	6,035	495	3,597	1,020	471	147	64	49	28
45 Pneumonia of newborn-----763	1,417	14	211	169	149	86	72	46	47
46 Without mention of immaturity (.0)-----	1,016	11	133	116	97	55	44	24	29
47 With immaturity (.5)-----	401	3	78	53	52	31	28	24	18
48 Diarrhea of newborn-----764	134	-	1	1	1	2	2	4	2
49 Without mention of immaturity (.0)-----	103	-	1	1	1	1	1	4	1
50 With immaturity (.5)-----	31	-	-	-	-	-	1	-	1
51 Other infections of newborn-----765-768	444	27	83	37	37	34	37	34	19
52 Without mention of immaturity (.0)-----	280	11	40	22	27	22	23	21	12
53 With immaturity (.5)-----	164	16	43	15	10	12	14	13	7
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	363	44	178	58	30	17	5	5	1
55 Without mention of immaturity (.0-.4)-----	130	13	48	25	10	9	2	1	-
56 With immaturity (.5-.9)-----	233	31	130	31	20	8	3	4	1
57 Hemolytic disease of newborn (erythroblastosis)-----770	691	139	302	80	62	47	17	8	12
58 Without mention of immaturity (.0-.2)-----	484	100	218	82	42	38	9	4	5
59 With immaturity (.5-.7)-----	207	39	84	28	20	11	8	4	7
60 Hemorrhagic disease of newborn-----771	299	6	79	67	48	31	16	8	9
61 Without mention of immaturity (.0)-----	181	2	52	39	29	19	8	5	4
62 With immaturity (.5)-----	118	4	27	28	19	12	8	3	5
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,263	317	2,890	1,368	794	244	108	66	44
64 Without mention of immaturity (.0)-----	1,542	66	465	339	251	77	24	16	12
65 With immaturity (.5)-----	4,721	251	2,425	1,029	543	167	84	50	32
66 Immaturity with mention of any other subsidiary condition-----774	683	47	275	83	53	33	15	16	13
67 Immaturity, unqualified-----776	7,452	1,029	4,669	843	388	130	92	73	43
68 Symptoms and ill-defined conditions-----780-795,785	1,488	50	99	42	22	21	10	9	10
69 All other diseases-----Residual	794	14	75	42	43	26	14	15	8
70 Accidents-----E800-E962	1,763	8	15	4	15	16	16	9	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	368	-	2	3	2	5	7	2	2
72 Accidental mechanical suffocation in bed and cradle-----E924	383	-	1	-	-	-	1	1	1
73 Other accidental causes-----E800-E920,E925,E925-E962	1,012	8	12	1	13	11	8	6	2
74 Homicide-----E964,E980-E984	118	35	10	4	2	-	-	1	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
32,673	1,568	925	792	35,948	3,343	2,536	1,848	1,385	998	745	608	567	447	391	357	1
-	1	1	-	2	7	2	3	1	4	2	-	3	1	1	-	2
-	-	-	-	-	55	33	21	16	9	11	3	4	7	5	3	3
-	-	-	-	-	6	1	1	1	1	2	-	1	2	-	1	4
2	1	3	3	8	16	14	14	9	12	9	5	10	3	6	5	5
3	8	1	-	12	3	-	-	-	-	-	-	-	-	-	-	6
21	10	13	2	46	36	36	19	25	23	15	11	14	17	11	15	7
6	5	1	3	15	8	8	5	8	3	9	3	10	8	11	12	8
14	-	-	1	15	4	2	3	2	6	1	3	4	1	-	1	9
6	-	-	-	6	9	7	1	1	4	3	-	2	1	-	-	10
66	42	21	13	142	66	36	42	30	28	50	23	23	13	10	13	11
4	2	2	4	12	40	32	34	28	25	17	22	20	16	16	8	12
4	3	4	8	15	34	31	27	21	12	9	4	5	5	3	2	13
3	1	-	2	6	960	896	629	443	297	169	154	130	101	95	88	14
3	1	-	2	6	10	11	7	10	9	2	4	1	5	2	4	15
...	950	885	622	433	288	187	150	129	96	93	94	16
5	2	3	2	12	31	35	31	25	24	9	11	10	3	8	4	17
61	8	10	9	88	238	206	152	92	56	35	25	16	15	7	14	18
10	2	2	4	18	25	23	12	11	10	2	2	-	-	-	2	19
1	2	1	-	4	182	148	122	64	37	26	15	10	11	6	9	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
11	2	4	3	20	17	31	16	12	4	5	4	5	2	1	2	22
39	2	3	2	46	11	6	2	5	5	2	2	1	2	-	1	23
241	23	17	12	293	48	23	13	10	10	7	4	7	6	5	4	24
-	1	-	1	2	188	100	82	71	70	54	44	36	41	34	31	25
58	27	21	1	105	24	12	8	9	6	3	6	3	2	4	3	26
3,513	510	279	218	4,520	649	356	242	213	156	110	101	100	70	58	50	27
157	35	32	23	247	53	34	24	12	18	7	7	6	7	2	3	28
211	20	15	11	257	46	32	26	27	26	15	17	17	11	15	12	29
1,485	293	141	126	2,045	367	216	145	139	88	59	56	56	41	34	26	30
1,680	162	91	58	1,971	183	74	47	36	24	29	21	21	11	7	9	31
28,032	814	433	364	29,645	252	101	68	44	32	24	15	12	10	6	4	32
4,079	79	23	13	4,194	5	1	2	1	-	-	-	-	-	-	-	33
1,527	41	10	11	1,589	4	1	2	2	-	-	-	-	-	-	-	34
2,552	38	13	2	2,605	1	-	-	-	-	-	-	-	-	-	-	35
1,310	67	19	12	1,408	36
689	38	9	10	745	37
622	29	10	2	663	38
2,789	12	4	1	2,788	5	1	2	1	-	-	-	-	-	-	-	39
839	3	1	1	844	4	1	2	2	-	-	-	-	-	-	-	40
1,930	9	3	-	1,942	1	-	-	-	1	-	-	-	-	-	-	41
7,938	118	43	21	8,118	60	22	17	10	7	7	6	5	2	2	2	42
2,065	32	15	5	2,117	32	21	14	10	7	7	6	5	1	1	1	43
5,871	86	28	16	6,001	28	1	3	-	-	-	-	-	1	1	-	44
796	225	192	204	1,417	20	45
509	173	158	176	1,016	46
287	52	34	28	401	47
13	36	45	40	134	-	-	-	-	-	-	-	-	-	-	-	48
11	27	35	30	103	-	-	-	-	-	-	-	-	-	-	-	49
2	9	10	10	31	-	-	-	-	-	-	-	-	-	-	-	50
308	75	34	22	439	5	-	-	-	-	-	-	-	-	-	-	51
178	65	27	16	276	4	-	-	-	-	-	-	-	-	-	-	52
130	20	7	6	163	1	-	-	-	-	-	-	-	-	-	-	53
336	6	2	4	348	6	2	1	-	4	-	1	-	1	-	-	54
108	5	2	2	117	5	1	1	-	4	-	1	-	1	-	-	55
228	1	-	2	231	1	1	-	-	-	-	-	-	-	-	-	56
667	13	2	2	684	2	3	-	-	-	2	-	-	-	-	-	57
466	11	1	1	478	2	1	-	-	-	2	-	-	-	-	-	58
201	2	1	1	205	-	2	-	-	-	-	-	-	-	-	-	59
264	18	6	5	283	2	2	-	-	2	-	-	-	-	-	-	60
158	8	5	4	175	2	2	-	-	2	-	-	-	-	-	-	61
106	10	1	1	118	-	-	-	-	-	-	-	-	-	-	-	62
5,831	105	47	30	6,013	86	49	34	28	13	14	6	7	7	4	2	65
1,250	29	24	20	1,323	67	45	33	25	12	13	5	7	6	4	2	64
4,581	76	23	10	4,690	19	4	1	3	1	1	1	1	1	-	-	65
535	39	13	8	595	54	18	10	2	4	-	-	-	-	-	-	66
7,267	100	26	15	7,408	32	4	4	2	1	1	-	-	-	-	-	67
283	39	36	49	387	287	266	185	125	69	49	35	32	20	23	10	68
237	39	32	28	336	107	68	57	42	31	36	24	33	26	13	21	69
88	32	47	60	227	264	263	203	162	116	119	108	91	72	73	65	70
23	13	15	12	63	53	67	57	47	20	10	17	13	7	4	10	71
4	5	12	17	36	86	86	59	36	29	17	14	10	4	3	1	72
61	14	20	31	126	125	110	87	79	67	92	77	69	61	68	54	73
52	-	2	2	56	11	8	8	7	4	2	7	6	2	5	2	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

Cause of death, color, and sex	Total, under 1 year	Under	1-23	1	2	3	4	5	6
		1 hour	hours	day	days	days	days	days	days
1 Total, female—all causes-----	36,343	3,154	11,963	3,772	2,186	983	558	415	325
2 Dysentery, all forms-----045-048	18	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	130	-	-	-	-	-	-	-	-
4 Whooping cough-----056	15	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	97	-	-	-	-	1	-	1	-
6 Tetanus-----061	15	-	-	-	-	-	1	-	2
7 Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	195	2	5	4	1	-	-	3	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	107	1	4	3	-	-	-	-	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	43	4	11	4	-	2	-	1	-
10 Diseases of thymus gland-----275	17	-	2	-	1	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	346	-	1	1	7	9	9	8	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	247	-	2	1	1	-	-	-	-
13 Acute upper respiratory infections-----470-475	111	-	1	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	2,975	-	1	-	-	-	-	-	-
15 Influenza-----490-493	58	-	1	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----480-493	2,915
17 Bronchitis-----500-802	149	-	1	-	-	1	1	1	-
18 Other diseases of respiratory system-----510-522,525-527	672	3	21	8	7	5	4	1	1
19 Pulmonary congestion and hypostasis-----522	80	2	3	5	1	2	1	-	-
20 Other chronic interstitial pneumonia-----525	448	1	2	-	-	-	-	-	-
21 Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	100	-	6	-	3	2	1	1	1
23 All other diseases of respiratory system-----510-521,527-1	43	-	10	3	3	1	2	-	-
24 Hernia and intestinal obstruction-----560,561,570	286	31	95	35	12	7	3	6	5
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	599	-	-	-	-	-	-	-	1
26 Other diseases of digestive system-----530-542,544-553,575-587	144	-	4	-	10	8	5	5	2
27 Congenital malformations-----750-759	5,575	635	1,023	298	285	211	153	125	84
28 Spina bifida and meningocele-----751	560	60	70	22	27	14	11	8	9
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	472	81	82	17	17	6	4	5	2
30 Congenital malformations of circulatory system-----754	2,477	52	242	139	153	128	97	72	44
31 Other congenital malformations-----750,755-759	2,066	442	629	120	88	63	41	40	29
32 Certain diseases of early infancy-----760-776	21,399	2,394	10,651	3,336	1,808	695	351	244	204
33 Birth injuries-----760,761	2,883	567	1,413	424	220	88	42	29	25
34 Without mention of immaturity (.0)-----	1,092	249	419	179	97	57	20	15	10
35 With immaturity (.5)-----	1,791	318	994	245	123	31	22	14	15
36 Intracranial and spinal injury at birth-----760	897	47	341	183	130	63	36	22	19
37 Without mention of immaturity (.0)-----	468	35	171	89	58	40	19	12	8
38 With immaturity (.5)-----	429	12	170	94	72	23	17	10	11
39 Other birth injury-----761	1,986	520	1,072	241	90	25	6	7	6
40 Without mention of immaturity (.0)-----	624	214	248	90	39	17	1	3	2
41 With immaturity (.5)-----	1,362	306	824	151	51	8	5	4	4
42 Postnatal asphyxia and atelectasis-----762	5,698	515	3,104	1,005	477	180	78	50	39
43 Without mention of immaturity (.0)-----	1,486	169	675	276	133	61	23	13	8
44 With immaturity (.5)-----	4,212	346	2,429	729	344	119	53	37	31
45 Pneumonia of newborn-----765	1,060	13	140	118	119	62	43	24	28
46 Without mention of immaturity (.0)-----	789	11	95	86	72	46	25	15	19
47 With immaturity (.5)-----	271	2	45	32	47	16	18	9	7
48 Diarrhea of newborn-----764	116	-	-	1	7	2	3	-	2
49 Without mention of immaturity (.0)-----	79	-	-	-	4	2	2	-	-
50 With immaturity (.5)-----	37	-	-	1	3	-	1	-	2
51 Other infections of newborn-----765-768	350	25	79	35	30	16	18	20	11
52 Without mention of immaturity (.0)-----	192	4	37	22	14	9	13	11	4
53 With immaturity (.5)-----	158	21	42	13	16	7	5	9	7
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	248	36	117	45	19	9	1	1	2
55 Without mention of immaturity (.0-.4)-----	97	14	40	16	10	1	-	1	1
56 With immaturity (.5-.9)-----	151	22	77	29	9	8	1	-	1
57 Hemolytic disease of newborn (erythroblastosis)-----770	593	135	275	75	42	22	7	6	5
58 Without mention of immaturity (.0-.2)-----	421	102	199	51	23	13	7	5	2
59 With immaturity (.5-.7)-----	172	33	76	24	19	9	-	1	3
60 Hemorrhagic disease of newborn-----771	183	3	60	30	32	20	9	6	1
61 Without mention of immaturity (.0)-----	114	2	44	15	24	7	6	2	-
62 With immaturity (.5)-----	69	1	16	15	8	13	3	4	1
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	3,965	232	1,857	810	489	147	57	40	36
64 Without mention of immaturity (.0)-----	880	41	290	171	131	37	13	6	4
65 With immaturity (.5)-----	3,085	191	1,567	639	358	110	44	34	32
66 Immaturity with mention of any other subsidiary condition-----774	527	49	217	77	38	20	16	7	9
67 Immaturity, unqualified-----776	5,776	819	3,369	716	335	129	79	61	48
68 Symptoms and ill-defined conditions-----780-793,795	1,156	45	77	35	25	13	13	4	7
69 All other diseases-----Residual	623	12	40	31	18	17	13	6	4
70 Accidents-----E900-E962	1,333	6	10	5	9	14	4	7	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	250	-	1	-	5	3	-	4	4
72 Accidental mechanical suffocation in bed and cradle-----E924	270	-	2	1	-	2	-	1	1
73 Other accidental causes-----E900-E920,E925,E925-E962	813	6	7	4	4	9	4	2	2
74 Homicide-----E964,E960-E984	93	21	11	7	2	-	1	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
25,352	1,260	711	670	25,995	2,489	1,789	1,477	1,077	805	665	532	434	363	366	355	1
-	1	-	1	2	3	-	4	2	1	-	1	2	-	1	2	2
-	-	-	-	-	36	22	21	5	12	8	8	4	6	3	5	3
2	3	1	4	10	14	5	13	11	4	1	2	1	5	4	3	4
4	6	2	2	14	-	-	-	-	1	-	-	-	-	-	-	5
16	5	2	6	29	24	53	17	22	15	5	11	12	5	9	13	6
9	-	-	1	10	13	10	7	6	9	7	7	9	8	7	14	8
22	2	1	1	26	4	2	1	3	3	-	-	1	2	-	1	9
5	1	-	-	4	2	4	1	1	2	3	-	-	-	-	-	10
39	33	27	14	115	41	54	25	26	28	21	16	13	14	9	6	11
4	1	2	2	9	44	26	25	19	21	28	14	21	15	12	13	12
1	4	3	5	13	26	19	21	9	6	5	6	1	3	-	2	13
1	-	-	1	2	714	601	478	354	210	162	132	107	71	70	77	14
1	-	-	1	2	11	7	14	3	8	3	1	2	4	2	1	15
...	705	594	459	351	202	159	131	105	67	68	76	16
4	4	1	7	16	20	18	21	23	13	6	11	6	4	6	5	17
50	4	5	12	71	166	133	101	56	39	30	24	15	14	10	13	18
14	1	1	5	21	18	12	12	7	2	3	1	-	3	-	1	19
3	-	2	5	10	124	102	72	40	34	15	18	11	6	6	10	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
14	2	1	2	19	19	18	16	5	3	8	3	2	3	3	1	22
19	1	1	-	21	5	1	1	4	-	3	2	2	2	1	1	23
194	14	14	12	234	24	5	7	2	4	1	1	2	3	1	2	24
1.	1	-	-	2	123	74	88	54	60	53	42	25	33	37	28	25
41	10	5	5	61	19	14	17	1	4	7	5	7	1	4	4	26
2,814	408	224	183	3,629	533	302	270	197	140	127	93	89	60	67	69	27
221	37	33	38	329	84	39	25	21	13	13	11	9	8	2	6	28
214	15	17	13	259	36	24	30	14	18	20	13	14	13	17	14	29
927	233	111	77	1,548	294	184	167	129	82	74	53	51	25	39	31	30
1,452	123	63	55	1,693	119	55	48	33	27	20	16	15	14	9	17	31
19,883	656	347	327	21,013	166	67	44	31	19	15	8	9	9	9	9	54
2,808	46	15	11	2,880	1	-	-	-	1	-	-	-	1	-	-	33
1,046	25	8	10	1,089	1	-	-	-	1	-	-	-	1	-	-	34
1,762	21	7	1	1,791	-	-	-	-	1	-	-	-	1	-	-	35
841	33	13	10	887	-	-	-	-	-	-	-	-	-	-	-	36
432	19	8	9	458	37
409	14	5	1	429	38
1,967	13	2	1	1,983	1	-	-	-	1	-	-	-	1	-	-	39
614	6	-	1	621	1	-	-	-	1	-	-	-	1	-	-	40
1,353	7	2	-	1,362	-	-	-	-	-	-	-	-	-	-	-	41
5,446	99	38	20	5,603	40	16	11	8	5	3	-	3	1	5	3	42
1,358	31	11	7	1,407	25	15	11	8	5	3	-	3	1	5	3	43
4,068	69	27	13	4,196	15	1	-	-	-	-	-	-	-	-	-	44
845	184	143	188	1,060	45
369	120	125	167	789	46
176	56	18	21	271	47
15	26	18	34	115	...	1	-	-	-	-	-	-	-	-	-	48
8	17	26	27	78	...	1	-	-	-	-	-	-	-	-	-	49
7	9	14	7	37	...	-	-	-	-	-	-	-	-	-	-	50
234	58	30	28	350	-	-	-	-	-	-	-	-	-	-	-	51
114	37	19	22	192	-	-	-	-	-	-	-	-	-	-	-	52
120	21	11	6	158	-	-	-	-	-	-	-	-	-	-	-	53
230	4	1	1	236	5	2	2	1	-	-	2	-	-	-	-	54
85	1	-	1	85	5	2	2	1	-	-	2	-	-	-	-	55
147	3	1	-	151	-	-	-	-	-	-	-	-	-	-	-	56
567	14	3	5	589	3	-	-	-	-	-	-	-	1	-	-	57
402	9	3	3	417	3	-	-	-	-	-	-	-	1	-	-	58
165	5	-	2	172	-	-	-	-	-	-	-	-	-	-	-	59
161	8	4	6	179	2	1	-	-	-	-	-	1	-	-	-	60
100	4	3	3	110	2	1	-	-	-	-	-	1	-	-	-	61
61	1	3	3	69	-	-	-	-	-	-	-	-	-	-	-	62
3,668	85	26	10	3,789	56	29	27	18	11	10	5	5	6	3	6	63
683	20	11	5	728	45	26	25	17	7	10	4	4	6	3	6	64
2,975	65	15	5	3,060	13	3	2	1	4	1	1	1	-	-	-	65
433	18	6	7	464	44	11	3	2	2	-	-	-	-	-	-	66
5,576	114	41	17	5,748	15	7	1	2	-	1	1	-	-	1	-	67
219	35	31	51	316	222	198	144	81	55	51	27	19	15	14	14	68
141	36	21	17	215	75	42	39	43	35	31	28	30	34	29	22	69
62	36	23	37	158	209	174	151	125	108	91	89	51	55	69	53	70
17	14	4	7	42	37	38	41	25	18	9	13	6	6	6	9	71
7	8	7	7	28	70	49	31	30	17	14	13	9	3	3	3	72
38	14	13	23	88	102	87	79	70	73	68	63	36	46	60	41	73
42	-	-	1	45	10	5	5	6	3	3	2	4	6	5	1	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, both sexes—all causes.....	61,749	5,306	21,740	7,089	4,363	1,898	1,052	738	528
2 Dysentery, all forms.....045-048	20	-	-	-	-	-	-	-	-
3 Septicemia and pyemia.....053	194	-	-	-	-	-	-	-	-
4 Whooping cough.....056	17	-	-	-	-	-	-	-	-
5 Meningococcal infections.....057	180	-	-	-	-	1	1	2	-
6 Tetanus.....061	9	-	-	-	1	1	1	1	1
7 Other infective and parasitic dis.....001-044,049-052,054,055,058-060,062-139	317	1	4	5	3	2	2	6	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	181	1	9	3	-	-	-	-	1
9 Benign neoplasms and neoplasms of unspecified nature.....210-239	73	7	16	4	1	1	-	2	-
10 Diseases of thymus gland.....273	41	1	2	1	2	-	-	1	-
11 Meningitis, except meningococcal and tuberculous.....340	509	-	1	3	20	19	12	12	13
12 Other diseases of nervous system and sense organs.....330-334,341-398	398	-	2	3	3	-	-	-	-
13 Acute upper respiratory infections.....470-475	177	-	-	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn.....460-483	3,988	-	1	-	-	-	-	-	-
15 Influenza.....480-483	50	-	1	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn.....490-493	3,938	-	-	-	-	-	-	-	-
17 Bronchitis.....500-502	232	-	1	1	2	1	-	1	1
18 Other diseases of respiratory system.....510-522,525-527	1,017	8	33	19	12	6	5	-	-
19 Pulmonary congestion and hypostasis.....522	117	2	4	5	2	3	2	-	-
20 Other chronic interstitial pneumonia.....525	687	-	1	1	-	-	-	-	-
21 Bronchiectasis.....526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity.....527,2	120	-	7	1	2	2	1	-	-
23 All other diseases of respiratory system.....510-521,527.1	92	6	21	12	8	1	2	-	-
24 Hernia and intestinal obstruction.....560,561,570	578	58	180	69	32	14	7	8	6
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	597	-	-	-	-	-	-	-	1
26 Other diseases of digestive system.....530-542,544-553,573-587	254	-	10	6	12	10	12	5	3
27 Congenital malformations.....750-759	10,398	1,062	2,028	636	654	465	318	228	160
28 Spina bifida and meningocele.....751	902	82	122	35	42	24	18	17	10
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	817	137	142	30	24	18	11	5	4
30 Congenital malformations of circulatory system.....754	4,821	91	518	338	411	296	198	140	93
31 Other congenital malformations.....750,755-759	3,868	742	1,246	233	177	119	91	66	53
32 Certain diseases of early infancy.....760-776	38,069	4,071	19,278	6,251	3,540	1,319	651	439	315
33 Birth injuries.....760,761	5,614	1,029	2,789	902	465	89	59	49	49
34 Without mention of immaturity (.0).....2,064	402	800	342	228	104	49	29	17	17
35 With immaturity (.5).....3,550	627	1,989	460	237	81	40	30	32	32
36 Intracranial and spinal injury at birth.....760	1,713	76	603	357	285	137	68	41	35
37 Without mention of immaturity (.0).....928	54	312	182	151	80	39	25	11	11
38 With immaturity (.5).....785	22	291	175	134	57	29	16	24	24
39 Other birth injury.....761	3,801	953	2,186	445	180	48	21	18	14
40 Without mention of immaturity (.0).....1,136	348	498	160	77	24	10	4	6	6
41 With immaturity (.5).....2,765	605	1,698	285	103	24	11	14	8	8
42 Postnatal asphyxia and atelectasis.....762	10,413	891	5,651	1,947	983	337	125	84	54
43 Without mention of immaturity (.0).....2,855	273	1,247	575	339	144	42	20	15	15
44 With immaturity (.5).....7,560	618	4,404	1,372	644	193	83	64	39	39
45 Pneumonia of newborn.....763	1,606	16	249	214	190	99	84	44	45
46 Without mention of immaturity (.0).....1,151	12	152	145	113	64	51	20	29	29
47 With immaturity (.5).....475	4	97	69	77	35	33	24	17	17
48 Diarrhea of newborn.....764	91	-	2	3	1	1	1	1	1
49 Without mention of immaturity (.0).....65	-	1	3	1	1	1	1	1	1
50 With immaturity (.5).....26	-	1	-	-	-	-	-	-	-
51 Other infections of newborn.....765-768	512	35	102	44	47	31	34	42	23
52 Without mention of immaturity (.0).....301	88	30	30	18	21	25	12	12	12
53 With immaturity (.5).....211	25	64	14	17	13	13	17	11	11
54 Neonatal disorders arising from certain diseases of mother during pregnancy.....769	482	54	235	83	41	21	6	5	3
55 Without mention of immaturity (.0-.4).....168	17	63	31	17	8	2	1	1	1
56 With immaturity (.5-.9).....314	37	172	52	24	13	4	4	2	2
57 Hemolytic disease of newborn (erythroblastosis).....770	1,199	265	549	141	97	62	19	12	14
58 Without mention of immaturity (.0-.2).....845	198	397	92	59	44	13	7	7	7
59 With immaturity (.5-.7).....354	68	152	49	38	18	6	5	7	7
60 Hemorrhagic disease of newborn.....771	324	5	100	59	52	42	17	9	7
61 Without mention of immaturity (.0).....205	2	70	33	36	23	10	5	2	2
62 With immaturity (.5).....119	3	30	26	16	19	7	4	5	5
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	7,841	401	3,637	1,763	1,092	322	135	77	52
64 Without mention of immaturity (.0).....1,836	90	595	432	344	104	35	18	9	9
65 With immaturity (.5).....6,005	321	3,042	1,331	738	218	100	59	43	43
66 Immaturity with mention of any other subsidiary condition.....774	855	75	354	117	75	42	23	17	10
67 Immaturity, unqualified.....776	9,132	1,299	5,612	1,079	505	177	118	89	57
68 Symptoms and ill-defined conditions.....780-793,795	1,282	38	59	25	16	14	6	2	6
69 All other diseases.....Residual	1,047	21	85	54	50	35	22	20	10
70 Accidents.....E800-E962	2,079	7	15	2	13	20	15	10	11
71 Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	439	-	2	1	6	6	7	3	6
72 Accidental mechanical suffocation in bed and cradle.....E924	431	-	1	-	-	-	-	1	2
73 Other accidental causes.....E800-E920,E923,E925-E962	1,209	7	10	1	7	14	8	6	3
74 Homicide.....E964,E980-E984	152	41	20	6	2	-	1	1	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1966-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
42,713	1,974	1,078	952	46,717	3,762	2,735	2,111	1,532	1,129	883	732	655	537	480	476	1
-	1	-	1	2	4	1	3	1	1	1	1	4	1	1	-	2
-	-	-	-	-	59	35	27	12	15	16	8	2	10	5	5	3
4	4	3	5	16	24	2	1	-	3	1	1	1	1	-	4	4
4	3	-	1	8	1	-	-	-	-	-	-	-	-	-	5	5
23	11	11	6	51	42	40	27	32	25	14	14	20	16	15	21	7
14	5	1	4	24	20	16	9	12	9	15	9	16	12	16	23	8
31	2	1	2	36	6	2	4	5	8	1	3	5	1	-	2	9
7	1	-	-	8	10	8	1	-	6	6	-	1	1	-	-	10
80	52	33	19	184	73	45	47	21	30	24	24	16	21	10	14	11
9	3	4	5	20	63	40	44	37	37	36	26	29	28	23	15	12
-	6	4	8	18	38	37	26	20	12	7	5	3	6	3	2	13
1	-	-	1	2	1,013	869	640	438	288	185	145	134	90	82	102	14
1	-	-	1	2	5	10	4	4	6	-	3	2	7	3	4	15
...	1,008	859	636	434	282	185	142	132	83	79	98	16
7	4	3	5	19	32	39	34	30	19	12	14	10	4	12	7	17
83	8	8	18	117	248	218	166	93	49	33	27	20	18	9	19	18
18	2	1	8	29	25	22	16	11	6	1	2	-	3	-	2	19
2	2	1	5	10	195	167	130	66	38	20	19	13	9	6	14	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
13	2	3	4	22	18	24	19	11	3	9	4	4	3	2	1	22
50	2	3	1	56	9	5	1	5	2	3	2	3	3	1	2	23
374	26	26	20	446	50	21	12	8	9	8	4	5	9	3	3	24
1	1	-	1	3	119	61	57	55	58	52	46	36	40	36	34	25
59	29	18	3	108	32	16	20	7	7	6	10	6	1	6	5	26
5,531	782	425	333	7,071	979	542	432	333	243	183	163	155	104	101	92	27
350	65	62	57	535	124	67	45	30	28	17	14	11	4	4	9	28
369	32	23	19	443	65	49	43	35	36	28	26	25	20	27	20	29
2,085	449	215	168	2,917	558	322	262	213	136	96	87	83	50	55	42	30
2,727	235	126	89	3,176	232	104	82	55	42	42	33	33	23	15	21	31
35,864	901	422	386	37,573	213	95	58	40	27	17	9	14	9	8	6	32
5,467	95	26	17	5,805	3	-	2	2	1	-	-	-	1	-	-	33
1,971	58	12	16	2,055	3	-	2	2	1	-	-	-	1	-	-	34
5,496	39	14	1	3,550	-	-	-	-	-	-	-	-	-	-	-	35
1,602	74	22	15	1,713	36
854	48	12	14	928	37
748	26	10	1	765	38
5,665	21	4	2	3,692	3	-	2	1	-	-	-	-	1	-	-	39
1,117	8	-	2	1,127	3	-	2	1	-	-	-	-	1	-	-	40
2,748	13	4	-	2,765	-	-	-	-	-	-	-	-	-	-	-	41
10,072	126	47	17	10,262	65	27	21	10	8	6	2	6	4	2	3	42
2,655	46	19	5	2,725	43	27	20	10	8	6	2	6	1	3	43	
7,417	80	28	12	7,537	22	-	1	-	-	-	-	-	-	-	-	44
941	240	188	237	1,606	45
585	168	159	219	1,131	46
356	72	29	18	475	47
9	29	31	22	91	-	-	-	-	-	-	-	-	-	-	-	48
8	21	21	15	65	-	-	-	-	-	-	-	-	-	-	-	49
1	8	10	7	36	-	-	-	-	-	-	-	-	-	-	-	50
358	84	42	25	508	3	-	-	-	-	-	-	-	-	-	-	51
184	63	32	19	298	3	-	-	-	-	-	-	-	-	-	-	52
174	21	10	6	211	-	-	-	-	-	-	-	-	-	-	-	53
448	6	3	2	459	9	3	2	1	4	-	3	-	1	-	-	54
140	4	2	1	147	8	2	2	1	4	-	3	-	1	-	-	55
308	2	1	1	312	1	1	-	-	-	-	-	-	-	-	-	56
1,160	21	4	6	1,191	2	3	-	-	-	2	-	-	1	-	-	57
817	16	3	3	839	2	1	-	-	-	2	-	-	1	-	-	58
343	5	1	3	352	-	2	-	-	-	-	-	-	-	-	-	59
281	13	8	7	319	2	1	-	-	-	-	-	1	-	-	-	60
181	8	6	5	200	2	1	-	-	1	-	-	1	-	-	-	61
110	5	2	2	119	-	-	-	-	-	-	-	-	-	-	-	62
7,469	124	38	24	7,655	57	40	23	26	9	8	4	7	5	5	3	63
1,617	28	18	12	1,673	41	36	22	24	7	8	4	6	5	5	3	64
5,852	96	20	12	5,990	16	4	1	2	1	-	-	1	-	-	-	65
713	39	9	13	774	53	15	7	1	4	1	-	-	-	-	-	66
8,936	124	26	16	9,102	19	6	5	-	1	-	-	-	1	-	-	67
166	30	35	37	288	263	252	171	103	62	47	29	25	11	13	8	68
295	59	38	37	429	134	78	71	67	41	48	38	40	45	26	29	69
91	46	44	57	238	314	297	231	195	154	150	137	96	87	100	80	70
31	19	13	14	77	58	75	74	53	26	12	22	14	9	5	14	71
4	8	12	11	35	110	92	55	42	24	24	21	13	6	5	4	72
56	19	19	32	126	146	130	102	100	104	114	94	69	72	90	62	73
71	-	2	3	76	18	7	9	5	5	4	7	7	8	5	1	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, male—all causes-----	36,010	2,876	12,927	4,204	2,646	1,155	636	426	309
2 Dysentery, all forms-----045-048	11	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	105	-	-	-	-	-	-	-	-
4 Whooping cough-----056	10	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	96	-	-	-	-	-	1	1	-
6 Tetanus-----061	5	-	-	-	1	1	-	1	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	183	-	1	2	2	2	2	3	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	87	-	6	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	38	3	7	1	1	-	-	1	-
10 Diseases of thymus gland-----275	27	1	-	1	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	289	-	-	2	14	10	6	6	10
12 Other diseases of nervous system and sense organs-----330-334,341-398	202	-	-	2	2	-	-	-	-
13 Acute upper respiratory infections-----470-475	116	-	-	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	2,377	-	1	-	-	-	-	-	-
15 Influenza-----480-483	36	-	1	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	2,341	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	157	-	-	1	2	-	-	-	1
18 Other diseases of respiratory system-----510-522,525-527	624	6	19	13	8	3	2	-	-
19 Pulmonary congestion and hypostasis-----522	69	-	1	2	1	2	1	-	-
20 Other chronic interstitial pneumonia-----525	424	-	-	1	-	-	-	-	-
21 Bronchiectasis-----528	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527,2	71	-	4	1	1	1	1	-	-
23 All other diseases of respiratory system-----510-521,527,1	59	6	14	9	6	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	342	33	98	35	20	9	5	4	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	334	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-583,573-587	127	-	5	3	6	4	9	3	3
27 Congenital malformations-----750-759	5,636	475	1,130	378	404	273	180	119	94
28 Spina bifida and meningocele-----751	382	23	58	15	18	12	7	9	2
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	410	62	75	17	9	10	7	-	3
30 Congenital malformations of circulatory system-----754	2,793	45	313	215	279	188	113	77	37
31 Other congenital malformations-----750,755-759	2,062	345	686	131	98	63	53	33	32
32 Certain diseases of early infancy-----760-776	22,624	2,299	11,556	3,717	2,135	809	405	264	186
33 Birth injuries-----760,761	5,361	584	1,683	460	284	118	57	37	32
34 Without mention of immaturity (.0)-----	1,248	218	486	201	150	61	35	17	11
35 With immaturity (.5)-----	2,113	366	1,197	259	134	57	22	20	21
36 Intracranial and spinal injury at birth-----760	1,059	42	370	217	175	91	41	25	23
37 Without mention of immaturity (.0)-----	584	28	193	114	101	52	26	15	7
38 With immaturity (.5)-----	475	14	177	103	74	39	15	10	16
39 Other birth injury-----761	2,302	542	1,323	243	109	27	16	12	9
40 Without mention of immaturity (.0)-----	664	190	303	87	49	9	9	2	4
41 With immaturity (.5)-----	1,638	352	1,020	156	60	18	7	10	5
42 Postnatal asphyxia and atelectasis-----762	6,301	524	3,444	1,184	602	202	72	48	31
43 Without mention of immaturity (.0)-----	1,746	157	740	227	90	28	10	10	10
44 With immaturity (.5)-----	4,555	367	2,704	818	375	112	44	38	21
45 Pneumonia of newborn-----765	929	9	152	122	110	61	54	27	28
46 Without mention of immaturity (.0)-----	646	6	90	80	71	37	33	10	17
47 With immaturity (.5)-----	283	3	62	42	39	24	21	17	11
48 Diarrhea of newborn-----764	54	-	-	1	1	1	1	1	1
49 Without mention of immaturity (.0)-----	40	-	-	1	1	1	1	1	1
50 With immaturity (.5)-----	14	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	286	18	52	22	26	20	24	27	15
52 Without mention of immaturity (.0)-----	180	8	20	14	19	12	15	17	9
53 With immaturity (.5)-----	106	10	32	8	7	8	9	10	6
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	290	31	142	44	28	16	5	5	1
55 Without mention of immaturity (.0-.4)-----	91	8	30	17	9	8	2	1	-
56 With immaturity (.5-.9)-----	199	23	112	27	17	8	3	4	1
57 Hemolytic disease of newborn (erythroblastosis)-----770	646	155	291	71	58	42	14	7	9
58 Without mention of immaturity (.0-.2)-----	451	97	209	45	38	32	8	3	5
59 With immaturity (.5-.7)-----	195	38	82	26	20	10	6	4	4
60 Hemorrhagic disease of newborn-----771	201	3	55	42	30	26	13	5	8
61 Without mention of immaturity (.0)-----	124	-	37	24	17	18	6	4	2
62 With immaturity (.5)-----	77	3	18	18	13	8	7	1	4
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,850	229	2,230	1,129	679	203	88	47	29
64 Without mention of immaturity (.0)-----	1,187	47	373	294	230	68	22	12	8
65 With immaturity (.5)-----	3,663	182	1,857	834	449	135	66	35	21
66 Immaturity with mention of any other subsidiary condition-----774	492	35	200	66	44	28	11	11	7
67 Immaturity, unqualified-----776	5,214	730	3,297	577	275	92	64	49	27
68 Symptoms and ill-defined conditions-----780-793,795	766	21	33	15	7	10	2	1	3
69 All other diseases-----Residual	599	11	53	31	34	22	14	14	6
70 Accidents-----800-8962	1,193	3	8	1	8	12	12	7	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----8921,8922	267	-	1	1	2	4	7	1	2
72 Accidental mechanical suffocation in bed and cradle-----8924	256	-	-	-	-	-	-	-	1
73 Other accidental causes-----8900-8920,8923,8925-8962	670	3	7	-	6	8	5	5	1
74 Homicide-----8964,8980-8984	82	25	10	1	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

2-47

by Age, Color, and Sex: United States, 1966-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
25,179	1,097	625	509	27,410	2,176	1,681	1,200	888	644	474	398	372	303	246	238	1
-	1	-	-	1	3	1	1	-	-	1	-	3	1	-	-	2
-	-	-	-	-	32	18	14	10	6	9	5	6	6	4	3	3
-	-	-	-	-	6	-	-	7	1	1	-	1	1	-	-	4
2	1	2	2	7	15	10	10	7	10	9	7	5	10	3	5	5
3	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	6
12	8	9	2	31	27	17	14	18	15	11	7	11	13	7	12	7
6	5	1	3	15	7	7	4	6	3	8	2	8	5	10	12	8
13	-	-	1	14	4	-	3	2	6	1	3	4	-	-	1	9
4	-	-	-	4	8	5	1	-	4	5	-	1	1	-	-	10
48	26	12	10	96	45	25	30	10	15	17	12	13	10	6	10	11
4	2	2	4	12	29	26	22	20	21	13	16	14	14	12	3	12
4	3	3	5	11	25	24	16	14	8	4	2	3	5	3	1	13
1	-	-	1	2	610	541	381	251	183	98	86	74	51	48	52	14
1	-	-	1	2	3	7	2	4	4	-	3	1	4	2	4	15
...	607	534	379	247	179	98	83	73	47	46	48	16
4	1	2	1	8	18	28	22	15	13	8	7	6	1	8	3	17
51	7	5	7	70	150	139	104	62	30	20	13	9	11	6	10	18
7	2	-	4	13	14	15	9	9	6	1	1	-	-	-	1	19
1	2	-	-	3	124	103	85	41	21	14	9	5	7	5	7	20
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21
9	1	3	2	14	7	17	10	9	1	3	3	3	2	1	1	22
35	2	2	1	40	4	4	-	3	2	2	-	1	2	-	1	23
207	14	14	10	245	33	18	8	7	7	7	3	4	6	2	2	24
-	1	-	1	2	71	40	34	32	33	23	26	21	22	15	15	25
33	20	13	1	67	19	8	7	6	4	3	5	2	-	4	2	26
3,053	434	236	175	3,898	530	293	204	183	125	93	84	83	59	47	37	27
144	31	32	20	227	47	31	21	12	16	7	6	5	5	2	3	28
181	18	8	6	213	38	27	18	24	20	10	14	14	11	13	8	29
1,287	254	121	107	1,769	310	175	125	118	69	50	46	44	33	25	18	30
1,441	131	75	42	1,689	135	60	40	29	20	26	18	20	10	7	8	31
21,368	505	251	200	22,324	125	58	38	26	19	12	5	7	5	3	2	32
3,265	63	17	9	3,354	3	-	2	2	-	-	-	-	-	-	-	33
1,189	37	6	9	1,241	3	-	2	2	-	-	-	-	-	-	-	34
2,076	26	11	11	2,115	-	-	-	-	-	-	-	-	-	-	-	35
984	83	14	8	1,059	36
536	34	6	8	584	37
448	19	8	-	475	38
2,281	10	3	1	2,295	3	-	2	2	-	-	-	-	-	-	-	39
653	3	-	1	657	3	-	2	-	-	-	-	-	-	-	-	40
1,628	7	3	-	1,638	-	-	-	-	-	-	-	-	-	-	-	41
6,107	72	23	9	6,211	36	16	14	7	5	4	2	4	1	-	1	42
1,628	27	12	2	1,669	24	16	13	7	5	4	2	4	1	-	1	43
4,479	45	11	7	4,542	12	-	1	-	-	-	-	-	-	-	-	44
563	132	111	123	929	45
344	99	92	111	646	46
219	33	19	12	285	47
6	16	21	11	84	48
11	11	17	6	40	-	-	-	-	-	-	-	-	-	-	-	49
-	5	4	5	14	-	-	-	-	-	-	-	-	-	-	-	50
204	45	23	11	283	3	-	-	-	-	-	-	-	-	-	-	51
114	36	19	8	177	3	-	-	-	-	-	-	-	-	-	-	52
90	9	4	3	106	-	-	-	-	-	-	-	-	-	-	-	53
270	4	2	1	277	4	2	1	-	4	-	1	-	1	-	-	54
75	3	2	-	80	3	1	1	-	4	-	1	-	1	-	-	55
195	1	-	1	197	1	1	-	-	-	-	-	-	-	-	-	56
627	9	2	2	640	1	3	-	-	-	2	-	-	-	-	-	57
437	8	1	1	447	1	1	-	-	-	2	-	-	-	-	-	58
190	1	1	1	193	-	2	-	-	-	-	-	-	-	-	-	59
180	10	5	3	198	1	1	-	-	1	-	-	-	-	-	-	60
108	6	4	3	121	1	1	-	-	1	-	-	-	-	-	-	61
72	4	1	-	77	-	-	-	-	-	-	-	-	-	-	-	62
4,833	87	28	18	4,744	32	22	13	16	5	6	2	3	3	3	1	63
1,054	14	12	10	1,080	25	21	13	15	5	6	2	3	3	3	1	64
3,979	53	14	8	3,634	7	1	-	1	-	-	-	-	-	-	-	65
402	25	7	6	440	31	11	6	1	3	-	-	-	-	-	-	66
5,111	62	14	7	5,194	14	3	2	-	1	-	-	-	-	-	-	67
92	18	20	22	152	158	165	102	69	35	23	17	20	9	10	6	68
185	30	22	23	280	77	52	46	33	20	26	22	18	21	9	15	69
55	20	32	39	146	175	182	133	114	83	85	73	61	50	47	46	70
18	9	12	9	48	36	49	42	37	15	5	12	8	5	2	8	71
2	3	8	9	22	61	57	39	24	15	13	11	8	4	2	1	72
35	8	12	21	76	78	76	53	53	53	65	50	45	41	43	37	73
38	-	1	2	41	10	4	6	3	3	1	5	4	2	2	1	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, female—all causes.....	25,739	2,430	8,813	2,884	1,717	743	415	512	219
2 Dysentery, all forms.....045-048	9	-	-	-	-	-	-	-	-
3 Septicemia and pyemia.....053	89	-	-	-	-	-	-	-	-
4 Whooping cough.....056	7	-	-	-	-	-	-	-	-
5 Meningococcal infections.....057	84	-	-	-	-	1	-	1	-
6 Tetanus.....061	4	-	-	-	-	-	-	-	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-139	134	1	3	3	1	-	-	3	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	94	1	3	3	-	-	-	-	1
9 Benign neoplasms and neoplasms of unspecified nature.....210-239	35	4	9	3	-	1	-	1	-
10 Diseases of thymus gland.....273	14	-	2	-	1	-	-	-	-
11 Meningitis, except meningococcal and tuberculous.....340	220	-	1	1	6	9	6	6	3
12 Other diseases of nervous system and sense organs.....330-334,341-398	196	-	2	1	1	-	-	-	-
13 Acute upper respiratory infections.....470-475	61	-	-	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn.....480-493	1,611	-	-	-	-	-	-	-	-
15 Influenza.....480-483	14	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn.....490-493	1,597	-	-	-	-	-	-	-	-
17 Bronchitis.....500-502	95	-	1	-	-	1	-	1	-
18 Other diseases of respiratory system.....510-522,525-527	393	2	14	6	4	3	3	-	-
19 Pulmonary congestion and hypostasis.....522	48	2	3	3	1	1	1	-	-
20 Other chronic interstitial pneumonia.....525	263	-	1	-	-	-	-	-	-
21 Bronchiectasis.....526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity.....527.2	49	-	3	-	1	1	-	-	-
23 All other diseases of respiratory system.....510-521,527.1	33	-	7	3	2	1	2	-	-
24 Hernia and intestinal obstruction.....560,561,570	236	28	62	33	12	5	2	4	4
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	263	-	-	-	-	-	-	-	1
26 Other diseases of digestive system.....530-542,544-553,573-587	97	-	5	3	6	6	3	2	-
27 Congenital malformations.....750-759	4,762	577	898	258	250	182	139	109	66
28 Spina bifida and meningocele.....751	520	59	64	20	24	12	11	8	8
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	407	75	69	13	15	6	4	5	1
30 Congenital malformations of circulatory system.....754	2,039	46	205	123	132	108	85	63	36
31 Other congenital malformations.....750,755-759	1,796	397	560	102	79	56	38	33	21
32 Certain diseases of early infancy.....760-776	15,445	1,773	7,722	2,534	1,405	510	249	175	129
33 Birth injuries.....760,761	2,253	445	1,096	342	181	67	32	22	17
34 Without mention of immaturity (.0).....816	184	304	141	78	43	14	12	6	6
35 With immaturity (.5).....1,437	261	792	201	103	24	18	10	11	11
36 Intracranial and spinal injury at birth.....760	654	34	233	140	110	46	27	16	12
37 Without mention of immaturity (.0).....344	26	119	68	50	28	13	10	4	4
38 With immaturity (.5).....310	8	114	72	60	19	14	6	8	8
39 Other birth injury.....761	1,599	411	863	202	71	21	5	6	5
40 Without mention of immaturity (.0).....472	158	185	73	28	15	1	2	2	2
41 With immaturity (.5).....1,127	253	678	129	43	6	4	4	3	3
42 Postnatal asphyxia and atelectasis.....762	4,112	367	2,207	763	381	135	53	36	23
43 Without mention of immaturity (.0).....1,107	116	507	112	54	14	10	5	5	5
44 With immaturity (.5).....3,005	251	1,700	554	269	81	39	26	18	18
45 Pneumonia of newborn.....763	677	97	92	80	38	30	17	17	17
46 Without mention of immaturity (.0).....485	6	62	65	42	27	18	10	11	11
47 With immaturity (.5).....192	1	35	27	38	11	12	7	6	6
48 Diarrhea of newborn.....764	87	-	-	2	2	-	-	-	-
49 Without mention of immaturity (.0).....25	-	-	-	2	-	-	-	-	-
50 With immaturity (.5).....12	-	-	1	-	-	-	-	-	-
51 Other infections of newborn.....765-768	226	17	50	22	21	11	10	15	8
52 Without mention of immaturity (.0).....121	2	18	16	11	6	6	6	8	3
53 With immaturity (.5).....105	15	32	6	10	5	4	7	5	5
54 Neonatal disorders arising from certain diseases of mother during pregnancy.....769	192	23	93	39	15	5	1	-	2
55 Without mention of immaturity (.0-.4).....77	9	33	14	8	-	-	-	-	1
56 With immaturity (.5-.9).....115	14	60	25	7	5	1	-	1	1
57 Hemolytic disease of newborn (erythroblastosis).....770	553	131	258	70	39	20	5	5	5
58 Without mention of immaturity (.0-.2).....394	101	188	47	21	12	5	4	2	2
59 With immaturity (.5-.7).....159	30	70	23	18	8	-	1	3	3
60 Hemorrhagic disease of newborn.....771	123	2	45	17	22	16	4	4	1
61 Without mention of immaturity (.0).....81	2	33	9	19	5	4	1	-	-
62 With immaturity (.5).....42	-	12	8	3	11	-	3	1	1
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	2,991	172	1,407	635	403	119	47	30	23
64 Without mention of immaturity (.0).....649	33	222	138	114	36	13	6	1	1
65 With immaturity (.5).....2,342	139	1,185	497	289	83	34	24	22	22
66 Immaturity with mention of any other subsidiary condition.....774	363	40	154	51	31	14	6	3	3
67 Immaturity, unqualified.....776	3,918	569	2,315	502	230	85	64	40	30
68 Symptoms and ill-defined conditions.....780-783,785	466	17	26	10	9	4	4	1	3
69 All other diseases.....Residual	448	10	30	23	16	13	8	6	4
70 Accidents.....E800-E862	886	4	5	1	5	8	3	3	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	172	-	1	-	4	2	-	2	4
72 Accidental mechanical suffocation in bed and cradle.....E924	175	-	1	-	-	-	-	-	1
73 Other accidental causes.....E900-E920,E923,E925-E962	539	4	3	1	1	6	3	1	2
74 Homicide.....E964,E960-E984	70	16	10	5	1	-	1	-	-

SECTION 2 - INFANT MORTALITY

2-49

by Age, Color, and Sex: United States, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-29 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
17,534	877	453	443	19,307	1,566	1,074	911	644	485	409	354	283	234	234	238	1
-	-	-	1	1	1	-	2	1	1	-	1	1	-	1	-	2
-	-	-	-	-	27	17	13	2	9	7	5	2	4	1	2	3
2	3	1	3	9	11	2	1	-	2	-	1	-	-	-	-	4
1	2	1	1	4	-	-	-	11	11	8	5	5	3	3	3	5
11	3	2	4	20	15	23	13	14	10	3	7	9	3	8	9	6
8	-	-	1	9	13	9	5	6	6	7	7	8	7	6	11	8
18	2	1	1	22	2	2	1	5	2	-	-	1	1	-	1	9
3	1	-	-	4	2	3	-	-	2	3	-	-	-	-	-	10
32	26	21	9	98	28	20	17	11	15	7	12	3	11	4	4	11
4	1	2	1	8	34	14	22	17	16	23	10	15	14	11	12	12
-	3	1	3	7	13	13	10	6	4	3	3	-	1	-	1	13
-	-	-	-	-	403	329	259	187	105	87	59	60	39	34	50	14
...	2	3	2	-	2	-	-	1	3	1	1	15
3	3	1	4	11	14	11	12	15	6	4	7	4	3	4	4	17
32	1	3	11	47	98	79	62	31	19	13	14	11	7	3	5	18
11	-	1	4	16	11	7	7	2	-	-	1	-	3	-	1	19
1	-	1	5	7	71	64	45	25	17	6	10	8	2	1	7	20
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
15	-	1	2	8	11	7	9	2	2	6	1	1	1	1	-	22
-	-	1	-	16	5	1	1	2	-	1	2	2	1	1	1	23
167	12	12	10	201	17	3	4	1	2	1	1	1	3	1	1	24
1	-	-	-	1	48	21	23	23	25	29	20	15	18	21	19	25
25	9	5	2	41	15	8	13	1	3	3	5	4	1	2	3	26
2,478	348	189	159	3,173	449	249	228	150	118	90	79	72	45	54	55	27
208	35	30	37	308	77	36	24	18	13	10	11	9	6	2	6	28
198	14	15	13	230	27	22	25	11	16	18	12	11	9	14	12	29
798	195	94	61	1,148	248	147	137	95	67	46	41	39	17	30	24	30
1,286	104	50	47	1,487	97	44	42	26	22	16	15	13	13	8	13	31
14,496	396	171	188	15,249	88	37	20	14	8	5	4	7	4	5	4	32
2,202	32	9	8	2,251	-	-	-	-	1	-	-	-	1	-	-	33
782	19	6	7	814	-	-	-	-	1	-	-	-	1	-	-	34
1,420	13	5	1	1,437	-	-	-	-	-	-	-	-	-	-	-	35
618	21	6	7	654	36
318	14	6	6	544	37
300	7	2	1	310	38
1,594	11	1	1	1,597	1	-	-	-	1	-	-	39
464	5	-	1	470	-	-	-	-	1	-	-	-	1	-	-	40
1,120	6	1	-	1,127	-	-	-	-	-	-	-	-	-	-	-	41
3,865	54	24	8	4,051	29	11	7	3	3	2	-	2	-	2	2	42
1,027	19	7	3	1,056	19	11	7	3	3	2	-	2	-	2	2	43
2,938	35	17	5	2,995	10	-	-	-	-	-	-	-	-	-	-	44
378	108	77	114	677	45
241	69	67	108	485	46
137	38	10	6	192	47
3	10	10	11	37	48
2	10	4	9	25	49
1	3	2	2	12	50
154	38	19	14	226	-	-	-	-	-	-	-	-	-	-	-	51
70	27	13	11	121	-	-	-	-	-	-	-	-	-	-	-	52
84	12	6	3	105	-	-	-	-	-	-	-	-	-	-	-	53
178	2	1	1	182	5	1	1	1	-	-	2	-	-	-	-	54
66	1	-	1	67	5	1	1	1	-	-	2	-	-	-	-	55
113	1	-	-	115	-	-	-	-	-	-	-	-	-	-	-	56
533	12	2	4	551	1	-	-	-	-	-	-	-	1	-	-	57
580	8	2	2	592	1	-	-	-	-	-	-	-	1	-	-	58
153	4	-	2	159	-	-	-	-	-	-	-	-	-	-	-	59
111	3	3	4	121	1	-	-	-	-	-	-	1	-	-	-	60
73	2	2	2	79	1	-	-	-	-	-	-	1	-	-	-	61
38	1	1	2	42	-	-	-	-	-	-	-	-	-	-	-	62
2,836	57	12	6	2,911	25	19	10	10	3	2	2	4	2	2	2	63
563	14	6	2	585	16	15	9	9	2	2	2	3	2	2	2	64
2,273	43	6	4	2,326	9	3	1	1	1	-	-	1	-	-	-	65
311	14	2	7	334	22	4	1	1	1	-	-	-	-	-	-	66
3,825	62	12	9	3,908	5	3	1	-	-	-	-	-	-	1	-	67
74	12	15	15	116	105	87	69	34	27	24	12	5	2	3	2	68
110	29	16	14	169	57	26	25	34	21	22	16	22	17	14	14	69
36	26	12	16	92	139	115	98	81	71	67	64	35	37	53	34	70
13	10	1	5	29	22	26	32	15	11	7	10	6	4	3	6	71
2	5	4	2	13	49	35	17	18	9	11	10	5	2	3	3	72
21	11	7	11	50	68	68	49	47	51	49	44	24	31	47	25	73
33	-	1	1	35	8	3	3	2	2	3	2	3	6	3	-	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Nonwhite, both sexes--all causes-----	23,767	1,609	7,217	2,080	1,093	517	328	249	220
2 Dysentery, all forms-----045-048	24	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	103	-	-	-	-	-	-	-	-
4 Whooping cough-----056	16	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	32	-	-	-	-	-	-	-	-
6 Tetanus-----061	21	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	146	1	7	3	-	1	1	1	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	24	-	1	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	12	-	3	1	-	1	-	-	-
10 Diseases of thymus gland-----273	10	1	1	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	293	-	1	2	3	3	6	5	5
12 Other diseases of nervous system and sense organs-----350-354,341-398	119	-	-	-	-	-	-	-	-
13 Acute upper respiratory infections-----470-475	102	-	1	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	2,973	-	1	-	-	-	1	1	-
15 Influenza-----480-483	79	-	1	-	-	-	1	1	-
16 Pneumonia, except pneumonia of newborn-----480-483	2,894
17 Bronchitis-----500-502	120	-	-	-	-	1	1	-	-
18 Other diseases of respiratory system-----510-522,525-527	595	3	11	5	3	2	1	2	1
19 Pulmonary congestion and hypostasis-----522	68	-	2	2	-	1	-	1	-
20 Other chronic interstitial pneumonia-----525	393	1	1	-	-	-	-	-	-
21 Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	99	-	4	2	2	1	1	1	1
23 All other diseases of respiratory system-----510-521,527.1	34	2	4	1	1	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	138	9	30	4	7	5	2	3	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	755	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----550-542,544-555,573-587	105	-	4	4	6	5	9	7	4
27 Congenital malformations-----750-759	1,802	115	303	101	101	65	42	35	34
28 Spina bifida and meningocele-----751	78	3	10	3	6	3	1	-	2
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,755	156	15	31	5	3	-	-	-	2
30 Congenital malformations of circulatory system-----754	927	14	95	54	67	40	23	17	17
31 Other congenital malformations-----750,755-759	641	93	167	39	25	22	18	18	13
32 Certain diseases of early infancy-----760-776	15,539	1,396	6,692	1,877	918	396	237	176	159
33 Birth injuries-----760,761	1,474	274	691	232	108	51	29	18	17
34 Without mention of immaturity (.0)-----	626	122	239	119	59	32	16	8	7
35 With immaturity (.5)-----	848	152	452	113	49	19	13	10	10
36 Intracranial and spinal injury at birth-----760	592	28	230	136	68	40	22	11	14
37 Without mention of immaturity (.0)-----	286	17	98	65	38	28	12	4	6
38 With immaturity (.5)-----	307	11	132	71	30	14	10	7	8
39 Other birth injury-----761	882	246	461	96	40	11	7	7	3
40 Without mention of immaturity (.0)-----	341	106	141	54	21	6	4	4	1
41 With immaturity (.5)-----	541	141	320	42	19	5	3	3	2
42 Postnatal asphyxia and atelectasis-----762	3,543	358	2,017	536	229	91	48	27	24
43 Without mention of immaturity (.0)-----	856	115	393	119	58	18	14	5	4
44 With immaturity (.5)-----	2,687	223	1,622	377	171	73	34	22	20
45 Pneumonia of newborn-----763	871	11	102	73	78	49	31	29	29
46 Without mention of immaturity (.0)-----	674	10	76	57	56	37	18	19	20
47 With immaturity (.5)-----	197	1	26	16	22	12	15	9	8
48 Diarrhea of newborn-----764	159	-	1	-	5	3	4	3	3
49 Without mention of immaturity (.0)-----	117	-	1	-	2	3	2	3	3
50 With immaturity (.5)-----	42	-	-	-	3	-	2	-	3
51 Other infections of newborn-----765-768	282	17	60	23	20	19	21	12	7
52 Without mention of immaturity (.0)-----	171	5	39	14	11	13	15	7	4
53 With immaturity (.5)-----	111	12	21	14	9	6	6	5	3
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	129	26	60	18	8	5	-	1	-
55 Without mention of immaturity (.0-.4)-----	59	10	25	10	3	2	-	1	-
56 With immaturity (.5-.9)-----	70	16	35	8	5	3	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	85	8	28	14	7	3	5	2	3
58 Without mention of immaturity (.0-.2)-----	60	4	20	11	6	5	3	2	-
59 With immaturity (.5-.7)-----	25	4	8	3	1	2	2	-	3
60 Hemorrhagic disease of newborn-----771	158	4	39	38	28	9	8	5	3
61 Without mention of immaturity (.0)-----	90	2	26	21	17	3	4	2	2
62 With immaturity (.5)-----	68	2	13	17	11	6	4	3	1
63 Ill-defined diseases peculiar to early infancy, including nutritional readjustment-----772,773	2,387	148	1,110	415	201	69	50	29	28
64 Without mention of immaturity (.0)-----	586	27	160	78	38	10	2	4	7
65 With immaturity (.5)-----	1,801	121	950	337	163	59	28	25	21
66 Immaturity with mention of any other subsidiary condition-----774	355	21	138	43	16	11	8	6	12
67 Immaturity, unqualified-----776	4,096	549	2,446	480	218	82	53	45	34
68 Symptoms and ill-defined conditions-----780-783,785	1,392	57	117	52	31	20	17	11	11
69 All other diseases-----Residual	370	5	32	19	11	8	5	1	2
70 Accidents-----E800-E962	1,017	7	12	7	11	10	5	6	1
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	179	-	1	2	1	2	-	3	-
72 Accidental mechanical suffocation in bed and cradle-----E924	222	-	2	1	-	2	1	1	-
73 Other accidental causes-----E800-E920,E923,E925-E962	616	7	9	4	10	6	4	2	1
74 Homicide-----E964,E980-E984	59	15	1	5	2	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Nonwhite, male—all causes.....	15,163	885	4,067	1,192	624	277	186	147	116
2 Dysentery, all forms.....045-048	15	-	-	-	-	-	-	-	-
3 Septicemia and pyemia.....053	62	-	-	-	-	-	-	-	-
4 Whooping cough.....056	8	-	-	-	-	-	-	-	-
5 Meningococcal infections.....057	19	-	-	-	-	-	-	-	-
6 Tetanus.....061	10	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	85	-	5	2	-	1	1	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	11	-	-	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature.....210-239	4	-	1	-	-	-	-	-	-
10 Diseases of thymus gland.....273	7	1	1	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous.....340	167	-	1	2	2	3	3	3	4
12 Other diseases of nervous system and sense organs.....330-334,341-398	68	-	-	-	-	-	-	-	-
13 Acute upper respiratory infections.....470-475	52	-	-	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn.....480-493	1,611	-	-	-	-	-	1	1	-
15 Influenza.....480-483	35	-	-	-	-	-	1	1	-
16 Pneumonia, except pneumonia of newborn.....490-493	1,576	-	-	-	-	-	-	-	-
17 Bronchitis.....500-502	66	-	-	-	-	1	-	-	-
18 Other diseases of respiratory system.....510-522,525-527	316	2	4	3	-	-	-	1	-
19 Pulmonary congestion and hypostasis.....522	36	-	2	-	-	-	-	1	-
20 Other chronic interstitial pneumonia.....525	208	-	-	-	-	-	-	-	-
21 Bronchiectasis.....526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity.....527.2	46	-	1	2	-	-	-	-	-
23 All other diseases of respiratory system.....510-521,527.1	24	2	1	1	-	-	-	-	-
24 Hernia and intestinal obstruction.....560,561,570	88	3	17	2	7	3	1	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	419	-	-	-	-	-	-	-	-
26 Other diseases of digestive system.....530-542,544-553,573-587	58	-	2	3	2	3	7	4	2
27 Congenital malformations.....750-759	989	57	178	61	66	36	27	19	16
28 Spina bifida and meningocele.....751	38	2	4	1	3	1	1	-	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	91	9	16	1	1	-	-	-	1
30 Congenital malformations of circulatory system.....754	489	8	58	38	46	20	11	8	9
31 Other congenital malformations.....750,755-759	371	38	98	21	16	15	15	11	5
32 Certain diseases of early infancy.....760-776	7,585	775	3,763	1,075	515	211	134	107	94
33 Birth injuries.....760,761	844	152	374	150	69	30	19	11	9
34 Without mention of immaturity (.0).....	350	57	124	81	40	18	10	5	3
35 With immaturity (.5).....	494	95	250	69	29	12	9	6	6
36 Intracranial and spinal injury at birth.....760	349	15	122	93	48	23	13	5	7
37 Without mention of immaturity (.0).....	161	8	46	44	30	14	6	2	2
38 With immaturity (.5).....	188	7	76	49	18	7	7	3	5
39 Other birth injury.....761	495	137	252	57	21	7	6	6	2
40 Without mention of immaturity (.0).....	189	49	78	37	10	4	4	3	1
41 With immaturity (.5).....	306	88	174	20	11	3	2	3	1
42 Postnatal asphyxia and atelectasis.....762	1,957	190	1,120	294	133	46	25	13	8
43 Without mention of immaturity (.0).....	477	62	227	92	37	11	5	2	1
44 With immaturity (.5).....	1,480	128	893	202	96	35	20	11	7
45 Pneumonia of newborn.....763	498	5	59	47	39	25	18	21	19
46 Without mention of immaturity (.0).....	370	5	43	36	26	18	11	14	12
47 With immaturity (.5).....	118	-	16	11	13	7	7	7	7
48 Diarrhea of newborn.....764	80	-	1	-	-	1	1	3	1
49 Without mention of immaturity (.0).....	63	-	1	-	-	1	-	3	-
50 With immaturity (.5).....	17	-	-	-	-	-	1	-	1
51 Other infections of newborn.....765-768	158	9	31	15	11	14	13	7	4
52 Without mention of immaturity (.0).....	100	3	20	8	8	10	8	4	3
53 With immaturity (.5).....	58	6	11	7	3	4	5	3	1
54 Neonatal disorders arising from certain diseases of mother during pregnancy.....769	78	13	36	12	4	1	-	-	-
55 Without mention of immaturity (.0-.4).....	39	5	18	8	1	1	-	-	-
56 With immaturity (.5-.9).....	34	8	18	4	3	-	-	-	-
57 Hemolytic disease of newborn (erythroblastosis).....770	45	4	11	9	4	5	3	1	3
58 Without mention of immaturity (.0-.2).....	33	3	9	7	4	4	1	1	1
59 With immaturity (.5-.7).....	12	1	2	2	-	1	2	-	3
60 Hemorrhagic disease of newborn.....771	98	3	24	25	18	5	3	3	3
61 Without mention of immaturity (.0).....	57	2	15	15	12	1	2	1	2
62 With immaturity (.5).....	41	1	9	10	6	4	1	2	1
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	1,413	88	650	240	115	41	20	19	15
64 Without mention of immaturity (.0).....	355	19	92	45	21	9	2	4	4
65 With immaturity (.5).....	1,058	69	558	195	94	32	18	15	11
66 Immaturity with mention of any other subsidiary condition.....774	191	12	75	17	9	5	4	5	6
67 Immaturity, unqualified.....776	2,238	299	1,372	286	113	38	28	24	16
68 Symptoms and ill-defined conditions.....780-795,795	722	29	66	27	15	11	8	8	7
69 All other diseases.....Residual	195	3	22	11	9	4	-	1	2
70 Accidents.....E800-E862	570	5	7	3	7	4	4	2	1
71 Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	101	-	1	2	-	1	-	1	-
72 Accidental mechanical suffocation in bed and cradle.....E924	127	-	1	-	-	-	1	-	-
73 Other accidental causes.....E800-E920,E923,E925-E962	342	5	5	1	7	3	3	1	1
74 Homicide.....E964,E960-E984	36	10	-	3	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

2-53

by Age, Color, and Sex: United States, 1966-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
7,494	471	300	275	8,538	1,167	875	648	497	354	271	210	195	144	145	119	1
-	-	1	-	1	4	1	2	1	4	1	-	-	-	1	-	2
-	-	-	-	23	15	7	6	3	2	2	-	4	1	1	-	3
-	-	-	-	2	1	1	1	1	-	1	-	-	-	1	1	4
-	-	-	1	1	3	4	2	2	-	2	-	-	-	-	-	5
-	7	1	-	8	2	-	-	-	-	-	-	-	-	-	-	6
9	2	4	-	15	9	19	5	7	8	4	4	3	4	4	3	7
-	-	-	-	-	1	1	1	2	-	1	1	2	1	1	-	8
1	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	9
-	-	-	-	2	1	2	-	1	-	-	-	1	-	-	-	10
18	16	9	3	46	21	11	12	20	13	13	11	10	6	4	3	11
-	-	-	-	-	11	6	12	8	4	4	6	6	2	4	5	12
-	-	1	3	4	9	7	11	7	4	5	2	2	-	-	1	13
2	1	-	1	4	350	355	248	192	114	91	68	56	50	47	36	14
2	1	-	1	4	7	4	5	6	5	2	1	-	1	-	-	15
...	343	351	243	186	109	89	87	56	49	47	36	16
1	1	1	1	4	13	7	9	10	11	1	4	4	2	-	1	17
10	1	5	2	18	66	67	48	30	26	15	10	7	4	1	4	18
3	-	2	-	5	11	8	3	2	4	1	1	-	-	-	-	19
-	-	1	-	1	58	43	37	25	16	12	6	5	4	1	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	1	1	6	10	14	6	3	3	2	1	2	-	-	1	22
4	-	1	1	6	7	2	2	2	3	-	2	-	-	-	-	23
34	9	3	2	48	15	5	5	3	3	-	1	3	-	3	2	24
-	-	-	-	-	117	60	48	39	37	31	18	15	19	19	16	25
23	7	8	-	38	5	4	1	3	2	-	1	1	2	-	1	26
480	76	43	43	622	119	63	38	30	31	17	17	17	11	11	13	27
13	4	-	3	20	6	3	3	-	2	-	1	1	2	-	-	28
30	2	7	5	44	8	5	8	3	6	5	3	3	8	2	4	29
198	39	20	19	276	57	41	20	20	19	10	12	8	9	9	8	30
219	31	16	16	282	48	14	7	7	4	3	3	1	1	-	1	31
6,664	309	182	164	7,319	127	43	30	18	13	12	8	5	5	3	2	32
814	16	6	4	840	2	1	-	-	1	-	-	-	-	-	-	33
330	4	4	2	348	1	1	-	-	-	-	-	-	-	-	-	34
476	12	2	2	492	1	-	-	-	1	-	-	-	-	-	-	35
326	14	5	4	349	36
152	4	3	2	161	37
174	10	2	2	188	38
488	2	1	1	491	2	1	-	-	1	-	-	-	-	-	-	39
186	-	1	-	187	1	1	-	-	-	-	-	-	-	-	-	40
302	2	-	-	304	1	-	-	-	1	-	-	-	-	-	-	41
1,829	46	20	12	1,907	24	6	3	3	2	3	4	1	1	2	1	42
437	5	3	3	448	8	5	1	3	2	3	4	1	-	1	1	43
1,392	41	17	9	1,459	16	1	2	-	-	-	-	-	1	-	-	44
233	93	61	81	498	45
165	74	68	65	370	46
68	10	15	16	118	47
7	20	24	29	80	-	-	-	-	-	-	-	-	-	-	-	48
5	16	18	24	63	-	-	-	-	-	-	-	-	-	-	-	49
2	4	6	5	17	-	-	-	-	-	-	-	-	-	-	-	50
104	30	11	11	156	2	-	-	-	-	-	-	-	-	-	-	51
64	19	8	8	99	1	-	-	-	-	-	-	-	-	-	-	52
40	11	3	3	57	1	-	-	-	-	-	-	-	-	-	-	53
66	2	-	3	71	2	-	-	-	-	-	-	-	-	-	-	54
33	2	-	2	37	2	-	-	-	-	-	-	-	-	-	-	55
35	-	-	1	34	-	-	-	-	-	-	-	-	-	-	-	56
40	4	-	-	44	1	-	-	-	-	-	-	-	-	-	-	57
29	3	-	-	32	1	-	-	-	-	-	-	-	-	-	-	58
11	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-	59
64	8	1	2	95	1	1	-	-	1	-	-	-	-	-	-	60
50	2	1	1	54	1	1	-	-	1	-	-	-	-	-	-	61
34	6	-	1	41	-	-	-	-	-	-	-	-	-	-	-	62
1,198	39	21	12	1,269	54	27	21	12	8	8	4	4	4	1	1	63
186	15	10	10	233	42	24	20	10	7	7	3	3	3	1	1	64
1,002	23	9	2	1,036	12	3	1	2	1	1	1	-	1	-	-	65
135	14	6	2	155	23	7	4	1	1	-	-	-	-	-	-	66
2,156	38	12	8	2,214	18	1	2	2	-	1	-	-	-	-	-	67
171	21	16	27	235	129	101	83	56	34	26	18	12	11	13	4	68
52	9	10	5	76	30	15	11	9	11	10	2	15	5	4	6	69
53	12	15	21	61	69	61	70	48	33	36	35	30	22	26	19	70
5	4	3	3	15	17	18	15	10	5	5	5	2	2	2	2	71
2	2	4	8	16	25	29	21	12	14	4	3	2	-	1	-	72
26	6	8	10	50	47	34	34	26	14	27	27	23	20	23	17	73
14	-	1	-	15	1	4	2	4	1	1	2	-	-	3	1	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
		72%	3,150	888	469	240	142	101	104
1 Nonwhite, female—all causes-----	10,604								
2 Dysentery, all forms-----045-048	9	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	41	-	-	-	-	-	-	-	-
4 Whooping cough-----056	8	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	15	-	-	-	-	-	-	-	-
6 Tetanus-----061	11	-	-	-	-	-	1	1	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	61	1	2	1	-	-	-	-	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	13	-	1	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	8	-	2	1	-	1	-	-	-
10 Diseases of thymus gland-----275	3	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	126	-	-	-	1	-	3	2	1
12 Other diseases of nervous system and sense organs-----330-334,341-398	51	-	-	-	-	-	-	-	-
13 Acute upper respiratory infections-----470-475	50	-	1	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	1,362	-	1	-	-	-	-	-	-
15 Influenza-----480-483	44	-	1	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	1,318
17 Bronchitis-----500-502	54	-	-	-	-	-	1	-	-
18 Other diseases of respiratory system-----510-522,525-527	279	1	7	2	3	2	1	1	1
19 Pulmonary congestion and hypostasis-----522	32	-	-	2	-	1	-	-	-
20 Other chronic interstitial pneumonia-----525	185	1	1	-	-	-	-	-	-
21 Bronchiectasis-----525	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	51	-	3	-	2	1	1	1	1
23 All other diseases of respiratory system-----510-521,527.1	10	-	3	-	1	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	50	6	13	2	-	2	1	2	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	336	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,575-587	47	-	2	1	4	2	2	3	2
27 Congenital malformations-----750-759	613	58	125	40	35	29	15	16	18
28 Spina bifida and meningocele-----751	40	1	6	2	3	2	-	-	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	65	6	13	4	2	-	-	-	1
30 Congenital malformations of circulatory system-----754	438	6	37	16	21	20	12	9	8
31 Other congenital malformations-----750,755-759	270	45	69	16	9	7	3	7	8
32 Certain diseases of early infancy-----760-775	5,954	621	2,929	802	403	185	103	69	75
33 Birth injuries-----760,761	630	122	317	82	39	21	10	7	8
34 Without mention of immaturity (.0)-----	276	65	115	38	19	14	6	3	4
35 With immaturity (.5)-----	354	57	202	44	20	7	4	4	4
36 Intracranial and spinal injury at birth-----760	245	13	108	43	20	17	9	6	7
37 Without mention of immaturity (.0)-----	124	9	52	21	8	12	6	2	4
38 With immaturity (.5)-----	119	4	56	22	12	5	3	4	3
39 Other birth injury-----761	387	109	209	39	19	4	1	1	1
40 Without mention of immaturity (.0)-----	152	56	63	17	11	2	1	1	1
41 With immaturity (.5)-----	235	53	146	22	8	2	1	-	1
42 Postnatal asphyxia and atelectasis-----762	1,586	148	897	242	96	45	23	14	16
43 Without mention of immaturity (.0)-----	379	53	168	67	21	7	9	3	3
44 With immaturity (.5)-----	1,207	95	729	175	75	38	14	11	13
45 Pneumonia of newborn-----763	383	6	43	26	39	24	13	7	9
46 Without mention of immaturity (.0)-----	304	5	33	21	30	19	7	5	8
47 With immaturity (.5)-----	79	1	10	5	9	5	6	2	1
48 Diarrhea of newborn-----764	79	-	-	-	5	2	3	-	2
49 Without mention of immaturity (.0)-----	54	-	-	-	2	2	2	-	-
50 With immaturity (.5)-----	25	-	-	-	3	-	1	-	2
51 Other infections of newborn-----765-768	124	8	29	13	9	5	8	5	3
52 Without mention of immaturity (.0)-----	71	2	19	6	3	3	7	3	1
53 With immaturity (.5)-----	53	6	10	7	6	2	1	2	2
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	56	13	24	6	4	4	-	1	-
55 Without mention of immaturity (.0-.4)-----	20	5	7	2	2	1	-	1	-
56 With immaturity (.5-.9)-----	36	8	17	4	2	3	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	40	4	17	5	3	2	2	1	-
58 Without mention of immaturity (.0-.2)-----	27	1	11	4	2	1	2	1	-
59 With immaturity (.5-.7)-----	13	3	6	1	1	1	-	-	-
60 Hemorrhagic disease of newborn-----771	60	1	15	13	10	4	5	2	-
61 Without mention of immaturity (.0)-----	33	-	11	6	5	2	2	1	-
62 With immaturity (.5)-----	27	1	4	7	5	2	3	1	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	974	60	450	175	86	28	10	10	13
64 Without mention of immaturity (.0)-----	231	8	68	33	17	1	-	-	3
65 With immaturity (.5)-----	743	52	382	142	69	27	10	10	10
66 Immaturity with mention of any other subsidiary condition-----774	164	9	63	26	7	6	4	1	6
67 Immaturity, unqualified-----775	1,658	250	1,074	214	105	44	25	21	18
68 Symptoms and ill-defined conditions-----780-793,795	670	28	51	25	16	9	9	3	4
69 All other diseases-----Residual	175	2	10	8	2	4	5	-	-
70 Accidents-----E800-E962	447	2	5	4	6	1	4	-	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	78	-	-	-	1	1	-	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	95	-	1	1	-	2	-	-	-
73 Other accidental causes-----E800-E920,E923,E925-E962	274	2	4	3	3	3	1	1	-
74 Homicide-----E964,E960-E984	23	5	1	2	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
5,818	885	258	227	6,688	903	715	566	433	318	256	198	151	129	132	117	1
-	1	-	-	1	2	-	2	1	-	-	-	1	-	-	-	2
-	-	-	-	-	9	5	6	5	3	1	3	2	-	-	-	3
-	-	-	1	1	-	1	1	-	2	1	1	1	-	-	-	4
3	4	2	1	1	3	1	2	-	1	1	-	-	2	1	-	5
5	2	-	2	10	-	-	-	-	1	1	-	-	-	-	-	6
1	-	-	-	9	9	10	4	8	5	2	4	5	2	1	4	7
4	-	-	-	1	-	1	2	-	3	-	-	1	1	1	3	8
-	-	-	-	4	2	-	-	-	1	-	-	-	1	-	-	9
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	10
7	7	6	5	25	15	14	6	15	13	14	-	10	5	5	2	11
-	-	-	1	1	10	12	3	2	5	5	4	6	1	1	1	12
1	1	2	2	6	13	6	6	11	2	2	3	1	2	-	-	13
1	-	-	1	2	311	273	214	167	105	75	73	47	32	36	27	14
1	-	-	1	2	9	4	12	3	6	3	1	1	1	1	1	15
...	302	269	202	164	99	72	72	46	31	35	26	16
1	1	-	3	5	6	7	9	8	7	2	4	2	1	2	1	17
18	3	2	1	24	68	54	39	25	20	17	10	4	7	7	4	18
3	1	-	1	5	7	5	5	5	2	3	-	-	-	-	-	19
2	-	1	-	3	53	38	27	15	17	9	8	3	4	5	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	1	1	1	11	8	11	7	3	1	2	2	1	2	2	1	22
4	1	-	-	5	-	-	-	2	-	-	-	-	1	-	-	23
27	2	2	2	33	7	2	3	1	2	-	-	1	-	-	1	24
-	1	-	-	1	75	53	45	31	35	24	22	10	15	16	9	25
16	1	-	3	20	6	6	4	-	1	4	-	3	-	2	1	26
336	60	35	25	456	84	53	42	47	22	37	14	17	15	13	13	27
15	2	3	1	21	7	3	1	3	-	3	-	-	2	-	-	28
26	1	2	-	29	9	2	6	3	2	2	1	3	4	3	2	29
129	36	17	16	200	46	37	30	34	15	28	12	12	9	9	7	30
166	19	13	8	306	22	11	6	7	5	4	1	2	1	1	4	31
5,187	260	176	141	5,764	78	30	24	17	11	10	4	2	5	4	5	32
606	14	6	3	629	1	-	-	-	-	-	-	-	-	-	-	33
264	6	2	3	275	1	-	-	-	-	-	-	-	-	-	-	34
342	9	4	-	354	-	-	-	-	-	-	-	-	-	-	-	35
223	12	5	3	243	36
114	5	2	3	124	37
109	7	3	-	119	38
383	2	1	-	386	1	-	-	-	-	-	-	-	-	-	-	39
150	1	-	-	151	1	-	-	-	-	-	-	-	-	-	-	40
235	1	1	-	235	-	-	-	-	-	-	-	-	-	-	-	41
1,481	45	14	12	1,552	11	5	4	5	2	1	-	1	1	3	1	42
331	12	4	4	351	6	4	4	5	2	1	-	1	1	3	1	43
1,150	33	10	8	1,201	5	1	-	-	-	-	-	-	-	-	-	44
167	76	66	74	383	45
128	59	58	59	304	46
39	17	8	15	79	47
12	13	30	23	78	-	-	-	-	-	-	-	-	-	-	-	48
6	7	22	18	53	-	1	-	-	-	-	-	-	-	-	-	49
8	6	8	5	25	-	-	-	-	-	-	-	-	-	-	-	50
80	19	11	14	124	-	-	-	-	-	-	-	-	-	-	-	51
44	10	6	11	71	-	-	-	-	-	-	-	-	-	-	-	52
36	9	5	3	53	-	-	-	-	-	-	-	-	-	-	-	53
52	2	-	-	54	-	1	1	-	-	-	-	-	-	-	-	54
18	-	-	-	18	-	1	1	-	-	-	-	-	-	-	-	55
34	2	-	-	36	-	-	-	-	-	-	-	-	-	-	-	56
34	2	1	1	39	2	-	-	-	-	-	-	-	-	-	-	57
22	1	1	1	25	2	-	-	-	-	-	-	-	-	-	-	58
12	1	-	-	13	-	-	-	-	-	-	-	-	-	-	-	59
50	5	1	2	58	1	1	-	-	-	-	-	-	-	-	-	60
27	2	1	1	31	1	1	-	-	-	-	-	-	-	-	-	61
23	3	-	1	27	-	-	-	-	-	-	-	-	-	-	-	62
832	28	14	4	878	31	11	17	8	8	8	5	1	4	1	4	63
130	8	5	3	144	27	11	16	8	5	8	2	1	4	1	4	64
702	22	9	1	734	4	-	1	-	3	-	1	-	-	-	-	65
182	4	4	-	130	22	7	2	2	1	-	-	-	-	-	-	66
1,751	52	29	8	1,840	10	4	-	.2	-	1	1	-	-	-	-	67
145	23	16	16	200	117	111	75	47	28	27	15	14	13	11	12	68
31	7	5	3	48	18	16	14	9	14	9	12	8	9	12	8	69
26	10	11	19	66	70	59	53	44	37	24	25	16	18	16	19	70
4	4	3	2	13	15	12	9	9	7	2	3	-	2	3	3	71
5	3	2	5	15	21	14	14	12	8	3	3	4	1	-	-	72
17	3	6	12	38	34	33	30	23	22	19	19	12	15	13	16	73
9	-	1	-	10	2	-	2	4	1	-	-	1	-	2	1	74

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers]

Cause of death	United States						
	Total, under 1 year	Under 28 days			28 days-11 months		
		Total	White	Nonwhite	Total	White	Nonwhite
1 All causes.....	85,516	61,941	46,717	15,224	23,576	15,032	8,543
2 Dysentery, all forms.....045-046	44	4	2	2	40	16	22
3 Septicemia and pyemia.....053	297	-	-	-	297	194	103
4 Whooping cough.....066	33	1	-	1	32	17	15
5 Meningococcal infections.....067	212	18	16	2	194	164	30
6 Tetanus.....061	30	8	8	24	4	1	3
7 Other infective and parasitic dis.....001-044,049-052,054,055,058-060,062-138	463	75	51	24	388	266	122
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	205	25	24	1	180	157	23
9 Benign neoplasms and neoplasms of unspecified nature.....210-239	85	41	36	5	44	37	7
10 Diseases of thymus gland.....273	51	10	8	2	41	33	8
11 Meningitis, except meningococcal and tuberculous.....340	802	255	194	71	547	325	222
12 Other diseases of nervous system and sense organs.....330-334,341-398	517	21	20	1	496	378	118
13 Acute upper respiratory infections.....470-475	279	28	28	10	251	159	92
14 Influenza and pneumonia, except pneumonia of newborn.....480-493	6,961	8	2	6	6,953	3,966	2,967
15 Influenza.....480-483	129	8	8	2	121	48	73
16 Pneumonia, except pneumonia of newborn.....490-493	6,832	---	---	---	6,832	3,938	2,894
17 Bronchitis.....500-502	352	28	19	9	324	213	111
18 Other diseases of respiratory system.....510-522,525-527	1,612	159	117	42	1,453	900	553
19 Pulmonary congestion and hypostasis.....522	185	39	29	10	146	88	58
20 Other chronic interstitial pneumonia.....525	1,080	14	10	4	1,066	677	389
21 Bronchiectasis.....526	2	-	-	-	2	1	1
22 Other diseases of lung and pleural cavity.....527-2	219	59	22	17	190	98	62
23 All other diseases of respiratory system.....510-521,527-1	126	67	56	11	59	36	23
24 Hernia and intestinal obstruction.....560,561,570	716	527	448	81	189	132	57
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	1,352	4	3	1	1,348	594	754
26 Other diseases of digestive system.....530-542,544-553,573-587	329	166	108	58	163	116	47
27 Congenital malformations.....750-759	12,200	8,149	7,071	1,078	4,051	3,327	724
28 Spina bifida and meningocele.....751	980	576	535	41	404	367	37
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	973	516	443	73	457	374	83
30 Congenital malformations of circulatory system.....754	5,748	3,393	2,917	476	2,355	1,904	451
31 Other congenital malformations.....750,755-759	4,499	3,664	3,176	488	833	682	153
32 Certain diseases of early infancy.....760-776	51,608	50,656	37,573	13,083	952	496	456
33 Birth injuries.....760,761	7,088	7,074	5,605	1,469	14	9	5
34 Without mention of immaturity (.0).....2,690	2,690	2,678	2,055	623	12	9	3
35 With immaturity (.5).....4,398	4,398	4,396	3,550	846	2	-	2
36 Intracranial and spinal injury at birth.....760	2,306	2,305	1,715	592
37 Without mention of immaturity (.0).....1,213	1,213	1,213	923	285
38 With immaturity (.5).....1,092	1,092	1,092	785	307
39 Other birth injury.....761	4,785	4,769	3,892	877	14	9	5
40 Without mention of immaturity (.0).....1,477	1,477	1,465	1,127	338	12	9	3
41 With immaturity (.5).....3,306	3,306	3,304	2,765	539	2	-	2
42 Postnatal asphyxia and atelectasis.....762	13,956	13,721	10,262	3,459	235	151	84
43 Without mention of immaturity (.0).....3,709	3,709	3,524	2,725	799	185	128	57
44 With immaturity (.5).....10,247	10,247	10,197	7,537	2,660	50	23	27
45 Pneumonia of newborn.....763	2,477	2,477	1,606	871
46 Without mention of immaturity (.0).....1,805	1,805	1,805	1,151	674
47 With immaturity (.5).....672	672	672	475	197
48 Diarrhea of newborn.....764	250	249	91	158	1	-	1
49 Without mention of immaturity (.0).....182	182	181	65	116	1	-	1
50 With immaturity (.5).....68	68	68	26	42	-	-	-
51 Other infections of newborn.....765-768	794	789	509	280	5	3	2
52 Without mention of immaturity (.0).....472	472	468	298	170	4	3	1
53 With immaturity (.5).....322	322	321	211	110	1	-	1
54 Neonatal disorders arising from certain diseases of mother during pregnancy.....769	611	584	459	125	27	23	4
55 Without mention of immaturity (.0-.4).....227	227	202	147	55	25	21	4
56 With immaturity (.5-.9).....384	384	362	312	70	2	2	-
57 Hemolytic disease of newborn (erythroblastosis).....770	1,284	1,273	1,191	82	11	8	3
58 Without mention of immaturity (.0-.2).....905	905	896	839	57	9	6	3
59 With immaturity (.5-.7).....379	379	377	352	25	2	2	-
60 Hemorrhagic disease of newborn.....771	482	472	319	153	10	5	5
61 Without mention of immaturity (.0).....285	285	285	200	85	10	5	5
62 With immaturity (.5).....187	187	187	119	68	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	10,228	9,802	7,855	2,147	428	186	240
64 Without mention of immaturity (.0).....2,422	2,422	2,052	1,675	377	370	161	209
65 With immaturity (.5).....7,806	7,806	7,750	5,980	1,770	56	25	31
66 Immaturity with mention of any other subsidiary condition.....774	1,210	1,059	774	285	151	61	70
67 Immaturity, unspecified.....776	13,228	13,156	9,102	4,054	72	30	42
68 Symptoms and ill-defined conditions.....780-783,785	2,844	703	288	435	1,941	984	957
69 All other diseases.....Residual	1,417	551	429	122	666	618	248
70 Accidents.....E800-E962	5,086	385	238	147	2,711	1,841	870
71 Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	618	105	77	28	513	362	151
72 Accidental mechanical suffocation in bed and cradle.....E924	653	65	35	31	587	356	191
73 Other accidental causes.....E800-E920,E923,E925-E962	1,825	214	126	69	1,611	1,083	529
74 Homicide.....E964,E980-E984	211	101	76	25	110	76	34

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	California					Colorado				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	7,049	4,381	826	1,503	339	822	575	44	187	16
2 Dysentery, all forms	045-048	2	-	2	-	-	-	-	-	-
3 Septicemia and pyemia	053	18	-	13	5	6	-	-	6	-
4 Whooping cough	056	1	-	1	-	1	-	-	1	-
5 Meningococcal infections	057	29	1	25	3	-	-	-	-	-
6 Tetanus	061	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.	001-044, 049-052, 054, 055, 058-060, 062-138	26	2	-	21	3	3	-	6	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	22	4	-	15	3	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature	210-239	8	4	-	4	-	-	-	-	-
10 Diseases of thymus gland	275	2	-	2	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous	340	85	32	6	37	10	8	2	-	-
12 Other diseases of nervous system and sense organs	350-354, 541-398	52	1	-	42	9	6	-	4	1
13 Acute upper respiratory infections	470-475	14	4	-	10	-	4	-	3	1
14 Influenza and pneumonia, except pneumonia of newborn	480-493	579	-	-	466	113	51	-	49	2
15 Influenza	480-483	5	-	-	5	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn	490-493	574	-	-	461	113	51	-	49	2
17 Bronchitis	500-502	39	1	1	26	11	4	-	4	-
18 Other diseases of respiratory system	510-522, 525-527	254	7	3	189	55	3	-	2	1
19 Pulmonary congestion and hypostasis	522	15	1	1	8	5	2	-	1	1
20 Other chronic interstitial pneumonia	525	225	2	-	177	46	1	-	1	-
21 Bronchiectasis	526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity	527.2	6	-	1	3	2	-	-	-	-
23 All other diseases of respiratory system	510-521, 527.1	8	4	1	1	2	-	-	-	-
24 Hernia and intestinal obstruction	560, 561, 570	65	45	4	15	1	4	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	543, 571, 572	51	1	-	40	10	11	-	9	2
26 Other diseases of digestive system	530-542, 544-553, 573-587	25	9	3	10	3	1	-	1	-
27 Congenital malformations	750-759	1,081	648	81	303	49	112	76	5	30
28 Spina bifida and meningocele	751	68	40	3	22	3	1	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	752, 753	66	38	3	21	4	10	7	3	-
30 Congenital malformations of circulatory system	754	550	290	35	131	34	63	34	4	24
31 Other congenital malformations	750, 755-759	397	280	40	69	8	38	34	1	3
32 Certain diseases of early infancy	760-776	4,315	3,556	710	37	12	536	482	38	14
33 Birth injuries	760, 761	716	600	115	-	1	81	77	4	-
34 Without mention of immaturity (.0)		238	203	34	-	1	22	22	-	-
35 With immaturity (.5)		478	397	81	-	-	59	55	4	-
36 Intracranial and spinal injury at birth	760	232	190	42	-	-	35	33	2	-
37 Without mention of immaturity (.0)		95	81	12	-	-	12	12	-	-
38 With immaturity (.5)		139	109	30	-	-	23	21	2	-
39 Other birth injury	761	484	410	73	-	1	46	44	2	-
40 Without mention of immaturity (.0)		145	122	22	-	1	10	10	-	-
41 With immaturity (.5)		339	288	51	-	-	36	34	2	-
42 Postnatal asphyxia and atelectasis	762	1,105	930	166	7	-	108	95	8	5
43 Without mention of immaturity (.0)		278	236	37	5	-	23	17	2	4
44 With immaturity (.5)		825	694	129	2	-	85	78	6	1
45 Pneumonia of newborn	763	223	189	34	-	-	23	22	1	-
46 Without mention of immaturity (.0)		167	140	27	-	-	11	11	-	-
47 With immaturity (.5)		56	49	7	-	-	12	11	1	-
48 Diarrhea of newborn	764	12	8	4	-	-	2	2	-	-
49 Without mention of immaturity (.0)		9	6	3	-	-	2	2	-	-
50 With immaturity (.5)		3	2	1	-	-	-	-	-	-
51 Other infections of newborn	765-768	66	53	13	-	-	6	5	1	-
52 Without mention of immaturity (.0)		32	25	7	-	-	1	1	-	-
53 With immaturity (.5)		34	28	6	-	-	5	4	1	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy	769	71	56	9	5	1	8	6	2	-
55 Without mention of immaturity (.0-.4)		34	21	7	5	1	3	3	-	-
56 With immaturity (.5-.9)		37	35	2	-	-	5	3	2	-
57 Hemolytic disease of newborn (erythroblastosis)	770	106	100	5	1	-	14	12	-	2
58 Without mention of immaturity (.0-.2)		72	66	5	1	-	7	6	-	1
59 With immaturity (.5-.7)		34	34	-	-	-	7	6	-	1
60 Hemorrhagic disease of newborn	771	34	23	10	-	1	7	5	1	1
61 Without mention of immaturity (.0)		21	15	5	-	1	3	2	-	1
62 With immaturity (.5)		13	8	5	-	-	4	3	1	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772, 775	967	803	145	16	3	161	149	7	4
64 Without mention of immaturity (.0)		183	154	15	13	1	20	16	-	3
65 With immaturity (.5)		784	649	130	3	2	141	133	7	1
66 Immaturity with mention of any other subsidiary condition	774	124	93	19	7	5	5	4	-	1
67 Immaturity, unqualified	776	893	701	190	1	1	121	105	14	2
68 Symptoms and ill-defined conditions	780-793, 795	48	7	4	31	6	24	3	1	15
69 All other diseases	Residual	106	43	8	43	12	8	1	-	7
70 Accidents	8300-8962	200	9	4	154	33	33	2	-	31
71 Inhalation and ingestion of food or other object causing obstruction or suffocation	8921, 8922	27	3	1	21	2	9	1	-	6
72 Accidental mechanical suffocation in bed and cradle	8924	31	1	-	25	7	4	-	-	4
73 Other accidental causes	8300-8920, 8923, 8925-8962	142	5	3	110	24	20	1	-	19
74 Homicide	8964, 8980-8984	27	7	2	17	1	3	2	-	1

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Connecticut					Delaware				District of Columbia				Florida						
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1,109	716	154	214	45	254	108	57	37	32	567	62	368	12	125	2,783	1,194	769	572	458
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Georgia						Hawaii			
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	2,499	872	688	303	638	279	54	180	8	37
2 Dysentery, all forms-----045-048	5	-	1	1	3	-	-	-	-	-
3 Septicemia and pyemia-----053	17	-	-	5	12	2	-	-	-	2
4 Whooping cough-----056	1	-	-	1	-	-	-	-	-	-
5 Meningococcal infections-----057	4	-	-	3	1	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.....001-044,049-052,054,055,058-060,062-138	15	-	1	7	8	1	-	-	-	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	1	-	-	-	-	-	-	-
10 Diseases of thymus gland-----273	2	1	-	1	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	25	6	5	10	6	2	-	1	1	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	9	-	-	4	4	-	-	-	-	-
13 Acute upper respiratory infections-----470-475	10	-	2	4	4	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	375	-	1	96	278	14	-	-	3	11
15 Influenza-----480-483	12	-	-	2	9	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	363	94	269	14	3	11
17 Bronchitis-----500-502	5	-	-	1	4	1	-	-	1	1
18 Other diseases of respiratory system-----510-522,525-527	93	1	4	17	71	4	-	1	1	2
19 Pulmonary congestion and hypostasis-----522	2	1	-	1	-	1	-	1	-	-
20 Other chronic interstitial pneumonias-----525	77	-	2	14	61	3	-	-	1	2
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527,2	13	-	1	2	10	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	1	-	1	-	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	11	6	-	-	5	5	-	4	-	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	71	1	-	6	64	2	-	-	-	2
26 Other diseases of digestive system-----530-542,544-553,573-587	11	2	2	3	4	-	-	-	-	-
27 Congenital malformations-----750-759	268	115	50	66	58	38	10	18	2	8
28 Spina bifida and meningocele-----751	37	21	1	13	2	2	-	1	-	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	26	4	3	11	8	4	2	1	-	1
30 Congenital malformations of circulatory system-----754	117	43	24	33	17	19	2	10	2	5
31 Other congenital malformations-----750,755-759	88	48	22	9	9	13	6	6	-	1
32 Certain diseases of early infancy-----780-776	1,543	716	574	12	41	197	44	151	-	2
33 Birth injuries-----760,761	140	85	55	-	-	27	5	22	-	-
34 Without mention of immaturity (.0)-----	61	31	30	-	-	7	3	4	-	-
35 With immaturity (.5)-----	79	54	25	-	-	20	2	18	-	-
36 Intracranial and spinal injury at birth-----760	35	20	13	5	3	2
37 Without mention of immaturity (.0)-----	18	10	8	2	2	-
38 With immaturity (.5)-----	15	10	5	3	1	2
39 Other birth injury-----761	107	65	42	-	-	22	2	20	-	-
40 Without mention of immaturity (.0)-----	43	21	22	-	-	5	1	4	-	-
41 With immaturity (.5)-----	64	44	20	-	-	17	1	16	-	-
42 Postnatal asphyxia and atelectasis-----762	303	187	110	5	1	43	8	34	-	1
43 Without mention of immaturity (.0)-----	90	42	42	5	1	6	4	2	-	-
44 With immaturity (.5)-----	213	145	68	-	-	37	4	32	-	1
45 Pneumonia of newborn-----763	109	37	72	13	3	10
46 Without mention of immaturity (.0)-----	93	35	58	8	2	6
47 With immaturity (.5)-----	16	2	14	5	1	4
48 Diarrhea of newborn-----764	19	3	16	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	13	2	11	-	-	-	-	-	-	-
50 With immaturity (.5)-----	6	1	5	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	29	8	21	-	-	5	1	4	-	-
52 Without mention of immaturity (.0)-----	19	4	14	-	-	2	-	2	-	-
53 With immaturity (.5)-----	11	4	7	-	-	3	1	2	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	16	8	8	-	-	5	-	5	-	-
55 Without mention of immaturity (.0-.4)-----	10	5	5	-	-	1	-	1	-	-
56 With immaturity (.5-.9)-----	6	3	3	-	-	4	-	4	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	19	18	-	1	-	2	1	1	-	-
58 Without mention of immaturity (.0-.2)-----	16	15	-	1	-	2	1	1	-	-
59 With immaturity (.5-.7)-----	3	3	-	-	-	-	-	-	-	-
60 Hemorrhagic disease of newborn-----771	16	6	10	-	-	2	-	2	-	-
61 Without mention of immaturity (.0)-----	9	4	5	-	-	1	-	1	-	-
62 With immaturity (.5)-----	7	2	5	-	-	1	-	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	322	164	127	4	27	29	7	22	-	-
64 Without mention of immaturity (.0)-----	105	46	29	4	26	6	2	4	-	-
65 With immaturity (.5)-----	217	118	98	-	1	23	5	18	-	-
66 Immaturity with mention of any other subsidiary condition-----774	52	21	24	2	5	3	2	1	-	-
67 Immaturity, unqualified-----776	318	179	131	-	6	68	17	50	-	1
68 Symptoms and ill-defined conditions-----780-793,795	57	4	19	9	25	5	-	3	1	2
69 All other diseases-----Residual	59	14	13	11	21	3	-	1	-	3
70 Accidents-----E800-E962	113	3	15	45	50	4	-	1	-	3
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	26	-	1	15	10	1	-	-	-	1
72 Accidental mechanical suffocation in bed and cradle-----E924	19	2	2	4	11	-	-	-	-	-
73 Other accidental causes-----E800-E920,E923,E925-E962	68	1	12	26	29	3	-	1	-	2
74 Homicide-----E964,E960-E984	2	2	-	-	-	1	-	-	-	1

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966-Con. of the Seventh Revision of the International Lists, 1955]

Table with columns for Idaho, Illinois, Indiana, and Iowa. Sub-columns include 'Total, under 1 year', 'Under 28 days', and '28 days-11 months', further divided by 'White' and 'Non-white'. Rows 1-74 list various causes of infant mortality.

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	Kansas				Kentucky					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	765	517	66	155	27	1,450	849	139	381	81
2 Dysentery, all forms-----045-049	-	-	-	-	-	1	-	-	1	-
3 Septicemia and pyemia-----053	-	-	-	-	-	5	-	-	3	2
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	11	1	-	10	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	4	2	1	1	1	9	2	-	7	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	2	-	-	2	-	3	-	-	2	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	2	1	-	1	-
10 Diseases of thymus gland-----273	1	-	-	1	-	4	-	-	2	2
11 Meningitis, except meningococcal and tuberculous-----340	7	3	1	3	-	10	-	-	6	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	4	-	-	4	-	12	-	-	12	-
13 Acute upper respiratory infections-----470-475	2	1	-	1	-	6	1	1	3	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	50	-	-	37	13	145	-	-	116	29
15 Influenza-----480-483	-	-	-	-	-	2	-	-	2	-
16 Pneumonia, except pneumonia of newborn-----490-493	50	37	13	143	114	29
17 Bronchitis-----500-502	5	1	-	3	1	4	-	-	4	-
18 Other diseases of respiratory system-----510-522,525-527	4	-	-	4	-	21	3	-	12	6
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	1	1	-	-	-
20 Other chronic interstitial pneumonia-----525	4	-	-	4	-	12	-	-	7	5
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	-	-	-	-	-	4	1	-	2	1
23 All other diseases of respiratory system-----510-521,527-1	-	-	-	-	-	4	1	-	3	-
24 Hernia and intestinal obstruction-----560,561,570	9	7	2	-	-	12	9	2	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	7	-	-	4	3	37	-	-	30	7
26 Other diseases of digestive system-----530-542,544-553,573-587	4	1	-	3	-	7	3	1	3	-
27 Congenital malformations-----750-759	134	75	7	49	3	213	135	10	62	6
28 Spina bifida and meningocele-----751	4	3	-	1	-	23	13	1	8	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	11	9	-	2	-	17	6	1	10	-
30 Congenital malformations of circulatory system-----754	67	29	1	35	2	97	58	3	33	5
31 Other congenital malformations-----750,755-759	52	34	6	11	1	76	60	5	11	-
32 Certain diseases of early infancy-----760-776	473	415	54	2	2	805	667	120	14	2
33 Birth injuries-----760,761	64	53	11	-	-	117	99	18	-	-
34 Without mention of immaturity (.0)	25	20	5	-	-	45	38	7	-	-
35 With immaturity (.5)	39	33	6	-	-	72	61	11	-	-
36 Intracranial and spinal injury at birth-----760	15	14	1	42	29	13
37 Without mention of immaturity (.0)	7	7	-	22	18	4
38 With immaturity (.5)	8	7	1	20	11	9
39 Other birth injury-----761	49	39	10	-	-	75	70	5	-	-
40 Without mention of immaturity (.0)	18	13	5	-	-	23	20	3	-	-
41 With immaturity (.5)	31	26	5	-	-	52	50	2	-	-
42 Postnatal asphyxia and atelectasis-----762	123	112	10	1	-	209	174	33	2	-
43 Without mention of immaturity (.0)	40	36	3	1	-	63	56	5	2	-
44 With immaturity (.5)	83	76	7	-	-	146	118	28	-	-
45 Pneumonia of newborn-----763	22	19	3	39	33	6
46 Without mention of immaturity (.0)	17	14	3	29	24	5
47 With immaturity (.5)	5	5	-	10	9	1
48 Diarrhea of newborn-----764	2	1	1	-	-	3	2	1	-	-
49 Without mention of immaturity (.0)	2	1	1	-	-	3	2	1	-	-
50 With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	7	7	-	-	-	8	8	-	-	-
52 Without mention of immaturity (.0)	5	5	-	-	-	5	5	-	-	-
53 With immaturity (.5)	2	2	-	-	-	3	3	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	6	6	-	-	-	5	4	-	1	-
55 Without mention of immaturity (.0-.4)	2	2	-	-	-	1	-	-	1	-
56 With immaturity (.5-.9)	4	4	-	-	-	4	4	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	10	10	-	-	-	22	19	3	-	-
58 Without mention of immaturity (.0-.2)	7	7	-	-	-	15	13	2	-	-
59 With immaturity (.5-.7)	3	3	-	-	-	7	6	1	-	-
60 Hemorrhagic disease of newborn-----771	4	4	-	-	-	5	3	2	-	-
61 Without mention of immaturity (.0)	3	3	-	-	-	4	3	1	-	-
62 With immaturity (.5)	1	1	-	-	-	1	-	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	120	103	15	1	1	167	136	23	7	1
64 Without mention of immaturity (.0)	32	28	2	1	1	43	33	3	6	1
65 With immaturity (.5)	88	75	13	-	-	124	103	20	1	-
66 Immaturity with mention of any other subsidiary condition-----774	11	9	1	-	1	9	5	-	4	-
67 Immaturity, unqualified-----776	104	91	13	-	-	219	184	34	-	1
68 Symptoms and ill-defined conditions-----780-793,795	6	2	-	4	-	47	7	2	31	7
69 All other diseases-----Residual	20	6	1	12	1	28	8	-	19	1
70 Accidents-----E900-E962	32	3	-	25	4	64	8	3	42	11
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	5	-	-	4	1	15	2	2	7	4
72 Accidental mechanical suffocation in bed and cradle-----E924	5	1	-	3	1	23	5	1	13	4
73 Other accidental causes-----E900-E920,E923,E925-E962	22	2	-	18	2	26	1	-	22	3
74 Homicide-----E964,E980-E984	-	-	-	-	-	6	4	-	-	2

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966—Con.

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Louisiana				Total, under 1 year	Maine				Total, under 1 year	Maryland				Total, under 1 year	Massachusetts				1
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,232	700	878	206	440	415	313	4	98	-	1,668	841	421	232	174	2,070	1,483	120	425	42	
1	-	-	-	1	2	-	-	-	-	5	-	-	-	-	10	-	-	-	-	
18	-	-	7	11	-	-	-	2	-	1	-	-	-	2	1	-	-	10	-	
4	-	-	-	4	-	-	-	-	-	2	-	-	-	3	-	-	-	5	-	
6	-	-	5	1	-	-	-	-	-	2	-	-	-	1	-	-	-	6	-	
3	-	3	-	-	3	1	-	-	-	-	-	-	-	12	2	-	-	7	-	
8	-	3	2	3	3	1	-	2	-	2	-	-	-	1	2	-	-	10	-	
6	-	-	2	4	1	1	-	-	-	1	-	-	1	6	2	-	-	4	-	
1	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	
4	-	-	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
25	4	1	3	17	2	1	-	1	-	18	2	2	11	3	14	7	-	6	1	
13	-	-	5	8	2	-	-	2	-	25	1	-	12	12	15	-	-	13	-	
3	-	-	1	2	-	-	-	-	-	6	-	-	1	5	6	1	-	4	1	
210	-	-	42	168	55	-	-	55	-	86	-	-	38	48	159	-	-	138	23	
1	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	14	
209	42	167	55	55	-	84	37	47	158	136	23	
3	-	-	-	3	2	-	-	2	-	1	-	-	1	5	-	-	-	4	1	
58	-	3	18	37	2	1	-	1	-	105	2	1	53	49	10	1	28	3		
1	-	-	-	1	1	1	-	-	-	2	1	-	-	5	2	-	3	-		
38	-	-	13	25	-	-	-	-	-	94	-	-	52	41	19	-	-	16	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	
13	-	1	4	6	1	-	-	1	-	9	1	-	1	7	3	1	8	1		
6	-	2	1	3	-	-	-	-	-	-	-	-	-	5	3	-	1	1		
15	7	3	2	3	3	3	-	-	-	16	8	-	4	23	19	-	4	-		
47	-	-	9	58	1	-	-	1	-	15	-	-	11	4	12	-	-	8	4	
26	7	6	5	8	1	-	-	1	-	9	3	3	2	1	6	1	5	-		
269	106	82	55	26	54	40	-	14	-	248	149	26	53	20	341	213	8	116	4	
20	7	1	11	1	12	10	-	2	-	23	14	2	6	1	34	18	1	15	-	
20	7	7	3	3	4	2	-	2	-	13	2	1	6	4	21	11	1	9	1	
117	34	41	26	16	21	15	-	6	-	124	68	11	34	11	157	81	3	70	3	
112	58	33	15	6	17	13	-	4	-	88	65	12	7	4	129	103	3	23	-	
1,343	552	758	10	23	270	264	4	2	-	1,041	658	372	5	6	1,324	1,198	109	14	3	
200	88	117	-	-	53	52	1	-	-	150	95	55	-	-	178	160	17	1	-	
92	35	57	-	-	21	20	1	-	-	53	38	15	-	-	49	44	4	1	-	
108	48	60	-	-	32	32	-	-	-	77	57	20	-	-	129	116	13	-	-	
110	30	80	-	-	21	20	1	-	-	51	38	13	-	-	55	47	8	-	-	
58	18	38	-	-	12	11	1	-	-	31	26	5	-	-	21	19	2	-	-	
54	12	42	-	-	9	9	-	-	-	20	12	8	-	-	34	28	6	-	-	
90	53	37	-	-	32	32	-	-	-	79	57	22	-	-	123	113	9	1	-	
35	17	19	-	-	9	9	-	-	-	22	12	10	-	-	28	25	2	1	-	
54	36	18	-	-	23	23	-	-	-	57	45	12	-	-	95	88	7	-	-	
332	155	170	5	2	85	92	1	2	-	260	180	76	3	1	319	286	28	3	2	
98	51	41	5	1	28	26	-	2	-	55	39	13	2	1	89	76	8	3	2	
234	104	189	-	1	67	66	1	-	-	205	141	63	1	-	230	210	20	-	-	
93	21	72	-	-	12	11	1	-	-	43	25	18	-	-	65	57	8	-	-	
67	15	52	-	-	6	5	1	-	-	33	17	16	-	-	44	36	8	-	-	
26	6	20	-	-	6	6	-	-	-	10	8	2	-	-	21	21	-	-	-	
14	2	12	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	
8	1	7	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	
6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
40	17	23	-	-	4	4	-	-	-	22	10	12	-	-	15	13	2	-	-	
27	10	17	-	-	4	4	-	-	-	12	6	6	-	-	8	8	-	-	-	
13	7	6	-	-	-	-	-	-	-	10	4	6	-	-	7	5	2	-	-	
10	4	6	-	-	1	1	-	-	-	9	7	2	-	-	15	13	2	-	-	
3	1	2	-	-	-	-	-	-	-	3	3	-	-	-	3	3	-	-	-	
7	3	4	-	-	1	1	-	-	-	6	4	2	-	-	12	10	2	-	-	
28	21	7	-	-	9	9	-	-	-	24	21	3	-	-	61	61	-	-	-	
20	16	4	-	-	1	1	-	-	-	16	14	2	-	-	36	36	-	-	-	
8	5	3	-	-	7	7	-	-	-	8	7	1	-	-	25	25	-	-	-	
24	5	18	-	1	2	2	-	-	-	14	8	6	-	-	22	19	3	-	-	
10	3	6	-	1	1	1	-	-	-	8	6	2	-	-	6	5	1	-	-	
14	2	12	-	-	1	1	-	-	-	6	2	4	-	-	16	14	2	-	-	
237	110	113	2	12	46	45	1	-	-	213	138	70	1	4	242	218	16	7	1	
62	33	18	2	9	9	9	-	-	-	34	20	9	1	4	45	36	7	1	1	
175	77	95	-	3	37	36	1	-	-	179	118	61	-	-	197	182	15	-	-	
37	13	13	3	8	9	9	-	-	-	22	15	5	1	1	35	25	7	3	-	
328	121	207	-	-	40	40	-	-	-	303	159	144	-	-	370	345	25	-	-	
20	1	6	3	10	-	-	-	-	-	11	3	4	2	2	9	1	1	7	-	
53	17	7	12	17	7	7	-	-	-	29	11	6	8	4	23	14	-	9	-	
93	5	5	24	59	9	9	-	-	-	39	2	3	25	11	49	5	-	42	2	
25	3	2	3	17	1	-	-	1	-	12	2	1	6	3	17	3	-	13	1	
20	1	1	3	15	1	-	-	1	-	9	-	1	8	-	5	-	-	5	-	
48	1	2	18	27	7	7	-	6	-	18	-	1	9	8	27	2	-	24	1	
3	1	1	-	1	1	-	-	1	-	7	2	3	2	-	2	1	-	1	-	

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	Michigan				Minnesota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	3,741	2,217	603	676	245	1,304	960	29	289	26
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----052	13	-	-	12	1	2	-	-	2	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	1	-
5 Meningococcal infections-----057	9	-	-	4	5	6	1	-	5	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	18	1	-	13	4	4	1	-	3	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6	-	-	5	1	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-238	7	2	-	4	1	1	-	-	1	-
10 Diseases of thymus gland-----273	6	-	1	5	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	25	3	2	14	6	7	2	1	3	1
12 Other diseases of nervous system and sense organs-----330-334,341-399	22	1	-	16	5	9	-	-	9	-
13 Acute upper respiratory infections-----470-475	8	-	-	6	2	2	-	-	2	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	221	-	-	160	61	73	-	-	62	11
15 Influenza-----480-483	1	-	-	1	-	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn-----490-495	220	159	61	70	59	11
17 Bronchitis-----500-502	18	1	1	10	6	6	-	-	5	1
18 Other diseases of respiratory system-----510-522,525-527	51	2	-	41	8	20	2	-	16	2
19 Pulmonary congestion and hypostasis-----522	3	-	-	1	2	7	-	-	5	2
20 Other chronic interstitial pneumonia-----525	36	-	-	31	5	7	-	-	7	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	8	-	-	7	1	4	1	-	3	-
23 All other diseases of respiratory system-----510-521,527-1	4	2	-	2	-	2	1	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	29	20	3	5	1	13	10	-	3	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	25	-	-	17	8	9	-	-	8	1
26 Other diseases of digestive system-----530-542,544-555,575-587	8	4	1	2	1	2	1	-	1	-
27 Congenital malformations-----750-759	615	349	49	182	36	225	145	4	76	-
28 Spina bifida and meningocele-----751	48	24	3	20	1	16	11	-	5	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	47	22	3	20	2	22	10	-	12	-
30 Congenital malformations of circulatory system-----754	289	139	17	110	24	108	65	1	42	-
31 Other congenital malformations-----750,755-759	231	165	25	32	9	79	59	3	17	-
32 Certain diseases of early infancy-----760-776	2,374	1,803	538	20	13	806	774	22	9	1
33 Birth injuries-----760,761	378	298	84	1	-	145	139	6	-	-
34 Without mention of immaturity (.0)-----	136	114	21	1	-	55	53	2	-	-
35 With immaturity (.5)-----	242	179	63	-	-	90	86	4	-	-
36 Intracranial and spinal injury at birth-----760	32	31	11	-	-	42	40	2	-	-
37 Without mention of immaturity (.0)-----	56	51	5	-	-	21	21	-	-	-
38 With immaturity (.5)-----	36	30	6	-	-	21	19	2	-	-
39 Other birth injury-----761	286	212	73	1	-	103	99	4	-	-
40 Without mention of immaturity (.0)-----	80	65	16	1	-	34	32	2	-	-
41 With immaturity (.5)-----	206	149	57	-	-	69	67	2	-	-
42 Postnatal asphyxia and atelectasis-----762	580	430	140	6	4	194	184	4	5	1
43 Without mention of immaturity (.0)-----	160	121	33	4	2	45	39	1	4	1
44 With immaturity (.5)-----	420	309	107	2	2	149	145	3	1	-
45 Pneumonia of newborn-----763	80	69	29	-	-	34	34	-	-	-
46 Without mention of immaturity (.0)-----	76	53	23	-	-	21	21	-	-	-
47 With immaturity (.5)-----	22	16	6	-	-	13	13	-	-	-
48 Diarrhea of newborn-----764	5	4	1	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	5	4	1	-	-	-	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	28	20	7	-	1	18	18	-	-	-
52 Without mention of immaturity (.0)-----	17	13	4	-	-	9	9	-	-	-
53 With immaturity (.5)-----	11	7	3	-	1	9	9	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	25	19	4	2	-	13	12	-	1	-
55 Without mention of immaturity (.0-.4)-----	9	5	2	2	-	4	3	-	1	-
56 With immaturity (.5-.9)-----	16	14	2	-	-	9	9	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	53	51	1	1	-	25	25	-	-	-
58 Without mention of immaturity (.0-.2)-----	35	33	1	1	-	19	19	-	-	-
59 With immaturity (.5-.7)-----	18	18	-	-	-	6	6	-	-	-
60 Hemorrhagic disease of newborn-----771	24	19	4	-	1	3	2	-	1	-
61 Without mention of immaturity (.0)-----	16	12	3	-	1	3	2	-	1	-
62 With immaturity (.5)-----	8	7	1	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	369	281	82	3	3	175	170	4	1	-
64 Without mention of immaturity (.0)-----	89	75	10	2	2	33	32	-	1	-
65 With immaturity (.5)-----	280	206	72	1	1	142	138	4	-	-
66 Immaturity with mention of any other subsidiary condition-----774	52	35	8	6	3	19	18	-	1	-
67 Immaturity, unqualified-----775	762	582	178	1	1	180	172	8	-	-
68 Symptoms and ill-defined conditions-----780-793,795	141	9	7	62	63	43	6	-	32	6
69 All other diseases-----Residual	40	9	1	23	7	23	8	1	14	-
70 Accidents-----E900-E962	102	12	1	73	16	48	8	1	35	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	16	3	1	11	1	6	-	-	6	-
72 Accidental mechanical suffocation in bed and cradle-----E924	14	1	-	13	-	10	3	-	7	-
73 Other accidental causes-----E900-E920,E923,E925-E962	72	8	-	49	15	32	5	1	22	4
74 Homicide-----E964,E980-E984	3	1	-	2	-	4	2	-	2	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966—Con.
of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Mississippi				Total, under 1 year	Missouri				Total, under 1 year	Montana				Total, under 1 year	Nebraska			
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1,864	389	743	133	599	1,825	972	345	337	171	284	185	30	53	16	463	345	28	82	8
4	-	-	1	3	1	-	-	1	-	1	-	-	-	-	2	-	-	-	2
5	-	-	2	3	3	-	-	2	1	-	-	-	-	-	-	-	-	-	3
2	-	-	2	-	8	1	1	5	1	1	-	-	-	1	-	-	-	-	4
2	-	1	-	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	5
12	-	-	3	9	35	2	1	16	14	2	-	-	-	2	-	-	-	-	6
-	-	-	-	-	4	-	-	3	1	-	-	-	-	2	-	-	-	-	7
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
30	1	4	7	16	16	4	3	4	5	5	1	-	-	5	2	1	-	-	10
10	-	-	1	9	9	-	-	9	-	2	2	-	-	2	-	-	-	-	11
3	-	-	-	3	2	-	-	2	-	1	-	-	-	-	-	-	-	-	12
164	-	-	19	145	159	-	-	92	67	13	-	-	-	9	4	22	-	-	13
2	-	-	-	2	2	-	-	2	-	1	-	-	-	1	-	-	-	-	14
162	19	143	157	90	67	12	8	4	25	22	15
4	-	-	1	3	4	1	-	1	2	3	-	1	2	2	-	-	-	-	16
23	1	8	1	13	21	4	-	14	3	4	2	1	2	8	1	1	2	5	17
2	-	1	-	1	5	2	-	2	1	-	-	-	-	6	1	-	-	-	18
2	-	-	1	1	13	1	-	10	2	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
15	1	7	-	7	-	-	-	-	-	2	2	-	-	1	-	-	-	-	21
4	-	-	-	4	3	1	-	2	-	1	-	-	-	1	-	-	-	-	22
10	6	-	-	4	12	7	3	2	-	6	3	1	1	4	3	-	-	1	23
125	-	1	9	115	14	-	-	8	6	4	-	-	1	3	1	-	-	1	24
6	1	3	-	2	2	1	-	1	-	1	-	-	-	3	1	1	1	1	25
174	83	48	33	30	234	134	20	70	10	43	31	2	9	1	81	58	3	29	26
17	9	1	6	1	12	6	-	6	-	-	-	-	-	4	3	1	-	-	27
21	5	2	6	8	13	6	1	6	-	3	3	-	-	6	5	-	-	1	28
71	25	14	16	16	130	67	11	44	8	26	17	1	8	45	26	2	17	-	29
65	24	31	5	5	79	55	8	14	2	14	11	1	1	36	24	1	10	1	30
898	303	652	7	31	1,110	794	302	12	10	170	142	26	2	302	277	22	3	-	31
100	46	54	-	-	148	126	22	-	-	20	14	6	-	65	61	2	-	-	32
61	21	40	-	-	59	47	12	-	-	7	4	3	-	8	8	-	-	-	33
39	25	14	-	-	89	79	10	-	-	13	10	3	-	55	53	2	-	-	34
30	12	18	39	28	11	4	3	1	...	11	9	2	35
27	10	17	27	21	6	3	2	1	...	1	1	36
3	2	1	12	7	5	1	1	1	...	10	8	2	37
70	34	36	109	98	11	16	11	5	...	52	52	2	38
34	11	23	-	-	32	26	6	-	-	4	2	2	-	7	7	-	-	-	39
36	23	13	-	-	77	72	5	-	-	12	9	3	-	45	45	-	-	-	40
174	88	85	2	1	317	230	81	5	1	41	33	7	1	67	59	8	-	-	41
73	29	41	2	1	81	55	22	3	1	16	14	1	1	13	13	-	-	-	42
101	57	44	-	-	236	175	59	2	-	25	19	6	-	54	46	8	-	-	43
56	9	47	50	38	12	4	4	-	...	11	9	2	44
41	7	34	39	28	11	3	3	-	...	2	1	45
15	2	13	11	10	1	1	1	-	...	2	1	46
19	-	19	2	2	-	-	-	-	...	9	8	1	47
12	-	12	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	48
7	-	7	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	49
15	2	13	-	-	15	14	1	-	-	5	3	2	-	3	1	1	1	1	50
11	1	10	-	-	4	4	-	-	-	3	1	2	-	2	1	1	1	1	51
4	1	3	-	-	11	10	1	-	-	2	2	-	-	1	-	1	-	-	52
11	2	8	1	-	15	13	1	1	-	3	3	-	-	6	5	-	-	1	53
7	2	4	1	-	5	3	1	1	-	1	1	-	-	4	3	-	-	-	54
4	2	4	-	-	10	10	-	-	-	2	2	-	-	2	2	-	-	-	55
12	6	6	-	-	27	26	1	-	-	6	6	-	-	10	10	-	-	-	56
11	6	5	-	-	22	22	-	-	-	4	4	-	-	7	7	-	-	-	57
1	1	1	-	-	5	4	1	-	-	2	2	-	-	3	3	-	-	-	58
13	6	5	2	2	12	7	5	-	-	-	-	-	-	3	2	1	-	-	59
11	5	1	-	2	6	4	2	-	-	-	-	-	-	1	1	-	-	-	60
2	1	1	-	6	3	3	-	-	-	-	-	-	-	2	1	1	-	-	61
205	71	115	2	17	235	164	61	3	7	54	47	6	1	59	57	2	-	-	62
96	29	53	1	14	58	41	7	3	7	10	8	1	-	5	5	-	-	-	63
109	43	62	1	3	177	123	54	-	-	44	39	5	-	54	52	2	-	-	64
14	1	7	1	5	41	33	5	2	1	3	2	1	-	4	4	-	-	-	65
274	74	193	1	6	256	141	113	1	1	34	30	4	-	76	69	6	1	-	66
272	9	106	12	145	59	7	6	28	18	4	2	-	-	2	-	-	2	3	67
39	4	8	12	15	35	10	5	16	4	7	1	-	-	4	1	-	-	2	68
82	-	11	22	49	85	5	2	50	28	16	1	-	13	7	2	-	4	1	69
12	-	3	1	8	4	-	-	2	2	7	-	-	-	2	2	-	-	-	70
20	-	1	6	13	28	1	-	17	8	5	-	-	-	1	1	-	-	-	71
50	-	7	15	28	55	4	2	31	18	6	-	-	-	4	4	-	-	-	72
4	1	1	1	1	4	2	1	-	1	1	1	-	-	2	-	-	-	-	73

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	Nevada				New Hampshire					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	220	143	18	42	17	271	203	1	67	-
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	-	-	-	-	-	1	-	-	1	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	4	1	-	2	1	2	-	-	2	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	-	-	-	-	-	1	-	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
10 Diseases of thymus gland-----275	1	-	-	-	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	2	1	-	1	-	1	-	-	1	-
12 Other diseases of nervous system and sense organs-----330-354,341-398	1	-	-	1	-	1	1	-	-	-
13 Acute upper respiratory infections-----470-475	2	-	-	2	-	1	-	-	1	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	9	-	-	5	4	32	-	-	32	-
15 Influenza-----480-483	1	-	-	-	1	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	8	5	3	32	32	-
17 Bronchitis-----500-502	-	-	-	-	-	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	11	-	1	8	2	1	-	-	1	-
19 Pulmonary congestion and hypospnea-----522	2	-	-	2	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	9	-	1	6	2	1	-	-	1	-
21 Bronchiectasis-----525	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	-	-	-	-	-
24 Hemia and intestinal obstruction-----560,561,570	1	1	-	-	-	-	-	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2	-	-	1	1	2	-	-	2	-
26 Other diseases of digestive system-----530-542,544-553,573-597	1	-	1	-	-	2	2	-	-	-
27 Congenital malformations-----750-759	37	25	1	7	4	36	26	-	12	-
28 Spina bifida and meningocele-----751	2	2	-	-	-	2	-	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	4	3	1	-	-	2	1	-	1	-
30 Congenital malformations of circulatory system-----754	22	12	-	6	4	14	9	-	5	-
31 Other congenital malformations-----750,755-759	9	8	-	1	-	20	14	-	6	-
32 Certain diseases of early infancy-----760-776	133	114	15	3	1	173	171	1	1	-
33 Birth injuries-----780,781	23	20	3	-	-	23	22	1	-	-
34 Without mention of immaturity (.0)-----	7	6	1	-	-	7	7	-	-	-
35 With immaturity (.5)-----	16	14	2	-	-	16	15	1	-	-
36 Intracranial and spinal injury at birth-----760	6	6	-	4	4	-
37 Without mention of immaturity (.0)-----	3	3	-	2	2	-
38 With immaturity (.5)-----	3	3	-	2	2	-
39 Other birth injury-----761	17	14	3	-	-	19	18	1	-	-
40 Without mention of immaturity (.0)-----	4	3	1	-	-	5	5	-	-	-
41 With immaturity (.5)-----	13	11	2	-	-	14	13	1	-	-
42 Postnatal asphyxia and atelectasis-----762	28	25	2	-	1	41	41	-	-	-
43 Without mention of immaturity (.0)-----	11	6	2	-	1	10	10	-	-	-
44 With immaturity (.5)-----	17	17	-	-	-	31	31	-	-	-
45 Pneumonia of newborn-----763	3	3	-	8	8	-
46 Without mention of immaturity (.0)-----	3	3	-	4	4	-
47 With immaturity (.5)-----	-	-	-	4	4	-
48 Diarrhea of newborn-----764	-	-	-	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	5	5	-	-	-	4	4	-	-	-
52 Without mention of immaturity (.0)-----	4	4	-	-	-	2	2	-	-	-
53 With immaturity (.5)-----	1	1	-	-	-	2	2	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1	1	-	-	-	1	1	-	-	-
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	1	1	-	-	-
56 With immaturity (.5-.9)-----	-	-	-	-	-	-	-	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	4	4	-	-	-	12	12	-	-	-
58 Without mention of immaturity (.0-.2)-----	2	2	-	-	-	7	7	-	-	-
59 With immaturity (.5-.7)-----	2	2	-	-	-	5	5	-	-	-
60 Hemorrhagic disease of newborn-----771	-	-	-	-	-	-	-	-	-	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
62 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	29	23	4	2	-	27	27	-	-	-
64 Without mention of immaturity (.0)-----	9	6	1	2	-	6	6	-	-	-
65 With immaturity (.5)-----	20	17	3	-	-	21	21	-	-	-
66 Immaturity with mention of any other subsidiary condition-----774	2	2	-	-	-	3	3	-	-	-
67 Immaturity, unqualified-----776	38	31	6	1	-	54	53	-	1	-
68 Symptoms and ill-defined conditions-----780-793,795	4	-	-	3	1	5	1	-	4	-
69 All other diseases-----Residual	2	1	-	1	-	2	1	-	1	-
70 Accidents-----E800-E962	9	-	-	7	2	9	1	-	8	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	3	-	-	3	-	1	-	-	1	-
72 Accidental mechanical suffocation in bed and cradle-----E924	-	-	-	-	-	1	-	-	1	-
73 Other accidental causes-----E900-E920,E923,E925-E962	6	-	-	4	2	7	1	-	6	-
74 Homicide-----E964,E980-E984	1	-	-	1	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	North Dakota				Ohio					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	252	184	13	44	11	4,073	2,580	524	783	186
2 Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia 053	1	-	-	1	-	12	-	-	11	1
4 Whooping cough 056	-	-	-	-	-	3	-	1	1	1
5 Meningococcal infections 057	-	-	-	-	-	9	2	1	4	2
6 Tetanus 061	-	-	-	-	-	1	-	-	-	-
7 Other infective and parasitic dis. 001-044, 049-052, 054, 055, 058-060, 062-138	3	-	-	-	3	16	3	-	9	4
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	1	-	-	1	-	12	-	-	11	1
9 Benign neoplasms and neoplasms of unspecified nature 210-239	1	1	-	-	-	5	3	-	2	-
10 Diseases of thymus gland 273	-	-	-	-	-	2	-	-	2	-
11 Meningitis, except meningococcal and tuberculous 340	3	-	1	1	1	32	15	2	8	7
12 Other diseases of nervous system and sense organs 330-334, 341-398	1	-	-	1	-	24	1	-	20	3
13 Acute upper respiratory infections 470-475	-	-	-	-	-	60	4	1	31	24
14 Influenza and pneumonia, except pneumonia of newborn 480-493	17	-	-	13	4	223	-	-	186	38
15 Influenza 480-483	1	-	-	1	-	5	-	-	4	1
16 Pneumonia, except pneumonia of newborn 490-495	16	12	4	218	181	37
17 Bronchitis 500-502	1	-	-	1	-	19	2	1	11	5
18 Other diseases of respiratory system 510-522, 525-527	2	-	-	2	-	86	5	-	58	23
19 Pulmonary congestion and hypostasis 522	-	-	-	-	-	1	1	-	-	-
20 Other chronic interstitial pneumonia 525	1	-	-	1	-	77	2	-	54	21
21 Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity 527.2	1	-	-	1	-	7	1	-	4	2
23 All other diseases of respiratory system 510-521, 527.1	-	-	-	-	-	1	1	-	-	-
24 Hernia and intestinal obstruction 560, 561, 570	5	3	-	2	-	35	20	4	9	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 545, 571, 572	1	-	-	1	-	20	-	-	15	5
26 Other diseases of digestive system 530-542, 544-553, 573-587	2	1	-	1	-	16	6	1	7	2
27 Congenital malformations 750-759	46	35	-	11	2	703	433	53	189	28
28 Spina bifida and meningocele 751	4	2	-	2	-	45	25	6	19	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752, 753	5	4	-	1	-	52	26	4	21	1
30 Congenital malformations of circulatory system 754	8	12	-	4	2	355	181	20	115	19
31 Other congenital malformations 750, 755-759	9	15	-	4	-	271	201	23	40	7
32 Certain diseases of early infancy 760-776	156	144	12	-	-	2,508	2,038	436	50	4
33 Birth injuries 760, 761	27	25	2	-	-	404	358	65	1	-
34 Without mention of immaturity (.0)	9	7	2	-	-	138	118	19	1	-
35 With immaturity (.5)	18	18	-	-	-	266	220	46	-	-
36 Intracranial and spinal injury at birth 760	6	6	-	-	-	112	90	22	-	-
37 Without mention of immaturity (.0)	4	4	-	-	-	51	42	9	-	-
38 With immaturity (.5)	2	2	-	-	-	61	48	13	-	-
39 Other birth injury 761	21	19	2	-	-	292	240	43	1	-
40 Without mention of immaturity (.0)	5	3	2	-	-	87	76	10	1	-
41 With immaturity (.5)	16	16	-	-	-	205	172	33	-	-
42 Postnatal asphyxia and atelectasis 762	35	34	1	-	-	701	607	94	9	1
43 Without mention of immaturity (.0)	10	10	-	-	-	190	162	20	7	1
44 With immaturity (.5)	25	24	1	-	-	511	445	64	2	-
45 Pneumonia of newborn 763	7	4	3	-	-	104	85	19	-	-
46 Without mention of immaturity (.0)	5	3	2	-	-	67	54	13	-	-
47 With immaturity (.5)	2	1	1	-	-	37	31	6	-	-
48 Diarrhea of newborn 764	-	-	-	-	-	6	3	3	-	-
49 Without mention of immaturity (.0)	-	-	-	-	-	2	1	1	-	-
50 With immaturity (.5)	-	-	-	-	-	4	2	2	-	-
51 Other infections of newborn 765-768	1	1	-	-	-	39	23	16	-	-
52 Without mention of immaturity (.0)	1	1	-	-	-	18	14	5	-	-
53 With immaturity (.5)	-	-	-	-	-	20	9	11	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy 769	3	3	-	-	-	26	22	4	-	-
55 Without mention of immaturity (.0-.4)	-	-	-	-	-	8	6	2	-	-
56 With immaturity (.5-.9)	3	3	-	-	-	18	16	2	-	-
57 Hemolytic disease of newborn (erythroblastosis) 770	5	5	-	-	-	69	68	1	-	-
58 Without mention of immaturity (.0-.2)	5	5	-	-	-	49	49	-	-	-
59 With immaturity (.5-.7)	-	-	-	-	-	20	19	1	-	-
60 Hemorrhagic disease of newborn 771	2	2	-	-	-	18	16	3	-	-
61 Without mention of immaturity (.0)	1	1	-	-	-	10	7	3	-	-
62 With immaturity (.5)	1	1	-	-	-	9	9	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772, 773	35	32	3	-	-	481	401	70	10	-
64 Without mention of immaturity (.0)	6	6	-	-	-	98	80	11	7	-
65 With immaturity (.5)	29	26	3	-	-	383	321	59	3	-
66 Immaturity with mention of any other subsidiary condition 774	2	2	-	-	-	47	30	7	8	2
67 Immaturity, unqualified 776	39	36	3	-	-	612	445	164	2	1
68 Symptoms and ill-defined conditions 780-793, 795	4	-	-	4	-	87	13	15	48	11
69 All other diseases -Residual	4	2	-	2	-	60	19	6	32	3
70 Accidents -E800-E862	4	-	-	3	1	122	9	2	92	19
71 Inhalation and ingestion of food or other object causing obstruction or suffocation -E921, E922	-	-	-	-	-	25	2	-	19	4
72 Accidental mechanical suffocation in bed and cradle -E924	1	-	-	1	-	25	1	-	19	5
73 Other accidental causes -E900-E920, E923, E925-E962	3	-	-	2	1	72	6	2	54	10
74 Homicide -E864, E880-E884	-	-	-	-	-	20	6	1	8	5

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966-Con.

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Oklahoma				Total, under 1 year	Oregon				Total, under 1 year	Pennsylvania				Total, under 1 year	Rhode Island						
	Under 28 days		28 days-11 months			Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white			White	Non-white	White			Non-white	White	Non-white			White	Non-white	White	Non-white	White	Non-white
932	535	127	193	77	695	486	19	178	12	4,374	2,781	609	731	253	359	244	24	82	9	1		
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
4	-	-	5	1	1	-	-	1	-	16	-	-	14	2	5	-	-	-	5	-	3	
1	-	-	1	-	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	4	
4	-	-	3	1	2	2	-	-	-	10	-	-	9	1	1	-	-	-	1	-	5	
8	-	-	7	1	4	1	-	5	-	1	-	-	1	2	-	-	-	-	-	-	6	
4	-	-	4	-	3	-	-	5	-	10	-	-	9	1	-	-	-	-	-	-	7	
3	1	-	2	-	2	1	-	1	-	5	2	-	1	2	-	-	-	-	-	-	8	
1	-	-	1	-	1	1	-	-	-	8	1	-	6	1	-	-	-	-	-	-	9	
13	6	1	5	1	3	-	-	3	-	34	12	1	13	8	2	1	-	-	-	-	10	
9	-	-	6	3	-	-	-	-	-	33	1	-	26	6	5	-	-	-	-	-	11	
4	-	-	3	1	1	1	-	1	-	3	-	-	3	4	4	-	-	-	-	-	12	
58	-	-	32	24	52	1	-	49	2	228	-	-	184	44	30	-	-	-	27	-	13	
3	-	-	1	2	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	14	
53	31	22	51	49	2	226	185	43	30	27	-	-	15	
2	1	-	1	-	2	-	1	-	1	14	-	1	12	1	1	-	-	-	-	-	16	
10	-	1	6	3	10	1	-	-	-	46	4	-	32	10	7	-	-	-	-	-	17	
1	-	-	1	-	5	-	-	9	-	4	-	-	1	3	-	-	-	-	-	-	18	
3	-	-	2	1	1	-	-	1	-	31	1	-	25	5	4	-	-	-	-	-	19	
4	-	-	3	1	2	1	-	2	-	4	-	-	3	1	2	-	-	-	-	-	20	
2	-	-	1	1	2	1	-	1	-	7	3	-	3	1	1	-	-	-	-	-	21	
8	5	1	1	1	4	4	-	-	-	49	55	5	8	1	5	4	1	-	-	-	22	
14	-	-	1	13	7	-	-	5	2	51	-	-	27	4	2	-	-	-	-	-	23	
4	1	1	2	2	2	1	-	1	-	18	11	-	7	1	1	-	-	-	-	-	24	
123	71	11	35	6	127	90	4	32	1	660	431	44	163	22	59	59	2	16	2	-	25	
22	12	-	8	2	5	4	1	-	-	65	40	2	23	-	6	3	1	2	-	-	26	
11	5	-	4	2	12	5	-	7	-	40	25	3	11	1	2	-	-	-	-	-	27	
52	29	6	16	1	52	36	1	15	-	309	174	23	97	15	29	16	-	11	2	-	28	
36	25	5	7	1	58	45	2	10	1	246	192	16	32	6	22	20	-	2	-	-	29	
552	438	107	5	2	389	370	13	6	-	2,798	2,228	541	25	6	223	198	21	3	1	-	30	
73	58	15	-	-	68	65	2	1	-	428	363	73	1	1	33	28	5	-	-	-	31	
32	24	8	-	-	25	24	-	1	-	143	127	15	1	0	6	2	-	-	-	-	32	
41	34	7	-	-	43	41	2	-	-	285	226	58	-	1	25	22	3	-	-	-	33	
22	15	7	-	-	19	18	1	-	-	144	105	39	-	-	15	12	3	-	-	-	34	
14	10	4	-	-	8	8	-	-	-	84	56	6	-	-	4	3	-	-	-	-	35	
8	5	3	-	-	11	10	1	-	-	80	49	31	-	-	11	9	2	-	-	-	36	
51	43	8	-	-	49	47	1	-	-	284	246	34	1	1	19	16	2	-	-	-	37	
18	14	4	-	-	17	16	1	-	-	79	71	7	1	-	4	3	1	-	-	-	38	
33	29	4	-	-	32	31	1	-	-	205	177	27	-	1	14	13	1	-	-	-	39	
111	91	19	1	-	89	84	4	-	-	727	620	97	9	1	86	55	9	1	1	-	40	
35	29	5	1	-	31	29	2	-	-	199	169	22	7	1	19	14	3	1	1	-	41	
76	62	14	-	-	57	55	2	-	-	528	451	75	2	-	47	41	6	-	-	-	42	
33	23	10	-	-	14	14	-	-	-	87	70	17	-	-	14	13	1	-	-	-	43	
21	13	8	-	-	7	7	-	-	-	65	51	14	-	-	7	7	-	-	-	-	44	
12	10	2	-	-	7	7	-	-	-	22	19	3	-	-	7	6	1	-	-	-	45	
-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	2	2	-	-	-	-	46	
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	2	2	-	-	-	-	47	
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	48	
15	9	6	-	-	5	5	-	-	-	34	25	9	-	-	1	1	-	-	-	-	49	
8	5	3	-	-	4	4	-	-	-	21	14	7	-	-	1	-	-	-	-	-	50	
7	4	3	-	-	1	1	-	-	-	13	11	2	-	-	1	-	-	-	-	-	51	
8	6	2	-	-	10	9	-	1	-	35	28	6	1	-	2	2	-	-	-	-	52	
1	1	-	-	-	5	4	-	1	-	13	9	3	1	-	-	-	-	-	-	-	53	
7	5	2	-	-	5	5	-	-	-	22	19	3	-	-	2	2	-	-	-	-	54	
19	18	1	-	-	16	16	-	-	-	91	83	6	1	1	5	4	-	-	-	-	55	
18	17	1	-	-	11	11	-	-	-	71	64	5	1	1	4	4	-	-	-	-	56	
1	1	-	-	-	5	5	-	-	-	20	19	1	-	-	1	-	-	-	-	-	57	
7	6	1	-	-	4	4	-	-	-	28	19	9	-	-	1	-	-	-	-	-	58	
8	5	1	-	-	3	3	-	-	-	14	8	6	-	-	-	-	-	-	-	-	59	
1	1	-	-	-	1	1	-	-	-	14	11	3	-	-	1	-	-	-	-	-	60	
130	99	25	4	2	92	87	5	-	-	589	454	106	6	3	51	48	2	1	-	-	61	
36	26	4	4	2	19	18	1	-	-	108	88	13	4	3	6	5	-	-	-	-	62	
94	73	21	-	-	73	69	4	-	-	481	366	93	2	-	45	43	2	-	-	-	63	
17	13	4	-	-	13	10	-	3	-	51	33	13	5	-	2	2	-	-	-	-	64	
139	115	24	-	-	78	75	2	1	-	743	539	204	-	-	45	42	2	1	-	-	65	
35	4	2	23	6	43	8	1	32	2	199	14	10	61	114	1	-	-	-	1	-	66	
17	4	-	10	3	12	2	-	9	1	61	24	1	31	5	6	1	-	-	-	-	67	
58	3	3	41	11	28	3	-	22	3	123	13	3	87	20	7	-	-	-	-	-	68	
12	-	2	6	4	6	-	-	6	-	29	4	-	23	2	1	-	-	-	-	-	69	
20	1	1	16	2	4	1	-	2	1	32	-	-	28	4	2	-	-	-	-	-	70	
26	2	-	19	5	18	2	-	14	2	62	9	3	38	14	4	-	-	-	-	-	71	
2	1	-	1	-	1	1	-	-	-	15	3	3	5	2	-	-	-	-	-	-	72	

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	South Carolina				South Dakota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	1,517	492	392	159	484	311	177	35	74	25
2 Dysentery, all forms-----045-048	5	-	-	-	5	-	-	-	-	2
3 Septicemia and pyemia-----053	-	-	-	2	-	2	-	-	-	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	3	-	-	3	-	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	12	-	2	2	8	2	-	-	1	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
10 Diseases of thymus gland-----275	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	21	2	1	9	9	2	-	1	1	-
12 Other diseases of nervous system and sense organs-----330-334,341-388	9	-	-	5	4	5	-	-	4	1
13 Acute upper respiratory infections-----470-475	9	-	-	2	6	2	-	-	2	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-485	225	-	2	39	185	27	-	-	19	8
15 Influenza-----480-485	15	-	2	-	13	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-495	210	39	172	27	19	8
17 Bronchitis-----500-502	9	-	1	1	7	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	12	1	1	2	8	9	-	-	6	3
19 Pulmonary congestion and hypostasis-----522	1	-	-	1	-	1	-	-	1	-
20 Other chronic interstitial pneumonia-----525	2	-	-	-	2	5	-	-	4	2
21 Bronchiectasis-----526	7	-	-	-	6	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	7	1	-	-	6	1	-	-	1	-
23 All other diseases of respiratory system-----510-521,527.1	2	-	1	1	-	1	-	-	-	1
24 Hernia and intestinal obstruction-----560,561,570	15	10	3	-	2	2	1	1	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	64	-	-	7	57	4	-	-	1	3
26 Other diseases of digestive system-----530-542,544-553,573-587	5	-	3	1	2	1	-	-	-	1
27 Congenital malformations-----750-759	160	80	22	41	17	49	30	1	17	1
28 Spina bifida and meningocele-----751	25	15	1	9	2	3	2	-	1	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	14	5	5	2	2	6	2	-	4	-
30 Congenital malformations of circulatory system-----754	77	35	9	24	9	24	14	1	9	-
31 Other congenital malformations-----750,755-759	44	27	7	6	4	16	12	-	3	1
32 Certain diseases of early infancy-----760-778	702	372	307	-	23	174	142	29	2	1
33 Birth injuries-----780,761	90	55	26	-	1	34	27	7	-	-
34 Without mention of immaturity (.0)-----	43	26	17	-	-	15	11	2	-	-
35 With immaturity (.5)-----	57	27	9	-	1	21	16	5	-	-
36 Intracranial and spinal injury at birth-----760	29	20	9	11	9	2
37 Without mention of immaturity (.0)-----	19	15	4	8	7	1
38 With immaturity (.5)-----	10	5	5	3	2	1
39 Other birth injury-----761	51	33	17	-	1	23	18	5	-	-
40 Without mention of immaturity (.0)-----	24	11	15	-	-	5	4	1	-	-
41 With immaturity (.5)-----	27	22	4	-	1	18	14	4	-	-
42 Postnatal asphyxia and atelectasis-----762	147	86	59	-	2	24	22	2	-	-
43 Without mention of immaturity (.0)-----	50	29	19	-	2	5	5	-	-	-
44 With immaturity (.5)-----	97	57	40	-	-	19	17	2	-	-
45 Pneumonia of newborn-----763	56	16	40	8	5	3
46 Without mention of immaturity (.0)-----	45	13	32	6	4	2
47 With immaturity (.5)-----	11	3	8	2	1	1
48 Diarrhea of newborn-----764	12	2	10	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	8	1	7	-	-	1	1	-	-	-
50 With immaturity (.5)-----	4	1	3	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	12	5	7	-	-	5	3	-	-	-
52 Without mention of immaturity (.0)-----	7	1	6	-	-	3	1	1	-	-
53 With immaturity (.5)-----	5	4	1	-	-	2	1	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	9	8	1	-	-	-	-	-	-	-
55 Without mention of immaturity (.0-.4)-----	4	4	-	-	-	-	-	-	-	-
56 With immaturity (.5-.9)-----	5	4	1	-	-	-	-	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	15	11	1	-	1	8	6	-	-	-
58 Without mention of immaturity (.0-.2)-----	12	10	1	-	1	6	6	-	-	-
59 With immaturity (.5-.7)-----	1	1	-	-	-	2	2	-	-	-
60 Hemorrhagic disease of newborn-----771	5	3	2	-	-	3	1	2	-	-
61 Without mention of immaturity (.0)-----	3	1	2	-	-	3	1	2	-	-
62 With immaturity (.5)-----	2	2	-	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	148	88	46	-	14	44	35	6	2	1
64 Without mention of immaturity (.0)-----	57	30	16	-	11	12	9	-	2	1
65 With immaturity (.5)-----	91	58	30	-	3	32	26	6	-	-
66 Immaturity with mention of any other subsidiary condition-----774	16	5	10	-	1	2	2	-	-	-
67 Immaturity, unqualified-----775	204	95	105	-	4	45	40	5	-	-
68 Symptoms and ill-defined conditions-----780-793,795	137	6	36	14	81	13	-	2	8	3
69 All other diseases-----Residual	28	7	2	6	13	3	1	-	2	-
70 Accidents-----E800-E962	95	3	11	24	57	15	3	1	10	1
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	25	-	2	4	17	1	-	1	-	-
72 Accidental mechanical suffocation in bed and cradle-----E924	21	1	3	7	10	4	2	-	2	-
73 Other accidental causes-----E900-E920,E923,E925-E962	51	2	6	13	30	10	1	-	8	1
74 Homicide-----E964,E980-E984	2	1	-	1	-	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Virginia						Washington			
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	2,146	1,075	503	294	274	1,085	697	83	278	37
2 Dysentery, all forms 045-048	2	-	-	1	1	-	-	-	-	2
3 Septicemia and pyemia 053	4	-	-	1	3	2	-	-	-	-
4 Whooping cough 056	2	-	-	-	-	-	-	-	-	-
5 Meningococcal infections 057	2	-	-	2	-	5	-	-	5	-
6 Tetanus 061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis. 001-044, 049-052, 054, 055, 058-060, 062-138	6	-	1	4	1	4	1	-	3	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	4	1	-	3	-	2	-	-	2	-
9 Benign neoplasms and neoplasms of unspecified nature 210-239	1	1	-	-	-	1	-	-	1	-
10 Diseases of thymus gland 273	-	-	-	-	-	2	-	-	-	-
11 Meningitis, except meningococcal and tuberculous 340	24	4	1	9	10	6	2	3	3	1
12 Other diseases of nervous system and sense organs 330-334, 341-398	13	1	-	10	2	5	1	-	3	1
13 Acute upper respiratory infections 470-475	16	2	-	7	7	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn 480-493	142	-	1	64	77	65	-	-	55	10
15 Influenza 480-483	3	-	1	-	2	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn 480-493	139	64	75	62	52	10
17 Bronchitis 500-502	7	1	-	2	4	4	-	-	4	-
18 Other diseases of respiratory system 510-522, 525-527	82	3	2	33	44	16	4	1	11	-
19 Pulmonary congestion and hypostasis 522	1	-	-	1	-	4	2	-	2	-
20 Other chronic interstitial pneumonia 525	54	-	-	21	33	9	-	-	9	-
21 Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity 527.2	23	2	1	9	11	2	1	1	1	-
23 All other diseases of respiratory system 510-521, 527.1	4	1	1	2	-	1	1	-	-	-
24 Hernia and intestinal obstruction 560, 561, 570	14	9	2	3	-	9	6	1	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	33	-	-	8	25	8	-	-	6	2
26 Other diseases of digestive system 530-542, 544-553, 573-587	8	4	3	1	-	2	1	-	1	-
27 Congenital malformations 750-759	276	153	34	61	28	158	93	11	52	2
28 Spina bifida and meningocele 751	31	16	1	13	1	6	3	-	3	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752, 753	22	7	5	6	4	19	7	-	12	-
30 Congenital malformations of circulatory system 754	124	65	10	31	18	68	32	8	26	2
31 Other congenital malformations 750, 755-759	99	65	18	11	5	65	51	3	11	-
32 Certain diseases of early infancy 760-776	1,306	858	422	12	14	651	573	86	9	3
33 Birth injuries 760, 761	156	124	32	-	-	127	110	17	-	-
34 Without mention of immaturity (.0)	80	66	14	-	-	38	33	5	-	-
35 With immaturity (.5)	76	58	18	-	-	89	77	12	-	-
36 Intracranial and spinal injury at birth 760	69	54	15	49	42	7
37 Without mention of immaturity (.0)	46	36	10	14	11	3
38 With immaturity (.5)	23	18	5	35	31	4
39 Other birth injury 761	87	70	17	-	-	78	68	10	-	-
40 Without mention of immaturity (.0)	34	30	4	-	-	24	22	2	-	-
41 With immaturity (.5)	53	40	13	-	-	54	46	8	-	-
42 Postnatal asphyxia and atelectasis 762	349	220	124	4	1	149	136	10	2	1
43 Without mention of immaturity (.0)	98	63	32	3	-	40	35	2	2	1
44 With immaturity (.5)	251	157	92	1	1	109	101	8	-	-
45 Pneumonia of newborn 763	44	26	18	21	19	2
46 Without mention of immaturity (.0)	30	16	14	16	15	1
47 With immaturity (.5)	14	10	4	5	4	1
48 Diarrhea of newborn 764	8	2	6	-	-	2	2	-	-	-
49 Without mention of immaturity (.0)	7	2	5	-	-	1	1	-	-	-
50 With immaturity (.5)	1	-	1	-	-	1	1	-	-	-
51 Other infections of newborn 765-768	30	16	14	-	-	5	4	1	-	-
52 Without mention of immaturity (.0)	23	14	9	-	-	2	2	-	-	-
53 With immaturity (.5)	7	2	5	-	-	3	2	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy 769	12	8	3	1	-	11	11	-	-	-
55 Without mention of immaturity (.0-.4)	7	5	1	1	-	4	4	-	-	-
56 With immaturity (.5-.9)	5	3	2	-	-	7	7	-	-	-
57 Hemolytic disease of newborn (erythroblastosis) 770	29	26	3	-	-	14	13	1	-	-
58 Without mention of immaturity (.0-.2)	20	20	-	-	-	9	8	1	-	-
59 With immaturity (.5-.7)	9	6	3	-	-	5	5	-	-	-
60 Hemorrhagic disease of newborn 771	8	2	6	-	-	6	5	1	-	-
61 Without mention of immaturity (.0)	6	2	4	-	-	3	2	1	-	-
62 With immaturity (.5)	2	-	2	-	-	3	3	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772, 773	315	213	89	6	8	157	134	16	5	2
64 Without mention of immaturity (.0)	74	47	15	5	7	27	21	1	3	2
65 With immaturity (.5)	242	166	74	1	1	130	113	15	2	-
66 Immaturity with mention of any other subsidiary condition 774	42	20	17	1	4	19	17	1	1	-
67 Immaturity, unqualified 776	312	201	110	-	1	140	122	17	1	-
68 Symptoms and ill-defined conditions 780-793, 795	87	12	22	31	22	100	7	2	79	12
69 All other diseases-Residual	50	16	9	16	9	18	6	1	10	1
70 Accidents-E800-E862	63	7	5	26	25	32	2	1	26	3
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-E921, E922	10	2	-	2	6	5	-	-	5	-
72 Accidental mechanical suffocation in bed and cradle-E924	8	-	-	3	5	7	-	-	6	1
73 Other accidental causes-E900-E920, E923, E925-E962	45	5	5	21	14	20	2	1	15	2
74 Homicide-E964, E980-E984	6	3	1	-	2	5	1	-	4	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1966—Con.
of the Seventh Revision of the International Lists, 1955]

West Virginia					Wisconsin					Wyoming					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
791	552	45	176	19	1,638	1,213	72	329	24	145	106	8	27	2	1
-	-	-	-	-	3	-	-	2	1	1	-	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	-	-	2	-	5	1	-	4	-	1	-	-	1	-	4
4	1	-	3	-	7	2	-	5	-	1	-	-	1	-	5
-	-	-	-	-	8	-	-	8	-	1	1	-	-	-	6
1	1	-	-	-	2	-	-	2	-	1	-	-	1	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	8
4	-	-	4	-	4	1	1	1	1	1	-	-	1	-	9
8	1	-	5	2	5	-	-	5	-	1	-	-	1	-	10
1	-	-	1	-	6	-	-	6	-	1	-	-	1	-	11
58	-	-	54	4	119	-	-	110	9	6	-	-	5	1	12
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
57	53	4	119	110	9	6	5	1	14
1	-	-	1	-	6	-	-	4	2	1	-	-	1	-	15
6	1	-	5	-	18	5	-	13	-	-	-	-	-	-	16
1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	17
4	-	-	4	-	8	-	-	8	-	-	-	-	-	-	18
1	1	-	-	-	3	-	-	3	-	-	-	-	-	-	19
-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	20
6	4	-	1	1	18	15	-	5	-	1	1	-	-	-	21
9	-	-	8	1	10	-	-	7	3	-	-	-	-	-	22
4	1	-	1	2	4	2	1	1	-	-	-	-	-	-	23
125	81	2	38	4	256	161	6	84	5	10	5	-	4	1	24
15	7	-	8	-	19	13	-	6	-	-	-	-	-	-	25
12	5	-	5	2	20	12	-	7	1	-	-	-	-	-	26
53	31	1	19	2	114	62	4	44	4	7	3	-	3	1	27
45	38	1	6	-	103	74	2	27	3	3	2	-	1	-	28
488	441	42	5	-	1,060	1,009	63	8	-	106	98	8	-	-	29
79	72	8	-	-	181	171	19	1	-	9	9	-	-	-	30
24	21	3	-	-	46	43	2	1	-	3	3	-	-	-	31
55	50	5	-	-	145	128	17	-	-	6	6	-	-	-	32
11	9	2	20	19	1	2	2	-	33
3	6	2	16	16	-	1	1	-	34
6	3	3	4	3	1	1	1	-	35
68	62	6	171	152	18	1	-	7	7	-	-	-	36
16	15	1	-	-	30	27	2	1	-	2	2	-	-	-	37
52	47	5	-	-	141	125	16	-	-	5	5	-	-	-	38
128	118	10	-	-	209	199	8	2	-	18	15	3	-	-	39
35	31	4	-	-	52	50	-	2	-	5	4	1	-	-	40
93	87	6	-	-	157	149	8	-	-	13	11	2	-	-	41
34	29	5	39	35	4	7	7	-	42
28	20	8	27	24	3	3	3	-	43
9	9	12	11	1	4	4	-	44
4	3	1	-	-	-	-	-	-	-	-	-	-	45
3	2	1	-	-	-	-	-	-	-	-	-	-	46
1	1	-	-	-	-	-	-	-	-	-	-	-	47
1	1	-	10	7	3	-	-	3	3	-	-	-	48
1	1	-	8	5	3	-	-	3	3	-	-	-	49
1	1	-	2	2	-	-	-	-	-	-	-	-	50
1	1	-	18	17	-	1	-	-	-	-	-	-	51
1	1	-	4	3	-	1	-	-	-	-	-	-	52
11	11	-	14	14	-	-	-	-	-	-	-	-	53
8	8	-	39	39	-	-	-	2	2	-	-	-	54
3	3	-	26	26	-	-	-	2	2	-	-	-	55
-	-	-	13	13	-	-	-	-	-	-	-	-	56
-	-	-	10	9	1	-	-	1	1	-	-	-	57
-	-	-	7	7	-	-	-	1	1	-	-	-	58
-	-	-	3	2	1	-	-	-	-	-	-	-	59
102	95	8	3	-	227	215	9	3	-	25	24	1	-	-	60
25	22	-	3	-	37	31	3	3	-	10	10	-	-	-	61
77	71	8	-	-	190	184	6	-	-	15	14	1	-	-	62
10	9	-	1	-	20	17	2	1	-	2	2	-	-	-	63
118	105	12	1	-	317	300	17	-	-	39	35	4	-	-	64
34	10	1	23	-	13	2	-	11	-	1	-	-	1	-	65
8	6	-	2	-	18	6	1	11	-	3	1	-	2	-	66
30	3	-	25	4	50	9	-	38	3	7	-	-	7	-	67
5	2	-	3	-	11	4	-	7	-	4	-	-	4	-	68
7	-	-	7	-	12	1	-	11	-	-	-	-	-	-	69
19	1	-	15	4	27	4	-	20	3	3	-	-	3	-	70
2	2	-	-	-	6	2	-	4	-	-	-	-	-	-	71

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1966 -----	3-3
3-2. Fetal deaths and fetal-death ratios by color: Birth-registration States, 1922-32, and United States, 1933-66-----	3-4
3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1966-----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1966-----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1966-----	3-5
3-6. Fetal deaths, by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1966-----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1962-66-----	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1966-----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1966-----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1966-----	3-14
3-11. Fetal deaths by age of mother and color: United States and each State, 1966-----	3-16
3-12. Fetal deaths by total-birth order and color: United States and each State, 1966-----	3-18
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1966-----	3-20
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1966-----	3-22
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1966-----	3-23
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1966-----	3-24
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1966-----	3-27

SECTION 3 - FETAL MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1966
[By place of occurrence]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹											Not stated
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	
United States-----	...	80,638	20,009	3,992	6,666	6,125	6,225	7,154	4,028	6,216	10,562	1,659	749	7,253
Alabama-----	Advanced 5th month (20 weeks)	1,349	6	11	129	152	174	165	100	126	421	12	6	67
Alaska-----	20 weeks or more ²	77	-	-	8	14	4	16	5	12	14	2	-	2
Arizona-----	Advanced to 20th week	421	2	3	30	58	49	47	37	46	120	14	9	7
Arkansas-----	All periods of gestation	629	360	28	53	53	55	68	51	36	137	7	3	78
California-----	Advanced to 20th week ⁴	4,088	16	38	254	357	341	534	171	590	213	247	162	1,160
Colorado-----	All periods of gestation	1,664	376	227	98	53	60	63	46	57	69	15	2	98
Connecticut-----	20 weeks or more	641	1	3	88	75	77	101	52	83	119	24	3	15
Delaware-----	20 weeks or more	172	-	4	22	22	25	26	12	16	26	2	-	17
District of Columbia-----	After 5th month	461	2	11	37	41	39	83	13	51	21	19	13	151
Florida-----	20 weeks or more	1,661	-	3	143	198	258	250	183	156	451	31	4	2
Georgia-----	All periods of gestation	2,517	3704	243	250	185	189	172	112	140	340	14	11	157
Hawaii-----	All periods of gestation	302	643	85	45	18	19	27	6	27	24	6	-	2
Idaho-----	After 20 weeks	142	1	-	11	10	8	12	7	16	22	7	-	48
Illinois-----	20 weeks or more	2,691	5	18	328	358	366	417	246	318	682	79	31	43
Indiana-----	20 weeks or more	1,519	5	18	94	119	123	149	85	118	303	32	17	256
Iowa-----	Advanced to 5th month (20 weeks)	541	1	1	53	50	57	85	53	81	113	29	10	9
Kansas-----	Weight in excess of 350 grams	481	1	7	44	50	54	68	41	70	93	11	9	8
Kentucky-----	20 weeks or more	787	-	-	52	83	99	115	71	85	242	18	10	12
Louisiana-----	After 20 weeks	1,236	3	17	91	128	185	176	117	134	335	20	4	22
Maine-----	All periods of gestation	281	17	18	29	28	20	26	12	29	28	8	3	63
Maryland-----	20 weeks or more ⁵	935	2	14	92	96	114	138	53	135	42	49	34	166
Massachusetts-----	20 weeks or more	953	5	16	96	97	113	153	74	144	136	46	17	54
Michigan-----	Advanced through 20th week	2,291	3	22	220	258	274	335	196	278	459	75	24	147
Minnesota-----	After 20 weeks	847	1	13	69	95	110	129	56	127	148	41	13	46
Mississippi-----	All periods of gestation	2,548	897	202	221	141	139	118	80	53	415	3	3	76
Missouri-----	After 20 weeks	1,105	4	2	92	99	103	108	76	132	205	30	13	241
Montana-----	After 20 weeks	141	-	-	7	21	11	27	12	24	29	8	2	2
Nebraska-----	Advanced to 20th week	359	-	6	35	40	40	53	32	46	47	17	7	19
Nevada-----	After 20 weeks	111	-	-	23	12	18	12	15	9	16	3	-	5
New Hampshire-----	20 weeks or more	122	-	-	10	11	7	28	10	16	20	7	1	14
New Jersey-----	20 weeks or more	1,710	5	19	185	206	163	249	121	210	331	41	28	132
New Mexico-----	20 weeks or more	287	2	5	15	21	23	29	21	33	65	10	3	60
New York (incl. N.Y.C.)-----	20 weeks or more	2,324	8	20	268	248	257	367	208	324	466	79	42	37
New York City-----	All periods of gestation	19,654	11,899	1,640	998	501	390	403	118	407	142	173	90	2,893
North Carolina-----	Advanced to 20th week	1,724	-	-	180	234	218	247	152	180	483	25	16	9
North Dakota-----	20 weeks or more	197	11	5	22	24	18	27	17	19	47	6	-	1
Ohio-----	20 weeks or more	2,660	1	-	358	326	350	360	195	366	484	88	34	118
Oklahoma-----	20 weeks or more	484	2	7	41	49	49	72	50	46	150	9	5	6
Oregon-----	All periods of gestation	1,218	500	113	72	56	53	50	28	48	68	21	1	207
Pennsylvania-----	After 16 weeks	3,800	7	477	678	424	375	445	245	345	672	97	38	1
Rhode Island-----	20 weeks or more ²	305	49	24	35	37	24	34	15	41	39	4	2	2
South Carolina-----	After 20 weeks	854	1	10	75	81	134	103	89	65	277	10	4	105
South Dakota-----	20 weeks or more	176	7	2	19	16	16	20	19	19	47	7	2	5
Tennessee-----	20 weeks or more	1,264	-	2	141	166	194	157	99	121	356	18	5	7
Texas-----	20 weeks or more	3,118	6	26	309	367	404	377	341	347	808	69	21	43
Utah-----	After 20 weeks	229	-	2	21	30	17	27	13	36	40	10	-	33
Vermont-----	All periods of gestation	397	105	17	13	13	12	13	4	13	2	4	5	196
Virginia-----	All periods of gestation	6,525	4,139	590	308	201	142	175	110	152	298	24	19	367
Washington-----	20 weeks or more	563	-	6	51	60	90	96	42	80	123	18	3	14
West Virginia-----	Advanced to 5th month ⁶	548	11	14	43	54	59	71	39	61	165	10	2	19
Wisconsin-----	After 20 weeks	954	-	1	107	120	101	141	75	137	200	39	20	13
Wyoming-----	After 20 weeks	80	1	4	5	8	7	13	2	10	23	4	-	3

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.

³For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	1	4	29	26
Colorado-----	3	136	444	293
Georgia-----	6	110	323	265
Hawaii-----	10	89	306	238
Maine-----	-	3	5	9
Mississippi-----	11	240	358	288
New York City-----	504	1,948	5,571	3,876
Oregon-----	3	69	235	193
Vermont-----	-	9	47	49
Virginia-----	30	908	2,110	1,091

⁴Further stipulates that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."

⁵Further specifies that "If the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."

⁶Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-66

[Ratios per 1,000 live births in specified group]

Area and year	All fetal deaths reported regardless of period of gestation						Fetal deaths at gestations of 20 weeks or more and not stated					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES												
1966	80,658	57,277	23,381	22.4	19.1	38.1	56,637	40,827	16,010	15.7	13.6	26.1
1965	87,453	61,871	25,582	23.5	19.8	40.2	60,859	43,550	17,329	16.2	13.8	27.2
1964	94,467	67,267	27,200	23.5	20.0	41.5	65,931	47,345	18,586	16.4	14.1	28.2
1963 ¹	94,194	66,203	27,991	23.0	19.9	40.2	64,640	45,495	17,075	15.8	13.7	26.7
1962 ¹	95,941	68,178	27,763	23.0	20.1	39.7	66,421	47,326	17,128	15.9	13.9	26.7
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,726	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,336	22.2	19.2	38.6	69,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.6	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,870	24,003	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.5	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,656	20,657	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	28.6
1952	85,549	64,702	20,847	22.2	19.5	38.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	69,262	52,319	16,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	23.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,313	51,242	14,271	23.9	21.4	43.0
1944	75,495	58,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.5	73,017	---	---	25.6	---	---
1941	75,133	48,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,692	16,906	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES ²												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	39.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,951	67,056	15,895	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

39
30
78
30
11, 2
22

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1966

[Includes only fetal deaths to residents of those areas in the United States which required reporting of all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation ¹							
	Total	Number			Percent			
		Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	34,950	22,001	8,920	4,029	100.0	100.0	100.0	100.0
Under 15 years	104	43	40	21	0.3	0.2	0.4	0.5
15-19 years	4,549	2,364	1,409	576	12.4	10.7	15.8	14.3
20-24 years	10,538	6,754	2,544	1,240	30.2	30.7	28.5	30.8
25-29 years	8,510	5,550	2,020	940	24.3	25.2	22.6	23.3
30-34 years	5,789	3,722	1,436	631	16.6	18.9	16.1	16.7
35-39 years	3,880	2,440	1,034	406	11.1	11.1	11.6	10.1
40-44 years	1,613	1,028	402	185	4.6	4.7	4.5	4.5
45-49 years	167	100	35	32	0.5	0.5	0.4	0.8

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total	34,994	30,140	4,854	15.1	14.3	24.0
Under 15 years	181	27	154	29.2	23.1	30.9
15-19 years	5,742	3,981	1,761	15.9	12.5	18.9
20-24 years	9,768	8,497	1,271	11.7	11.0	21.0
25-29 years	7,257	6,635	622	12.6	12.6	27.1
30-34 years	5,585	5,069	496	18.6	17.6	41.5
35-39 years	4,442	4,041	401	27.4	26.1	57.4
40 years and over	2,059	1,890	169	40.5	38.7	75.9
White	24,929	23,275	1,656	13.1	12.7	20.0
Under 15 years	37	14	23	20.9	18.6	24.9
15-19 years	3,648	3,053	595	11.9	11.3	16.2
20-24 years	7,223	6,739	484	10.3	10.0	17.1
25-29 years	5,468	5,267	201	11.6	11.4	22.3
30-34 years	3,978	3,826	150	15.9	15.5	34.0
35-39 years	3,105	2,955	142	23.2	22.6	51.4
40 years and over	1,472	1,411	61	11.0	10.6	65.6
Nonwhite	10,065	6,867	3,198	24.7	23.9	26.9
Under 15 years	124	13	111	33.1	39.9	32.5
15-19 years	2,094	928	1,166	19.6	18.4	20.7
20-24 years	2,545	1,758	787	19.5	17.9	24.4
25-29 years	1,789	1,368	421	22.4	20.8	30.1
30-34 years	1,589	1,243	346	32.5	30.1	45.9
35-39 years	1,337	1,078	259	47.7	45.3	61.3
40 years and over	887	479	108	82.7	59.8	79.6

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total	56,637	27,568	23,993	5,076	15.5	16.1	14.7
Fetal deaths in single deliveries	53,359	25,931	22,492	4,936	14.9	15.5	14.2
Fetal deaths in twin deliveries	3,182	1,600	1,450	132	43.3	44.9	41.6
Fetal deaths in other plural deliveries	96	37	51	8	89.9	78.4	100.9
White	40,627	19,800	17,598	3,229	13.4	13.8	12.9
Fetal deaths in single deliveries	39,196	18,575	16,478	3,143	12.8	13.3	12.4
Fetal deaths in twin deliveries	2,355	1,198	1,090	80	40.9	42.3	39.6
Fetal deaths in other plural deliveries	65	29	30	6	77.1	77.7	76.6
Nonwhite	16,010	7,768	6,395	1,847	25.5	27.5	23.3
Fetal deaths in single deliveries	15,163	7,356	6,014	1,795	24.7	26.8	22.6
Fetal deaths in twin deliveries	816	404	360	52	51.8	54.6	49.2
Fetal deaths in other plural deliveries	31	8	21	2	137.8	81.1	133.0

¹Figures for "Sex not stated" are distributed.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1966

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States-----	56,837	6,666	6,125	36,593	7,253	15.7
White-----	40,627	4,484	4,182	27,142	4,819	13.6
Nonwhite--	16,010	2,182	1,943	9,451	2,434	26.1
Urban places-----	33,050	4,280	3,735	19,805	5,250	16.8
White-----	22,076	2,612	2,370	13,962	3,132	14.2
Nonwhite--	10,974	1,668	1,365	5,843	2,098	26.4
Balance of area-----	23,587	2,386	2,390	16,788	2,023	14.4
White-----	16,551	1,872	1,812	13,180	1,667	12.9
Nonwhite--	5,036	514	578	3,608	356	25.4
Metropolitan counties-----	37,024	4,702	4,124	22,652	5,546	15.8
White-----	26,105	3,070	2,764	16,615	3,456	13.6
Nonwhite--	10,919	1,632	1,360	5,837	2,090	26.1
Urban places-----	28,505	3,756	3,244	16,702	4,805	17.1
White-----	18,657	2,258	2,017	11,582	2,790	14.4
Nonwhite--	9,848	1,498	1,227	5,110	2,013	26.5
Balance of area-----	8,519	946	880	5,950	743	12.6
White-----	7,448	812	747	5,223	666	11.9
Nonwhite--	1,071	134	133	727	77	22.6
Nonmetropolitan counties-----	19,613	1,964	2,001	13,941	1,707	18.5
White-----	14,522	1,414	1,418	10,327	1,363	13.6
Nonwhite--	5,091	550	583	3,614	344	26.2
Urban places-----	4,545	524	491	3,103	427	15.1
White-----	3,419	354	353	2,370	342	13.3
Nonwhite--	1,126	170	138	733	85	25.9
Balance of area-----	15,068	1,440	1,510	10,838	1,280	15.7
White-----	11,103	1,060	1,065	7,957	1,021	13.7
Nonwhite--	3,965	380	445	2,881	259	26.3
New England-----	2,434	267	262	1,568	337	11.0
White-----	2,270	245	235	1,468	322	11.7
Nonwhite--	164	22	27	100	15	14.7
Metropolitan counties-----	1,851	192	190	1,185	64	10.6
White-----	1,510	172	166	1,095	77	10.4
Nonwhite--	141	20	24	90	7	13.8
Nonmetropolitan counties-----	783	75	72	383	253	15.6
White-----	760	73	69	373	245	15.6
Nonwhite--	23	2	3	10	8	24.7
Middle Atlantic-----	15,411	2,122	1,581	6,943	3,065	21.0
White-----	9,452	1,387	955	5,409	1,701	17.5
Nonwhite--	3,959	735	426	1,434	1,364	40.5
Metropolitan counties-----	11,722	1,912	1,210	5,601	2,999	22.5
White-----	7,880	1,192	799	4,240	1,649	18.4
Nonwhite--	3,842	720	411	1,361	1,350	41.8
Nonmetropolitan counties-----	1,689	210	171	1,242	66	14.3
White-----	1,572	195	156	1,169	52	14.0
Nonwhite--	117	15	15	73	14	21.6
East North Central-----	10,102	1,118	1,189	7,217	578	13.7
White-----	6,012	633	656	5,924	499	12.5
Nonwhite--	2,090	285	333	1,293	79	22.4
Metropolitan counties-----	7,138	862	901	5,091	294	14.0
White-----	5,188	589	586	3,739	214	12.3
Nonwhite--	1,950	274	316	1,292	68	22.2
Nonmetropolitan counties-----	2,964	256	288	2,126	294	13.1
White-----	2,824	245	271	2,025	283	12.8
Nonwhite--	140	11	17	101	11	25.7
West North Central-----	3,599	329	370	2,581	319	12.9
White-----	3,142	284	315	2,313	230	12.1
Nonwhite--	457	45	55	268	89	22.0
Metropolitan counties-----	1,775	164	175	1,239	197	12.7
White-----	1,442	127	139	1,053	118	11.6
Nonwhite--	333	37	36	181	79	21.3
Nonmetropolitan counties-----	1,824	165	195	1,342	122	13.0
White-----	1,700	157	176	1,255	112	12.6
Nonwhite--	124	8	19	87	10	24.3
South Atlantic-----	9,740	1,155	1,089	6,502	994	17.7
White-----	5,504	642	575	3,783	554	14.3
Nonwhite--	4,236	513	514	2,719	440	25.9
Metropolitan counties-----	4,857	619	585	3,053	600	17.0
White-----	2,814	345	327	1,822	320	13.8
Nonwhite--	2,043	274	258	1,231	280	24.7
Nonmetropolitan counties-----	4,883	536	504	3,449	394	18.6
White-----	2,690	287	248	1,811	234	14.8
Nonwhite--	2,193	249	256	1,638	160	27.1
East South Central-----	4,568	536	515	3,352	185	18.9
White-----	2,479	269	288	1,846	78	14.4
Nonwhite--	2,089	267	229	1,506	87	30.2
Metropolitan counties-----	1,517	197	185	1,108	29	17.3
White-----	825	110	104	589	12	13.4
Nonwhite--	692	87	81	507	17	26.4
Nonmetropolitan counties-----	3,051	339	330	2,246	136	19.8
White-----	1,654	159	132	1,247	66	14.9
Nonwhite--	1,397	180	148	999	70	32.5

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-7

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1966—Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central	5,374	497	603	4,113	161	14.9
White	3,858	316	376	2,775	95	12.8
Nonwhite	1,516	181	227	1,540	66	22.2
Metropolitan counties	2,967	296	352	2,265	56	14.2
White	2,011	166	227	1,556	32	12.3
Nonwhite	956	110	125	697	24	21.2
Nonmetropolitan counties	2,407	201	251	1,850	105	15.9
White	1,547	130	149	1,207	61	13.5
Nonwhite	860	71	102	645	44	23.5
Mountain	1,948	208	212	1,279	249	12.7
White	1,707	178	185	1,123	221	12.3
Nonwhite	241	30	27	156	28	17.0
Metropolitan counties	1,015	135	130	645	105	12.8
White	692	108	115	573	86	12.0
Nonwhite	131	27	15	72	17	23.4
Nonmetropolitan counties	933	75	82	634	146	12.7
White	625	70	70	550	135	12.6
Nonwhite	110	3	12	84	11	12.8
Pacific	5,461	434	504	3,138	1,385	12.3
White	4,605	330	399	2,833	1,121	11.8
Nonwhite	958	104	105	465	264	15.6
Metropolitan counties	4,384	325	396	2,489	1,194	12.3
White	3,555	242	302	2,063	946	11.7
Nonwhite	631	83	94	406	249	15.6
Nonmetropolitan counties	1,077	109	108	669	191	12.2
White	950	88	97	590	175	11.9
Nonwhite	127	21	11	79	16	15.6

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1966-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence--Con.																				All fetal deaths to residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.		
United States.....	32	20	5	72	22	15	39	3	32	12	25	41	4	7	81	16	39	24	3	56,637	
Alabama.....	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1,339	
Alaska.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76	
Arizona.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	414	
Arkansas.....	-	-	-	-	10	-	-	-	-	-	-	4	-	-	-	-	-	-	-	559	
California.....	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	1	-	-	-	4,035	
Colorado.....	-	-	-	-	-	-	1	-	-	-	-	5	2	-	-	-	-	-	-	547	
Connecticut.....	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	646	
Delaware.....	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	167	
District of Columbia.....	-	-	-	-	-	-	-	-	-	-	-	1	-	-	36	-	-	-	-	323	
Florida.....	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1,673	
Georgia.....	-	-	-	1	-	-	1	-	12	-	4	-	-	-	-	1	-	-	-	1,558	
Hawaii.....	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	175	
Idaho.....	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	147	
Illinois.....	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	8	-	2,908	
Indiana.....	-	-	-	4	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1,287	
Iowa.....	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	543	
Kansas.....	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	486	
Kentucky.....	-	-	-	12	-	-	-	-	-	-	11	-	-	-	-	-	4	-	-	785	
Louisiana.....	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1,222	
Maine.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	250	
Maryland.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	10	-	10	-	-	1,005	
Massachusetts.....	1	-	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-	1	-	916	
Michigan.....	1	-	-	3	-	-	-	-	-	-	5	-	-	2	-	-	-	3	-	2,278	
Minnesota.....	-	-	5	-	-	1	-	-	1	1	1	-	-	-	-	-	-	8	-	827	
Mississippi.....	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1,252	
Missouri.....	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1,070	
Montana.....	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	140	
Nebraska.....	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	323	
Nevada.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112	
New Hampshire.....	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	131	
New Jersey.....	7	-	-	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	1,787	
New Mexico.....	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	289	
New York.....	-	-	-	-	-	-	12	-	1	1	1	-	-	1	1	1	-	-	-	8,340	
North Carolina.....	-	-	-	-	-	-	1	-	12	-	3	2	-	-	10	-	-	-	-	1,707	
North Dakota.....	1	-	-	-	-	-	-	-	-	5	-	1	-	-	-	-	-	-	-	176	
Ohio.....	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	10	-	-	2,679	
Oklahoma.....	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	491	
Oregon.....	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	11	-	-	1	600	
Pennsylvania.....	4	-	-	8	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	3,304	
Rhode Island.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225	
South Carolina.....	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	965	
South Dakota.....	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	174	
Tennessee.....	1	3	-	2	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	1,192	
Texas.....	-	-	-	-	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3,102	
Utah.....	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	223	
Vermont.....	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266	
Virginia.....	2	8	-	1	-	-	1	-	2	-	1	-	-	-	-	-	11	-	-	1,836	
Washington.....	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	575	
West Virginia.....	-	-	-	37	-	-	4	-	-	-	-	-	-	-	5	-	-	-	-	506	
Wisconsin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	950	
Wyoming.....	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	76	

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States-----	56,637	4,785	4,330	4,814	4,547	4,864	4,853	4,897	4,951	4,801	4,883	4,483	4,423
White-----	40,827	3,476	3,109	3,467	3,286	3,429	3,408	3,442	3,530	3,421	3,566	3,312	3,181
Nonwhite--	16,010	1,309	1,221	1,347	1,261	1,435	1,445	1,455	1,421	1,380	1,317	1,171	1,242
Alabama-----	1,339	114	100	109	92	113	117	133	113	128	122	100	98
White-----	593	50	44	53	32	43	50	59	50	61	60	44	47
Nonwhite--	746	64	56	56	60	70	67	74	63	67	62	56	51
Alaska-----	78	6	2	10	7	7	6	12	7	6	4	6	3
White-----	39	1	1	5	3	4	4	7	4	3	3	1	1
Nonwhite--	37	5	1	5	4	3	2	5	3	3	1	5	2
Arizona-----	414	50	34	24	30	36	28	37	38	31	43	37	26
White-----	346	40	30	19	28	27	22	29	34	23	38	34	22
Nonwhite--	68	10	4	5	2	9	6	8	4	8	5	3	4
Arkansas-----	559	53	35	49	45	47	50	51	62	44	42	43	38
White-----	333	34	21	31	31	28	21	31	37	22	32	28	19
Nonwhite--	226	19	14	18	14	19	29	20	25	22	10	17	19
California-----	4,056	339	324	333	315	331	346	339	321	351	361	343	332
White-----	3,522	288	277	270	254	262	259	277	268	290	293	293	282
Nonwhite--	713	51	47	63	61	69	87	62	53	52	68	50	50
Colorado-----	547	59	38	52	53	43	48	40	54	41	41	37	43
White-----	489	55	27	51	50	43	39	37	44	36	39	32	36
Nonwhite--	58	4	11	1	3	-	7	3	10	5	2	5	7
Connecticut-----	646	66	55	53	49	51	50	54	62	53	37	69	47
White-----	545	55	43	44	43	43	44	47	52	44	34	61	35
Nonwhite--	101	11	12	9	6	8	6	7	10	9	3	8	12
Delaware-----	167	13	7	14	14	10	16	20	21	10	10	19	13
White-----	116	8	5	9	9	8	13	16	16	10	7	18	7
Nonwhite--	49	5	2	5	5	4	3	4	5	-	3	7	6
District of Columbia-----	323	22	20	30	27	39	28	29	19	30	30	24	25
White-----	44	3	2	5	6	1	7	5	4	4	3	3	1
Nonwhite--	279	19	18	25	21	38	21	24	15	26	27	21	24
Florida-----	1,673	150	123	123	126	131	146	159	161	149	146	116	143
White-----	920	89	65	68	82	72	75	86	89	77	80	63	74
Nonwhite--	753	61	58	55	44	59	71	73	72	72	66	53	69
Georgia-----	1,558	134	113	121	133	129	130	145	160	132	146	115	100
White-----	855	66	48	65	67	78	70	70	90	70	83	70	53
Nonwhite--	723	68	65	56	66	51	55	75	70	62	63	45	47
Hawaii-----	175	18	12	14	14	12	16	19	12	16	16	11	15
White-----	54	6	4	8	3	3	2	4	3	6	6	4	5
Nonwhite--	121	12	8	6	11	9	14	15	9	10	10	7	10
Idaho-----	147	6	14	9	20	13	10	17	11	5	11	17	15
White-----	143	6	13	8	20	13	10	16	10	5	10	17	15
Nonwhite--	4	-	1	-	-	-	-	1	1	-	1	-	-
Illinois-----	2,908	252	236	272	223	241	239	244	248	219	251	242	241
White-----	2,043	188	168	194	152	171	171	161	169	152	176	179	162
Nonwhite--	865	64	68	78	71	70	68	83	79	67	75	63	79
Indiana-----	1,287	103	92	95	100	120	106	119	118	109	113	102	110
White-----	1,101	88	79	85	88	102	81	104	106	96	94	82	96
Nonwhite--	186	15	13	10	12	18	25	15	12	13	19	20	14
Iowa-----	543	56	46	36	45	39	41	54	51	47	56	45	27
White-----	524	53	45	36	44	38	39	51	49	47	53	42	27
Nonwhite--	19	3	1	-	1	1	2	3	2	-	3	-	-
Kansas-----	486	40	41	42	36	33	48	41	44	50	46	37	28
White-----	428	36	39	40	29	31	42	38	40	43	36	28	26
Nonwhite--	58	4	2	2	7	2	6	3	4	7	10	9	2
Kentucky-----	785	56	58	60	64	69	67	57	70	58	82	60	84
White-----	676	48	48	52	53	55	58	49	59	53	75	51	75
Nonwhite--	109	8	10	8	11	14	9	8	11	5	7	9	9
Louisiana-----	1,222	92	73	110	73	107	95	108	127	144	109	96	69
White-----	471	35	32	49	26	46	42	42	47	43	46	35	28
Nonwhite--	751	57	41	61	47	61	53	66	80	101	63	61	60
Maine-----	250	22	19	23	21	25	18	23	17	22	27	18	15
White-----	249	22	19	23	21	25	18	23	17	22	27	17	15
Nonwhite--	1	-	-	-	-	-	-	-	-	-	-	1	-
Maryland-----	1,005	103	77	93	96	92	92	72	80	70	80	76	74
White-----	669	70	50	64	64	56	55	40	58	49	51	59	53
Nonwhite--	336	33	27	29	32	36	37	32	22	21	29	17	21
Massachusetts-----	916	82	77	79	65	72	69	82	67	76	89	88	70
White-----	883	79	76	76	64	71	65	77	63	71	86	86	69
Nonwhite--	33	3	1	3	1	1	4	5	4	5	3	2	1
Michigan-----	2,278	183	154	183	205	187	194	199	212	187	205	173	196
White-----	1,763	141	123	145	166	134	159	153	168	148	150	137	141
Nonwhite--	515	42	31	38	39	53	35	46	44	41	55	36	55
Minnesota-----	827	65	2	64	76	76	83	59	66	72	73	63	69
White-----	807	64	61	59	73	74	83	57	63	71	71	62	67
Nonwhite--	20	1	1	5	1	2	-	1	3	1	2	1	2
Mississippi-----	1,252	105	90	111	83	98	133	123	111	101	108	83	106
White-----	385	27	23	38	27	40	37	37	34	31	35	26	30
Nonwhite--	867	78	67	73	56	58	96	86	77	70	73	57	76

SECTION 3 - FETAL MORTALITY

3-13

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1966—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,070	108	92	79	86	98	74	85	116	97	94	69	74
White	791	79	69	62	63	81	55	55	84	67	77	52	47
Nonwhite	279	27	23	17	23	17	19	30	32	30	17	17	27
Montana	140	8	12	12	17	7	12	11	16	9	9	15	12
White	125	6	10	12	12	7	11	11	15	9	7	15	10
Nonwhite	15	2	2	-	5	-	1	-	1	-	2	-	2
Nebraska	323	22	23	33	27	24	26	31	25	28	32	26	26
White	290	20	20	31	26	20	21	29	21	27	29	23	23
Nonwhite	33	2	3	2	1	4	5	2	4	1	3	3	3
Nevada	112	9	8	10	13	11	15	11	10	5	8	4	8
White	75	5	5	5	9	8	9	6	9	4	7	1	7
Nonwhite	37	4	3	5	4	3	6	5	1	1	1	3	1
New Hampshire	131	10	9	15	10	12	6	15	9	11	10	8	16
White	131	10	9	15	10	12	6	15	9	11	10	8	16
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,767	146	129	132	149	157	172	157	152	155	147	154	117
White	1,271	109	97	96	107	119	117	116	111	117	101	102	79
Nonwhite	496	37	32	36	42	38	55	41	41	38	46	52	38
New Mexico	289	22	28	23	24	24	29	22	19	24	23	31	20
White	241	17	25	22	19	19	28	20	15	21	17	22	15
Nonwhite	48	5	2	1	5	5	1	2	4	3	6	9	5
New York	8,540	665	656	788	728	779	749	848	693	705	627	647	656
White	5,544	456	432	511	460	500	492	421	465	471	434	465	439
Nonwhite	2,796	209	224	277	268	279	256	227	228	234	193	184	217
North Carolina	1,707	158	121	149	131	124	146	170	169	128	154	144	133
White	887	73	66	77	72	61	73	85	82	61	79	82	76
Nonwhite	820	65	55	72	59	63	73	85	87	67	75	62	57
North Dakota	176	17	13	15	20	17	17	13	13	19	15	8	9
White	155	17	9	12	17	16	16	13	10	19	12	8	6
Nonwhite	21	-	4	3	3	1	1	-	3	-	3	-	3
Ohio	2,679	206	189	217	199	224	230	226	237	247	235	243	226
White	2,225	179	161	181	167	178	192	187	195	209	194	202	180
Nonwhite	454	27	28	36	32	46	38	39	42	38	41	41	46
Oklahoma	491	41	36	38	38	32	32	44	49	39	52	47	43
White	380	35	26	28	30	22	24	36	42	29	43	35	31
Nonwhite	111	6	10	10	8	10	8	8	7	10	10	12	12
Oregon	600	58	41	52	50	56	49	59	40	45	56	50	46
White	571	55	39	47	48	51	49	58	39	44	52	47	42
Nonwhite	29	1	2	5	2	5	-	1	1	1	4	3	4
Pennsylvania	3,504	284	261	289	237	279	286	282	272	298	320	250	246
White	2,637	220	206	222	185	218	234	226	214	230	262	201	219
Nonwhite	667	64	55	67	52	61	52	56	58	68	58	49	27
Rhode Island	225	23	28	13	14	21	24	12	17	16	24	12	21
White	204	21	26	11	13	19	23	9	16	14	23	10	19
Nonwhite	21	2	2	2	1	2	1	3	1	2	1	2	2
South Carolina	965	81	79	81	84	110	92	79	79	82	83	53	62
White	394	40	27	34	38	39	38	33	29	35	30	23	28
Nonwhite	571	41	52	47	46	71	54	46	50	47	53	30	34
South Dakota	174	15	13	13	19	15	19	10	11	17	13	15	14
White	147	11	13	12	17	15	15	7	8	12	11	13	13
Nonwhite	27	4	-	1	2	-	4	3	3	5	2	2	1
Tennessee	1,192	106	100	115	87	104	88	115	101	91	100	98	77
White	825	68	61	82	57	68	74	79	73	64	78	65	56
Nonwhite	367	38	39	33	30	36	24	36	28	27	22	33	21
Texas	3,102	282	235	263	220	266	236	290	283	249	262	265	251
White	2,374	223	180	199	175	198	177	214	213	192	212	198	193
Nonwhite	728	59	55	64	45	68	59	76	70	57	50	67	58
Utah	223	24	20	20	15	17	23	18	18	11	22	18	17
White	216	24	20	20	15	17	22	18	17	11	19	17	16
Nonwhite	7	-	-	-	-	-	1	-	1	-	3	1	1
Vermont	268	19	19	29	26	24	16	26	26	19	16	21	25
White	258	19	19	28	26	23	16	26	26	19	14	21	21
Nonwhite	8	-	-	1	-	1	-	-	-	-	2	-	4
Virginia	1,636	143	141	142	160	157	160	156	169	173	152	136	147
White	1,164	81	88	101	112	104	94	91	99	103	101	90	100
Nonwhite	672	62	53	41	48	53	66	65	70	70	51	46	47
Washington	575	47	48	41	46	44	52	48	53	52	56	38	50
White	517	41	44	37	43	41	46	44	48	42	49	35	47
Nonwhite	58	6	4	4	3	3	6	4	5	10	7	3	3
West Virginia	506	41	38	43	46	45	37	48	47	45	48	28	40
White	473	37	32	41	45	41	31	46	44	44	48	27	37
Nonwhite	33	4	6	2	1	4	6	2	3	1	-	1	3
Wisconsin	950	75	86	82	81	90	76	75	71	79	74	85	76
White	880	68	79	74	75	80	71	70	68	76	67	82	70
Nonwhite	70	7	7	8	6	10	5	5	3	3	7	3	6
Wyoming	76	10	3	12	8	6	4	11	4	6	3	4	5
White	72	10	2	10	8	6	3	11	4	6	3	4	5
Nonwhite	4	-	1	2	-	-	1	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	56,637	17,531	9,583	7,803	6,037	4,452	3,080	2,215	5,205	731
Under 15 years	236	211	20	3	-	-	-	-	-	2
15-19 years	8,815	6,548	1,635	517	122	35	11	4	2	81
20-24 years	16,080	6,788	4,004	2,503	1,349	639	308	125	91	215
25-29 years	12,198	2,889	2,221	2,346	1,933	1,319	929	495	596	161
30-34 years	9,188	1,039	972	1,385	1,393	1,222	695	753	1,415	134
35-39 years	6,880	623	503	793	874	866	711	581	1,339	90
40-44 years	2,930	214	164	244	320	341	303	256	1,040	48
45-49 years	272	19	14	12	26	30	23	25	123	2
Male	27,568	8,642	4,543	3,754	2,858	2,197	1,541	1,139	2,608	287
Under 15 years	123	106	13	2	-	-	-	-	-	2
15-19 years	4,371	3,171	617	262	57	15	8	1	-	40
20-24 years	7,685	3,343	1,888	1,186	642	293	142	60	45	86
25-29 years	5,910	1,119	1,034	1,116	928	658	436	256	306	58
30-34 years	4,481	507	461	684	627	619	450	369	700	45
35-39 years	3,402	288	243	378	430	422	344	297	965	35
40-44 years	1,469	102	79	121	163	176	150	131	527	20
45-49 years	127	7	6	5	11	14	11	5	65	1
Female	23,993	7,321	4,100	3,293	2,642	1,888	1,273	914	2,345	217
Under 15 years	94	87	6	1	-	-	-	-	-	-
15-19 years	3,786	2,766	722	207	53	13	2	1	1	21
20-24 years	6,829	2,847	1,724	1,082	595	288	131	49	39	74
25-29 years	5,076	894	952	1,004	657	543	322	203	260	41
30-34 years	3,880	411	420	565	627	525	366	290	643	33
35-39 years	2,969	238	205	331	370	364	305	245	894	27
40-44 years	1,248	73	69	97	130	144	135	113	467	20
45-49 years	111	5	2	6	10	11	12	13	51	1
Sex not stated	5,076	1,568	940	756	537	367	266	163	252	227
Under 15 years	19	18	1	-	-	-	-	-	-	-
15-19 years	668	411	156	48	12	7	1	-	-	20
20-24 years	1,506	598	329	235	112	50	35	16	7	53
25-29 years	1,210	277	225	226	168	118	71	34	29	62
30-34 years	827	121	91	136	139	78	79	55	72	56
35-39 years	609	97	55	84	74	80	62	39	90	28
40-44 years	213	39	16	26	27	21	16	12	46	8
45-49 years	34	7	4	1	5	5	-	5	7	-
White	40,627	13,255	7,161	5,946	4,479	3,138	2,072	1,414	2,713	449
Under 15 years	59	57	2	-	-	-	-	-	-	-
15-19 years	5,616	4,318	958	235	47	12	2	1	2	41
20-24 years	11,806	5,494	3,059	1,770	801	324	140	61	26	131
25-29 years	9,145	1,885	1,808	1,925	1,489	900	508	273	262	96
30-34 years	6,666	813	779	1,159	1,126	919	628	459	711	93
35-39 years	4,992	504	403	657	725	678	538	409	1,017	61
40-44 years	2,153	171	141	210	268	285	237	196	620	26
45-49 years	190	13	11	10	23	20	19	17	75	2
Male	19,800	6,524	3,402	2,892	2,150	1,551	1,031	721	1,342	187
Under 15 years	38	36	2	-	-	-	-	-	-	-
15-19 years	2,760	2,136	450	123	20	6	2	-	-	23
20-24 years	5,696	2,708	1,444	865	377	145	56	28	12	61
25-29 years	4,454	866	919	713	444	280	137	142	36	36
30-34 years	3,269	394	371	559	530	463	314	251	353	34
35-39 years	2,441	243	196	320	362	335	257	206	499	23
40-44 years	1,058	84	67	102	139	150	115	96	290	9
45-49 years	84	6	6	4	9	8	9	3	38	1
Female	17,598	5,646	3,147	2,575	2,006	1,362	893	600	1,234	135
Under 15 years	17	17	-	-	-	-	-	-	-	-
15-19 years	2,483	1,932	426	91	22	2	-	-	1	9
20-24 years	5,163	2,358	1,366	775	373	152	65	22	9	43
25-29 years	3,699	750	789	852	674	397	195	119	105	28
30-34 years	2,853	335	335	481	508	404	273	180	315	21
35-39 years	2,184	193	169	284	310	289	240	179	479	21
40-44 years	938	57	61	87	110	119	110	69	294	12
45-49 years	81	3	1	5	9	10	10	11	31	1
Sex not stated	3,229	1,085	612	479	323	225	148	93	137	127
Under 15 years	4	4	-	-	-	-	-	-	-	-
15-19 years	373	250	82	21	5	4	1	1	1	9
20-24 years	947	428	249	130	51	27	18	11	5	27
25-29 years	792	218	153	154	102	69	33	17	15	31
30-34 years	544	83	73	99	88	52	41	27	43	38
35-39 years	387	68	38	53	53	54	41	24	39	17
40-44 years	157	30	15	21	19	17	14	10	28	5
45-49 years	25	4	4	1	5	2	-	3	6	-
Nonwhite	16,010	4,276	2,422	1,857	1,558	1,314	1,008	801	2,492	282
Under 15 years	177	154	18	3	-	-	-	-	-	2
15-19 years	3,199	2,030	737	282	75	23	9	3	-	40
20-24 years	4,214	1,294	945	733	548	315	168	64	65	82
25-29 years	3,051	404	403	421	464	419	321	220	333	66
30-34 years	2,522	226	193	246	267	303	267	275	704	41
35-39 years	1,968	119	100	138	149	168	173	172	922	29
40-44 years	777	43	23	34	52	56	66	61	420	22
45-49 years	62	6	3	2	3	10	4	6	48	-

SECTION 3 - FETAL MORTALITY

3-15

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1966-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Nonwhite—Con.										
Male.....	7,768	2,118	1,141	862	708	646	510	417	1,266	100
Under 15 years.....	65	70	11	2	-	-	-	-	-	2
15-19 years.....	1,611	1,085	367	139	37	9	6	1	-	17
20-24 years.....	1,369	635	444	321	265	148	86	32	35	25
25-29 years.....	1,456	201	168	197	215	214	156	119	164	22
30-34 years.....	1,212	113	90	125	97	156	136	137	347	11
35-39 years.....	961	45	47	58	68	67	87	91	466	12
40-44 years.....	411	18	12	19	24	26	37	35	229	11
45-49 years.....	43	1	2	1	2	6	2	2	27	-
Female.....	6,596	1,675	953	718	536	526	380	314	1,111	62
Under 15 years.....	77	70	6	1	-	-	-	-	-	-
15-19 years.....	1,303	834	296	116	31	11	2	1	-	12
20-24 years.....	1,656	489	359	307	222	136	66	27	30	31
25-29 years.....	1,177	144	163	152	183	156	127	84	155	13
30-34 years.....	1,027	75	85	64	119	121	93	110	328	12
35-39 years.....	805	45	56	47	60	75	65	66	405	6
40-44 years.....	310	16	8	10	20	26	25	24	175	8
45-49 years.....	50	2	1	1	1	1	2	2	20	-
Sex not stated.....	1,847	485	328	277	214	142	118	70	115	100
Under 15 years.....	15	14	1	-	-	-	-	-	-	-
15-19 years.....	285	161	74	27	7	3	1	1	-	11
20-24 years.....	559	170	143	105	61	31	16	5	2	26
25-29 years.....	418	59	72	72	65	49	38	17	14	31
30-34 years.....	283	38	19	37	51	26	38	23	29	18
35-39 years.....	222	29	17	31	21	26	21	15	61	11
40-44 years.....	56	9	3	5	8	4	4	2	18	3
45-49 years.....	9	3	-	-	-	3	-	2	1	-

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States	56,637	236	8,815	16,020	12,196	9,188	6,960	2,930	272
White	40,627	59	5,616	11,806	9,145	6,666	4,992	2,153	130
Nonwhite	16,010	177	3,199	4,214	3,051	2,522	1,988	777	82
Alabama	1,339	11	282	320	262	187	198	70	9
White	693	2	127	167	136	66	64	29	2
Nonwhite	746	9	155	153	126	121	134	41	7
Alaska	76	-	6	22	20	14	8	6	-
White	39	-	4	15	7	6	4	3	-
Nonwhite	37	-	2	7	13	8	4	3	-
Arizona	414	-	56	124	96	67	53	12	6
White	346	-	48	101	86	54	44	9	4
Nonwhite	68	-	8	23	10	13	9	3	2
Arkansas	559	5	117	146	114	70	65	34	-
White	333	1	62	103	80	45	29	13	-
Nonwhite	226	4	55	43	34	25	36	21	-
California	4,035	14	629	1,129	892	692	406	193	11
White	3,322	6	492	948	739	560	412	156	10
Nonwhite	713	8	136	181	144	132	74	37	1
Colorado	547	1	76	180	117	89	60	24	-
White	489	1	67	161	105	62	50	23	-
Nonwhite	58	-	9	19	12	7	10	1	-
Connecticut	646	2	65	181	149	120	89	36	4
White	545	-	47	144	130	109	78	34	3
Nonwhite	101	2	18	37	19	11	11	2	1
Delaware	167	-	40	40	32	23	20	11	1
White	118	-	20	31	29	15	17	5	1
Nonwhite	49	-	20	9	3	8	3	6	-
District of Columbia	323	2	71	105	64	49	21	14	-
White	44	-	9	13	12	4	3	3	-
Nonwhite	279	2	62	90	52	44	18	11	-
Florida	1,673	9	346	453	338	259	208	54	6
White	920	-	177	268	203	137	101	32	2
Nonwhite	753	9	169	185	135	122	107	22	4
Georgia	1,559	5	307	477	311	229	155	65	9
White	835	2	157	230	163	125	64	31	3
Nonwhite	723	3	150	187	148	104	91	34	6
Hawaii	175	-	8	48	37	44	27	9	2
White	54	-	2	21	13	13	4	1	-
Nonwhite	121	-	6	27	24	31	23	8	2
Idaho	147	-	30	48	25	18	19	7	-
White	143	-	30	46	24	18	18	7	-
Nonwhite	4	-	-	2	1	-	1	-	-
Illinois	2,908	7	419	837	622	496	369	149	9
White	2,043	1	247	465	370	272	191	105	7
Nonwhite	865	6	172	261	157	126	97	44	2
Indiana	1,287	6	238	382	255	190	144	65	7
White	1,101	1	195	327	227	172	113	61	5
Nonwhite	186	5	43	55	28	18	31	4	2
Iowa	543	-	82	161	124	85	59	28	4
White	524	-	77	153	120	84	58	28	4
Nonwhite	19	-	5	8	4	1	1	-	-
Kansas	486	1	81	148	94	69	60	23	-
White	428	1	73	134	84	63	51	22	-
Nonwhite	58	-	8	14	10	6	9	1	-
Kentucky	785	2	133	214	164	125	94	46	7
White	676	1	119	184	145	105	81	36	5
Nonwhite	109	1	14	30	19	20	13	10	2
Louisiana	1,222	13	230	328	223	202	163	54	9
White	471	-	85	144	81	72	53	23	3
Nonwhite	751	13	145	184	132	130	110	31	6
Maine	250	-	43	82	45	38	33	9	-
White	249	-	42	82	45	38	33	9	-
Nonwhite	1	-	1	-	-	-	-	-	-
Maryland	1,005	6	166	299	209	166	102	53	4
White	669	1	83	220	143	115	72	31	4
Nonwhite	336	5	83	79	66	51	30	22	-
Massachusetts	916	-	91	266	229	159	111	58	4
White	893	-	85	256	222	154	106	55	4
Nonwhite	33	-	5	10	7	5	5	1	-
Michigan	2,278	15	361	604	495	352	290	146	15
White	1,763	5	248	496	395	288	215	105	11
Nonwhite	515	10	113	108	100	64	75	41	4
Minnesota	827	-	75	222	183	163	118	59	7
White	807	-	72	219	176	159	116	58	7
Nonwhite	20	-	3	3	7	4	2	1	-
Mississippi	1,252	14	251	304	238	181	174	81	9
White	585	-	75	113	84	64	47	20	3
Nonwhite	867	14	176	191	154	118	127	61	6

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1966-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Missouri	1,070	9	181	324	193	184	149	47	3
White	781	4	116	258	143	124	103	36	2
Nonwhite	279	5	65	66	50	40	41	11	1
Montana	140	-	19	38	30	29	13	11	-
White	125	-	14	37	30	25	9	10	-
Nonwhite	15	-	5	1	-	4	4	1	-
Nebraska	323	-	35	96	76	55	39	22	2
White	290	-	31	84	71	46	35	21	2
Nonwhite	33	-	4	12	5	7	4	1	-
Nevada	112	-	24	28	31	17	8	4	-
White	75	-	16	22	20	9	5	3	-
Nonwhite	37	-	8	6	11	8	3	1	-
New Hampshire	131	-	13	42	24	23	19	7	1
White	131	-	13	42	24	23	19	7	1
Nonwhite	-	-	-	-	-	-	-	-	-
New Jersey	1,767	4	198	470	437	340	217	98	5
White	1,271	2	109	317	348	257	155	79	4
Nonwhite	496	2	87	153	89	83	62	19	1
New Mexico	289	-	36	72	62	51	50	17	1
White	241	-	30	59	54	39	42	17	-
Nonwhite	48	-	6	13	8	12	8	-	1
New York	8,340	25	961	2,435	2,082	1,459	996	378	44
White	5,544	6	523	1,565	1,405	1,005	713	296	31
Nonwhite	2,796	19	438	870	687	454	283	82	13
North Carolina	1,707	15	368	477	315	257	195	75	5
White	997	2	176	281	183	127	93	24	1
Nonwhite	620	13	192	196	132	130	102	51	4
North Dakota	176	-	20	52	30	32	31	10	1
White	155	-	18	48	24	26	29	9	1
Nonwhite	21	-	2	4	6	6	2	1	-
Ohio	2,679	6	382	778	590	437	328	144	14
White	2,225	1	294	655	513	359	281	110	12
Nonwhite	454	5	88	123	77	78	47	34	2
Oklahoma	491	4	111	137	89	71	53	23	3
White	390	2	85	110	72	54	43	13	3
Nonwhite	111	2	28	27	17	17	10	10	-
Oregon	600	1	114	163	138	87	50	26	1
White	571	-	106	180	128	84	49	26	-
Nonwhite	29	1	11	3	10	3	1	-	1
Pennsylvania	3,304	9	414	918	711	567	434	232	19
White	2,637	1	271	726	576	468	377	201	17
Nonwhite	667	8	143	192	135	99	57	31	2
Rhode Island	225	-	34	71	50	32	27	9	2
White	204	-	26	61	48	32	27	8	2
Nonwhite	21	-	8	10	2	-	-	1	-
South Carolina	965	5	190	285	174	116	154	39	2
White	394	-	73	148	85	35	47	6	-
Nonwhite	571	5	117	137	89	81	107	33	2
South Dakota	174	-	17	42	44	30	21	20	-
White	147	-	15	38	37	23	15	19	-
Nonwhite	27	-	2	4	7	7	6	1	-
Tennessee	1,192	12	277	312	223	177	135	52	4
White	825	3	191	232	171	106	89	31	2
Nonwhite	367	9	86	80	52	71	46	21	2
Texas	3,102	14	528	894	618	456	410	174	10
White	2,374	9	366	697	486	350	321	137	8
Nonwhite	728	5	160	197	132	106	89	37	2
Utah	223	-	31	62	46	40	29	14	1
White	216	-	30	61	46	37	28	13	1
Nonwhite	7	-	1	1	-	3	1	1	-
Vermont	266	1	31	82	49	53	27	18	5
White	258	1	30	83	48	51	27	16	5
Nonwhite	8	-	1	2	1	2	-	2	-
Virginia	1,836	12	331	500	415	284	201	79	14
White	1,164	2	172	337	282	183	126	53	9
Nonwhite	672	10	159	163	133	101	75	26	5
Washington	575	1	84	166	121	107	56	27	3
White	517	-	86	153	110	92	49	24	3
Nonwhite	58	1	8	13	11	15	7	3	-
West Virginia	508	2	97	150	106	67	58	25	1
White	473	1	93	140	101	63	52	23	-
Nonwhite	35	1	4	10	5	4	6	2	1
Wisconsin	950	3	88	265	211	158	146	71	8
White	880	3	80	241	196	145	140	68	7
Nonwhite	70	-	8	24	15	13	6	3	1
Wyoming	76	-	13	23	23	5	8	4	-
White	72	-	13	22	21	4	8	4	-
Nonwhite	4	-	-	1	2	1	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States	56,637	17,531	9,585	7,805	6,037	4,452	3,080	2,215	5,205	731
White	40,627	13,255	7,161	5,946	4,479	3,158	2,072	1,414	2,715	449
Nonwhite	16,010	4,276	2,422	1,857	1,558	1,314	1,008	801	2,492	282
Alabama	1,339	395	202	162	106	126	78	64	204	4
White	593	221	112	94	54	48	25	15	25	1
Nonwhite	746	172	90	68	52	78	53	51	179	3
Alaska	76	21	9	10	11	8	4	3	9	1
White	39	15	5	6	7	2	2	1	1	-
Nonwhite	37	6	4	4	4	6	2	2	8	1
Arizona	414	105	66	62	40	25	28	23	60	5
White	346	92	59	57	33	22	19	19	41	4
Nonwhite	68	13	7	5	7	3	9	4	19	1
Arkansas	559	163	76	76	50	44	25	26	97	2
White	333	111	56	61	33	27	11	11	83	-
Nonwhite	226	52	20	15	17	17	14	15	74	2
California	4,035	1,317	753	587	408	286	193	126	277	88
White	3,322	1,099	631	502	358	245	149	100	200	58
Nonwhite	713	218	122	85	70	41	44	26	77	30
Colorado	547	285	75	59	34	28	31	17	27	11
White	489	235	69	54	30	26	29	15	21	10
Nonwhite	58	30	6	5	4	2	2	2	6	1
Connecticut	646	184	104	102	90	65	41	25	55	-
White	545	160	82	89	81	55	30	21	27	-
Nonwhite	101	24	22	13	9	10	11	4	8	-
Delaware	167	72	14	29	18	8	6	3	16	1
White	118	49	10	23	15	5	2	1	10	1
Nonwhite	49	23	4	6	3	3	1	1	6	-
District of Columbia	323	127	65	41	30	22	15	8	15	2
White	44	21	10	5	7	-	-	-	1	-
Nonwhite	279	106	53	36	23	22	15	8	14	2
Florida	1,675	510	283	234	187	102	103	76	171	7
White	920	323	189	150	107	54	43	25	25	4
Nonwhite	753	187	94	84	80	48	60	51	146	3
Georgia	1,558	457	257	205	154	125	79	57	201	23
White	835	298	149	124	86	63	34	20	53	8
Nonwhite	723	159	108	81	68	62	45	37	148	15
Hawaii	175	35	33	32	21	21	10	12	11	-
White	54	14	10	12	5	7	1	4	1	-
Nonwhite	121	21	23	20	16	14	9	8	10	-
Idaho	147	54	19	19	20	9	8	5	13	-
White	143	53	19	19	19	9	7	5	12	-
Nonwhite	4	1	-	-	1	-	1	-	1	-
Illinois	2,908	902	505	386	337	211	150	128	263	28
White	2,043	653	372	286	265	150	90	75	131	11
Nonwhite	865	249	131	90	72	61	60	53	132	17
Indiana	1,287	448	166	177	142	106	71	57	110	10
White	1,101	383	148	156	121	90	63	46	86	8
Nonwhite	186	65	18	21	21	16	8	11	24	2
Iowa	543	145	93	82	72	38	20	28	54	3
White	524	140	91	82	68	38	25	28	51	1
Nonwhite	19	5	2	-	4	-	3	-	3	2
Kansas	406	149	78	71	61	41	27	17	34	6
White	428	132	75	64	54	38	24	12	26	5
Nonwhite	58	17	5	7	7	3	3	5	8	3
Kentucky	785	246	127	100	81	58	51	26	89	7
White	676	225	106	88	67	47	41	20	76	6
Nonwhite	109	21	21	12	14	11	10	6	13	1
Louisiana	1,222	349	178	144	109	117	67	51	184	13
White	471	151	77	67	52	48	28	14	29	5
Nonwhite	751	198	101	77	57	69	39	37	165	8
Maine	250	88	38	28	24	16	15	17	21	3
White	249	87	38	28	24	16	15	17	21	3
Nonwhite	1	1	-	-	-	-	-	-	-	-
Maryland	1,005	308	201	148	109	81	54	34	67	3
White	668	218	143	108	75	49	31	16	27	2
Nonwhite	336	90	58	40	34	32	23	16	40	1
Massachusetts	916	275	150	144	100	97	49	34	62	7
White	883	262	146	138	100	91	48	34	57	7
Nonwhite	33	11	4	6	-	6	1	-	5	-
Michigan	2,278	735	352	290	267	195	129	105	191	14
White	1,763	583	277	240	232	146	100	79	119	7
Nonwhite	515	172	75	50	35	49	29	26	72	7
Minnesota	837	217	109	113	100	76	69	46	95	2
White	807	214	107	112	85	71	69	45	92	2
Nonwhite	20	3	2	1	5	5	-	1	3	-
Mississippi	1,252	308	159	150	100	92	60	63	291	11
White	385	138	60	60	34	29	20	16	24	4
Nonwhite	867	168	99	90	66	63	60	47	267	7

SECTION 3 - FETAL MORTALITY

349

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1966-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,070	340	172	125	116	84	61	35	125	12
White	791	281	151	91	85	67	35	24	67	10
Nonwhite	279	59	41	34	31	17	26	11	58	2
Montana	140	41	28	24	12	12	7	6	10	-
White	125	36	24	24	12	11	3	6	9	-
Nonwhite	15	5	4	-	-	1	4	-	1	-
Nebraska	323	88	68	37	42	24	21	12	29	2
White	290	80	60	35	38	23	20	10	22	2
Nonwhite	33	8	8	2	4	1	1	2	7	-
Nevada	112	46	12	11	12	11	3	6	10	1
White	75	34	9	9	9	7	1	4	1	1
Nonwhite	37	12	3	2	3	4	2	2	9	-
New Hampshire	131	33	29	18	23	14	7	3	3	1
White	131	33	29	18	23	14	7	3	3	1
Nonwhite	-	-	-	-	-	-	-	-	-	-
New Jersey	1,767	570	294	270	220	147	86	56	92	32
White	1,271	411	220	215	160	103	56	30	49	27
Nonwhite	496	159	74	55	60	44	30	26	43	5
New Mexico	289	78	40	43	28	23	19	14	41	-
White	241	66	33	40	23	25	15	11	30	-
Nonwhite	48	12	7	3	5	3	4	3	11	-
New York	8,340	2,476	1,582	1,305	948	639	412	296	407	275
White	5,544	1,735	1,053	886	608	420	266	181	245	152
Nonwhite	2,796	741	529	419	342	219	146	115	162	123
North Carolina	1,707	543	294	228	158	138	95	64	184	6
White	887	327	180	148	84	61	29	25	29	4
Nonwhite	820	216	114	80	74	74	66	39	155	2
North Dakota	176	52	23	12	23	16	14	15	21	-
White	155	46	22	12	20	15	12	11	17	-
Nonwhite	21	6	1	-	3	1	2	4	4	-
Ohio	2,679	816	456	405	300	208	135	106	232	23
White	2,225	673	396	348	255	166	108	84	177	18
Nonwhite	454	143	60	55	45	42	27	22	25	5
Oklahoma	491	153	98	63	56	35	18	22	41	5
White	380	123	80	50	44	28	14	15	24	2
Nonwhite	111	30	18	13	12	7	4	7	17	3
Oregon	600	210	114	74	52	50	36	21	36	7
White	571	200	110	69	51	46	31	21	36	7
Nonwhite	29	10	4	5	1	4	5	-	-	-
Pennsylvania	3,304	937	577	480	396	287	200	113	284	30
White	2,637	768	459	382	321	223	158	90	218	18
Nonwhite	667	169	118	98	75	64	42	23	66	12
Rhode Island	225	71	40	32	22	23	16	5	15	1
White	204	60	38	28	21	23	15	5	13	1
Nonwhite	21	11	2	4	1	-	1	-	2	-
South Carolina	965	304	129	93	93	66	45	47	175	13
White	394	156	66	53	45	22	15	15	14	8
Nonwhite	571	148	63	40	48	44	30	32	161	5
South Dakota	174	40	27	24	21	12	17	9	24	-
White	147	38	27	21	17	8	14	8	16	-
Nonwhite	27	4	-	3	4	4	3	1	8	-
Tennessee	1,192	456	221	130	99	92	47	36	107	4
White	925	354	171	99	67	53	31	16	32	2
Nonwhite	367	102	50	31	32	39	16	20	75	2
Texas	3,102	926	550	403	299	217	179	129	376	23
White	2,574	744	422	315	235	152	131	87	271	17
Nonwhite	728	182	128	88	64	65	48	42	105	6
Utah	223	63	34	33	19	27	18	13	15	1
White	216	61	32	32	19	27	18	13	13	1
Nonwhite	7	2	2	1	-	-	-	-	2	-
Vermont	266	100	52	24	23	18	14	9	22	3
White	258	96	50	24	23	19	14	9	20	3
Nonwhite	8	4	2	-	-	-	-	-	2	-
Virginia	1,836	661	306	220	197	137	86	61	144	24
White	1,164	462	207	142	127	88	50	27	48	13
Nonwhite	672	199	99	78	70	49	36	34	96	11
Washington	575	194	97	79	58	46	37	19	42	3
White	517	178	85	70	50	44	33	19	35	3
Nonwhite	58	16	12	9	8	2	4	-	7	-
West Virginia	506	171	96	71	49	29	19	19	53	1
White	473	159	94	66	48	26	17	16	46	1
Nonwhite	33	12	2	5	1	2	2	2	7	-
Wisconsin	950	263	125	141	92	95	73	45	106	10
White	880	251	113	126	68	68	66	43	95	10
Nonwhite	70	12	12	15	4	7	7	2	11	-
Wyoming	76	30	11	9	8	5	4	4	4	1
White	72	28	11	8	8	5	4	3	4	1
Nonwhite	4	2	-	1	-	-	-	1	-	-

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation ¹				Group III—fetal deaths of 28 weeks gestation or more ¹			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
United States.....	56,637	54,809	1,287	563	12,791	12,207	585	85	36,535	35,204	532	460
White.....	40,627	39,835	599	35	8,666	8,442	195	1	27,142	26,775	236	31
Nonwhite.....	16,010	14,474	688	530	4,125	3,765	191	84	9,451	8,511	316	429
Alabama.....	1,339	1,101	39	157	264	211	15	26	1,007	838	21	122
White.....	593	582	8	2	125	119	4	—	445	438	4	2
Nonwhite.....	746	519	31	155	141	92	11	26	562	400	17	120
Alaska.....	76	72	1	2	23	23	—	—	51	48	1	1
White.....	39	39	—	—	13	13	—	—	26	26	—	—
Nonwhite.....	37	33	1	2	10	10	—	—	25	22	1	1
Arizona.....	414	404	4	1	88	86	1	—	318	310	3	1
White.....	345	339	4	1	78	78	1	—	262	257	3	1
Nonwhite.....	69	65	—	—	10	10	—	—	56	53	—	—
Arkansas.....	559	501	13	16	106	92	4	1	375	338	8	14
White.....	333	320	6	2	55	53	1	—	232	222	4	2
Nonwhite.....	226	181	7	14	51	39	3	1	143	116	4	12
California.....	4,055	3,976	45	—	617	604	11	—	2,281	2,251	8	—
White.....	3,322	3,276	32	—	482	475	6	—	1,930	1,923	5	—
Nonwhite.....	713	700	11	—	135	129	5	—	351	328	3	—
Colorado.....	547	528	14	—	147	139	7	—	505	298	5	—
White.....	489	475	10	—	127	121	5	—	281	275	4	—
Nonwhite.....	58	53	4	—	20	18	2	—	24	23	1	—
Connecticut.....	646	634	11	—	162	159	3	—	467	462	4	—
White.....	545	537	8	—	132	129	3	—	401	399	3	—
Nonwhite.....	101	97	3	—	30	30	—	—	66	64	1	—
Delaware.....	167	164	3	—	45	43	—	—	107	106	1	—
White.....	118	116	2	—	26	26	—	—	65	62	1	—
Nonwhite.....	49	48	1	—	17	17	—	—	24	24	—	—
District of Columbia.....	323	315	5	—	52	50	2	—	147	146	—	—
White.....	44	42	1	—	4	4	—	—	26	26	—	—
Nonwhite.....	279	273	4	—	48	46	2	—	121	120	—	—
Florida.....	1,673	1,586	38	39	345	334	9	1	1,322	1,246	30	37
White.....	920	901	13	2	189	186	2	—	730	714	11	2
Nonwhite.....	753	685	25	36	156	148	6	1	592	532	19	35
Georgia.....	1,558	1,420	40	9	428	393	13	1	974	881	25	7
White.....	835	823	4	1	219	217	1	—	524	517	3	1
Nonwhite.....	723	597	38	8	209	176	12	1	450	364	22	6
Hawaii.....	175	170	5	—	62	60	2	—	111	108	2	—
White.....	54	53	1	—	19	18	1	—	34	34	—	—
Nonwhite.....	121	117	4	—	43	42	1	—	77	74	3	—
Idaho.....	147	142	4	—	24	22	2	—	77	76	—	—
White.....	143	138	4	—	23	21	2	—	74	73	—	—
Nonwhite.....	4	4	—	—	1	1	—	—	3	3	—	—
Illinois.....	2,908	2,865	37	—	700	683	15	—	2,157	2,132	21	—
White.....	2,043	2,028	14	—	453	445	7	—	1,548	1,542	6	—
Nonwhite.....	865	837	25	—	247	238	8	—	609	590	15	—
Indiana.....	1,287	1,278	7	2	208	206	2	—	828	823	3	2
White.....	1,101	1,093	6	2	188	185	1	—	730	725	3	2
Nonwhite.....	186	185	1	—	42	41	1	—	98	98	—	—
Iowa.....	543	536	5	—	105	103	1	—	430	425	4	—
White.....	524	517	5	—	101	99	1	—	416	411	4	—
Nonwhite.....	19	19	—	—	4	4	—	—	14	14	—	—
Kansas.....	496	476	9	—	98	92	6	—	376	372	3	—
White.....	428	419	8	—	80	75	5	—	339	335	3	—
Nonwhite.....	58	57	1	—	18	17	1	—	37	37	—	—
Kentucky.....	785	781	14	9	135	134	1	—	836	814	13	8
White.....	676	657	10	9	115	114	1	—	548	531	9	8
Nonwhite.....	109	104	4	—	20	20	—	—	88	83	4	—
Louisiana.....	1,222	1,169	27	15	221	206	13	2	978	941	13	13
White.....	471	464	6	—	83	78	5	—	379	377	1	—
Nonwhite.....	751	705	21	15	138	128	8	2	599	564	12	13
Maine.....	250	242	6	—	58	53	3	—	129	127	2	—
White.....	249	241	6	—	58	53	3	—	128	126	2	—
Nonwhite.....	1	1	—	—	—	—	—	—	1	1	—	—
Maryland.....	1,005	989	33	—	208	202	5	—	610	595	14	—
White.....	669	648	18	—	132	128	3	—	432	422	9	—
Nonwhite.....	336	321	15	—	76	74	2	—	178	173	5	—
Massachusetts.....	916	913	3	—	191	190	1	—	670	668	2	—
White.....	885	880	3	—	183	182	1	—	648	646	2	—
Nonwhite.....	35	33	—	—	8	8	—	—	22	22	—	—
Michigan.....	2,278	2,254	20	—	484	477	5	—	1,649	1,636	11	—
White.....	1,763	1,751	12	—	333	330	3	—	1,289	1,284	5	—
Nonwhite.....	515	503	8	—	151	147	2	—	350	342	6	—
Minnesota.....	827	820	6	—	162	158	4	—	620	617	2	—
White.....	807	800	6	—	152	148	4	—	611	608	2	—
Nonwhite.....	20	20	—	—	10	10	—	—	9	9	—	—
Mississippi.....	1,252	961	66	194	360	282	25	43	818	623	31	147
White.....	585	373	9	—	115	111	3	—	235	232	2	—
Nonwhite.....	867	588	57	194	245	171	22	43	583	391	29	147

See footnotes at end of table.

SECTION 3.- FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1966—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation ¹				Group III—fetal deaths of 28 weeks gestation or more ¹			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
Missouri	1,070	1,025	32	-	185	173	10	-	654	638	13	-
White	791	781	26	-	135	128	7	-	507	494	11	-
Nonwhite	279	244	6	-	50	45	3	-	147	144	2	-
Montana	140	137	2	-	27	26	1	-	113	111	1	-
White	125	122	2	-	24	23	1	-	101	99	1	-
Nonwhite	15	15	-	-	3	3	-	-	12	12	-	-
Nebraska	323	310	11	-	70	67	3	-	236	226	8	-
White	290	281	7	-	63	61	2	-	212	205	5	-
Nonwhite	33	29	4	-	7	6	1	-	24	21	3	-
Nevada	112	108	2	-	54	52	2	-	73	71	-	-
White	75	72	1	-	17	16	1	-	53	51	-	-
Nonwhite	37	36	1	-	17	16	1	-	20	20	-	-
New Hampshire	131	130	1	-	24	24	-	-	92	91	1	-
White	131	130	1	-	24	24	-	-	92	91	1	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,767	1,762	2	-	410	410	-	-	1,204	1,200	1	-
White	1,271	1,268	2	-	264	264	-	-	901	899	1	-
Nonwhite	496	494	-	-	146	146	-	-	303	301	-	-
New Mexico	289	282	7	-	37	36	1	-	192	188	4	-
White	241	235	6	-	33	32	1	-	159	156	3	-
Nonwhite	48	47	1	-	4	4	-	-	33	32	1	-
New York	8,340	8,006	325	-	2,001	1,928	71	-	5,431	5,386	45	-
White	5,544	5,396	142	-	1,309	1,268	39	-	2,644	2,619	24	-
Nonwhite	2,796	2,610	183	-	692	660	32	-	787	767	19	-
North Carolina	1,707	1,603	57	35	389	366	17	2	1,308	1,230	36	33
White	887	876	8	1	183	179	4	-	702	696	3	1
Nonwhite	820	727	49	34	206	187	13	2	606	534	35	32
North Dakota	176	172	4	-	45	42	3	-	129	128	1	-
White	155	151	4	-	40	37	3	-	113	112	1	-
Nonwhite	21	21	-	-	5	5	-	-	16	16	-	-
Ohio	2,679	2,650	24	-	688	678	8	-	1,874	1,858	15	-
White	2,225	2,201	20	-	525	518	6	-	1,591	1,577	13	-
Nonwhite	454	449	4	-	163	160	2	-	283	281	2	-
Oklahoma	481	475	12	1	93	88	6	-	391	384	6	1
White	380	370	8	1	72	67	5	-	303	299	3	1
Nonwhite	111	105	4	-	21	19	1	-	88	85	3	-
Oregon	600	594	5	-	124	124	-	-	270	265	4	-
White	571	565	5	-	115	115	-	-	263	258	4	-
Nonwhite	29	29	-	-	9	9	-	-	7	7	-	-
Pennsylvania	3,304	3,225	64	-	1,092	1,049	33	-	2,208	2,173	30	-
White	2,637	2,577	50	-	769	738	25	-	1,864	1,836	24	-
Nonwhite	667	648	14	-	323	311	8	-	344	337	6	-
Rhode Island	225	218	7	-	70	67	3	-	154	150	4	-
White	204	199	5	-	59	57	2	-	144	141	3	-
Nonwhite	21	19	2	-	11	10	1	-	10	9	1	-
South Carolina	965	828	49	48	161	137	9	4	700	597	37	43
White	394	368	4	-	64	63	-	-	290	285	4	-
Nonwhite	571	440	45	48	97	74	9	4	410	312	33	43
South Dakota	174	168	2	1	54	53	-	-	136	131	2	1
White	147	145	1	-	28	28	-	-	115	113	1	-
Nonwhite	27	23	1	1	6	5	-	-	21	18	1	1
Tennessee	1,192	1,152	24	12	292	284	6	1	891	860	17	11
White	825	812	11	1	202	198	3	-	618	609	8	1
Nonwhite	367	340	13	11	90	86	3	1	273	251	9	10
Texas	3,102	2,934	59	20	680	645	22	4	2,369	2,240	37	16
White	2,374	2,285	38	9	482	462	16	1	1,859	1,772	22	8
Nonwhite	728	689	21	11	198	183	6	3	510	468	15	8
Utah	223	220	3	-	49	47	2	-	143	142	1	-
White	216	213	3	-	47	45	2	-	139	138	1	-
Nonwhite	7	7	-	-	2	2	-	-	4	4	-	-
Vermont	266	252	14	-	24	23	1	-	56	53	3	-
White	258	244	14	-	24	23	1	-	53	52	3	-
Nonwhite	8	8	-	-	-	-	-	-	1	1	-	-
Virginia	1,836	1,721	109	1	519	487	31	-	951	899	50	1
White	1,164	1,134	28	-	309	302	7	-	598	581	7	-
Nonwhite	672	587	81	1	210	185	24	-	353	318	45	1
Washington	575	568	5	-	112	107	4	-	445	444	-	-
White	517	512	4	-	100	97	3	-	400	399	-	-
Nonwhite	58	56	1	-	12	10	1	-	45	45	-	-
West Virginia	506	492	9	2	99	98	2	-	383	374	5	2
White	473	460	8	2	91	88	2	-	358	350	4	2
Nonwhite	33	32	1	-	8	8	-	-	25	24	1	-
Wisconsin	980	944	5	-	227	224	2	-	709	706	3	-
White	880	874	5	-	212	208	2	-	656	653	3	-
Nonwhite	70	70	-	-	15	15	-	-	53	53	-	-
Wyoming	76	76	-	-	14	14	-	-	58	58	-	-
White	72	72	-	-	14	14	-	-	54	54	-	-
Nonwhite	4	4	-	-	-	-	-	-	4	4	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.
²Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."
³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

SECTION 3 - FETAL MORTALITY

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Plurality of birth, color, and sex	Total	Birth weight ¹											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Total	56,637	4,943	8,841	6,020	5,609	5,955	5,498	5,379	2,958	1,147	574	373	9,340
Fetal deaths in single deliveries	53,359	4,296	8,063	5,635	5,253	5,588	5,311	5,298	2,936	1,144	573	368	8,896
Fetal deaths in twin deliveries	3,182	616	749	373	354	364	183	79	22	3	1	5	433
Fetal deaths in other plural deliveries	96	31	29	12	2	5	4	2	-	-	-	-	11
Male	27,569	2,298	4,621	3,053	2,878	3,054	2,813	2,862	1,662	696	364	235	3,042
Fetal deaths in single deliveries	25,931	1,978	4,233	2,869	2,698	2,852	2,716	2,814	1,650	694	363	233	2,831
Fetal deaths in twin deliveries	1,600	300	577	181	179	199	97	46	12	2	1	2	204
Fetal deaths in other plural deliveries	57	10	11	3	1	3	-	2	-	-	-	-	7
Female	23,993	1,837	4,025	2,891	2,677	2,854	2,656	2,490	1,286	444	208	157	2,488
Fetal deaths in single deliveries	22,492	1,551	3,649	2,697	2,504	2,691	2,568	2,457	1,276	443	208	135	2,315
Fetal deaths in twin deliveries	1,450	270	389	186	172	161	86	33	10	1	-	2	170
Fetal deaths in other plural deliveries	51	16	17	8	1	2	4	-	-	-	-	-	3
Sex not stated	5,076	818	195	76	54	47	29	27	10	7	2	1	3,810
Fetal deaths in single deliveries	4,936	767	181	69	51	43	29	27	10	7	2	-	3,750
Fetal deaths in twin deliveries	132	46	13	6	3	4	-	-	-	-	-	1	59
Fetal deaths in other plural deliveries	8	5	1	1	-	-	-	-	-	-	-	-	1
White	40,627	3,466	5,992	4,254	3,988	4,307	4,067	4,031	2,325	855	396	250	6,636
Fetal deaths in single deliveries	38,196	2,974	5,447	3,965	3,714	4,022	3,930	4,031	2,313	853	395	245	6,307
Fetal deaths in twin deliveries	2,366	467	528	281	273	281	136	60	12	2	1	5	320
Fetal deaths in other plural deliveries	65	25	17	9	1	4	1	-	-	-	-	-	9
Male	19,800	1,639	3,095	2,132	2,043	2,195	2,048	2,148	1,308	518	247	162	2,265
Fetal deaths in single deliveries	18,575	1,398	2,815	1,998	1,910	2,043	1,971	2,115	1,302	517	246	160	2,100
Fetal deaths in twin deliveries	1,196	233	272	131	132	150	77	33	6	1	1	2	156
Fetal deaths in other plural deliveries	29	8	8	3	1	2	-	-	-	-	-	-	7
Female	17,598	1,346	2,791	2,065	1,914	2,078	1,998	1,924	1,009	333	149	87	1,904
Fetal deaths in single deliveries	16,478	1,129	2,534	1,916	1,775	1,949	1,938	1,897	1,003	332	149	85	1,771
Fetal deaths in twin deliveries	1,090	204	249	145	139	127	59	27	6	1	-	2	131
Fetal deaths in other plural deliveries	30	15	8	4	-	2	1	-	-	-	-	-	2
Sex not stated	3,229	481	106	57	31	34	21	19	6	4	-	1	2,467
Fetal deaths in single deliveries	3,143	447	98	51	29	30	21	19	8	4	-	-	2,436
Fetal deaths in twin deliveries	80	30	7	5	2	4	-	-	-	-	-	1	31
Fetal deaths in other plural deliveries	6	4	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	16,010	1,477	2,849	1,766	1,621	1,648	1,431	1,288	633	292	178	123	2,704
Fetal deaths in single deliveries	15,163	1,322	2,616	1,670	1,539	1,564	1,381	1,267	623	291	178	123	2,589
Fetal deaths in twin deliveries	818	149	221	92	81	85	47	19	10	1	-	-	113
Fetal deaths in other plural deliveries	31	8	12	4	1	1	3	2	-	-	-	-	2
Male	7,768	649	1,526	921	835	859	765	714	354	178	117	73	777
Fetal deaths in single deliveries	7,356	580	1,418	871	788	809	745	699	348	177	117	78	731
Fetal deaths in twin deliveries	404	67	105	50	47	49	20	13	6	1	-	-	46
Fetal deaths in other plural deliveries	8	2	3	-	-	1	-	2	-	-	-	-	-
Female	6,395	491	1,234	826	763	776	658	568	277	111	59	50	584
Fetal deaths in single deliveries	6,014	422	1,115	781	729	742	628	560	273	111	59	50	544
Fetal deaths in twin deliveries	360	66	110	41	33	34	27	6	4	-	-	-	39
Fetal deaths in other plural deliveries	21	3	9	4	1	-	3	-	-	-	-	-	1
Sex not stated	1,847	337	89	19	23	13	8	8	2	3	2	-	1,343
Fetal deaths in single deliveries	1,793	320	85	18	22	13	8	8	2	3	2	-	1,314
Fetal deaths in twin deliveries	52	16	6	1	1	-	-	-	-	-	-	-	28
Fetal deaths in other plural deliveries	2	1	-	-	-	-	-	-	-	-	-	-	1

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-23

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1966

Plurality of birth, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total.....	56,637	6,686	6,125	6,225	7,154	4,028	6,216	10,562	2,408	7,253
Fetal deaths in single deliveries.....	53,359	6,087	5,620	5,821	6,702	3,794	5,848	10,130	2,366	6,991
Fetal deaths in twin deliveries.....	3,182	551	491	391	439	231	357	424	40	259
Fetal deaths in other plural deliveries.....	96	28	14	13	13	3	11	8	2	4
Male.....	27,568	3,297	3,087	3,205	3,691	2,109	3,207	5,471	1,198	2,285
Fetal deaths in single deliveries.....	25,931	2,994	2,850	3,016	3,457	1,994	3,029	5,253	1,177	2,161
Fetal deaths in twin deliveries.....	1,600	289	244	185	230	115	174	212	21	150
Fetal deaths in other plural deliveries.....	37	14	3	4	4	-	4	6	-	2
Female.....	23,993	2,390	2,584	2,806	3,324	1,879	2,944	5,027	1,172	1,867
Fetal deaths in single deliveries.....	22,492	2,146	2,355	2,603	3,117	1,765	2,764	4,826	1,152	1,764
Fetal deaths in twin deliveries.....	1,450	251	220	197	199	111	174	199	18	101
Fetal deaths in other plural deliveries.....	51	13	9	6	8	3	6	2	2	2
Sex not stated.....	5,076	979	444	214	139	40	65	64	38	3,093
Fetal deaths in single deliveries.....	4,936	947	435	202	128	35	55	51	37	3,066
Fetal deaths in twin deliveries.....	132	31	27	9	10	5	9	13	1	27
Fetal deaths in other plural deliveries.....	8	1	2	3	1	-	1	-	-	-
White.....	40,627	4,484	4,182	4,331	5,351	2,953	4,994	7,446	2,007	4,619
Fetal deaths in single deliveries.....	39,196	4,080	3,795	4,080	5,005	2,790	4,671	7,169	1,971	4,645
Fetal deaths in twin deliveries.....	2,366	382	380	300	338	171	307	284	34	170
Fetal deaths in other plural deliveries.....	65	22	7	11	8	2	6	3	2	4
Male.....	19,800	2,233	2,104	2,267	2,748	1,544	2,559	3,789	976	1,580
Fetal deaths in single deliveries.....	18,575	2,013	1,916	2,124	2,569	1,460	2,403	3,647	959	1,494
Fetal deaths in twin deliveries.....	1,198	207	187	139	176	84	153	139	17	94
Fetal deaths in other plural deliveries.....	29	13	1	4	3	-	3	3	-	2
Female.....	17,598	1,631	1,780	1,972	2,501	1,392	2,375	3,613	1,007	1,329
Fetal deaths in single deliveries.....	16,478	1,462	1,599	1,814	2,341	1,308	2,224	3,476	989	1,265
Fetal deaths in twin deliveries.....	1,090	181	176	154	155	82	147	137	16	62
Fetal deaths in other plural deliveries.....	30	8	5	4	5	2	2	-	2	2
Sex not stated.....	3,229	620	298	152	102	27	52	44	24	1,910
Fetal deaths in single deliveries.....	3,143	605	280	142	95	22	44	36	23	1,896
Fetal deaths in twin deliveries.....	80	14	17	7	7	5	7	8	1	14
Fetal deaths in other plural deliveries.....	6	1	1	3	-	-	1	-	-	-
Nonwhite.....	16,010	2,182	1,943	1,854	1,803	1,065	1,282	3,116	401	2,454
Fetal deaths in single deliveries.....	15,163	2,007	1,825	1,741	1,697	1,004	1,177	2,971	395	2,346
Fetal deaths in twin deliveries.....	816	169	111	91	101	60	50	140	6	88
Fetal deaths in other plural deliveries.....	31	6	7	2	5	1	5	5	-	-
Male.....	7,768	1,064	993	938	943	585	648	1,682	222	713
Fetal deaths in single deliveries.....	7,356	981	934	892	888	534	625	1,606	218	677
Fetal deaths in twin deliveries.....	404	82	57	46	54	31	21	73	4	35
Fetal deaths in other plural deliveries.....	8	1	2	-	1	-	1	3	-	-
Female.....	6,395	759	804	834	823	487	571	1,414	165	538
Fetal deaths in single deliveries.....	6,014	684	756	789	776	457	540	1,350	163	499
Fetal deaths in twin deliveries.....	360	70	44	43	44	29	27	62	2	39
Fetal deaths in other plural deliveries.....	21	5	4	2	5	1	4	2	-	-
Sex not stated.....	1,847	359	146	62	37	13	13	20	14	1,163
Fetal deaths in single deliveries.....	1,793	342	135	60	33	13	11	15	14	1,170
Fetal deaths in twin deliveries.....	52	17	10	2	3	-	2	5	-	13
Fetal deaths in other plural deliveries.....	2	-	1	-	1	-	-	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1966

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
United States-----	56,637	4,943	8,841	6,020	5,609	5,955	5,498	5,579	2,958	1,147	574	373	9,340
White-----	40,627	3,466	5,992	4,254	3,988	4,307	4,067	4,091	2,325	855	396	250	6,636
Nonwhite--	16,010	1,477	2,849	1,766	1,621	1,648	1,431	1,289	633	292	178	123	2,704
Male-----	27,568	2,288	4,621	3,053	2,878	3,054	2,813	2,862	1,662	696	364	235	3,042
White-----	19,800	1,639	3,095	2,132	2,043	2,195	2,048	2,148	1,308	518	247	162	2,265
Nonwhite--	7,768	649	1,526	921	855	859	765	714	354	178	117	73	777
Female-----	29,069	2,655	4,220	2,967	2,731	2,901	2,765	2,717	1,306	444	208	137	2,498
White-----	17,828	1,346	2,721	2,065	1,914	2,078	1,998	1,924	1,039	333	149	87	1,904
Nonwhite--	11,241	1,309	1,499	962	817	823	767	793	267	111	59	50	594
Sex not stated-----	5,076	818	185	76	54	47	29	27	10	7	2	1	3,810
White-----	3,229	481	106	57	31	34	21	19	8	4	2	1	2,487
Nonwhite--	1,847	337	89	19	23	13	8	8	2	3	2	-	1,323
Alabama-----	1,339	44	213	175	151	181	158	188	92	35	17	9	126
White-----	893	21	104	71	68	96	80	64	21	15	4	2	57
Nonwhite--	446	23	109	104	83	85	78	74	51	20	13	7	69
Alaska-----	76	6	13	10	5	9	9	7	1	1	2	-	13
White-----	39	4	7	7	4	5	4	4	-	-	1	-	3
Nonwhite--	37	2	6	3	1	4	5	3	1	1	1	-	10
Arizona-----	414	24	59	50	39	45	57	47	51	11	1	4	46
White-----	348	22	48	41	30	38	50	39	26	7	1	4	40
Nonwhite--	66	2	11	9	9	7	7	8	5	4	-	-	6
Arkansas-----	559	32	83	60	58	78	47	50	33	10	6	5	97
White-----	333	22	52	42	27	40	32	29	18	3	2	4	62
Nonwhite--	226	10	31	18	31	38	15	21	15	7	4	1	35
California-----	4,035	306	789	467	455	494	420	416	248	99	37	29	276
White-----	3,322	245	606	396	374	414	365	360	217	81	29	23	224
Nonwhite--	713	65	183	81	81	80	55	56	31	18	8	5	52
Colorado-----	547	39	75	56	52	44	47	46	16	1	2	2	167
White-----	489	31	69	50	48	41	40	46	14	1	1	2	146
Nonwhite--	58	8	6	6	4	3	7	-	2	-	1	-	21
Connecticut-----	646	69	122	69	72	83	63	67	36	15	9	2	40
White-----	545	59	94	63	62	69	53	59	31	15	7	1	33
Nonwhite--	101	10	28	6	10	14	10	8	5	-	2	1	7
Delaware-----	167	11	23	18	19	18	11	15	2	2	-	-	46
White-----	118	7	19	11	15	11	8	11	2	1	-	-	33
Nonwhite--	49	4	4	7	4	7	3	4	-	1	-	-	15
District of Columbia-----	323	19	79	40	36	29	34	29	14	2	2	-	39
White-----	44	3	8	4	3	2	4	4	3	-	-	-	13
Nonwhite--	279	16	71	36	33	27	30	25	11	2	2	-	26
Florida-----	1,673	93	298	255	221	224	196	189	106	36	28	17	12
White-----	920	59	166	146	109	113	109	111	71	15	14	4	4
Nonwhite--	753	34	132	107	113	111	87	78	35	21	14	13	8
Georgia-----	1,558	133	226	167	141	154	157	144	71	27	19	14	305
White-----	855	85	119	87	83	81	76	77	34	16	13	4	162
Nonwhite--	723	50	107	80	58	73	81	67	37	11	6	10	143
Hawaii-----	175	22	26	22	14	20	14	6	8	4	1	1	37
White-----	54	10	6	7	7	4	5	1	1	1	-	-	12
Nonwhite--	121	12	20	15	7	16	9	5	7	3	1	1	25
Idaho-----	147	8	17	11	11	6	9	18	7	2	2	-	56
White-----	143	8	16	11	9	6	9	17	7	2	2	-	56
Nonwhite--	4	-	1	-	2	-	-	1	-	-	-	-	-
Illinois-----	2,908	208	698	363	333	326	340	316	166	85	36	24	114
White-----	2,043	146	371	247	231	231	247	233	134	64	23	14	102
Nonwhite--	865	62	227	116	102	95	93	83	32	21	12	10	12
Indiana-----	1,287	50	176	141	162	145	140	140	84	34	13	11	191
White-----	1,101	36	143	118	148	124	122	128	75	30	10	9	159
Nonwhite--	186	14	33	23	14	21	18	12	9	4	3	2	33
Iowa-----	543	41	80	62	70	66	72	66	41	10	5	1	27
White-----	524	40	78	60	66	64	68	65	41	10	5	1	26
Nonwhite--	19	1	2	2	4	2	4	3	-	-	-	-	1
Kansas-----	486	26	76	66	53	62	55	74	38	8	8	5	15
White-----	428	23	59	63	43	55	48	69	35	8	6	5	14
Nonwhite--	58	3	17	3	10	7	7	5	3	-	2	-	1
Kentucky-----	785	42	109	85	92	95	94	99	66	26	18	12	50
White-----	676	40	96	72	79	76	83	88	55	24	12	9	42
Nonwhite--	109	2	13	13	13	19	11	11	11	2	3	3	8
Louisiana-----	1,222	31	195	201	172	150	156	143	64	30	14	11	55
White-----	471	18	71	80	66	45	61	55	27	13	7	4	24
Nonwhite--	751	13	124	121	106	105	95	88	37	17	7	7	31
Maine-----	250	15	31	15	17	17	17	21	12	4	2	2	97
White-----	249	15	31	15	17	17	16	21	12	4	2	2	97
Nonwhite--	1	-	-	-	-	-	1	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-25

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1966—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Maryland	1,005	60	143	84	62	46	45	31	23	5	3	3	492
White	669	38	72	53	36	25	25	19	16	3	3	1	378
Nonwhite	336	22	71	41	26	21	18	12	7	2	-	2	114
Massachusetts	916	87	136	89	112	102	99	106	48	14	8	6	110
White	883	85	132	84	110	98	94	102	47	14	7	5	105
Nonwhite	33	2	4	4	2	4	5	4	1	-	1	1	5
Michigan	2,278	134	383	262	240	250	234	224	139	52	23	13	325
White	1,763	97	261	190	184	189	188	177	114	46	17	8	292
Nonwhite	515	37	122	72	56	61	46	47	24	6	6	5	33
Minnesota	827	50	156	87	105	105	94	94	57	17	12	7	43
White	807	49	149	85	103	103	94	93	57	14	11	6	45
Nonwhite	20	1	7	2	2	2	-	1	-	3	1	1	-
Mississippi	1,252	91	182	125	126	120	123	134	60	26	17	10	238
White	385	32	53	33	40	37	30	26	21	9	2	4	98
Nonwhite	867	59	129	92	86	83	93	108	39	17	15	6	140
Missouri	1,070	59	153	128	102	120	111	112	70	34	14	8	159
White	781	43	114	80	73	86	83	89	49	29	12	4	129
Nonwhite	279	16	39	48	29	34	28	23	21	5	2	4	30
Montana	140	4	19	13	14	20	21	17	4	1	1	-	22
White	125	3	17	13	9	19	21	13	3	5	1	-	21
Nonwhite	15	1	2	-	5	1	-	4	1	-	-	-	1
Nebraska	323	20	61	33	39	33	37	53	17	5	7	5	13
White	280	18	54	28	36	30	36	50	13	5	4	5	12
Nonwhite	33	2	7	5	3	3	2	3	4	-	3	-	1
Nevada	112	10	21	7	19	14	10	11	6	2	-	-	12
White	75	7	14	3	12	12	5	9	4	1	-	-	8
Nonwhite	37	3	7	4	7	2	5	2	2	1	-	-	4
New Hampshire	151	11	13	19	14	20	12	13	9	-	1	1	18
White	151	11	13	19	14	20	12	13	9	-	1	1	18
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,767	158	334	174	159	191	163	162	77	38	10	4	297
White	1,271	114	213	128	108	141	123	135	65	30	5	3	206
Nonwhite	496	44	121	46	51	50	40	27	12	8	5	1	91
New Mexico	269	11	28	22	22	29	37	29	18	8	6	4	75
White	241	11	23	21	21	26	28	24	13	5	5	3	63
Nonwhite	48	-	5	1	3	3	9	5	5	3	1	1	12
New York	8,340	1,239	939	556	507	528	456	470	244	85	44	27	3,285
White	5,544	731	632	372	370	405	340	382	107	70	35	18	1,955
Nonwhite	2,796	508	307	159	135	123	96	88	37	15	9	9	1,330
North Carolina	1,707	132	305	222	194	219	223	197	93	34	23	6	59
White	837	92	140	112	102	117	121	102	56	17	7	2	19
Nonwhite	820	40	165	110	92	102	102	95	37	17	16	4	40
North Dakota	176	20	28	17	18	19	26	19	8	6	2	4	9
White	155	19	25	16	17	14	23	17	6	6	2	3	7
Nonwhite	21	1	3	1	1	5	3	2	2	-	-	1	2
Ohio	2,679	264	467	306	229	313	255	247	129	56	24	22	367
White	2,225	208	342	250	188	271	217	222	120	48	23	18	318
Nonwhite	454	56	125	56	41	42	38	25	9	8	1	4	49
Oklahoma	491	25	66	62	59	68	57	55	35	15	6	7	36
White	380	21	54	50	46	51	48	40	26	9	3	7	25
Nonwhite	111	4	12	12	13	17	9	15	9	6	3	-	11
Oregon	600	52	56	39	41	48	41	44	15	5	-	2	257
White	571	47	53	37	40	43	41	44	15	5	-	2	244
Nonwhite	29	5	3	2	1	5	-	-	-	-	-	-	13
Pennsylvania	3,304	583	547	341	319	329	282	305	202	64	40	30	262
White	2,637	409	399	275	253	278	238	269	183	55	37	27	214
Nonwhite	667	174	148	66	66	51	44	36	19	9	3	3	48
Rhode Island	225	24	57	22	25	33	24	10	9	2	1	2	16
White	204	23	47	19	25	31	22	10	9	2	1	2	13
Nonwhite	21	1	10	3	-	2	2	-	-	-	-	-	3
South Carolina	965	40	121	123	124	111	109	91	48	25	16	3	154
White	394	13	55	52	48	39	43	42	16	7	4	-	75
Nonwhite	571	27	66	71	76	72	66	49	32	18	12	3	79
South Dakota	174	10	23	15	20	22	11	28	17	8	3	-	17
White	147	10	21	9	17	19	10	26	16	6	1	-	12
Nonwhite	27	-	2	6	3	3	1	2	1	2	2	-	5
Tennessee	1,192	93	225	145	139	161	131	112	71	21	11	9	74
White	825	69	149	94	84	105	94	86	55	16	5	5	63
Nonwhite	367	24	76	51	55	56	37	26	16	5	6	4	11
Texas	3,102	177	479	375	340	389	397	382	210	86	49	23	195
White	2,374	141	339	282	245	298	318	294	161	67	41	17	151
Nonwhite	728	36	140	93	95	91	79	88	29	19	8	6	44

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1966-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight ¹											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah-----	223	6	30	13	9	25	28	22	13	6	1	1	69
White-----	216	6	29	12	9	23	28	20	13	6	1	1	68
Nonwhite--	7	-	1	1	-	2	-	2	-	-	-	-	1
Vermont-----	266	43	19	12	18	16	10	7	5	3	1	2	130
White-----	259	43	18	12	18	16	10	7	5	3	1	2	123
Nonwhite--	8	-	1	-	-	-	-	-	-	-	-	-	7
Virginia-----	1,836	202	256	166	160	150	147	139	77	27	10	10	492
White-----	1,164	124	135	114	87	83	96	88	60	16	7	3	361
Nonwhite--	672	78	121	52	73	67	51	51	27	11	3	7	131
Washington-----	575	31	98	72	86	78	65	59	36	16	4	3	27
White-----	517	29	85	66	78	71	58	49	35	15	3	3	25
Nonwhite--	58	2	13	6	8	7	7	10	1	1	1	-	2
West Virginia-----	506	26	64	65	54	52	62	60	24	8	4	6	81
White-----	473	24	60	60	51	49	56	57	23	8	3	6	76
Nonwhite--	33	2	4	5	3	3	6	3	1	-	1	-	5
Wisconsin-----	950	60	134	81	74	84	104	103	56	31	14	6	203
White-----	880	57	121	74	70	74	98	95	51	27	14	5	194
Nonwhite--	70	3	13	7	4	10	6	8	5	4	-	1	9
Wyoming-----	76	3	10	5	6	14	10	10	3	1	1	1	12
White-----	72	3	10	5	6	12	8	10	3	1	1	1	12
Nonwhite--	4	-	-	-	-	2	2	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-27

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1966

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States	56,637	6,666	6,125	6,225	7,154	4,028	6,216	10,562	2,408	7,253
White	40,627	4,404	4,162	4,391	5,851	2,963	4,984	7,446	2,007	4,619
Nonwhite	16,010	2,182	1,943	1,834	1,303	1,065	1,232	3,116	401	2,434
Male	27,868	3,297	3,097	3,205	3,891	2,109	3,207	5,471	1,198	2,293
White	19,800	2,235	2,104	2,267	2,748	1,544	2,559	3,769	976	1,580
Nonwhite	7,788	1,064	993	938	1,143	565	648	1,682	222	713
Female	23,895	2,390	2,584	2,806	3,224	1,879	2,944	5,072	1,172	1,867
White	17,598	1,631	1,760	1,972	2,501	1,392	2,373	3,613	1,007	1,329
Nonwhite	6,395	759	804	834	723	487	571	1,414	165	538
Sex not stated	5,076	979	444	214	139	40	65	64	38	3,085
White	3,229	620	298	152	102	27	52	44	24	1,910
Nonwhite	1,847	359	146	62	37	13	13	20	14	1,185
Alabama	1,339	131	133	177	167	99	126	420	18	68
White	593	63	60	72	65	40	68	166	14	25
Nonwhite	746	68	73	105	92	59	58	254	4	43
Alaska	76	9	14	4	15	4	12	14	2	2
White	39	4	9	3	10	-	7	6	-	-
Nonwhite	37	5	5	1	5	4	5	8	2	2
Arizona	414	31	57	49	45	37	46	118	23	8
White	346	26	52	37	35	30	41	99	20	6
Nonwhite	68	5	5	12	10	7	5	19	3	2
Arkansas	559	52	54	61	74	53	36	141	10	76
White	333	28	27	45	51	30	24	76	6	46
Nonwhite	226	24	27	16	23	23	12	65	4	32
California	4,035	259	356	343	534	172	589	214	409	1,157
White	3,322	201	261	288	443	151	511	167	350	910
Nonwhite	713	58	77	55	91	21	78	27	59	247
Colorado	547	95	51	59	60	46	54	89	17	85
White	489	82	45	54	56	39	51	85	16	81
Nonwhite	58	14	6	5	4	7	3	4	1	14
Connecticut	646	86	76	77	105	53	86	119	27	17
White	545	72	60	64	91	44	77	101	24	12
Nonwhite	101	14	16	13	14	9	9	18	3	5
Delaware	167	22	21	25	29	10	15	26	2	17
White	118	13	13	23	19	6	13	20	2	9
Nonwhite	49	9	8	2	10	4	2	6	-	8
District of Columbia	323	23	29	23	44	9	34	11	26	124
White	44	5	1	6	6	2	5	2	5	14
Nonwhite	279	20	28	17	38	7	29	9	21	110
Florida	1,873	146	199	239	254	184	156	454	35	6
White	920	78	111	131	141	99	103	227	27	1
Nonwhite	753	68	88	108	113	85	51	227	8	5
Georgia	1,558	245	183	186	172	110	143	339	24	156
White	855	122	97	96	92	56	86	175	19	92
Nonwhite	723	123	86	90	80	54	57	164	5	64
Hawaii	175	45	17	19	27	8	27	24	6	2
White	54	14	5	5	12	3	6	7	1	1
Nonwhite	121	31	12	14	15	5	21	17	5	1
Idaho	147	12	12	10	15	8	15	22	7	46
White	143	12	11	10	13	8	14	22	7	46
Nonwhite	4	-	1	-	2	-	1	-	-	-
Illinois	2,908	335	365	369	419	247	319	694	109	51
White	2,043	223	230	248	291	182	260	481	86	42
Nonwhite	865	112	135	121	128	65	59	213	23	9
Indiana	1,287	89	119	121	155	85	117	299	51	251
White	1,101	72	94	109	136	70	103	263	49	205
Nonwhite	186	17	25	12	19	15	14	86	2	46
Iowa	543	54	51	59	88	53	61	112	37	8
White	524	52	49	57	85	53	78	108	35	7
Nonwhite	19	2	2	2	3	-	3	4	2	1
Kansas	486	45	53	52	70	40	74	97	43	12
White	428	37	43	45	64	35	68	84	43	9
Nonwhite	58	8	10	7	6	5	6	13	-	3
Kentucky	785	53	82	86	107	70	85	249	29	14
White	676	47	66	62	87	62	69	221	27	13
Nonwhite	109	6	14	14	20	8	16	28	2	1
Louisiana	1,222	91	150	186	177	119	139	333	24	23
White	471	40	43	72	76	43	71	105	12	9
Nonwhite	751	51	87	114	101	76	68	228	12	14
Maine	250	30	28	21	25	13	29	30	11	63
White	249	30	28	21	25	13	29	30	10	63
Nonwhite	1	-	-	-	-	-	-	-	1	-

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1966—Con.

Area, color, and sex	Total	Period of gestation ¹								Not stated
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	
Maryland	1,005	104	104	124	149	56	147	50	84	187
White	669	65	67	87	99	43	107	39	57	105
Nonwhite	336	39	37	37	50	13	40	11	27	82
Massachusetts	916	95	96	108	149	74	138	139	62	55
White	885	91	92	106	145	72	132	132	61	52
Nonwhite	35	4	4	2	4	2	6	7	1	3
Michigan	2,278	220	264	275	338	185	284	461	98	145
White	1,763	154	179	202	269	158	234	350	86	131
Nonwhite	515	66	85	71	69	37	50	111	12	14
Minnesota	827	68	94	105	128	57	129	148	53	45
White	807	64	88	104	128	57	125	145	52	44
Nonwhite	20	4	6	1	-	-	4	3	1	1
Mississippi	1,252	220	140	140	120	81	55	416	6	74
White	385	68	47	40	34	21	26	111	3	35
Nonwhite	867	152	93	100	86	60	29	305	3	39
Missouri	1,070	88	97	105	106	77	125	203	38	231
White	791	68	67	76	83	58	103	156	31	149
Nonwhite	279	20	30	29	23	19	22	47	7	82
Montana	140	6	21	11	27	11	24	30	10	-
White	125	6	18	11	26	7	21	30	6	-
Nonwhite	15	-	3	-	1	4	3	-	4	-
Nebraska	323	33	37	39	50	32	43	48	24	17
White	290	28	35	34	45	30	39	42	22	15
Nonwhite	33	5	2	5	5	2	4	6	2	2
Nevada	112	23	11	18	12	13	11	16	3	5
White	75	12	5	14	11	8	8	10	2	5
Nonwhite	37	11	6	4	1	5	3	6	1	-
New Hampshire	131	10	14	8	27	9	19	21	8	15
White	131	10	14	8	27	9	19	21	8	15
Nonwhite	-	-	-	-	-	-	-	-	-	-
New Jersey	1,767	200	210	193	259	125	222	332	73	153
White	1,271	133	131	136	192	88	180	240	65	106
Nonwhite	496	67	79	57	67	37	42	92	8	47
New Mexico	299	14	23	23	29	21	35	71	13	60
White	241	14	19	20	26	19	28	53	13	49
Nonwhite	48	-	4	3	3	2	7	18	-	11
New York	8,340	1,253	748	638	762	320	723	608	380	2,908
White	5,544	798	511	458	569	257	584	506	280	1,581
Nonwhite	2,796	455	237	180	193	63	159	102	90	1,317
North Carolina	1,707	177	212	216	243	151	179	478	41	10
White	897	97	86	102	143	73	122	233	29	2
Nonwhite	820	80	126	114	100	78	57	245	12	8
North Dakota	176	22	23	16	25	17	18	45	8	2
White	155	21	19	14	24	14	16	37	8	2
Nonwhite	21	1	4	2	1	3	2	8	-	-
Ohio	2,679	365	323	361	362	194	365	469	123	117
White	2,225	281	244	288	308	167	310	407	111	109
Nonwhite	454	84	79	73	54	27	55	62	12	8
Oklahoma	491	43	50	54	73	50	48	154	12	7
White	390	32	40	45	59	38	40	111	10	5
Nonwhite	111	11	10	9	14	12	8	43	2	2
Oregon	600	68	58	55	50	29	47	66	23	206
White	571	64	51	53	48	27	46	66	23	193
Nonwhite	29	4	5	2	2	2	1	-	-	13
Pennsylvania	3,304	689	423	369	442	246	341	673	137	4
White	2,637	456	313	286	363	219	287	591	118	4
Nonwhite	667	213	110	83	79	27	54	82	19	-
Rhode Island	225	34	36	24	33	15	40	35	7	1
White	204	30	29	21	29	14	39	34	7	1
Nonwhite	21	4	7	3	4	1	1	1	-	-
South Carolina	965	79	82	139	108	91	66	283	16	104
White	394	30	34	46	60	42	40	90	12	40
Nonwhite	571	49	48	92	46	49	26	193	4	64
South Dakota	174	19	15	20	21	19	18	49	9	4
White	147	14	14	15	18	13	17	43	9	4
Nonwhite	27	5	1	5	3	6	1	6	-	-
Tennessee	1,192	132	160	181	149	94	113	333	21	9
White	825	91	111	114	93	68	92	226	20	5
Nonwhite	367	41	49	67	51	26	21	107	1	4
Texas	3,102	311	369	403	377	342	348	809	90	55
White	2,374	216	268	302	297	270	278	646	76	33
Nonwhite	728	95	103	101	90	72	70	163	14	20

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-29

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1966--Con.

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	223	20	29	18	27	12	35	41	10	31
White-----	216	20	27	17	27	11	34	40	10	30
Nonwhite--	7	-	2	1	-	1	1	1	-	1
Vermont-----	266	12	12	15	14	4	12	2	9	188
White-----	258	12	12	14	14	4	12	2	9	179
Nonwhite--	8	-	-	1	-	-	-	-	-	7
Virginia-----	1,836	314	205	145	179	110	161	310	46	366
White-----	1,164	192	117	82	115	57	114	191	29	267
Nonwhite--	672	122	88	63	64	53	47	119	17	99
Washington-----	575	53	59	85	93	42	82	122	21	18
White-----	517	47	53	78	82	39	72	111	18	17
Nonwhite--	58	6	6	7	11	3	10	11	3	1
West Virginia-----	506	45	54	56	71	45	56	145	10	24
White-----	475	42	49	50	70	42	52	135	9	24
Nonwhite--	31	3	5	6	1	3	4	10	1	-
Wisconsin-----	950	109	118	101	138	74	138	199	59	14
White-----	880	105	109	95	122	71	130	184	56	12
Nonwhite--	70	6	9	8	16	3	8	15	3	2
Wyoming-----	76	6	8	7	13	2	11	21	4	4
White-----	72	6	8	7	12	1	11	19	4	4
Nonwhite--	4	-	-	-	1	1	-	2	-	-

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1966-----	4-3
4-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1966-----	4-6
4-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1966-----	4-12
4-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1966-----	4-18
4-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1966-----	4-20
4-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1966-----	4-25

SECTION 4 - ACCIDENT MORTALITY

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1966

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E825	Motor vehicle traffic accidents-----	51,933	3,769	4,939	52	229	40,033	218	532	243	11	1,908
	Male-----	37,458	3,301	5,572	42	186	29,259	186	359	165	8	1,430
	Female-----	14,475	468	1,366	10	43	11,774	82	173	78	3	478
	White-----	52,666	2,866	5,236	32	167	24,540	118	328	130	6	1,245
	Female-----	12,819	418	1,259	4	37	10,392	75	156	64	3	415
	Nonwhite-----	4,792	435	356	10	19	3,718	18	33	35	2	185
	Female-----	1,656	52	107	6	6	1,362	9	17	14	-	65
E810	Involving collision with railway train-----	1,800	295	2	-	-	1,457	-	-	23	-	43
	Male-----	1,253	272	2	-	-	935	-	-	22	-	22
	Female-----	547	23	-	-	-	502	-	-	1	-	21
	White-----	1,164	254	2	-	-	866	-	-	21	-	21
	Female-----	505	22	-	-	-	459	-	-	1	-	21
	Nonwhite-----	89	19	-	-	-	69	-	-	1	-	1
	Female-----	44	1	-	-	-	43	-	-	-	-	-
E811	Involving collision with streetcar-----	2	-	-	-	-	2	-	-	-	-	-
	Male-----	1	-	-	-	-	1	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	White-----	1	-	-	-	-	1	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian-----	8,675	870	29	1	2	7,121	3	2	144	-	503
	Male-----	8,101	641	26	1	1	4,951	2	1	101	-	377
	Female-----	2,574	229	3	-	1	2,170	1	1	43	-	126
	White-----	4,795	490	25	1	1	3,905	2	1	79	-	291
	Female-----	2,116	202	2	-	1	1,778	-	1	38	-	94
	Nonwhite-----	1,306	151	1	-	-	1,046	-	-	22	-	86
	Female-----	458	27	1	-	-	382	1	-	5	-	32
E813	To pedal cyclist-----	660	116	1	-	-	507	1	-	10	-	25
	Male-----	580	105	1	-	-	441	1	-	9	-	23
	Female-----	80	11	-	-	-	66	-	-	1	-	2
	White-----	513	93	1	-	-	389	1	-	9	-	20
	Female-----	73	8	-	-	-	62	-	-	1	-	2
	Nonwhite-----	67	12	-	-	-	52	-	-	-	-	3
	Female-----	7	3	-	-	-	4	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	106	-	-	-	-	106	-	-	-	-	-
	Male-----	99	-	-	-	-	99	-	-	-	-	-
	Female-----	7	-	-	-	-	7	-	-	-	-	-
	White-----	96	-	-	-	-	96	-	-	-	-	-
	Female-----	7	-	-	-	-	7	-	-	-	-	-
	Nonwhite-----	3	-	-	-	-	3	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle-----	1,288	3	222	-	-	1,003	15	45	-	-	-
	Male-----	1,178	3	214	-	-	903	15	45	-	-	-
	Female-----	110	-	8	-	-	100	-	2	-	-	-
	White-----	1,135	3	207	-	-	869	15	41	-	-	-
	Female-----	105	-	8	-	-	96	-	1	-	-	-
	Nonwhite-----	43	-	7	-	-	34	-	2	-	-	-
	Female-----	5	-	-	-	-	4	-	1	-	-	-
E816	Other, involving two or more motor vehicles-----	18,447	603	4,615	51	221	11,772	199	482	-	9	495
	Male-----	12,111	541	3,275	41	179	7,295	118	312	-	6	344
	Female-----	6,336	62	1,340	10	42	4,477	81	170	-	3	151
	White-----	10,826	501	2,948	31	160	6,490	100	281	-	5	310
	Female-----	5,803	56	1,236	4	56	4,096	73	154	-	3	145
	Nonwhite-----	1,285	40	327	10	19	805	18	51	-	1	34
	Female-----	533	6	104	6	6	381	8	16	-	-	6
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle-----	3	-	-	-	-	2	-	-	-	1	-
	Male-----	2	-	-	-	-	1	-	-	-	1	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	White-----	1	-	-	-	-	1	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle-----	72	12	-	-	-	56	-	-	2	-	2
	Male-----	45	11	-	-	-	32	-	-	1	-	1
	Female-----	27	1	-	-	-	24	-	-	1	-	1
	White-----	40	10	-	-	-	28	-	-	1	-	1
	Female-----	24	1	-	-	-	21	-	-	1	-	1
	Nonwhite-----	5	1	-	-	-	4	-	-	-	-	-
	Female-----	3	-	-	-	-	3	-	-	-	-	-
E819	Involving collision with fixed or unspecified object-----	12,063	148	4	-	2	1,818	-	-	2	1	88
	Male-----	1,594	140	3	-	2	1,378	-	-	2	1	68
	Female-----	1,469	8	1	-	-	440	-	-	-	-	20
	White-----	1,380	124	3	-	2	1,185	-	-	2	1	63
	Female-----	398	7	-	-	-	377	-	-	-	-	15
	Nonwhite-----	214	16	-	-	-	193	-	-	-	-	5
	Female-----	70	1	1	-	-	63	-	-	-	-	5

SECTION 4 - ACCIDENT MORTALITY

4-5

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex:
United States, 1966—Con.

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved											
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles		
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)		
	Motor vehicle nontraffic accidents—Con.													
E834	While boarding and alighting-----	20	3	-	-	-	-	16	-	-	1	-	-	-
	Male-----	15	2	-	-	-	-	13	-	-	-	-	-	-
	Female-----	5	1	-	-	-	-	3	-	-	1	-	-	-
	White-----	14	2	-	-	-	-	12	-	-	-	-	-	-
	Male-----	3	-	-	-	-	-	2	-	-	1	-	-	-
	Female-----	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-----	2	1	-	-	-	-	1	-	-	-	-	-	-
	Male-----	2	1	-	-	-	-	1	-	-	-	-	-	-
E835	Of other and unspecified nature-----	402	150	-	-	-	-	232	-	-	2	1	17	17
	Male-----	344	139	-	-	-	-	185	-	-	2	1	17	17
	Female-----	58	11	-	-	-	-	47	-	-	-	-	-	-
	White-----	303	116	-	-	-	-	169	-	-	2	1	16	16
	Male-----	52	10	-	-	-	-	42	-	-	-	-	-	-
	Female-----	41	23	-	-	-	-	17	-	-	-	-	-	1
	Nonwhite-----	6	1	-	-	-	-	5	-	-	-	-	-	-
	Male-----	6	1	-	-	-	-	5	-	-	-	-	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹ (.0)	Farm ² (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	6* Accidental poisoning by solid and liquid substances-----	2,283	1,122	16	1	18	3	28	79	47	50	919
	Male-----	1,309	547	15	1	17	2	24	54	32	42	575
	Female-----	974	575	1	1	1	1	4	25	15	8	344
	White-----	964	411	10	1	13	2	14	47	26	29	469
	Female-----	783	477	-	1	-	-	2	22	13	8	260
	Nonwhite-----	345	136	5	-	4	-	10	7	4	13	166
	Male-----	191	98	1	-	-	1	2	3	2	-	64
E870	Accidental poisoning by morphine and other opium derivatives-----	146	68	-	1	1	1	10	16	2	11	34
	Male-----	130	59	-	1	1	1	9	14	2	11	32
	Female-----	16	9	-	-	-	-	1	4	-	-	2
	White-----	85	41	-	1	1	1	5	8	2	6	20
	Female-----	10	4	-	-	-	-	1	4	-	-	1
	Nonwhite-----	45	18	-	-	-	-	4	6	-	5	12
	Male-----	6	5	-	-	-	-	-	-	-	-	1
E871	Accidental poisoning by barbituric acid and derivatives-----	553	340	-	-	1	1	4	25	9	15	158
	Male-----	257	139	-	-	1	1	2	16	4	12	82
	Female-----	296	201	-	-	-	-	2	9	5	3	76
	White-----	229	122	-	-	-	-	1	2	15	4	76
	Female-----	272	185	-	-	-	-	-	9	5	3	70
	Nonwhite-----	28	17	-	-	1	-	-	1	-	3	6
	Male-----	24	16	-	-	-	-	2	-	-	-	6
E872	Accidental poisoning by aspirin and salicylates-----	176	104	-	-	-	-	-	1	2	3	66
	Male-----	75	39	-	-	-	-	-	-	1	2	33
	Female-----	101	65	-	-	-	-	-	1	1	1	33
	White-----	54	24	-	-	-	-	-	-	-	2	28
	Female-----	79	50	-	-	-	-	-	1	1	1	26
	Nonwhite-----	21	15	-	-	-	-	-	-	1	-	5
	Male-----	22	15	-	-	-	-	-	-	-	-	7
E873	Accidental poisoning by bromides-----	3	-	-	-	-	-	-	-	-	-	3
	Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	White-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs-----	434	151	-	-	1	1	4	8	8	4	257
	Male-----	259	69	-	-	1	-	4	4	7	3	171
	Female-----	175	82	-	-	-	-	1	4	1	1	86
	White-----	172	58	-	-	-	-	2	4	6	2	105
	Female-----	143	71	-	-	-	-	-	4	1	1	66
	Nonwhite-----	87	16	-	-	1	-	2	-	1	1	66
	Male-----	32	11	-	-	-	-	1	-	-	-	20
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine-----	5	3	-	-	-	-	-	-	-	-	2
	Male-----	4	3	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	4	3	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine-----	3	1	-	-	-	-	-	-	-	-	2
	Male-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	White-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs-----	248	117	-	-	1	-	-	9	9	4	108
	Male-----	108	44	-	-	1	-	-	8	3	3	47
	Female-----	142	73	-	-	-	-	-	1	6	1	61
	White-----	91	38	-	-	-	-	-	8	2	3	40
	Female-----	126	69	-	-	-	-	-	1	4	1	51
	Nonwhite-----	15	6	-	-	1	-	-	-	1	-	7
	Male-----	16	4	-	-	-	-	-	-	2	-	10
E879	Accidental poisoning by noxious foodstuffs-----	3	1	-	-	-	-	-	-	-	-	2
	Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	2	1	-	-	-	-	-	-	-	-	1
	White-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol-----	200	78	2	-	3	-	7	6	5	7	92
	Male-----	162	57	2	-	3	-	7	4	5	7	77
	Female-----	38	21	-	-	-	-	7	2	-	-	15
	White-----	111	39	1	-	2	-	4	4	4	4	53
	Female-----	20	12	-	-	-	-	-	-	-	-	8
	Nonwhite-----	51	18	1	-	1	-	3	-	1	3	24
	Male-----	18	9	-	-	-	-	-	2	-	-	7

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are four-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
Accidental poisoning by solid and liquid substances—Con.													
E881	Accidental poisoning by petroleum products.....	40	27	1	-	-	-	-	-	-	-	1	11
	Male.....	29	18	1	-	-	-	-	-	-	-	1	9
	Female.....	11	9	-	-	-	-	-	-	-	-	-	2
	White.....	12	8	1	-	-	-	-	-	-	-	-	3
	Male.....	2	1	-	-	-	-	-	-	-	-	-	1
	Female.....	17	10	-	-	-	-	-	-	-	-	1	6
	Nonwhite.....	9	8	-	-	-	-	-	-	-	-	-	1
	Male.....												
	Female.....												
E882	Accidental poisoning by industrial solvents.....	45	18	-	-	8	-	-	2	2	-	-	15
	Male.....	35	15	-	-	8	-	-	2	2	-	-	10
	Female.....	10	5	-	-	-	-	-	-	-	-	-	5
	White.....	28	9	-	-	8	-	-	2	2	-	-	7
	Male.....	4	3	-	-	-	-	-	-	-	-	-	3
	Female.....	7	4	-	-	-	-	-	-	-	-	-	5
	Nonwhite.....	6	2	-	-	-	-	-	-	-	-	-	4
	Male.....												
	Female.....												
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis.....	39	15	-	-	1	-	-	2	3	1	-	17
	Male.....	26	7	-	-	1	-	-	2	3	-	-	13
	Female.....	13	8	-	-	-	-	-	-	-	1	-	4
	White.....	19	4	-	-	1	-	-	2	3	-	-	9
	Male.....	11	7	-	-	-	-	-	-	-	1	-	3
	Female.....	7	3	-	-	-	-	-	-	-	-	-	4
	Nonwhite.....	2	1	-	-	-	-	-	-	-	-	-	1
	Male.....												
	Female.....												
E884	Accidental poisoning by mercury and its compounds.....	5	1	1	-	-	-	-	-	-	-	-	3
	Male.....	4	1	1	-	-	-	-	-	-	-	-	2
	Female.....	1	-	-	-	-	-	-	-	-	-	-	1
	White.....	2	-	1	-	-	-	-	-	-	-	-	1
	Male.....	1	-	-	-	-	-	-	-	-	-	-	1
	Female.....	1	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite.....	2	1	-	-	-	-	-	-	-	-	-	-
	Male.....												
	Female.....												
E885	Accidental poisoning by lead and its compounds.....	61	29	-	-	-	-	-	1	-	-	-	52
	Male.....	28	12	-	-	-	-	-	-	-	-	-	14
	Female.....	35	16	-	-	-	-	-	1	-	-	-	18
	White.....	10	4	-	-	-	-	-	-	-	-	-	6
	Male.....	15	7	-	-	-	-	-	-	-	-	-	6
	Female.....	16	8	-	-	-	-	-	-	-	-	-	8
	Nonwhite.....	22	9	-	-	-	-	-	1	-	-	-	12
	Male.....												
	Female.....												
E886	Accidental poisoning by arsenic and antimony, and their compounds.....	29	18	1	-	-	-	-	-	-	-	-	10
	Male.....	16	7	1	-	-	-	-	-	-	-	-	8
	Female.....	13	11	-	-	-	-	-	-	-	-	-	2
	White.....	7	4	-	-	-	-	-	-	-	-	-	3
	Male.....	8	7	-	-	-	-	-	-	-	-	-	1
	Female.....	9	3	1	-	-	-	-	-	-	-	-	5
	Nonwhite.....	5	4	-	-	-	-	-	-	-	-	-	1
	Male.....												
	Female.....												
E887	Accidental poisoning by fluorides.....	7	4	-	-	-	-	-	-	-	-	-	3
	Male.....	3	2	-	-	-	-	-	-	-	-	-	1
	Female.....	4	2	-	-	-	-	-	-	-	-	-	2
	White.....	1	-	-	-	-	-	-	-	-	-	-	1
	Male.....	2	2	-	-	-	-	-	-	-	-	-	-
	Female.....	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite.....	2	2	-	-	-	-	-	-	-	-	-	2
	Male.....												
	Female.....												
E888	Accidental poisoning by other and unspecified solid and liquid substances.....	286	149	11	-	2	-	3	7	7	4	-	104
	Male.....	173	77	10	-	1	-	2	4	5	3	-	71
	Female.....	113	71	1	-	1	-	1	3	2	1	-	33
	White.....	135	62	7	-	1	-	1	4	5	3	-	52
	Male.....	86	57	-	-	1	-	1	3	2	1	-	21
	Female.....	39	15	3	-	-	-	1	-	-	-	-	19
	Nonwhite.....	27	14	1	-	-	-	-	-	-	-	-	12
	Male.....												
	Female.....												
E890-E895	Accidental poisoning by gases and vapors.....	1,648	946	28	13	134	11	180	65	4	136	-	129
	Male.....	1,251	695	26	12	122	7	135	52	4	103	-	95
	Female.....	397	253	2	1	12	4	45	13	-	33	-	34
	White.....	1,104	612	24	12	106	7	121	45	4	81	-	82
	Male.....	337	218	1	1	12	4	40	8	-	24	-	29
	Female.....	147	83	2	-	16	-	14	7	-	12	-	13
	Nonwhite.....	60	35	1	-	-	-	5	5	-	9	-	5
	Male.....												
	Female.....												
E890	Accidental poisoning by utility (illuminating) gas.....	289	247	4	1	5	4	1	5	-	15	-	7
	Male.....	196	159	4	1	5	3	1	4	-	14	-	5
	Female.....	93	88	-	-	-	1	-	1	-	1	-	2
	White.....	165	132	4	1	5	3	1	3	-	11	-	5
	Male.....	79	75	-	-	-	1	-	1	-	1	-	1
	Female.....	31	27	-	-	-	-	-	1	-	3	-	-
	Nonwhite.....	14	13	-	-	-	-	-	-	-	-	-	1
	Male.....												
	Female.....												
E891	Accidental poisoning by motor vehicle exhaust gas.....	843	382	10	2	87	6	177	33	-	91	-	55
	Male.....	666	314	8	1	76	3	132	28	-	63	-	41
	Female.....	177	68	2	1	11	3	45	5	-	28	-	14
	White.....	604	298	7	1	65	3	118	25	-	55	-	32
	Male.....	156	65	1	1	11	3	40	3	-	19	-	13
	Female.....	62	16	1	-	11	-	14	3	-	8	-	9
	Nonwhite.....	21	3	1	-	-	-	5	2	-	9	-	1
	Male.....												
	Female.....												

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Accidental poisoning by gases and vapors—Con.												
E892	Accidental poisoning by other carbon monoxide gas	372	264	4	3	13	1	-	21	-	18	49
	Male	261	176	4	3	13	1	-	14	-	15	35
	Female	111	88	-	-	-	-	-	7	-	3	13
	White	214	159	4	3	8	1	-	11	-	14	34
	Female	88	70	-	-	-	-	-	4	-	3	11
	Nonwhite	47	37	-	-	5	-	-	3	-	1	1
	Female	23	19	-	-	-	-	-	3	-	-	2
E893	Accidental poisoning by cyanide gas	2	1	-	-	1	-	-	-	-	-	-
	Male	2	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White	2	1	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	125	49	8	7	21	-	2	6	4	10	19
	Male	112	42	8	7	21	-	2	6	4	9	13
	Female	13	7	-	-	-	-	-	-	-	1	5
	White	106	39	7	7	21	-	2	6	4	9	11
	Female	12	7	-	-	-	-	-	-	-	1	4
	Nonwhite	6	3	1	-	-	-	-	-	-	-	2
	Female	1	-	-	-	-	-	-	-	-	-	1
E895	Accidental poisoning by unspecified gases and vapors	17	5	2	-	7	-	-	-	-	2	1
	Male	14	3	2	-	6	-	-	-	-	2	1
	Female	3	2	-	-	1	-	-	-	-	-	-
	White	13	3	2	-	6	-	-	-	-	2	-
	Female	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E900-E904	Accidental falls	20,066	10,119	143	29	592	98	995	745	3,450	542	3,353
	Male	9,899	4,457	130	29	580	83	774	558	1,327	462	1,499
	Female	10,167	5,662	15	-	12	15	221	187	2,123	80	1,854
	White	8,804	3,963	122	28	512	76	646	496	1,262	404	1,295
	Female	9,589	5,277	12	-	12	9	300	178	2,072	84	1,765
	Nonwhite	1,095	494	8	1	69	7	128	62	65	58	204
	Female	578	385	1	-	-	6	21	9	51	16	89
E900	Fall on stairs	2,165	1,753	3	-	8	3	13	198	67	53	67
	Male	1,275	988	2	-	7	1	11	143	36	33	48
	Female	890	765	1	-	1	2	2	55	31	14	19
	White	1,125	870	2	-	7	1	10	133	34	31	37
	Female	829	710	1	-	1	2	2	53	30	12	18
	Nonwhite	150	118	-	-	-	-	1	10	2	8	11
	Female	61	55	-	-	-	-	-	2	1	2	1
E901	Fall from ladders	333	204	17	1	35	2	10	35	3	18	9
	Male	310	185	16	1	35	2	10	34	1	17	8
	Female	23	19	1	-	-	-	-	1	2	1	-
	White	280	171	15	1	34	2	5	28	1	16	7
	Female	23	18	1	-	-	-	-	1	2	1	-
	Nonwhite	30	15	1	-	1	-	5	6	-	1	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,274	1,278	80	21	435	56	99	195	655	313	132
	Male	2,272	746	82	21	432	47	84	172	297	285	106
	Female	1,002	532	8	-	3	9	15	23	358	28	26
	White	1,929	687	76	20	377	41	71	147	273	256	81
	Female	882	446	8	-	3	4	12	21	348	19	22
	Nonwhite	343	159	6	1	55	6	13	25	24	29	25
	Female	120	86	-	-	-	5	3	2	10	10	4
E905	Fall on same level	5,593	2,933	15	-	42	26	732	168	1,456	85	139
	Male	2,460	1,075	12	-	37	22	545	103	535	66	65
	Female	3,133	1,858	3	-	5	4	187	63	921	19	73
	White	2,257	1,009	12	-	34	21	464	90	510	60	57
	Female	3,014	1,779	2	-	5	3	170	61	909	17	68
	Nonwhite	203	66	-	-	3	1	81	15	25	6	8
	Female	119	79	1	-	1	1	17	2	12	2	5
E904	Unspecified falls	8,701	3,951	18	7	72	11	141	151	1,269	75	3,009
	Male	3,592	1,462	18	7	69	11	124	106	459	55	1,272
	Female	5,119	2,489	-	-	3	-	17	45	811	18	1,736
	White	3,213	1,326	17	7	60	11	96	98	444	41	1,113
	Female	4,841	2,324	-	-	3	-	16	42	783	16	1,657
	Nonwhite	369	136	1	-	9	-	28	8	14	14	159
	Female	278	165	-	-	-	-	1	3	28	2	79
E910-E936	Other accidents	29,923	12,582	1,978	474	2,162	750	766	649	979	5,143	4,440
	Male	22,090	7,608	1,838	466	2,129	614	689	547	595	4,537	3,077
	Female	7,833	4,974	140	8	33	136	77	102	394	606	1,363
	White	17,329	5,642	1,581	426	1,803	496	550	466	510	3,575	2,280
	Female	5,686	3,462	119	8	32	124	57	83	344	482	975
	Nonwhite	4,761	1,966	257	40	328	118	139	81	75	962	797
	Female	2,147	1,512	21	-	1	12	20	19	50	124	398

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-9

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E910	Blow from falling or projected object or missile	1,459	247	138	163	525	22	70	57	2	161	74
	Male	1,379	198	132	163	520	20	64	54	1	157	70
	Female	80	49	6	-	5	2	6	3	1	4	4
	White	1,181	175	121	162	422	19	49	47	1	126	60
	Female	68	41	5	-	5	2	5	2	1	2	3
	Nonwhite	198	23	11	1	98	1	15	7	1	31	10
Female	14	8	1	-	-	-	1	1	-	2	1	
E911	Accident caused by vehicle	115	-	2	39	62	1	1	4	-	5	1
	Male	115	-	2	39	62	1	1	4	-	5	1
	Female	2	-	-	-	-	-	-	-	-	-	-
	White	97	-	2	35	54	1	1	3	-	1	-
	Female	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite	16	-	-	4	8	-	-	1	-	2	1
Female	-	-	-	-	-	-	-	-	-	-	-	
E912	Accident caused by machinery	2,070	112	907	67	603	14	105	25	12	146	79
	Male	2,002	97	866	67	601	13	104	24	9	143	78
	Female	68	15	41	-	2	1	1	1	3	3	1
	White	1,794	99	800	64	518	11	91	21	8	122	70
	Female	64	14	40	-	2	1	1	1	2	2	1
	Nonwhite	208	8	66	3	83	2	13	3	1	21	8
Female	4	1	1	-	-	-	-	-	1	1	-	
E913	Accident caused by cutting and piercing instruments	137	78	4	-	4	2	5	8	1	7	28
	Male	101	50	4	-	5	2	5	8	1	6	22
	Female	36	28	-	-	1	-	-	-	-	1	6
	White	64	35	3	-	2	2	3	6	1	5	9
	Female	26	21	-	-	1	-	-	-	-	1	3
	Nonwhite	37	17	1	-	1	-	2	2	-	1	13
Female	10	7	-	-	-	-	-	-	-	-	3	
E914	Accident caused by electric current	1,025	295	77	13	247	16	92	34	8	162	81
	Male	952	240	73	13	244	13	90	34	8	159	78
	Female	73	55	4	-	3	3	2	-	-	3	3
	White	859	214	59	12	219	13	79	33	8	152	70
	Female	64	49	4	-	3	2	3	-	-	2	1
	Nonwhite	93	26	14	1	25	-	11	1	-	7	8
Female	9	6	-	-	-	-	-	-	-	1	2	
E915	Accident caused by explosion of pressure vessel	48	5	2	-	28	-	3	8	-	2	-
	Male	47	5	2	-	27	-	3	8	-	2	-
	Female	1	-	-	-	1	-	-	-	-	-	-
	White	42	4	1	-	26	-	1	8	-	2	-
	Female	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite	5	1	1	-	1	-	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	
E916	Accident caused by fire and explosion of combustible material	6,084	6,636	99	18	314	18	53	216	178	171	381
	Male	4,767	5,630	89	18	301	13	40	177	126	151	222
	Female	3,317	3,006	10	-	13	5	13	39	52	20	159
	White	3,452	2,491	79	18	264	12	35	153	111	121	166
	Female	2,199	1,970	9	-	12	5	9	28	49	17	100
	Nonwhite	1,315	1,139	10	-	37	1	5	24	15	30	54
Female	1,118	1,036	1	-	1	-	4	11	3	3	59	
E917	Accident caused by hot substance, corrosive liquid, and steam	408	279	-	-	55	1	1	6	32	8	26
	Male	236	143	-	-	53	1	1	4	17	4	13
	Female	172	136	-	-	2	-	-	2	15	4	13
	White	171	99	-	-	59	1	-	4	14	3	11
	Female	134	103	-	-	2	-	-	2	14	2	11
	Nonwhite	65	44	-	-	14	-	1	-	3	1	2
Female	38	33	-	-	-	-	-	-	1	2	2	
E918	Accident caused by radiation	1	-	-	-	-	-	-	-	-	-	1
	Male	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	
E919	Accident caused by firearms	2,558	1,330	210	15	37	9	129	77	3	391	357
	Male	2,188	1,054	204	15	36	8	118	71	3	371	308
	Female	370	276	6	-	1	1	11	6	-	20	49
	White	1,758	835	189	15	30	7	91	43	2	322	224
	Female	288	210	5	-	1	1	6	3	-	14	28
	Nonwhite	430	218	15	-	6	1	27	28	1	49	84
Female	102	66	1	-	-	-	5	3	-	6	21	
E920	Foreign body entering eye and adnexa	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,464	609	-	1	2	12	12	90	315	37	386
	Male	979	360	-	1	1	10	10	58	171	25	243
	Female	585	249	-	-	1	2	2	32	144	12	143
	White	715	268	-	1	1	10	6	57	152	24	196
	Female	474	184	-	-	1	2	2	32	127	10	116
	Nonwhite	164	92	-	-	-	-	4	1	19	1	47
Female	111	65	-	-	-	-	-	-	17	2	27	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E922	Inhalation and ingestion of other object causing obstruction or suffocation	367	142	2	-	5	2	-	5	67	11	133
	Male	233	90	2	-	5	2	-	4	39	6	85
	Female	134	52	-	-	-	-	-	1	28	5	48
	White	173	67	2	-	4	2	-	3	32	2	61
	Female	103	38	-	-	-	-	-	1	22	5	37
	Nonwhite	60	23	-	-	1	-	-	1	7	4	24
	Male	31	14	-	-	-	-	-	-	6	-	11
	Female	-	-	-	-	-	-	-	-	-	-	-
E923	Foreign body entering other orifice	1,151	278	2	-	1	5	3	19	173	12	639
	Male	690	172	2	-	1	3	2	16	111	8	375
	Female	441	106	-	-	-	2	1	3	62	4	263
	White	521	116	1	-	1	3	2	16	94	7	281
	Female	336	76	-	-	-	2	1	3	51	3	200
	Nonwhite	189	56	1	-	-	-	-	17	17	1	94
	Male	105	30	-	-	-	-	-	11	11	1	63
	Female	-	-	-	-	-	-	-	-	-	-	-
E924	Accidental mechanical suffocation in bed and cradle	683	632	-	-	-	-	1	1	2	7	49
	Male	402	377	-	-	-	-	-	-	2	2	21
	Female	281	255	-	-	-	-	1	1	1	5	19
	White	272	253	-	-	-	-	-	-	1	1	17
	Female	185	167	-	-	-	-	1	1	1	3	13
	Nonwhite	130	124	-	-	-	-	-	-	1	1	4
	Male	96	88	-	-	-	-	-	-	-	2	6
	Female	-	-	-	-	-	-	-	-	-	-	-
E925	Accidental mechanical suffocation in other and unspecified circumstances	580	249	29	22	86	6	27	4	12	67	73
	Male	442	160	25	22	86	5	26	2	5	54	57
	Female	138	89	3	-	-	1	1	2	7	13	22
	White	346	122	24	21	69	5	22	2	3	44	34
	Female	98	65	3	-	-	1	-	4	4	9	15
	Nonwhite	96	38	1	1	17	-	4	2	2	10	23
	Male	40	24	-	-	-	-	1	2	3	4	6
	Female	-	-	-	-	-	-	-	-	-	-	-
E926	Lack of care of infants under 1 year of age	16	6	-	-	-	-	-	-	-	1	9
	Male	11	2	-	-	-	-	-	-	-	1	8
	Female	5	4	-	-	-	-	-	-	-	-	1
	White	5	-	-	-	-	-	-	-	-	1	2
	Female	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite	8	2	-	-	-	-	-	-	-	-	6
	Male	3	3	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E927	Accidents caused by bites and stings of venomous animals and insects	48	18	4	-	-	-	1	-	-	5	20
	Male	35	11	4	-	-	-	1	-	-	4	15
	Female	13	7	-	-	-	-	-	-	-	1	5
	White	29	10	4	-	-	-	-	-	-	2	13
	Female	12	7	-	-	-	-	-	-	-	-	5
	Nonwhite	6	1	-	-	-	-	1	-	-	3	2
	Male	1	-	-	-	-	-	-	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals	151	16	66	-	3	8	4	1	-	14	19
	Male	107	9	58	-	3	7	4	1	-	11	14
	Female	24	7	8	-	-	1	-	-	-	3	5
	White	101	8	55	-	3	7	4	1	-	10	13
	Female	21	5	8	-	-	1	-	-	-	3	4
	Nonwhite	6	1	3	-	-	-	-	-	-	1	1
	Male	3	2	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E929	Accidental drowning	5,687	685	323	117	38	565	18	37	31	3,649	225
	Male	4,724	395	276	110	36	455	14	33	25	3,189	191
	Female	963	290	47	7	2	110	4	4	6	459	34
	White	3,630	358	162	80	24	349	8	29	22	2,460	139
	Female	821	266	38	7	2	98	3	4	5	374	24
	Nonwhite	1,094	37	114	30	12	106	6	4	3	729	53
	Male	142	24	9	-	-	12	1	-	1	85	10
	Female	-	-	-	-	-	-	-	-	-	-	-
E930	High and low air pressure	11	-	1	1	-	1	-	-	-	5	3
	Male	10	-	1	1	-	-	-	-	-	5	3
	Female	1	-	-	-	-	1	-	-	-	-	-
	White	8	-	1	1	-	-	-	-	-	4	2
	Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	1
	Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E951	Excessive heat and insolation	531	120	12	2	13	1	9	2	28	22	322
	Male	291	55	11	2	13	1	8	2	11	21	167
	Female	240	65	1	-	-	-	1	-	17	1	155
	White	212	37	7	2	10	1	3	2	10	13	127
	Female	163	33	-	-	-	-	-	-	15	1	114
	Nonwhite	79	18	4	-	3	-	5	-	1	8	40
	Male	77	32	1	-	-	-	1	-	2	-	41
	Female	-	-	-	-	-	-	-	-	-	-	-
E952	Excessive cold	365	88	20	-	5	2	23	1	7	92	122
	Male	286	59	17	-	5	2	22	1	6	75	90
	Female	79	29	3	-	-	-	6	-	1	17	23
	White	183	39	8	-	4	1	15	1	6	48	61
	Female	39	13	1	-	-	-	3	-	1	10	12
	Nonwhite	103	20	9	-	1	1	7	-	1	27	39
	Male	40	16	2	-	-	-	-	-	1	7	11
	Female	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1966—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9) *
Other accidents—Con.												
E833	Hunger, thirst, and exposure	180	31	2	-	1	-	6	1	1	39	99
	Male	136	18	1	-	1	-	5	1	-	33	77
	Female	44	13	1	-	-	-	1	-	1	6	22
	White	86	12	-	-	1	-	5	1	-	22	47
	Female	21	7	-	-	-	-	1	-	-	4	9
	Nonwhite	50	6	1	-	-	-	2	-	-	11	30
	Male	50	6	1	-	-	-	2	-	-	11	30
	Female	23	6	1	-	-	-	-	-	1	2	13
E834	Cataclysm	155	85	7	-	3	3	38	3	-	30	6
	Male	97	52	3	-	3	1	30	2	-	21	5
	Female	58	33	4	-	-	2	8	1	-	9	1
	White	82	22	3	-	3	1	30	2	-	20	1
	Female	41	23	1	-	-	2	7	-	-	8	-
	Nonwhite	15	10	-	-	-	-	-	-	-	1	4
	Male	15	10	-	-	-	-	-	-	-	1	4
	Female	17	10	3	-	-	-	1	1	-	1	1
E835	Lightning	110	15	26	1	5	24	5	-	-	18	16
	Male	98	12	24	-	5	22	5	-	-	15	15
	Female	12	3	2	1	-	2	-	-	-	3	1
	White	74	7	20	-	3	22	2	-	-	11	9
	Female	10	3	1	1	-	2	-	-	-	3	-
	Nonwhite	24	5	4	-	2	-	3	-	-	4	6
	Male	24	5	4	-	2	-	3	-	-	4	6
	Female	2	-	1	-	-	-	-	-	-	-	1
E936	Other and unspecified accidents	2,559	646	46	15	125	38	155	50	107	82	1,295
	Male	1,864	439	42	15	123	35	136	43	50	71	910
	Female	695	207	4	-	2	3	19	7	57	11	385
	White	1,478	383	40	15	106	29	105	34	46	52	666
	Female	335	166	4	-	2	3	16	6	54	7	277
	Nonwhite	388	56	2	-	17	6	51	9	4	19	244
	Male	388	56	2	-	17	6	51	9	4	19	244
	Female	160	41	-	-	-	-	3	1	3	4	108

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Vehicle Involved, Age, Race, and Sex: United States, 1966

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
7,238	4,155	3,113	2,885	3,129	3,033	2,866	2,707	2,445	2,141	2,076	1,874	961	392	87	10	-	18	1	
5,893 1,345	3,329 826	2,579 734	2,186 719	2,296 833	2,159 874	2,045 821	1,844 863	1,653 792	1,378 763	1,272 804	1,085 589	657 304	288 124	83 24	6 4	-	15 3	2 3	
5,228 1,170 582 138 82 28	2,856 698 407 104 66 24	1,984 618 356 91 39 18	1,639 611 301 91 26 17	1,918 720 353 104 25 9	1,874 740 285 182 20 12	1,724 739 290 78 31 4	1,613 794 209 178 22 6	1,449 736 149 51 18 5	1,211 699 178 53 11 9	1,150 768 111 31 10 5	999 564 76 36 5 3	616 290 12 8 3 1	253 115 22 8 6 1	55 22 8 2 3 -	5 4 1 - - -	-	-	10 3 3 - 2 - -	4 5 6 7 8 9
312 293 19 258 17 31 2 4 -	297 262 18 246 15 26 2 10 -	286 265 21 231 16 30 2 4 3	293 262 11 247 11 31 - 4 -	329 304 25 264 20 34 3 6 2	336 310 26 269 21 36 5 5 -	301 284 17 243 17 33 3 8 -	276 247 29 221 25 22 3 4 1	232 199 33 170 27 15 4 2 2	166 136 20 116 26 15 3 2 2	113 96 17 87 16 9 1 1 -	108 91 17 87 16 8 1 2 -	55 42 13 38 13 3 2 1 -	24 15 9 14 7 1 2 - -	6 6 - 5 - - - - -	1 - 1 - - - - - -	-	-	3 3 - 3 - - - - -	10 11 12 13 14 15 16 17 18
660 534 126 483 112 48 14 3 -	372 295 77 270 63 23 9 2 5	325 246 79 211 73 34 6 1 -	323 235 88 206 75 26 10 3 3	359 262 77 224 69 34 8 4 1	320 219 101 201 91 17 9 1 -	325 229 96 193 93 25 5 2 -	306 215 91 163 86 15 3 4 1	258 180 78 126 74 5 2 2 -	221 132 89 126 86 2 3 - -	203 129 74 124 72 5 1 - -	153 104 49 97 47 6 2 - -	74 59 15 57 15 3 - -	17 14 3 13 3 - -	6 3 3 3 - -	-	-	1 1 - 1 - - -	19 20 21 22 23 24 25 26 27	
1 1 - - 1 - - - -	5 4 1 4 - - - - 1	- - - - - - - - -	8 7 1 6 1 - - -	6 4 - 4 - - - -	4 4 1 3 - - - -	4 3 2 2 1 - - -	2 2 1 2 - - -	2 1 1 2 - - -	2 1 - 2 - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	28 29 30 31 32 33 34 35 36	
26 24 2 21 1 2 1 1 -	31 24 7 20 6 4 1 - -	17 15 2 13 2 2 - -	19 17 2 17 2 - -	16 15 1 14 1 - -	17 13 4 15 2 - -	20 17 3 15 3 - -	9 6 3 6 3 - -	13 11 2 10 2 1 - -	11 10 1 9 4 1 - -	14 10 4 8 4 2 - -	5 3 3 1 3 - -	3 2 1 1 2 - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	37 38 39 40 41 42 43 44 45	
5,859 4,728 1,133 4,189 990 471 115 66 28	3,224 2,537 687 2,165 579 327 91 45 17	2,309 1,720 589 1,416 494 273 80 31 15	2,090 1,519 571 1,281 487 222 73 13 11	2,251 1,573 678 1,277 587 265 85 13 6	2,183 1,392 697 1,102 584 198 102 11 11	2,043 1,322 651 1,157 581 215 88 20 4	1,966 1,272 684 1,015 640 188 49 12 5	1,784 1,156 629 877 589 120 39 20 1	1,592 1,008 584 852 535 120 42 11 7	1,616 954 662 764 633 92 26 10 3	1,291 826 465 479 445 31 17 7 3	766 514 252 206 240 102 11 6 1	328 219 109 206 102 31 6 3 1	66 46 20 39 18 7 2 - -	9 6 5 3 3 1 - -	-	10 7 3 4 3 1 - -	46 47 48 49 50 51 52 53 54	
33 27 6 24 5 3 1 - -	24 18 6 12 5 6 1 - -	14 6 8 3 6 2 2 - -	11 7 4 7 3 - 1 -	18 12 6 11 5 1 1 -	10 8 2 7 2 - 1 -	7 3 4 2 4 1 - -	8 4 4 6 7 1 - -	14 7 7 3 6 4 - -	9 3 6 3 6 4 - -	9 5 4 5 8 8 - -	12 8 4 8 3 1 - -	3 3 1 3 3 - -	1 - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	55 56 57 58 59 60 61 62 63	
72 56 16 49 14 7 2 - -	43 35 8 32 8 3 - -	16 12 4 11 4 1 - -	23 19 4 16 4 1 - -	29 20 9 18 8 2 - -	33 18 15 17 14 13 - -	38 24 14 21 13 10 - -	31 20 11 17 12 10 - -	27 15 11 12 15 12 - -	35 15 20 15 11 16 - -	22 12 10 11 8 8 - -	21 13 8 15 8 8 - -	10 6 4 6 4 - -	2 2 - 2 - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	64 65 66 67 68 69 70 71 72	
9 9 8 - 1 - - -	8 8 1 4 3 - -	7 6 4 4 2 1 - -	12 8 4 6 3 1 - -	9 8 1 4 2 1 - -	6 5 3 3 2 2 - -	14 8 6 7 4 2 - -	13 8 5 6 5 2 - -	13 9 4 7 3 2 - -	15 9 6 8 6 1 - -	21 12 9 12 8 - -	13 3 10 3 10 - -	9 6 3 6 3 - -	6 6 1 6 1 - -	6 5 1 5 1 - -	-	-	-	73 74 75 76 77 78 79 80 81	
2 2 1 1 1 -	1 1 1 - -	1 1 1 - -	1 1 - -	- - -	1 1 1 - -	1 1 1 - -	- -	- -	- -	1 - -	- -	- -	- -	- -	- -	- -	- -	82 83 84 85 86 87 88 89 90	

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Type of Motor

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the

Type of motor vehicle involved, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
All motor vehicle accidents (E810-E835)—Con.											
1	Unspecified motor vehicles (.9)-----	1,958	9	10	20	16	10	65	65	58	277
2	Male-----	1,469	8	6	12	9	7	42	41	27	216
3	Female-----	489	1	4	8	7	3	23	24	11	59
4	White-----	1,282	5	6	11	9	5	36	32	25	200
5	Female-----	426	1	4	7	6	3	21	20	10	50
6	Negro-----	154	2	-	1	-	2	5	9	2	15
7	Female-----	58	-	-	1	1	-	2	4	1	8
8	Other-----	33	1	-	-	-	-	1	-	-	3
9	Female-----	5	-	-	-	-	-	-	-	-	1
10	Motor vehicle traffic accidents (E810-E825)-----	51,933	345	306	357	445	451	1,904	2,073	1,712	7,983
11	Male-----	37,458	184	177	200	256	259	1,078	1,312	1,180	5,958
12	Female-----	14,475	161	129	157	189	192	828	761	532	2,025
13	White-----	32,666	146	153	169	193	199	880	1,067	1,032	5,439
14	Female-----	12,819	136	115	129	155	147	682	619	466	1,833
15	Negro-----	4,300	32	22	30	60	57	201	235	136	443
16	Female-----	1,473	24	13	26	31	43	137	133	62	170
17	Other-----	492	6	2	1	3	3	15	10	12	77
18	Female-----	185	1	1	2	3	2	9	9	4	22
19	Goods transport vehicle(s), but no other motor vehicle (.0)-----	3,769	9	24	30	44	34	141	231	225	309
20	Male-----	3,301	4	12	20	26	22	84	173	192	260
21	Female-----	468	5	12	10	18	12	57	58	31	49
22	White-----	2,866	3	11	16	19	19	67	141	169	225
23	Female-----	416	5	11	10	17	12	55	49	27	45
24	Negro-----	370	-	1	4	6	4	15	31	21	26
25	Female-----	58	-	1	-	-	-	1	8	4	3
26	Other-----	65	1	-	-	1	-	2	1	3	9
27	Female-----	15	-	-	-	1	-	1	1	-	1
28	Goods transport vehicle and passenger motor vehicle (.1)-----	4,938	31	58	25	16	25	135	77	134	696
29	Male-----	3,572	17	21	12	11	15	76	42	76	526
30	Female-----	1,366	14	17	13	5	10	59	35	58	170
31	White-----	3,236	12	19	12	11	12	66	35	71	497
32	Female-----	1,259	12	17	12	4	9	54	32	51	163
33	Negro-----	305	5	2	-	-	2	9	4	6	28
34	Female-----	95	2	-	1	1	1	5	3	6	6
35	Other-----	31	-	-	-	-	1	1	3	3	3
36	Female-----	14	-	-	-	-	-	-	-	1	1
37	Goods transport vehicle and motorbus (.2)-----	52	-	-	-	-	1	1	4	2	7
38	Male-----	42	-	-	-	-	1	1	3	2	5
39	Female-----	10	-	-	-	-	-	-	1	2	2
40	White-----	32	-	-	-	-	1	1	1	1	2
41	Female-----	4	-	-	-	-	-	-	-	2	2
42	Negro-----	10	-	-	-	-	-	-	2	1	3
43	Female-----	5	-	-	-	-	-	-	1	-	-
44	Other-----	1	-	-	-	-	-	-	-	-	-
45	Female-----	1	-	-	-	-	-	-	-	-	-
46	Goods transport vehicle and unspecified motor vehicle (.3)-----	229	-	-	-	-	-	-	3	4	22
47	Male-----	186	-	-	-	-	-	-	2	3	17
48	Female-----	43	-	-	-	-	-	-	1	1	5
49	White-----	167	-	-	-	-	-	-	2	3	15
50	Female-----	37	-	-	-	-	-	-	1	5	5
51	Negro-----	18	-	-	-	-	-	-	-	1	2
52	Female-----	6	-	-	-	-	-	-	-	1	-
53	Other-----	1	-	-	-	-	-	-	-	-	-
54	Female-----	1	-	-	-	-	-	-	-	-	-
55	Passenger motor vehicle(s), but no other motor vehicle (.4)-----	40,033	289	232	281	367	370	1,539	1,621	1,290	6,545
56	Male-----	28,259	153	136	156	209	207	863	1,009	859	4,839
57	Female-----	11,774	136	94	125	158	163	676	618	421	1,706
58	White-----	24,540	125	119	130	154	159	687	817	747	4,415
59	Female-----	10,392	113	81	101	127	121	543	496	368	1,539
60	Negro-----	3,362	24	17	25	53	46	165	186	103	362
61	Female-----	1,236	22	12	23	29	40	126	115	50	148
62	Other-----	337	4	2	1	2	2	11	6	9	62
63	Female-----	146	1	1	1	2	2	7	3	10	19
64	Passenger motor vehicle and motorbus (.5)-----	218	3	1	2	1	1	8	4	3	30
65	Male-----	136	-	1	1	1	1	4	1	1	19
66	Female-----	82	3	-	1	-	-	4	3	2	11
67	White-----	118	-	1	1	-	1	3	1	1	18
68	Female-----	73	3	-	1	-	-	4	3	2	10
69	Negro-----	16	-	-	-	1	-	1	-	-	1
70	Female-----	8	-	-	-	-	-	-	-	-	1
71	Other-----	2	-	-	-	-	-	-	-	-	-
72	Female-----	1	-	-	-	-	-	-	-	-	-
73	Passenger motor vehicle and unspecified motor vehicle (.6)-----	532	5	4	5	-	5	19	11	11	88
74	Male-----	359	3	1	1	-	3	8	8	6	67
75	Female-----	173	2	3	4	-	2	11	3	5	21
76	White-----	326	2	-	1	-	2	5	8	8	64
77	Female-----	156	2	3	2	-	2	9	3	3	18
78	Negro-----	32	1	1	-	-	1	3	-	-	3
79	Female-----	16	-	-	1	-	-	1	-	-	3
80	Other-----	1	-	-	-	-	-	-	-	-	-
81	Female-----	1	-	-	1	-	-	1	-	-	-
82	Motorbus(es), but no other motor vehicle (.7)-----	243	-	-	-	3	5	8	50	16	11
83	Male-----	165	-	-	-	-	3	3	33	12	9
84	Female-----	78	-	-	-	3	2	5	17	4	2
85	White-----	130	-	-	-	-	1	1	30	8	6
86	Female-----	64	-	-	-	3	-	3	14	4	1
87	Negro-----	33	-	-	-	-	2	2	3	4	3
88	Female-----	12	-	-	-	-	2	2	2	-	1
89	Other-----	2	-	-	-	-	-	-	-	-	-
90	Female-----	2	-	-	-	-	-	-	1	-	-

SECTION 4 - ACCIDENT MORTALITY

4-15

Vehicle Involved, Age, Race, and Sex: United States, 1966-Con.

International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
264	150	136	105	132	121	113	94	102	90	77	71	39	14				1
221	125	108	71	96	85	84	70	76	63	54	39	12	3				2
43	25	30	34	36	26	29	24	26	27	23	33	14	2				3
156	103	94	52	84	82	73	62	65	55	51	32	25	12	3			4
40	22	23	25	31	24	24	21	22	24	22	32	13	2				5
18	15	12	17	10	11	10	6	9	7	2	6						6
3	2	7	7	5	2	5	3	3	3	1	1	1					7
7	7	2	2	2	2	1	2	2	1	1	1						8
-	1	-	2	-	-	-	-	1	-	-	-	-					9
7,158	4,087	3,053	2,931	3,068	2,975	2,812	2,648	2,393	2,089	2,042	1,650	940	385	83	10		17
5,819	3,273	2,332	2,119	2,241	2,110	1,997	1,798	1,607	1,338	1,247	1,064	645	262	60	6		14
1,339	924	731	712	827	865	815	850	786	751	795	585	295	123	23	4		5
5,159	2,806	1,942	1,797	1,867	1,834	1,683	1,569	1,406	1,179	1,127	982	605	247	5	5		13
1,175	696	616	605	715	733	734	783	730	688	759	582	281	114	21	4		14
578	402	352	296	350	258	285	207	175	141	109	73	35	12	8	1		15
187	104	97	90	103	120	77	62	51	55	31	21	13	8	2			16
82	65	39	28	24	18	29	22	26	18	11	9	5	3				17
27	24	18	17	9	12	4	5	5	8	5	3	1	1				18
282	279	262	271	301	305	270	246	207	152	105	102	50	23	6	1		19
265	264	242	250	277	281	253	221	174	122	88	85	37	14	6			20
17	15	20	11	24	24	17	25	33	30	17	17	13	9	1			21
233	231	210	228	241	246	218	196	148	105	79	76	33	13	5			22
15	15	16	11	20	19	17	21	27	26	16	13	7		1			23
28	23	28	28	31	31	29	21	24	12	9	8	3	1	1			24
2	-	1	-	2	5	-	3	4	2	1	1	-	2				25
4	10	4	4	5	4	6	4	2	5	-	1	1	-				26
-	-	3	-	2	-	-	1	2	-	-	-	-	-				27
659	371	324	322	339	318	324	305	258	220	203	153	74	17	6			28
533	294	245	234	262	218	228	214	180	132	129	104	59	14	3			29
126	77	79	88	77	100	96	91	78	88	74	49	15	3	3			30
482	269	210	205	224	200	201	182	163	126	124	97	57	13	3			31
112	63	73	75	68	90	93	96	74	65	72	47	15	3	3			32
48	23	34	26	34	17	25	18	15	5	5	2	2	1	1			33
14	9	6	10	8	9	3	5	3	3	1	6	2					34
3	2	1	3	4	1	2	4	2	1	1	1						35
-	5	-	3	1	1	-	-	-	1	-	-						36
1	5	-	8	6	4	4	4	2	2	-	-	2					37
1	4	-	7	6	4	3	2	1	2	-	-	1					38
-	1	-	1	-	-	1	2	1	1	-	-	1					39
-	4	-	6	4	4	3	2	1	2	-	-	1					40
1	-	-	1	-	-	-	1	-	-	-	-	-					41
-	-	-	1	2	-	-	-	-	-	-	-	-					42
-	-	-	-	-	-	1	1	1	-	-	-	1					43
-	1	-	-	-	-	-	-	-	-	-	-	-					44
-	-	-	-	-	-	-	-	-	-	-	-	-					45
26	31	17	19	16	17	20	9	13	10	14	5	3					46
24	24	15	17	15	13	17	6	11	9	10	2	1					47
2	7	2	2	1	4	3	3	2	1	4	3	2					48
21	20	13	17	14	13	15	6	10	8	8	1	1					49
1	6	2	2	1	2	3	3	-	4	3	2	-					50
2	4	2	-	-	-	2	-	1	1	2	1	-					51
1	1	-	-	-	2	-	-	1	1	-	-	-					52
1	-	-	-	-	-	-	-	-	-	-	-	-					53
-	-	-	-	-	-	-	-	-	-	-	-	-					54
5,816	3,186	2,286	2,060	2,219	2,163	2,022	1,944	1,765	1,559	1,595	1,275	751	323	82	9		55
4,687	2,501	1,699	1,496	1,546	1,471	1,377	1,258	1,140	985	939	613	507	215	43	6		56
1,129	685	587	564	673	692	646	606	623	574	656	444	108	19	3			57
4,151	2,132	1,397	1,260	1,268	1,263	1,145	1,069	1,000	859	839	754	473	202	36	5		58
988	577	492	481	582	581	634	576	585	526	627	443	232	101	17	3		59
470	325	272	220	265	197	214	157	120	115	90	52	30	10	7	1		60
114	81	80	72	85	100	65	48	39	42	26	11	6	2				61
66	44	30	16	13	11	20	12	20	11	10	7	4	3				62
27	17	15	11	6	11	4	4	1	6	3	3	1	1				63
33	24	14	11	18	10	7	8	14	9	9	12	3	1				64
27	18	6	7	12	8	3	4	7	3	5	8	3					65
6	6	6	4	6	2	4	4	4	7	4	4	1					66
24	12	3	7	11	7	2	4	6	3	5	8	3					67
5	5	6	3	5	2	4	3	7	6	4	3		1				68
3	6	2	-	1	-	1	-	-	-	-	-	-					69
1	1	2	-	1	-	1	-	-	-	-	-	-					70
-	-	1	-	-	1	-	-	-	-	-	-	-					71
-	-	-	1	-	-	-	-	-	-	-	-	-					72
72	43	16	23	29	33	38	31	27	35	22	21	10	2				73
56	35	12	19	20	18	24	20	15	15	12	13	6	2				74
16	8	4	4	9	15	14	11	12	20	10	8	4					75
49	32	11	16	18	17	21	17	12	15	11	13	6	2				76
14	8	4	4	8	14	13	10	12	16	8	8	4					77
7	3	1	2	2	1	3	3	3	3	1	1						78
2	-	-	-	1	1	1	1	-	4	2	-	-					79
-	-	-	-	-	-	-	-	-	-	-	-	-					80
-	-	-	-	-	-	-	-	-	-	-	-	-					81
8	8	7	12	9	7	14	12	13	14	19	13	8	5	6			82
8	8	6	8	8	4	8	7	9	8	12	3	6	5	5			83
-	-	1	4	1	3	6	5	4	6	7	10	2	1	1			84
7	3	4	6	4	3	7	5	7	7	12	3	6	5	5			85
-	-	-	3	2	2	4	2	3	6	6	10	2	1	1			86
1	3	2	2	4	1	1	1	1	1	-	-	-					87
-	-	1	1	1	1	2	-	-	-	-	-	-					88
-	2	-	-	-	-	-	-	-	-	1	-	-					89
-	-	-	-	-	-	-	-	-	-	-	-	-					90

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Nontransport Accidents, by Place
 [Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the

Place of accident, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E870-E936)-----	55,920	2,707	1,239	903	749	591	6,189	1,896	1,791	2,770
2	Male-----	34,549	1,560	724	560	445	335	3,614	1,267	1,405	2,413
3	Female-----	19,371	1,157	515	343	304	256	2,575	629	386	357
4	White-----	28,201	1,024	521	412	324	250	2,531	947	1,057	1,924
5	Female-----	16,395	739	343	229	197	160	1,668	437	297	287
6	Negro-----	5,967	490	188	144	111	79	1,012	304	326	457
7	Female-----	2,781	396	159	106	99	87	847	169	84	63
8	Other-----	481	36	15	4	10	6	71	16	22	28
9	Female-----	195	22	13	8	8	9	60	23	5	7
10	Home ¹ (.0)-----	24,771	1,990	947	646	524	403	4,510	984	549	566
11	Male-----	13,307	1,140	554	383	294	205	2,566	571	379	425
12	Female-----	11,464	850	393	263	240	198	1,944	413	171	141
13	White-----	10,628	743	381	259	188	137	1,718	385	307	332
14	Female-----	9,434	540	250	163	144	117	1,214	266	124	113
15	Negro-----	2,532	371	153	123	91	64	802	180	69	85
16	Female-----	1,915	297	132	95	90	76	690	130	46	27
17	Other-----	1,447	26	10	1	4	4	46	6	3	8
18	Female-----	115	13	11	5	5	4	17	1	1	1
19	Farm ² (.1)-----	2,165	2	33	39	30	26	130	116	220	244
20	Male-----	2,009	2	18	30	22	18	90	93	200	239
21	Female-----	156	-	15	9	8	8	40	23	20	5
22	White-----	1,757	2	16	27	22	17	84	78	157	177
23	Female-----	132	-	14	8	7	7	36	21	17	2
24	Negro-----	248	-	2	1	1	1	4	15	43	59
25	Female-----	18	-	1	1	1	1	1	1	3	3
26	Other-----	24	-	-	2	-	-	2	-	-	3
27	Female-----	6	-	-	-	-	-	1	-	-	-
28	Male and quarry (.2)-----	517	-	-	1	1	2	4	10	37	66
29	Male-----	508	-	-	1	1	2	4	10	35	61
30	Female-----	9	-	-	-	-	-	-	-	2	5
31	White-----	467	-	-	1	1	2	4	8	22	53
32	Female-----	9	-	-	-	-	-	-	-	2	5
33	Negro-----	37	-	-	-	-	-	-	1	13	8
34	Female-----	-	-	-	-	-	-	-	-	-	-
35	Other-----	4	-	-	-	-	-	-	1	-	-
36	Female-----	-	-	-	-	-	-	-	-	-	-
37	Industrial place and premises (.3)-----	2,906	-	-	3	2	3	8	24	30	175
38	Male-----	2,848	-	-	3	-	2	5	21	29	171
39	Female-----	58	-	-	-	2	1	3	3	1	4
40	White-----	2,434	-	-	3	-	2	5	15	24	157
41	Female-----	57	-	-	-	2	1	3	3	1	4
42	Negro-----	387	-	-	-	-	-	-	6	5	13
43	Female-----	1	-	-	-	-	-	-	-	-	1
44	Other-----	27	-	-	-	-	-	-	-	-	1
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)-----	662	1	9	20	27	19	76	124	131	167
47	Male-----	706	1	5	15	17	14	52	92	96	168
48	Female-----	156	-	4	5	10	5	24	32	35	19
49	White-----	581	1	5	14	15	13	48	75	67	126
50	Female-----	137	-	4	5	10	5	24	30	30	17
51	Negro-----	122	-	-	1	2	1	4	17	29	32
52	Female-----	16	-	-	-	-	-	-	2	5	2
53	Other-----	3	-	-	-	-	-	-	-	1	-
54	Female-----	3	-	-	-	-	-	-	-	-	-
55	Street and highway (.5)-----	1,969	7	4	6	3	6	26	30	28	128
56	Male-----	1,622	4	1	4	1	6	16	21	18	96
57	Female-----	347	3	3	2	2	-	10	9	10	32
58	White-----	1,531	3	1	3	1	4	12	14	15	77
59	Female-----	299	2	3	2	2	-	9	6	8	26
60	Negro-----	271	1	-	1	-	2	4	6	3	18
61	Female-----	42	-	-	-	-	-	-	2	2	5
62	Other-----	20	-	-	-	-	-	-	1	-	1
63	Female-----	6	1	-	-	-	-	-	1	1	1
64	Public building (.6)-----	1,538	4	4	1	8	3	20	22	40	72
65	Male-----	1,211	2	3	1	5	2	13	15	31	63
66	Female-----	327	2	1	3	3	1	7	7	9	9
67	White-----	1,054	1	2	-	4	1	8	13	29	49
68	Female-----	291	1	1	-	2	1	5	4	9	6
69	Negro-----	138	1	1	1	1	1	5	2	2	14
70	Female-----	30	1	-	-	1	-	2	3	-	3
71	Other-----	19	-	-	-	-	-	-	-	-	-
72	Female-----	6	-	-	-	-	-	-	-	-	-
73	Resident institution (.7)-----	4,480	75	7	3	3	5	93	21	28	36
74	Male-----	1,948	40	3	3	-	4	50	12	18	29
75	Female-----	2,532	35	4	-	3	1	43	9	10	8
76	White-----	1,804	30	3	3	-	4	40	12	13	24
77	Female-----	2,429	22	2	-	3	1	28	9	9	8
78	Negro-----	128	9	-	-	-	-	9	-	5	4
79	Female-----	96	12	2	-	-	-	14	-	1	-
80	Other-----	16	1	-	-	-	-	1	-	-	-
81	Female-----	7	1	-	-	-	-	1	-	-	-
82	Other specified places (.8)-----	5,671	42	74	101	89	73	379	440	588	1,015
83	Male-----	5,144	18	49	66	74	52	259	353	434	828
84	Female-----	727	24	25	35	15	21	120	87	94	87
85	White-----	4,099	15	46	63	66	47	237	281	345	740
86	Female-----	578	16	24	28	12	14	94	65	78	74
87	Negro-----	915	3	3	2	5	4	17	66	136	173
88	Female-----	124	5	1	4	2	6	18	19	13	10
89	Other-----	130	-	-	1	3	1	5	6	3	3
90	Female-----	25	3	-	3	1	1	9	3	3	3
91	Place not specified (.9)-----	8,841	586	161	83	62	51	943	125	140	281
92	Male-----	5,246	343	91	54	41	30	559	79	106	234
93	Female-----	3,595	243	70	29	21	21	384	46	34	47
94	White-----	4,066	229	57	39	27	23	375	66	78	179
95	Female-----	3,029	158	45	23	15	14	255	33	19	32
96	Negro-----	1,089	105	29	15	12	6	167	11	23	51
97	Female-----	539	61	23	6	5	4	119	12	14	13
98	Other-----	81	9	5	-	2	1	17	2	5	4
99	Female-----	27	4	2	-	1	3	10	1	1	2

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1966

International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
2,009	1,665	1,720	1,996	2,500	2,666	2,834	2,885	2,806	2,689	3,142	3,965	4,361	3,584	1,861	464	75	50
1,749	1,397	1,434	1,611	1,909	2,058	2,165	2,216	2,034	1,705	1,771	1,808	1,785	1,257	636	144	30	42
260	268	266	397	591	608	669	669	772	984	1,371	2,056	2,578	2,327	1,225	320	45	8
1,415	1,061	1,095	1,241	1,479	1,655	1,787	1,853	1,786	1,433	1,574	1,755	1,672	1,194	601	131	25	35
198	179	187	283	467	483	549	576	658	816	1,221	1,901	2,449	2,247	1,175	297	35	5
305	286	305	338	400	385	349	342	275	246	182	141	100	53	31	11	3	6
54	77	92	97	119	116	115	86	130	163	147	149	123	75	46	19	9	3
29	30	34	32	30	28	29	21	23	28	15	13	11	10	4	2	1	8
8	12	7	7	5	9	5	7	4	5	3	6	6	7	4	4	2	9
462	478	496	637	915	1,029	1,166	1,191	1,271	1,362	1,668	2,143	2,287	1,828	936	252	32	9
316	326	340	406	573	645	728	760	787	753	842	957	905	619	321	71	12	6
146	152	156	231	342	384	430	431	494	609	626	1,186	1,382	1,209	615	181	20	3
250	251	238	309	450	496	583	644	652	616	735	873	840	580	292	64	8	5
111	104	107	169	277	314	356	379	395	494	720	1,080	1,291	1,159	577	166	16	2
62	69	95	90	121	143	139	110	129	129	101	78	62	34	25	6	3	1
32	42	44	58	63	67	78	50	85	113	104	101	86	47	35	13	3	1
4	6	7	7	2	4	6	6	6	8	8	6	3	5	4	1	1	1
3	6	5	4	2	3	4	2	4	2	2	5	5	3	3	2	1	1
105	68	60	85	98	132	153	169	156	126	109	79	55	13	5	—	—	2
101	65	78	81	92	121	143	164	151	120	104	75	53	13	4	—	—	2
4	3	2	4	6	11	10	5	6	6	5	4	2	1	—	—	—	2
80	58	69	68	77	102	129	166	137	115	100	72	50	12	4	—	—	2
3	2	—	4	6	9	8	5	5	5	3	4	2	—	—	—	—	2
20	7	8	12	12	13	10	17	14	5	4	2	2	1	—	—	—	—
—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	1	1	3	6	4	1	—	—	—	1	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
38	38	36	48	58	67	37	45	22	5	5	—	—	—	—	—	—	—
37	38	36	48	58	67	37	44	22	5	5	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33	36	33	47	57	66	34	43	21	4	5	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	2	2	1	—	1	2	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
277	234	267	296	299	313	325	302	211	61	31	24	4	1	2	1	—	1
272	232	266	289	295	307	318	297	207	60	30	25	2	2	1	—	—	1
5	2	1	7	4	6	7	5	4	1	1	1	2	1	—	—	—	—
241	200	244	237	243	261	270	245	185	54	27	21	1	2	2	1	—	1
5	1	1	7	4	6	7	5	4	1	1	1	2	1	—	—	—	—
29	27	41	49	51	43	40	50	21	6	3	2	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75	37	33	24	31	34	22	33	19	18	11	5	2	2	—	—	—	—
86	35	28	21	22	28	21	27	18	15	10	4	2	1	—	—	—	—
7	2	5	3	9	6	1	6	1	3	1	1	—	—	—	—	—	—
56	24	22	18	18	26	19	27	16	13	10	3	2	1	—	—	—	—
4	1	5	2	7	5	1	5	1	3	—	—	—	—	—	—	—	—
10	11	5	3	4	2	2	—	—	1	—	—	—	—	—	—	—	—
2	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
134	117	94	116	155	143	156	116	146	126	149	123	96	64	14	5	1	—
116	109	88	108	141	132	136	107	124	103	107	87	64	38	6	4	1	—
18	8	6	8	14	11	20	9	22	23	42	36	34	26	8	1	—	—
102	85	60	82	104	95	119	89	107	81	100	83	59	37	6	4	—	—
12	6	3	6	11	7	16	8	18	21	41	33	34	25	8	1	—	—
14	23	25	25	36	36	17	17	15	17	6	4	5	—	—	—	—	—
6	1	3	2	3	4	4	4	4	2	1	3	—	—	—	—	—	—
—	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
91	80	69	89	127	136	129	125	130	105	92	84	72	36	13	2	2	2
81	68	61	70	100	121	109	109	108	77	59	56	41	16	8	1	2	2
10	12	8	19	27	15	20	16	22	23	33	29	31	20	5	1	—	—
61	56	50	60	83	99	102	95	101	70	57	54	40	16	8	1	2	1
8	8	6	14	22	12	19	16	21	25	31	28	31	20	5	1	—	—
18	12	9	14	20	6	12	6	12	6	5	2	1	—	—	—	—	—
2	3	2	3	4	1	1	—	—	—	2	2	—	—	—	—	—	—
2	1	2	2	1	3	2	1	2	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
43	27	39	47	56	73	89	154	169	251	359	645	876	859	493	110	22	—
38	17	29	34	38	50	61	97	100	131	168	273	312	287	160	34	11	—
5	10	10	13	18	23	28	57	69	120	191	372	564	572	323	76	11	—
34	14	26	31	31	45	51	81	86	116	155	259	300	282	160	33	11	—
3	3	9	12	12	18	25	47	62	110	183	361	555	564	322	74	9	—
3	3	3	3	7	4	10	15	10	15	11	14	8	3	—	—	—	—
2	1	1	1	5	5	3	9	7	8	11	9	7	1	1	2	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
522	328	324	332	316	314	290	283	239	156	124	99	72	33	13	1	1	22
499	308	291	306	288	285	263	243	212	128	113	76	55	20	11	—	—	21
33																	

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1966

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States	53,041	4,202	4,948	52	231	40,630	218	532	258	12	1,859
Male	39,316	3,674	3,590	42	168	28,696	136	359	173	9	1,469
Female	14,725	528	1,358	10	43	11,944	82	173	85	3	489
White	33,428	3,186	3,244	32	169	24,927	118	326	137	7	1,292
Female	15,033	463	1,281	4	37	10,539	73	156	71	3	426
Nonwhite	4,898	488	536	10	19	3,759	18	33	56	2	187
Female	1,692	65	107	6	6	1,405	9	17	14	-	63
Alabama	1,204	98	113	-	-	955	11	11	5	1	10
Male	893	94	82	-	-	692	7	6	4	1	7
Female	311	4	31	-	-	263	4	5	1	-	3
White	639	61	66	-	-	493	6	6	1	1	6
Female	226	2	23	-	-	192	3	3	-	-	2
Nonwhite	254	33	16	-	-	189	1	1	3	-	1
Female	85	2	8	-	-	71	1	2	-	-	1
Alaska	72	15	9	-	1	45	-	-	1	-	1
Male	51	12	7	-	1	30	-	-	-	-	1
Female	21	3	2	-	-	15	-	-	1	-	-
White	38	10	3	-	1	24	-	-	-	-	-
Female	12	1	-	-	-	11	-	-	-	-	-
Nonwhite	13	2	4	-	-	6	-	-	-	-	1
Female	9	2	2	-	-	4	-	-	1	-	-
Arizona	563	84	56	-	-	397	2	1	2	-	21
Male	412	74	38	-	-	280	2	2	2	-	16
Female	151	10	18	-	-	117	-	1	-	-	5
White	302	49	31	-	-	209	2	2	2	-	9
Female	127	8	17	-	-	90	-	-	-	-	4
Nonwhite	110	25	7	-	-	71	-	1	1	-	7
Female	24	2	1	-	-	19	-	1	-	-	1
Arkansas	689	88	54	1	3	502	2	5	-	-	14
Male	492	75	35	1	3	361	1	3	-	-	13
Female	177	13	19	-	-	141	1	2	-	-	1
White	417	66	32	1	3	304	-	3	-	-	8
Female	157	15	18	-	-	123	1	2	-	-	5
Nonwhite	75	9	3	-	-	57	1	-	-	-	5
Female	20	-	1	-	-	18	-	-	-	-	1
California	5,288	326	429	2	66	3,613	21	75	19	-	737
Male	3,721	274	309	2	48	2,484	12	52	11	-	529
Female	1,567	52	120	-	18	1,129	9	23	8	-	208
White	3,598	253	288	2	47	2,240	12	48	9	-	489
Female	1,423	49	112	-	17	1,018	9	23	6	-	183
Nonwhite	333	21	21	-	1	244	-	4	2	-	40
Female	144	3	8	-	1	111	-	-	2	-	19
Colorado	588	54	36	-	-	503	2	2	-	-	1
Male	438	50	24	-	-	380	2	1	-	-	1
Female	160	4	12	-	-	143	-	1	-	-	-
White	426	48	24	-	-	350	2	1	-	-	1
Female	157	4	12	-	-	140	-	1	-	-	-
Nonwhite	12	2	-	-	-	10	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Connecticut	458	30	19	1	1	389	-	2	1	-	10
Male	337	28	15	-	1	261	-	1	1	-	10
Female	121	2	3	1	-	108	-	1	-	-	6
White	317	26	15	-	1	264	-	1	1	-	9
Female	114	2	3	-	-	102	-	1	-	-	6
Nonwhite	20	2	-	-	-	17	-	-	-	-	1
Female	7	-	-	1	-	6	-	-	-	-	-
Delaware	132	12	4	-	-	107	-	4	-	-	5
Male	97	9	2	-	-	78	-	3	-	-	5
Female	35	3	2	-	-	29	-	1	-	-	-
White	77	7	2	-	-	61	-	3	-	-	4
Female	28	2	2	-	-	24	-	-	-	-	-
Nonwhite	20	2	-	-	-	17	-	-	-	-	1
Female	7	1	-	-	-	5	-	1	-	-	-
District of Columbia	126	3	3	1	1	104	-	2	1	-	11
Male	90	3	2	-	1	75	-	2	-	-	7
Female	36	-	1	1	-	29	-	-	1	-	4
White	37	-	2	-	-	30	-	-	-	-	5
Female	17	-	1	-	-	15	-	-	1	-	-
Nonwhite	53	3	-	-	1	45	-	2	-	-	2
Female	19	-	-	1	-	14	-	-	-	-	4
Florida	1,823	104	183	5	9	1,327	10	31	36	-	118
Male	1,272	93	139	3	9	901	6	18	27	-	76
Female	551	11	44	2	-	426	4	13	9	-	42
White	1,011	61	121	1	8	721	5	15	23	-	56
Female	471	11	40	-	-	367	4	13	3	-	33
Nonwhite	261	32	18	2	1	180	1	3	4	-	29
Female	80	-	4	2	-	59	-	-	6	-	9

SECTION 4 - ACCIDENT MORTALITY

4-21

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1966-Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia	1,562	128	178	5	4	1,208	2	17	6	-	15
Male	1,151	119	154	4	4	864	1	15	4	-	9
Female	411	9	45	1	-	344	1	2	2	-	6
White	857	82	111	4	3	642	1	6	2	-	5
Male	323	6	41	1	-	268	1	1	1	-	2
Female	294	37	23	-	1	222	-	5	3	-	3
Nonwhite	88	3	4	-	-	76	-	1	1	-	3
Hawaii	106	10	6	-	-	87	-	-	1	-	2
Male	78	9	5	-	-	61	-	-	1	-	2
Female	28	1	1	-	-	26	-	-	-	-	-
White	34	2	3	-	-	26	-	-	1	-	2
Male	8	-	1	-	-	7	-	-	-	-	-
Female	44	7	2	-	-	35	-	-	-	-	-
Nonwhite	20	1	-	-	-	13	-	-	-	-	-
Idaho	256	27	18	-	2	203	-	2	1	-	3
Male	194	24	16	-	1	149	-	1	-	-	3
Female	82	3	2	-	1	54	-	1	1	-	3
White	187	23	16	-	1	143	-	1	-	-	3
Male	58	3	2	-	1	50	-	1	1	-	-
Female	7	1	-	-	-	6	-	-	-	-	-
Nonwhite	4	-	-	-	4	-	-	-	-	-	-
Illinois	2,661	180	271	1	11	2,044	12	31	23	1	87
Male	1,921	157	190	1	9	1,445	10	25	15	1	68
Female	740	23	81	-	2	599	2	6	8	-	19
White	1,733	141	172	1	9	1,302	10	24	11	1	63
Male	678	20	74	-	2	552	2	4	6	-	16
Female	189	16	18	-	1	143	-	1	4	1	5
Nonwhite	62	3	7	-	-	47	-	2	-	-	3
Indiana	1,603	107	151	-	8	1,260	8	30	1	1	37
Male	1,143	98	97	-	8	881	3	20	-	1	25
Female	460	9	54	-	-	369	5	10	1	-	12
White	1,078	96	95	-	8	835	1	20	-	1	24
Male	432	9	52	-	-	346	3	9	1	-	12
Female	65	2	4	-	-	56	2	2	-	-	1
Nonwhite	28	-	2	-	-	23	2	1	-	-	-
Iowa	934	88	113	-	7	694	4	11	3	-	14
Male	653	71	77	-	6	477	3	8	1	-	10
Female	281	17	36	-	1	217	1	3	2	-	4
White	647	71	77	-	6	472	3	8	1	-	9
Male	279	17	36	-	1	215	1	3	2	-	4
Female	6	-	-	-	-	5	-	-	-	-	1
Nonwhite	2	-	-	-	-	2	-	-	-	-	-
Kansas	709	70	80	1	-	547	2	3	-	-	6
Male	503	62	57	1	-	373	2	3	-	-	5
Female	208	8	23	-	-	174	-	-	-	-	1
White	473	61	65	1	-	346	2	3	-	-	5
Male	191	8	23	-	-	159	-	-	-	-	1
Female	30	1	2	-	-	27	-	-	-	-	-
Nonwhite	15	-	-	-	-	15	-	-	-	-	-
Kentucky	1,052	95	147	6	2	772	12	4	6	-	9
Male	763	81	106	5	1	552	5	3	4	-	6
Female	289	14	41	1	1	220	7	2	2	-	2
White	699	77	95	1	1	507	5	3	4	-	6
Male	272	13	39	1	1	207	7	1	2	-	1
Female	64	4	11	4	-	45	-	-	-	-	-
Nonwhite	17	1	2	-	-	13	-	-	-	-	1
Louisiana	1,216	99	108	-	8	926	3	25	3	-	44
Male	919	85	88	-	8	681	3	16	3	-	35
Female	297	14	20	-	-	245	-	9	-	-	9
White	637	57	69	-	6	460	3	14	1	-	27
Male	210	12	12	-	-	176	-	4	-	-	6
Female	282	28	19	-	2	221	-	2	2	-	8
Nonwhite	87	2	8	-	-	69	-	5	-	-	3
Maine	222	17	11	-	-	191	-	2	-	-	1
Male	165	14	11	-	-	137	-	2	-	-	1
Female	57	3	-	-	-	54	-	-	-	-	-
White	165	14	11	-	-	137	-	2	-	-	1
Male	57	3	-	-	-	54	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Maryland	744	43	52	1	13	583	4	18	6	1	23
Male	564	37	30	1	8	443	2	16	4	1	22
Female	180	6	22	-	5	140	2	2	2	-	1
White	445	28	23	-	5	358	-	13	2	-	18
Male	147	4	19	-	2	117	1	1	2	-	1
Female	119	11	7	1	3	85	2	3	2	1	4
Nonwhite	33	2	3	-	3	23	1	1	-	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1966-Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts	957	73	36	1	2	791	1	7	10		36
Male	691	60	26	1	1	563	1	4	7		29
Female	266	13	10	-	1	228	-	3	3		0
White	670	58	26	1	1	544	1	4	7		29
Female	260	13	10	-	1	222	-	3	3		8
Nonwhite	21	2	-	-	-	19	-	-	-		-
Female	6	-	-	-	-	6	-	-	-		-
Michigan	2,436	96	207	-	2	2,107	11	1	5	1	6
Male	1,748	82	153	-	2	1,493	8	1	3		6
Female	688	14	54	-	-	614	3	-	2	1	-
White	1,580	78	144	-	2	1,340	7	1	2		6
Female	618	11	52	-	-	551	2	-	1	1	-
Nonwhite	168	4	9	-	-	153	1	-	1		-
Female	70	3	2	-	-	63	1	-	1		-
Minnesota	1,043	78	117	2	4	814	5	7	6		10
Male	734	67	84	2	4	556	4	5	4		8
Female	309	11	33	-	-	258	1	2	2		2
White	717	67	84	2	4	540	3	5	4		8
Female	298	9	32	-	-	250	1	2	2		2
Nonwhite	17	-	-	-	-	16	1	-	-		-
Female	11	2	1	-	-	8	-	-	-		-
Mississippi	840	65	72	2	3	662	5	8	3		20
Male	612	59	49	2	3	489	4	6	2		19
Female	228	6	23	-	-	193	1	2	1		2
White	589	35	35	1	-	303	3	6	3		8
Female	159	3	21	-	-	132	1	2	-		-
Nonwhite	223	24	16	1	3	166	1	1	2		12
Female	69	3	2	-	-	61	-	-	1		2
Missouri	1,418	127	203	2	-	1,064	8	4	4		6
Male	1,042	116	149	2	-	763	3	3	2		4
Female	376	11	54	-	-	301	5	1	2		2
White	965	109	144	2	-	698	3	3	2		4
Female	358	11	53	-	-	284	5	1	2		2
Nonwhite	77	7	5	-	-	65	-	-	-		-
Female	18	-	1	-	-	17	-	-	-		-
Montana	268	36	46	-	-	180	-	1	2		1
Male	192	30	28	-	-	132	-	-	1		1
Female	76	6	20	-	-	48	-	1	1		-
White	166	30	24	-	-	110	-	-	1		1
Female	67	5	20	-	-	40	-	1	1		-
Nonwhite	26	-	4	-	-	22	-	-	-		-
Female	9	1	-	-	-	8	-	-	-		-
Nebraska	443	66	51	-	-	321	1	1	-		3
Male	315	61	39	-	-	211	1	-	-		3
Female	128	5	12	-	-	110	-	1	-		-
White	306	61	39	-	-	202	1	-	-		3
Female	124	5	12	-	-	106	-	1	-		-
Nonwhite	9	-	-	-	-	9	-	-	-		-
Female	4	-	-	-	-	4	-	-	-		-
Nevada	177	16	11	-	-	133	1	2	-		14
Male	134	13	10	-	-	98	1	1	-		11
Female	43	3	1	-	-	35	-	1	-		3
White	120	10	9	-	-	90	-	1	-		12
Female	41	3	1	-	-	34	-	1	-		2
Nonwhite	14	3	1	-	-	8	1	-	-		1
Female	2	-	-	-	-	1	-	-	-		-
New Hampshire	131	3	6	-	1	116	-	-	1		4
Male	93	3	4	-	1	80	-	-	1		4
Female	38	-	2	-	-	36	-	-	-		-
White	92	3	4	-	1	79	-	-	1		4
Female	38	-	2	-	-	36	-	-	-		-
Nonwhite	1	-	-	-	-	1	-	-	-		-
Female	-	-	-	-	-	-	-	-	-		-
New Jersey	1,161	70	67	2	12	797	6	71	7		129
Male	845	59	46	2	9	576	4	41	7		101
Female	318	11	21	-	3	221	2	30	-		28
White	720	44	46	1	7	500	1	58	5		78
Female	279	9	19	-	1	192	4	29	-		23
Nonwhite	123	15	-	1	2	76	1	3	2		23
Female	39	2	2	-	2	29	-	1	-		3
New Mexico	403	54	34	-	-	311	1	-	-		3
Male	287	46	24	-	-	223	-	-	-		2
Female	106	8	10	-	-	88	1	-	-		1
White	243	36	20	-	-	185	-	-	-		2
Female	87	3	8	-	-	75	-	-	-		1
Nonwhite	54	10	4	-	-	40	-	-	-		-
Female	19	5	2	-	-	11	1	-	-		-

SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1966 -Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York	5,102	202	166	1	15	2,463	10	31	40	-	174
Male	2,180	166	102	1	13	1,719	6	19	25	-	129
Female	922	36	64	-	2	744	4	12	15	-	45
White	1,958	149	96	-	10	1,542	6	18	22	-	115
Female	922	36	60	-	2	662	4	12	15	-	39
Nonwhite	222	17	6	1	3	177	-	1	3	-	14
Female	94	2	4	-	-	62	-	-	-	-	6
North Carolina	1,740	171	173	3	-	1,364	7	5	8	-	9
Male	1,329	148	118	2	-	1,040	4	2	7	-	8
Female	411	23	55	1	-	324	3	3	1	-	1
White	966	109	101	2	-	737	2	2	7	-	6
Female	316	16	49	-	-	244	3	2	1	-	1
Nonwhite	363	39	17	-	-	305	2	2	-	-	2
Female	95	7	6	1	-	80	-	1	-	-	-
North Dakota	211	25	25	-	1	156	3	-	-	-	1
Male	165	23	19	-	-	120	2	-	-	-	1
Female	46	2	6	-	1	36	1	-	-	-	-
White	161	22	19	-	-	117	2	-	-	-	1
Female	44	2	6	-	1	34	1	-	-	-	-
Nonwhite	4	1	-	-	-	3	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-
Ohio	2,612	161	239	1	20	2,096	9	18	11	1	56
Male	1,686	149	183	1	17	1,468	6	12	6	1	43
Female	726	12	56	-	3	628	3	6	5	-	13
White	1,763	144	173	1	17	1,564	6	12	5	1	40
Female	686	11	52	-	3	594	3	6	4	-	13
Nonwhite	123	5	10	-	-	104	-	-	1	-	3
Female	40	1	4	-	-	34	-	-	1	-	-
Oklahoma	809	96	131	2	-	575	-	1	1	-	3
Male	569	85	104	2	-	394	-	1	-	-	3
Female	220	11	27	-	-	181	-	-	1	-	-
White	536	79	99	2	-	353	-	1	-	-	3
Female	191	10	26	-	-	154	-	-	1	-	-
Nonwhite	53	6	6	-	-	41	-	-	-	-	-
Female	29	1	1	-	-	27	-	-	-	-	-
Oregon	712	70	51	2	4	553	1	6	1	-	24
Male	497	59	36	1	2	379	-	2	-	-	18
Female	215	11	15	1	2	174	1	4	1	-	6
White	482	56	35	1	2	368	-	2	-	-	18
Female	212	11	15	1	2	171	1	4	1	-	6
Nonwhite	15	3	1	-	-	11	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Pennsylvania	2,318	160	186	1	7	1,789	12	35	15	3	110
Male	1,709	150	139	-	6	1,282	10	24	11	1	86
Female	609	10	47	1	1	507	2	11	4	2	24
White	1,578	135	133	-	6	1,182	10	21	8	1	82
Female	554	9	43	-	1	464	1	10	3	2	21
Nonwhite	131	15	6	-	-	100	-	3	3	-	4
Female	55	1	4	1	-	45	1	1	1	-	3
Rhode Island	125	9	5	-	1	105	1	4	1	-	1
Male	99	9	5	-	1	77	1	4	1	-	1
Female	26	-	-	-	-	26	-	-	-	-	-
White	95	8	5	-	1	74	1	4	1	-	1
Female	23	-	-	-	-	23	-	-	-	-	-
Nonwhite	4	1	-	-	-	3	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
South Carolina	933	75	40	2	-	789	9	2	2	1	13
Male	704	63	36	2	-	581	6	1	2	1	12
Female	229	12	4	-	-	208	3	1	-	-	1
White	450	34	27	2	-	375	4	1	1	1	7
Female	150	8	4	-	-	134	5	1	-	-	-
Nonwhite	254	29	9	-	-	208	2	-	1	-	5
Female	79	4	-	-	-	74	-	-	-	-	1
South Dakota	281	47	35	-	-	191	2	-	3	-	5
Male	194	41	14	-	-	133	1	-	2	-	3
Female	87	6	19	-	-	58	1	-	1	-	2
White	159	32	12	-	-	110	1	-	2	-	2
Female	70	4	18	-	-	44	1	-	1	-	2
Nonwhite	35	9	2	-	-	23	-	-	-	-	1
Female	17	2	1	-	-	14	-	-	-	-	-
Tennessee	1,260	109	191	1	2	944	3	2	3	-	5
Male	919	94	146	1	1	669	1	2	1	-	4
Female	341	15	45	-	1	275	2	-	2	-	1
White	801	88	125	1	1	585	-	2	-	-	1
Female	293	13	42	-	1	234	1	-	2	-	1
Nonwhite	118	6	21	-	-	86	1	-	1	-	3
Female	48	2	3	-	-	41	1	-	-	-	1

SECTION 4 - ACCIDENT MORTALITY

4-25

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1966

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States-----	53,920	24,771	2,165	517	2,906	862	1,969	1,538	4,480	5,871	8,941
Male-----	34,549	13,507	2,009	508	2,848	706	1,622	1,211	1,948	5,144	5,246
Female-----	19,371	11,464	156	9	58	156	347	327	2,532	727	3,595
White-----	28,201	10,628	1,737	467	2,434	581	1,331	1,054	1,804	4,099	4,086
Female-----	16,395	9,434	132	9	57	137	299	291	2,429	578	3,029
Nonwhite-----	6,548	2,679	272	41	414	125	291	157	144	1,045	1,180
Female-----	2,976	2,030	24	-	1	19	48	36	103	149	566
Alabama-----	1,139	453	44	12	57	14	26	19	27	111	376
Male-----	749	265	40	12	55	12	23	16	12	95	219
Female-----	390	188	4	-	2	2	3	3	15	16	157
White-----	470	159	24	8	39	8	18	14	9	64	127
Female-----	244	104	4	-	1	1	2	2	13	11	106
Nonwhite-----	279	106	16	4	16	4	5	2	3	31	92
Female-----	146	84	-	-	1	1	1	1	2	5	51
Alaska-----	174	78	-	-	9	1	4	15	2	36	29
Male-----	103	36	-	-	9	1	4	10	-	24	19
Female-----	71	42	-	-	-	-	-	5	2	12	10
White-----	52	15	-	-	8	1	3	7	-	13	5
Female-----	22	10	-	-	-	-	-	1	1	4	6
Nonwhite-----	51	21	-	-	1	-	1	3	-	11	14
Female-----	49	32	-	-	-	-	-	4	1	8	4
Arizona-----	471	202	20	12	16	8	14	13	13	91	82
Male-----	344	117	19	12	16	8	13	10	8	79	62
Female-----	127	85	1	-	-	-	1	3	5	12	20
White-----	273	100	15	12	16	7	10	9	7	67	40
Female-----	107	74	1	-	-	-	1	3	5	9	14
Nonwhite-----	71	17	4	-	-	-	3	1	1	22	22
Female-----	20	11	-	-	-	1	-	-	-	3	6
Arkansas-----	684	259	35	-	47	7	12	6	25	80	213
Male-----	479	153	31	-	47	5	12	4	14	71	142
Female-----	205	106	4	-	-	-	-	2	11	9	71
White-----	348	107	22	-	35	4	7	4	13	54	102
Female-----	140	63	4	-	-	2	-	2	10	9	50
Nonwhite-----	131	46	9	-	12	1	5	-	1	17	40
Female-----	65	43	-	-	-	-	-	-	1	-	21
California-----	4,766	2,421	76	9	209	63	193	202	635	562	396
Male-----	2,941	1,292	71	9	209	46	166	159	264	490	236
Female-----	1,825	1,129	5	-	1	17	27	43	371	72	160
White-----	2,628	1,141	67	9	176	44	141	143	254	447	206
Female-----	1,705	1,045	5	-	1	15	25	39	363	69	144
Nonwhite-----	313	151	4	-	32	2	25	16	10	43	30
Female-----	120	84	-	-	-	2	2	4	8	4	16
Colorado-----	556	217	29	12	42	15	18	21	70	55	77
Male-----	363	129	26	12	42	12	14	17	26	48	57
Female-----	193	88	3	-	-	3	4	4	44	7	40
White-----	350	123	26	12	42	12	14	16	25	46	54
Female-----	192	87	3	-	-	3	4	4	44	7	40
Nonwhite-----	13	6	-	-	-	-	-	1	1	2	3
Female-----	1	1	-	-	-	-	-	-	-	-	-
Connecticut-----	578	267	5	2	26	16	25	16	48	73	100
Male-----	354	132	5	2	26	13	20	13	20	65	58
Female-----	224	135	-	-	-	3	5	3	28	8	42
White-----	318	121	4	1	21	11	17	13	20	60	50
Female-----	214	129	-	-	-	3	4	3	28	8	39
Nonwhite-----	36	11	1	1	5	2	3	-	-	5	8
Female-----	10	6	-	-	-	-	1	-	-	-	3
Delaware-----	136	39	3	-	10	-	2	2	5	13	62
Male-----	87	21	3	-	10	-	2	1	3	11	56
Female-----	49	18	-	-	-	-	-	1	2	2	26
White-----	67	19	2	-	9	-	2	1	1	6	26
Female-----	39	15	-	-	-	-	-	1	1	1	20
Nonwhite-----	20	3	1	-	1	-	-	-	2	3	10
Female-----	10	3	-	-	-	-	-	-	-	1	6
District of Columbia-----	331	130	1	-	3	5	20	9	24	28	111
Male-----	226	82	1	-	2	4	16	7	13	24	77
Female-----	105	48	-	-	1	1	4	2	11	4	34
White-----	68	15	-	-	-	1	10	2	9	10	21
Female-----	56	22	-	-	1	1	3	1	9	3	16
Nonwhite-----	158	67	1	-	2	3	6	5	4	14	56
Female-----	49	26	-	-	-	-	1	1	2	1	18
Florida-----	1,746	865	41	22	71	58	44	77	119	291	160
Male-----	1,169	478	39	21	69	42	38	59	60	254	109
Female-----	577	387	2	1	2	14	6	18	59	57	51
White-----	824	340	22	10	46	32	32	46	57	167	72
Female-----	423	273	2	1	2	12	2	15	57	29	30
Nonwhite-----	345	138	17	11	23	10	6	13	5	87	37
Female-----	154	114	-	-	-	2	4	3	2	8	21

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1966-Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,306	685	73	2	68	16	41	28	76	170	147
Male-----	990	394	69	2	67	13	27	25	46	152	95
Female-----	416	291	4	-	1	3	14	3	30	18	52
White-----	546	233	40	-	34	9	14	17	40	97	63
Male-----	253	178	3	-	1	3	10	1	24	6	27
Female-----	344	161	29	2	33	4	13	8	6	55	33
Nonwhite-----	163	113	1	-	-	-	4	2	6	12	25
Hawaii-----	135	39	5	-	12	6	5	7	7	44	11
Male-----	111	27	4	-	12	4	3	6	5	41	9
Female-----	24	11	1	-	-	2	2	1	2	3	2
White-----	33	9	-	-	1	2	1	3	-	13	4
Male-----	11	5	-	-	-	1	1	1	1	1	1
Female-----	78	18	4	-	11	2	2	3	5	28	5
Nonwhite-----	13	6	1	-	-	1	2	1	1	2	2
Idaho-----	294	88	21	10	26	2	9	3	11	42	72
Male-----	191	47	19	10	26	2	6	3	3	35	40
Female-----	103	51	2	-	-	-	3	2	8	7	32
White-----	183	43	18	10	26	2	6	3	3	34	39
Male-----	97	47	2	-	-	-	3	3	3	7	39
Female-----	8	4	1	-	-	-	-	-	-	1	2
Nonwhite-----	6	4	-	-	-	-	-	-	-	-	2
Illinois-----	2,721	1,194	96	19	207	56	117	85	193	311	443
Male-----	1,807	680	90	19	203	47	97	69	80	266	257
Female-----	914	514	6	-	4	9	20	17	115	45	196
White-----	1,466	527	90	18	173	39	74	56	75	204	215
Male-----	753	402	6	-	4	15	13	107	34	162	162
Female-----	341	153	-	1	30	9	23	12	7	62	44
Nonwhite-----	159	112	-	-	-	2	4	4	6	11	20
Indiana-----	1,297	579	65	12	92	19	39	32	95	160	264
Male-----	819	327	61	11	88	17	28	26	34	84	143
Female-----	478	252	4	1	4	2	11	6	61	16	121
White-----	739	287	61	9	82	15	23	23	32	80	127
Male-----	448	233	4	1	4	2	10	6	58	13	115
Female-----	80	40	-	2	6	2	5	3	2	4	16
Nonwhite-----	32	19	-	-	-	-	1	-	3	3	6
Iowa-----	815	332	106	9	42	6	37	18	99	59	105
Male-----	534	178	99	9	40	2	31	13	46	49	84
Female-----	281	154	7	-	2	6	6	5	53	11	41
White-----	525	175	99	8	39	2	30	13	46	46	83
Male-----	275	150	7	-	2	2	6	4	53	11	40
Female-----	9	3	-	1	1	-	1	-	-	2	1
Nonwhite-----	6	4	-	-	-	-	-	1	-	-	1
Kansas-----	624	286	53	6	28	7	23	14	57	48	102
Male-----	409	163	49	6	28	6	18	12	32	41	54
Female-----	215	123	4	-	-	1	5	2	25	7	40
White-----	391	151	49	6	28	5	18	11	32	40	51
Male-----	200	113	4	-	-	1	5	2	25	7	43
Female-----	18	12	-	-	-	-	-	1	-	1	3
Nonwhite-----	15	10	-	-	-	-	-	-	-	-	5
Kentucky-----	1,056	547	72	50	36	14	43	18	67	103	166
Male-----	693	285	67	49	36	9	38	14	39	93	64
Female-----	363	262	5	1	-	5	5	4	29	10	42
White-----	621	239	66	49	34	7	33	13	37	86	57
Male-----	333	241	5	1	-	4	4	4	27	9	39
Female-----	72	46	1	-	2	2	5	1	1	7	7
Nonwhite-----	30	21	-	-	-	1	1	-	2	1	4
Louisiana-----	1,231	513	28	3	112	11	40	19	69	161	275
Male-----	762	238	28	3	110	8	38	16	31	148	162
Female-----	449	275	-	-	2	3	2	3	38	13	113
White-----	485	130	14	2	87	6	22	11	21	84	109
Male-----	272	147	-	-	2	2	-	3	31	7	80
Female-----	297	108	14	1	23	2	16	5	10	64	54
Nonwhite-----	177	128	-	-	-	1	2	-	7	6	33
Maine-----	269	113	9	5	15	-	7	2	11	20	67
Male-----	143	54	9	4	15	-	6	1	6	23	25
Female-----	116	59	-	1	-	-	1	1	5	7	42
White-----	141	53	9	4	15	-	6	1	6	23	24
Male-----	116	59	-	1	-	-	1	1	5	7	42
Female-----	2	1	-	-	-	-	-	-	-	-	1
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	981	494	21	6	39	27	61	25	84	97	127
Male-----	624	273	19	5	38	21	50	21	28	85	84
Female-----	357	221	2	1	1	6	11	4	56	12	43
White-----	436	180	15	5	32	15	34	19	23	58	57
Male-----	269	154	1	1	1	4	10	4	54	6	32
Female-----	166	95	4	-	6	6	16	2	5	27	27
Nonwhite-----	88	67	1	-	-	2	1	-	2	4	11

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-27

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1966—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts	1,609	780	10	1	43	16	52	43	236	136	292
Male	863	362	9	1	36	13	39	26	96	123	157
Female	746	418	1	-	7	3	14	17	138	13	135
White	820	348	9	1	35	11	35	26	95	109	151
Male	729	407	1	-	7	3	14	17	137	12	131
Female	43	14	-	-	1	2	3	-	3	14	6
Nonwhite	17	11	-	-	-	-	-	-	1	1	4
Female											
Michigan	2,092	966	63	22	108	29	81	49	124	244	406
Male	1,341	561	58	21	108	25	66	40	62	219	181
Female	751	405	5	1	-	4	15	9	62	25	225
White	1,181	497	57	18	97	22	50	36	58	194	162
Male	679	351	5	1	-	4	13	7	59	25	214
Female	160	74	1	3	11	3	16	4	4	25	19
Nonwhite	72	54	-	-	-	-	2	2	3	-	11
Female											
Minnesota	1,023	466	77	6	52	8	39	35	117	110	113
Male	694	264	73	6	50	6	32	26	69	94	74
Female	339	202	4	-	2	2	7	9	58	16	39
White	668	257	73	6	49	5	29	25	69	92	73
Male	331	197	4	-	2	2	7	8	57	15	39
Female	16	7	-	-	1	1	3	1	-	2	1
Nonwhite	8	5	-	-	-	-	-	1	1	1	-
Female											
Mississippi	936	473	59	4	59	11	22	16	30	79	183
Male	602	247	47	3	59	7	22	12	17	70	118
Female	334	226	12	1	-	4	-	4	13	9	65
White	307	119	18	1	32	6	19	9	12	30	61
Male	157	105	3	1	-	4	-	2	10	3	29
Female	295	128	29	2	27	1	3	3	5	40	57
Nonwhite	177	121	9	-	-	-	-	2	3	6	36
Female											
Missouri	1,650	800	86	9	64	20	52	33	144	134	308
Male	980	392	78	9	64	17	45	30	56	121	188
Female	670	408	8	-	4	3	7	3	88	13	140
White	833	311	78	9	60	16	36	28	53	103	141
Male	350	327	8	-	-	2	6	3	86	10	118
Female	147	81	2	-	4	1	9	2	3	18	27
Nonwhite	110	81	-	-	-	1	1	-	2	3	22
Female											
Montana	260	75	24	11	29	3	8	11	22	24	53
Male	160	39	23	11	29	2	5	10	12	21	28
Female	80	36	1	-	-	1	3	1	10	3	25
White	169	35	22	10	29	2	5	10	12	18	26
Male	74	33	1	-	-	1	3	1	10	2	23
Female	11	4	1	1	-	-	-	-	-	3	2
Nonwhite	6	3	-	-	-	-	-	-	-	1	2
Female											
Nebraska	460	184	67	3	21	3	32	17	68	39	26
Male	305	101	63	2	20	3	27	14	28	31	16
Female	155	83	4	1	1	-	5	3	40	8	10
White	289	96	62	2	19	3	26	13	28	27	13
Male	149	81	4	1	1	-	5	3	38	7	9
Female	16	5	1	-	1	-	1	-	1	4	3
Nonwhite	6	2	-	-	-	-	-	-	2	1	1
Female											
Nevada	144	59	3	4	7	6	5	7	3	20	30
Male	103	36	2	4	7	5	4	6	3	18	18
Female	41	23	1	-	-	1	1	1	-	2	12
White	90	29	2	4	6	5	3	6	3	17	15
Male	39	22	1	-	-	1	1	1	-	2	10
Female	13	7	-	-	1	-	1	-	-	1	3
Nonwhite	3	1	-	-	-	-	-	-	-	-	2
Female											
New Hampshire	156	82	4	1	9	3	7	2	12	13	23
Male	106	53	4	1	9	2	5	2	8	13	11
Female	50	29	-	-	-	1	2	-	6	-	12
White	106	53	4	1	9	2	5	2	6	13	11
Male	49	28	-	-	-	1	2	-	6	-	12
Female	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1	1	-	-	-	-	-	-	-	-	-
Female											
New Jersey	1,648	885	13	3	81	25	66	40	147	175	203
Male	1,000	448	13	3	80	21	57	30	58	158	122
Female	648	437	-	-	1	4	9	10	89	17	81
White	793	342	10	3	79	16	43	27	53	129	91
Male	549	357	-	-	1	3	9	10	87	15	67
Female	207	108	3	-	11	5	14	3	5	29	31
Nonwhite	99	80	-	-	-	1	-	-	2	2	14
Female											
New Mexico	340	162	18	7	25	1	11	8	13	43	52
Male	241	102	16	7	24	1	9	6	6	36	34
Female	99	60	2	-	1	-	2	2	7	7	18
White	196	86	15	7	23	1	8	5	6	21	24
Male	85	52	1	-	1	-	2	2	7	5	15
Female	45	16	1	-	1	-	1	1	-	15	10
Nonwhite	14	8	1	-	-	-	-	-	-	2	3
Female											

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1966-Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York-----	4,577	2,115	73	10	134	74	251	161	478	400	881
Male-----	2,799	1,064	69	10	128	62	176	144	189	344	613
Female-----	1,778	1,051	4	-	6	12	55	37	289	56	268
White-----	2,259	877	67	10	115	47	149	117	177	273	427
Female-----	1,586	938	4	-	6	10	50	37	260	44	217
Nonwhite-----	540	187	2	-	13	15	27	27	12	71	166
Female-----	192	113	-	-	-	2	5	-	9	12	51
North Carolina-----	1,370	639	120	4	81	11	31	21	47	162	254
Male-----	950	383	110	4	81	10	24	20	18	149	151
Female-----	420	256	10	-	-	1	7	1	29	13	103
White-----	607	237	64	3	58	5	17	15	15	97	96
Female-----	273	155	5	-	-	1	6	1	27	8	70
Nonwhite-----	343	146	46	1	23	5	7	5	3	52	55
Female-----	147	101	5	-	-	1	-	-	2	5	33
North Dakota-----	195	86	28	1	9	-	6	9	25	20	11
Male-----	145	59	26	1	9	-	2	8	12	18	11
Female-----	50	28	2	-	-	-	4	1	13	2	-
White-----	135	53	24	1	9	-	2	8	12	16	10
Female-----	47	25	2	-	-	-	4	1	13	2	-
Nonwhite-----	10	5	2	-	-	-	-	-	-	2	1
Female-----	3	3	-	-	-	-	-	-	-	-	-
Ohio-----	2,511	1,252	72	21	163	47	98	76	278	215	299
Male-----	1,484	596	68	21	162	35	79	49	116	195	163
Female-----	1,027	656	4	-	1	12	19	27	162	20	126
White-----	1,322	525	66	20	144	31	71	47	111	169	158
Female-----	938	595	4	-	1	12	17	26	156	18	109
Nonwhite-----	162	71	2	1	18	4	8	2	5	26	25
Female-----	89	61	-	-	-	-	2	1	6	2	17
Oklahoma-----	789	396	41	1	62	22	25	16	77	71	87
Male-----	498	180	36	1	62	17	22	14	41	53	56
Female-----	301	206	5	-	-	5	4	2	36	18	31
White-----	430	187	32	1	56	14	17	12	39	55	49
Female-----	258	178	4	-	-	4	3	1	31	9	28
Nonwhite-----	88	33	4	-	6	3	5	2	2	6	7
Female-----	43	28	1	-	-	1	1	1	5	3	3
Oregon-----	522	206	23	1	72	11	23	20	36	92	38
Male-----	393	135	22	1	71	10	20	15	18	83	18
Female-----	129	71	1	-	1	1	3	5	18	9	20
White-----	376	130	22	1	69	10	18	15	18	76	18
Female-----	127	71	1	-	1	-	2	5	18	9	20
Nonwhite-----	17	5	-	-	3	-	2	-	-	7	-
Female-----	2	-	-	-	-	1	1	-	-	-	-
Pennsylvania-----	2,775	1,192	77	47	153	38	129	66	163	231	679
Male-----	1,715	632	72	47	142	32	111	51	66	202	369
Female-----	1,060	560	5	-	11	6	16	15	97	29	319
White-----	1,450	515	69	45	125	26	92	45	55	170	307
Female-----	943	482	5	-	11	5	13	13	94	27	233
Nonwhite-----	265	117	3	1	17	6	1.3	6	11	22	53
Female-----	117	78	-	-	-	1	5	2	3	2	26
Rhode Island-----	221	114	1	-	5	5	7	2	52	12	23
Male-----	121	70	1	-	5	5	4	-	14	11	11
Female-----	100	44	-	-	-	-	3	2	38	1	12
White-----	113	68	1	-	5	4	4	-	13	9	9
Female-----	96	42	-	-	-	-	2	2	38	1	11
Nonwhite-----	8	2	-	-	-	-	1	-	1	2	2
Female-----	4	2	-	-	-	-	1	-	-	-	1
South Carolina-----	795	369	39	1	33	13	19	14	37	98	173
Male-----	533	207	38	1	33	11	17	11	17	81	117
Female-----	262	161	1	-	-	2	2	3	20	17	56
White-----	270	97	16	-	21	6	10	8	15	40	57
Female-----	154	79	-	-	-	2	-	2	15	8	28
Nonwhite-----	265	110	22	1	12	5	7	3	2	41	60
Female-----	128	82	1	-	-	2	1	1	5	9	28
South Dakota-----	236	97	39	2	11	2	8	7	16	16	38
Male-----	162	55	33	2	11	1	6	7	9	16	22
Female-----	74	42	6	-	-	1	2	-	7	-	16
White-----	140	48	29	2	10	1	6	7	9	10	18
Female-----	65	38	4	-	-	1	-	-	7	-	15
Nonwhite-----	22	7	4	-	1	-	-	-	-	6	4
Female-----	9	4	2	-	-	-	2	-	-	-	1
Tennessee-----	1,106	561	70	15	61	7	25	23	68	116	160
Male-----	721	281	67	14	59	5	21	18	33	103	110
Female-----	385	270	3	1	2	2	4	5	35	13	50
White-----	589	251	59	14	51	5	18	17	31	77	86
Female-----	290	197	2	1	2	2	4	4	33	7	38
Nonwhite-----	132	60	8	-	8	-	3	1	2	26	24
Female-----	95	73	1	-	-	-	-	1	2	6	12

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-29

Table 4.6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1966—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas-----	2,812	1,251	130	6	185	71	74	78	210	349	460
Male-----	1,887	700	124	6	183	64	64	67	101	311	267
Female-----	925	551	6	-	-	7	10	11	109	38	193
White-----	1,541	548	105	5	154	54	52	59	86	249	227
Male-----	761	431	5	-	-	7	9	7	101	28	173
Female-----	346	152	19	1	29	10	12	8	13	82	40
Nonwhite-----	164	120	1	-	-	-	1	4	8	10	20
Utah-----	260	103	12	22	23	7	2	14	26	54	17
Male-----	175	59	10	22	23	4	2	11	6	29	10
Female-----	85	45	2	-	-	3	-	3	20	5	7
White-----	165	56	9	20	23	4	2	10	6	28	7
Male-----	82	44	2	-	-	3	-	2	20	5	6
Female-----	10	2	1	2	-	-	-	1	-	1	3
Nonwhite-----	3	1	-	-	-	-	-	1	-	-	1
Vermont-----	153	74	10	1	4	1	7	4	16	25	11
Male-----	100	42	10	1	4	1	6	2	8	21	5
Female-----	53	32	-	-	-	-	1	2	8	4	6
White-----	99	42	10	1	4	1	6	2	8	20	5
Male-----	53	32	-	-	-	-	1	2	8	4	6
Female-----	1	-	-	-	-	-	-	-	-	1	-
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	1,255	571	57	36	54	27	39	26	111	154	160
Male-----	827	308	56	36	53	25	35	23	46	136	109
Female-----	428	263	1	-	1	2	4	3	65	18	71
White-----	568	207	42	34	34	15	22	19	37	86	72
Male-----	315	183	1	-	1	2	4	3	60	8	53
Female-----	259	101	14	2	19	10	13	4	9	50	37
Nonwhite-----	113	80	-	-	-	-	-	-	5	10	18
Washington-----	831	314	30	2	78	19	38	46	67	142	95
Male-----	566	163	27	2	78	18	31	36	34	122	55
Female-----	265	151	3	-	-	1	7	10	33	20	40
White-----	523	147	26	2	77	18	30	30	32	112	49
Male-----	250	139	3	-	-	1	6	10	33	19	40
Female-----	43	16	1	-	1	-	1	6	2	10	6
Nonwhite-----	15	13	-	-	-	-	1	-	-	1	-
West Virginia-----	702	231	25	77	33	6	12	7	20	92	199
Male-----	484	127	24	77	32	5	7	4	8	90	120
Female-----	218	104	1	-	1	1	5	3	12	12	79
White-----	451	115	24	74	32	5	7	4	7	72	110
Male-----	206	98	1	-	1	1	4	3	12	10	76
Female-----	35	11	-	3	-	-	-	-	1	8	10
Nonwhite-----	12	6	-	-	-	-	1	-	-	2	3
Wisconsin-----	1,075	419	86	6	63	21	36	33	91	107	213
Male-----	669	228	76	6	60	19	33	25	32	92	118
Female-----	396	191	10	-	3	2	3	8	59	15	95
White-----	669	221	76	6	58	17	32	24	32	86	115
Male-----	373	101	10	-	3	2	3	8	58	14	94
Female-----	20	7	-	-	2	2	1	-	-	4	3
Nonwhite-----	13	10	-	-	-	-	-	-	1	1	1
Wyoming-----	107	40	5	2	9	4	3	3	9	13	19
Male-----	77	24	5	2	9	4	2	3	6	11	11
Female-----	30	16	-	-	-	-	1	-	3	2	8
White-----	76	24	5	2	9	4	2	3	6	10	11
Male-----	29	16	-	-	-	-	1	-	3	2	7
Female-----	1	-	-	-	-	-	-	-	-	1	-
Nonwhite-----	1	-	-	-	-	-	-	-	-	-	1

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

	Page
Explanation of the columns of the table-----	5-2
 Table	
5-1. Abridged life tables for total, male, and female population: United States, 1966-----	5-3
5-2. Abridged life tables by color and sex: United States, 1966-----	5-4
5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1966-----	5-5
5-4. Expectation of life at single years of age, by color and sex: United States, 1966-----	5-6
5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21; and United States, 1929-31 to 1966-----	5-7
5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-66-----	5-8

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x + n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (${}_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0099—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 9.9 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 male babies born alive, 97,348 will complete the first year of life and enter the second; 96,954 will begin the sixth year; 95,759 will reach age 20; and 13,017 will live to age 85.

Column 4—Number dying (${}_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,652 die in the first year of life, 394 in the succeeding 4 years, 948 in the 5-year period between exact ages 20 and 25, and 13,017 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that

population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 476,455. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 476,455 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,735,197 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,669,105.

Column 7—Average remaining lifetime (e_x^o).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 476,455 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,759 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,735,197) in column 6 is the total number of years lived after attaining age 20 by the 95,759 reaching that age. This number of years divided by the number of persons (4,735,197 divided by 95,759) gives 49.4 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing in table 5-2 that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among nonwhite; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1966

Age interval Period of life between two exact ages stated in years (1)	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to x+n	nq_x	l_x	n^d_x	nL_x	T_x	e_x
TOTAL						
0-1	0.0236	100,000	2,361	97,918	7,012,760	70.1
1-5	.0037	97,639	363	389,687	6,914,842	70.8
5-10	.0022	97,276	213	485,805	6,525,155	67.1
10-15	.0021	97,063	200	484,864	6,039,350	62.2
15-20	.0051	96,863	495	483,179	5,554,486	57.3
20-25	.0067	96,368	641	480,267	5,071,307	52.6
25-30	.0068	95,727	655	477,021	4,591,040	48.0
30-35	.0086	95,072	814	473,419	4,114,019	43.3
35-40	.0121	94,258	1,140	468,629	3,640,600	38.6
40-45	.0186	93,118	1,728	461,579	3,171,971	34.1
45-50	.0289	91,390	2,637	450,838	2,710,392	29.7
50-55	.0448	88,753	3,974	434,417	2,259,554	25.5
55-60	.0678	84,779	5,750	410,313	1,825,137	21.5
60-65	.0978	79,029	7,731	376,748	1,414,824	17.9
65-70	.1475	71,298	10,517	331,195	1,038,076	14.6
70-75	.2090	60,781	12,705	275,065	706,881	11.6
75-80	.2920	49,078	14,058	205,892	435,816	9.0
80-85	.4167	34,040	14,185	134,018	227,924	6.7
85 and over	1.0000	19,855	19,855	95,906	95,906	4.7
MALE						
0-1	0.0265	100,000	2,652	97,646	6,669,105	66.7
1-5	.0041	97,348	394	389,453	6,571,459	67.5
5-10	.0025	96,954	246	484,113	6,185,006	63.8
10-15	.0026	96,708	250	482,992	5,698,893	58.9
15-20	.0072	96,458	699	480,704	5,215,901	54.1
20-25	.0089	95,759	948	476,455	4,735,197	49.4
25-30	.0094	94,811	889	471,827	4,258,742	44.9
30-35	.0109	93,922	1,022	467,159	3,786,915	40.3
35-40	.0152	92,900	1,412	461,207	3,319,756	35.7
40-45	.0235	91,488	2,146	452,472	2,858,549	31.2
45-50	.0371	89,342	3,316	439,052	2,405,077	26.9
50-55	.0594	86,026	5,113	418,115	1,967,025	22.9
55-60	.0920	80,913	7,442	386,924	1,548,910	19.1
60-65	.1323	73,471	9,721	344,063	1,161,986	15.8
65-70	.1946	63,750	12,408	286,501	817,923	12.9
70-75	.2675	51,342	13,735	222,753	529,422	10.3
75-80	.3508	37,607	13,192	154,975	306,689	8.2
80-85	.4668	24,415	11,398	92,478	181,894	6.2
85 and over	1.0000	13,017	13,017	59,216	59,216	4.5
FEMALE						
0-1	0.0205	100,000	2,055	98,203	7,379,342	73.8
1-5	.0054	97,945	331	390,979	7,281,139	74.3
5-10	.0018	97,614	179	487,579	6,890,160	70.6
10-15	.0015	97,435	148	486,824	6,402,581	65.7
15-20	.0029	97,287	285	485,768	5,915,757	60.8
20-25	.0056	97,002	346	484,174	5,429,989	56.0
25-30	.0044	96,656	424	482,267	4,945,815	51.2
30-35	.0063	96,232	608	479,724	4,463,548	46.4
35-40	.0091	95,624	871	476,084	3,983,824	41.7
40-45	.0139	94,753	1,318	470,688	3,507,740	37.0
45-50	.0210	93,435	1,963	462,587	3,037,052	32.5
50-55	.0307	91,472	2,812	450,719	2,574,465	28.1
55-60	.0449	89,660	3,979	433,955	2,123,746	24.0
60-65	.0657	84,681	5,563	410,302	1,689,791	20.0
65-70	.1063	79,118	8,407	375,733	1,279,489	16.2
70-75	.1609	70,711	11,376	326,545	905,756	12.8
75-80	.2456	59,335	14,573	281,620	577,211	9.7
80-85	.3795	44,762	16,988	181,175	315,591	7.1
85 and over	1.0000	27,774	27,774	134,416	134,416	4.8

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1966

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime	Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
		Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals				In the age interval	In this and all subsequent age intervals			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	nq_x	l_x	n^d_x	nL_x	T_x	e_x	x to $x+n$	nq_x	l_x	n^d_x	nL_x	T_x	e_x
TOTAL WHITE							TOTAL NONWHITE						
0-1	0.0205	100,000	2,055	99,155	7,102,639	71.0	0-1	0.0396	100,000	3,958	96,755	6,397,144	64.0
1-5	.0035	97,945	319	98,126	7,004,484	71.5	1-5	.0061	96,142	588	95,354	6,300,389	65.5
5-10	.0021	97,626	200	97,826	6,813,458	67.7	5-10	.0030	95,554	285	95,269	5,917,287	61.9
10-15	.0019	97,426	180	97,606	6,125,866	62.9	10-15	.0028	95,269	264	95,005	5,440,297	57.1
15-20	.0049	97,236	477	97,713	5,639,164	58.0	15-20	.0085	95,005	616	94,389	4,964,852	52.3
20-25	.0060	96,759	585	97,344	5,154,083	53.3	20-25	.0110	94,389	1,059	93,330	4,490,909	47.6
25-30	.0059	96,174	558	96,732	4,671,737	48.6	25-30	.0145	93,330	1,349	91,981	4,021,424	43.1
30-35	.0070	95,615	669	96,284	4,182,253	43.8	30-35	.0200	92,001	1,844	90,157	3,557,905	38.7
35-40	.0101	94,947	957	95,904	3,715,767	39.1	35-40	.0276	90,157	2,486	87,671	3,102,283	34.4
40-45	.0161	93,990	1,511	95,501	3,243,255	34.5	40-45	.0392	87,671	3,454	84,217	2,657,356	30.3
45-50	.0259	92,479	2,398	94,877	2,776,788	30.0	45-50	.0548	84,217	4,620	80,597	2,227,176	26.4
50-55	.0416	90,081	3,744	93,837	2,319,928	25.8	50-55	.0761	79,617	5,903	76,714	1,818,890	22.8
55-60	.0638	86,337	5,507	91,844	1,878,312	21.8	55-60	.1070	73,714	7,987	70,727	1,432,218	19.4
60-65	.0931	80,830	7,825	88,655	1,459,569	18.1	60-65	.1441	65,727	9,489	62,238	1,093,264	16.5
65-70	.1399	73,305	10,254	83,451	1,073,269	14.6	65-70	.2332	56,338	13,138	53,200	777,350	13.8
70-75	.2051	63,051	12,951	76,002	751,312	11.6	70-75	.2544	43,200	10,969	42,231	529,190	12.2
75-80	.2924	50,120	14,655	64,775	447,351	8.9	75-80	.2865	32,212	13,764	38,448	339,694	10.6
80-85	.4237	35,465	15,025	50,490	232,665	6.6	80-85	.5268	22,990	7,514	30,504	202,130	8.8
85 and over	1.0000	20,440	20,440	20,440	93,685	4.6	85 and over	1.0000	15,476	15,476	106,406	106,406	6.9
WHITE MALE							NONWHITE MALE						
0-1	0.0234	100,000	2,336	97,664	6,755,704	67.6	0-1	0.0422	100,000	4,222	95,778	6,072,827	60.7
1-5	.0036	97,664	349	98,013	6,657,811	68.2	1-5	.0066	95,778	628	95,150	5,976,408	62.4
5-10	.0024	97,315	232	97,547	6,267,971	64.4	5-10	.0034	95,150	327	94,823	5,594,867	58.8
10-15	.0024	97,083	237	97,346	5,782,014	59.6	10-15	.0035	94,823	330	94,493	5,119,997	54.0
15-20	.0070	96,846	676	97,522	5,297,116	54.7	15-20	.0090	94,493	852	93,641	4,646,618	49.2
20-25	.0091	96,170	876	97,046	4,814,425	50.1	20-25	.0157	93,641	1,466	92,175	4,176,052	44.6
25-30	.0080	95,294	783	96,077	4,335,755	45.5	25-30	.0199	92,175	1,851	90,324	3,711,332	40.3
30-35	.0090	94,531	849	95,380	3,861,212	40.8	30-35	.0257	90,324	2,326	87,998	3,264,902	36.0
35-40	.0129	93,682	1,209	94,891	3,390,591	36.2	35-40	.0343	88,018	3,019	85,000	2,808,763	31.9
40-45	.0206	92,473	1,902	94,375	2,924,987	31.6	40-45	.0485	84,999	4,125	80,874	2,375,809	28.0
45-50	.0339	90,571	3,068	93,639	2,466,995	27.2	45-50	.0669	80,874	5,412	77,462	1,960,639	24.2
50-55	.0560	87,503	4,902	92,405	2,021,193	23.1	50-55	.0913	76,462	8,890	72,572	1,589,084	20.8
55-60	.0890	82,601	7,269	89,870	1,593,169	19.3	55-60	.1307	68,572	8,965	69,607	1,208,189	17.6
60-65	.1297	75,333	9,694	85,027	1,199,338	15.9	60-65	.1671	59,607	9,963	69,607	887,016	14.9
65-70	.1877	65,639	12,523	78,162	845,846	12.9	65-70	.2698	49,644	13,392	63,036	613,298	12.4
70-75	.2839	53,316	14,071	67,387	547,618	10.3	70-75	.3081	36,252	11,168	55,084	398,382	11.0
75-80	.3824	39,245	13,830	53,075	315,716	8.0	75-80	.5286	25,084	8,243	46,841	245,648	9.8
80-85	.4763	25,415	12,105	37,520	154,114	6.1	80-85	.5576	16,841	6,022	30,819	141,257	8.4
85 and over	1.0000	13,310	13,310	13,310	59,495	4.4	85 and over	1.0000	10,819	10,819	72,592	72,592	6.7
WHITE FEMALE							NONWHITE FEMALE						
0-1	0.0176	100,000	1,758	98,242	7,473,291	74.7	0-1	0.0349	100,000	3,496	97,099	6,737,905	67.4
1-5	.0029	98,242	288	98,530	7,374,658	75.1	1-5	.0057	96,514	547	95,967	6,640,806	68.8
5-10	.0017	97,984	167	98,151	6,982,579	71.3	5-10	.0025	95,967	243	95,724	6,256,109	65.2
10-15	.0014	97,787	140	97,927	6,493,264	66.4	10-15	.0021	95,724	197	95,527	5,778,963	60.4
15-20	.0028	97,647	271	97,918	6,004,661	61.5	15-20	.0040	95,527	378	95,149	5,298,795	55.5
20-25	.0031	97,376	304	97,680	5,517,067	56.7	20-25	.0067	95,149	637	94,512	4,822,011	50.7
25-30	.0036	97,072	353	97,425	5,030,929	51.8	25-30	.0096	94,512	911	93,601	4,347,758	46.0
30-35	.0051	96,719	489	97,208	4,546,418	47.0	30-35	.0151	93,601	1,413	92,188	3,871,334	41.4
35-40	.0075	96,230	707	96,937	4,063,976	42.2	35-40	.0219	92,188	2,017	90,171	3,412,652	37.0
40-45	.0118	95,523	1,125	96,648	3,584,471	37.5	40-45	.0309	90,171	2,789	87,382	2,956,451	32.8
45-50	.0185	94,398	1,731	96,129	3,109,485	32.9	45-50	.0440	87,382	3,949	83,433	2,512,237	28.8
50-55	.0277	92,667	2,563	95,230	2,641,508	28.5	50-55	.0683	83,433	4,874	78,559	2,084,396	25.0
55-60	.0408	90,104	3,675	93,779	2,184,220	24.2	55-60	.0945	78,559	6,648	71,911	1,678,258	21.3
60-65	.0600	86,429	5,190	91,619	1,742,287	20.2	60-65	.1220	72,011	8,796	63,215	1,300,915	18.1
65-70	.0882	81,239	7,974	89,213	1,322,267	16.3	65-70	.1995	63,215	12,610	50,605	982,445	15.2
70-75	.1569	73,265	11,494	84,759	934,786	12.8	70-75	.2082	50,605	10,540	40,065	677,396	13.4
75-80	.2452	61,771	15,149	76,920	595,611	9.6	75-80	.2501	40,075	10,023	30,052	450,542	11.2
80-85	.3883	46,622	17,966	64,588	323,106	6.9	80-85	.3006	30,052	9,034	21,018	275,220	9.2
85 and over	1.0000	28,656	28,656	28,656	135,071	4.7	85 and over	1.0000	21,018	21,018	147,881	147,881	7.0

SECTION 5 - LIFE TABLES

Table 5-3: Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1966

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,839	97,348	97,945	97,945	97,664	98,242	96,142	95,778	96,514
2	97,492	97,189	97,809	97,820	97,529	98,127	95,892	95,500	96,275
3	97,404	97,093	97,730	97,742	97,443	98,058	95,742	95,351	96,141
4	97,335	97,018	97,667	97,680	97,376	98,002	95,635	95,234	96,045
5	97,276	96,954	97,614	97,626	97,315	97,954	95,554	95,150	95,967
6	97,216	96,877	97,569	97,570	97,245	97,915	95,471	95,048	95,901
7	97,166	96,818	97,529	97,523	97,187	97,875	95,406	94,972	95,846
8	97,126	96,773	97,494	97,485	97,144	97,842	95,352	94,915	95,800
9	97,092	96,738	97,463	97,453	97,111	97,815	95,308	94,866	95,760
10	97,063	96,709	97,435	97,426	97,083	97,787	95,269	94,823	95,724
11	97,035	96,678	97,409	97,400	97,055	97,763	95,230	94,779	95,690
12	97,005	96,643	97,384	97,372	97,025	97,739	95,188	94,729	95,655
13	96,969	96,599	97,357	97,338	96,981	97,713	95,138	94,669	95,618
14	96,925	96,558	97,325	97,294	96,923	97,683	95,078	94,590	95,576
15	96,863	96,458	97,287	97,236	96,846	97,647	95,006	94,493	95,527
16	96,788	96,356	97,241	97,165	96,747	97,605	94,916	94,373	95,470
17	96,698	96,231	97,188	97,076	96,625	97,551	94,810	94,229	95,404
18	96,595	96,087	97,129	96,977	96,485	97,494	94,687	94,059	95,329
19	96,484	95,928	97,066	96,870	96,332	97,435	94,547	93,883	95,244
20	96,368	95,759	97,002	96,759	96,170	97,376	94,389	93,641	95,149
21	96,246	95,579	96,937	96,645	96,000	97,317	94,213	93,392	95,043
22	96,119	95,389	96,870	96,527	95,822	97,257	94,018	93,116	94,925
23	95,988	95,194	96,801	96,408	95,641	97,197	93,807	92,817	94,797
24	95,857	95,000	96,730	96,290	95,464	97,135	93,583	92,502	94,659
25	95,727	94,811	96,656	96,174	95,284	97,072	93,350	92,175	94,512
26	95,598	94,628	96,580	96,061	95,133	97,007	93,107	91,838	94,357
27	95,471	94,451	96,501	95,951	94,979	96,941	92,854	91,489	94,192
28	95,342	94,277	96,417	95,842	94,830	96,872	92,587	91,124	94,013
29	95,210	94,102	96,328	95,731	94,682	96,798	92,304	90,744	93,817
30	95,072	93,922	96,232	95,616	94,531	96,719	92,001	90,344	93,601
31	94,927	93,735	96,128	95,496	94,376	96,634	91,677	89,923	93,363
32	94,774	93,541	96,015	95,370	94,216	96,543	91,331	89,481	93,103
33	94,612	93,339	95,893	95,239	94,049	96,445	90,962	89,017	92,820
34	94,440	93,126	95,763	95,097	93,871	96,341	90,571	88,530	92,515
35	94,258	92,900	95,624	94,947	93,682	96,230	90,157	88,018	92,188
36	94,063	92,659	95,475	94,786	93,479	96,111	89,719	87,481	91,837
37	93,854	92,400	95,315	94,612	93,259	95,983	89,256	86,916	91,461
38	93,629	92,120	95,143	94,423	93,019	95,844	88,761	86,318	91,059
39	93,384	91,817	94,956	94,216	92,758	95,691	88,234	85,680	90,629
40	93,116	91,498	94,753	93,990	92,473	95,525	87,671	84,999	90,171
41	92,829	91,130	94,532	93,742	92,161	95,338	87,089	84,271	89,683
42	92,514	90,739	94,281	93,469	91,818	95,134	86,427	83,485	89,165
43	92,171	90,313	94,029	93,169	91,441	94,910	85,742	82,670	88,612
44	91,797	89,848	93,744	92,840	91,027	94,665	85,013	81,798	88,019
45	91,390	89,342	93,435	92,479	90,571	94,398	84,237	80,874	87,382
46	90,946	88,790	93,100	92,084	90,070	94,107	83,410	79,900	86,698
47	90,467	88,189	92,738	91,651	89,519	93,790	82,533	78,871	85,966
48	89,943	87,532	92,346	91,176	88,913	93,446	81,606	77,788	85,190
49	89,373	86,813	91,925	90,654	88,243	93,072	80,634	76,652	84,378
50	88,753	86,026	91,472	90,081	87,503	92,667	79,617	75,462	83,533
51	88,080	85,167	90,966	89,454	86,689	92,229	78,556	74,221	82,656
52	87,351	84,233	90,465	88,770	85,788	91,756	77,451	72,926	81,741
53	86,561	83,217	89,905	88,025	84,824	91,245	76,284	71,563	80,778
54	85,705	82,112	89,304	87,215	83,780	90,695	75,042	70,115	79,754
55	84,779	80,913	88,660	86,337	82,601	90,104	73,714	68,572	78,659
56	83,779	79,615	87,967	85,385	81,344	89,467	72,289	66,921	77,484
57	82,702	78,217	87,223	84,059	79,996	88,781	70,769	65,167	76,227
58	81,549	76,723	86,427	82,556	78,530	88,045	69,171	63,340	74,892
59	80,325	75,140	85,580	80,980	76,978	87,262	67,518	61,478	73,486
60	79,029	73,471	84,661	80,330	75,333	86,429	65,827	59,607	72,011
61	77,664	71,722	83,728	79,506	73,596	85,544	64,116	57,755	70,484
62	76,224	69,888	82,715	78,102	71,785	84,599	62,374	55,900	68,895
63	74,694	67,958	81,622	76,609	69,894	83,578	60,544	53,985	67,196
64	73,056	65,916	80,429	75,013	67,794	82,463	58,548	51,918	65,319
65	71,299	63,750	79,118	73,305	65,639	81,259	56,338	49,644	63,225
66	69,415	61,462	77,661	71,492	63,372	79,999	53,992	47,140	60,989
67	67,413	59,062	76,119	69,546	61,000	78,437	51,250	44,450	58,549
68	65,299	56,563	74,432	67,485	58,528	76,848	48,506	41,561	55,705
69	63,085	53,984	72,628	65,330	55,964	75,126	45,790	38,697	53,094
70	60,781	51,342	70,711	63,051	53,316	73,265	43,200	36,252	50,615
71	58,392	48,646	68,682	60,560	50,590	71,262	40,711	33,756	48,309
72	55,921	45,905	66,537	58,162	47,797	69,114	38,486	31,598	46,153
73	53,374	43,137	64,269	55,656	44,959	66,819	36,324	29,177	44,106
74	50,757	40,365	61,870	52,982	42,101	64,371	34,243	27,076	42,096
75	48,076	37,607	59,355	50,120	39,245	61,771	32,121	25,084	40,075
76	45,344	34,878	56,684	47,290	36,407	59,020	30,223	23,198	38,029
77	42,564	32,187	53,862	44,400	33,598	56,123	28,287	21,425	35,972
78	39,747	29,542	50,930	41,460	30,825	53,085	26,425	19,772	33,937
79	36,902	26,949	47,902	38,478	28,094	49,915	24,656	18,245	31,957
80	34,040	24,415	44,762	35,465	25,415	46,622	22,990	16,841	30,052
81	31,172	21,950	41,529	32,433	22,799	43,214	21,421	15,547	28,224
82	28,308	19,564	38,206	29,397	20,261	39,705	19,930	14,359	26,456
83	25,460	17,270	34,803	26,374	17,818	36,098	18,480	13,181	24,709
84	22,638	15,082	31,325	23,382	15,493	32,412	17,018	12,027	22,923
85	19,855	13,017	27,744	20,440	13,310	28,656	15,476	10,819	21,018

SECTION 5 - LIFE TABLES

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1966

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1	70.8	67.5	74.3	71.5	68.2	75.1	65.5	62.4	68.8
2	69.9	66.6	73.4	70.6	67.3	74.2	64.7	61.6	68.0
3	69.0	65.7	72.5	69.7	66.3	73.2	63.8	60.7	67.1
4	68.0	64.7	71.5	68.7	65.4	72.2	62.9	59.7	66.1
5	67.1	63.8	70.6	67.7	64.4	71.3	61.9	58.8	65.2
6	66.1	62.8	69.6	66.8	63.5	70.3	61.0	57.9	64.2
7	65.2	61.9	68.6	65.8	62.5	69.3	60.0	56.9	63.3
8	64.2	60.9	67.7	64.8	61.5	68.4	59.1	55.9	62.3
9	63.2	59.9	66.7	63.9	60.5	67.4	58.1	55.0	61.3
10	62.2	58.9	65.7	62.9	59.6	66.4	57.1	54.0	60.4
11	61.2	57.9	64.7	61.9	58.6	65.4	56.1	53.0	59.4
12	60.3	57.0	63.7	60.9	57.6	64.4	55.2	52.2	58.4
13	59.3	56.0	62.8	59.9	56.6	63.5	54.2	51.1	57.4
14	58.3	55.0	61.8	58.9	55.7	62.5	53.2	50.1	56.4
15	57.3	54.1	60.8	58.0	54.7	61.5	52.3	49.2	55.5
16	56.4	53.1	59.8	57.0	53.8	60.5	51.3	48.2	54.5
17	55.4	52.2	58.9	56.1	52.8	59.6	50.4	47.3	53.5
18	54.5	51.3	57.9	55.1	51.9	58.6	49.4	46.4	52.5
19	53.6	50.4	56.9	54.2	51.0	57.6	48.5	45.5	51.6
20	52.6	49.4	56.0	53.3	50.1	56.7	47.6	44.6	50.7
21	51.7	48.5	55.0	52.3	49.1	55.7	46.7	43.7	49.7
22	50.8	47.6	54.1	51.4	48.2	54.7	45.8	42.8	48.8
23	49.9	46.7	53.1	50.5	47.3	53.8	44.9	41.9	47.9
24	48.9	45.8	52.1	49.5	46.4	52.8	44.0	41.0	46.9
25	48.0	44.9	51.2	48.6	45.5	51.8	43.1	40.1	46.0
26	47.0	44.0	50.2	47.6	44.6	50.9	42.2	39.2	45.1
27	46.1	43.1	49.2	46.7	43.6	49.9	41.3	38.3	44.2
28	45.1	42.2	48.3	45.7	42.7	48.9	40.4	37.4	43.2
29	44.2	41.2	47.3	44.8	41.8	48.0	39.5	36.5	42.3
30	43.3	40.3	46.4	43.8	40.8	47.0	38.7	35.6	41.4
31	42.3	39.4	45.4	42.9	39.9	46.0	37.8	34.7	40.5
32	41.4	38.5	44.5	42.0	39.0	45.1	36.9	34.4	39.6
33	40.5	37.6	43.5	41.0	38.0	44.1	36.1	33.5	38.8
34	39.5	36.6	42.6	40.1	37.1	43.2	35.3	32.7	37.9
35	38.6	35.7	41.7	39.1	36.2	42.2	34.4	31.9	37.0
36	37.7	34.8	40.7	38.2	35.3	41.3	33.6	31.1	36.2
37	36.8	33.9	39.8	37.3	34.4	40.3	32.7	30.3	35.3
38	35.9	33.0	38.9	36.3	33.4	39.4	31.9	29.5	34.5
39	35.0	32.1	37.9	35.4	32.5	38.5	31.1	28.7	33.6
40	34.1	31.2	37.0	34.5	31.6	37.5	30.3	28.0	32.8
41	33.2	30.4	36.1	33.6	30.7	36.6	29.5	27.2	32.0
42	32.3	29.5	35.2	32.7	29.8	35.7	28.7	26.4	31.1
43	31.4	28.6	34.3	31.8	29.0	34.8	28.0	25.7	30.3
44	30.5	27.8	33.4	30.9	28.1	33.9	27.2	25.0	29.5
45	29.7	26.9	32.5	30.0	27.2	32.9	26.4	24.2	28.8
46	28.8	26.1	31.6	29.2	26.4	32.0	25.7	23.5	28.0
47	27.9	25.3	30.7	28.3	25.5	31.1	25.0	22.8	27.2
48	27.1	24.5	29.9	27.4	24.7	30.3	24.2	22.1	26.4
49	26.3	23.7	29.0	26.5	23.9	29.4	23.5	21.5	25.7
50	25.5	22.9	28.1	25.8	23.1	28.5	22.8	20.8	25.0
51	24.6	22.1	27.3	24.9	22.3	27.6	22.1	20.1	24.2
52	23.9	21.3	26.4	24.1	21.5	26.8	21.4	19.5	23.5
53	23.1	20.6	25.6	23.3	20.8	25.9	20.8	18.8	22.8
54	22.3	19.9	24.8	22.5	20.0	25.1	20.1	18.2	22.0
55	21.5	19.1	24.0	21.8	19.3	24.2	19.4	17.6	21.3
56	20.8	18.4	23.1	21.0	18.6	23.4	18.8	17.0	20.7
57	20.0	17.6	22.3	20.2	17.9	22.6	18.2	16.5	20.0
58	19.3	17.1	21.5	19.5	17.2	21.8	17.6	15.9	19.3
59	18.6	16.5	20.7	18.8	16.6	21.0	17.0	15.4	18.7
60	17.9	15.8	20.0	18.1	15.9	20.2	16.5	14.9	18.1
61	17.2	15.2	19.2	17.3	15.3	19.4	15.9	14.3	17.4
62	16.5	14.6	18.4	16.7	14.7	18.6	15.3	13.8	16.8
63	15.9	14.0	17.6	16.0	14.1	17.8	14.8	13.3	16.3
64	15.2	13.4	16.9	15.3	13.5	17.0	14.3	12.8	15.7
65	14.6	12.8	16.2	14.6	12.9	16.3	13.8	12.4	15.2
66	13.9	12.3	15.5	14.0	12.3	15.5	13.4	12.0	14.8
67	13.3	11.8	14.8	13.4	11.8	14.8	13.1	11.7	14.4
68	12.8	11.3	14.1	12.8	11.3	14.1	12.8	11.4	14.1
69	12.2	10.8	13.4	12.2	10.8	13.4	12.5	11.2	13.7
70	11.6	10.3	12.8	11.6	10.3	12.8	12.2	11.0	13.4
71	11.1	9.9	12.1	11.0	9.8	12.1	11.9	10.8	13.0
72	10.6	9.4	11.5	10.5	9.3	11.5	11.6	10.5	12.6
73	10.0	9.0	10.9	10.0	8.9	10.8	11.3	10.3	12.1
74	9.5	8.6	10.3	9.4	8.5	10.2	10.9	10.0	11.7
75	9.0	8.2	9.7	8.9	8.0	9.6	10.6	9.8	11.2
76	8.5	7.8	9.2	8.4	7.6	9.1	10.2	9.5	10.8
77	8.1	7.4	8.6	7.9	7.2	8.5	9.9	9.3	10.4
78	7.6	7.0	8.1	7.5	6.8	8.0	9.5	9.0	10.0
79	7.1	6.6	7.6	7.0	6.4	7.4	9.2	8.7	9.6
80	6.7	6.2	7.1	6.6	6.1	6.9	8.8	8.4	9.2
81	6.3	5.9	6.6	6.1	5.7	6.4	8.4	8.0	8.7
82	5.9	5.5	6.1	5.7	5.4	6.0	8.0	7.7	8.3
83	5.5	5.2	5.7	5.3	5.0	5.5	7.6	7.3	7.8
84	5.1	4.9	5.2	4.9	4.7	5.1	7.2	7.0	7.4
85	4.7	4.5	4.8	4.6	4.4	4.7	6.9	6.7	7.0

SECTION 5 - LIFE TABLES

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-66

[Estimates based on life table values shown in table 5-5]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963	69.8	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.3	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.4	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.5	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	56.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	49.1	47.3	49.2
1929	57.1	55.8	58.7	59.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	49.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	58.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	58.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	49.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.0	54.3	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	36.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.8	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.6	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		Page
Sources of data-----	6-3	Cause of death-----	6-10
Death and fetal-death statistics-----	6-3	Maternal deaths-----	6-12
Standard certificates-----	6-3		
History-----	6-3	Quality of data-----	6-12
		Completeness of registration-----	6-12
		Massachusetts data-----	6-13
		Quality control procedures-----	6-13
Classification of data-----	6-6	Computation of rates-----	6-13
Classification by occurrence and residence-----	6-6	Population bases-----	6-13
Geographic classification-----	6-6	Age-adjusted death rates-----	6-14
Age-----	6-7		
Race and color-----	6-7	Symbols used in tables-----	6-14
Fetal deaths-----	6-7		
Figure			
6-A. Standard Certificate of Death-----			6-4
6-B. Standard Certificate of Fetal Death-----			6-5
Table			
6-1. Population of birth-and death-registration States, 1900-1932, and United States, 1900-1966-----			6-14
6-2. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1966-----			6-15
6-3. Provisional estimates of the total resident population of the United States, each division and State, Puerto Rico, and Virgin Islands: July 1, 1966-----			6-15
6-4. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1966--			6-16
6-5. Revised estimates of the total resident population of the United States, by age, color, and sex: July 1, 1951-59-			6-17
6-6. Revised estimates of the total resident population of the United States, each division and State: July 1, 1951-59-			6-20

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, the District of Columbia, and Puerto Rico. The Virgin Islands sends transcripts rather than filmed copies of the certificates. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960. Tabulations for Puerto Rico and the Virgin Islands are shown separately in Section 8, Part B, Volume II, *Vital Statistics of the United States, 1966*.

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians or members of the Armed Forces which occur outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are limited to deaths registered in these areas.

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This

revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

Statistics for 1966 are based on State certificates which conform closely to the revision of the Standard Certificate of Death which was recommended to the States for adoption as of January 1, 1956. It was made in close collaboration with the Public Health Conference on Records and Statistics. A major revision of the certificate of fetal death occurred in 1954, and it was recommended for adoption as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death. The standard certificates of death and fetal death in effect through December 1967 are shown in figures 6-A and 6-B.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing

laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population cover-

age of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the

FIGURE 6-A

CERTIFICATE OF DEATH											
BIRTH No.		STATE OF				STATE FILE No.					
Form approved. Budget Bureau No. 68-R375.2.											
1. PLACE OF DEATH a. COUNTY					2. USUAL RESIDENCE (Where deceased lived. If institution: Residence before admission) a. STATE b. COUNTY						
b. CITY, TOWN, OR LOCATION				c. LENGTH OF STAY IN 1b		c. CITY, TOWN, OR LOCATION					
d. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)					d. STREET ADDRESS						
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>					e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>			f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>			
3. NAME OF DECEASED (Type or print) First Middle Last								4. DATE OF DEATH Month Day Year			
5. SEX		6. COLOR OR RACE		7. MARRIED <input type="checkbox"/> NEVER MARRIED <input type="checkbox"/> WIDOWED <input type="checkbox"/> DIVORCED <input type="checkbox"/>		8. DATE OF BIRTH		9. AGE (In years last birthday)		IF UNDER 1 YEAR IF UNDER 24 HRS.	
10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)					10b. KIND OF BUSINESS OR INDUSTRY		11. BIRTHPLACE (State or foreign country)			12. CITIZEN OF WHAT COUNTRY	
13. FATHER'S NAME						14. MOTHER'S MAIDEN NAME					
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (Yes, no, or unknown) (If yes, give war or dates of service)				16. SOCIAL SECURITY NO.		17. INFORMANT Address					
18. CAUSE OF DEATH [Enter only one cause per line for (a), (b), and (c).] PART I. DEATH WAS CAUSED BY: IMMEDIATE CAUSE (a) _____ Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. } DUE TO (b) _____ DUE TO (c) _____ PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(n)										INTERVAL BETWEEN ONSET AND DEATH	
20a. ACCIDENT <input type="checkbox"/> SUICIDE <input type="checkbox"/> HOMICIDE <input type="checkbox"/>			20b. DESCRIBE HOW INJURY OCCURRED. (Enter nature of injury in Part I or Part II of item 18.)								
20c. TIME OF INJURY Hour Month, Day, Year a. m. p. m.											
20d. INJURY OCCURRED WHILE AT WORK <input type="checkbox"/> NOT WHILE AT WORK <input type="checkbox"/>			20e. PLACE OF INJURY (e. g., in or about home, farm, factory, street, office bldg., etc.)			20f. CITY, TOWN, OR LOCATION COUNTY STATE					
21. I attended the deceased from _____, to _____ and last saw her alive on _____ Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.											
22a. SIGNATURE (Degree or title)						22b. ADDRESS			22c. DATE SIGNED		
23a. BURIAL, CREMATION, REMOVAL (Specify)		23b. DATE		23c. NAME OF CEMETERY OR CREMATORY				23d. LOCATION (City, town, or county) (State)			
24. FUNERAL DIRECTOR ADDRESS				25. DATE RECD. BY LOCAL REG.		26. REGISTRAR'S SIGNATURE					

1956 REVISION OF STANDARD CERTIFICATE
 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE
 MEDICAL CERTIFICATION
 PHIS-708 REV. 11/54

estimated midyear population of the States included in the registration system. The registration area included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the

registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as

FIGURE 6-B

STATE OF _____		STATE FILE NO. _____		Form approved, Budget Bureau No. _____		
18-72175-1 U. S. GOVERNMENT PRINTING OFFICE	1. PLACE OF DELIVERY a. COUNTY		2. USUAL RESIDENCE OF MOTHER (Where does mother live?) a. STATE			
	b. CITY, TOWN, OR LOCATION		b. COUNTY			
	c. NAME OF HOSPITAL OR INSTITUTION <i>(If not in hospital, give street address)</i>		c. CITY, TOWN, OR LOCATION			
	d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		d. STREET ADDRESS		e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>	
1955 REVISION OF STANDARD CERTIFICATE (Amended) DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE	3. NAME OF FETUS (If given)		4. SEX OF FETUS MALE <input type="checkbox"/> FEMALE <input type="checkbox"/> UNDETERMINED <input type="checkbox"/>			
	5a. THIS DELIVERY SINGLE <input type="checkbox"/> TWIN <input type="checkbox"/> TRIPLET <input type="checkbox"/>	5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST <input type="checkbox"/> 2D <input type="checkbox"/> 3D <input type="checkbox"/>		6. DATE OF DELIVERY (Month) _____ (Day) _____ (Year) _____		
	7. NAME First _____ Middle _____ Last _____		8. COLOR OR RACE			
	9. AGE (At time of delivery) YEARS		10. BIRTHPLACE (State or foreign country)	11a. USUAL OCCUPATION	11b. KIND OF BUSINESS OR INDUSTRY	
	12. MAIDEN NAME First _____ Middle _____ Last _____		13. COLOR OR RACE			
	14. AGE (At time of delivery) YEARS		15. BIRTHPLACE (State or foreign country)	16. PREVIOUS DELIVERIES TO MOTHER (Do NOT include this fetus) a. How many children are now living? _____ b. How many children were born alive but are now dead? _____ c. How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)? _____		
	17. INFORMANT					
	18a. LENGTH OF PREGNANCY COMPLETED WEEKS		18b. WEIGHT OF FETUS LB. _____ OZ. _____	19. LEGITIMATE YES <input type="checkbox"/> NO <input type="checkbox"/>	20. WHEN DID FETUS DIE? BEFORE LABOR <input type="checkbox"/> DURING LABOR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>	21. WAS AUTOPSY PERFORMED? YES <input type="checkbox"/> NO <input type="checkbox"/>
	22. CAUSE OF FETAL DEATH	PART I. FETAL DEATH WAS CAUSED BY: <i>(Enter only one cause per line for (a), (b), and (c))</i>				
		Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity). IMMEDIATE CAUSE (a) _____ Fetal and/or maternal conditions, if any, giving rise to the above cause (a) stating THE UNDERLYING CAUSE LAST. DUE TO (b) _____ DUE TO (c) _____				
PART II. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have contributed to fetal death, but, in so far as is known, were not related to cause given in PART I (a).						
I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.		23a. ATTENDANT'S SIGNATURE (Specify if M. D., D. O., midwife, or other)		23b. DATE SIGNED		
		23c. ATTENDANT'S ADDRESS		24. SIGNATURE OF AUTHORIZED OFFICIAL <i>If not attended by physician</i>		
25a. BURIAL, CREMATION, REMOVAL (Specify)		25b. DATE	25c. NAME OF CEMETERY OR CREMATORY	25d. LOCATION (City, town, or county) (State)		
26. FUNERAL DIRECTOR		ADDRESS	DATE REC'D BY LOCAL REG.	REGISTRAR'S SIGNATURE		

¹ Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 4, "Deaths Occurring in 1966, Coding and Punching Instructions," and Part 3, "Live Births and Fetal Deaths Occurring in 1966, Coding and Punching Instructions." The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

Tabulations by place of occurrence include all deaths occurring in a given county. For residence tabulations, all deaths occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to the usual place of residence of the decedent as reported on the death certificate with the following exception. For nonresident aliens and residents of Puerto Rico and the Virgin Islands, the place of residence is considered to be the same as the place of occurrence.

Except for the years 1964 and 1965, deaths of nonresident aliens have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965, deaths of nonresident aliens and residents of Puerto Rico and the Virgin Islands occurring in the 50 States and the District of Columbia were allocated as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

¹National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2. Public Health Service. In publication.

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the Census Bureau classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

Maryland.—Residence data shown in tables 7-1 and 7-9 (Part B) are overstated for Baltimore City and understated for Baltimore County. This error resulted from coding procedures whereby some events occurring to residents of Baltimore County were misclassified as events occurring to residents of Baltimore City. A comparison of residence figures published in this report with those published by the Maryland State Health Department indicates that approximately 1,900 deaths (including 130 infant deaths) and 80 fetal deaths were misclassified. Deaths by place of occurrence were not affected.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1966 was the same as that for 1964 and 1965 and is given in an instruction manual entitled "Geographic Codes, 1964."

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are those established by the U.S. Bureau of the Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.³

²National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950. *Vital Statistics-Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C., Mar. 1962.

³For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961.

In New England the Bureau of the Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.⁴

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital statistics data for cities and certain other urban places in 1966 are classified according to the population enumerated in the 1960 Census of Population. In this report population-size groups refer to two groups, "Urban places" and "Balance of area." "Urban places" consist of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 each incorporated city and other urban place of 10,000 or more inhabitants was identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." Beginning with 1964, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural."

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be

identified from the vital records. The differences between the urban and rural distribution of the population according to the Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States for 1966 are classified for vital statistics as follows: "white"; Negro; American Indian, Aleut, and Eskimo; Chinese; Japanese; Hawaiian and Part-Hawaiian; and "other nonwhite." The category "white" includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with any other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other nonwhite.

Race not stated.—For 1966 the number of death records for which the race was not stated was 2,017, or 0.1 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment was made to white; if the code was other than white, the assignment was made to Negro. For years prior to 1964 all records with race not stated were assigned to white except for records of residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned randomly within each local area to white or Negro on the assumption the distribution of not stated events by race was the same as that of those with race stated.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or

⁴For discussion of MSEA's see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

⁵See footnote 3.

definite movement of voluntary muscles."⁶ The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a still-birth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in groups I, II, and III-----	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation

period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

So that the data will be more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestations of 20 weeks or more. These tables also include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal death.

Massachusetts.—Figures for fetal deaths for 1963 exclude approximately 300 fetal deaths recorded in Boston, primarily to residents of Suffolk County. Microfilm copies of these records were not received by NCHS, and as a consequence the number of fetal deaths for the city, county, and State is understated. The fetal-death rate and ratio for the State are underestimated by about 21 percent.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

1-3 months to under 16 weeks
4 months to 16-19 weeks
5 months to 20-23 weeks
6 months to 24-27 weeks
7 months to 28-31 weeks
8 months to 32-35 weeks
9 months to 40 weeks
10 months and over to 43 weeks and over

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at gestations of 36 weeks is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size. Such errors in reporting are minimized in areas where the gestation period item on the fetal-death certificate requests the first day of the last normal menstrual period. Areas using this wording of the

⁶National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

⁷For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

⁸Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

item are California, the District of Columbia, Maryland (including Baltimore), and New York City. Vermont specifies "date of menses, or if unknown, weeks of gestation."

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

500 grams or less	= 1 lb. 1 oz. or less
501-1,000 grams	= 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	= 11 lb. 1 oz. or more

Race.—The race of the fetus is classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When the parental combination is white-nonwhite, the race of the fetus is classified as non-white. (2) When the parental combination is of two nonwhite races, the race of the fetus is assigned to that of the father with two exceptions—if the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is classified as Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the section on race and color.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time

after conception) on certificates of both live birth and fetal death in use during all or part of 1966:

Arkansas	Louisiana	Oklahoma
Colorado	Maine	Oregon
Connecticut	Minnesota	Rhode Island
Delaware	Mississippi	South Carolina
Florida	Missouri	Utah
Georgia	Montana	Vermont
Hawaii	Nevada	Virginia
Indiana	New York City	Washington
Iowa	North Carolina	West Virginia
Kansas	Ohio	Wyoming

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and fetal-death certificates are as follows:

Alabama	New Jersey
Arizona	New Mexico
California	New York (excluding New York City)
District of Columbia	North Dakota
Idaho	Tennessee
Illinois	Texas
Kentucky	Wisconsin
Maryland (including Baltimore)	

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

<i>Live-birth certificate</i>	<i>Fetal-death certificate</i>
Alaska How many children were stillborn (born dead)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Massachusetts <i>Item not on certificate</i>	How many previous fetal deaths of any gestation age?
Michigan How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetuses born dead at any time after conception?
Nebraska How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
New Hampshire How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths?

Pennsylvania

How many were delivered
dead after sixteen weeks
pregnancy?

How many previous fetal
deaths of any gestation
age?

South Dakota

How many children were
born dead?

How many previous fetal
deaths of any gestation
age?

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1966. These States are as follows:

Alabama	Maine	Rhode Island
Alaska	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Hawaii	Nevada	Utah
Illinois	New Jersey	Washington
Indiana	North Carolina	West Virginia
Iowa	North Dakota	Wisconsin
Kansas	Ohio	Wyoming
Kentucky	Oregon	
Louisiana	Pennsylvania	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Under-registration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

Cause of death

Beginning with 1958 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955). The Seventh Revision is described in the Manual of the International Statistical Classification.⁹

⁹World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Vol. 1, Geneva, Switzerland, 1957.

In addition to specifying the classification, the manual includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality.

These lists have been adapted for use in the National Center for Health Statistics. The Each-Cause List includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by combining titles. The List of 60 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately—Typhoid fever, Cholera, Plague, Smallpox, Typhus and other rickettsial diseases, and Malaria. The list of 55 Selected Causes of Infant Death was taken from the Each-Cause List. The lists used in NCHS for 1966 are the same as those used for the 1965 data.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions the continuity in the mortality trends is not considered a problem of great concern. Van Buren¹⁰ described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley¹¹ measured the change in mortality statistics by cause due to the Fifth Revision. This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary

¹⁰U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics-Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

¹¹U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics-Special Reports*, Vol. 10, No. 14. Washington, D.C., June 1944.

tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.^{12,13}

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were

limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁴ were integrated into the manual.¹⁵ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revision, United States, 1958."¹⁶

Coding in 1966.—The National Center for Health Statistics annually prepares for its cause-of-death coding

¹²National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹³National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

¹⁴World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva, Switzerland, 1953.

¹⁵See footnote 9.

¹⁶National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman, *Vital Statistics-Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

clerks an instruction manual which contains decisions and interpretations that apply in that year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate some inconsistencies in coding procedures. No changes were incorporated into the 1966 instruction manual.¹⁷

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁸

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for

cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."¹⁹

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1966, 1.2 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.1 to 7.3 percent.

Ranking causes of death.—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the title symptoms, senility, and ill-defined conditions are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (in this case, tuberculosis of respiratory system and tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium (640-689).

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past, death regis-

¹⁷National Center for Health Statistics: Cause-of-death coding for deaths occurring in 1966, Part 2, *Vital Statistics Instruction Manual*. Public Health Service, Washington, D.C., 1966.

¹⁸For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am.J.Pub.Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

¹⁹Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

tration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²⁰ A similar situation may exist in other States,

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 54.3 percent of the records the initial cause-of-death codes were assigned in the registration areas; for the remaining 45.7 percent of the records the original coding was done in NCHS. Of the code assignments in the registration area and in NCHS, 51.5 percent were verified on a 100-percent basis, and the remaining 48.5 percent were verified by inspecting a 10-percent systematic sample.

The coding of all other death data was done simultaneously with card punching from microfilm images (transcripts for the Virgin Islands) of the original certificates. Approximately 78 percent of all cards punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. For cause-of-death coding this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverifying randomly selected lots from each operator's work.

The coding and punching of fetal deaths are verified completely because of their relatively small number.

After completing coding and punching, card counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are

either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

COMPUTATION OF RATES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1966.—Preliminary estimates of the total resident population of the United States by age, color, and sex in 1966 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 352, and are shown in table 6-2.

Provisional estimates of the total resident population of each State are published in Series P-25, Number 354, and provisional estimates of the total resident population of Puerto Rico and the Virgin Islands in Series P-25, Number 358. These estimates are shown in table 6-3. The estimated populations for States by broad age groups shown in table 6-4 were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

Population estimates for 1965.—Death rates for 1965 by State and division and for Puerto Rico and the Virgin Islands are based on revised estimates of the population; therefore the rates differ slightly from those published in the 1965 report. The revised estimates of these populations are published in Series P-25, Number 354 (States and divisions) and Number 358 (Puerto Rico and the Virgin Islands); the preliminary figures used for computing rates in the 1965 report are published in Number 324.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the Technical Appendix of the 1962 and 1963 reports.

Population estimates for 1951-59.—Final intercensal estimates of the population by age, color, and sex and by State are shown in tables 6-5 and 6-6. Beginning with 1963, these final estimates have been used to compute the death rates for 1951-59 in all issues of *Vital Statistics of the United States*.

The 1951-59 population estimates by age, color, and sex in table 6-5 of Volume II, *Vital Statistics of the United States, 1965*, and the estimates for the entire United States and for the Pacific geographic division in table 6-6 of the same volume erroneously include Alaska and Hawaii in all years. These population estimates have not been used to

²⁰Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

compute rates for any issue of this report. The population estimates published in tables 6-5 and 6-6 of this volume replace them; Alaska is excluded for years before 1959 and Hawaii for all years.

population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total

SYMBOLS USED IN TABLES

- Data not available -----
- Category not applicable -----
- Quantity zero -----
- Quantity more than 0 but less than 0.05 ----- 0.0
- Figure does not meet standards of reliability or precision ----- *

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1966
 [Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1966	196,842,000	195,857,000	1932	124,949,000	124,840,471	47	118,905,899	47	118,905,899
1965	194,585,000	193,618,000	1931	124,149,000	124,039,648	46	117,465,229	47	118,148,987
1964	192,119,000	191,371,000	1930	123,188,000	123,076,741	45	116,544,946	47	117,238,278
1963	189,417,000	188,658,000	1929	---	121,789,939	46	115,317,430	46	115,317,430
1962	186,656,000	185,890,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1961	183,786,000	183,057,000	1927	---	119,038,082	40	104,320,830	42	107,084,532
1960	180,007,000	179,323,175	1926	---	117,389,225	35	90,400,590	41	103,822,683
1959	177,264,000	176,513,000	1925	---	115,831,963	33	88,294,584	40	102,031,552
1958	174,141,000	173,320,000	1924	---	114,113,463	35	87,000,295	39	99,318,098
1957	171,274,000	170,372,000	1923	---	111,949,945	30	81,078,123	38	96,789,107
1956	168,221,000	167,306,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1955	165,275,000	164,308,000	1921	---	108,541,469	27	70,807,090	34	87,814,447
1954	162,381,000	161,164,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1953	159,585,000	158,242,000	1919	105,082,747	104,512,110	22	61,212,076	33	83,157,882
1952	156,954,000	155,687,000	1918	104,549,888	103,202,601	20	55,153,782	30	79,009,412
1951	154,287,000	153,310,000	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1950	151,132,000	150,697,361	1916	---	101,965,984	11	32,944,013	26	66,971,177
1949	149,188,000	148,665,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1948	146,631,000	146,093,000	1914	---	99,117,567	---	---	24	60,963,309
1947	144,126,000	143,446,000	1913	---	97,226,814	---	---	23	59,156,740
1946	141,389,000	140,054,000	1912	---	95,331,300	---	---	22	54,847,700
1945	139,928,000	138,481,000	1911	---	93,867,814	---	---	22	53,929,644
1944	138,397,000	137,935,000	1910	---	92,406,536	---	---	20	47,470,437
1943	136,739,000	134,245,000	1909	---	90,431,525	---	---	18	44,223,513
1942	134,860,000	133,920,000	1908	---	88,708,976	---	---	17	38,634,759
1941	133,402,000	133,121,000	1907	---	87,000,271	---	---	15	24,552,837
1940	131,820,000	131,669,275	1906	---	85,436,556	---	---	15	33,782,288
1939	131,028,000	130,879,718	1905	---	83,819,666	---	---	10	21,767,990
1938	129,969,000	129,824,939	1904	---	82,164,974	---	---	10	21,332,076
1937	128,961,000	128,824,829	1903	---	80,632,152	---	---	10	20,943,222
1936	128,161,000	128,053,180	1902	---	79,160,196	---	---	10	20,582,307
1935	127,362,000	127,250,232	1901	---	77,585,128	---	---	10	20,237,453
1934	126,485,000	126,373,773	1900	---	76,084,134	---	---	10	19,965,445
1933	125,630,000	125,578,763	---	---	---	---	---	---	---

¹Alaska included beginning 1959, and Hawaii, 1960.

²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: Vital Statistics Rates in the United States, 1900-1940; Historical Statistics in the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1966; Current Population Reports, Series P-25, Nos. 98, 265, 276, 293, 321, and 352.

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1966

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages	195,857,000	95,920,000	99,937,000	172,364,000	84,547,000	87,816,000	23,493,000	11,372,000	12,121,000
Under 1 year	3,666,000	1,872,000	1,793,000	3,054,000	1,564,000	1,490,000	612,000	309,000	303,000
1-4 years	16,185,000	8,263,000	7,922,000	13,575,000	6,943,000	6,632,000	2,610,000	1,315,000	1,295,000
5-9 years	20,806,000	10,580,000	10,226,000	17,738,000	9,047,000	8,691,000	3,068,000	1,533,000	1,535,000
10-14 years	19,402,000	9,861,000	9,541,000	16,689,000	8,505,000	8,184,000	2,713,000	1,356,000	1,350,000
15-19 years	17,756,000	8,950,000	8,806,000	15,459,000	7,807,000	7,652,000	2,297,000	1,143,000	1,154,000
20-24 years	13,606,000	6,625,000	6,981,000	11,951,000	5,830,000	6,121,000	1,656,000	796,000	860,000
25-29 years	11,472,000	5,632,000	5,840,000	10,095,000	4,985,000	5,110,000	1,377,000	647,000	730,000
30-34 years	10,852,000	5,326,000	5,527,000	9,553,000	4,723,000	4,830,000	1,299,000	602,000	697,000
35-39 years	11,704,000	5,717,000	5,987,000	10,369,000	5,107,000	5,262,000	1,335,000	610,000	725,000
40-44 years	12,392,000	6,021,000	6,371,000	11,072,000	5,406,000	5,666,000	1,320,000	615,000	705,000
45-49 years	11,611,000	5,633,000	5,978,000	10,452,000	5,089,000	5,363,000	1,159,000	544,000	615,000
50-54 years	10,687,000	5,189,000	5,498,000	9,644,000	4,694,000	4,950,000	1,042,000	495,000	547,000
55-59 years	9,329,000	4,490,000	4,839,000	8,475,000	4,090,000	4,385,000	854,000	410,000	444,000
60-64 years	7,931,000	3,787,000	4,144,000	7,215,000	3,410,000	3,805,000	716,000	347,000	369,000
65-69 years	6,578,000	2,901,000	3,677,000	5,882,000	2,668,000	3,214,000	496,000	233,000	263,000
70-74 years	5,190,000	2,251,000	2,939,000	4,791,000	2,083,000	2,708,000	399,000	179,000	221,000
75-79 years	3,688,000	1,564,000	2,124,000	3,416,000	1,443,000	1,974,000	272,000	122,000	150,000
80-84 years	2,076,000	847,000	1,230,000	1,915,000	774,000	1,141,000	162,000	73,000	89,000
85 years and over	1,124,000	430,000	694,000	1,018,000	385,000	634,000	108,000	48,000	60,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex, July 1, 1966, Current Population Reports, Series P-25, No. 352, 1966.

Table 6-3. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, Puerto Rico, and Virgin Islands: July 1, 1966

[Figures include Armed Forces stationed in each area and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Area	Population	Area	Population	Area	Population
United States	195,857,000	East North Central--Con.		East South Central--Con.	
Geographic divisions:		Illinois	10,722,000	Alabama	3,517,000
New England	11,224,000	Michigan	8,374,000	Mississippi	2,327,000
Middle Atlantic	36,738,000	Wisconsin	4,161,000	West South Central:	
East North Central	38,480,000	West North Central:		Arkansas	1,955,000
West North Central	15,869,000	Minnesota	3,576,000	Louisiana	3,603,000
South Atlantic	29,220,000	Iowa	2,747,000	Oklahoma	2,458,000
East South Central	12,910,000	Missouri	4,508,000	Texas	10,752,000
West South Central	18,768,000	North Dakota	650,000	Mountain:	
Mountain	7,804,000	South Dakota	682,000	Montana	702,000
Pacific	24,843,000	Nebraska	1,456,000	Idaho	694,000
New England:		Kansas	2,250,000	Wyoming	329,000
Maine	985,000	South Atlantic:		Colorado	1,977,000
New Hampshire	681,000	Delaware	512,000	New Mexico	1,022,000
Vermont	405,000	Maryland	3,613,000	Arizona	1,618,000
Massachusetts	5,383,000	District of Columbia	808,000	Utah	1,008,000
Rhode Island	898,000	Virginia	4,507,000	Nevada	454,000
Connecticut	2,875,000	West Virginia	1,794,000	Pacific:	
Middle Atlantic:		North Carolina	5,000,000	Washington	2,980,000
New York	18,258,000	South Carolina	2,586,000	Oregon	1,955,000
New Jersey	6,898,000	Georgia	4,459,000	California	18,918,000
Pennsylvania	11,582,000	Florida	5,941,000	Alaska	272,000
East North Central:		East South Central:		Hawaii	718,000
Ohio	10,305,000	Kentucky	3,183,000	Puerto Rico	2,669,000
Indiana	4,918,000	Tennessee	3,883,000	Virgin Islands	49,500

Source: U.S. Bureau of the Census: Estimates of the population of States, by age, 1960 to 1965, with provisional estimates for July 1, 1966, No. 354; and Estimates of the population of Puerto Rico and other outlying areas of the United States, 1960 to 1966, No. 358; Current Population Reports, Series P-25, 1966.

SECTION 6 - TECHNICAL APPENDIX

Table 6-4. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State:
July 1, 1966

[Figures include Armed Forces stationed in each area, but exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	195,857,000	19,814,000	57,979,000	60,114,000	39,570,000	18,466,000
Geographic divisions:						
New England	11,224,000	1,108,000	3,176,000	3,362,000	2,399,000	1,199,000
Middle Atlantic	36,738,000	3,431,000	10,070,000	11,210,000	8,280,000	3,715,000
East North Central	58,480,000	3,924,000	11,665,000	11,581,000	7,928,000	3,640,000
West North Central	15,868,000	1,592,000	4,745,000	4,525,000	3,255,000	1,839,000
South Atlantic	29,220,000	3,032,000	6,782,000	9,313,000	5,471,000	2,507,000
East South Central	12,910,000	1,344,000	3,999,000	3,945,000	2,456,000	1,149,000
West South Central	18,768,000	2,027,000	5,797,000	5,799,000	3,540,000	1,636,000
Mountain	7,804,000	875,000	2,482,000	2,358,000	1,388,000	614,000
Pacific	24,843,000	2,481,000	7,283,000	8,021,000	4,875,000	2,187,000
New England:						
Maine	983,000	102,000	290,000	278,000	196,000	111,000
New Hampshire	661,000	68,000	196,000	205,000	136,000	74,000
Vermont	405,000	42,000	123,000	119,000	82,000	45,000
Massachusetts	5,383,000	531,000	1,505,000	1,597,000	1,166,000	603,000
Rhode Island	898,000	87,000	247,000	274,000	194,000	97,000
Connecticut	2,875,000	278,000	815,000	891,000	625,000	289,000
Middle Atlantic:						
New York	18,256,000	1,721,000	4,884,000	5,595,000	4,131,000	1,875,000
New Jersey	6,898,000	653,000	1,924,000	2,163,000	1,618,000	641,000
Pennsylvania	11,582,000	1,057,000	3,262,000	3,452,000	2,631,000	1,199,000
East North Central:						
Ohio	10,305,000	1,024,000	3,147,000	3,139,000	2,099,000	956,000
Indiana	4,918,000	512,000	1,495,000	1,495,000	981,000	471,000
Illinois	10,722,000	1,087,000	3,097,000	3,225,000	2,321,000	1,057,000
Michigan	6,374,000	667,000	2,657,000	2,549,000	1,683,000	711,000
Wisconsin	4,151,000	434,000	1,289,000	1,175,000	844,000	445,000
West North Central:						
Minnesota	3,576,000	376,000	1,109,000	992,000	704,000	390,000
Iowa	2,747,000	271,000	819,000	757,000	568,000	345,000
Missouri	4,508,000	435,000	1,295,000	1,342,000	961,000	530,000
North Dakota	650,000	70,000	206,000	181,000	124,000	63,000
South Dakota	682,000	75,000	214,000	181,000	132,000	78,000
Nebraska	1,456,000	150,000	425,000	399,000	280,000	176,000
Kansas	2,250,000	215,000	677,000	675,000	484,000	257,000
South Atlantic:						
Delaware	512,000	56,000	157,000	161,000	98,000	49,000
Maryland	3,613,000	381,000	1,095,000	1,172,000	701,000	283,000
District of Columbia	808,000	94,000	204,000	258,000	179,000	71,000
Virginia	4,507,000	466,000	1,350,000	1,488,000	834,000	327,000
West Virginia	1,784,000	168,000	547,000	526,000	386,000	183,000
North Carolina	5,000,000	518,000	1,543,000	1,636,000	914,000	363,000
South Carolina	2,596,000	287,000	850,000	838,000	440,000	175,000
Georgia	4,459,000	492,000	1,337,000	1,432,000	807,000	328,000
Florida	5,941,000	570,000	1,649,000	1,802,000	1,112,000	759,000
East South Central:						
Kentucky	3,183,000	326,000	969,000	981,000	612,000	313,000
Tennessee	3,883,000	382,000	1,149,000	1,227,000	764,000	343,000
Alabama	3,517,000	388,000	1,108,000	1,082,000	664,000	289,000
Mississippi	2,327,000	288,000	773,000	675,000	416,000	204,000
West South Central:						
Arkansas	1,955,000	208,000	595,000	565,000	389,000	211,000
Louisiana	3,603,000	418,000	1,180,000	1,100,000	650,000	270,000
Oklahoma	2,458,000	235,000	706,000	758,000	506,000	272,000
Texas	10,752,000	1,166,000	3,328,000	3,376,000	1,985,000	883,000
Mountain:						
Montana	702,000	74,000	223,000	200,000	138,000	67,000
Idaho	894,000	72,000	226,000	200,000	136,000	64,000
Wyoming	329,000	34,000	101,000	83,000	65,000	29,000
Colorado	1,977,000	202,000	601,000	615,000	385,000	172,000
New Mexico	1,022,000	132,000	349,000	293,000	166,000	62,000
Arizona	1,618,000	189,000	511,000	504,000	274,000	125,000
Utah	1,008,000	120,000	346,000	307,000	164,000	70,000
Nevada	454,000	52,000	125,000	150,000	80,000	25,000
Pacific:						
Washington	2,980,000	289,000	915,000	910,000	627,000	302,000
Oregon	1,955,000	174,000	581,000	594,000	416,000	208,000
California	18,318,000	1,897,000	5,444,000	6,175,000	3,674,000	1,612,000
Alaska	272,000	37,000	31,000	35,000	37,000	7,000
Hawaii	718,000	85,000	234,000	249,000	121,000	89,000

Source: U.S. Bureau of the Census: Current Population Reports, Series R-25, Nos. 354 and 384, and official records.

SECTION 6 - TECHNICAL APPENDIX

6-17

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:
July 1, 1951-59

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Figures for 1959 include Alaska. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
TOTAL									
All ages-----	176,513,000	173,320,000	170,371,000	167,306,000	164,308,000	161,164,000	158,242,000	155,687,000	153,310,000
Under 1 year-----	4,075,000	4,045,000	4,007,000	3,832,000	3,755,000	3,647,000	3,524,000	3,411,000	3,299,000
1-4 years-----	16,014,000	15,724,000	15,572,000	15,065,000	14,714,000	14,315,000	14,025,000	13,817,000	13,585,000
5-9 years-----	16,274,000	17,849,000	17,539,000	17,571,000	16,672,000	15,959,000	15,264,000	14,745,000	13,604,000
10-14 years-----	16,163,000	15,475,000	14,976,000	13,652,000	13,576,000	13,135,000	12,618,000	11,911,000	11,451,000
15-19 years-----	12,865,000	12,324,000	11,586,000	11,129,000	10,855,000	10,724,000	10,521,000	10,360,000	10,592,000
20-24 years-----	10,652,000	10,555,000	10,164,000	10,157,000	10,205,000	10,059,000	10,255,000	10,546,000	11,005,000
25-29 years-----	10,887,000	11,090,000	11,545,000	11,525,000	11,652,000	11,766,000	11,898,000	11,958,000	12,079,000
30-34 years-----	12,000,000	12,151,000	12,168,000	12,265,000	12,305,000	12,204,000	12,024,000	11,955,000	11,741,000
35-39 years-----	12,368,000	12,224,000	12,140,000	11,945,000	11,743,000	11,627,000	11,540,000	11,472,000	11,570,000
40-44 years-----	11,469,000	11,380,000	11,250,000	11,124,000	10,987,000	10,854,000	10,709,000	10,561,000	10,534,000
45-49 years-----	10,755,000	10,605,000	10,445,000	10,279,000	10,117,000	9,909,000	9,692,000	9,494,000	9,275,000
50-54 years-----	9,437,000	9,255,000	9,052,000	8,849,000	8,695,000	8,579,000	8,462,000	8,375,000	8,337,000
55-59 years-----	8,289,000	8,110,000	7,965,000	7,871,000	7,767,000	7,658,000	7,581,000	7,529,000	7,431,000
60-64 years-----	7,077,000	7,028,000	7,009,000	6,942,000	6,819,000	6,690,000	6,551,000	6,398,000	6,222,000
65-69 years-----	6,253,000	6,041,000	5,910,000	5,771,000	5,667,000	5,552,000	5,425,000	5,300,000	5,178,000
70-74 years-----	4,847,000	4,513,000	4,538,000	4,261,000	4,121,000	3,985,000	3,805,000	3,673,000	3,546,000
75-79 years-----	2,985,000	2,841,000	2,748,000	2,648,000	2,585,000	2,491,000	2,399,000	2,321,000	2,240,000
80-84 years-----	1,556,000	1,516,000	1,477,000	1,426,000	1,370,000	1,313,000	1,262,000	1,221,000	1,187,000
85 years and over-----	898,000	860,000	831,000	797,000	767,000	729,000	691,000	654,000	616,000
MALE									
All ages-----	96,969,000	95,419,000	93,994,000	92,525,000	91,088,000	89,427,000	87,980,000	86,801,000	85,821,000
Under 1 year-----	2,070,000	2,057,000	2,039,000	1,949,000	1,911,000	1,855,000	1,793,000	1,737,000	1,677,000
1-4 years-----	8,145,000	7,999,000	7,821,000	7,667,000	7,488,000	7,288,000	7,141,000	7,039,000	7,112,000
5-9 years-----	9,295,000	9,079,000	8,925,000	8,944,000	8,489,000	8,128,000	7,774,000	7,511,000	6,928,000
10-14 years-----	8,219,000	7,875,000	7,625,000	7,051,000	6,912,000	6,686,000	6,424,000	6,064,000	5,825,000
15-19 years-----	6,450,000	6,167,000	5,772,000	5,526,000	5,577,000	5,337,000	5,237,000	5,148,000	5,166,000
20-24 years-----	5,168,000	4,997,000	4,880,000	4,868,000	4,670,000	4,662,000	4,735,000	4,883,000	5,234,000
25-29 years-----	5,346,000	5,442,000	5,564,000	5,647,000	5,685,000	5,732,000	5,782,000	5,801,000	5,860,000
30-34 years-----	5,869,000	5,935,000	5,944,000	5,988,000	5,999,000	5,941,000	5,834,000	5,814,000	5,715,000
35-39 years-----	6,025,000	5,958,000	5,926,000	5,840,000	5,746,000	5,690,000	5,643,000	5,620,000	5,571,000
40-44 years-----	5,617,000	5,575,000	5,527,000	5,472,000	5,410,000	5,349,000	5,223,000	5,223,000	5,148,000
45-49 years-----	5,295,000	5,225,000	5,151,000	5,074,000	4,998,000	4,902,000	4,802,000	4,717,000	4,617,000
50-54 years-----	4,652,000	4,558,000	4,478,000	4,385,000	4,314,000	4,262,000	4,207,000	4,165,000	4,152,000
55-59 years-----	4,060,000	3,978,000	3,911,000	3,872,000	3,829,000	3,784,000	3,755,000	3,743,000	3,709,000
60-64 years-----	3,385,000	3,374,000	3,381,000	3,365,000	3,322,000	3,276,000	3,226,000	3,165,000	3,100,000
65-69 years-----	2,890,000	2,851,000	2,805,000	2,752,000	2,714,000	2,667,000	2,612,000	2,557,000	2,503,000
70-74 years-----	2,148,000	2,093,000	2,041,000	1,987,000	1,928,000	1,861,000	1,783,000	1,738,000	1,685,000
75-79 years-----	1,325,000	1,276,000	1,241,000	1,202,000	1,171,000	1,137,000	1,104,000	1,072,000	1,039,000
80-84 years-----	658,000	643,000	629,000	609,000	587,000	565,000	546,000	533,000	524,000
85 years and over-----	355,000	344,000	337,000	327,000	318,000	304,000	289,000	275,000	256,000
FEMALE									
All ages-----	89,544,000	87,901,000	86,377,000	84,781,000	83,240,000	81,737,000	80,262,000	78,886,000	77,489,000
Under 1 year-----	2,005,000	1,986,000	1,968,000	1,883,000	1,844,000	1,792,000	1,731,000	1,674,000	1,622,000
1-4 years-----	7,869,000	7,725,000	7,751,000	7,396,000	7,226,000	7,027,000	6,882,000	6,779,000	6,841,000
5-9 years-----	8,981,000	8,770,000	8,614,000	8,627,000	8,185,000	7,831,000	7,490,000	7,234,000	6,778,000
10-14 years-----	7,942,000	7,600,000	7,353,000	6,801,000	6,664,000	6,447,000	6,192,000	5,847,000	5,628,000
15-19 years-----	6,413,000	6,157,000	5,817,000	5,603,000	5,458,000	5,387,000	5,284,000	5,212,000	5,217,000
20-24 years-----	5,464,000	5,294,000	5,335,000	5,289,000	5,356,000	5,397,000	5,480,000	5,665,000	5,771,000
25-29 years-----	5,541,000	5,648,000	5,781,000	5,877,000	5,947,000	6,034,000	6,117,000	6,157,000	6,218,000
30-34 years-----	6,151,000	6,224,000	6,198,000	6,277,000	6,306,000	6,253,000	6,191,000	6,139,000	6,026,000
35-39 years-----	6,341,000	6,266,000	6,214,000	6,104,000	5,997,000	5,937,000	5,896,000	5,851,000	5,789,000
40-44 years-----	5,853,000	5,788,000	5,725,000	5,652,000	5,578,000	5,505,000	5,427,000	5,338,000	5,246,000
45-49 years-----	5,490,000	5,381,000	5,294,000	5,206,000	5,118,000	5,006,000	4,890,000	4,778,000	4,658,000
50-54 years-----	4,786,000	4,676,000	4,574,000	4,464,000	4,379,000	4,317,000	4,255,000	4,207,000	4,185,000
55-59 years-----	4,227,000	4,132,000	4,052,000	3,999,000	3,938,000	3,874,000	3,825,000	3,786,000	3,722,000
60-64 years-----	3,691,000	3,634,000	3,628,000	3,577,000	3,497,000	3,414,000	3,325,000	3,225,000	3,121,000
65-69 years-----	3,263,000	3,190,000	3,106,000	3,019,000	2,955,000	2,885,000	2,813,000	2,743,000	2,676,000
70-74 years-----	2,499,000	2,420,000	2,347,000	2,274,000	2,195,000	2,103,000	2,012,000	1,955,000	1,882,000
75-79 years-----	1,639,000	1,585,000	1,505,000	1,444,000	1,394,000	1,344,000	1,296,000	1,249,000	1,201,000
80-84 years-----	898,000	873,000	848,000	817,000	785,000	749,000	716,000	689,000	664,000
85 years and over-----	543,000	516,000	494,000	470,000	449,000	425,000	402,000	381,000	360,000
WHITE									
All ages-----	156,815,000	154,189,000	151,884,000	149,085,000	146,541,000	143,875,000	141,394,000	139,186,000	137,189,000
Under 1 year-----	3,475,000	3,464,000	3,432,000	3,286,000	3,228,000	3,149,000	3,055,000	2,984,000	2,857,000
1-4 years-----	13,749,000	13,526,000	13,258,000	13,027,000	12,742,000	12,415,000	12,178,000	12,035,000	12,239,000
5-9 years-----	15,804,000	15,479,000	15,258,000	15,370,000	14,628,000	14,029,000	13,445,000	13,010,000	11,958,000
10-14 years-----	14,159,000	13,586,000	13,172,000	12,154,000	11,884,000	11,491,000	11,027,000	10,390,000	9,978,000
15-19 years-----	11,315,000	10,828,000	10,150,000	9,745,000	9,484,000	9,397,000	9,219,000	9,072,000	9,098,000
20-24 years-----	9,345,000	9,089,000	8,920,000	8,912,000	8,964,000	8,849,000	9,050,000	9,325,000	9,752,000
25-29 years-----	9,612,000	9,824,000	10,069,000	10,271,000	10,376,000	10,507,000	10,626,000	10,866,000	10,775,000
30-34 years-----	10,675,000	10,808,000	10,839,000	10,935,000	10,985,000	10,904,000	10,755,000	10,720,000	10,546,000
35-39 years-----	11,058,000	10,931,000	10,869,000	10,695,000	10,511,000	10,408,000	10,326,000	10,262,000	10,167,000
40-44 years-----	10,324,000	10,220,000	10,108,000	9,984,000	9,857,000	9,740,000	9,621,000	9,500,000	9,359,000
45-49 years-----	9,705,000	9,589,000	9,461,000	9,325,000	9,186,000	8,993,000	8,785,000	8,586,000	8,368,000
50-54 years-----	8,558,000	8,369,000	8,191,000	7,994,000	7,848,000	7,750,000	7,653,000	7,586,000	7,575,000
55-59 years-----	7,516,000	7,365,000	7,244,000	7,179,000	7,101,000	7,017,000	6,965,000	6,937,000	6,863,000
60-64 years-----	6,511,000	6,482,000	6,479,000	6,431,000	6,326,000	6,215,000	6,094,000	5,946,000	5,796,000

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:
July 1, 1951-59—Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Figures for 1959 include Alaska. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
WHITE—Con.									
65-69 years	5,653,000	5,552,000	5,428,000	5,298,000	5,203,000	5,098,000	4,980,000	4,863,000	4,750,000
70-74 years	4,513,000	4,190,000	4,076,000	3,960,000	3,830,000	3,688,000	3,538,000	3,418,000	3,303,000
75-79 years	2,758,000	2,645,000	2,560,000	2,472,000	2,401,000	2,328,000	2,253,000	2,181,000	2,107,000
80-84 years	1,459,000	1,420,000	1,382,000	1,332,000	1,277,000	1,223,000	1,174,000	1,135,000	1,104,000
85 years and over	850,000	794,000	768,000	736,000	709,000	675,000	639,000	605,000	569,000
WHITE MALE									
All ages	77,400,000	76,108,000	74,916,000	73,689,000	72,431,000	71,037,000	69,806,000	68,783,000	67,965,000
Under 1 year	1,770,000	1,768,000	1,752,000	1,677,000	1,649,000	1,607,000	1,560,000	1,515,000	1,457,000
1-4 years	7,013,000	6,900,000	6,764,000	6,650,000	6,503,000	6,338,000	6,217,000	6,143,000	6,251,000
5-9 years	8,060,000	7,895,000	7,786,000	7,844,000	7,468,000	7,165,000	6,867,000	6,646,000	6,107,000
10-14 years	7,217,000	6,928,000	6,719,000	6,189,000	6,062,000	5,861,000	5,626,000	5,295,000	5,087,000
15-19 years	5,686,000	5,430,000	5,069,000	4,863,000	4,721,000	4,691,000	4,606,000	4,522,000	4,542,000
20-24 years	4,564,000	4,408,000	4,306,000	4,294,000	4,302,000	4,129,000	4,213,000	4,345,000	4,689,000
25-29 years	4,754,000	4,654,000	4,982,000	5,067,000	5,103,000	5,150,000	5,193,000	5,199,000	5,249,000
30-34 years	5,256,000	5,319,000	5,526,000	5,568,000	5,594,000	5,534,000	5,241,000	5,236,000	5,155,000
35-39 years	5,406,000	5,541,000	5,516,000	5,238,000	5,151,000	5,102,000	5,061,000	5,042,000	5,000,000
40-44 years	5,071,000	5,028,000	4,981,000	4,926,000	4,868,000	4,814,000	4,757,000	4,709,000	4,645,000
45-49 years	4,788,000	4,734,000	4,675,000	4,610,000	4,545,000	4,479,000	4,413,000	4,346,000	4,270,000
50-54 years	4,221,000	4,133,000	4,053,000	3,981,000	3,894,000	3,849,000	3,802,000	3,770,000	3,768,000
55-59 years	3,679,000	3,608,000	3,553,000	3,526,000	3,494,000	3,461,000	3,444,000	3,444,000	3,417,000
60-64 years	3,111,000	3,109,000	3,123,000	3,115,000	3,079,000	3,041,000	2,988,000	2,942,000	2,884,000
65-69 years	2,653,000	2,618,000	2,574,000	2,525,000	2,481,000	2,449,000	2,399,000	2,347,000	2,297,000
70-74 years	1,989,000	1,939,000	1,892,000	1,843,000	1,789,000	1,727,000	1,663,000	1,612,000	1,584,000
75-79 years	1,226,000	1,181,000	1,150,000	1,115,000	1,088,000	1,059,000	1,029,000	1,001,000	971,000
80-84 years	613,000	599,000	585,000	566,000	545,000	524,000	507,000	494,000	485,000
85 years and over	326,000	316,000	311,000	302,000	294,000	282,000	268,000	253,000	237,000
WHITE FEMALE									
All ages	79,415,000	78,051,000	76,768,000	75,415,000	74,110,000	72,835,000	71,579,000	70,403,000	69,204,000
Under 1 year	1,703,000	1,696,000	1,680,000	1,610,000	1,579,000	1,542,000	1,496,000	1,449,000	1,400,000
1-4 years	6,737,000	6,626,000	6,494,000	6,377,000	6,239,000	6,076,000	5,960,000	5,890,000	5,987,000
5-9 years	7,745,000	7,583,000	7,472,000	7,526,000	7,180,000	6,864,000	6,578,000	6,385,000	5,851,000
10-14 years	6,942,000	6,658,000	6,453,000	5,945,000	5,822,000	5,630,000	5,401,000	5,085,000	4,891,000
15-19 years	5,399,000	5,398,000	5,092,000	4,890,000	4,763,000	4,706,000	4,614,000	4,549,000	4,657,000
20-24 years	4,791,000	4,682,000	4,613,000	4,618,000	4,662,000	4,720,000	4,836,000	4,978,000	5,083,000
25-29 years	4,859,000	4,970,000	5,106,000	5,204,000	5,273,000	5,357,000	5,434,000	5,467,000	5,523,000
30-34 years	5,419,000	5,488,000	5,513,000	5,567,000	5,602,000	5,570,000	5,515,000	5,484,000	5,391,000
35-39 years	5,653,000	5,590,000	5,553,000	5,457,000	5,360,000	5,306,000	5,267,000	5,220,000	5,167,000
40-44 years	5,253,000	5,192,000	5,127,000	5,058,000	4,989,000	4,926,000	4,863,000	4,791,000	4,714,000
45-49 years	4,815,000	4,854,000	4,786,000	4,715,000	4,641,000	4,539,000	4,427,000	4,316,000	4,198,000
50-54 years	4,337,000	4,236,000	4,139,000	4,033,000	3,955,000	3,862,000	3,852,000	3,816,000	3,806,000
55-59 years	3,837,000	3,766,000	3,691,000	3,653,000	3,606,000	3,557,000	3,522,000	3,496,000	3,445,000
60-64 years	3,400,000	3,373,000	3,357,000	3,316,000	3,247,000	3,174,000	3,096,000	3,044,000	2,912,000
65-69 years	3,001,000	2,954,000	2,854,000	2,773,000	2,712,000	2,649,000	2,581,000	2,516,000	2,453,000
70-74 years	2,324,000	2,282,000	2,194,000	2,117,000	2,041,000	1,959,000	1,875,000	1,805,000	1,739,000
75-79 years	1,531,000	1,464,000	1,411,000	1,357,000	1,312,000	1,268,000	1,224,000	1,180,000	1,136,000
80-84 years	845,000	821,000	797,000	765,000	732,000	699,000	667,000	641,000	619,000
85 years and over	504,000	478,000	457,000	434,000	415,000	393,000	371,000	352,000	332,000
NONWHITE									
All ages	19,698,000	19,162,000	18,687,000	18,221,000	17,767,000	17,291,000	16,858,000	16,501,000	16,152,000
Under 1 year	601,000	579,000	576,000	545,000	525,000	499,000	469,000	447,000	442,000
1-4 years	2,264,000	2,198,000	2,114,000	2,036,000	1,972,000	1,901,000	1,845,000	1,784,000	1,714,000
5-9 years	2,469,000	2,370,000	2,281,000	2,201,000	2,044,000	1,930,000	1,819,000	1,735,000	1,646,000
10-14 years	2,001,000	1,886,000	1,804,000	1,718,000	1,692,000	1,642,000	1,590,000	1,531,000	1,473,000
15-19 years	1,548,000	1,496,000	1,438,000	1,386,000	1,351,000	1,327,000	1,301,000	1,289,000	1,284,000
20-24 years	1,287,000	1,264,000	1,244,000	1,245,000	1,242,000	1,210,000	1,203,000	1,223,000	1,253,000
25-29 years	1,275,000	1,266,000	1,256,000	1,253,000	1,257,000	1,259,000	1,272,000	1,292,000	1,306,000
30-34 years	1,323,000	1,325,000	1,329,000	1,330,000	1,319,000	1,300,000	1,269,000	1,234,000	1,196,000
35-39 years	1,508,000	1,292,000	1,271,000	1,250,000	1,232,000	1,219,000	1,212,000	1,210,000	1,203,000
40-44 years	1,146,000	1,141,000	1,142,000	1,140,000	1,130,000	1,113,000	1,099,000	1,061,000	1,035,000
45-49 years	1,031,000	1,019,000	985,000	954,000	931,000	916,000	909,000	908,000	907,000
50-54 years	879,000	868,000	861,000	855,000	844,000	828,000	803,000	787,000	764,000
55-59 years	772,000	746,000	719,000	692,000	666,000	641,000	615,000	591,000	565,000
60-64 years	566,000	547,000	529,000	475,000	435,000	409,000	375,000	341,000	326,000
65-69 years	499,000	489,000	482,000	473,000	464,000	454,000	445,000	437,000	423,000
70-74 years	334,000	322,000	312,000	301,000	291,000	279,000	267,000	255,000	244,000
75-79 years	207,000	196,000	185,000	174,000	164,000	154,000	146,000	140,000	134,000
80-84 years	98,000	96,000	95,000	94,000	92,000	90,000	88,000	86,000	85,000
85 years and over	68,000	66,000	64,000	61,000	58,000	55,000	52,000	49,000	47,000
NONWHITE MALE									
All ages	9,569,000	9,312,000	9,078,000	8,856,000	8,637,000	8,389,000	8,175,000	8,018,000	7,866,000
Under 1 year	300,000	289,000	287,000	272,000	261,000	249,000	234,000	222,000	220,000
1-4 years	1,132,000	1,099,000	1,057,000	1,017,000	985,000	950,000	923,000	895,000	861,000
5-9 years	1,234,000	1,184,000	1,139,000	1,100,000	1,021,000	963,000	908,000	865,000	821,000
10-14 years	1,002,000	945,000	904,000	862,000	850,000	825,000	799,000	769,000	736,000

SECTION 6 - TECHNICAL APPENDIX

6-19

Table 6-5. Revised Estimates of the Total Resident Population of the United States, by Age, Color, and Sex:
July 1, 1951-59 -Con.

[Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Figures for 1959 include Alaska. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age, color, and sex	1959	1958	1957	1956	1955	1954	1953	1952	1951
NONWHITE MALE—Con.									
15-19 years	765,000	736,000	703,000	673,000	656,000	646,000	631,000	626,000	624,000
20-24 years	605,000	589,000	574,000	574,000	569,000	535,000	522,000	538,000	565,000
25-29 years	592,000	581,000	581,000	580,000	585,000	582,000	589,000	602,000	611,000
30-34 years	615,000	614,000	618,000	620,000	615,000	607,000	598,000	578,000	560,000
35-39 years	620,000	617,000	610,000	603,000	595,000	598,000	588,000	579,000	571,000
40-44 years	546,000	545,000	546,000	545,000	542,000	535,000	525,000	514,000	504,000
45-49 years	505,000	490,000	476,000	464,000	454,000	448,000	446,000	447,000	448,000
50-54 years	431,000	426,000	426,000	424,000	420,000	413,000	405,000	395,000	385,000
55-59 years	382,000	370,000	358,000	346,000	334,000	325,000	312,000	301,000	291,000
60-64 years	274,000	265,000	258,000	250,000	245,000	235,000	228,000	222,000	216,000
65-69 years	237,000	235,000	230,000	227,000	223,000	218,000	214,000	210,000	206,000
70-74 years	159,000	154,000	149,000	144,000	139,000	134,000	130,000	125,000	121,000
75-79 years	99,000	95,000	91,000	87,000	85,000	79,000	74,000	71,000	69,000
80-84 years	45,000	44,000	44,000	43,000	42,000	41,000	40,000	39,000	38,000
85 years and over	29,000	27,000	26,000	25,000	24,000	22,000	21,000	20,000	19,000
NONWHITES FEMALE									
All ages	10,129,000	9,850,000	9,609,000	9,366,000	9,130,000	8,902,000	8,683,000	8,483,000	8,286,000
Under 1 year	302,000	290,000	288,000	274,000	283,000	250,000	235,000	225,000	222,000
1-4 years	1,131,000	1,099,000	1,057,000	1,019,000	987,000	950,000	922,000	889,000	853,000
5-9 years	1,226,000	1,186,000	1,142,000	1,101,000	1,023,000	967,000	912,000	869,000	825,000
10-14 years	1,000,000	941,000	900,000	856,000	842,000	817,000	791,000	762,000	733,000
15-19 years	784,000	759,000	735,000	713,000	695,000	681,000	671,000	663,000	660,000
20-24 years	683,000	675,000	671,000	672,000	674,000	677,000	681,000	685,000	689,000
25-29 years	682,000	678,000	675,000	673,000	674,000	677,000	683,000	690,000	695,000
30-34 years	712,000	710,000	711,000	710,000	704,000	695,000	676,000	656,000	636,000
35-39 years	688,000	676,000	661,000	647,000	637,000	631,000	629,000	631,000	632,000
40-44 years	600,000	596,000	596,000	594,000	589,000	578,000	564,000	547,000	531,000
45-49 years	545,000	527,000	508,000	491,000	477,000	468,000	463,000	461,000	460,000
50-54 years	448,000	440,000	436,000	431,000	424,000	415,000	404,000	392,000	379,000
55-59 years	390,000	375,000	361,000	346,000	332,000	318,000	304,000	290,000	277,000
60-64 years	292,000	281,000	271,000	261,000	250,000	240,000	229,000	219,000	210,000
65-69 years	262,000	256,000	252,000	247,000	241,000	236,000	231,000	227,000	223,000
70-74 years	175,000	169,000	165,000	159,000	153,000	145,000	139,000	130,000	125,000
75-79 years	108,000	101,000	94,000	87,000	81,000	76,000	72,000	69,000	66,000
80-84 years	53,000	52,000	51,000	51,000	51,000	50,000	49,000	47,000	45,000
85 years and over	39,000	38,000	37,000	36,000	34,000	32,000	31,000	29,000	28,000

Source: U.S. Bureau of the Census; Estimates of the population of the United States and components of change, by age, color, and sex, 1950 to 1965, Current Population Reports, Series P-25, No. 310, 1965, and revised unpublished estimates.

SECTION 6 - TECHNICAL APPENDIX

Table 6-6. Revised Estimates of the Total Resident Population of the United States, Each Division and State:
July 1, 1951-59

[Figures include Armed Forces stationed in each area but exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	1958	1958	1957	1956	1955	1954	1953	1952	1951
United States ¹	176,513,000	173,320,000	170,371,000	167,306,000	164,308,000	161,164,000	158,242,000	155,887,000	153,310,000
Geographic divisions:									
New England	10,456,000	10,218,000	10,030,000	9,928,000	9,871,000	9,832,000	9,827,000	9,358,000	9,288,000
Middle Atlantic	33,935,000	33,548,000	33,065,000	32,699,000	32,407,000	31,991,000	31,418,000	30,821,000	30,357,000
East North Central	35,929,000	35,578,000	34,967,000	34,404,000	33,780,000	33,065,000	32,167,000	31,499,000	30,884,000
West North Central	18,188,000	17,994,000	17,978,000	17,905,000	17,731,000	17,455,000	17,269,000	17,175,000	17,169,000
South Atlantic	25,558,000	25,045,000	24,528,000	23,842,000	23,207,000	22,719,000	22,384,000	22,134,000	21,796,000
East South Central	11,865,000	11,681,000	11,559,000	11,470,000	11,435,000	11,338,000	11,380,000	11,492,000	11,534,000
West South Central	16,658,000	16,399,000	16,200,000	15,839,000	15,581,000	15,209,000	15,164,000	15,214,000	14,991,000
Mountain	6,684,000	6,487,000	6,345,000	6,139,000	5,900,000	5,670,000	5,515,000	5,330,000	5,170,000
Pacific	20,258,000	19,371,000	18,699,000	18,079,000	17,395,000	16,889,000	16,318,000	15,665,000	15,113,000
New England:									
Maine	957,000	944,000	945,000	938,000	934,000	927,000	913,000	915,000	916,000
New Hampshire	586,000	581,000	572,000	566,000	557,000	554,000	547,000	535,000	529,000
Vermont	387,000	380,000	378,000	377,000	375,000	377,000	379,000	378,000	378,000
Massachusetts	5,117,000	5,010,000	4,929,000	4,851,000	4,882,000	4,910,000	4,806,000	4,650,000	4,654,000
Rhode Island	887,000	858,000	851,000	840,000	835,000	816,000	815,000	802,000	784,000
Connecticut	2,523,000	2,446,000	2,359,000	2,316,000	2,300,000	2,249,000	2,168,000	2,081,000	2,028,000
Middle Atlantic:									
New York	16,685,000	16,601,000	16,374,000	16,112,000	15,985,000	15,814,000	15,527,000	15,192,000	14,890,000
New Jersey	6,015,000	5,890,000	5,737,000	5,615,000	5,502,000	5,380,000	5,229,000	5,125,000	5,006,000
Pennsylvania	11,234,000	11,058,000	10,954,000	10,972,000	10,959,000	10,817,000	10,662,000	10,503,000	10,461,000
East North Central:									
Ohio	9,671,000	9,599,000	9,410,000	9,207,000	9,017,000	8,875,000	8,581,000	8,275,000	8,061,000
Indiana	4,613,000	4,585,000	4,529,000	4,458,000	4,363,000	4,264,000	4,182,000	4,148,000	4,086,000
Illinois	9,986,000	9,886,000	9,668,000	9,530,000	9,435,000	9,252,000	9,065,000	8,956,000	8,780,000
Michigan	7,767,000	7,687,000	7,569,000	7,467,000	7,285,000	7,068,000	6,822,000	6,650,000	6,497,000
Wisconsin	3,891,000	3,843,000	3,781,000	3,742,000	3,679,000	3,608,000	3,506,000	3,468,000	3,439,000
West North Central:									
Minnesota	3,566,000	3,513,000	3,274,000	3,240,000	3,172,000	3,113,000	3,050,000	3,030,000	3,010,000
Iowa	2,729,000	2,708,000	2,716,000	2,705,000	2,679,000	2,626,000	2,629,000	2,626,000	2,617,000
Missouri	4,258,000	4,188,000	4,189,000	4,165,000	4,154,000	4,068,000	4,020,000	3,972,000	4,015,000
North Dakota	618,000	606,000	612,000	615,000	615,000	611,000	609,000	608,000	604,000
South Dakota	667,000	656,000	666,000	670,000	655,000	655,000	648,000	651,000	655,000
Nebraska	1,397,000	1,383,000	1,394,000	1,397,000	1,374,000	1,340,000	1,318,000	1,311,000	1,316,000
Kansas	2,160,000	2,142,000	2,128,000	2,119,000	2,089,000	2,042,000	1,994,000	1,977,000	1,950,000
South Atlantic:									
Delaware	441,000	433,000	426,000	408,000	399,000	368,000	351,000	341,000	331,000
Maryland	3,066,000	2,982,000	2,875,000	2,811,000	2,742,000	2,685,000	2,567,000	2,500,000	2,441,000
District of Columbia	761,000	757,000	763,000	759,000	785,000	791,000	810,000	805,000	808,000
Virginia	3,951,000	3,914,000	3,844,000	3,722,000	3,588,000	3,555,000	3,557,000	3,504,000	3,434,000
West Virginia	1,855,000	1,845,000	1,843,000	1,857,000	1,880,000	1,905,000	1,929,000	1,957,000	1,957,000
North Carolina	4,458,000	4,376,000	4,368,000	4,308,000	4,242,000	4,131,000	4,120,000	4,109,000	4,120,000
South Carolina	2,348,000	2,304,000	2,274,000	2,229,000	2,200,000	2,176,000	2,181,000	2,178,000	2,167,000
Georgia	3,668,000	3,604,000	3,766,000	3,701,000	3,636,000	3,606,000	3,558,000	3,584,000	3,531,000
Florida	4,808,000	4,650,000	4,372,000	4,047,000	3,747,000	3,505,000	3,310,000	3,157,000	2,999,000
East South Central:									
Kentucky	2,999,000	2,961,000	2,928,000	2,898,000	2,910,000	2,902,000	2,903,000	2,920,000	2,941,000
Tennessee	5,522,000	5,471,000	5,434,000	5,415,000	5,415,000	5,359,000	5,319,000	5,352,000	5,372,000
Alabama	3,204,000	3,163,000	3,109,000	3,071,000	3,050,000	3,014,000	3,063,000	3,069,000	3,059,000
Mississippi	2,138,000	2,086,000	2,088,000	2,086,000	2,060,000	2,064,000	2,106,000	2,152,000	2,163,000
West South Central:									
Arkansas	1,756,000	1,726,000	1,733,000	1,704,000	1,725,000	1,734,000	1,780,000	1,838,000	1,801,000
Louisiana	3,208,000	3,155,000	3,115,000	3,082,000	2,945,000	2,885,000	2,866,000	2,842,000	2,789,000
Oklahoma	2,289,000	2,267,000	2,282,000	2,273,000	2,250,000	2,209,000	2,182,000	2,219,000	2,210,000
Texas	9,405,000	9,252,000	9,070,000	8,830,000	8,660,000	8,382,000	8,336,000	8,314,000	8,111,000
Mountain:									
Montana	669,000	666,000	667,000	656,000	636,000	624,000	616,000	602,000	596,000
Idaho	657,000	646,000	642,000	628,000	618,000	600,000	596,000	587,000	589,000
Wyoming	320,000	315,000	314,000	312,000	307,000	293,000	290,000	285,000	291,000
Colorado	1,710,000	1,667,000	1,664,000	1,625,000	1,546,000	1,493,000	1,431,000	1,385,000	1,326,000
New Mexico	918,000	886,000	847,000	806,000	785,000	763,000	756,000	735,000	717,000
Arizona	1,261,000	1,185,000	1,125,000	1,053,000	987,000	933,000	894,000	842,000	785,000
Utah	870,000	845,000	809,000	783,000	753,000	750,000	739,000	724,000	705,000
Nevada	279,000	269,000	280,000	250,000	237,000	213,000	195,000	181,000	168,000
Pacific:									
Washington	2,821,000	2,773,000	2,724,000	2,668,000	2,604,000	2,516,000	2,466,000	2,448,000	2,424,000
Oregon	1,746,000	1,718,000	1,712,000	1,698,000	1,659,000	1,626,000	1,601,000	1,582,000	1,566,000
California	15,467,000	14,890,000	14,264,000	13,713,000	13,135,000	12,746,000	12,251,000	11,635,000	11,134,000
Alaska	224,000	224,000	231,000	224,000	222,000	215,000	205,000	189,000	168,000
Hawaii	622,000	605,000	584,000	559,000	539,000	505,000	510,000	517,000	514,000

¹Alaska excluded prior to 1959, and Hawaii excluded for all years.

Source: U.S. Bureau of the Census: Revised estimates of the population of States and components of population change, 1950-1960, Current Population Reports, Series P-25, No. 304 1965.