

# VITAL STATISTICS OF THE UNITED STATES

1967

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE

ROBERT H. FINCH, SECRETARY

PUBLIC HEALTH SERVICE

WILLIAM H. STEWART, SURGEON GENERAL

WASHINGTON: 1969

## NATIONAL CENTER FOR HEALTH STATISTICS

THEODORE D. WOOLSEY, *Director*

PHILIP S. LAWRENCE, Sc.D., *Associate Director*

OSWALD K. SAGEN, Ph.D., *Assistant Director for Health Statistics Development*

WALT R. SIMMONS, M.A., *Assistant Director for Research and Scientific Development*

ALICE M. WATERHOUSE, M.D., *Medical Consultant*

JAMES E. KELLY, D.D.S., *Dental Advisor*

EDWARD E. MINTY, *Executive Officer*

MARGERY R. CUNNINGHAM, *Information Officer*

## DIVISION OF VITAL STATISTICS

ROBERT D. GROVE, Ph.D., *Director*

ROBERT A. ISRAEL, M.S., *Deputy Director*

ROBERT A. ISRAEL, M.S., *Acting Chief, Mortality Statistics Branch*

JOHN E. PATTERSON, *Chief, Natality Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

ARNE B. NELSON, M.A., *Chief, Vital Records Survey Branch*

MICHAEL J. ZUGZDA, *Chief, Statistical Resources Section*

# VITAL STATISTICS OF THE UNITED STATES, 1967

## VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

### PART A

#### Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

#### Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, cause of death, and by State. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

#### Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by age of mother, legitimacy, geographic areas; fetal-death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, period of gestation, birth weight.

#### Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

#### Section 5. Life Tables

Abridged life tables and interpolated values of the  $l_x$  and  $e_x$  by single years of age for the national population by color and sex.

#### Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

### PART B

#### Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, by specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-22	-29	-30	-31	-32	-36	-40	-41	-41	-42	-45	-46	-52	-53	-87	-92	-100	-162	
Geographic area:																											
Divisions-----										10 <sup>1</sup>	11	12	13	14			17										
States-----	1 <sup>2</sup>	2 <sup>2</sup>									11	12	13	14		16 <sup>3</sup>	17	18	19	20	21					26	
United States-----	1 <sup>2</sup>	2 <sup>2</sup>	3	4	5	6	7	8	9	10	11	12	13	14	15	16 <sup>3</sup>	17	18 <sup>4</sup>	19 <sup>1</sup>	20	21	22	23	24	25	26	
Years:																											
1900-1967-----	1	2								10 <sup>5</sup>																	
1915-67-----																16 <sup>6</sup>											
1958-67-----			3				7				11																
1965-67 (3-year average)-----																	17										
1967 only-----				4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	
Type of entry:																											
Age-adjusted rates-----		2 <sup>1</sup>				6																					
Number of deaths-----	1			4								12	13		15			18	19	20	21	22	23	24	25	26	
Percent distribution of deaths by cause-----					5																						
Death rates-----	1	2	3		5	6	7	8	9	10	11	12		14	15	16	17					22					
Characteristics:																											
Age-----			3	4				8	9			12			15											25	
10-year age groups---			3						9																		
5-year age groups---								8							15												
Single years of age after 84-----				4																							
Cause of death:																											
Each cause-----																						22					
Selected causes-----						6									15												
258 selected causes---																							23	24	25	26	
60 selected causes---							7	8	9				13	14													
15 leading causes---					5																						
Maternal causes only-----															15	16	17										
Color-----	1 <sup>7</sup>	2 <sup>7</sup>	3 <sup>7</sup>	4		6		8	9						15	16 <sup>7</sup>	17			20		22				26	
Month-----																			19	20			23				
Race <sup>7</sup> -----																					21			24	25		
Sex-----	1 <sup>8</sup>	2	3	4		6		8	9												20	21	22		24	25	26

<sup>1</sup>Deaths by place of occurrence.  
<sup>2</sup>Entire United States for 1933-67; death-registration States for 1900-1932.  
<sup>3</sup>Entire United States for 1933-67; birth-registration States for 1915-32.  
<sup>4</sup>Deaths by place of occurrence and place of residence.  
<sup>5</sup>Data by 5-year averages for 1900-1959 and by single years for 1960-67.  
<sup>6</sup>Data by 5-year averages for 1915-39 and by single years for 1940-67.  
<sup>7</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.  
<sup>8</sup>For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:													
Divisions-----						6	7						
Metropolitan and nonmetropolitan counties-----											11		
Population-size groups-----											11		
States-----	1					6	7	8	9				13
United States-----	1	2	3	4	5	6	7	8	9	10	11	12	13
Years:													
1915-67-----	1												
1958-67-----				4	5								
1963-67-----						6	7						
1967 only-----		2	3					8	9	10	11	12	13
Type of entry:													
Number of infant deaths-----								8	9	10	11	12	13
Infant mortality rates (per 1,000 live births)-----	1		3			6	7						
Infant mortality rates (per 100,000 live births)-----		2		4	5								
Characteristics:													
Age:													
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13
Under 28 days-----	1	2	3	4			7	8	9	10	11	12	13
28 days to 11 months-----			3							10		12	13
Detailed age groups (under 1 day-11 months)-----		2		4				8	9 <sup>2</sup>			12	
Cause of death (55 selected causes)-----					5					10	11	12	13
Color-----	1 <sup>3</sup>	2		4 <sup>3</sup>		6 <sup>3</sup>	7 <sup>3</sup>		9		11	12	13
Month-----									9	10			
Race-----			3					8					
Sex-----		2						8	9 <sup>2</sup>			12	

<sup>1</sup> Entire United States for 1933-67; birth-registration States for 1915-32.

<sup>2</sup> For the United States only.

<sup>3</sup> New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-4	-5	-6	-8	-9	-12	-14	-16	-18	-20	-22	-23	-24	-27
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties----						6											
Population-size groups----						6 <sup>1</sup>											
Selected areas-----			3 <sup>2</sup>	4 <sup>3</sup>													
States-----	1 <sup>4</sup>						7	8 <sup>5</sup>	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1942-67-----		2															
1963-67-----							7										
1967 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution---			3														
Rates per 1,000 live births plus fetal deaths-					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 <sup>6</sup>		4	5	6	7 <sup>6</sup>		9	10	11	12	13	14	15	16	17
Legitimacy status-----				4													
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 <sup>1</sup>	17 <sup>1</sup>
Total-birth order-----										10		12					
Weight at birth-----														14		16	

<sup>1</sup>For the United States only.

<sup>2</sup>Combined totals for 9 States and New York City which report all periods of gestation.

<sup>3</sup>Combined totals for 34 States which report legitimacy status.

<sup>4</sup>Fetal deaths by place of occurrence.

<sup>5</sup>Fetal deaths by place of occurrence and place of residence.

<sup>6</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1967. Data for geographic areas within the United States are by place of residence]

	TABLE: 4	-1	-2	-3	-4	-5	-6
	PAGE: 4	-3	-6	-12	-18	-20	-25
Geographic area:							
States-----						5	6
United States-----		1	2	3	4	5	6
Subject matter:							
Motor vehicle accidents by type of vehicle-----		1		3		5	
Nontransport accidents by place of accident-----			2		4		6
Characteristics:							
Age (5-year age groups)-----				3	4		
Color-----		1	2			5	6
Motor vehicle accidents by exact cause of death-----		1					
Nontransport accidents by exact cause of death-----			2				
Race-----				3	4		
Sex-----		1	2	3	4	5	6

### Guide to tables in Section 5

[Life tables]

	TABLE: 5	-1	-2	-3	-4	-5	-6
	PAGE: 5	-3	-4	-5	-6	-7	-8
<b>Years:</b>							
1900-1967-----							6 <sup>1</sup>
1967 only-----		1	2	3	4		
Specified years and 1967-----						5 <sup>2</sup>	
<b>Type of entry:</b>							
Proportion dying ( ${}_nq_x$ )-----		1	2				
Number surviving ( $l_x$ )-----		1	2	3		5	
Number dying ( ${}_nd_x$ )-----		1	2				
Stationary population ( ${}_nL_x$ and $T_x$ )-----		1	2				
Average remaining lifetime ( $e_x^o$ )-----		1	2		4	5	
Estimated average length of life ( $e_o^o$ )-----							6
<b>Characteristics:</b>							
<b>Age by:</b>							
Single years-----				3	4		
5-year intervals-----		1	2			5	
Sex-color specific-----			2	3	4	5	6 <sup>3</sup>
Sex specific-----		1		3	4		6
Color specific-----			2	3	4		6 <sup>3</sup>
Total population-----		1		3	4		6

<sup>1</sup>Entire United States for 1929-67; death-registration States for 1900-1928.

<sup>2</sup>Entire United States for specified years from 1929 to 1967; death-registration States for specified years from 1900 to 1921.

<sup>3</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

### Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

	TABLE: 6	-1	-2	-3	-4
	PAGE: 6	-17	-18	-18	-19
<b>Geographic area:</b>					
Divisions-----				3	4
States-----		1 <sup>1</sup>		3	4
United States-----		1 <sup>1,2</sup>	2	3	4
<b>Years:</b>					
1900-1967 <sup>3</sup> -----		1			
1967-----			2	3	4
<b>Characteristics:</b>					
Age-----			2		4
Color-----			2		
Sex-----			2		

<sup>1</sup>Entire United States for 1900-1967; birth- and death-registration States for 1900-1932.

<sup>2</sup>Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

<sup>3</sup>Population enumerated as of April 1, 1940, 1950, and 1960, and estimated as of July 1 for all other years.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1957. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

	TABLE:	7	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE:	7	-2	-59	-76	-93	-114	-129	-384	-388	-400
Geographic area:											
Counties-----		1 <sup>1</sup>									9
Metropolitan and nonmetropolitan counties-----			2	3							9
Specified urban places-----		1									9
Standard metropolitan statistical areas-----					4					8	
States-----		1 <sup>1</sup>	2	3				6	7 <sup>2</sup>		9
United States-----		1	2	3		5			7		9
Population-size groups-----			2								9
Type of entry:											
Number of deaths-----		1	2	3	4	5	6	7	8	9	
Number of fetal deaths-----		1	2								
Number of infant deaths-----		1	2	3	4	5	6				
Number of neonatal deaths-----		1	2								
Fetal-death ratios (per 1,000 live births)-----			2								
Infant mortality rates (per 1,000 live births)-----			2								
Neonatal mortality rates (per 1,000 live births)-----			2								
Characteristics:											
Age:											
5-year age groups-----						5	6				
10-year age groups-----				3	4						
Cause of death:											
33 selected causes-----											9
60 selected causes-----						5	6	7	8		
Color-----		1	2	3	4	5	6				
Sex-----				3	4	5	6				

<sup>1</sup>Deaths by place of occurrence and place of residence.  
<sup>2</sup>By place of occurrence.

**SYMBOLS USED IN TABLES**

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

## *Section 1. General Mortality*

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-67-----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-67-----	1-3
1-3. Death rates by age, color, and sex: United States, 1958-67 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1967 -----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1967-----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1967-----	1-6
1-7. Death rates for 60 selected causes: United States, 1958-67-----	1-7
1-8. Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1967-----	1-8
1-9. Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1967-----	1-22
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1967 -----	1-29
1-11. Death rates: United States, each division and State, 1958-67 -----	1-30
1-12. Deaths and death rates by age: United States, each division and State, 1967-----	1-31
1-13. Deaths from 60 selected causes: United States, each division and State, 1967-----	1-32
1-14. Death rates for 60 selected causes: United States, each division and State, 1967 -----	1-36
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1967---	1-40
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-67 -----	1-41
1-17. Maternal mortality rates by color: United States, each division and State, 1965-67 (3-year average) -----	1-41
1-18. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1967-	1-42
1-19. Deaths by month and State of occurrence: United States and each State, 1967 -----	1-45
1-20. Deaths by month, color, and sex: United States and each State, 1967 -----	1-46
1-21. Deaths by specified race and sex: United States and each State, 1967 -----	1-52
1-22. Deaths and death rates for each cause, by color and sex: United States, 1967-----	1-53
1-23. Deaths from 258 selected causes, by month: United States, 1967 -----	1-87
1-24. Deaths from 258 selected causes, by specified race and sex: United States, 1967-----	1-92
1-25. Deaths from 258 selected causes, by age, race, and sex: United States, 1967 -----	1-100
1-26. Deaths from 258 selected causes, by color and sex: United States and each State, 1967 -----	1-162

## SECTION 1 - GENERAL MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-67

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	Total	White	Nonwhite	Total			White			Nonwhite		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
<b>UNITED STATES</b>												
1967	1,651,323	1,627,151	224,172	9.4	10.8	8.0	9.4	10.8	8.0	9.4	10.9	7.9
1966	1,663,149	1,634,461	228,688	9.5	11.0	8.1	9.5	10.9	8.1	9.7	11.3	8.3
1965	1,628,136	1,606,498	222,638	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964	1,798,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963 <sup>1</sup>	1,613,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.6	8.7
1962 <sup>1</sup>	1,766,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,922	1,506,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,816	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,836	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,360,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.6
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,461,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,432,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,385,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,689	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,629	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,439,544	1,280,657	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,215,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.8
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,185,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.5	13.0
1934	1,396,903	1,207,187	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
<b>DEATH-REGISTRATION STATES<sup>2</sup></b>												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,984	190,256	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.5	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,950	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,029,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,533	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,959	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,283	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	881,239	822,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,818	715,244	34,574	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.3	15.4	13.8	21.7	22.3	21.0
1909	630,057	603,531	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.5	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	16.7	17.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,865	334,344	11,521	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	343,935	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,235	316,650	10,585	15.6	16.4	14.8	15.4	16.2	14.8	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-2. Age-Adjusted Death Rates, by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-67

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
<b>UNITED STATES</b>									
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963 <sup>1</sup>	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 <sup>1</sup>	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.8	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.0	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.0	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
<b>DEATH REGISTRATION STATES<sup>2</sup></b>									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	18.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.8	14.3	12.6	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.8	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.5	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.8	21.8
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	16.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	27.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	28.9	29.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire contiguous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1958-67

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>TOTAL</b>												
1967	9.4	22.5	0.9	0.4	1.2	1.5	3.1	7.3	16.7	37.5	79.0	194.2
1966	9.5	23.5	0.9	0.4	1.2	1.5	3.1	7.4	17.0	39.4	81.7	200.5
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	202.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	39.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	39.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	39.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	194.2
1958	9.5	28.1	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.4	87.9	196.0
<b>MALE</b>												
1967	10.8	25.2	1.0	0.5	1.7	2.0	3.9	9.6	23.0	50.2	96.2	205.8
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	23.3	51.2	98.5	209.3
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.9	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
1958	11.0	31.6	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.5	101.4	208.3
<b>FEMALE</b>												
1967	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.2	27.5	66.9	186.6
1966	8.1	20.3	0.8	0.3	0.6	1.1	2.3	5.2	11.2	28.1	69.6	195.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	195.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	195.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	29.7	78.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
1958	8.1	24.5	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.4	191.0
<b>WHITE</b>												
1967	9.4	19.6	0.8	0.4	1.1	1.3	2.7	6.7	15.9	36.1	80.0	203.8
1966	9.5	20.2	0.8	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	206.9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
1958	9.4	24.5	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.6	89.9	203.3
<b>WHITE MALE</b>												
1967	10.8	22.4	0.8	0.5	1.6	1.7	3.4	9.0	22.2	48.9	97.6	215.1
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	218.6
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	96.6	218.2
1963	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.3	100.5	210.9
1958	10.9	27.7	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.9	102.7	213.5
<b>WHITE FEMALE</b>												
1967	8.0	16.7	0.7	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1966	8.1	17.3	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.3	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	181.8
1958	8.0	21.2	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.1	196.6
<b>NONWHITE</b>												
1967	9.4	35.4	1.4	0.6	1.7	3.5	6.7	12.9	25.5	53.7	67.3	106.6
1966	9.7	38.8	1.5	0.6	1.7	3.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.6	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.8	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.8	69.8	128.0
1963	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	47.4	1.9	0.7	1.6	3.2	6.3	13.3	27.1	46.1	72.5	131.8
1958	10.3	49.8	2.0	0.6	1.6	3.4	6.2	14.0	28.2	47.8	74.8	134.0

See footnotes at end of table.

## SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1958-67 - Con.

[Rates per 1,000 population residing in area for specified group]<sup>1</sup>

Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>NONWHITE MALE</b>												
1967	10.9	38.8	1.5	0.7	2.5	4.8	8.5	16.1	30.9	65.0	79.7	114.3
1966	11.3	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	65.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 <sup>2</sup>	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 <sup>2</sup>	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	62.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4
1958	11.6	55.6	2.0	0.7	2.2	4.1	7.0	15.7	32.0	56.1	84.4	156.1
<b>NONWHITE FEMALE</b>												
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 <sup>2</sup>	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962 <sup>2</sup>	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	38.5	64.1	122.3
1958	9.0	44.1	1.9	0.5	1.1	2.8	5.6	12.4	24.7	40.1	66.1	121.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.<sup>2</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1967

Age	Total		White		Nonwhite		
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over	227,967	90,906	137,061	65,191	130,212	5,715	6,869
85 years	35,991	15,814	20,177	14,814	19,182	1,000	995
86 years	33,189	14,132	19,057	13,298	18,116	854	891
87 years	29,841	12,436	17,405	11,755	16,557	681	848
88 years	24,089	9,874	14,215	9,175	13,874	499	551
89 years	21,656	8,585	13,071	8,110	12,479	485	582
90 years	18,683	7,187	11,496	6,731	10,947	456	549
91 years	15,529	5,979	9,550	5,633	9,158	346	392
92 years	12,787	4,736	8,051	4,458	7,633	278	308
93 years	9,789	3,450	6,339	3,224	6,006	226	213
94 years	7,787	2,732	5,055	2,543	4,795	189	260
95 years	5,709	1,975	3,734	1,788	3,531	187	203
96 years	4,082	1,353	2,729	1,216	2,537	137	192
97 years	3,233	1,076	2,157	965	1,967	111	190
98 years	1,941	596	1,345	532	1,232	64	113
99 years	1,314	400	914	359	834	41	80
100 years	934	297	637	260	573	37	64
101 years	571	169	402	143	348	28	58
102 years	325	97	228	67	178	30	50
103 years	203	58	145	40	105	18	40
104 years	152	49	103	30	75	19	28
105 years	99	27	72	15	47	12	25
106 years	53	26	28	16	19	9	9
107 years	35	15	20	7	8	8	12
108 years	21	5	16	3	6	2	10
109 years	8	3	5	2	3	1	2
110 years	12	3	9	-	2	3	7
111 years	13	6	7	2	1	4	6
112 years	7	5	2	2	-	3	2
113 years	7	3	4	-	1	3	3
114 years	6	3	3	2	-	1	3
115 years	4	1	3	1	-	-	3
116 years	2	1	1	-	-	1	1
117 years	2	1	1	-	-	1	1
120 years	2	2	-	-	-	2	-
121 years	1	1	-	-	-	1	-

Table 1-5. Mortality from 15 Leading Causes of Death: United States, 1967

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	935.7	100.0
1	Diseases of heart	364.5	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	157.2	16.8
3	Vascular lesions affecting central nervous system	102.2	10.9
4	Accidents	57.2	6.1
...	Motor vehicle accidents	26.7	2.9
...	Other accidents	30.4	3.2
5	Influenza and pneumonia, except pneumonia of newborn	28.8	3.1
6	Certain diseases of early infancy	24.4	2.6
7	General arteriosclerosis	19.0	2.0
8	Diabetes mellitus	17.7	1.9
9	Other diseases of circulatory system	15.1	1.6
10	Other bronchopulmonary diseases	14.8	1.6
11	Cirrhosis of liver	14.1	1.5
12	Suicide	10.8	1.2
13	Congenital malformations	8.8	0.9
14	Homicide	6.8	0.7
15	Other hypertensive disease	5.6	0.6
...	All other causes	88.7	9.5

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1967

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	728.7	936.6	549.9	684.7	900.9	518.1	1,017.9	1,243.3	820.7
Major cardiovascular-renal diseases	369.0	476.6	277.6	357.5	469.0	263.0	479.3	581.0	417.3
Diseases of cardiovascular system	364.7	471.4	274.2	354.1	464.7	260.3	467.5	577.8	406.7
Vascular lesions affecting central nervous system	70.0	76.2	64.9	65.2	71.5	59.9	118.8	124.4	114.1
Diseases of heart	267.7	362.6	196.8	263.1	361.6	179.2	310.1	370.7	257.8
General arteriosclerosis	11.1	12.2	10.2	11.2	12.3	10.3	10.7	11.8	9.7
Chronic and unspecified nephritis and other renal sclerosis	4.2	5.2	3.4	3.4	4.3	2.6	11.8	13.2	10.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	129.1	153.6	109.7	126.6	150.3	107.9	154.3	186.6	126.6
Accidents	54.8	61.8	29.3	52.4	77.8	28.2	73.2	114.7	35.9
Motor vehicle accidents	27.8	41.9	14.5	27.4	41.1	14.4	31.1	49.4	14.6
Other accidents	27.0	39.9	14.8	25.0	36.7	13.8	42.1	65.3	21.3
Influenza and pneumonia, except pneumonia of newborn	20.8	26.8	15.9	18.8	24.2	14.3	36.4	47.6	26.6
Diabetes mellitus	13.7	12.9	14.4	12.7	12.4	12.6	24.5	19.5	29.7
Cirrhosis of liver	13.5	18.3	9.1	12.5	17.2	8.4	20.7	27.2	15.0
Tuberculosis, all forms	3.0	4.7	1.6	2.2	3.6	1.1	10.1	15.4	5.5

## SECTION 1 - GENERAL MORTALITY

1-7

Table 1-7. Death Rates for 60 Selected Causes: United States, 1958-67

[Rates per 100,000 population residing in area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958
All causes	935.7	951.3	943.2	939.6	961.3	945.0	929.5	954.7	938.6	950.8
Tuberculosis, all forms	001-019	3.5	3.9	4.1	4.3	4.9	5.1	5.4	6.1	7.1
Tuberculosis of respiratory system	001-008	3.2	3.6	3.8	4.0	4.6	4.7	5.0	5.6	6.6
Tuberculosis, other forms	010-019	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5
Syphilis and its sequelae	020-029	1.2	1.1	1.3	1.4	1.4	1.5	1.6	1.6	1.7
Dysentery, all forms	045-048	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Scarlet fever and streptococcal sore throat	050,051	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
Diphtheria	055	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Whooping cough	056	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1
Meningococcal infections	057	0.3	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.4
Acute poliomyelitis	060	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3
Measles	065	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3
Other infective and parasitic diseases	030-044, 049, 052-054, 059-074, 081-084, 086-138	3.0	3.1	3.0	3.1	3.2	3.1	3.1	3.2	3.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	157.2	155.1	153.5	151.3	151.3	149.9	149.4	149.2	146.8
Malignant neoplasm of buccal cavity and pharynx	140-148	3.4	3.5	3.4	3.4	3.4	3.5	3.5	3.4	3.3
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	150-156A, 157-159	48.2	48.5	48.7	48.7	49.2	49.5	50.1	50.8	50.9
Malignant neoplasm of respiratory system, not specified as secondary	160-164	29.4	28.0	26.8	25.7	24.9	24.0	23.1	22.2	20.4
Malignant neoplasm of breast	170	14.3	14.1	14.0	13.7	13.5	13.4	13.4	13.1	13.1
Malignant neoplasm of genital organs	171-179	20.4	20.6	20.9	20.9	21.2	21.3	21.4	21.6	22.1
Malignant neoplasm of urinary organs	180,181	7.4	7.2	7.2	7.1	7.2	7.2	7.1	7.1	7.0
Malignant neoplasm of other and unspecified sites	156B, 165, 190-199	18.6	17.9	17.9	17.2	17.0	16.6	16.4	16.5	16.1
Leukemia and aleukemia	204	7.2	7.2	7.0	7.0	7.2	7.0	7.0	7.1	6.9
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	200-203, 205	8.3	8.1	7.8	7.7	7.6	7.4	7.4	7.2	6.9
Benign neoplasms and neoplasms of unspecified nature	210-239	2.5	2.5	2.6	2.6	2.6	2.5	2.6	2.7	2.9
Asthma	241	2.1	2.2	2.3	2.3	2.7	2.6	2.7	3.0	2.9
Diabetes mellitus	260	17.7	17.7	17.1	16.9	17.2	16.8	16.4	16.7	15.9
Anemia	290-293	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.8
Meningitis, except meningococcal and tuberculous	340	1.0	1.2	1.2	1.3	1.2	1.2	1.2	1.3	1.3
Major cardiovascular-renal diseases	330-334, 400-468, 592-594	511.5	521.4	516.4	514.3	527.3	521.2	511.4	521.8	525.5
Diseases of cardiovascular system	330-334, 400-468	508.5	516.1	510.9	508.5	521.3	515.1	505.1	515.1	515.5
Vascular lesions affecting central nervous system	330-334	102.2	104.6	103.7	103.6	106.6	106.2	105.4	108.0	110.1
Diseases of heart	400-402, 410-443	364.5	371.2	367.4	365.7	375.2	370.1	362.4	369.0	367.7
Rheumatic fever and chronic rheumatic heart disease	400-402, 410-416	7.2	7.7	8.0	8.3	8.8	9.5	9.8	10.3	10.4
Arteriosclerotic heart disease, including coronary disease	420	289.7	292.7	286.6	285.0	289.8	283.8	274.4	275.6	266.2
Nonrheumatic chronic endocarditis and other myocardial degeneration	421, 422	26.8	27.4	27.4	27.8	29.7	29.4	29.8	31.8	33.8
Other diseases of heart	430-434	15.8	15.8	15.1	14.5	14.5	13.9	13.8	14.3	14.2
Hypertensive heart disease	440-443	25.3	27.7	28.4	30.0	32.4	33.4	34.6	37.0	38.6
Other hypertensive disease	444-447	5.6	5.8	6.0	6.4	6.7	6.7	7.1	7.4	8.0
General arteriosclerosis	450	19.0	19.9	19.7	19.4	19.8	19.8	19.3	20.0	19.9
Other diseases of circulatory system	451-468	15.1	14.6	14.1	13.5	12.9	12.2	11.3	11.0	9.9
Chronic and unspecified nephritis and other renal sclerosis	592-594	5.0	5.3	5.5	5.8	6.0	6.1	6.3	6.7	8.0
Influenza and pneumonia, except pneumonia of newborn	480-493	28.8	32.5	31.9	31.1	37.5	32.3	30.1	37.3	31.2
Influenza	480-483	0.7	1.4	1.2	0.9	3.8	1.8	1.2	4.4	1.6
Pneumonia, except pneumonia of newborn	490-493	28.0	31.0	30.6	30.2	33.8	30.4	29.0	32.9	30.8
Bronchitis	500-502	3.2	3.1	3.0	2.8	2.9	2.5	2.2	2.4	2.3
Other bronchopulmonary diseases	525-527	14.8	14.5	13.7	12.2	12.3	10.8	9.7	9.6	8.5
Ulcer of stomach and duodenum	540, 541	5.0	5.3	5.4	5.7	6.4	6.6	6.3	6.0	6.2
Appendicitis	580-583	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.1
Hernia and intestinal obstruction	560, 561, 570	5.0	5.1	5.2	5.2	5.3	5.2	5.0	5.1	5.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	545, 571, 572	3.8	3.9	4.1	4.3	4.4	4.4	4.3	4.4	4.5
Cirrhosis of liver	581	14.1	13.6	12.8	12.1	11.9	11.7	11.5	11.5	10.9
Cholelithiasis, cholecystitis, and cholangitis	584, 585	2.2	2.3	2.4	2.4	2.5	2.6	2.6	2.6	2.7
Acute nephritis, and nephritis with edema including nephrosis	590, 591	0.5	0.6	0.7	0.7	0.8	0.8	0.9	0.9	1.0
Infections of kidney	600	4.6	4.8	5.1	5.2	4.7	4.7	4.4	4.3	3.9
Hyperplasia of prostate	610	1.6	1.6	1.8	2.0	2.3	2.3	2.3	2.5	2.6
Deliveries and complications of pregnancy, childbirth, and the puerperium	640-689	0.5	0.5	0.6	0.7	0.8	0.8	0.9	0.9	0.9
Abortion	650-652	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1
Other complications of pregnancy, childbirth, and the puerperium	640-649, 660-689	0.4	0.4	0.5	0.6	0.6	0.6	0.7	0.7	0.8
Congenital malformations	750-759	8.9	9.3	10.1	10.6	11.0	11.4	12.0	12.2	12.4
Certain diseases of early infancy	760-776	24.4	26.4	28.6	31.5	33.2	34.5	35.9	37.4	39.8
Birth injuries, postnatal asphyxia, and atelectasis	760-762	9.8	10.7	11.9	13.2	14.3	15.2	15.8	16.6	17.1
Infections of newborn	763-768	1.7	1.8	2.0	2.3	2.3	2.4	2.6	2.7	2.9
Other diseases peculiar to early infancy, and immaturity, unqualified	769-776	13.0	13.8	14.6	16.1	16.6	16.9	17.5	18.2	18.4
Symptoms, senility, and ill-defined conditions	780-795	12.2	12.2	12.1	13.2	11.9	10.6	10.4	11.4	10.8
All other diseases	Residual	28.9	29.2	28.6	28.5	28.7	28.1	28.2	29.0	28.8
Accidents	E800-E862	57.2	56.0	55.7	54.3	53.4	52.3	50.4	52.3	52.3
Motor vehicle accidents	E810-E835	26.7	27.1	25.4	24.5	23.1	22.0	20.8	21.3	21.3
Other accidents	E800-E802, E840-E862	30.4	30.9	30.4	29.7	30.3	30.3	29.6	31.0	30.9
Suicide	E963, E970-E979	10.8	10.9	11.1	10.8	11.0	10.9	10.4	10.6	10.7
Homicide	E864, E880-E885	6.8	5.9	5.5	5.1	4.9	4.8	4.7	4.6	4.5

## SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 60 Selected Causes, by  
 [Rates per 100,000 population in specified group. Numbers after causes of death,

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes	935.7	2,253.1	86.3	42.1	40.7	102.7	134.1
2	Male	1,061.7	2,516.2	95.8	48.8	51.2	146.4	200.8
3	Female	796.1	1,938.0	76.4	35.2	29.8	58.3	71.7
4	White	935.6	1,961.6	76.4	39.6	39.6	97.9	121.1
5	Male	1,080.2	2,236.2	94.9	45.8	49.8	140.2	183.0
6	Female	797.0	1,673.7	67.4	33.0	28.0	54.9	63.2
7	Nonwhite	936.3	3,541.2	136.8	56.6	53.3	133.4	228.7
8	Male	1,093.0	3,881.4	151.9	65.8	65.8	187.8	332.1
9	Female	789.8	3,195.3	121.6	47.5	40.7	79.8	133.6
10	Tuberculosis, all forms (001-019)	5.5	0.5	0.2	0.1	0.1	0.1	0.2
11	Male	5.2	0.4	0.3	0.1	0.0	0.1	0.2
12	Female	1.9	0.6	0.2	0.0	0.1	0.1	0.2
13	White	2.8	0.3	0.2	0.0	0.0	0.1	0.1
14	Male	4.2	0.3	0.1	0.0	-	0.1	0.1
15	Female	1.5	0.3	0.2	0.0	0.0	0.1	0.1
16	Nonwhite	8.4	1.3	0.7	0.1	0.3	0.3	1.3
17	Male	12.3	0.7	0.9	0.1	0.5	0.3	1.3
18	Female	4.8	2.0	0.5	0.1	0.4	0.3	1.3
19	Tuberculosis of respiratory system (001-006)	5.2	0.2	0.1	0.0	0.0	0.1	0.2
20	Male	4.8	0.3	0.1	0.0	0.0	0.0	0.2
21	Female	1.6	0.2	0.1	0.0	0.1	0.1	0.2
22	White	2.6	0.2	0.0	0.0	0.0	0.0	0.1
23	Male	4.0	0.3	0.0	0.0	-	0.0	0.1
24	Female	1.3	0.1	0.0	0.0	0.0	0.0	0.1
25	Nonwhite	7.3	0.5	0.2	0.1	0.2	0.1	1.0
26	Male	11.0	0.5	0.2	0.1	0.1	-	1.1
27	Female	3.9	0.7	0.2	0.1	0.3	0.3	0.9
28	Tuberculosis, other forms (010-019)	0.3	0.3	0.2	0.0	0.0	0.1	0.1
29	Male	0.3	0.1	0.2	0.0	0.0	0.1	0.0
30	Female	0.2	0.5	0.2	0.0	0.0	0.1	0.1
31	White	0.2	0.2	0.1	0.0	0.0	0.1	0.0
32	Male	0.2	0.1	0.1	0.0	-	0.0	0.0
33	Female	0.1	0.3	0.1	0.0	0.0	0.1	0.0
34	Nonwhite	1.1	0.8	0.5	0.1	0.1	0.2	0.3
35	Male	1.3	0.3	0.7	0.1	0.2	0.3	0.2
36	Female	0.9	1.3	0.3	0.1	0.1	0.1	0.4
37	Syphilis and its sequelae (020-029)	1.2	0.4	-	-	0.0	0.0	0.0
38	Male	1.7	0.4	-	-	0.0	0.0	0.0
39	Female	0.7	0.5	-	-	-	-	-
40	White	1.1	0.2	-	-	0.0	0.0	0.0
41	Male	1.6	0.2	-	-	0.0	0.0	0.0
42	Female	0.6	0.2	-	-	-	-	-
43	Nonwhite	2.2	1.5	-	-	-	0.0	0.0
44	Male	2.9	1.3	-	-	-	-	0.1
45	Female	1.5	1.7	-	-	-	-	0.2
46	Dysentery, all forms (045-049)	0.1	0.9	0.2	0.0	0.0	0.0	0.0
47	Male	0.1	1.0	0.2	0.1	0.1	0.0	0.0
48	Female	0.1	0.8	0.2	0.0	0.0	0.0	0.0
49	White	0.1	0.4	0.1	0.0	0.0	0.0	0.0
50	Male	0.1	0.3	0.1	0.1	0.1	0.0	0.0
51	Female	0.0	0.4	0.1	0.0	0.0	0.0	0.0
52	Nonwhite	0.3	3.5	0.6	0.1	0.0	-	0.1
53	Male	0.3	4.2	0.5	0.1	0.1	-	0.1
54	Female	0.2	2.7	0.6	0.1	-	-	-
55	Scarlet fever and streptococcal sore throat (050,051)	0.0	0.1	0.1	0.0	0.0	-	0.0
56	Male	0.0	0.2	0.1	0.0	0.0	-	-
57	Female	0.0	0.1	0.1	0.0	0.0	-	0.0
58	White	0.0	0.1	0.1	0.0	0.0	-	0.0
59	Male	0.0	0.1	0.0	0.0	0.0	-	0.0
60	Female	0.0	-	0.1	0.0	-	-	0.0
61	Nonwhite	0.1	0.3	0.0	0.0	-	-	-
62	Male	0.0	0.3	0.1	-	-	-	-
63	Female	0.1	0.3	-	0.1	-	-	-
64	Diphtheria (055)	0.0	0.0	0.1	0.1	0.0	0.0	-
65	Male	0.0	-	0.1	0.0	0.0	-	-
66	Female	0.0	0.1	0.0	0.1	0.0	0.0	-
67	White	0.0	-	0.0	0.0	0.0	-	-
68	Male	0.0	-	0.1	0.0	0.0	-	-
69	Female	0.0	-	0.0	0.1	0.0	-	-
70	Nonwhite	0.1	0.2	0.2	0.1	0.0	0.0	-
71	Male	0.1	-	0.3	0.1	-	-	-
72	Female	0.1	0.3	0.2	0.2	0.1	0.1	-
73	Whooping cough (056)	0.0	0.8	0.0	0.0	-	-	-
74	Male	0.0	0.8	0.0	0.0	-	-	-
75	Female	0.0	0.8	0.1	-	-	-	-
76	White	0.0	0.3	0.0	0.0	-	-	-
77	Male	0.0	0.3	0.0	0.0	-	-	-
78	Female	0.0	0.3	0.0	0.0	-	-	-
79	Nonwhite	0.1	3.3	0.1	-	-	-	-
80	Male	0.1	3.3	0.1	-	-	-	-
81	Female	0.1	3.6	0.1	-	-	-	-
82	Meningococcal infections (057)	0.3	4.7	1.2	0.3	0.1	0.2	0.2
83	Male	0.4	5.8	1.3	0.3	0.1	0.2	0.2
84	Female	0.3	3.6	1.0	0.2	0.1	0.3	0.1
85	White	0.3	4.9	0.9	0.2	0.1	0.2	0.2
86	Male	0.3	6.1	1.1	0.3	0.1	0.2	0.2
87	Female	0.2	3.7	0.8	0.2	0.1	0.2	0.2
88	Nonwhite	0.6	3.8	2.3	0.6	0.2	0.5	0.2
89	Male	0.7	4.6	2.7	0.5	0.2	0.5	0.2
90	Female	0.6	3.0	1.9	0.6	0.2	0.5	0.1

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1967

are category numbers of the Seventh Revision of the International Lists, 1956]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
136.9	169.7	246.7	370.2	577.6	898.6	1,374.8	2,028.1	3,070.6	4,605.1	6,619.6	10,144.3	19,419.7	1
190.9	219.8	311.5	471.8	747.9	1,199.8	1,880.9	2,803.9	4,145.8	6,182.9	8,364.5	11,890.0	20,382.5	2
84.5	121.5	185.0	274.2	417.9	615.6	907.8	1,334.9	2,172.8	3,402.0	5,359.8	8,857.9	18,855.7	3
114.7	136.5	205.8	321.0	522.4	829.9	1,290.8	1,934.3	2,908.6	4,495.6	6,645.0	10,366.4	20,378.7	4
161.0	179.0	265.5	412.3	685.3	1,124.4	1,786.5	2,750.4	3,999.0	6,068.4	8,420.2	12,211.3	21,512.9	5
69.6	98.0	149.9	238.8	388.5	581.8	823.0	1,225.1	2,005.2	3,299.6	5,371.5	9,181.4	19,699.2	6
299.3	414.2	558.9	778.5	1,071.0	1,533.9	2,200.5	2,982.2	4,929.0	5,969.8	6,907.4	7,498.8	10,848.3	7
422.1	541.1	707.2	993.8	1,326.7	1,920.2	2,717.4	3,537.6	5,754.3	7,585.4	7,712.0	8,417.6	11,430.0	8
189.9	305.2	435.4	593.1	843.9	1,190.1	1,731.6	2,476.5	4,175.0	4,723.4	5,210.0	6,679.1	10,407.6	9
0.6	1.2	2.1	2.9	4.2	5.9	8.0	9.8	13.3	16.5	19.3	22.8	31.0	10
0.5	1.4	2.6	3.7	5.9	8.9	12.5	16.4	23.2	30.1	33.7	39.5	51.1	11
0.6	1.0	1.6	2.1	2.6	3.0	3.8	4.0	5.0	6.1	9.0	11.4	18.7	12
0.2	0.6	1.0	1.6	2.8	4.0	6.2	8.2	10.8	13.8	17.7	21.1	28.4	13
0.2	0.7	1.3	1.8	3.9	6.1	9.8	13.8	19.0	25.2	31.3	36.0	46.5	14
0.2	0.4	0.7	1.3	1.7	2.1	2.9	3.5	4.0	5.2	7.9	11.0	17.5	15
3.1	5.5	10.8	13.7	16.7	22.8	25.4	26.1	42.1	49.5	40.0	45.6	55.2	16
2.0	6.5	14.0	20.7	24.0	35.8	39.6	42.2	69.8	89.3	62.4	77.0	88.0	17
3.3	4.7	8.1	7.7	10.3	11.2	12.6	11.2	17.2	17.8	22.5	16.5	30.3	18
0.4	1.0	1.9	2.6	3.8	5.5	7.5	9.3	12.4	15.5	18.2	21.5	29.7	19
0.4	1.2	2.4	3.4	5.5	8.5	11.9	15.7	21.9	28.4	31.8	37.5	49.3	20
0.4	0.7	1.4	1.8	2.2	2.7	3.3	3.6	4.5	5.6	8.3	10.7	17.7	21
0.1	0.4	0.9	1.4	2.6	3.9	5.9	7.9	10.3	13.1	16.7	20.2	27.2	22
0.2	0.7	1.2	1.7	3.7	5.9	9.4	13.3	18.2	24.0	29.8	34.8	45.2	23
0.1	0.2	0.6	1.2	1.5	2.0	2.6	3.0	3.7	4.9	7.4	10.5	16.5	24
2.0	4.7	9.3	11.8	14.8	20.4	22.8	23.9	37.1	44.3	35.8	38.2	52.6	25
1.8	5.7	12.0	18.4	22.0	32.8	36.8	39.3	62.9	81.7	56.0	68.9	82.0	26
2.1	3.9	7.0	6.2	8.4	9.4	10.2	9.8	13.9	15.0	20.0	13.2	30.3	27
0.2	0.2	0.2	0.3	0.4	0.4	0.5	0.5	0.9	1.0	1.2	1.3	1.3	28
0.2	0.2	0.2	0.4	0.4	0.4	0.6	0.7	1.3	1.7	1.9	1.9	1.8	29
0.2	0.3	0.2	0.3	0.3	0.3	0.4	0.4	0.5	0.5	0.6	0.8	1.0	30
0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.7	0.9	0.9	1.1	31
0.1	0.1	0.0	0.1	0.2	0.1	0.4	0.5	0.8	1.2	1.5	1.4	1.3	32
0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.5	0.6	1.1	33
1.1	0.8	1.5	1.9	1.9	2.4	2.6	2.2	5.0	5.2	4.2	5.5	2.6	34
1.0	0.8	2.0	2.3	2.0	3.0	2.9	2.9	6.9	8.3	6.4	8.1	6.0	35
1.2	0.9	1.1	1.5	1.9	1.8	2.4	1.6	3.3	2.8	2.5	3.3	3.6	36
0.1	0.1	0.2	0.3	0.5	1.1	2.4	4.2	8.1	8.6	9.0	10.2	11.1	37
0.1	0.1	0.3	0.5	0.6	1.5	3.4	6.8	9.8	15.8	15.4	14.6	15.6	38
0.1	0.1	0.1	0.2	0.4	0.8	1.4	1.9	2.9	3.1	4.3	7.2	8.4	39
0.1	0.1	0.1	0.2	0.3	0.7	1.7	3.5	5.0	7.9	8.5	9.7	11.1	40
0.1	0.1	0.2	0.4	0.4	1.1	2.7	5.9	8.3	14.7	14.6	13.6	15.7	41
0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.5	2.2	2.7	4.1	7.1	8.5	42
0.2	0.2	0.6	1.1	2.1	5.2	8.7	11.1	18.7	18.0	15.1	15.8	11.2	43
0.3	0.3	0.8	1.3	2.5	5.7	10.0	15.9	26.5	30.2	25.6	25.7	14.0	44
0.1	-	0.4	0.8	1.7	4.9	7.6	6.7	11.7	8.4	6.9	7.7	9.1	45
0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.5	46
0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	-	47
-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.8	48
0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.4	49
0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.2	0.3	0.3	0.3	-	50
-	-	-	0.0	0.0	0.0	0.0	0.0	-	0.1	-	0.3	0.6	51
-	-	0.2	0.2	0.1	0.4	0.3	0.3	0.4	0.4	0.7	1.7	1.7	52
-	-	0.2	0.2	0.8	0.7	0.7	0.3	0.4	-	-	-	-	53
-	-	0.1	0.1	0.2	-	-	0.3	0.4	-	1.3	-	3.0	54
0.0	-	0.0	-	0.0	0.0	0.1	0.0	0.0	-	0.1	0.1	0.1	55
0.0	-	-	-	0.0	0.1	0.1	0.1	-	-	-	0.1	0.2	56
-	-	0.0	-	0.0	0.0	0.1	-	0.0	-	-	0.1	-	57
0.0	-	-	-	0.0	0.0	0.0	0.0	0.0	-	0.1	0.1	0.1	58
0.0	-	-	-	-	0.1	0.0	0.1	-	-	-	0.1	0.3	59
-	-	0.1	-	0.0	0.1	0.1	0.1	0.0	-	0.1	-	-	60
-	-	-	-	0.2	0.1	0.3	0.3	-	-	0.4	-	0.6	61
-	-	-	-	0.4	-	0.2	0.2	-	-	-	-	-	62
-	-	0.1	-	-	0.2	0.4	-	-	-	0.6	1.1	-	63
-	-	0.0	0.0	-	0.0	-	-	-	-	-	0.0	-	64
-	-	0.0	0.0	-	0.0	-	-	-	-	-	0.1	-	65
-	-	-	-	-	0.0	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	0.1	-	67
-	-	-	-	-	-	-	-	-	-	-	0.1	-	68
-	-	-	-	-	0.0	-	-	-	-	-	-	-	69
-	-	0.1	0.1	-	0.1	-	-	-	-	-	-	-	70
-	-	0.1	0.1	-	0.2	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	0.0	-	-	-	-	73
-	-	-	-	-	-	-	-	0.0	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	0.2	-	-	-	-	78
-	-	-	-	-	-	-	-	0.4	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
0.0	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.1	0.3	82
0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.3	0.1	0.2	0.2	83
0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.1	0.2	0.1	0.3	84
0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	85
0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.3	0.1	0.2	0.1	0.3	0.3	86
0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	87
0.1	0.2	0.5	0.1	0.4	0.2	0.6	0.4	0.6	0.3	-	0.6	0.9	88
0.1	0.3	0.8	0.2	0.4	0.4	0.2	0.2	0.6	0.6	-	-	1.1	89
0.1	0.1	0.3	-	0.5	0.4	0.9	0.8	1.1	-	-	-	1.5	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 60 Selected Causes, by  
[Rates per 100,000 population in specified group. Numbers after causes of death

	Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)-----	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Male-----	0.0	-	-	0.0	-	0.0	0.0
3	Female-----	0.0	0.1	0.0	-	0.0	-	-
4	White-----	0.0	0.0	0.0	0.0	-	0.0	-
5	Male-----	0.0	-	-	0.0	-	-	-
6	Female-----	0.0	0.1	0.0	-	-	-	-
7	Nonwhite-----	0.0	-	0.0	-	0.0	-	0.1
8	Male-----	0.0	-	-	-	-	-	0.1
9	Female-----	0.0	-	0.1	-	0.1	-	-
10	Measles (085)-----	0.0	0.5	0.2	0.1	0.0	-	0.0
11	Male-----	0.0	0.5	0.3	0.0	0.0	-	-
12	Female-----	0.0	0.3	0.2	0.1	0.0	-	0.0
13	White-----	0.0	0.4	0.2	0.0	0.0	-	0.0
14	Male-----	0.0	0.5	0.2	0.0	0.0	-	-
15	Female-----	0.0	0.3	0.1	0.1	0.0	-	0.0
16	Nonwhite-----	0.1	0.7	0.5	0.3	0.0	-	-
17	Male-----	0.1	0.7	0.5	0.2	-	-	-
18	Female-----	0.1	0.7	0.5	0.3	0.1	-	-
19	Other infective and parasitic diseases (030-044, 049, 052-054, 058-074, 081-084, 088-138)-----	3.0	18.3	2.4	1.0	0.6	0.8	1.0
20	Male-----	3.2	18.9	2.5	1.0	0.7	0.8	1.0
21	Female-----	2.8	17.7	2.2	1.1	0.5	0.9	1.0
22	White-----	2.7	14.7	2.1	1.1	0.6	0.8	0.8
23	Male-----	2.9	16.1	2.2	1.0	0.6	0.7	0.8
24	Female-----	2.5	13.3	2.0	1.1	0.5	0.9	0.8
25	Nonwhite-----	5.3	35.6	3.8	0.9	0.8	1.2	2.0
26	Male-----	5.7	32.7	4.4	1.0	1.2	1.3	1.7
27	Female-----	4.9	38.5	3.1	0.7	0.4	1.2	2.3
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	157.2	5.5	8.2	7.2	6.1	7.6	9.1
29	Male-----	174.9	5.9	8.6	8.1	6.7	9.4	10.8
30	Female-----	140.2	5.2	7.7	6.2	5.4	5.7	7.4
31	White-----	160.7	5.6	8.8	7.5	6.3	7.8	9.2
32	Male-----	177.9	5.9	9.3	8.5	6.9	9.6	11.1
33	Female-----	144.2	5.3	8.3	6.4	5.7	6.0	7.4
34	Nonwhite-----	181.5	5.1	5.1	5.5	4.7	6.2	6.5
35	Male-----	153.1	5.6	5.3	6.2	5.8	6.4	9.3
36	Female-----	111.2	4.7	5.0	4.7	3.6	4.0	7.8
37	Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.4	0.0	0.0	0.0	0.1	0.1	0.1
38	Male-----	5.2	-	0.0	0.0	0.1	0.1	0.1
39	Female-----	1.7	0.1	-	0.0	0.0	0.1	0.0
40	White-----	3.4	0.0	0.0	0.0	0.0	0.1	0.1
41	Male-----	5.2	-	0.0	0.0	0.0	0.1	0.1
42	Female-----	1.7	0.1	-	0.0	0.0	0.1	0.0
43	Nonwhite-----	3.4	-	-	-	0.1	0.3	0.3
44	Male-----	5.2	-	-	-	0.1	0.4	0.6
45	Female-----	1.6	-	-	-	-	0.2	-
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)-----	48.2	0.5	0.2	0.1	0.1	0.3	0.6
47	Male-----	53.0	0.5	0.2	0.1	0.2	0.3	0.7
48	Female-----	43.5	0.4	0.2	0.1	0.1	0.2	0.5
49	White-----	49.1	0.4	0.2	0.1	0.1	0.5	0.5
50	Male-----	53.3	0.5	0.3	0.1	0.1	0.3	0.6
51	Female-----	45.1	0.4	0.2	0.1	0.1	0.2	0.5
52	Nonwhite-----	41.6	0.5	-	0.1	0.2	0.4	1.0
53	Male-----	51.0	0.7	-	0.1	0.4	0.7	1.3
54	Female-----	32.8	0.3	-	0.1	-	0.2	0.7
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	26.4	0.1	0.1	0.0	0.1	0.2	0.2
56	Male-----	50.1	0.2	0.1	-	0.1	0.1	0.2
57	Female-----	9.6	0.1	0.0	0.0	0.0	0.0	0.1
58	White-----	30.1	0.1	0.1	0.0	0.0	0.1	0.2
59	Male-----	51.3	0.2	0.1	-	0.1	0.1	0.3
60	Female-----	9.9	0.1	0.0	0.0	0.0	0.1	0.1
61	Nonwhite-----	23.6	0.2	0.0	0.0	0.1	0.0	0.2
62	Male-----	41.3	-	-	-	0.1	0.1	0.1
63	Female-----	7.1	0.3	0.1	0.1	0.1	-	0.3
64	Malignant neoplasm of breast (170)-----	14.3	-	0.0	-	-	0.0	0.1
65	Male-----	0.2	-	-	-	-	-	-
66	Female-----	27.7	-	0.0	-	-	0.0	0.2
67	White-----	14.8	-	0.0	-	-	0.0	0.1
68	Male-----	0.2	-	-	-	-	-	-
69	Female-----	28.8	-	0.0	-	-	0.0	0.2
70	Nonwhite-----	10.1	-	-	-	-	0.0	0.2
71	Male-----	0.2	-	-	-	-	-	-
72	Female-----	19.4	-	-	-	-	0.1	0.3
73	Malignant neoplasm of genital organs (171-179)-----	20.4	-	0.1	0.1	0.1	0.5	1.3
74	Male-----	17.9	-	0.2	0.1	0.0	0.5	1.6
75	Female-----	22.9	-	0.1	0.1	0.3	0.6	1.0
76	White-----	20.0	-	0.2	0.1	0.1	0.6	1.3
77	Male-----	17.5	-	0.2	0.1	0.0	0.5	1.7
78	Female-----	22.5	-	0.1	0.1	0.2	0.6	0.9
79	Nonwhite-----	25.2	-	0.0	0.1	0.2	0.4	1.3
80	Male-----	20.8	-	-	0.1	-	0.2	0.8
81	Female-----	25.3	-	0.1	0.1	0.4	0.7	1.8
82	Malignant neoplasm of urinary organs (180,181)-----	7.4	0.4	0.6	0.4	0.1	0.1	0.1
83	Male-----	10.0	0.3	0.5	0.3	0.0	0.1	0.1
84	Female-----	4.9	0.5	0.8	0.5	0.1	0.0	0.1
85	White-----	7.7	0.4	0.6	0.4	0.1	0.1	0.1
86	Male-----	10.5	0.3	0.5	0.3	0.0	0.1	0.0
87	Female-----	5.0	0.4	0.7	0.5	0.1	0.0	0.1
88	Nonwhite-----	5.1	0.3	0.9	0.5	0.1	0.1	0.1
89	Male-----	6.4	-	0.8	0.5	0.1	0.3	0.2
90	Female-----	4.0	0.7	1.0	0.6	0.1	0.1	-

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1967—Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-	-	1
0.0	0.0	-	-	0.0	-	0.0	-	-	-	-	-	-	2
0.0	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-	3
0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-	-	4
0.0	0.0	-	-	0.0	-	0.0	-	-	-	-	-	-	5
0.0	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-	6
-	0.1	-	-	-	-	-	-	-	-	-	-	-	7
-	0.2	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
0.0	-	-	-	-	0.0	-	0.0	-	0.0	-	0.0	0.1	10
0.0	-	-	-	-	0.0	-	-	-	0.0	-	-	-	11
0.0	-	-	-	-	-	-	0.0	-	-	-	-	0.1	12
0.0	-	-	-	-	0.0	-	0.0	-	0.0	-	0.1	0.1	13
0.0	-	-	-	-	0.0	-	-	-	0.0	-	0.1	-	14
0.0	-	-	-	-	-	-	0.0	-	-	-	-	0.2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
1.3	1.4	1.5	1.8	2.8	3.2	4.4	5.4	7.4	9.4	12.2	15.4	28.8	19
1.2	1.2	1.3	2.0	2.7	3.6	5.2	6.9	9.1	12.1	14.4	17.0	30.9	20
1.4	1.5	1.7	1.7	2.8	2.9	3.7	4.0	6.0	7.4	10.6	14.3	24.3	21
1.0	0.9	1.1	1.4	2.2	2.8	3.8	4.8	6.8	8.6	12.0	14.8	27.3	22
0.9	0.9	1.0	1.6	2.1	2.4	3.1	3.4	5.3	11.1	14.0	16.0	30.8	23
1.1	1.0	1.2	1.2	2.3	2.5	3.2	3.5	5.5	6.6	10.5	14.1	25.3	24
3.2	4.6	4.7	5.4	7.6	7.3	10.6	11.5	15.1	20.3	14.7	21.8	22.4	25
3.6	3.7	4.0	5.2	8.4	8.1	13.4	14.2	18.0	24.9	19.2	28.4	32.0	26
2.9	5.4	5.4	5.5	6.8	6.7	8.0	9.1	12.4	16.8	11.3	16.5	15.2	27
12.9	22.6	42.1	77.4	156.4	226.6	346.0	480.9	678.7	882.0	1,057.1	1,215.9	1,482.9	28
13.8	21.2	36.4	67.3	126.9	235.1	398.1	608.7	874.1	1,181.1	1,393.8	1,571.5	1,833.0	29
12.0	24.0	47.6	86.9	145.3	217.8	298.0	385.6	515.6	654.6	779.6	974.3	1,270.2	30
12.5	21.5	40.3	73.2	129.9	217.1	335.0	478.4	657.8	875.2	1,046.6	1,242.4	1,543.6	31
13.9	20.7	35.1	62.3	119.0	222.5	322.7	439.3	593.8	848.9	1,184.2	1,402.3	1,612.8	32
11.3	22.3	45.3	83.6	140.2	212.0	290.3	375.7	499.1	652.6	791.4	934.4	1,132.1	33
15.6	31.2	58.0	112.0	194.2	314.8	454.5	617.5	820.5	926.2	920.7	896.4	942.2	34
13.7	25.1	46.8	111.2	193.6	365.2	551.1	757.8	1,148.8	1,588.2	1,293.6	1,125.7	1,190.0	35
17.3	36.3	63.9	112.6	189.1	289.9	368.9	489.3	712.0	684.1	629.4	709.9	754.5	36
0.2	0.2	0.7	1.4	3.3	7.6	10.4	12.6	13.1	17.1	16.5	20.0	30.2	37
0.2	0.3	0.9	2.1	5.1	11.8	16.8	21.7	22.2	29.6	28.2	34.6	48.0	38
0.1	0.2	0.5	0.8	1.7	3.7	4.5	4.5	5.5	7.8	8.1	10.1	19.3	39
0.1	0.2	0.5	1.0	2.7	7.0	10.1	12.7	12.8	16.8	16.9	20.7	32.5	40
0.2	0.2	0.7	1.4	4.0	10.7	16.3	21.9	21.9	29.0	28.9	35.0	52.5	41
0.1	0.1	0.3	0.6	1.5	3.6	4.5	4.4	5.1	7.5	8.3	10.4	20.4	42
0.3	0.6	1.9	4.7	8.7	13.1	14.1	12.6	17.0	21.1	11.6	12.1	9.5	43
0.1	1.3	2.3	7.7	14.5	22.1	22.7	20.2	24.9	36.7	19.2	18.9	12.0	44
0.4	0.4	1.5	2.1	3.5	5.0	8.3	5.3	9.9	9.9	5.6	6.6	7.6	45
1.6	3.4	6.6	14.6	28.6	55.3	92.2	143.3	220.0	304.2	388.5	482.5	607.3	46
1.8	3.7	7.0	16.6	33.2	64.9	114.0	180.1	271.7	387.3	472.8	563.7	664.8	47
1.3	3.0	6.3	12.7	24.3	46.3	72.1	110.4	176.9	241.0	327.6	427.2	572.9	48
1.4	3.0	6.2	13.4	25.4	51.1	87.0	137.0	211.0	300.8	391.6	494.3	633.7	49
1.7	3.2	6.5	14.7	30.1	56.7	106.7	171.4	259.9	380.6	473.8	579.8	694.4	50
1.1	2.8	6.0	12.2	22.8	43.9	69.8	106.4	170.4	240.3	332.6	437.1	559.3	51
3.0	6.1	10.0	24.7	48.5	94.5	143.0	206.9	323.9	346.9	350.9	339.4	372.4	52
2.8	7.8	11.2	33.9	61.8	124.1	196.2	267.3	401.2	470.4	461.6	390.5	430.0	53
3.2	4.6	9.0	16.8	36.7	68.1	103.9	151.6	233.6	250.9	264.4	297.8	328.8	54
0.3	1.8	5.7	15.9	28.9	53.4	84.4	120.5	154.0	188.0	155.2	130.5	102.3	55
0.4	2.6	8.7	21.2	44.3	88.7	146.8	222.1	298.1	330.9	313.0	249.2	186.8	56
0.2	1.0	3.0	7.0	14.5	20.3	26.7	29.6	35.4	40.5	41.4	49.8	50.6	57
0.3	1.6	5.2	12.8	27.4	51.4	82.6	119.5	153.1	166.6	158.3	133.0	104.4	58
0.4	2.4	7.7	19.1	41.1	84.4	143.0	220.5	332.1	419.8	331.8	257.0	191.9	59
0.2	0.9	2.7	6.9	14.4	20.3	26.6	29.6	34.4	41.0	42.4	50.0	52.0	60
0.7	2.8	10.2	22.8	42.8	71.8	102.3	150.1	184.9	158.6	118.2	100.0	83.6	61
0.9	4.5	16.3	39.9	73.8	130.0	184.5	238.4	295.1	316.6	233.6	164.9	146.0	62
0.5	1.3	5.1	8.1	15.3	20.0	27.7	30.2	34.6	34.6	28.1	47.3	36.4	63
0.9	3.1	7.2	13.5	22.9	32.1	38.6	44.8	49.4	57.5	66.0	80.6	118.7	64
-	-	0.0	0.1	0.2	0.3	0.8	0.9	1.2	1.6	1.7	1.9	2.9	65
1.7	6.0	14.0	28.2	44.1	62.0	73.5	84.0	89.6	100.0	112.4	134.1	190.0	66
0.8	2.8	6.9	13.4	22.5	31.9	38.9	44.7	49.4	58.3	67.8	83.4	125.4	67
-	-	0.0	0.1	0.2	0.3	0.7	0.8	1.1	1.6	1.7	2.1	3.0	68
1.6	5.5	13.6	28.1	43.6	61.7	74.2	83.7	89.4	102.3	115.3	137.8	198.8	69
1.3	4.9	8.9	14.5	25.8	34.3	35.9	45.8	49.2	47.4	43.2	47.3	56.6	70
-	-	-	-	0.4	0.6	1.2	1.2	1.6	1.6	1.6	-	2.0	71
2.5	8.2	16.3	27.1	48.2	64.3	67.3	87.2	91.6	84.1	75.6	65.7	101.5	72
2.0	3.6	6.4	11.0	17.1	24.1	36.1	52.6	81.1	121.3	156.6	206.8	263.1	73
1.7	1.9	1.4	1.2	1.9	5.1	13.4	33.9	75.1	145.8	236.8	350.6	490.6	74
2.2	5.4	11.1	20.3	31.3	42.0	57.1	69.4	86.1	102.8	98.7	109.1	123.9	75
1.9	3.3	5.7	9.9	15.8	22.4	33.4	48.7	75.5	113.4	152.9	204.8	264.9	76
1.9	2.0	1.5	1.2	1.7	4.3	11.1	29.8	64.8	132.2	229.9	348.0	500.5	77
1.9	4.4	9.8	18.2	29.2	39.6	54.0	65.5	80.6	99.0	98.3	108.9	123.8	78
2.9	6.5	11.3	20.5	28.2	39.8	53.1	62.4	69.5	69.5	69.5	69.5	69.5	79
0.9	0.5	0.2	1.1	4.1	12.6	36.8	74.3	188.2	311.8	329.6	378.4	412.0	80
4.6	11.7	20.7	37.2	49.3	64.1	87.0	109.4	152.2	150.5	105.8	112.1	125.8	81
0.1	0.3	0.8	1.9	4.1	7.6	13.6	21.0	32.5	50.6	60.6	75.0	94.1	82
0.1	0.5	1.2	2.5	5.8	11.3	20.3	32.1	49.8	79.7	95.8	109.0	128.7	83
0.1	0.2	0.5	1.3	2.5	4.1	7.4	11.2	18.1	28.4	35.2	51.9	73.0	84
0.1	0.3	0.8	1.8	3.8	7.3	13.3	20.5	31.4	51.3	62.5	77.7	99.8	85
0.1	0.4	1.2	2.5	5.6	11.0	19.9	31.9	48.6	81.6	98.9	115.0	139.4	86
0.2	0.2	0.4	1.3	2.2	3.7	7.1	10.4	16.8	28.3	36.4	52.8	76.1	87
0.1	0.4	0.8	2.1	6.2	10.2	16.8	26.2	41.4	64.8	37.2	42.4	43.1	88
0.1	0.7	0.8	2.4	7.5	13.4	23.9	33.8	57.1	56.2	59.2	44.6	44.0	89
-	0.1	0.7	1.8	5.1	7.4	10.4	19.3	33.6	29.9	20.0	40.7	42.4	90

Table 1-8. Death Rates for 60 Selected Causes, by  
 [Rates per 100,000 population in specified group. Numbers after causes of death]

	Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.							
2	Malignant neoplasms of other and unspecified sites (156B,165,190-199)-----	18.6	2.0	2.8	2.1	2.3	2.7	2.6
3	Male-----	20.5	2.0	3.1	2.4	2.4	3.2	3.1
4	Female-----	16.8	2.0	2.5	1.8	2.2	2.1	2.2
5	White-----	19.1	2.0	3.0	2.1	2.4	2.8	2.7
6	Male-----	21.1	2.1	3.2	2.4	2.4	3.3	3.2
7	Female-----	17.3	2.0	2.7	1.7	2.3	2.3	2.3
8	Nonwhite-----	14.5	2.0	2.1	2.1	1.7	1.8	1.9
9	Male-----	16.0	2.0	2.5	2.4	2.1	2.4	2.1
	Female-----	13.2	2.0	1.6	1.8	1.4	1.3	1.8
10	Leukemia and aleukemia (204)-----	7.2	2.2	3.9	3.8	2.4	2.5	1.8
11	Male-----	8.5	2.5	4.0	4.3	2.8	3.1	2.2
12	Female-----	6.0	1.8	3.8	3.3	2.0	1.5	1.5
13	White-----	7.6	2.2	4.3	4.2	2.6	2.4	1.8
14	Male-----	8.9	2.5	4.4	4.7	3.0	3.2	2.1
15	Female-----	6.4	2.0	4.1	3.6	2.1	1.6	1.4
16	Nonwhite-----	4.4	2.0	1.8	2.0	1.2	1.9	2.1
17	Male-----	5.4	2.9	1.6	2.4	1.5	2.7	2.5
18	Female-----	3.5	1.0	2.0	1.7	1.0	1.1	1.8
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	0.3	0.4	0.5	0.6	1.0	1.5	2.3
20	Male-----	9.5	0.3	0.6	0.9	1.2	2.0	2.9
21	Female-----	7.2	0.4	0.4	0.3	0.7	1.0	1.8
22	White-----	8.7	0.4	0.5	0.6	0.9	1.5	2.4
23	Male-----	9.9	0.4	0.6	1.0	1.1	2.0	3.1
24	Female-----	7.6	0.4	0.4	0.3	0.7	1.0	1.9
25	Nonwhite-----	5.6	0.2	0.3	0.6	1.1	1.4	1.4
26	Male-----	6.9	-	0.4	0.8	1.5	1.8	1.5
27	Female-----	4.4	0.3	0.2	0.4	0.6	0.5	1.3
28	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.5	2.7	0.7	0.6	0.6	0.5	0.5
29	Male-----	2.5	2.9	0.8	0.5	0.5	0.6	0.5
30	Female-----	2.5	2.5	0.6	0.6	0.6	0.5	0.6
31	White-----	2.5	2.7	0.7	0.5	0.5	0.5	0.5
32	Male-----	2.5	2.9	0.8	0.4	0.5	0.5	0.5
33	Female-----	2.4	2.4	0.5	0.6	0.5	0.5	0.6
34	Nonwhite-----	3.0	3.0	0.6	1.0	0.9	0.8	0.5
35	Male-----	2.7	2.9	0.5	1.0	0.8	0.9	0.4
36	Female-----	3.3	3.0	0.6	1.0	1.0	0.8	0.5
37	Asthma (241)-----	2.1	0.5	0.3	0.2	0.3	0.4	0.4
38	Male-----	2.4	0.6	0.2	0.1	0.3	0.3	0.4
39	Female-----	1.8	0.3	0.4	0.3	0.2	0.4	0.4
40	White-----	2.0	0.4	0.2	0.2	0.2	0.2	0.3
41	Male-----	2.2	0.6	0.1	0.1	0.2	0.2	0.3
42	Female-----	1.7	0.3	0.3	0.2	0.2	0.3	0.3
43	Nonwhite-----	3.1	1.0	0.7	0.4	0.7	1.1	1.1
44	Male-----	3.3	0.7	0.7	0.3	1.1	0.9	0.8
45	Female-----	2.9	1.3	0.8	0.6	0.2	1.3	1.3
46	Diabetes mellitus (260)-----	17.7	0.4	0.1	0.2	0.3	0.4	0.9
47	Male-----	14.9	0.3	0.1	0.1	0.3	0.3	0.9
48	Female-----	20.4	0.5	0.2	0.2	0.4	0.5	1.0
49	White-----	17.3	0.5	0.1	0.2	0.3	0.4	0.9
50	Male-----	14.9	0.4	0.1	0.1	0.3	0.3	0.7
51	Female-----	19.6	0.6	0.2	0.3	0.4	0.5	1.0
52	Nonwhite-----	20.8	-	0.0	0.1	0.2	0.6	1.7
53	Male-----	15.0	-	-	0.1	0.2	0.6	1.9
54	Female-----	26.2	-	0.1	0.1	0.3	1.0	1.4
55	Anemias (290-295)-----	1.7	2.4	0.9	0.4	0.3	0.5	0.6
56	Male-----	1.8	2.8	0.8	0.3	0.3	0.6	0.6
57	Female-----	1.7	2.0	0.9	0.5	0.3	0.5	0.5
58	White-----	1.6	1.1	0.4	0.2	0.2	0.3	0.3
59	Male-----	1.6	1.0	0.3	0.2	0.3	0.3	0.3
60	Female-----	1.6	1.3	0.5	0.3	0.2	0.3	0.2
61	Nonwhite-----	2.9	8.6	3.3	1.4	1.0	2.1	2.8
62	Male-----	3.1	11.4	3.4	1.8	0.9	2.6	2.7
63	Female-----	2.8	5.6	3.1	1.0	1.1	1.5	2.8
64	Meningitis, except meningococcal and tuberculous (340)-----	1.0	19.2	2.0	0.4	0.2	0.2	0.2
65	Male-----	1.2	22.5	2.3	0.4	0.3	0.3	0.1
66	Female-----	0.8	15.7	1.7	0.4	0.2	0.2	0.2
67	White-----	0.8	15.5	1.7	0.4	0.2	0.2	0.1
68	Male-----	1.0	17.7	1.9	0.3	0.2	0.3	0.1
69	Female-----	0.7	13.2	1.5	0.4	0.1	0.1	0.2
70	Nonwhite-----	2.6	35.9	3.4	0.5	0.4	0.6	0.4
71	Male-----	3.1	46.1	4.3	0.5	0.6	0.8	0.5
72	Female-----	2.0	27.5	2.5	0.4	0.3	0.4	0.3
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	511.5	15.9	1.9	1.4	2.5	4.8	8.6
74	Male-----	573.2	17.7	2.2	1.4	2.5	5.0	8.5
75	Female-----	452.5	14.1	1.7	1.5	2.4	4.6	8.4
76	White-----	523.2	14.0	1.7	1.3	2.2	4.0	6.9
77	Male-----	588.2	16.0	1.9	1.3	2.2	4.4	7.1
78	Female-----	460.9	11.9	1.4	1.3	2.1	3.6	6.8
79	Nonwhite-----	426.3	25.2	3.3	2.3	4.3	9.7	19.6
80	Male-----	462.6	25.8	3.8	2.3	4.6	8.8	18.7
81	Female-----	392.2	24.6	2.9	2.3	4.0	10.6	20.5
82	Diseases of cardiovascular system (330-334,400-468)-----	506.5	15.3	1.8	1.2	2.1	4.0	6.9
83	Male-----	567.5	16.9	2.0	1.2	2.1	4.0	6.7
84	Female-----	448.1	13.6	1.5	1.2	2.0	3.9	7.0
85	White-----	518.9	13.4	1.5	1.1	1.8	3.3	5.5
86	Male-----	583.2	15.3	1.8	1.1	1.9	3.5	5.5
87	Female-----	457.2	11.5	1.3	1.1	1.7	3.1	5.5
88	Nonwhite-----	416.1	24.4	3.1	2.2	3.7	8.2	16.6
89	Male-----	451.6	25.2	3.5	2.2	3.8	7.3	15.5
90	Female-----	382.9	23.6	2.7	2.2	3.6	9.1	17.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1967—Con.

(are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.3	5.0	7.8	11.8	18.7	28.1	43.1	56.4	70.6	87.6	100.8	118.6	156.2	1
3.9	5.7	8.8	12.9	21.3	32.2	51.7	68.6	86.6	108.9	123.9	132.3	165.0	2
2.8	4.4	6.8	10.9	16.2	24.2	35.2	45.5	57.2	71.4	84.1	109.3	151.0	3
3.4	5.1	7.8	11.7	18.4	27.7	42.4	55.3	68.6	86.7	101.3	122.1	164.9	4
4.1	5.9	8.8	12.7	21.3	31.7	50.8	67.8	84.4	108.1	125.3	138.0	176.8	5
2.8	4.2	6.9	10.8	15.7	24.0	34.6	44.1	55.4	70.5	84.2	111.5	157.8	6
2.7	4.7	7.1	12.8	20.8	31.3	50.3	67.3	84.0	98.0	94.0	75.8	78.4	7
2.5	4.2	8.6	14.2	21.3	36.8	60.6	75.7	111.0	118.9	107.2	70.3	72.0	8
2.8	5.2	5.9	11.6	20.4	26.3	40.9	59.6	78.5	83.6	83.8	80.2	83.3	9
1.9	2.1	2.7	3.6	5.0	6.7	9.8	15.2	23.6	34.4	44.8	55.6	68.2	10
2.1	2.6	3.0	3.9	5.8	7.9	12.4	19.5	30.3	45.9	61.6	75.4	90.6	11
1.6	1.7	2.4	3.2	4.2	5.7	7.4	11.4	18.0	25.7	32.8	42.2	54.6	12
1.8	2.1	2.9	3.6	5.0	6.6	9.8	15.5	23.8	35.0	46.0	58.4	73.7	13
2.0	2.6	3.1	3.9	5.8	7.6	12.4	19.8	30.6	46.7	63.3	79.9	97.7	14
1.5	1.7	2.4	3.3	4.2	5.6	7.5	11.6	18.1	26.2	33.5	44.1	59.3	15
2.5	2.2	2.2	3.2	4.7	8.4	9.5	12.2	22.0	27.1	30.9	21.8	19.0	16
3.3	2.5	2.3	3.4	5.4	10.7	16.2	26.9	36.1	40.8	40.8	27.0	34.0	17
1.9	2.0	2.1	2.9	4.1	6.3	6.3	8.6	17.5	20.1	23.1	17.6	7.6	18
2.7	3.0	4.2	5.6	7.8	11.7	17.8	24.5	34.3	43.3	48.0	46.3	42.7	19
3.5	3.9	5.4	7.0	9.3	14.1	21.9	29.8	41.1	51.3	60.1	54.8	55.6	20
1.9	2.3	3.1	4.3	6.5	9.5	14.1	19.7	28.7	37.2	39.3	40.5	34.8	21
2.8	3.1	4.3	5.8	7.8	11.7	17.6	24.5	34.3	44.4	49.3	48.0	44.3	22
3.6	3.9	5.5	8.8	9.1	14.0	21.8	28.7	40.8	52.2	61.7	57.0	57.8	23
2.0	2.3	3.1	4.3	6.5	9.6	13.8	19.9	28.8	38.4	40.4	41.9	36.2	24
2.1	2.7	3.7	6.6	8.6	11.4	19.5	24.1	35.1	29.7	31.9	26.1	28.4	25
3.0	3.7	4.9	8.6	10.8	15.0	22.2	30.6	43.7	40.2	40.8	31.1	38.0	26
1.5	1.9	2.5	4.9	6.8	8.3	17.1	18.2	27.4	21.5	25.0	22.0	21.2	27
0.8	1.2	1.5	2.1	3.4	4.0	5.2	6.2	8.0	9.2	11.0	12.5	22.4	28
0.7	1.1	1.1	1.9	3.2	4.0	5.7	6.8	10.0	11.4	13.2	13.2	22.2	29
0.8	1.2	1.8	2.3	3.5	4.0	4.8	5.7	6.4	7.5	9.8	12.1	22.6	30
0.7	1.0	1.2	2.0	3.0	3.6	5.0	6.0	7.7	8.8	10.8	12.7	23.0	31
0.7	1.0	1.0	1.8	2.9	3.7	5.5	6.6	9.8	11.0	12.4	13.4	23.0	32
0.8	1.0	1.4	2.1	3.1	3.5	4.5	5.4	5.9	7.1	9.6	12.2	23.0	33
0.9	2.2	3.1	3.2	6.5	7.9	7.8	8.5	12.2	13.8	13.7	10.3	17.2	34
1.2	1.7	1.5	2.3	5.6	7.3	7.3	8.1	12.2	15.4	14.4	10.8	16.0	35
0.7	2.7	4.4	4.1	7.3	8.5	8.2	8.8	12.0	12.6	13.1	9.9	18.2	36
0.6	0.8	1.3	1.5	2.2	3.5	4.6	6.4	7.5	9.9	10.9	10.4	12.2	37
0.3	0.7	1.1	1.2	1.7	1.7	3.5	5.7	10.0	14.8	17.1	17.0	15.2	38
0.8	0.8	1.6	1.9	2.6	3.4	3.6	4.7	7.4	6.3	6.4	5.9	10.3	39
0.4	0.5	1.0	1.2	1.8	3.1	4.1	6.0	5.0	9.9	10.7	10.7	12.4	40
0.2	0.4	0.7	0.8	1.4	3.2	5.2	7.8	9.3	14.7	17.0	17.5	16.2	41
0.5	0.6	1.2	1.6	2.2	3.0	3.1	4.3	5.1	6.3	6.3	6.1	10.1	42
2.0	2.5	4.1	4.1	5.6	6.9	9.8	10.7	13.3	9.1	12.3	7.3	10.3	43
1.0	2.7	3.8	4.2	4.8	7.1	11.2	13.3	17.6	13.0	18.4	12.2	8.0	44
2.9	2.4	4.3	5.9	6.3	6.7	8.4	8.3	9.5	6.1	7.5	3.3	23.1	45
1.9	3.2	3.8	5.7	9.2	15.8	27.4	46.7	76.1	115.9	155.7	193.2	234.8	46
2.2	3.7	4.5	6.9	9.5	15.8	26.5	44.3	66.7	106.6	136.4	176.8	215.9	47
1.6	2.8	3.1	4.6	9.0	15.7	28.2	48.8	84.0	124.8	169.7	204.4	246.6	48
1.5	2.9	3.3	4.7	7.5	12.9	23.3	41.0	68.3	112.4	154.7	196.7	246.6	49
1.8	3.5	4.0	6.2	8.3	14.1	24.6	42.3	62.5	102.6	137.0	183.0	231.1	50
1.4	2.4	2.6	3.2	6.8	11.8	22.1	39.8	73.1	119.8	167.4	205.9	256.0	51
3.6	5.5	7.4	14.4	24.5	42.3	67.7	105.1	166.6	173.7	168.8	150.9	128.4	52
4.8	4.8	13.0	20.3	42.6	44.9	65.0	65.0	112.7	155.6	128.8	109.5	96.0	53
2.5	6.0	6.6	15.6	28.3	51.0	86.3	142.5	214.2	188.8	200.0	184.6	153.0	54
0.4	0.6	0.6	0.7	0.8	1.0	1.8	3.3	4.9	7.5	12.7	19.9	32.5	55
0.3	0.6	0.6	0.8	0.7	1.2	1.9	3.9	6.2	8.7	15.2	24.0	37.0	56
0.4	0.6	0.7	0.7	0.9	0.9	1.6	2.7	3.9	6.6	11.0	17.0	29.8	57
0.1	0.2	0.4	0.5	0.7	0.8	1.6	3.2	4.9	7.4	12.6	19.9	35.0	58
0.1	0.2	0.4	0.6	0.6	0.8	1.8	3.9	6.1	8.7	15.3	24.5	40.7	59
0.1	0.3	0.5	0.5	0.7	0.8	1.4	2.6	3.9	6.5	10.7	16.8	31.6	60
2.5	3.2	2.1	2.4	1.7	2.9	3.3	4.2	5.6	8.6	14.0	19.4	10.3	61
2.2	3.6	2.5	2.6	1.3	4.3	3.3	4.3	6.5	8.9	14.4	18.9	8.0	62
2.7	2.7	1.8	2.2	2.1	1.6	3.2	4.0	4.7	8.4	13.8	19.8	12.1	63
0.2	0.2	0.4	0.5	0.8	0.8	1.2	1.5	1.5	1.9	1.7	2.1	2.6	64
0.2	0.3	0.4	0.7	0.8	1.0	1.6	1.8	1.9	2.4	2.1	1.7	3.4	65
0.1	0.2	0.3	0.3	0.4	0.5	0.8	1.2	1.3	1.5	1.5	2.4	2.1	66
0.2	0.1	0.2	0.3	0.4	0.5	0.9	1.1	1.1	1.6	1.5	2.0	2.5	67
0.2	0.1	0.2	0.5	0.5	0.8	1.3	1.4	1.3	1.3	2.0	1.8	3.3	68
0.1	0.1	0.2	0.3	0.3	0.2	0.6	0.9	0.9	1.2	1.2	2.2	2.0	69
0.2	1.1	1.6	1.9	2.1	2.8	3.5	4.7	6.2	5.2	3.9	3.6	3.4	70
0.3	1.5	1.8	2.6	3.0	2.8	2.8	4.3	6.5	6.5	3.2	1.4	4.0	71
0.1	0.9	1.4	1.3	1.3	2.7	2.7	4.5	5.8	4.2	4.4	5.5	3.0	72
14.9	30.4	66.3	128.0	235.7	408.0	678.9	1,082.4	1,771.2	2,845.6	4,391.6	7,196.4	14,637.8	73
15.8	35.8	87.7	182.7	347.0	608.8	1,002.7	1,555.8	2,413.0	3,758.1	5,354.8	8,107.4	14,733.9	74
14.0	25.2	45.9	76.4	131.3	219.4	380.0	659.3	1,236.4	2,133.3	3,696.1	6,577.3	14,599.0	75
11.2	22.1	52.8	109.4	211.6	374.0	633.5	1,027.5	1,672.4	2,774.3	4,415.1	7,373.4	15,406.3	76
12.5	27.6	75.1	164.8	326.2	580.6	987.2	1,523.6	2,338.2	3,696.0	5,409.5	8,332.5	15,613.4	77
10.0	16.6	31.3	56.4	105.4	178.9	324.8	565.5	1,119.6	2,075.5	3,701.7	6,717.9	15,282.3	78
41.8	81.1	168.7	283.0	450.8	722.7	1,124.7	1,640.2	2,302.9	3,734.6	4,103.2	5,057.0	7,761.2	79
41.3	98.3	191.3	340.1	539.4	878.3	1,354.2	1,877.5	2,532.2	4,481.1	4,714.4	5,456.1	7,768.0	80
42.2	84.8	150.1	233.8	372.0	584.1	916.7	1,425.1	2,616.8	3,154.7	3,625.6	4,730.8	7,756.1	81
13.4	28.2	63.3	124.2	230.3	401.6	670.5	1,071.1	1,755.5	2,825.4	4,363.5	7,152.4	14,550.9	82
13.8	33.5	84.2	178.2	340.7	601.0	992.1	1,542.5	2,394.1	3,730.7	5,317.7	8,049.4	14,625.8	83
12.9	23.1	43.4	73.1	126.9	214.2	373.7	650.8	1,223.1	2,137.1	3,674.6	6,542.7	14,525.0	84
10.1	20.6	50.6	106.8	207.7	369.3	627.2	1,018.6	1,659.4	2,757.0	4,389.0	7,332.3	15,323.0	85
10.8	26.0	72.2	161.8	321.3	574.6	968.8	1,511.6	2,322.2	3,674.1	5,375.6	8,299.8	15,599.8	86
9.4	15.3	29.8	54.2	100.5	178.4	320.5	579.5	1,109.1	2,081.6	3,681.3	6,684.6	15,211.0	87
37.6	84.1	159.7	268.5	432.4	700.5	1,095.8	1,604.7	2,865.6	3,679.4	4,050.5	4,977.0	7,641.4	88
37.8	92.0	183.2	322.5	520.3	853.4	1,322.0	1,840.2	3,180.8	4,423.1	4,640.8	5,343.2	7,624.0	89
37.8	77.3	140.3	222.0	354.2	564.3	890.7	1,391.2	2,573.4	3,109.3	3,589.4	4,679.1	7,654.5	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 60 Selected Causes, by  
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases--Con.								
Diseases of cardiovascular system--Con.								
1	Vascular lesions affecting central nervous system (330-334)-----	102.2	3.0	0.5	0.5	0.8	1.1	1.8
2	Male-----	96.3	2.9	0.7	0.5	0.8	1.1	1.7
3	Female-----	107.9	3.1	0.4	0.5	0.7	1.2	1.9
4	White-----	101.6	2.7	0.5	0.5	0.7	1.0	1.6
5	Male-----	95.1	2.7	0.9	0.5	0.9	1.0	1.5
6	Female-----	107.9	2.8	0.4	0.5	0.6	1.0	1.7
7	Nonwhite-----	106.2	4.4	0.4	0.5	1.1	1.9	3.0
8	Male-----	104.9	4.2	0.5	0.5	1.1	1.7	3.0
9	Female-----	107.3	4.7	0.4	0.5	1.1	2.2	3.1
10	Diseases of heart (400-402,410-445)-----	364.5	11.4	1.1	0.7	1.0	2.0	3.5
11	Male-----	430.1	13.0	1.1	0.7	1.1	2.3	3.9
12	Female-----	301.9	9.9	1.0	0.6	1.0	1.7	2.8
13	White-----	376.8	10.0	0.8	0.5	0.9	1.8	2.6
14	Male-----	446.3	11.5	0.8	0.5	0.9	2.0	3.2
15	Female-----	310.2	8.3	0.8	0.5	0.8	1.2	2.0
16	Nonwhite-----	275.2	18.6	2.5	1.4	2.1	4.6	8.7
17	Male-----	310.3	19.9	2.9	1.5	2.1	4.6	9.2
18	Female-----	242.3	17.3	2.0	1.4	2.1	4.5	8.3
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)-----	7.2	0.1	0.1	0.2	0.4	0.6	1.1
20	Male-----	6.2	0.1	0.1	0.2	0.3	0.6	1.0
21	Female-----	8.1	0.1	0.1	0.1	0.4	0.6	1.2
22	White-----	7.4	0.1	0.0	0.1	0.2	0.4	0.9
23	Male-----	6.4	0.1	0.0	0.1	0.2	0.5	0.9
24	Female-----	8.4	0.1	0.0	0.1	0.3	0.4	0.9
25	Nonwhite-----	5.3	-	0.2	0.7	1.2	1.6	2.6
26	Male-----	4.9	-	0.3	0.7	0.9	1.5	1.8
27	Female-----	5.7	-	0.2	0.6	1.4	1.6	3.3
28	Arteriosclerotic heart disease, including coronary disease (420)-----	289.7	0.3	0.0	0.0	0.1	0.3	0.8
29	Male-----	357.0	0.5	0.0	0.0	0.1	0.4	1.1
30	Female-----	225.4	0.2	0.0	0.0	0.1	0.2	0.5
31	White-----	305.5	0.3	0.0	0.0	0.1	0.2	0.6
32	Male-----	377.4	0.3	0.0	0.0	0.1	0.3	0.8
33	Female-----	236.6	0.2	0.0	0.0	0.1	0.1	0.4
34	Nonwhite-----	174.7	0.7	-	0.1	0.2	0.6	2.2
35	Male-----	206.7	1.3	-	0.1	0.4	0.8	3.1
36	Female-----	144.8	-	-	0.1	0.1	0.4	1.4
37	Nonrheumatic endocarditis and other myocardial degeneration (421,422)-----	26.6	1.1	0.2	0.1	0.1	0.3	0.3
38	Male-----	26.8	1.4	0.2	0.1	0.1	0.4	0.5
39	Female-----	26.5	0.8	0.2	0.1	0.1	0.2	0.2
40	White-----	27.0	0.9	0.1	0.1	0.1	0.3	0.3
41	Male-----	26.9	1.3	0.1	0.1	0.4	0.4	0.5
42	Female-----	27.0	0.4	0.1	0.1	0.1	0.1	0.1
43	Nonwhite-----	24.3	2.3	0.4	0.2	0.1	0.5	0.9
44	Male-----	25.9	2.0	0.3	0.1	0.2	0.7	1.1
45	Female-----	22.7	2.7	0.5	0.2	-	0.4	0.7
46	Other diseases of heart (430-434)-----	15.8	9.9	0.8	0.3	0.5	0.7	1.0
47	Male-----	17.9	11.0	0.8	0.3	0.5	0.8	1.2
48	Female-----	13.8	8.8	0.9	0.3	0.4	0.6	0.8
49	White-----	15.0	8.7	0.6	0.3	0.4	0.6	0.8
50	Male-----	16.9	9.9	0.6	0.3	0.5	0.7	0.9
51	Female-----	13.1	7.5	0.7	0.3	0.4	0.5	0.8
52	Nonwhite-----	21.7	15.7	1.8	0.5	0.6	1.6	2.6
53	Male-----	24.8	16.7	2.2	0.6	0.6	1.5	3.0
54	Female-----	18.9	14.6	1.4	0.5	0.6	1.7	2.3
55	Hypertensive heart disease (440-443)-----	25.3	0.0	-	0.0	0.0	0.1	0.1
56	Male-----	22.3	-	-	-	0.0	0.1	0.2
57	Female-----	28.1	0.1	-	0.0	0.0	0.0	0.1
58	White-----	22.0	0.0	-	0.0	0.0	0.0	0.1
59	Male-----	18.8	-	-	-	0.0	0.1	0.1
60	Female-----	25.0	0.1	-	0.0	0.0	0.0	0.0
61	Nonwhite-----	49.1	-	-	-	-	0.2	0.5
62	Male-----	48.0	-	-	-	-	0.1	0.2
63	Female-----	50.2	-	-	-	-	0.3	0.7
64	Other hypertensive disease (444-447)-----	5.6	0.0	-	-	0.0	0.0	0.2
65	Male-----	5.8	0.1	-	-	-	0.0	0.2
66	Female-----	5.5	-	-	-	0.0	0.0	0.2
67	White-----	5.1	0.0	-	-	0.0	0.0	0.1
68	Male-----	5.2	0.1	-	-	-	0.0	0.1
69	Female-----	5.1	-	-	-	0.0	0.0	0.2
70	Nonwhite-----	9.3	-	-	-	-	0.1	0.6
71	Male-----	10.0	-	-	-	-	0.1	0.7
72	Female-----	8.6	-	-	-	-	0.2	0.5
73	General arteriosclerosis (450)-----	19.0	-	-	-	-	-	0.0
74	Male-----	17.2	-	-	-	-	-	0.0
75	Female-----	20.7	-	-	-	-	-	0.0
76	White-----	20.1	-	-	-	-	-	0.0
77	Male-----	18.0	-	-	-	-	-	-
78	Female-----	22.1	-	-	-	-	-	0.0
79	Nonwhite-----	10.9	-	-	-	-	-	0.1
80	Male-----	11.1	-	-	-	-	-	0.1
81	Female-----	10.7	-	-	-	-	-	-
82	Other diseases of circulatory system (451-468)-----	15.1	0.8	0.2	0.1	0.3	0.8	1.5
83	Male-----	18.2	1.0	0.2	0.1	0.2	0.6	0.9
84	Female-----	12.2	0.6	0.1	0.1	0.3	1.0	2.1
85	White-----	15.2	0.7	0.1	0.1	0.2	0.7	1.2
86	Male-----	18.6	1.0	0.2	0.1	0.2	0.5	0.7
87	Female-----	11.9	0.3	0.0	0.1	0.2	0.9	1.6
88	Nonwhite-----	14.6	1.3	0.2	0.2	0.6	1.6	4.2
89	Male-----	15.3	1.0	0.2	0.2	0.6	0.9	2.5
90	Female-----	14.0	1.7	0.3	0.3	0.5	2.3	5.8

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1967—Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.6	6.5	11.6	18.9	32.9	55.1	90.6	155.8	300.2	553.8	882.5	1,751.1	3,592.5	1
3.2	5.8	11.0	18.7	33.6	60.0	105.2	184.8	351.7	654.9	1,087.8	1,853.9	3,589.5	2
3.9	6.7	12.2	19.1	32.3	50.6	77.1	131.8	257.2	476.9	906.4	1,695.5	3,722.0	3
2.8	4.5	8.2	13.8	25.0	43.0	73.6	133.5	260.9	518.0	974.4	1,783.1	3,789.5	4
2.5	4.3	8.0	13.8	26.0	47.7	87.6	163.0	313.0	614.2	1,093.0	1,876.9	3,576.8	5
3.1	4.7	8.3	13.8	24.0	38.6	60.7	107.3	217.3	445.0	896.6	1,780.3	3,885.0	6
9.1	19.3	37.8	61.3	103.7	167.2	257.1	393.5	755.6	1,000.3	1,061.4	1,384.2	2,010.3	7
8.5	17.6	35.1	61.6	103.6	176.9	279.5	402.0	778.8	1,152.1	1,144.8	1,393.2	1,906.0	8
9.7	20.7	40.1	61.0	103.6	158.8	238.8	386.6	732.1	1,051.9	1,051.9	1,340.7	2,089.4	9
7.5	17.9	45.3	96.3	184.5	326.2	545.7	855.2	1,345.0	2,077.1	3,047.6	4,762.5	9,240.5	10
9.1	24.1	67.4	150.3	292.0	514.7	840.2	1,274.3	1,892.6	2,810.8	3,813.9	5,488.7	9,521.3	11
5.9	11.8	24.2	45.3	85.7	149.1	273.8	480.7	887.8	1,519.3	2,494.3	4,268.9	9,080.9	12
5.6	15.5	38.6	66.7	172.5	309.3	523.4	830.2	1,295.8	2,051.8	3,081.2	4,892.6	9,737.7	13
7.3	19.4	60.7	141.4	283.2	504.1	828.4	1,269.8	1,965.3	2,801.7	3,874.6	5,674.0	10,106.3	14
4.0	7.8	17.1	34.4	67.9	125.3	241.3	438.6	823.0	1,483.1	2,512.0	4,369.5	9,517.5	15
21.0	50.0	96.5	176.1	292.1	492.1	764.6	1,109.3	1,902.9	2,393.8	2,634.7	3,189.1	4,788.8	16
22.7	61.7	122.4	228.5	373.3	613.2	957.0	1,319.4	2,187.8	2,921.9	3,103.2	3,485.1	4,896.0	17
19.4	39.9	75.0	131.0	220.1	365.6	590.0	917.9	1,680.2	1,987.9	2,268.8	2,948.4	4,707.6	18
1.9	3.0	4.7	7.1	10.7	13.8	20.1	25.7	27.4	27.7	27.4	27.6	33.5	19
1.9	3.2	4.8	6.3	10.1	13.1	18.3	21.4	24.1	26.1	23.0	20.7	25.3	20
1.9	2.7	4.6	6.0	11.3	14.3	21.8	25.8	30.2	28.9	30.1	32.3	38.3	21
1.6	2.7	4.3	6.7	10.5	13.9	20.9	24.4	28.0	28.7	28.6	29.1	34.7	22
1.6	2.9	4.4	5.9	10.0	13.2	18.8	22.2	24.8	25.8	24.4	22.0	25.5	23
1.5	2.4	4.1	7.5	11.1	14.7	22.8	26.4	30.7	30.1	31.6	33.8	40.2	24
4.3	4.9	7.8	10.8	12.6	12.1	12.9	16.2	20.5	15.4	12.6	9.7	22.4	25
4.0	5.2	7.6	9.8	11.6	13.0	13.1	13.0	16.7	17.8	18.0	6.8	24.0	26
4.5	4.7	8.0	11.6	13.4	11.4	12.8	19.3	23.7	13.6	10.0	12.1	21.2	27
2.9	9.9	30.7	72.9	145.9	283.5	444.3	703.5	1,105.9	1,700.1	2,446.8	3,722.2	6,931.8	28
4.4	15.0	51.0	125.9	246.3	437.7	717.6	1,089.4	1,610.9	2,372.1	3,159.2	4,435.0	7,374.0	29
1.5	4.9	15.8	24.6	51.8	99.8	182.0	358.7	680.3	1,189.2	1,932.5	3,237.7	6,670.7	30
2.4	8.0	28.5	69.4	142.7	259.6	439.8	701.5	1,094.0	1,709.3	2,504.9	3,855.7	7,364.2	31
3.8	12.9	49.2	121.4	246.7	441.5	724.4	1,107.9	1,680.9	2,402.3	3,247.7	4,623.4	7,991.7	32
1.0	3.2	8.4	19.7	44.4	87.8	176.5	339.4	658.6	1,183.8	1,972.0	3,341.8	7,032.2	33
6.9	23.7	47.4	101.4	175.0	298.7	498.8	724.5	1,243.2	1,585.2	1,733.7	2,107.9	3,142.2	34
8.9	31.6	65.4	145.8	242.5	401.4	650.4	905.2	1,492.7	2,002.4	2,123.2	2,398.6	3,274.0	35
5.0	16.9	32.4	65.3	115.2	207.2	342.2	559.4	1,015.7	1,263.1	1,429.4	1,871.4	3,042.4	36
0.6	1.3	2.1	3.7	6.9	13.0	22.9	40.6	71.1	128.6	235.5	480.9	1,171.0	37
0.7	1.7	3.0	5.7	10.1	18.7	31.7	55.8	93.0	160.5	271.1	493.1	1,128.3	38
0.5	0.9	1.3	1.9	3.9	7.6	14.9	27.1	52.7	104.4	209.7	439.0	1,196.9	39
0.5	0.8	1.5	3.1	5.9	11.5	20.5	36.0	62.7	120.7	232.1	466.4	1,228.8	40
0.6	1.1	2.1	4.9	8.9	17.3	29.4	51.4	84.3	152.7	267.6	499.4	1,189.4	41
0.3	0.6	1.0	1.4	3.1	6.0	12.5	22.3	44.8	96.4	206.7	444.3	1,252.3	42
1.8	4.9	6.6	8.9	15.5	26.7	46.9	87.5	167.2	228.1	276.1	394.5	655.2	43
1.9	6.8	10.0	12.9	20.6	32.4	54.7	99.4	189.0	258.2	312.0	425.0	644.0	44
1.6	3.3	3.7	5.5	10.9	21.6	39.8	76.7	147.1	207.0	248.1	369.2	663.6	45
1.5	2.3	4.2	6.2	9.0	14.6	24.2	34.2	50.7	77.9	115.9	199.4	420.4	46
1.4	2.7	4.9	7.5	11.8	20.3	33.5	47.3	68.8	102.8	148.0	251.5	457.2	47
1.6	1.9	3.6	4.9	6.5	9.3	15.7	22.5	35.6	58.9	92.6	177.5	394.5	48
1.1	1.5	3.1	4.8	7.3	11.9	20.3	29.2	43.7	71.0	111.7	194.3	435.2	49
1.0	1.9	3.7	6.1	10.0	17.0	29.0	41.3	61.5	94.0	143.5	251.8	472.5	50
1.1	1.1	2.6	3.7	4.8	7.0	12.3	18.4	29.0	53.6	89.0	175.9	409.7	51
5.2	8.0	12.0	17.4	24.3	39.9	62.7	84.8	131.3	163.3	166.3	212.1	307.8	52
4.8	9.0	15.5	20.5	28.5	51.6	78.3	108.4	149.4	210.7	200.8	220.4	336.0	53
5.6	7.2	10.6	14.7	20.5	29.5	48.5	64.7	114.6	126.6	139.4	198.9	286.4	54
0.5	1.4	3.5	6.4	11.9	21.3	34.1	53.2	89.9	142.8	222.0	352.5	603.7	55
0.6	1.5	3.7	6.9	13.7	24.8	39.1	60.5	95.9	149.3	211.8	308.4	536.5	56
0.5	1.4	3.4	5.9	10.2	18.1	29.5	46.7	84.9	137.9	229.4	362.4	775.0	57
0.2	0.5	1.1	2.6	6.0	12.3	21.9	39.1	67.3	122.1	203.8	345.2	606.8	58
0.2	0.5	1.3	3.2	7.6	15.1	26.8	47.0	75.8	126.9	191.3	297.5	526.3	59
0.2	0.5	1.0	2.1	4.4	9.7	17.4	32.1	51.9	119.2	212.7	373.1	631.1	60
2.9	8.5	21.9	37.6	64.8	104.7	153.5	196.4	350.8	401.8	446.0	464.8	661.2	61
3.1	9.2	23.9	39.6	70.1	117.2	160.6	195.4	340.0	434.9	451.2	425.7	618.0	62
2.7	7.8	20.3	35.9	60.0	93.5	146.8	197.9	359.1	377.6	441.9	496.7	693.9	63
0.4	1.1	1.9	3.0	5.2	4.3	5.8	8.4	14.9	26.4	46.4	88.6	194.0	64
0.5	1.1	2.1	3.3	4.0	5.2	7.2	10.5	18.2	31.4	55.0	101.7	211.2	65
0.3	1.2	1.8	2.7	2.5	3.5	4.5	6.5	12.2	22.6	40.3	79.8	183.6	66
0.1	0.4	0.6	1.2	1.8	2.5	4.0	6.5	12.7	24.2	45.4	89.0	200.6	67
0.1	0.4	0.6	1.4	2.2	3.0	5.4	8.3	15.8	29.3	53.8	102.4	223.2	68
0.1	0.4	0.7	1.1	1.3	2.1	2.8	4.9	10.1	20.2	39.5	80.0	187.0	69
2.6	6.3	11.8	17.4	16.4	20.9	22.5	27.6	41.1	54.2	59.9	85.8	135.3	70
3.9	6.2	14.3	19.9	20.3	26.3	32.1	44.1	66.8	94.1	94.6	94.6	116.0	71
1.5	6.4	9.7	15.3	13.0	16.0	20.6	23.5	38.3	52.3	50.6	74.7	150.0	72
0.0	0.0	0.1	0.3	0.8	2.0	5.2	11.9	29.8	71.8	165.8	396.4	1,299.5	73
0.0	0.1	0.2	0.5	1.0	2.6	7.0	14.6	37.4	94.4	189.4	433.8	1,252.9	74
0.0	0.0	0.1	0.2	0.5	1.4	3.5	9.5	23.4	59.2	148.8	371.0	1,328.2	75
0.0	0.0	0.1	0.3	0.7	1.7	4.5	10.9	27.1	68.2	166.2	409.0	1,381.6	76
0.0	0.0	0.2	0.5	0.9	2.4	6.1	13.6	35.0	83.8	189.9	450.3	1,342.4	77
0.0	0.0	0.0	0.2	0.5	1.1	2.9	8.4	20.5	56.3	149.1	381.3	1,405.0	78
0.0	0.1	0.3	0.5	1.3	3.9	12.0	22.6	61.0	117.4	161.1	244.2	532.6	79
0.0	0.2	0.3	1.1	2.0	4.0	15.3	24.6	63.7	145.0	182.4	285.4	544.0	80
0.0	0.0	0.3	0.8	1.8	3.8	9.1	20.9	58.4	96.3	144.4	235.2	559.1	81
1.9	2.9	4.4	5.7	8.9	14.0	23.3	38.8	65.6	96.3	121.2	153.8	225.6	82
1.1	2.3	3.6	5.4	10.1	18.5	32.6	57.2	94.2	143.2	171.6	199.4	250.9	83
2.7	3.4	5.2	5.9	7.8	9.7	14.8	22.2	41.7	59.1	84.8	129.7	210.3	84
1.5	2.1	3.2	4.8	7.8	12.6	21.7	37.5	63.1	94.9	121.8	150.6	233.6	85
0.9	1.8	2.7	4.7	8.9	17.3	31.3	56.7	95.1	145.0	174.3	196.3	262.1	86
2.1	2.4	3.8	4.8	6.8	8.3	12.8	20.3	36.2	56.8	84.2	133.5	215.5	87
4.9	8.4	13.3	13.2	18.8	26.4	39.6	51.7	95.0	113.9	114.4	95.8	154.3	88
2.5	6.3	11.0	11.4	21.1	30.6	45.6	62.1	106.5	147.3	140.8	114.9	162.0	89
7.0	10.2	15.2	14.7	16.7	22.7	34.2	42.2	84.3	87.9	93.8	80.2	148.5	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 60 Selected Causes, by  
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases—Con.								
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)----	5.0	0.6	0.2	0.2	0.4	0.8	1.6
2	Male-----	5.7	0.7	0.2	0.2	0.4	1.0	1.8
3	Female-----	4.4	0.5	0.2	0.2	0.4	0.7	1.4
4	White-----	4.3	0.6	0.2	0.2	0.4	0.7	1.4
5	Male-----	5.0	0.7	0.1	0.2	0.3	0.9	1.8
6	Female-----	3.7	0.4	0.2	0.2	0.5	0.5	1.2
7	Nonwhite-----	10.1	0.8	0.2	0.1	0.6	1.5	3.0
8	Male-----	11.0	0.7	0.3	0.1	0.8	1.5	3.2
9	Female-----	9.3	1.0	0.2	0.1	0.4	1.4	2.7
10	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	28.8	161.5	9.2	1.9	1.6	2.1	2.5
11	Male-----	33.0	179.6	10.3	2.0	1.6	2.5	3.0
12	Female-----	24.7	142.6	8.1	1.8	1.5	1.7	2.0
13	White-----	27.5	115.0	6.7	1.6	1.4	1.9	2.2
14	Male-----	31.1	131.6	7.3	1.7	1.5	2.3	2.5
15	Female-----	24.0	97.6	6.2	1.5	1.3	1.5	1.8
16	Nonwhite-----	38.1	395.8	21.8	3.2	2.4	3.6	4.9
17	Male-----	47.2	414.4	25.6	3.2	2.1	4.4	6.1
18	Female-----	29.7	256.8	18.0	3.3	2.6	2.8	3.8
19	Influenza (480-483)-----	0.7	2.2	0.2	0.1	0.1	0.1	0.0
20	Male-----	0.7	2.0	0.2	0.1	0.1	0.1	0.1
21	Female-----	0.8	2.5	0.2	0.1	0.0	0.0	0.0
22	White-----	0.7	1.0	0.1	0.1	0.1	0.1	0.0
23	Male-----	0.6	0.8	0.1	0.0	0.1	0.1	0.0
24	Female-----	0.8	1.3	0.1	0.1	0.0	0.0	0.0
25	Nonwhite-----	1.0	8.1	0.6	0.1	0.0	0.1	0.1
26	Male-----	0.9	7.8	0.7	0.2	0.1	0.2	0.1
27	Female-----	1.1	8.3	0.5	-	-	0.1	-
28	Pneumonia, except pneumonia of newborn (490-495)-----	28.0	159.3	9.0	1.8	1.5	2.0	2.4
29	Male-----	32.3	177.6	10.0	1.9	1.5	2.4	2.9
30	Female-----	23.9	140.2	8.0	1.7	1.5	1.6	2.0
31	White-----	26.7	114.0	6.6	1.6	1.4	1.8	2.1
32	Male-----	30.4	130.8	7.2	1.7	1.5	2.2	2.5
33	Female-----	23.2	96.4	6.1	1.4	1.3	1.5	1.8
34	Nonwhite-----	37.2	377.8	21.2	3.2	2.3	3.5	4.8
35	Male-----	46.3	406.5	24.9	3.1	2.1	4.3	6.0
36	Female-----	28.6	348.5	17.5	3.3	2.6	2.7	3.8
37	Bronchitis (500-502)-----	3.2	8.9	1.4	0.2	0.1	0.2	0.1
38	Male-----	4.8	10.9	1.5	0.2	0.2	0.1	0.2
39	Female-----	1.6	6.8	1.2	0.2	0.1	0.2	0.0
40	White-----	3.3	7.0	1.3	0.2	0.1	0.1	0.1
41	Male-----	5.0	9.4	1.5	0.2	0.2	0.1	0.2
42	Female-----	1.7	4.4	1.1	0.2	0.1	0.1	0.0
43	Nonwhite-----	2.2	18.1	1.6	0.2	0.2	0.3	0.2
44	Male-----	3.1	18.3	1.5	0.1	0.1	0.2	0.4
45	Female-----	1.4	17.9	1.6	0.3	0.2	0.4	-
46	Other bronchopulmonic diseases (525-527)-----	14.8	33.9	0.9	0.2	0.2	0.3	0.2
47	Male-----	24.4	37.0	0.9	0.2	0.2	0.3	0.3
48	Female-----	5.7	30.6	0.8	0.2	0.2	0.3	0.1
49	White-----	15.6	26.1	0.7	0.2	0.2	0.3	0.2
50	Male-----	25.8	30.0	0.7	0.1	0.2	0.3	0.2
51	Female-----	5.9	22.1	0.6	0.2	0.2	0.3	0.1
52	Nonwhite-----	9.3	71.2	1.9	0.4	0.2	0.2	0.6
53	Male-----	14.1	71.2	2.2	0.4	0.2	0.2	1.0
54	Female-----	4.7	71.1	1.7	0.3	0.3	0.3	0.3
55	Ulcer of stomach and duodenum (540,541)-----	5.0	1.6	0.1	0.0	0.0	0.1	0.2
56	Male-----	7.0	1.8	0.1	0.0	0.1	0.2	0.4
57	Female-----	3.0	1.4	0.1	0.0	-	0.1	0.1
58	White-----	5.1	1.2	0.1	0.0	0.0	0.1	0.2
59	Male-----	7.2	1.5	0.1	0.0	0.0	0.2	0.3
60	Female-----	3.1	0.9	0.0	0.0	-	0.1	0.1
61	Nonwhite-----	3.7	3.3	0.2	0.1	0.1	0.2	0.6
62	Male-----	5.3	2.9	0.2	0.1	0.1	0.2	0.7
63	Female-----	2.2	3.7	0.2	0.2	-	0.2	0.5
64	Appendicitis (550-553)-----	0.8	0.3	0.2	0.1	0.2	0.2	0.1
65	Male-----	1.0	0.4	0.2	0.2	0.2	0.2	0.1
66	Female-----	0.6	0.2	0.2	0.1	0.2	0.2	0.1
67	White-----	0.7	0.2	0.2	0.1	0.2	0.2	0.1
68	Male-----	0.9	0.4	0.1	0.1	0.3	0.2	0.1
69	Female-----	0.6	0.1	0.2	0.1	0.2	0.2	0.1
70	Nonwhite-----	1.1	0.7	0.3	0.3	0.2	0.6	0.5
71	Male-----	1.4	0.7	0.4	0.4	0.1	0.5	0.4
72	Female-----	0.8	0.7	0.2	0.1	0.3	0.7	0.6
73	Hernia and intestinal obstruction (560,561,570)-----	5.0	19.4	0.4	0.2	0.1	0.2	0.3
74	Male-----	4.6	22.3	0.6	0.2	0.1	0.2	0.4
75	Female-----	5.3	16.3	0.2	0.1	0.1	0.1	0.2
76	White-----	5.0	19.3	0.4	0.1	0.1	0.1	0.2
77	Male-----	4.5	21.8	0.6	0.2	0.1	0.1	0.3
78	Female-----	5.4	16.8	0.2	0.1	0.1	0.1	0.1
79	Nonwhite-----	4.7	19.4	0.5	0.2	0.2	0.4	0.7
80	Male-----	5.2	24.5	0.6	0.3	0.2	0.6	0.8
81	Female-----	4.2	14.3	0.4	0.1	0.3	0.5	0.7
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	3.8	29.1	1.9	0.2	0.2	0.3	0.4
83	Male-----	3.6	32.1	2.1	0.2	0.2	0.3	0.5
84	Female-----	4.0	26.1	1.7	0.2	0.2	0.3	0.4
85	White-----	3.7	17.2	1.5	0.2	0.2	0.3	0.4
86	Male-----	3.4	18.0	1.7	0.1	0.2	0.2	0.5
87	Female-----	4.0	16.3	1.3	0.2	0.2	0.3	0.4
88	Nonwhite-----	4.7	86.8	3.8	0.4	0.2	0.4	0.4
89	Male-----	5.3	100.7	4.2	0.7	0.2	0.3	0.5
90	Female-----	4.1	72.8	3.4	0.1	0.1	0.4	0.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - GENERAL MORTALITY

1-17

## 5-Year Age Groups, Color, and Sex: United States, 1967—Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
1.5	2.2	3.0	3.9	5.3	6.5	8.4	11.2	15.8	20.2	28.1	44.1	88.9	1
1.9	2.3	3.5	4.5	6.5	7.8	10.6	14.3	19.0	25.4	37.1	58.0	108.1	2
1.1	2.1	2.5	3.2	4.4	5.2	6.3	8.5	11.1	16.2	21.5	34.6	74.0	3
1.1	1.5	2.2	2.6	3.9	4.8	6.3	8.6	11.0	17.4	25.1	41.1	83.3	4
1.7	1.8	2.9	3.0	4.9	6.1	8.5	12.0	16.0	22.0	34.0	52.8	103.5	5
0.6	1.3	1.5	2.2	2.9	3.5	4.3	6.0	8.0	10.5	13.9	20.4	35.3	6
4.2	7.0	9.0	14.5	19.5	22.2	28.9	35.5	47.5	55.2	52.6	80.0	119.8	7
3.7	6.3	8.1	17.6	19.2	24.9	32.2	37.3	51.4	68.0	75.8	114.9	144.0	8
4.6	7.6	9.8	11.8	17.9	19.8	26.0	34.0	45.3	45.3	35.3	51.6	101.5	9
2.6	4.0	6.0	8.2	12.1	18.8	24.2	35.9	61.5	115.1	203.6	386.4	971.1	10
2.9	4.3	7.0	10.9	16.6	23.5	34.0	51.0	89.0	169.9	279.0	482.8	1,099.7	11
2.3	3.6	5.0	5.7	8.0	10.7	15.2	22.4	39.0	74.3	149.2	320.9	894.2	12
1.9	2.6	4.0	6.1	9.4	14.0	21.0	32.8	54.9	109.4	202.5	393.5	1,023.9	13
2.0	2.8	4.7	7.8	12.5	19.1	29.6	47.0	78.9	160.4	278.1	492.6	1,166.7	14
1.8	2.5	3.3	4.4	6.5	9.1	13.0	20.2	35.0	70.7	149.8	327.1	858.4	15
7.5	13.5	20.9	26.2	36.4	42.6	56.2	67.5	134.7	187.2	217.2	301.2	498.3	16
9.4	15.6	25.7	37.8	53.9	62.8	77.8	91.6	188.6	271.6	313.6	377.0	580.0	17
5.8	11.6	17.0	16.3	20.9	24.7	36.6	45.5	86.1	121.5	141.9	239.6	431.5	18
0.1	0.1	0.1	0.1	0.3	0.2	0.5	0.8	1.6	3.0	5.7	11.8	32.8	19
0.1	0.1	0.1	0.1	0.4	0.3	0.4	1.1	1.7	3.3	5.7	11.8	29.1	20
0.0	0.0	0.2	0.1	0.2	0.2	0.5	0.5	1.6	2.7	5.7	11.8	35.1	21
0.0	0.1	0.1	0.1	0.2	0.2	0.4	0.7	1.3	2.7	5.4	12.1	34.0	22
0.0	0.1	0.1	0.1	0.3	0.3	0.4	1.0	1.5	3.0	5.7	12.0	31.1	23
0.1	0.0	0.2	0.1	0.1	0.2	0.3	0.5	1.1	2.5	5.2	12.2	35.7	24
0.1	0.1	0.2	0.2	0.3	0.3	1.4	1.7	5.2	5.7	9.1	7.9	22.4	25
0.1	0.2	0.3	-	0.9	0.4	0.2	2.0	3.3	6.5	5.6	9.5	14.0	26
-	-	0.1	0.4	0.8	0.2	2.4	1.3	6.9	5.1	11.9	6.6	28.8	27
2.5	3.9	5.8	8.1	11.8	16.6	23.8	35.1	59.7	112.2	197.9	374.6	938.3	28
2.0	4.2	6.9	10.7	16.2	23.0	33.6	49.9	86.4	165.5	273.3	471.1	1,069.5	29
1.3	3.6	4.9	5.6	7.7	10.5	14.7	21.8	37.4	71.6	143.5	309.1	859.1	30
2.9	2.6	3.9	5.9	9.2	13.8	20.6	32.1	53.7	106.6	197.1	381.4	990.0	31
2.0	2.7	4.6	7.7	12.2	18.9	29.1	45.9	77.4	157.4	270.3	480.6	1,135.6	32
1.7	2.4	3.2	4.3	6.3	9.0	12.7	19.7	33.9	68.2	144.6	314.9	902.7	33
7.4	13.5	20.7	26.0	35.5	42.3	54.8	65.9	129.5	181.5	208.1	293.3	475.9	34
9.2	15.6	25.4	37.8	53.0	62.3	77.6	91.6	185.3	265.1	308.0	367.6	546.0	35
5.8	11.6	16.8	15.8	20.1	24.5	34.2	44.1	79.2	116.4	130.0	255.0	422.7	36
0.2	0.2	0.4	0.7	1.4	2.5	5.0	8.8	13.0	18.7	23.6	29.0	42.8	37
0.2	0.2	0.5	0.9	2.0	3.7	7.9	14.2	22.5	35.8	44.2	53.0	62.3	38
0.2	0.2	0.4	0.6	0.8	1.5	2.3	3.6	5.1	8.7	8.7	12.8	30.9	39
0.1	0.2	0.4	0.6	1.3	2.3	5.1	19.4	8.8	19.4	24.8	30.0	46.0	40
0.1	0.2	0.4	0.6	1.9	3.6	7.9	14.7	22.8	37.3	46.4	55.0	67.4	41
0.2	0.2	0.3	0.6	0.8	1.5	2.4	3.6	5.1	5.7	9.2	13.3	33.1	42
0.4	0.6	0.8	1.8	2.0	2.6	4.3	6.0	11.6	10.4	9.1	17.0	14.7	43
0.4	0.7	0.7	2.9	3.9	4.5	7.9	9.0	17.2	17.2	17.2	31.1	22.0	44
0.4	0.6	0.8	0.8	0.5	0.9	1.1	3.2	4.0	5.1	2.5	5.5	9.1	45
0.4	0.6	1.4	2.8	6.2	12.3	25.6	47.4	73.4	103.2	119.7	121.2	140.8	46
0.5	0.7	1.8	3.8	9.8	18.9	42.9	84.5	138.1	206.0	237.8	235.4	258.7	47
0.4	0.6	1.1	1.9	3.8	6.1	9.6	14.3	19.4	25.1	34.5	43.5	68.6	48
0.4	0.5	1.2	2.5	5.9	12.0	26.1	48.6	75.4	106.5	124.3	126.7	147.9	49
0.4	0.5	1.5	3.4	8.1	18.3	44.0	86.8	142.3	212.9	247.6	248.6	274.5	50
0.4	0.5	1.0	1.7	3.7	6.1	9.6	14.6	19.9	25.8	35.9	45.1	72.0	51
0.8	1.7	3.0	5.4	9.0	14.8	20.4	35.5	50.2	62.2	63.5	53.9	77.6	52
1.0	2.3	4.3	7.2	14.7	24.9	32.5	62.4	91.0	121.3	123.2	91.9	134.0	53
0.7	1.1	1.9	3.8	3.9	5.8	9.5	10.7	13.5	15.9	16.9	23.1	34.8	54
0.3	0.7	1.1	2.4	3.8	6.0	9.8	13.8	18.6	26.8	35.4	52.3	80.2	55
0.5	0.9	1.7	3.5	5.8	9.0	15.7	22.4	30.6	44.5	56.6	74.6	110.5	56
0.2	0.4	0.5	1.3	2.0	3.2	4.1	6.1	8.7	13.3	20.1	37.1	61.8	57
0.3	0.6	0.9	2.2	3.6	5.7	9.5	13.7	19.6	27.4	36.9	54.0	85.0	58
0.4	0.8	1.4	3.1	5.4	8.3	15.5	22.5	30.8	45.4	57.0	78.5	118.4	59
0.2	0.3	0.4	1.3	1.9	3.2	4.0	5.8	8.4	13.8	20.7	37.7	64.9	60
0.7	1.5	2.8	4.8	5.7	9.1	10.7	14.8	19.1	19.0	29.5	30.9	37.9	61
1.3	1.7	4.6	6.7	9.0	15.6	17.2	20.8	27.3	33.7	51.2	32.4	48.0	62
0.1	1.3	1.2	3.2	2.8	3.2	4.8	9.4	11.7	7.5	12.5	29.7	30.3	63
0.2	0.2	0.3	0.5	0.5	1.0	1.1	1.8	2.2	3.6	5.4	7.6	8.5	64
0.3	0.3	0.4	0.7	0.7	1.4	1.7	2.7	3.0	4.7	7.6	10.4	10.5	65
0.1	0.1	0.2	0.3	0.3	0.7	0.6	1.0	1.5	2.7	3.8	5.7	7.3	66
0.2	0.2	0.2	0.4	0.5	0.9	1.0	1.6	2.0	3.3	5.1	7.8	9.1	67
0.3	0.2	0.3	0.6	0.6	1.1	1.5	2.4	2.7	4.5	7.0	10.8	11.6	68
0.1	0.1	0.2	0.2	0.3	0.6	0.8	1.3	1.5	2.5	3.7	5.9	7.6	69
0.2	0.3	0.9	1.1	1.3	2.6	2.4	4.0	4.2	6.3	8.8	4.8	3.4	70
0.1	0.5	1.9	1.8	1.8	3.6	2.9	5.2	5.7	7.7	14.4	6.8	2.0	71
0.3	0.1	0.1	0.4	0.8	1.6	1.9	2.9	2.9	5.1	4.4	3.3	4.5	72
0.3	0.4	0.8	1.4	2.2	3.4	6.1	8.9	15.8	26.1	40.8	66.5	112.4	73
0.3	0.4	0.7	1.4	2.3	3.1	6.1	10.3	16.1	29.0	40.9	66.9	101.1	74
0.3	0.5	0.8	1.4	2.2	3.7	6.0	7.7	15.5	23.9	40.4	66.3	119.5	75
0.3	0.3	0.7	1.0	1.9	3.0	5.4	8.4	14.9	25.6	41.0	68.5	119.4	76
0.2	0.2	0.7	0.9	1.8	2.8	5.3	9.6	15.0	29.2	40.5	68.3	107.3	77
0.3	0.3	0.7	1.2	1.9	3.2	5.4	7.2	14.8	23.8	41.3	68.3	126.6	78
0.5	1.5	1.5	4.4	5.5	7.3	15.2	14.4	26.1	31.8	36.5	45.0	50.0	79
0.6	1.7	1.3	5.7	7.0	8.7	13.8	16.5	29.2	40.8	45.6	47.3	52.0	80
0.4	1.3	1.7	3.2	4.1	7.9	12.6	12.6	24.1	24.8	29.4	39.6	48.5	81
0.5	0.6	0.9	1.3	1.9	2.8	4.6	6.4	9.8	16.7	24.9	37.1	74.6	82
0.6	0.6	0.9	1.4	2.0	3.3	5.4	7.7	10.1	16.5	24.5	32.0	65.0	83
0.5	0.7	0.8	1.1	1.9	2.3	3.8	5.3	8.5	15.7	25.3	40.6	81.8	84
0.5	0.6	0.8	1.1	1.9	2.8	4.5	6.3	9.6	16.8	25.2	39.0	79.0	85
0.6	0.6	0.9	1.2	1.9	3.2	5.5	7.7	10.2	16.6	24.6	35.8	65.4	86
0.5	0.6	0.8	1.0	1.9	2.3	3.7	5.1	8.4	16.9	25.7	42.6	87.1	87
0.6	0.9	1.4	2.4	2.0	2.8	4.9	7.5	9.8	15.4	21.4	15.9	35.3	88
0.9	0.8	1.3	3.1	2.7	3.6	4.3	7.2	9.0	16.0	25.2	15.5	44.0	89
0.4	1.0	1.4	1.8	1.4	2.0	5.4	7.8	10.6	15.0	20.0	14.3	28.0	90

SECTION 1 - GENERAL MORTALITY

Table i-8. Death Rates for 60 Selected Causes, by  
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)-----	14.1	1.0	0.1	0.1	0.2	0.5	0.5
2	Male-----	18.5	1.2	0.1	0.1	0.1	0.2	0.5
3	Female--	9.8	0.8	0.2	0.1	0.2	0.4	0.5
4	White-----	15.7	0.8	0.1	0.1	0.2	0.2	0.2
5	Male-----	18.2	1.0	0.0	0.1	0.1	0.1	0.1
6	Female--	9.4	0.6	0.2	0.1	0.2	0.3	0.3
7	Nonwhite-----	16.5	1.8	0.2	0.1	0.2	0.8	2.4
8	Male-----	21.1	2.3	0.2	0.1	0.2	0.8	3.0
9	Female--	12.3	1.3	0.2	0.1	0.4	0.9	1.9
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.2	0.0	0.0	0.0	-	0.0	0.1
11	Male-----	2.0	0.1	0.0	0.0	-	-	0.1
12	Female--	2.4	-	-	-	-	0.0	0.2
13	White-----	2.4	0.0	0.0	0.0	-	0.0	0.1
14	Male-----	2.2	0.1	0.0	0.0	-	-	0.1
15	Female--	2.5	-	-	-	-	0.0	0.2
16	Nonwhite-----	1.2	-	-	-	-	-	0.2
17	Male-----	0.8	-	-	-	-	-	-
18	Female--	1.5	-	-	-	-	-	0.4
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.5	0.5	0.2	0.2	0.1	0.2	0.2
20	Male-----	0.6	0.7	0.2	0.2	0.1	0.2	0.3
21	Female--	0.4	0.4	0.2	0.1	0.1	0.2	0.1
22	White-----	0.4	0.5	0.2	0.2	0.1	0.2	0.2
23	Male-----	0.5	0.6	0.2	0.2	0.1	0.1	0.3
24	Female--	0.4	0.3	0.2	0.1	0.1	0.2	0.1
25	Nonwhite-----	1.0	0.8	0.5	0.4	0.3	0.3	0.5
26	Male-----	1.0	1.0	0.5	0.4	0.2	0.4	0.6
27	Female--	1.0	0.7	0.4	0.3	0.4	0.3	0.3
28	Infections of kidney (600)-----	4.6	0.4	0.1	0.1	0.1	0.2	0.2
29	Male-----	4.3	0.6	0.1	0.0	0.0	0.1	0.2
30	Female--	4.8	0.2	0.1	0.1	0.2	0.2	0.2
31	White-----	4.2	0.2	0.1	0.1	0.1	0.2	0.2
32	Male-----	4.1	0.4	0.1	0.0	0.0	0.2	0.2
33	Female--	4.4	0.1	0.1	0.1	0.2	0.2	0.2
34	Nonwhite-----	6.8	1.2	-	0.1	0.1	0.1	0.3
35	Male-----	6.0	1.6	-	-	-	0.1	0.2
36	Female--	7.6	0.7	-	0.1	0.1	0.2	0.4
37	Hyperplasia of prostate (610)-----	1.6	-	-	-	-	-	-
38	Male-----	3.2	-	-	-	-	-	-
39	White-----	1.6	-	-	-	-	-	-
40	Male-----	3.2	-	-	-	-	-	-
41	Female--	1.7	-	-	-	-	-	-
42	Nonwhite-----	3.5	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.5	-	-	-	0.0	0.7	1.5
44	Female--	1.0	-	-	-	0.0	1.5	2.9
45	White-----	0.3	-	-	-	-	0.4	1.0
46	Female--	0.6	-	-	-	-	0.9	1.9
47	Nonwhite-----	1.7	-	-	-	0.1	2.7	5.4
48	Female--	3.4	-	-	-	0.3	5.4	10.3
49	Abortion (650-652)-----	0.1	-	-	-	-	0.2	0.2
50	Female--	0.2	-	-	-	-	0.3	0.5
51	White-----	0.0	-	-	-	-	0.1	0.1
52	Female--	0.1	-	-	-	-	0.2	0.3
53	Nonwhite-----	0.4	-	-	-	-	0.6	1.0
54	Female--	0.7	-	-	-	-	1.3	2.0
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	0.4	-	-	-	0.0	0.6	1.2
56	Female--	0.8	-	-	-	0.0	1.2	2.4
57	White-----	0.3	-	-	-	-	0.3	0.6
58	Female--	0.6	-	-	-	-	0.7	1.6
59	Nonwhite-----	1.4	-	-	-	0.1	2.1	4.3
60	Female--	2.7	-	-	-	0.3	4.1	8.3
61	Congenital malformations (750-759)-----	8.8	328.7	9.7	2.9	1.9	2.3	2.0
62	Male-----	9.7	349.2	10.0	3.0	1.8	2.9	2.3
63	Female--	7.9	307.3	9.4	2.8	1.9	1.8	1.7
64	White-----	8.5	335.9	9.5	2.8	1.9	2.3	2.0
65	Male-----	9.3	358.1	9.8	2.9	1.9	2.8	2.3
66	Female--	7.6	314.7	9.1	2.8	1.8	1.7	1.6
67	Nonwhite-----	10.8	295.2	10.8	3.2	1.9	2.6	2.3
68	Male-----	12.0	314.4	10.9	3.4	1.4	3.2	2.3
69	Female--	9.7	271.8	10.7	2.9	2.3	2.0	2.3
70	Certain diseases of early infancy (760-776)-----	24.4	1,364.0	0.1	0.0	0.0	0.0	0.0
71	Male-----	29.2	1,563.3	0.2	0.0	0.0	0.0	-
72	Female--	19.8	1,156.3	0.1	0.0	-	0.0	0.0
73	White-----	20.5	1,216.1	0.1	0.0	0.0	0.0	0.0
74	Male-----	24.9	1,412.8	0.2	0.0	0.0	0.0	-
75	Female--	18.3	1,009.9	0.1	0.0	-	0.0	0.0
76	Nonwhite-----	52.7	2,076.2	0.1	0.0	-	-	-
77	Male-----	60.8	2,296.4	0.1	-	-	-	-
78	Female--	45.1	1,852.5	0.2	0.1	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	9.8	546.6	0.0	-	-	-	-
80	Male-----	11.9	639.0	0.0	-	-	-	-
81	Female--	7.7	450.3	-	-	-	-	-
82	White-----	8.5	502.0	0.0	-	-	-	-
83	Male-----	10.5	535.2	0.0	-	-	-	-
84	Female--	6.5	404.5	-	-	-	-	-
85	Nonwhite-----	19.3	761.5	-	-	-	-	-
86	Male-----	22.6	852.0	-	-	-	-	-
87	Female--	16.3	669.1	-	-	-	-	-

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 60 Selected Causes, by  
[Rates per 100,000 population in specified group. Numbers after causes of death

Cause of death, color, and sex		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain diseases of early infancy—Con.							
2	Infections of newborn (763-768)-----	1.7	92.4	-	-	-	-	-
3	Male-----	1.9	103.7	-	-	-	-	-
4	Female-----	1.4	80.6	-	-	-	-	-
5	White-----	1.2	73.4	-	-	-	-	-
6	Male-----	1.5	84.1	-	-	-	-	-
7	Female-----	1.0	62.1	-	-	-	-	-
8	Nonwhite-----	4.7	184.0	-	-	-	-	-
9	Male-----	5.3	193.3	-	-	-	-	-
10	Female-----	4.1	168.4	-	-	-	-	-
11	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	13.0	725.0	0.1	0.0	0.0	0.0	0.0
12	Male-----	15.3	820.5	0.1	0.0	0.0	0.0	-
13	Female-----	10.7	625.4	0.1	0.0	-	0.0	0.0
14	White-----	10.8	640.7	0.1	0.0	0.0	0.0	0.0
15	Male-----	13.0	733.4	0.1	0.0	0.0	0.0	-
16	Female-----	8.8	545.6	0.1	0.0	-	0.0	0.0
17	Nonwhite-----	28.7	1,131.0	0.1	0.0	-	-	-
18	Male-----	32.9	1,245.1	0.1	-	-	-	-
19	Female-----	24.7	1,015.0	0.2	0.1	-	-	-
20	Symptoms, senility, and ill-defined conditions (780-795)-----	12.2	74.0	2.4	0.5	0.5	1.3	2.3
21	Male-----	14.9	85.2	2.7	0.5	0.5	1.4	3.1
22	Female-----	9.6	62.4	2.2	0.4	0.5	1.2	1.6
23	White-----	9.2	43.8	1.5	0.3	0.4	1.0	1.7
24	Male-----	11.4	53.7	1.6	0.4	0.4	1.1	2.3
25	Female-----	7.0	33.5	1.3	0.2	0.3	0.9	1.2
26	Nonwhite-----	34.0	219.8	7.3	1.3	1.3	3.3	6.7
27	Male-----	40.3	239.2	8.0	1.1	1.1	3.4	8.9
28	Female-----	28.1	200.0	6.7	1.4	1.6	3.2	4.7
29	All other diseases (residual)-----	28.9	52.7	7.6	4.0	3.5	5.5	6.5
30	Male-----	32.4	58.5	7.9	4.0	3.9	6.9	7.9
31	Female-----	25.6	46.6	7.4	3.9	3.0	4.0	5.2
32	White-----	28.0	47.9	7.4	4.0	3.3	5.0	5.9
33	Male-----	31.2	53.4	7.8	4.1	3.9	6.4	7.3
34	Female-----	25.0	42.2	7.0	3.9	2.7	3.6	4.4
35	Nonwhite-----	35.3	75.5	8.9	3.7	4.2	8.7	11.7
36	Male-----	41.3	83.7	8.6	3.8	3.9	10.4	12.9
37	Female-----	29.7	67.1	9.3	3.7	4.5	7.0	10.6
38	Accidents (E800-E962)-----	57.2	77.7	32.4	19.2	19.4	62.4	72.8
39	Male-----	80.5	85.9	38.1	24.9	28.2	96.8	123.0
40	Female-----	34.9	69.2	26.5	13.3	10.4	27.4	25.9
41	White-----	55.6	63.8	28.6	17.5	18.5	63.4	71.8
42	Male-----	77.6	71.4	34.0	22.8	26.9	97.8	121.2
43	Female-----	34.6	55.8	22.9	12.0	9.8	28.4	25.5
44	Nonwhite-----	68.5	145.1	52.0	28.0	24.9	55.7	80.2
45	Male-----	102.4	157.2	59.6	37.2	36.2	90.4	136.3
46	Female-----	36.7	182.9	44.3	20.4	13.7	21.4	28.6
47	Motor vehicle accidents (E810-E835)-----	26.7	9.1	11.2	9.9	8.9	44.6	53.2
48	Male-----	39.4	8.8	12.9	12.3	11.7	68.7	88.4
49	Female-----	14.6	9.3	9.4	7.5	6.0	22.2	20.3
50	White-----	26.6	9.0	10.7	9.2	8.9	46.7	53.9
51	Male-----	39.0	9.0	12.1	11.3	11.8	69.7	69.3
52	Female-----	14.7	9.1	9.2	6.9	6.0	23.4	20.6
53	Nonwhite-----	27.7	9.2	13.7	14.4	8.7	30.7	48.7
54	Male-----	42.6	7.8	17.0	17.9	11.0	46.9	62.1
55	Female-----	13.8	10.6	10.4	10.8	6.4	14.6	18.1
56	Other accidents (E800-E902, E940-E962)-----	30.4	68.7	21.3	9.2	10.6	17.8	19.6
57	Male-----	41.1	77.1	25.3	12.6	16.8	30.1	34.6
58	Female-----	20.3	59.8	17.1	5.7	4.4	5.2	5.5
59	White-----	29.0	54.7	17.9	8.3	9.6	16.7	18.0
60	Male-----	38.6	62.4	21.9	11.5	15.2	28.1	31.9
61	Female-----	19.9	46.7	13.7	5.0	3.9	5.0	4.9
62	Nonwhite-----	40.7	135.9	38.3	14.5	16.2	25.0	31.4
63	Male-----	59.8	149.3	42.6	19.4	25.2	43.5	54.2
64	Female-----	22.9	122.3	34.0	9.6	7.3	8.8	10.5
65	Suicide (E963, E970-E979)-----	10.8	...	...	-	0.6	4.7	9.7
66	Male-----	15.7	...	...	-	0.9	7.0	14.9
67	Female-----	6.1	...	...	-	0.3	2.4	4.8
68	White-----	11.6	...	...	-	0.7	4.9	9.7
69	Male-----	16.8	...	...	-	1.0	7.5	14.9
70	Female-----	6.5	...	...	-	0.3	2.2	4.8
71	Nonwhite-----	5.0	...	...	-	0.3	3.7	8.4
72	Male-----	7.6	...	...	-	0.4	3.8	14.4
73	Female-----	2.7	...	...	-	0.3	3.5	4.7
74	Homicide (E964, E980-E985)-----	6.8	6.4	1.1	0.6	0.8	6.1	12.7
75	Male-----	10.6	6.8	1.1	0.5	0.9	9.5	20.3
76	Female-----	3.2	6.0	1.1	0.7	0.6	2.6	5.5
77	White-----	3.6	5.1	0.9	0.5	0.4	2.9	5.7
78	Male-----	5.3	5.6	0.9	0.4	0.5	4.3	8.7
79	Female-----	1.9	4.7	0.9	0.7	0.4	1.6	2.9
80	Nonwhite-----	30.1	12.4	2.3	1.2	2.8	28.4	63.8
81	Male-----	49.6	12.4	2.0	1.1	3.8	43.8	105.8
82	Female-----	11.9	12.3	2.5	1.3	1.7	9.3	24.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

5-Year Age Groups, Color, and Sex: United States, 1967—Con.

are category numbers of the Seventh Revision of the International Lists, 1955]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
2.9	3.9	5.8	7.8	10.3	14.2	19.6	26.0	34.0	42.6	56.1	87.5	233.9	19
3.4	4.4	7.0	9.4	14.2	20.4	27.7	37.8	48.3	61.9	81.9	113.0	259.6	20
2.4	3.5	4.6	6.3	6.7	8.4	12.0	15.5	22.0	27.9	40.3	70.1	218.4	21
1.7	2.5	3.7	5.1	7.5	10.5	14.8	19.7	24.0	30.8	44.1	72.2	204.6	22
1.9	2.9	4.4	6.1	10.6	15.3	22.0	30.5	35.5	46.4	62.4	95.5	220.2	23
1.6	2.1	3.0	4.2	4.5	5.9	8.1	10.0	14.4	18.9	31.0	56.6	195.3	24
11.4	14.5	21.5	29.8	35.8	48.9	66.5	90.4	148.8	189.6	205.2	272.1	502.6	25
14.9	16.3	27.8	38.3	47.1	69.8	84.7	110.7	190.2	250.9	259.2	302.7	572.0	26
8.2	13.0	16.1	22.4	25.8	31.2	50.0	71.9	113.1	142.1	159.4	247.3	450.0	27
7.9	10.9	16.5	20.4	27.3	35.8	47.9	62.5	87.6	122.8	163.4	217.9	392.5	28
9.3	12.2	17.8	25.7	31.8	42.8	59.1	79.2	107.5	161.1	206.0	266.1	418.2	29
6.6	9.7	15.2	17.3	23.0	29.2	37.6	47.5	70.9	93.7	132.6	185.1	361.2	30
6.2	7.8	12.5	15.7	23.5	32.6	44.0	59.7	83.3	121.0	164.7	221.8	399.5	31
7.2	8.3	13.6	19.1	27.1	38.6	53.7	75.1	102.8	159.1	207.9	271.1	439.1	32
5.2	7.3	11.5	14.5	20.1	26.9	35.0	45.1	67.1	92.8	133.8	188.8	375.8	33
20.8	34.0	46.7	51.0	61.2	65.7	66.7	66.7	66.7	66.7	66.7	66.7	66.7	34
25.1	42.8	52.6	64.7	75.3	85.0	112.2	110.1	159.6	198.2	247.0	292.2	252.0	35
17.1	26.5	41.9	39.3	48.7	50.3	63.6	72.2	116.4	105.1	117.5	137.4	215.2	36
54.8	48.8	47.1	48.5	51.6	56.9	63.6	68.8	79.8	105.4	152.2	255.6	573.8	37
91.1	78.9	75.5	75.4	79.9	86.7	96.4	103.2	114.3	143.3	190.5	289.8	561.4	38
19.8	18.9	20.1	23.0	25.1	28.9	33.3	38.0	51.0	76.6	124.5	232.3	582.1	39
51.7	44.5	43.4	44.6	48.5	53.4	59.8	66.2	76.1	103.2	153.3	261.1	609.8	40
85.4	72.6	69.0	68.6	74.2	80.7	89.8	98.7	108.2	139.2	191.3	295.5	602.5	41
18.9	17.2	18.6	21.6	24.3	27.6	32.2	37.1	49.4	75.8	126.1	239.0	614.2	42
77.7	79.9	75.6	80.7	89.2	89.3	100.0	95.6	122.2	134.1	138.2	189.1	250.0	43
135.1	157.4	129.0	134.9	132.6	143.9	161.1	148.3	180.8	194.1	161.6	228.4	238.0	44
26.6	30.5	31.0	34.1	32.1	40.7	44.6	47.1	69.3	67.4	104.4	157.1	280.6	45
34.8	28.1	24.4	24.0	25.1	26.5	27.6	30.5	34.3	39.8	44.0	47.7	40.1	46
56.5	44.5	37.7	35.7	38.9	39.0	39.3	43.9	48.3	56.9	65.4	76.2	70.2	47
13.9	12.3	11.7	12.9	13.9	14.8	16.7	18.6	22.5	26.7	28.6	28.4	21.7	48
33.9	26.6	23.4	23.0	24.2	25.4	26.6	29.8	33.1	39.6	44.7	48.4	42.2	49
54.6	41.9	35.8	33.6	35.3	37.1	37.3	42.4	45.7	55.8	66.6	77.1	74.5	50
13.7	11.7	11.4	12.8	13.7	14.4	16.7	18.5	22.8	27.3	29.1	29.2	22.8	51
41.8	39.9	32.0	32.8	33.1	37.0	37.1	38.4	47.1	41.7	35.4	39.4	21.6	52
71.9	65.1	53.5	54.2	52.0	57.1	59.4	59.2	77.6	70.4	52.0	66.2	36.0	53
15.0	16.5	13.9	14.3	16.4	19.1	18.9	19.3	19.7	19.2	22.5	17.6	10.6	54
20.0	20.7	22.7	24.5	26.6	30.4	36.1	38.2	45.5	65.7	108.1	207.8	535.6	55
34.6	35.4	37.8	39.7	43.0	47.7	57.1	59.3	68.0	98.4	125.1	235.6	491.3	56
5.9	6.6	8.4	10.1	11.2	14.1	16.6	19.4	28.5	49.9	85.9	203.9	560.4	57
17.8	17.9	20.0	21.6	24.4	28.0	33.3	36.4	43.0	63.6	108.6	212.6	567.6	58
30.9	30.7	33.2	35.0	38.9	43.6	52.8	56.3	62.6	83.4	124.8	238.4	528.0	59
5.1	5.5	7.2	8.9	10.7	13.3	15.5	18.6	26.7	48.5	97.0	208.8	581.4	60
35.9	41.0	43.7	47.9	46.1	52.3	62.9	57.1	75.1	92.4	102.8	149.7	228.4	61
63.2	72.4	75.5	80.6	80.6	86.8	101.7	89.0	103.3	123.7	129.6	162.2	200.0	62
11.6	14.0	17.1	19.8	15.6	21.6	27.7	27.8	49.6	68.2	81.9	139.6	250.0	63
11.8	12.9	15.7	17.5	18.2	21.0	22.8	22.1	19.4	20.3	20.3	22.2	22.7	64
17.1	17.4	21.3	24.4	25.3	29.9	33.9	35.0	30.6	35.9	38.5	46.3	50.9	65
8.8	8.6	10.4	10.9	11.5	12.7	13.3	10.6	10.1	8.5	7.1	5.8	5.5	66
11.8	13.1	15.6	18.5	19.4	22.5	24.0	23.6	20.4	21.4	21.3	23.5	24.7	67
16.9	17.5	22.2	25.4	26.8	31.8	35.7	37.4	32.2	37.9	40.6	49.8	56.3	68
7.0	8.9	11.2	11.9	12.3	13.8	13.2	11.3	10.7	8.9	7.5	5.9	5.7	69
11.4	11.4	9.1	9.0	7.6	7.1	9.2	6.8	7.9	6.8	7.4	6.1	5.2	70
16.3	17.0	14.0	15.5	11.6	11.5	15.8	10.4	12.7	11.8	14.4	9.5	8.0	71
5.2	6.6	5.0	3.5	3.9	3.1	3.2	3.5	3.6	2.8	1.9	3.3	3.0	72
14.8	14.2	13.0	11.4	9.0	7.4	6.2	4.9	4.5	3.9	3.4	2.9	3.8	73
24.2	23.0	20.6	17.8	14.3	11.8	10.5	7.9	7.8	6.2	5.0	4.0	4.7	74
6.0	5.7	5.7	5.3	4.0	3.2	2.2	2.1	1.6	2.1	2.2	2.2	3.3	75
6.8	6.3	6.1	5.7	4.7	4.4	3.8	3.2	3.1	2.9	3.0	2.8	3.6	76
10.7	10.1	9.1	8.4	7.0	6.8	6.2	5.1	5.3	4.5	4.0	3.6	4.3	77
2.9	2.7	3.2	3.1	2.5	2.1	1.5	1.4	1.3	1.7	2.3	2.3	3.2	78
74.9	72.1	65.6	58.0	47.6	35.2	30.1	21.9	19.9	16.4	8.1	6.2	6.0	79
127.9	125.0	115.5	99.7	82.3	59.7	53.2	35.5	35.5	27.2	15.8	8.1	8.0	80
27.6	26.6	23.9	22.2	16.9	13.3	9.1	9.4	5.8	7.9	1.3	1.1	4.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes	935.7	2,233.1	66.3	41.4	116.0	152.4	310.6	730.7	1,674.0	3,749.9	7,900.2	19,419.7
Male	1,081.7	2,516.2	95.8	49.9	170.4	204.7	394.3	963.5	2,299.7	5,022.8	9,616.5	20,382.5
Female	796.1	1,958.0	76.4	32.6	64.5	102.1	231.2	512.2	1,105.1	2,730.4	6,687.9	18,855.7
White	935.6	1,961.6	76.4	39.1	108.5	125.1	285.8	689.3	1,586.0	3,614.2	7,996.1	20,378.7
Male	1,090.2	2,236.2	84.9	47.3	159.2	169.6	340.6	895.1	2,220.4	4,895.7	9,761.0	21,512.9
Female	797.0	1,675.7	67.4	30.5	58.8	81.7	193.6	456.1	1,009.3	2,595.7	6,761.3	19,699.2
Nonwhite	936.3	3,541.2	136.8	55.1	173.9	354.1	688.5	1,287.9	2,552.3	5,372.1	6,729.6	10,848.3
Male	1,095.0	3,981.4	151.9	65.9	247.9	478.3	851.4	1,605.4	3,088.4	6,501.0	7,974.4	11,430.0
Female	789.8	3,195.3	121.6	44.3	103.1	245.4	513.6	1,005.6	2,064.8	4,414.3	5,742.6	10,407.6
Tuberculosis, all forms (001-019)	3.5	0.5	0.2	0.1	0.2	0.8	2.5	5.0	8.8	14.7	20.6	31.0
Male	5.2	0.4	0.3	0.0	0.2	0.9	3.2	7.3	14.3	26.2	35.8	51.1
Female	1.9	0.6	0.2	0.1	0.2	0.7	1.8	2.8	3.8	5.5	9.9	18.7
White	2.8	0.3	0.2	0.0	0.1	0.4	1.3	3.4	7.1	12.1	18.9	28.4
Male	4.2	0.5	0.1	0.0	0.1	0.5	1.5	4.9	11.6	21.7	32.9	46.5
Female	1.5	0.5	0.2	0.0	0.1	0.3	1.0	1.9	3.0	4.5	9.1	17.5
Nonwhite	8.4	1.5	0.7	0.2	0.7	4.3	12.3	19.6	25.7	45.2	41.3	55.2
Male	12.3	0.7	0.9	0.2	0.7	4.6	17.4	29.6	40.8	70.0	67.8	88.0
Female	4.8	2.0	0.5	0.2	0.8	4.0	7.9	10.7	12.0	17.4	20.3	30.3
Tuberculosis of respiratory system (001-008)	3.2	0.2	0.1	0.0	0.1	0.6	2.2	4.6	8.3	13.8	19.4	29.7
Male	4.8	0.3	0.1	0.0	0.1	0.9	2.9	6.9	13.6	24.7	33.8	49.3
Female	1.6	0.2	0.1	0.0	0.1	0.5	1.6	2.5	3.5	5.0	9.2	17.7
White	2.6	0.2	0.0	0.0	0.0	0.3	1.2	3.2	6.0	11.6	10.0	27.4
Male	4.0	0.3	0.0	0.0	0.1	0.4	1.5	4.8	11.2	20.7	31.5	45.2
Female	1.3	0.1	0.0	0.0	0.0	0.2	0.9	1.7	2.8	4.3	8.5	16.5
Nonwhite	7.3	0.5	0.2	0.1	0.5	3.3	10.6	17.4	23.3	40.1	36.7	52.6
Male	11.0	0.3	0.2	0.1	0.4	3.6	15.2	27.1	37.9	70.5	60.8	82.0
Female	3.9	0.7	0.2	0.2	0.5	3.0	6.6	8.8	9.9	14.3	17.5	30.3
Tuberculosis, other forms (010-019)	0.3	0.3	0.2	0.0	0.1	0.2	0.3	0.4	0.5	0.9	1.2	1.3
Male	0.3	0.1	0.2	0.0	0.1	0.2	0.3	0.4	0.7	1.5	1.9	1.8
Female	0.2	0.5	0.2	0.0	0.1	0.2	0.2	0.3	0.4	0.5	0.7	1.0
White	0.2	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.6	0.9	1.1
Male	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.4	1.0	1.5	1.3
Female	0.1	0.3	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.5	0.5	1.1
Nonwhite	1.1	0.8	0.5	0.1	0.2	1.0	1.7	2.1	2.4	5.1	4.7	2.6
Male	1.3	0.3	0.7	0.1	0.2	0.9	2.1	2.5	2.9	7.5	7.0	6.0
Female	0.9	1.3	0.3	0.1	0.2	1.0	1.3	1.9	2.0	3.1	2.8	-
Syphilis and its sequelae (020-029)	1.2	0.4	-	0.0	0.0	0.1	0.3	0.8	3.2	7.2	9.4	11.1
Male	1.7	0.4	-	0.0	0.1	0.4	1.0	4.9	12.4	15.2	15.2	15.5
Female	0.7	0.5	-	-	0.0	0.1	0.2	0.5	1.6	3.0	5.3	8.4
White	1.1	0.2	-	0.0	0.0	0.1	0.2	0.5	2.5	6.3	8.9	11.1
Male	1.6	0.2	-	0.0	0.1	0.3	0.7	4.1	11.1	14.2	15.7	15.7
Female	0.6	0.2	-	-	0.0	0.1	0.1	0.2	1.1	2.4	5.2	8.3
Nonwhite	2.2	1.5	-	-	0.0	0.2	0.6	3.6	9.8	18.4	15.3	11.2
Male	2.9	1.3	-	-	0.1	0.3	1.1	4.0	12.7	28.0	25.6	14.0
Female	1.5	1.7	-	-	-	0.1	0.6	3.2	7.2	10.2	7.2	9.1
Dysentery, all forms (045-048)	0.1	0.9	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.5
Male	0.1	1.0	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.2	-
Female	0.1	0.8	0.2	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.8
White	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4
Male	0.1	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.3	-
Female	0.0	0.4	0.1	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.6
Nonwhite	0.3	3.5	0.6	0.1	0.0	-	0.2	0.2	0.5	0.2	0.4	1.7
Male	0.3	4.2	0.5	0.1	0.0	-	0.2	0.4	0.5	0.2	-	-
Female	0.2	2.7	0.6	0.0	-	-	0.1	0.1	0.1	0.2	0.8	3.0
Scarlet fever and streptococcal sore throat (050,051)	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Male	0.0	0.2	0.1	0.0	-	0.0	-	0.0	0.1	-	0.0	0.2
Female	0.0	0.1	0.1	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1	0.1
White	0.0	0.1	0.1	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1
Male	0.0	0.1	0.0	0.0	-	0.0	-	0.0	0.1	-	0.0	0.3
Female	0.0	-	0.1	0.0	0.0	-	-	0.0	0.0	0.0	0.1	-
Nonwhite	0.1	0.3	0.0	0.0	-	-	0.0	0.1	0.2	-	0.4	-
Male	0.0	0.3	0.1	-	-	-	-	0.2	0.1	-	-	-
Female	0.1	0.3	-	0.0	-	-	0.1	0.1	0.2	-	0.8	-
Diphtheria (055)	0.0	0.0	0.1	0.0	0.0	-	0.0	0.0	-	-	0.0	-
Male	0.0	-	0.1	0.0	-	-	-	0.0	-	-	0.0	-
Female	0.0	0.1	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-
White	0.0	-	0.0	0.0	-	-	-	0.0	-	-	0.0	-
Male	0.0	-	0.1	0.0	-	-	-	-	-	-	0.0	-
Female	0.0	-	0.0	0.0	-	-	-	-	-	-	-	0.0
Nonwhite	0.1	0.2	0.2	0.1	0.0	-	0.1	0.0	-	-	-	-
Male	0.1	-	0.3	0.0	-	-	-	0.1	-	-	-	-
Female	0.1	0.3	0.2	0.1	0.0	-	0.1	-	-	-	-	-
Whooping cough (056)	0.0	0.8	0.0	0.0	-	-	-	-	-	0.0	-	-
Male	0.0	0.8	0.0	0.0	-	-	-	-	-	0.0	-	-
Female	0.0	0.8	0.1	-	-	-	-	-	-	-	-	-
White	0.0	0.3	0.0	0.0	-	-	-	-	-	-	-	-
Male	0.0	0.3	0.0	0.0	-	-	-	-	-	-	-	-
Female	0.0	0.3	0.0	-	-	-	-	-	-	-	-	-
Nonwhite	0.1	3.3	0.1	-	-	-	-	-	-	0.1	-	-
Male	0.1	3.6	0.1	-	-	-	-	-	-	0.2	-	-
Female	0.1	3.0	0.1	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	0.3	4.7	1.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.3
Male	0.4	5.8	1.3	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Female	0.3	3.6	1.0	0.2	0.2	0.0	0.1	0.1	0.2	0.2	0.1	0.3
White	0.3	4.3	0.9	0.2	0.2	0.0	0.1	0.1	0.2	0.1	0.1	0.2
Male	0.3	6.1	1.1	0.2	0.2	0.0	0.1	0.1	0.2	0.2	0.2	0.2
Female	0.2	3.7	0.8	0.1	0.2	0.0	0.1	0.1	0.2	0.1	0.1	0.2
Nonwhite	0.6	3.8	2.3	0.4	0.4	0.1	0.3	0.3	0.5	0.4	0.2	0.9
Male	0.7	4.6	2.7	0.4	0.4	0.2	0.5	0.4	0.7	0.1	0.2	0.8
Female	0.6	3.0	1.9	0.4	0.3	0.1	0.1	0.3	0.6	0.6	0.4	1.5

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute poliomyelitis (080)-----	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Male-----	0.0	-	-	0.0	0.0	0.0	-	-	-	-	-	-
Female-----	0.0	0.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	-	-
White-----	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Male-----	0.0	-	-	0.0	0.0	0.0	-	-	-	-	-	-
Female-----	0.0	0.1	0.0	-	-	-	0.0	0.0	0.0	-	-	-
Nonwhite-----	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-
Male-----	0.0	-	-	-	0.0	0.1	-	-	-	-	-	-
Female-----	0.0	-	0.1	0.0	-	-	-	-	-	-	-	-
Measles (085)-----	0.0	0.5	0.2	0.1	0.0	0.0	-	0.0	0.0	0.0	0.0	0.1
Male-----	0.0	0.6	0.3	0.0	-	0.0	-	0.0	-	0.0	0.0	-
Female-----	0.0	0.3	0.2	0.1	0.0	0.0	-	-	-	-	-	0.1
White-----	0.0	0.4	0.2	0.0	0.0	0.0	-	-	0.0	-	-	-
Male-----	0.0	0.5	0.2	0.0	-	0.0	-	-	-	-	-	-
Female-----	0.0	0.3	0.1	0.1	0.0	0.0	-	-	-	-	-	0.2
Nonwhite-----	0.1	0.7	0.5	0.2	-	-	-	-	-	-	-	-
Male-----	0.1	0.7	0.5	0.1	-	-	-	-	-	-	-	-
Female-----	0.1	0.7	0.5	0.2	-	-	-	-	-	-	-	-
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)-----	3.0	18.3	2.4	0.8	0.9	1.3	1.7	3.0	4.8	8.5	13.4	26.8
Male-----	3.2	18.9	2.5	0.9	0.9	1.2	1.7	3.1	6.0	10.4	15.4	30.9
Female-----	2.8	17.7	2.2	0.8	1.0	1.4	1.7	2.8	3.8	6.6	12.0	24.3
White-----	2.7	14.7	2.1	0.8	0.8	1.0	1.5	2.5	4.2	7.6	13.0	27.3
Male-----	2.9	16.1	2.2	0.8	0.8	0.9	1.3	2.6	5.2	9.5	14.7	30.8
Female-----	2.5	15.3	2.0	0.8	0.8	1.1	1.2	2.4	3.4	6.0	11.9	25.3
Nonwhite-----	5.3	35.6	3.8	0.8	1.6	3.9	5.0	7.5	11.0	17.5	17.3	22.4
Male-----	5.7	32.7	4.4	1.1	1.4	3.6	4.6	8.3	13.7	20.8	22.6	32.0
Female-----	4.9	38.5	3.1	0.5	1.7	4.1	5.4	6.7	8.5	14.3	13.1	15.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	157.2	5.5	8.2	6.6	8.3	17.5	60.3	178.4	412.4	768.8	1,102.1	1,482.9
Male-----	174.9	5.9	8.6	7.5	10.1	17.5	52.3	179.0	493.7	1,006.3	1,456.9	1,833.0
Female-----	140.2	5.2	7.7	5.8	6.5	17.7	67.9	179.8	358.5	578.7	851.4	1,270.2
White-----	180.7	5.6	8.8	6.9	8.4	16.8	57.4	171.6	400.8	753.6	1,117.7	1,543.6
Male-----	177.9	5.9	9.3	7.7	10.2	17.1	49.2	168.5	478.5	985.2	1,476.7	1,914.1
Female-----	144.2	5.3	8.3	6.1	6.6	16.5	65.3	174.5	350.2	568.9	866.4	1,321.6
Nonwhite-----	131.5	5.1	5.1	5.1	7.2	23.0	83.9	250.7	527.8	951.0	911.8	942.2
Male-----	153.1	5.6	5.3	6.0	8.8	19.1	79.1	277.4	644.6	1,247.1	1,251.2	1,190.0
Female-----	111.2	4.7	5.0	4.2	5.7	28.4	88.0	228.9	421.7	699.8	658.6	754.5
Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.4	0.0	0.0	0.0	0.1	0.2	1.1	5.4	11.4	14.9	17.8	30.2
Male-----	5.2	-	0.0	0.0	0.1	0.3	1.5	8.3	19.1	25.4	30.4	48.0
Female-----	1.7	0.1	-	0.0	0.1	0.1	0.6	2.7	4.5	6.5	8.8	19.3
White-----	3.4	0.0	0.0	0.0	0.1	0.2	0.8	4.8	11.3	14.6	18.3	32.5
Male-----	5.2	-	0.0	0.0	0.1	0.2	1.1	7.2	18.8	28.0	31.4	52.5
Female-----	1.7	0.1	-	0.0	0.1	0.1	0.5	2.5	4.4	6.2	9.1	20.4
Nonwhite-----	3.4	-	-	0.0	0.3	0.6	3.3	10.7	13.4	18.7	11.8	9.5
Male-----	5.2	-	-	0.1	0.5	0.7	5.0	18.1	21.6	29.7	19.1	12.0
Female-----	1.6	-	-	-	0.1	0.4	1.8	4.2	5.9	9.4	6.0	7.6
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	48.2	0.5	0.2	0.1	0.4	2.4	10.8	41.3	115.6	257.3	422.6	607.3
Male-----	53.0	0.5	0.2	0.1	0.5	2.7	12.0	48.3	144.0	321.5	505.1	684.8
Female-----	43.5	0.4	0.2	0.1	0.3	2.1	9.6	34.8	89.8	206.0	364.4	572.9
White-----	49.1	0.4	0.2	0.1	0.4	2.1	9.9	38.2	110.0	251.0	426.3	633.7
Male-----	53.3	0.5	0.3	0.1	0.4	2.4	10.7	45.8	136.1	312.1	511.3	694.4
Female-----	45.1	0.4	0.2	0.1	0.3	1.9	9.2	35.8	86.2	200.2	371.2	597.3
Nonwhite-----	41.6	0.5	-	0.2	0.7	4.5	17.3	70.0	171.8	333.7	346.7	372.4
Male-----	51.0	0.7	-	0.3	0.9	5.2	22.6	91.1	222.9	429.5	435.2	430.0
Female-----	32.8	0.3	-	0.0	0.4	3.9	12.9	51.3	125.2	253.5	276.5	328.8
Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	29.4	0.1	0.1	0.0	0.1	1.0	10.0	40.6	100.9	159.3	146.2	102.3
Male-----	50.1	0.2	0.1	0.0	0.2	1.5	15.1	65.5	181.0	311.1	290.3	186.8
Female-----	9.6	0.1	0.0	0.0	0.1	0.6	5.1	17.3	28.1	37.3	44.5	50.6
White-----	30.1	0.1	0.1	0.0	0.1	0.9	9.2	38.9	99.5	159.1	149.1	104.4
Male-----	51.3	0.2	0.1	0.0	0.2	1.3	13.6	61.8	178.2	311.7	297.6	191.9
Female-----	9.9	0.1	0.0	0.0	0.1	0.5	4.9	17.2	28.0	37.4	45.2	52.0
Nonwhite-----	23.6	0.2	0.0	0.1	0.1	1.7	16.5	56.4	114.8	162.2	111.6	85.6
Male-----	41.3	-	-	0.0	0.1	2.6	28.2	100.2	208.9	305.8	208.0	146.0
Female-----	7.1	0.3	0.1	0.1	0.1	0.9	6.6	17.5	28.8	42.0	35.1	38.4
Malignant neoplasm of breast (170)-----	14.3	-	0.0	-	0.1	1.9	10.5	27.3	41.4	53.0	71.3	118.7
Male-----	0.2	-	-	-	-	-	0.1	0.3	0.8	1.3	1.8	2.9
Female-----	27.7	-	0.0	-	0.1	3.8	20.3	52.6	78.4	94.3	120.4	190.0
White-----	14.8	-	0.0	-	0.1	1.8	10.3	27.0	41.5	53.4	73.5	125.4
Male-----	0.2	-	-	-	-	-	0.1	0.2	0.8	1.3	1.9	3.0
Female-----	28.8	-	0.0	-	0.1	3.5	20.2	52.3	78.6	94.8	123.6	198.8
Nonwhite-----	10.1	-	-	-	0.1	3.0	11.7	29.8	40.3	48.4	44.7	58.6
Male-----	0.2	-	-	-	-	-	-	0.5	1.2	1.4	1.0	2.0
Female-----	19.4	-	-	-	0.2	5.7	21.6	55.7	76.2	88.3	79.3	101.5
Malignant neoplasm of genital organs (171-179)-----	20.4	-	0.1	0.1	0.9	2.8	8.8	20.4	45.7	98.9	174.9	263.1
Male-----	17.9	-	0.2	0.0	1.0	1.8	1.3	3.4	22.7	105.5	277.2	430.6
Female-----	22.6	-	0.1	0.2	0.8	3.7	15.9	36.4	62.8	93.7	102.6	123.9
White-----	20.0	-	0.2	0.1	0.9	2.5	7.9	19.0	40.4	91.2	171.7	264.9
Male-----	17.5	-	0.2	0.0	1.0	1.9	1.3	2.9	19.6	94.0	271.0	500.5
Female-----	22.5	-	0.1	0.1	0.7	3.1	14.2	34.2	59.3	89.0	102.2	123.8
Nonwhite-----	23.2	-	0.0	0.2	0.8	4.6	15.9	33.6	76.3	191.5	213.5	249.1
Male-----	20.8	-	-	0.0	0.4	0.7	0.7	8.1	33.7	258.6	347.7	412.0
Female-----	25.3	-	0.1	0.3	1.1	8.1	28.9	56.2	97.0	151.4	106.8	125.8
Malignant neoplasm of urinary organs (180,181)-----	7.4	0.4	0.6	0.3	0.1	0.2	1.4	5.7	17.0	40.5	65.9	94.1
Male-----	10.0	0.3	0.5	0.2	0.1	0.3	1.8	8.4	25.6	62.6	100.5	128.7
Female-----	4.9	0.5	0.8	0.3	0.1	0.2	0.9	3.2	9.2	22.8	41.4	73.0
White-----	7.7	0.4	0.6	0.2	0.1	0.2	1.4	5.5	16.6	40.3	68.0	99.8
Male-----	10.5	0.3	0.5	0.2	0.1	0.3	1.9	8.2	25.4	63.1	104.6	139.4
Female-----	5.0	0.4	0.7	0.3	0.1	0.2	0.9	2.9	8.6	22.0	42.5	78.1
Nonwhite-----	5.1	0.3	0.9	0.5	0.1	0.2	1.4	8.1	21.0	43.3	39.1	43.1
Male-----	6.4	-	0.8	0.3	0.2	0.4	1.6	10.3	26.4	56.8	53.8	44.0
Female-----	4.0	0.7	1.0	0.4	0.0	0.1	1.3	6.1	14.4	32.0	27.5	42.4

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION I - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of other and unspecified sites (156B, 165,190-199)-----	18.6	2.0	2.8	2.2	2.6	4.1	9.9	23.2	49.2	78.1	107.2	156.2
Male-----	20.5	2.0	3.1	2.4	3.2	4.8	10.9	26.5	59.4	96.2	126.9	165.0
Female-----	16.8	2.0	2.5	2.0	2.2	3.5	8.9	20.0	39.9	65.6	93.4	151.0
White-----	19.1	2.0	3.0	2.2	2.8	4.2	9.9	22.9	48.3	76.6	108.9	164.9
Male-----	21.1	2.1	3.2	2.4	3.3	4.9	10.8	26.3	58.6	94.7	129.8	176.8
Female-----	17.3	2.0	2.7	2.0	2.3	3.5	8.9	19.7	39.0	62.3	94.2	157.8
Nonwhite-----	14.5	2.0	2.1	1.9	1.9	3.6	10.0	25.7	57.9	96.1	87.3	78.4
Male-----	16.0	2.0	2.5	2.3	2.3	3.3	11.4	28.6	67.5	114.3	93.5	72.0
Female-----	13.2	2.0	1.6	1.6	1.5	3.9	8.8	23.1	49.3	80.7	82.5	85.3
Leukemia and leukemia (204)-----	7.2	2.2	3.9	3.1	2.1	2.0	3.1	5.8	12.3	28.4	49.8	68.2
Male-----	8.5	2.5	4.0	3.6	2.7	2.4	3.5	6.8	15.6	37.0	66.5	90.6
Female-----	6.0	1.6	3.8	2.7	1.5	1.6	2.8	4.9	9.2	21.5	35.3	54.6
White-----	7.6	2.2	4.5	3.4	2.1	1.9	3.2	5.7	12.4	28.8	50.5	75.7
Male-----	8.9	2.5	4.4	3.9	2.7	2.3	3.6	6.7	15.8	37.6	69.2	97.7
Female-----	6.4	2.0	4.1	2.9	1.5	1.6	2.9	4.9	9.4	21.8	37.4	59.3
Nonwhite-----	4.4	2.0	1.9	1.6	2.0	2.4	2.7	6.4	10.7	24.2	27.9	19.0
Male-----	5.4	2.9	1.6	1.9	2.6	2.9	2.9	7.9	14.5	30.7	35.7	34.0
Female-----	3.5	1.0	2.0	1.3	1.3	1.9	2.5	5.1	7.3	18.6	21.1	7.6
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	8.3	0.4	0.5	0.8	1.8	2.9	4.9	9.7	20.9	38.3	47.4	42.7
Male-----	9.5	0.3	0.6	1.1	2.4	3.7	6.2	11.5	25.5	45.5	58.2	55.6
Female-----	7.2	0.4	0.4	0.5	1.3	2.1	3.7	7.9	16.7	32.6	39.8	34.8
White-----	8.7	0.4	0.5	0.8	1.9	2.9	4.9	9.7	20.8	38.8	48.8	44.3
Male-----	9.9	0.4	0.6	1.1	2.5	3.7	6.1	11.4	25.4	45.7	60.0	57.0
Female-----	7.6	0.4	0.4	0.5	1.4	2.2	3.7	8.0	16.8	35.2	41.0	36.2
Nonwhite-----	5.6	0.2	0.3	0.8	1.3	2.4	5.2	9.9	21.8	32.8	29.8	28.4
Male-----	6.9	-	0.4	1.1	1.7	3.3	6.8	12.7	28.0	42.3	37.2	38.0
Female-----	4.4	0.3	0.2	0.5	0.9	1.6	3.8	7.4	17.8	24.8	23.9	21.2
Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.5	2.7	0.7	0.6	0.5	0.9	1.8	3.7	5.7	8.5	11.5	22.4
Male-----	2.5	2.9	0.8	0.5	0.5	0.9	1.5	3.6	5.2	10.6	12.8	22.2
Female-----	2.5	2.5	0.6	0.6	0.5	1.0	2.1	3.8	5.2	6.9	10.6	22.6
White-----	2.5	2.7	0.7	0.5	0.5	0.9	1.6	3.3	5.4	8.2	11.5	23.0
Male-----	2.5	2.9	0.8	0.5	0.5	0.8	1.4	3.3	5.0	10.3	12.8	23.0
Female-----	2.4	2.4	0.5	0.5	0.5	0.9	1.8	3.3	4.9	6.4	10.5	23.0
Nonwhite-----	3.0	3.0	0.6	0.9	0.7	1.5	3.2	7.1	8.1	12.9	12.4	17.2
Male-----	2.7	2.9	0.5	0.9	0.6	1.4	1.9	6.4	7.7	13.5	13.1	16.0
Female-----	3.3	3.0	0.6	1.0	0.7	1.7	4.2	7.8	8.5	12.3	12.0	18.2
Asthma (241)-----	2.1	0.5	0.3	0.2	0.4	0.7	1.4	2.8	5.4	8.6	10.7	12.2
Male-----	2.4	0.6	0.2	0.2	0.3	0.5	1.1	2.6	8.9	12.0	17.1	15.2
Female-----	1.8	0.5	0.4	0.2	0.4	0.8	1.7	3.0	4.1	5.8	8.2	10.3
White-----	2.0	0.4	0.2	0.2	0.3	0.4	1.1	2.4	4.9	8.3	10.7	12.4
Male-----	2.2	0.6	0.1	0.2	0.3	0.3	0.8	2.3	8.4	11.7	17.2	16.2
Female-----	1.7	0.3	0.3	0.2	0.3	0.6	1.4	2.6	3.6	5.7	6.8	10.1
Nonwhite-----	3.1	1.0	0.7	0.5	1.1	2.3	4.1	6.2	10.2	11.5	10.4	10.3
Male-----	3.3	0.7	0.7	0.7	0.9	1.8	4.0	5.9	12.2	15.7	16.2	6.0
Female-----	2.9	1.3	0.8	0.4	1.3	2.7	4.1	6.5	8.4	8.0	6.0	12.1
Diabetes mellitus (260)-----	17.7	0.4	0.1	0.2	0.7	2.5	4.8	12.3	36.2	94.2	169.4	234.8
Male-----	14.9	0.3	0.1	0.2	0.6	2.9	5.7	12.5	34.6	85.9	150.7	215.9
Female-----	20.4	0.5	0.2	0.3	0.8	3.2	3.9	12.2	37.7	102.5	182.5	246.6
White-----	17.3	0.5	0.1	0.3	0.6	2.3	4.0	10.1	31.4	87.9	170.0	246.6
Male-----	14.9	0.4	0.1	0.2	0.5	2.6	5.1	11.1	32.6	79.8	153.3	231.1
Female-----	19.6	0.6	0.2	0.3	0.7	1.9	2.9	9.2	30.3	94.3	181.6	256.0
Nonwhite-----	20.8	-	0.0	0.2	1.2	4.5	10.9	32.9	84.5	169.6	162.2	128.4
Male-----	15.0	-	-	0.1	1.1	4.8	10.6	28.0	54.0	130.2	121.6	96.0
Female-----	26.2	-	0.1	0.2	1.2	4.2	11.1	38.9	112.6	203.1	194.4	183.0
Anemias (290-295)-----	1.7	2.4	0.9	0.4	0.6	0.5	0.7	0.9	2.5	6.1	15.3	32.5
Male-----	1.8	2.8	0.8	0.3	0.6	0.4	0.7	0.9	2.8	7.2	18.3	37.0
Female-----	1.7	2.0	0.9	0.4	0.5	0.5	0.7	0.9	2.1	5.2	13.2	29.8
White-----	1.6	1.1	0.4	0.2	0.3	0.2	0.5	0.7	2.5	6.0	15.3	35.0
Male-----	1.6	1.0	0.3	0.2	0.3	0.1	0.5	0.7	2.7	7.2	18.5	40.7
Female-----	1.6	1.3	0.5	0.2	0.3	0.2	0.5	0.7	2.0	5.1	13.0	31.6
Nonwhite-----	2.9	8.6	3.3	1.2	2.4	2.8	2.3	2.2	3.7	6.9	16.0	10.3
Male-----	3.1	11.4	3.4	0.9	2.7	3.0	2.5	2.7	3.8	7.5	16.1	8.0
Female-----	2.8	5.8	3.1	1.4	2.1	2.7	2.0	1.9	3.6	6.4	15.9	12.1
Meningitis, except meningococcal and tuberculous (340)-----	1.0	19.2	2.0	0.3	0.2	0.2	0.4	0.7	1.3	1.7	1.9	2.6
Male-----	1.2	22.5	2.3	0.3	0.2	0.2	0.6	0.9	1.7	2.0	2.0	3.4
Female-----	0.8	15.7	1.7	0.3	0.2	0.2	0.3	0.5	1.0	1.4	1.8	2.1
White-----	0.8	15.5	1.7	0.3	0.2	0.1	0.3	0.5	1.0	1.3	1.7	2.5
Male-----	1.0	17.7	1.9	0.3	0.2	0.2	0.4	0.7	1.4	1.7	1.9	3.3
Female-----	0.7	13.2	1.5	0.3	0.1	0.1	0.2	0.3	0.7	1.1	1.6	2.0
Nonwhite-----	2.6	36.9	3.4	0.5	0.5	0.6	1.7	2.4	4.1	5.8	3.8	3.4
Male-----	3.1	46.1	4.3	0.5	0.6	0.8	2.2	2.9	4.6	6.5	2.5	4.0
Female-----	2.0	27.6	2.5	0.4	0.4	0.5	1.3	1.9	3.6	5.1	4.8	3.0
Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	511.5	18.9	1.9	1.9	6.5	22.3	99.2	317.9	865.7	2,247.5	5,410.7	14,637.8
Male-----	573.2	17.7	2.2	2.0	6.5	25.3	136.8	471.9	1,253.7	2,991.2	6,332.4	14,733.9
Female-----	452.5	14.1	1.7	1.9	6.4	19.4	61.7	175.3	509.0	1,651.7	4,789.6	14,599.0
White-----	523.2	14.0	1.7	1.7	5.4	18.4	82.2	289.2	814.3	2,162.5	5,489.1	15,406.3
Male-----	588.2	16.0	1.9	1.7	5.6	19.8	121.6	447.8	1,219.8	2,925.2	6,450.4	15,613.4
Female-----	460.9	11.9	1.4	1.7	5.1	13.2	44.4	139.5	445.6	1,554.2	4,816.5	15,282.3
Nonwhite-----	426.3	25.2	3.3	3.2	13.9	65.3	225.7	578.2	1,356.7	3,262.7	4,452.8	7,761.2
Male-----	462.6	25.8	3.8	3.4	12.9	68.2	266.1	698.6	1,590.8	3,746.1	4,981.0	7,788.0
Female-----	382.2	24.6	2.9	3.1	14.9	62.7	191.6	471.1	1,144.1	2,852.7	4,026.3	7,756.1
Diseases of cardiovascular system (330-334,400-468)-----	506.5	15.3	1.8	1.6	5.3	20.4	94.8	312.0	854.0	2,229.8	5,376.8	14,550.9
Male-----	567.5	16.9	2.0	1.7	5.2	23.2	132.8	484.9	1,241.4	2,989.5	6,287.9	14,625.8
Female-----	448.1	13.6	1.5	1.6	5.4	17.8	58.8	168.5	501.7	1,637.2	4,735.2	14,565.0
White-----	518.9	15.4	1.5	1.4	4.3	15.1	79.8	284.9	806.8	2,147.6	5,457.6	15,363.0
Male-----	583.2	15.3	1.8	1.5	4.4	18.0	118.6	442.3	1,209.7	2,906.7	6,405.8	15,503.8
Female-----	457.2	11.5	1.3	1.4	4.2	12.2	42.5	136.3	440.5	1,542.2	4,781.4	15,211.0
Nonwhite-----	416.1	24.4	3.1	2.9	11.8	59.7	214.0	558.0	1,324.8	3,212.1	4,390.2	7,641.4
Male-----	451.6	25.2	3.5	2.9	10.7	63.5	253.2	676.7	1,556.3</			

## SECTION 1 - GENERAL MORTALITY

1-25

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1956]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
Vascular lesions affecting central nervous system (330-334)-----	102.2	3.0	0.5	0.6	1.4	4.9	15.4	45.5	120.9	412.6	1,261.7	3,592.5
Male-----	86.3	2.9	0.7	0.7	1.4	4.4	15.0	46.2	141.3	482.2	1,553.5	3,589.5
Female-----	107.9	3.1	0.4	0.6	1.5	5.3	15.8	41.0	102.4	356.8	1,196.9	3,722.0
White-----	101.6	2.7	0.6	0.6	1.3	5.6	11.1	33.6	101.1	375.2	1,268.0	3,769.5
Male-----	85.1	2.7	0.8	0.8	1.2	5.4	11.0	36.4	121.9	443.5	1,585.7	3,576.8
Female-----	107.9	2.8	0.4	0.6	1.3	5.9	11.2	31.0	82.2	320.9	1,201.1	3,885.0
Nonwhite-----	106.2	4.4	0.4	0.8	2.4	14.0	49.5	133.5	318.5	859.8	1,185.1	2,010.3
Male-----	104.9	4.2	0.5	0.8	2.2	12.8	48.4	139.0	334.9	931.2	1,237.2	1,906.0
Female-----	107.3	4.7	0.4	0.8	2.6	15.0	50.5	129.3	303.8	799.2	1,143.8	2,089.4
Diseases of heart (400-402,410-443)-----	584.5	11.4	1.1	0.8	2.6	12.4	71.7	262.1	687.4	1,669.5	3,670.6	9,240.5
Male-----	430.1	13.0	1.1	0.9	3.0	16.2	110.2	398.2	1,037.2	2,287.9	4,408.7	9,521.3
Female-----	501.9	9.9	1.0	0.8	2.2	8.7	35.1	114.9	369.4	1,174.2	3,149.3	9,090.9
White-----	376.8	10.0	0.8	0.7	2.1	9.4	63.6	237.9	664.2	1,632.0	3,738.8	9,737.7
Male-----	446.3	11.5	0.8	0.7	2.5	13.0	102.5	388.8	1,026.7	2,270.1	4,511.0	10,105.3
Female-----	310.2	8.5	0.8	0.6	1.6	5.8	26.1	95.3	332.7	1,123.2	3,198.5	9,517.5
Nonwhite-----	275.2	18.6	2.5	1.7	6.3	34.8	156.2	381.1	919.7	2,117.6	2,838.0	4,788.8
Male-----	310.3	19.9	2.9	1.7	6.5	41.1	175.8	487.1	1,120.9	2,487.4	3,245.2	4,896.0
Female-----	242.3	17.3	2.0	1.7	6.2	29.3	102.8	287.0	736.7	1,803.9	2,515.1	4,707.6
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)-----	7.2	0.1	0.1	0.3	0.8	2.4	6.0	12.2	21.8	27.5	27.5	33.5
Male-----	6.2	0.1	0.1	0.3	0.8	2.5	5.5	11.6	19.7	25.0	22.7	25.3
Female-----	8.1	0.1	0.1	0.3	0.9	2.3	6.4	12.8	23.8	29.6	30.9	36.5
White-----	7.4	0.1	0.0	0.2	0.6	2.1	5.8	12.2	22.5	28.3	28.8	34.7
Male-----	6.4	0.1	0.0	0.2	0.7	2.2	5.2	11.5	20.3	25.8	25.6	25.5
Female-----	8.4	0.1	0.0	0.2	0.6	1.9	5.9	12.8	24.5	30.5	32.4	40.2
Nonwhite-----	5.3	-	0.2	0.9	2.0	4.6	9.3	12.4	14.4	18.3	11.6	22.4
Male-----	4.9	-	0.3	0.8	1.6	4.6	8.7	12.3	13.1	17.1	12.6	24.0
Female-----	5.7	-	0.2	1.0	2.4	4.6	9.8	12.5	15.7	19.3	10.8	21.2
Arteriosclerotic heart disease, including coronary disease (420)-----	289.7	0.3	0.0	0.1	0.5	6.2	52.5	202.0	563.0	1,369.3	2,910.2	6,931.8
Male-----	357.0	0.5	0.0	0.1	0.7	9.4	89.6	337.6	896.3	1,958.6	3,612.3	7,374.0
Female-----	225.4	0.2	0.0	0.1	0.3	5.1	18.2	74.6	269.0	913.3	2,414.3	6,670.0
White-----	305.5	0.3	0.0	0.1	0.4	5.0	49.7	198.6	559.9	1,367.7	2,995.3	7,354.2
Male-----	377.4	0.3	0.0	0.1	0.6	8.1	86.6	339.8	898.5	1,958.8	3,754.3	7,891.7
Female-----	236.6	0.2	0.0	0.1	0.3	2.0	14.3	65.2	232.0	896.3	2,478.3	7,052.2
Nonwhite-----	174.7	0.7	-	0.1	1.3	14.9	74.4	232.9	594.9	1,388.8	3,142.2	8,444.0
Male-----	206.7	1.3	-	0.2	1.7	19.6	105.8	317.1	765.6	1,700.7	2,225.6	3,274.0
Female-----	144.8	-	-	0.1	0.9	10.7	47.7	158.2	439.4	1,124.2	1,589.6	3,042.4
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)-----	26.6	1.1	0.2	0.1	0.3	0.9	3.0	9.8	31.0	96.6	317.4	1,171.0
Male-----	26.8	1.4	0.2	0.1	0.5	1.2	4.4	14.2	42.8	122.1	350.0	1,128.3
Female-----	26.5	0.8	0.2	0.1	0.2	0.7	1.6	5.7	20.5	76.2	294.3	1,139.9
White-----	27.0	0.9	0.1	0.1	0.3	0.6	2.4	8.6	27.8	88.5	317.2	1,223.8
Male-----	26.9	1.3	0.1	0.1	0.4	0.8	3.5	12.9	39.4	115.9	349.6	1,169.4
Female-----	27.0	0.4	0.1	0.1	0.5	1.2	4.5	16.9	68.3	294.5	1,252.3	
Nonwhite-----	24.3	2.3	0.4	0.1	0.7	3.3	7.7	20.7	65.2	193.1	519.6	655.2
Male-----	25.9	2.0	0.3	0.2	0.8	4.2	11.5	26.1	74.9	216.4	354.3	644.0
Female-----	22.7	2.7	0.5	0.1	0.5	2.4	4.6	15.9	56.3	175.4	292.0	663.6
Other diseases of heart (430-434)-----	15.8	9.9	0.8	0.4	0.8	1.9	5.3	11.7	28.8	62.7	146.2	420.4
Male-----	17.9	11.0	0.8	0.4	1.0	2.1	6.3	15.9	39.7	83.4	177.7	457.2
Female-----	13.8	8.8	0.8	0.4	0.7	1.7	4.3	7.8	19.8	46.2	124.0	398.5
White-----	15.0	8.7	0.6	0.4	0.7	1.3	4.0	9.5	24.4	55.9	143.2	433.2
Male-----	16.9	9.9	0.8	0.4	0.8	1.5	4.9	13.4	34.6	75.5	174.7	472.5
Female-----	13.1	7.5	0.7	0.3	0.5	1.1	3.2	5.9	15.1	40.2	121.1	409.7
Nonwhite-----	21.7	15.7	1.8	0.6	2.0	6.5	15.1	31.6	72.5	144.9	185.1	307.8
Male-----	24.8	16.7	2.2	0.6	2.1	6.8	18.0	39.4	91.0	174.4	211.1	336.0
Female-----	18.9	14.6	1.4	0.5	1.9	6.3	12.7	24.7	55.7	119.9	161.0	286.4
Hypertensive heart disease (440-443)-----	25.3	0.0	-	0.0	0.1	1.0	5.0	18.4	42.8	113.4	269.4	683.7
Male-----	22.3	-	-	0.0	0.1	1.0	5.4	19.0	48.8	119.9	246.1	536.5
Female-----	28.1	0.1	-	0.0	0.1	0.9	4.7	14.0	37.4	109.0	285.9	775.0
White-----	22.0	0.0	-	0.0	0.1	0.3	1.9	9.0	29.8	91.7	254.4	696.8
Male-----	18.8	-	-	0.0	0.1	0.4	2.3	11.2	36.0	98.3	228.9	526.3
Female-----	25.0	0.1	-	0.0	0.0	0.3	1.5	7.0	24.2	88.0	272.2	783.1
Nonwhite-----	49.1	-	-	-	0.3	5.5	29.7	85.5	172.7	372.5	452.9	661.2
Male-----	48.0	-	-	-	0.1	6.0	31.8	92.2	176.3	378.7	441.7	618.0
Female-----	50.2	-	-	-	0.4	5.2	28.0	75.7	169.6	367.2	461.8	693.9
Other hypertensive disease (444-447)-----	5.6	0.0	-	0.0	0.1	0.7	2.5	3.8	7.0	20.0	61.7	194.0
Male-----	5.8	0.1	-	-	0.1	0.8	2.7	4.6	8.7	23.9	71.6	211.2
Female-----	5.5	-	-	0.0	0.1	0.7	2.2	3.0	5.4	16.9	54.8	183.6
White-----	5.1	0.0	-	0.0	0.1	0.3	0.9	2.1	5.2	17.8	61.2	200.6
Male-----	5.2	0.1	-	-	0.0	0.2	1.0	2.6	6.7	21.6	71.0	223.2
Female-----	5.1	-	-	0.0	0.1	0.3	0.9	1.7	3.8	14.7	54.4	187.0
Nonwhite-----	9.3	-	-	-	0.3	4.4	14.6	18.5	24.8	46.7	68.0	135.3
Male-----	10.0	-	-	-	0.3	4.8	17.1	23.1	28.0	49.3	78.9	116.0
Female-----	8.6	-	-	-	0.3	3.9	12.4	14.4	21.9	44.5	59.4	150.0
General arteriosclerosis (450)-----	19.0	-	-	-	0.0	0.0	0.2	1.3	8.3	48.4	249.6	1,298.5
Male-----	17.2	-	-	-	0.0	0.0	0.4	1.8	10.5	59.4	276.1	1,252.9
Female-----	20.7	-	-	-	0.0	0.0	0.1	0.9	6.3	39.7	230.8	1,320.2
White-----	20.1	-	-	-	0.0	0.0	0.2	1.2	7.4	45.4	254.3	1,391.6
Male-----	18.0	-	-	-	-	0.0	0.3	1.6	9.5	56.1	282.0	1,342.4
Female-----	22.1	-	-	-	0.0	0.0	0.1	0.8	5.5	36.8	235.0	1,405.0
Nonwhite-----	10.9	-	-	-	0.0	0.0	0.4	2.5	16.8	85.0	131.6	552.6
Male-----	11.1	-	-	-	0.0	0.1	0.7	2.9	19.5	96.9	209.5	544.0
Female-----	10.7	-	-	-	-	-	0.1	2.2	14.4	75.0	177.3	559.1
Other diseases of circulatory system (451-488)-----	15.1	0.8	0.2	0.2	1.1	2.4	5.1	11.3	30.4	79.2	133.1	225.6
Male-----	18.2	1.0	0.2	0.2	0.7	1.7	4.5	14.1	43.8	116.2	177.9	250.9
Female-----	12.2	0.6	0.1	0.2	1.5	3.0	5.5	8.7	18.2	49.6	101.4	210.3
White-----	15.2	0.7	0.1	0.1	0.9	1.8	4.0	10.1	28.9	77.2	135.2	235.6
Male-----	18.6	1.0	0.2	0.1	0.6	1.4	3.7	12.9	42.8	115.5	182.1	282.1
Female-----	11.9	0.3	0.0	0.2	1.2	2.2	4.3	7.5	16.3	46.7	102.4	216.5
Nonwhite-----	14.6	1.3	0.2	0.4	2.7	6.6	13.2	22.4	45.1	103.0	107.6	154.3
Male-----	15.3	1.0	0.									

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Major cardiovascular-renal diseases-Con.</b>												
<b>Chronic and unspecified nephritis and other renal sclerosis (592-594)</b>												
-----	5.0	0.6	0.2	0.3	1.2	1.8	3.4	5.9	9.7	17.7	33.9	86.9
Male-----	5.7	0.7	0.2	0.3	1.4	2.1	4.0	7.0	12.3	21.8	44.5	106.1
Female-----	4.4	0.5	0.2	0.3	1.0	1.6	2.9	4.8	7.3	14.5	28.4	74.0
White-----	4.3	0.6	0.2	0.3	1.0	1.3	2.4	4.3	7.5	15.0	31.5	83.3
Male-----	5.0	0.7	0.1	0.3	1.2	1.7	3.0	5.4	10.1	18.6	40.6	103.5
Female-----	3.7	0.4	0.2	0.3	0.9	0.9	1.8	3.2	5.1	12.1	25.2	71.3
Nonwhite-----	10.1	0.8	0.2	0.3	2.1	5.5	11.7	20.2	31.9	50.7	62.7	119.8
Male-----	11.0	0.7	0.3	0.4	2.2	4.9	12.9	21.9	34.5	58.2	88.9	144.0
Female-----	9.3	1.0	0.2	0.2	2.0	6.1	10.8	18.8	29.5	44.3	41.8	101.5
Influenza and pneumonia, except pneumonia of newborn (480-495)	28.8	161.5	9.2	1.7	2.3	3.2	7.1	14.3	29.6	85.2	270.0	971.1
Male-----	33.0	179.6	10.3	1.8	2.7	3.6	9.0	19.6	41.7	123.6	351.4	1,096.7
Female-----	24.7	142.5	8.1	1.6	1.8	2.9	5.4	9.3	18.5	55.0	212.6	694.2
White-----	27.5	115.0	6.7	1.5	2.0	2.3	5.1	11.6	26.4	79.1	271.8	1,023.9
Male-----	31.1	131.6	7.3	1.6	2.4	2.4	6.3	15.7	37.5	114.2	352.7	1,166.7
Female-----	24.0	97.6	6.2	1.4	1.6	2.1	3.9	7.7	16.3	51.2	215.3	938.4
Nonwhite-----	38.1	385.8	21.8	2.8	4.1	10.4	23.6	39.3	61.5	157.1	248.0	489.3
Male-----	47.2	414.4	25.6	2.7	5.1	12.4	31.8	58.1	84.1	222.5	337.2	660.0
Female-----	29.7	356.8	18.0	3.0	3.2	8.6	16.6	22.6	40.6	101.6	177.3	451.6
Influenza (480-485)	0.7	2.2	0.2	0.1	0.0	0.1	0.1	0.3	0.6	2.2	7.9	32.8
Male-----	0.7	2.0	0.2	0.1	0.1	0.1	0.1	0.3	0.7	2.4	7.9	29.1
Female-----	0.8	2.5	0.2	0.0	0.0	0.0	0.1	0.2	0.5	2.1	8.0	35.1
White-----	0.7	1.0	0.1	0.1	0.0	0.1	0.1	0.2	0.5	1.9	7.9	34.0
Male-----	0.6	0.8	0.1	0.1	0.1	0.1	0.1	0.3	0.7	2.3	8.0	31.1
Female-----	0.8	1.3	0.1	0.1	0.0	0.0	0.1	0.2	0.4	1.7	7.8	35.7
Nonwhite-----	1.0	8.1	0.6	0.1	0.1	0.1	0.2	0.6	1.5	5.4	8.7	22.4
Male-----	0.9	7.8	0.7	0.1	0.1	0.2	0.2	0.7	1.0	4.6	7.0	14.0
Female-----	1.1	8.3	0.5	-	0.0	-	0.3	0.5	1.9	6.1	10.0	28.8
Pneumonia, except pneumonia of newborn (490-495)	28.0	159.3	9.0	1.7	2.2	3.2	7.0	14.1	28.9	85.0	262.1	939.3
Male-----	32.3	177.6	10.0	1.7	2.7	3.5	8.9	19.4	41.0	120.4	343.5	1,069.5
Female-----	23.9	140.2	8.0	1.6	1.8	2.9	5.2	9.1	18.0	52.9	204.6	659.1
White-----	26.7	114.0	6.6	1.5	2.0	2.2	5.0	11.4	25.9	77.2	264.0	990.0
Male-----	30.4	130.8	7.2	1.6	2.3	2.5	6.2	15.4	36.8	112.0	344.7	1,135.6
Female-----	23.2	96.4	6.1	1.4	1.6	2.1	3.8	7.8	15.9	49.5	207.5	702.7
Nonwhite-----	37.2	377.8	21.2	2.8	4.1	10.3	23.3	38.7	59.8	151.7	239.3	475.9
Male-----	46.3	406.5	24.9	2.9	5.0	12.2	31.6	57.4	85.0	217.9	330.2	546.0
Female-----	28.6	348.5	17.5	3.0	3.2	8.6	16.3	22.1	38.6	95.5	167.3	422.7
Bronchitis (500-502)	3.2	8.9	1.4	0.2	0.1	0.2	0.6	1.9	6.6	15.5	25.6	42.8
Male-----	4.8	10.9	1.5	0.2	0.2	0.2	0.7	2.8	10.8	29.3	47.3	62.3
Female-----	1.6	6.8	1.2	0.2	0.1	0.2	0.5	1.1	2.9	5.3	10.2	30.9
White-----	3.3	7.0	1.3	0.1	0.1	0.2	0.5	1.9	6.8	15.9	26.7	46.0
Male-----	5.0	9.4	1.5	0.2	0.2	0.2	0.5	2.7	11.0	29.1	49.5	67.4
Female-----	1.7	4.4	1.1	0.1	0.1	0.2	0.5	1.1	3.0	5.4	10.7	35.1
Nonwhite-----	2.2	16.1	1.6	0.2	0.2	0.5	1.3	2.3	5.1	11.1	12.0	14.7
Male-----	3.1	18.3	1.5	0.1	0.2	0.5	1.8	4.1	8.4	18.8	22.6	22.0
Female-----	1.4	17.9	1.6	0.3	0.2	0.5	0.8	0.7	2.0	4.5	3.6	9.1
Other bronchopulmonary diseases (525-527)	14.8	33.9	0.9	0.2	0.3	0.5	2.1	9.1	35.6	86.6	120.3	140.8
Male-----	24.4	37.0	0.9	0.2	0.3	0.6	2.8	13.6	61.8	167.3	256.9	250.7
Female-----	5.7	30.6	0.8	0.2	0.2	0.5	1.5	4.9	11.8	22.0	37.8	68.6
White-----	15.6	26.1	0.7	0.2	0.2	0.4	1.9	8.8	36.4	89.3	125.2	147.9
Male-----	25.8	30.0	0.7	0.2	0.3	0.4	2.5	13.0	63.4	172.9	248.0	274.5
Female-----	8.9	22.1	0.6	0.2	0.2	0.5	1.3	4.9	11.9	22.6	39.3	72.0
Nonwhite-----	9.3	71.2	1.9	0.3	0.4	1.2	4.2	11.7	27.2	55.3	60.0	77.6
Male-----	14.1	77.2	2.2	0.3	0.5	1.6	5.7	19.5	46.0	105.4	111.6	134.0
Female-----	4.7	71.1	1.7	0.3	0.3	0.9	2.9	4.8	10.0	14.5	19.1	34.8
Ulcer of stomach and duodenum (540,541)	5.0	1.6	0.1	0.0	0.2	0.5	1.8	4.9	11.5	22.3	41.8	80.2
Male-----	7.0	1.8	0.1	0.0	0.3	0.7	2.6	7.3	18.7	36.6	63.0	110.5
Female-----	3.0	1.4	0.1	0.0	0.1	0.3	1.0	2.6	5.0	10.8	26.3	61.8
White-----	5.1	1.2	0.1	0.0	0.1	0.4	1.6	4.6	11.4	22.5	42.5	85.0
Male-----	7.2	1.5	0.1	0.0	0.2	0.8	2.3	6.8	18.7	37.1	64.6	118.4
Female-----	3.1	0.9	0.0	0.0	0.1	0.2	0.9	2.6	4.8	10.9	26.9	64.9
Nonwhite-----	3.7	3.3	0.2	0.1	0.4	1.1	3.8	7.3	12.5	19.1	30.0	37.9
Male-----	5.3	2.9	0.2	0.1	0.4	1.5	5.7	12.1	18.8	30.0	44.2	49.0
Female-----	2.2	3.7	0.2	0.1	0.3	0.7	2.2	3.0	6.8	9.8	18.7	30.3
Appendicitis (550-553)	0.8	0.3	0.2	0.2	0.2	0.2	0.4	0.8	1.4	2.8	6.2	8.5
Male-----	1.0	0.4	0.2	0.2	0.2	0.3	0.6	1.0	2.1	3.7	8.6	10.5
Female-----	0.6	0.2	0.2	0.2	0.2	0.1	0.2	0.5	0.8	2.0	4.5	7.3
White-----	0.7	0.2	0.2	0.2	0.1	0.2	0.3	0.6	1.3	2.6	6.1	9.1
Male-----	0.9	0.4	0.1	0.2	0.1	0.3	0.4	0.9	1.9	3.5	8.3	11.6
Female-----	0.6	0.1	0.2	0.2	0.1	0.2	0.4	0.7	1.9	4.5	7.6	11.6
Nonwhite-----	1.1	0.7	0.3	0.3	0.5	0.3	1.0	1.9	3.1	5.1	7.3	3.4
Male-----	1.4	0.7	0.4	0.3	0.4	0.3	1.8	2.7	3.9	6.5	11.6	2.0
Female-----	0.8	0.7	0.2	0.2	0.6	0.2	0.3	1.2	2.4	3.9	4.0	4.5
Hernia and intestinal obstruction (580,561,570)	5.0	19.4	0.4	0.1	0.2	0.4	1.1	2.8	7.4	20.4	50.0	112.4
Male-----	4.6	22.3	0.6	0.2	0.3	0.3	1.1	2.7	8.0	21.7	50.1	101.1
Female-----	5.3	16.3	0.2	0.1	0.2	0.4	1.2	2.9	6.8	19.3	50.0	119.5
White-----	5.0	19.3	0.4	0.1	0.2	0.3	0.9	2.4	6.7	19.7	51.0	119.4
Male-----	4.5	21.8	0.6	0.1	0.2	0.2	0.8	2.2	7.3	20.7	50.5	107.3
Female-----	5.4	16.8	0.2	0.1	0.1	0.3	1.0	2.5	6.2	18.9	51.3	126.6
Nonwhite-----	4.7	19.4	0.5	0.2	0.6	1.0	2.9	6.3	13.7	28.5	39.9	50.0
Male-----	5.2	24.5	0.6	0.2	0.7	1.1	3.5	6.8	15.0	33.3	46.2	52.0
Female-----	4.2	14.3	0.4	0.2	0.4	0.6	2.4	5.9	12.6	24.4	33.1	49.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (545,571,572)	3.8	29.1	1.9	0.2	0.3	0.6	1.1	2.3	5.4	12.8	29.4	74.6
Male-----	3.6	32.0	2.1	0.2	0.3	0.6	1.2	2.6	6.4	12.7	27.2	63.0
Female-----	4.0	26.1	1.7	0.2	0.3	0.6	1.0	2.1	4.5	12.8	30.9	81.6
White-----	3.7	17.2	1.5	0.2	0.3	0.6	1.0	2.3	5.4	12.9	30.2	79.0
Male-----	3.4	18.0	1.7	0.2	0.3	0.6	1.1	2.6	6.5	13.0	27.9	65.4
Female-----	4.0	16.3	1.3	0.2	0.3	0.6	0.9	2.1	4.3	12.8	31.9	87.1
Nonwhite-----	4.7	86.8	3.8	0.3	0.4	0.8	1.9	2.4	6.1	12.2	18.7	35.3
Male-----	5.3	100.7	4.2	0.5	0.4	0.9	2.2	3.1	5.6	11.8	19.6	44.0
Female-----	4.1	72.8	3.4	0.1	0.4	0.7	1.6	1.7	6.5	12.5	17.9	28.8

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION I - GENERAL MORTALITY

1-27

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Cirrhosis of liver (581)</b>	14.1	1.0	0.1	0.1	0.4	4.0	17.2	34.8	45.7	41.1	27.4	22.8
Male	18.5	1.2	0.1	0.1	0.3	4.7	22.1	45.2	64.8	62.6	40.1	31.4
Female	9.8	0.8	0.2	0.1	0.4	3.4	12.5	25.0	28.2	25.9	18.5	17.6
White	15.7	0.8	0.1	0.1	0.2	2.3	14.0	33.1	45.6	41.3	28.4	24.2
Male	18.2	1.0	0.0	0.1	0.1	3.0	18.1	43.1	65.1	62.7	41.2	32.3
Female	9.4	0.8	0.2	0.1	0.3	1.8	10.0	23.7	27.9	24.2	19.4	19.4
Nonwhite	16.5	1.8	0.2	0.1	1.5	16.4	42.7	49.9	46.4	58.0	15.6	10.3
Male	21.1	2.3	0.2	0.0	1.7	18.2	56.3	64.6	62.4	59.4	27.1	24.0
Female	12.3	1.3	0.2	0.2	1.3	14.7	31.3	36.8	31.8	19.9	6.4	-
<b>Cholelithiasis, cholecystitis, and cholangitis (584,585)</b>	2.2	0.0	0.0	0.0	0.1	0.2	0.3	1.1	3.1	10.5	25.8	57.2
Male	2.0	0.1	0.0	0.0	0.0	0.2	0.2	1.0	3.2	11.6	28.0	55.4
Female	2.4	-	-	-	0.1	0.2	0.4	1.2	3.1	9.7	24.2	58.5
White	2.4	0.0	0.0	0.0	0.1	0.2	0.3	1.0	3.1	10.7	26.8	61.1
Male	2.2	0.1	0.0	0.0	0.0	0.2	0.3	1.0	3.3	12.1	29.4	59.6
Female	2.5	-	-	-	0.1	0.2	0.4	1.1	3.0	9.5	25.0	62.0
Nonwhite	1.2	-	-	-	0.1	0.4	0.4	1.6	3.1	9.1	13.6	22.4
Male	0.8	-	-	-	-	0.2	0.1	0.7	1.8	6.5	13.1	22.0
Female	1.5	-	-	-	0.2	0.5	0.7	2.4	4.2	11.3	13.8	22.7
<b>Acute nephritis, and nephritis with edema including nephrosis (590,591)</b>	0.5	0.5	0.2	0.2	0.2	0.2	0.4	0.6	0.9	1.5	2.3	6.9
Male	0.6	0.7	0.2	0.2	0.2	0.3	0.4	0.7	1.2	1.9	3.3	8.5
Female	0.4	0.4	0.2	0.1	0.2	0.2	0.4	0.5	0.7	1.2	1.6	5.9
White	0.4	0.5	0.2	0.1	0.2	0.1	0.3	0.5	0.8	1.4	2.1	6.3
Male	0.5	0.6	0.2	0.1	0.2	0.2	0.3	0.5	1.0	1.9	3.4	7.8
Female	0.4	0.3	0.2	0.1	0.1	0.2	0.4	0.6	1.1	1.3	1.3	5.4
Nonwhite	1.0	0.8	0.5	0.3	0.4	0.8	1.1	1.7	2.2	2.1	4.0	12.1
Male	1.0	1.0	0.5	0.3	0.5	1.0	0.7	1.8	2.7	2.2	2.5	14.0
Female	1.0	0.7	0.4	0.3	0.3	0.6	1.5	1.7	1.7	2.0	5.2	10.6
<b>Infections of kidney (600)</b>	4.5	0.4	0.1	0.1	0.2	0.6	1.4	3.1	7.3	19.5	46.2	119.2
Male	4.3	0.6	0.1	0.0	0.2	0.5	1.0	2.5	6.9	21.0	55.6	145.5
Female	4.8	0.2	0.1	0.1	0.2	0.7	1.8	3.8	7.7	18.3	39.6	101.7
White	4.2	0.2	0.1	0.1	0.2	0.4	0.9	2.4	5.7	16.8	45.8	122.5
Male	4.1	0.4	0.1	0.0	0.2	0.4	0.7	2.1	5.5	18.4	54.7	150.3
Female	4.4	0.1	0.1	0.1	0.2	0.4	1.0	2.7	5.8	15.5	39.6	105.6
Nonwhite	6.8	1.2	-	0.1	0.2	2.1	5.6	10.1	23.8	52.1	51.1	81.9
Male	6.0	1.6	-	-	0.1	1.4	3.2	6.5	21.0	51.0	65.8	108.0
Female	7.8	0.7	-	0.1	0.3	2.7	7.6	13.4	26.3	53.1	39.4	62.1
<b>Hyperplasia of prostate (610)</b>	1.6	-	-	-	-	-	0.0	0.1	1.0	6.8	22.4	68.2
Male	3.2	-	-	-	-	-	0.0	0.2	2.1	15.3	54.1	179.6
White	1.6	-	-	-	-	-	0.0	0.1	0.8	6.0	21.8	71.1
Male	3.2	-	-	-	-	-	0.0	0.2	1.6	15.4	53.1	189.6
Nonwhite	1.7	-	-	-	-	-	0.0	0.4	3.4	17.1	29.3	45.1
Male	3.5	-	-	-	-	-	0.1	0.9	7.1	37.2	66.3	100.0
<b>Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)</b>	0.5	-	-	0.0	1.1	1.6	1.1	0.1	-	-	-	-
Female	1.0	-	-	0.0	2.1	3.2	2.1	0.1	-	-	-	-
White	0.3	-	-	-	0.7	1.1	0.7	0.0	-	-	-	-
Female	0.6	-	-	-	1.3	2.2	1.4	0.1	-	-	-	-
Nonwhite	1.7	-	-	0.1	3.8	5.3	3.9	0.3	-	-	-	-
Female	3.4	-	-	0.1	7.5	9.9	7.2	0.5	-	-	-	-
<b>Abortion (650-652)</b>	0.1	-	-	-	0.2	0.3	0.1	0.0	-	-	-	-
Female	0.2	-	-	-	0.4	0.5	0.3	0.0	-	-	-	-
White	0.0	-	-	-	0.1	0.1	0.1	-	-	-	-	-
Female	0.1	-	-	-	0.2	0.3	0.2	-	-	-	-	-
Nonwhite	0.4	-	-	-	0.8	1.3	0.5	0.0	-	-	-	-
Female	0.7	-	-	-	1.6	2.5	1.0	0.1	-	-	-	-
<b>Other complications of pregnancy, childbirth, and the puerperium (640-649,660-669)</b>	0.4	-	-	0.0	0.9	1.3	0.9	0.1	-	-	-	-
Female	0.8	-	-	0.0	1.7	2.7	1.8	0.1	-	-	-	-
White	0.3	-	-	-	0.6	1.0	0.6	0.0	-	-	-	-
Female	0.6	-	-	-	1.1	2.0	1.2	0.1	-	-	-	-
Nonwhite	1.4	-	-	0.1	3.0	4.0	3.4	0.2	-	-	-	-
Female	2.7	-	-	0.1	5.9	7.4	6.3	0.4	-	-	-	-
<b>Congenital malformations (750-759)</b>	8.8	329.7	9.7	2.4	2.2	1.6	1.8	2.7	2.9	2.8	3.2	3.9
Male	9.7	349.2	10.0	2.4	2.6	1.7	2.1	3.0	3.2	3.0	4.4	3.8
Female	7.9	307.3	9.4	2.4	1.7	1.5	1.6	2.3	2.7	2.7	2.4	4.0
White	8.5	335.9	9.5	2.4	2.1	1.6	1.8	2.6	2.8	2.9	3.3	4.2
Male	9.3	356.1	9.8	2.4	2.6	1.7	2.1	2.9	3.1	3.0	4.5	4.3
Female	7.6	314.7	9.1	2.3	1.7	1.4	1.6	2.3	2.7	2.8	2.6	4.1
Nonwhite	10.8	293.2	10.8	2.6	2.5	1.8	2.1	3.3	3.7	2.5	1.8	1.7
Male	12.0	314.4	10.9	2.5	2.8	1.7	2.5	4.5	4.3	3.1	3.5	-
Female	9.7	271.8	10.7	2.6	2.1	1.9	1.9	2.4	3.2	2.0	0.4	3.0
<b>Certain diseases of early infancy (760-776)</b>	24.4	1,364.0	0.1	0.0	0.0	0.0	-	-	-	-	-	-
Male	29.2	1,563.3	0.2	0.0	0.0	0.0	-	-	-	-	-	-
Female	19.8	1,156.3	0.1	0.0	0.0	-	-	-	-	-	-	-
White	20.5	1,216.1	0.1	0.0	0.0	-	-	-	-	-	-	-
Male	24.9	1,412.8	0.2	0.0	0.0	-	-	-	-	-	-	-
Female	16.3	1,009.9	0.1	0.0	0.0	-	-	-	-	-	-	-
Nonwhite	52.7	2,076.3	0.1	0.0	-	0.0	-	-	-	-	-	-
Male	60.8	2,296.4	0.1	-	-	0.1	-	-	-	-	-	-
Female	45.1	1,852.5	0.2	0.0	-	-	-	-	-	-	-	-
<b>Birth injuries, postnatal asphyxia, and stelectasis (760-762)</b>	9.8	546.6	0.0	-	-	0.0	-	-	-	-	-	-
Male	11.8	639.0	0.0	-	-	0.0	-	-	-	-	-	-
Female	7.7	450.3	-	-	-	-	-	-	-	-	-	-
White	8.5	502.0	0.0	-	-	-	-	-	-	-	-	-
Male	10.5	585.2	0.0	-	-	-	-	-	-	-	-	-
Female	6.5	404.3	-	-	-	-	-	-	-	-	-	-
Nonwhite	19.3	761.3	-	-	-	0.0	-	-	-	-	-	-
Male	22.6	852.0	-	-	-	0.1	-	-	-	-	-	-
Female	16.3	669.1	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1967-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain diseases of early infancy—Con.												
Infectious of newborn (763-768)-----	1.7	92.4	-	-	-	-	-	-	-	-	-	-
Male-----	1.9	103.7	-	-	-	-	-	-	-	-	-	-
Female-----	1.4	80.6	-	-	-	-	-	-	-	-	-	-
White-----	1.2	73.4	-	-	-	-	-	-	-	-	-	-
Male-----	1.5	84.1	-	-	-	-	-	-	-	-	-	-
Female-----	1.0	62.1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	4.7	184.0	-	-	-	-	-	-	-	-	-	-
Male-----	5.3	199.3	-	-	-	-	-	-	-	-	-	-
Female-----	4.1	168.4	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	13.0	725.0	0.1	0.0	0.0	-	-	-	-	-	-	-
Male-----	15.3	820.5	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	10.7	625.4	0.1	0.0	0.0	-	-	-	-	-	-	-
White-----	10.8	640.7	0.1	0.0	0.0	-	-	-	-	-	-	-
Male-----	13.0	733.4	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	8.8	543.6	0.1	0.0	0.0	-	-	-	-	-	-	-
Nonwhite-----	28.7	1,131.0	0.1	0.0	-	-	-	-	-	-	-	-
Male-----	32.9	1,245.1	0.1	-	-	-	-	-	-	-	-	-
Female-----	24.7	1,015.0	0.2	0.0	-	-	-	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)-----	12.2	74.0	2.4	0.5	1.8	3.4	6.8	12.2	22.5	37.8	67.5	233.9
Male-----	14.9	85.2	2.7	0.5	2.2	3.9	8.2	17.1	32.3	54.1	90.4	259.6
Female-----	9.6	62.4	2.2	0.4	1.4	2.9	5.5	7.5	13.6	24.7	51.3	218.4
White-----	9.2	45.8	1.5	0.3	1.3	2.1	4.5	8.9	17.0	27.0	54.3	204.6
Male-----	11.4	53.7	1.8	0.4	1.6	2.4	5.3	12.9	25.9	40.2	74.1	220.2
Female-----	7.0	35.5	1.3	0.3	1.0	1.8	3.7	5.2	9.0	16.5	40.4	195.3
Nonwhite-----	34.0	219.8	7.3	1.3	4.8	12.9	25.6	41.9	77.3	166.7	228.4	502.6
Male-----	40.3	239.2	8.0	1.1	5.7	15.5	33.1	57.3	96.5	215.0	275.4	572.0
Female-----	28.1	200.0	6.7	1.5	3.8	10.5	19.3	26.3	59.8	125.8	191.2	450.0
All other diseases (residual)-----	28.9	52.7	7.6	3.7	5.9	9.4	18.5	31.3	54.6	103.2	183.2	382.5
Male-----	32.4	58.5	7.9	4.0	7.3	10.7	20.9	37.0	68.2	130.6	227.4	418.2
Female-----	25.6	46.6	7.4	3.5	4.5	8.1	16.3	26.0	42.2	81.3	152.0	361.2
White-----	28.0	47.9	7.4	3.7	5.3	6.9	14.7	27.8	51.2	100.1	185.4	399.5
Male-----	31.2	53.4	7.8	4.0	6.8	7.7	16.4	32.6	63.9	126.7	230.2	439.1
Female-----	25.0	42.2	7.0	3.3	4.0	6.2	13.0	23.3	39.7	76.8	154.1	375.8
Nonwhite-----	35.3	75.5	8.9	3.9	9.9	27.1	48.9	83.3	88.3	140.8	155.8	231.0
Male-----	41.3	85.7	8.6	3.8	11.4	33.4	58.6	78.9	111.2	175.4	195.0	252.0
Female-----	29.7	67.1	9.3	4.1	8.5	21.6	40.6	49.4	67.5	111.5	124.7	215.2
Accidents (E800-E962)-----	57.2	77.7	32.4	19.3	67.1	52.0	47.8	54.1	66.0	91.2	189.7	573.8
Male-----	80.5	85.9	38.1	26.5	108.4	85.8	75.4	85.1	99.5	126.8	225.8	561.4
Female-----	34.9	69.2	26.5	11.8	26.7	19.4	21.6	26.9	35.5	62.6	184.3	582.1
White-----	55.6	65.8	28.6	18.0	67.2	49.3	44.0	50.9	62.8	88.1	192.4	609.8
Male-----	77.6	71.4	34.0	24.8	108.2	79.3	68.8	77.3	95.9	121.6	228.2	602.5
Female-----	34.6	55.8	22.9	10.9	27.0	18.1	20.2	25.9	34.5	61.4	167.4	614.2
Nonwhite-----	69.5	145.1	52.0	27.0	66.1	78.8	78.2	84.0	98.0	127.3	156.9	250.0
Male-----	102.4	157.2	59.6	36.8	109.5	136.2	131.9	137.9	155.3	186.2	199.0	236.0
Female-----	36.7	132.9	44.3	17.2	24.5	28.4	32.5	36.1	45.7	77.3	123.5	280.6
Motor vehicle accidents (E810-E835)-----	26.7	9.1	11.2	9.4	48.5	31.6	24.2	25.8	28.9	36.7	45.4	40.1
Male-----	39.4	8.8	12.9	12.0	76.3	50.8	36.7	37.9	41.4	52.0	69.2	70.2
Female-----	14.6	9.3	9.4	6.8	21.3	13.1	12.4	14.4	17.6	24.4	29.5	21.7
White-----	26.6	9.0	10.7	9.0	50.0	30.4	23.2	24.8	28.0	36.0	46.1	44.2
Male-----	39.0	9.0	12.1	11.5	78.4	48.5	34.7	36.1	39.6	50.1	70.3	74.5
Female-----	14.7	9.1	9.2	6.5	22.1	12.8	12.1	14.0	17.5	24.8	29.1	22.8
Nonwhite-----	27.7	9.2	13.7	11.7	38.4	40.4	32.4	34.9	37.7	44.8	36.9	21.6
Male-----	42.6	7.8	17.0	14.7	61.6	68.7	53.9	54.4	59.3	74.6	57.3	36.0
Female-----	13.8	10.6	10.4	8.7	16.1	15.7	14.1	17.7	17.9	19.5	20.7	10.6
Other accidents (E800-E902, E840-E962)-----	30.4	66.7	21.3	9.9	18.6	20.3	23.6	26.4	37.1	54.5	144.4	533.6
Male-----	41.1	77.1	25.3	14.5	32.1	35.0	38.7	45.2	58.1	74.8	156.8	491.3
Female-----	20.3	59.8	17.1	5.1	5.4	6.2	9.3	12.6	17.9	38.2	135.7	580.4
White-----	29.0	54.7	17.9	9.0	17.3	17.9	20.8	26.1	34.7	52.1	146.4	567.6
Male-----	38.6	62.4	21.9	13.3	29.8	30.8	34.1	41.2	54.3	71.6	157.9	528.0
Female-----	19.9	46.7	13.7	4.5	4.9	5.3	8.0	11.9	18.9	36.6	138.3	591.4
Nonwhite-----	40.7	135.9	38.3	15.3	27.7	38.3	45.8	49.0	60.3	82.5	120.0	228.4
Male-----	59.8	149.3	42.6	22.1	47.9	67.5	78.1	85.6	95.9	111.6	141.7	200.0
Female-----	22.9	122.3	34.0	8.5	8.4	12.7	18.4	18.4	27.8	57.8	102.8	250.0
Suicide (E963, E970-E979)-----	10.8	...	...	0.3	7.0	12.4	16.6	19.5	22.4	19.8	21.0	22.7
Male-----	15.7	...	...	0.5	10.5	17.2	22.9	27.5	34.4	32.9	41.3	50.9
Female-----	6.1	...	...	0.1	3.5	7.6	10.7	12.1	11.5	9.4	6.6	5.5
White-----	11.6	...	...	0.3	7.1	12.5	17.6	20.9	23.8	20.9	22.1	24.7
Male-----	16.8	...	...	0.5	10.8	17.2	23.8	29.2	36.5	34.6	43.8	56.3
Female-----	6.5	...	...	0.1	3.4	7.9	11.5	13.0	12.3	9.9	6.9	5.7
Nonwhite-----	5.0	...	...	0.2	6.1	11.4	9.1	7.3	8.1	7.4	6.9	5.2
Male-----	7.6	...	...	0.2	8.2	17.7	14.7	11.6	13.3	12.3	12.6	8.0
Female-----	2.7	...	...	0.1	4.0	5.9	4.2	3.5	3.3	3.3	2.4	3.0
Homicide (E964, E980-E985)-----	6.8	6.4	1.1	0.7	9.1	14.6	12.1	8.2	5.6	4.2	3.2	3.8
Male-----	10.6	6.8	1.1	0.7	14.3	23.6	19.2	13.1	9.3	7.1	4.6	4.7
Female-----	3.2	6.0	1.1	0.7	4.0	5.9	5.5	3.6	2.2	1.9	2.2	3.3
White-----	3.6	5.1	0.9	0.5	4.2	6.6	5.9	4.5	3.5	3.0	2.9	3.6
Male-----	5.3	5.6	0.9	0.5	6.3	10.4	8.8	6.9	5.7	5.0	3.8	4.3
Female-----	1.9	4.7	0.9	0.5	2.2	2.8	3.2	2.3	1.5	1.5	2.3	3.2
Nonwhite-----	30.1	12.4	2.3	1.9	42.2	73.6	61.8	41.8	26.4	18.4	6.7	6.0
Male-----	49.6	12.4	2.0	2.4	69.6	126.5	107.5	71.7	45.2	32.1	13.6	8.0
Female-----	11.9	12.3	2.5	1.5	16.0	27.1	23.0	15.2	9.2	6.8	1.2	4.5

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - GENERAL MORTALITY

1-29

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1967:

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England <sup>1</sup>	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	8.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.5	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	18.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

<sup>1</sup>Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

## SECTION 1 - GENERAL MORTALITY

Table 1-II. Death Rates: United States, Each Division and State, 1958-67

[Rates per 1,000 population in each area]

Division and State	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958
United States	9.4	9.5	9.4	9.4	9.6	9.5	9.3	9.5	9.4	9.5
<b>Geographic divisions:</b>										
New England <sup>1</sup>	10.3	10.3	10.5	9.8	10.4	10.5	10.4	10.6	10.4	10.8
Middle Atlantic	10.2	10.4	10.3	10.4	10.6	10.4	10.4	10.5	10.4	10.4
East North Central	9.5	9.7	9.6	9.6	9.8	9.6	9.4	9.6	9.5	9.6
West North Central	10.1	10.3	10.2	10.2	10.3	10.1	9.9	10.1	10.0	10.1
South Atlantic	9.1	9.2	9.1	9.0	9.2	9.0	8.8	9.1	8.8	8.9
East South Central	9.4	9.6	9.5	9.5	9.8	9.5	9.2	9.5	9.3	9.7
West South Central	8.6	8.7	8.6	8.6	8.8	8.7	8.4	8.7	8.4	8.6
Mountain	7.9	7.9	7.8	7.9	8.0	7.8	7.7	8.1	8.0	8.0
Pacific	8.3	8.5	8.4	8.5	8.5	8.4	8.4	8.7	8.5	8.6
<b>New England:</b>										
Maine	11.4	11.1	11.0	11.0	11.2	11.2	10.8	11.1	11.3	11.1
New Hampshire	10.6	10.5	10.9	10.8	11.1	10.8	10.9	11.0	11.3	11.3
Vermont	10.9	11.1	11.4	11.4	11.4	11.1	11.1	11.4	11.3	11.3
Massachusetts <sup>2</sup>	10.7	10.7	11.0	9.6	10.5	10.8	10.8	11.0	10.7	11.3
Rhode Island	10.4	10.5	10.9	10.5	10.8	10.5	10.3	10.5	10.3	10.3
Connecticut	8.9	9.1	9.1	9.1	9.5	9.4	9.2	9.4	9.3	9.6
<b>Middle Atlantic:</b>										
New York	10.2	10.3	10.2	10.3	10.5	10.4	10.5	10.6	10.6	10.5
New Jersey	9.4	9.6	9.6	9.6	9.8	9.7	9.7	9.8	9.7	9.8
Pennsylvania	10.8	11.0	10.9	10.8	11.1	10.9	10.6	10.7	10.6	10.7
<b>East North Central:</b>										
Ohio	9.4	9.6	9.6	9.5	9.8	9.6	9.4	9.6	9.4	9.6
Indiana	9.6	9.9	9.8	9.7	10.1	9.7	9.5	9.7	9.6	9.7
Illinois	10.1	10.4	10.2	10.1	10.4	10.2	10.1	10.2	10.1	10.3
Michigan	8.8	8.9	8.9	8.8	9.0	8.8	8.6	8.7	8.6	8.6
Wisconsin	9.5	9.7	9.7	9.5	9.8	9.5	9.3	9.7	9.6	9.7
<b>West North Central:</b>										
Minnesota	9.2	9.3	9.1	9.4	9.3	9.1	9.0	9.3	9.2	9.3
Iowa	10.5	10.8	10.7	10.6	10.6	10.4	10.2	10.4	10.4	10.3
Missouri	11.0	11.5	11.2	11.1	11.5	11.2	10.9	11.2	11.0	11.2
North Dakota	8.5	8.9	8.5	8.6	8.5	8.5	8.2	8.6	8.6	8.6
South Dakota	9.5	9.7	9.5	9.4	9.4	9.3	9.1	9.7	9.4	9.5
Nebraska	10.1	10.2	10.2	10.1	10.0	9.8	9.7	10.0	9.9	9.9
Kansas	9.6	9.8	9.7	9.8	10.0	9.8	9.6	9.7	9.5	9.5
<b>South Atlantic:</b>										
Delaware	8.8	9.3	9.0	8.7	9.2	9.1	8.9	9.4	9.0	9.5
Maryland	8.4	8.8	8.7	8.5	9.0	8.8	8.8	9.0	8.8	9.1
District of Columbia	10.9	11.4	11.2	11.5	11.7	11.4	11.4	11.5	11.6	11.6
Virginia	8.2	8.3	8.4	8.4	8.6	8.5	8.3	8.7	8.4	8.5
West Virginia	10.7	10.8	10.6	10.3	10.7	10.2	9.8	9.7	9.5	9.6
North Carolina	8.4	8.5	8.4	8.3	8.5	8.3	8.0	8.4	8.0	8.2
South Carolina	8.4	8.6	8.5	8.5	8.7	8.3	8.3	8.7	8.4	8.6
Georgia	8.5	8.6	8.7	8.7	9.0	8.8	8.5	9.0	8.6	8.8
Florida	10.6	10.5	10.3	10.1	10.1	9.8	9.4	9.7	9.2	9.4
<b>East South Central:</b>										
Kentucky	10.0	9.9	9.8	9.7	10.2	9.8	9.6	9.9	9.6	9.9
Tennessee	9.2	9.3	9.1	9.2	9.5	9.2	9.0	9.2	9.0	9.3
Alabama	9.0	9.4	9.3	9.3	9.5	9.3	8.9	9.3	9.0	9.3
Mississippi	9.6	10.0	9.8	9.8	10.2	10.0	9.5	10.0	9.8	10.3
<b>West South Central:</b>										
Arkansas	9.9	9.9	9.9	10.0	10.3	10.1	9.6	10.0	9.6	9.9
Louisiana	8.7	9.0	9.0	9.0	9.1	9.0	8.7	9.1	8.8	9.2
Oklahoma	10.0	10.1	9.7	9.8	10.0	9.9	9.6	9.8	9.6	9.6
Texas	8.0	8.1	7.9	8.0	8.1	8.0	7.7	8.1	7.8	7.9
<b>Mountain:</b>										
Montana	9.4	9.8	9.4	9.8	9.4	9.2	9.2	9.7	9.8	9.4
Idaho	8.4	8.6	8.6	8.5	8.5	8.0	8.1	8.1	8.3	8.1
Wyoming	8.8	9.1	8.5	8.5	8.5	8.3	7.9	8.5	8.2	8.1
Colorado	8.3	8.3	8.3	8.5	8.4	8.5	8.3	8.7	8.7	8.7
New Mexico	6.9	6.8	6.7	6.8	6.9	6.7	6.6	6.9	6.7	6.9
Arizona	7.9	7.9	7.6	7.8	7.8	7.6	7.5	7.8	7.6	7.6
Utah	6.4	6.8	6.7	6.6	6.8	6.6	6.5	6.8	6.8	6.9
Nevada	7.5	7.2	7.4	7.5	7.5	7.8	8.4	8.9	8.6	8.6
<b>Pacific:</b>										
Washington	9.5	9.8	9.2	9.5	9.3	9.3	9.2	9.3	9.3	9.2
Oregon	9.5	9.7	9.4	9.6	9.7	9.5	9.4	9.5	9.6	9.0
California	8.2	8.3	8.3	8.4	8.4	8.3	8.3	8.6	8.3	8.5
Alaska <sup>3</sup>	4.7	4.8	5.0	5.8	5.4	5.4	5.4	5.8	5.1	5.2
Hawaii <sup>3</sup>	5.2	5.2	5.1	5.1	5.4	5.1	5.2	5.6	5.4	5.3

<sup>1</sup>Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.<sup>2</sup>Figure for 1958 is by place of occurrence.<sup>3</sup>Figures for 1958 and 1959 are by place of occurrence.

## SECTION 1 - GENERAL MORTALITY

1-31

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1967

[Rates per 100,000 population in each area]

Division and State	Number							Rate					
	Total <sup>1</sup>	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total <sup>1</sup>	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	1,051,323	92,534	35,061	120,363	459,203	1,135,575	587	935.7	402.2	59.9	209.6	1,143.5	6,042.5
<b>Geographic divisions:</b>													
New England	116,451	4,620	1,627	5,017	26,671	77,650	58	1,020.6	420.1	51.0	170.3	1,097.6	6,333.8
Middle Atlantic	378,709	15,586	5,140	23,209	96,423	238,219	132	1,024.4	467.2	51.3	207.1	1,156.2	6,310.4
East North Central	371,581	18,043	6,888	24,229	90,578	231,804	48	949.8	472.8	58.4	204.6	1,123.0	6,314.5
West North Central	160,466	6,525	2,895	8,402	32,909	109,700	35	1,005.4	431.5	60.6	182.5	1,009.5	5,920.1
South Atlantic	267,413	15,858	5,847	25,167	74,053	148,358	130	907.1	536.5	65.6	242.1	1,326.9	5,786.2
East South Central	122,247	7,577	2,831	9,572	30,419	71,787	61	942.5	584.2	70.8	236.8	1,225.6	6,007.3
West South Central	162,893	10,071	3,870	12,859	40,607	95,364	22	857.6	616.2	66.0	218.7	1,132.1	5,669.7
Mountain	61,219	3,988	1,645	5,136	14,892	35,526	32	785.3	474.8	65.2	212.4	1,049.5	5,675.1
Pacific	210,334	10,258	4,318	15,872	52,651	127,167	68	833.0	427.1	58.2	193.4	1,054.9	5,777.7
<b>New England:</b>													
Maine	11,092	447	191	540	2,377	7,497	10	1,140.0	481.8	65.9	192.2	1,206.6	6,519.1
New Hampshire	7,287	295	116	357	1,581	4,925	3	1,082.2	440.3	58.6	169.2	1,152.9	6,396.1
Vermont	4,526	184	93	274	907	3,108	-	1,085.4	473.2	75.0	179.2	1,082.8	6,612.8
Massachusetts	58,020	2,204	709	2,780	13,244	39,049	54	1,070.3	428.0	47.0	172.1	1,124.3	6,339.1
Rhode Island	9,361	352	114	433	2,147	6,333	2	1,042.3	414.1	46.2	158.6	1,085.4	6,397.0
Connecticut	26,145	1,106	404	1,483	6,405	16,738	9	885.8	403.8	49.1	163.0	1,003.9	6,153.7
<b>Middle Atlantic:</b>													
New York	186,911	7,846	2,459	12,126	47,208	117,208	64	1,019.4	469.0	51.0	220.5	1,143.9	6,168.8
New Jersey	65,866	2,918	925	4,135	17,167	40,670	51	940.5	456.7	47.6	188.0	1,110.4	6,228.2
Pennsylvania	125,932	4,822	1,756	6,948	32,048	80,341	17	1,082.9	470.9	54.0	198.2	1,201.6	6,574.5
<b>East North Central:</b>													
Ohio	98,579	4,425	1,767	6,347	24,022	62,010	8	942.6	444.3	55.7	197.4	1,120.4	6,466.1
Indiana	47,886	2,428	978	3,005	10,927	30,589	9	957.7	466.6	64.9	196.3	1,093.6	6,442.8
Illinois	110,105	5,362	1,617	7,531	27,618	67,554	25	1,010.8	509.2	57.8	229.6	1,183.2	6,370.0
Michigan	75,382	4,109	1,534	5,425	19,285	48,022	9	878.2	483.4	57.0	207.0	1,121.1	6,201.4
Wisconsin	39,639	1,719	792	1,921	6,528	26,678	-	946.3	411.2	62.0	160.6	1,000.9	5,902.4
<b>West North Central:</b>													
Minnesota	32,949	1,489	701	1,671	6,829	22,256	3	919.8	414.8	62.2	162.4	956.4	5,634.4
Iowa	28,876	1,075	474	1,286	5,554	20,485	2	1,048.9	416.7	57.7	165.9	969.3	5,954.9
Missouri	50,620	1,982	803	2,912	11,155	33,742	26	1,099.7	475.3	61.5	213.8	1,154.8	6,283.4
North Dakota	5,400	274	114	281	1,133	3,597	1	945.1	421.5	56.4	158.8	913.7	5,620.3
South Dakota	6,372	302	160	308	1,203	4,397	2	945.4	431.4	75.8	174.0	918.3	5,637.2
Nebraska	14,497	580	247	746	2,791	10,133	-	1,010.2	411.3	57.6	184.2	955.8	5,724.9
Kansas	21,752	823	336	1,198	4,244	15,080	1	956.1	407.4	58.1	176.2	922.6	5,648.8
<b>South Atlantic:</b>													
Delaware	4,618	245	102	377	1,204	2,687	3	883.0	453.7	63.4	227.1	1,192.1	6,397.6
Maryland	31,101	1,785	588	2,642	8,876	17,187	3	844.7	476.1	52.7	220.2	1,232.8	6,440.8
District of Columbia	9,810	507	128	1,112	2,890	4,371	2	1,089.0	557.1	60.4	432.7	1,502.8	6,354.8
Virginia	37,236	2,304	803	3,260	10,428	20,422	19	820.9	507.5	58.5	213.8	1,221.1	6,078.0
West Virginia	19,249	859	368	1,186	4,899	11,926	11	1,070.6	533.5	69.0	222.1	1,259.4	6,276.8
North Carolina	42,313	2,872	1,129	4,218	11,685	22,187	32	841.4	573.3	72.5	249.7	1,272.5	5,854.1
South Carolina	21,794	1,677	597	2,303	6,814	10,371	22	838.6	601.1	69.3	265.3	1,507.5	5,892.6
Georgia	39,503	2,711	974	3,744	11,309	19,736	29	853.9	564.8	69.7	257.3	1,360.8	5,639.1
Florida	63,789	2,888	1,158	4,325	15,948	39,461	9	1,064.0	516.6	68.1	230.4	1,407.6	5,144.9
<b>East South Central:</b>													
Kentucky	31,894	1,566	690	2,162	7,466	20,008	2	1,000.1	501.9	71.4	220.2	1,210.0	6,175.3
Tennessee	35,795	1,950	767	2,718	9,093	21,265	2	919.7	521.4	66.3	214.0	1,170.3	5,989.9
Alabama	31,929	2,115	771	2,680	8,508	17,667	48	901.9	595.8	69.9	255.7	1,268.0	5,850.0
Mississippi	22,629	1,946	603	1,672	5,352	12,947	9	963.8	760.2	78.0	272.5	1,283.5	6,086.6
<b>West South Central:</b>													
Arkansas	19,470	978	428	1,192	4,444	12,428	-	899.3	486.6	75.7	205.5	1,142.4	5,598.2
Louisiana	31,735	2,342	850	2,845	9,754	16,940	4	866.6	576.0	71.2	253.1	1,330.4	6,007.1
Oklahoma	24,893	1,022	477	1,549	5,479	16,345	11	977.3	456.3	65.8	196.6	1,070.1	5,879.5
Texas	86,805	5,729	2,115	7,373	21,930	49,651	7	798.6	511.5	62.6	214.8	1,081.4	5,316.8
<b>Mountain:</b>													
Montana	6,571	347	162	478	1,527	4,053	4	937.4	502.9	72.6	237.8	1,098.6	6,049.3
Idaho	5,898	309	143	392	1,264	3,785	5	845.8	454.4	63.3	192.2	915.9	5,914.1
Wyoming	2,775	150	77	189	677	1,672	-	881.0	469.8	76.2	221.1	1,010.4	5,765.5
Colorado	16,354	945	370	1,212	3,668	10,158	1	828.1	487.1	59.7	188.2	975.5	5,759.0
New Mexico	6,825	442	272	754	1,731	3,520	6	690.4	513.6	77.5	258.2	1,018.2	5,500.0
Arizona	12,847	912	361	1,216	3,427	6,920	11	786.2	498.4	68.0	233.4	1,219.6	5,364.3
Utah	8,533	478	183	480	1,804	3,677	3	688.0	406.8	52.1	163.1	895.2	5,533.6
Nevada	3,316	207	77	395	1,094	1,541	2	746.8	398.1	60.6	263.3	1,367.5	5,926.9
<b>Pacific:</b>													
Washington	29,404	1,235	594	1,807	6,894	18,863	11	952.5	434.9	61.7	180.0	1,055.7	6,225.4
Oregon	18,926	754	362	1,166	4,431	12,180	13	946.8	446.2	62.8	192.4	1,059.8	5,827.8
California	156,861	7,752	3,195	12,252	39,890	95,761	41	819.1	423.4	57.8	196.4	1,082.9	5,703.2
Alaska	1,205	217	68	250	375	373	2	472.4	602.8	69.4	266.0	861.5	6,216.7
Hawaii	3,639	300	99	397	1,051	1,990	1	519.4	385.9	39.6	161.5	827.6	5,102.6

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



## SECTION 1 - GENERAL MORTALITY

1-33

United States, Each Division and State, 1967

[of the Seventh Revision of the International Lists, 1965]

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180-191)	Malignant neoplasm of other and unspecified sites (165B,165,190-199)	Leukemia and aplastic (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (280-283)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,582-594)	Diseases of cardiovascular system (350-354,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402,410-443)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	1
50,096	28,217	40,408	14,856	36,761	14,336	16,481	5,013	4,137	35,049	3,460	2,048	1,020,247	1,002,111	202,184	721,268	14,176	573,153	52,697	1
3,604	1,975	2,506	1,033	2,330	854	1,073	366	257	2,238	203	108	85,857	65,328	11,964	47,908	1,019	41,085	2,118	2
12,301	6,820	7,994	3,501	7,457	2,711	3,542	1,144	726	7,706	619	387	213,734	211,879	34,469	162,321	3,726	132,647	11,227	3
11,473	5,959	8,416	3,148	6,992	2,907	3,310	948	784	8,454	672	352	209,544	207,432	40,616	149,750	2,874	121,999	9,319	4
4,218	2,378	3,806	1,289	3,094	1,499	1,517	517	384	3,006	319	121	90,992	90,184	20,188	62,388	1,090	50,939	4,070	5
8,584	5,608	5,770	1,781	5,633	1,921	2,092	740	623	4,598	569	326	141,449	139,787	30,713	96,313	1,627	72,167	9,350	6
5,435	1,458	2,668	801	2,389	971	890	337	269	1,881	246	165	65,456	64,626	16,138	43,511	569	32,705	3,155	7
1,642	1,970	3,677	1,112	3,445	1,291	1,375	599	338	2,951	345	227	84,800	83,636	19,210	58,154	667	44,800	3,810	8
7,221	3,443	4,438	1,737	4,251	1,814	2,154	580	543	3,029	356	259	111,009	110,180	23,118	78,428	1,352	60,526	6,297	10
352	161	265	82	193	80	95	33	26	167	18	7	6,482	6,428	1,267	4,597	69	3,859	295	11
233	112	206	64	145	55	58	29	20	164	13	7	4,131	4,083	813	2,830	57	2,358	184	12
127	63	110	48	71	32	36	16	14	64	6	3	2,559	2,543	490	1,816	35	1,507	121	13
1,771	1,016	1,156	520	1,154	427	540	193	129	1,060	110	58	32,642	32,373	5,775	24,080	558	20,872	1,003	14
294	176	199	81	195	44	96	20	16	274	17	4	5,543	5,494	844	4,220	89	3,783	102	15
827	447	570	238	574	196	248	75	52	509	39	28	14,501	14,407	2,777	10,385	231	8,926	433	16
6,155	3,446	3,879	1,719	3,639	1,326	1,893	576	378	3,523	295	193	104,239	103,375	16,188	80,203	1,876	69,227	3,750	17
2,328	1,202	1,484	607	1,209	515	567	170	115	1,377	94	78	37,632	37,330	5,958	29,903	665	23,542	2,054	18
3,818	1,972	2,631	975	2,609	870	1,082	398	233	2,808	230	116	71,863	71,174	12,325	53,215	1,165	40,878	5,423	19
3,258	1,596	2,285	828	1,791	718	929	271	209	2,419	177	94	84,928	84,430	11,009	39,855	844	30,586	2,665	20
1,413	741	1,090	337	942	375	409	100	124	1,012	97	49	27,195	26,919	6,054	18,335	323	14,066	1,090	21
3,360	1,778	2,428	884	1,945	835	935	279	185	2,005	179	114	64,185	63,591	11,136	47,990	736	39,983	2,888	22
2,422	1,166	1,680	710	1,534	619	712	198	187	2,182	141	70	40,307	39,937	7,841	28,688	658	23,709	1,528	23
1,012	658	923	390	780	360	325	102	79	856	79	25	22,751	22,555	4,576	15,692	313	12,878	1,158	24
854	518	782	303	641	341	390	69	92	634	67	27	18,549	18,434	4,401	12,588	291	10,582	674	25
708	441	628	246	552	275	278	50	40	493	65	14	16,994	16,877	3,745	11,644	158	9,442	836	26
1,683	727	1,079	348	1,024	422	369	97	101	889	84	45	20,410	20,095	6,145	19,224	326	15,606	1,341	27
120	84	133	39	95	52	52	11	10	107	8	3	2,944	2,915	642	2,013	35	1,712	90	28
150	72	162	59	113	84	72	13	22	101	13	8	5,558	5,536	764	2,506	26	2,051	149	29
368	211	338	116	264	162	153	37	27	518	36	11	8,170	8,099	1,820	5,618	110	4,659	372	30
575	325	484	176	405	183	203	40	42	466	46	13	12,367	12,229	2,672	8,495	134	6,886	608	31
162	89	98	35	83	29	37	14	12	142	3	4	2,475	2,444	350	1,908	34	1,267	308	32
1,109	613	715	260	729	224	292	114	64	721	74	48	16,533	16,177	2,414	12,533	236	7,721	2,705	33
293	144	201	69	159	57	78	26	32	170	21	16	4,162	4,110	783	2,929	74	1,858	391	34
1,101	538	780	215	796	294	306	110	85	559	67	39	19,908	19,685	3,977	14,160	185	10,845	1,342	35
645	206	411	125	436	153	159	50	51	275	38	10	10,649	10,558	2,106	7,646	118	6,080	504	36
1,020	518	928	245	672	275	323	131	115	763	87	53	22,505	22,209	5,290	15,266	223	10,981	1,199	37
553	248	459	86	399	155	156	54	44	440	52	37	11,690	11,530	2,988	7,693	97	5,457	586	38
1,077	510	772	209	817	246	248	82	76	584	93	53	20,368	20,062	5,501	12,990	165	9,574	1,008	39
2,473	878	1,408	547	1,353	488	523	159	144	942	134	66	33,359	33,012	7,306	23,188	485	18,603	1,309	40
963	348	636	218	616	247	237	86	93	577	71	29	18,001	17,811	3,933	12,452	175	9,622	934	41
995	484	788	245	688	251	265	92	73	497	65	42	19,757	19,541	5,011	13,076	180	10,470	869	42
846	382	742	202	670	222	255	108	58	575	61	60	16,376	16,134	4,215	10,663	131	7,570	760	43
581	242	502	138	415	151	137	51	45	332	49	44	11,322	11,140	2,977	7,320	83	5,043	592	44
595	196	471	99	438	158	141	67	20	268	41	22	10,940	10,755	2,637	7,342	81	5,730	390	45
1,108	394	651	241	737	239	243	71	84	793	82	55	16,399	16,182	3,374	11,672	113	8,805	618	46
733	302	559	176	571	169	213	56	71	421	55	32	13,644	13,363	3,179	9,202	87	7,552	435	47
3,022	1,088	1,996	596	1,699	726	778	205	163	1,479	169	118	43,917	43,335	10,020	29,316	386	22,713	2,177	48
162	97	153	62	117	39	44	16	19	141	12	7	3,311	3,279	678	2,289	56	1,736	199	49
141	73	126	51	125	49	78	20	24	131	14	6	3,102	3,066	665	2,138	71	1,713	127	50
74	38	62	17	54	29	27	8	4	52	2	2	1,414	1,406	288	984	34	806	54	51
416	229	356	120	327	126	132	58	50	224	34	25	8,352	8,270	1,621	5,747	179	4,669	320	52
155	85	143	40	140	60	55	18	17	113	17	15	2,800	2,745	543	1,924	64	1,493	132	53
447	165	283	85	217	108	115	34	73	237	32	24	5,728	5,654	1,090	4,054	116	3,278	304	54
112	75	138	39	122	55	72	14	10	138	15	18	3,200	3,161	578	2,315	110	1,770	156	55
158	46	74	29	68	22	25	16	6	50	5	4	1,499	1,478	306	1,064	32	621	59	56
958	438	629	248	529	231	328	81	82	502	68	31	16,186	16,065	3,418	11,276	267	9,132	680	57
618	296	407	175	353	169	158	36	50	248	24	20	10,477	10,398	2,344	7,157	144	5,962	519	58
5,481	2,673	3,321	1,282	3,283	1,377	1,589	443	376	2,159	257	189	82,256	81,652	16,945	58,254	1,496	44,401	7,213	69
34	11	24	8	25	8	8	4	2	11	1	10	403							



## SECTION 1 - GENERAL MORTALITY

1-35

United States, Each Division and State, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Cholera, cholerae, cholerae, and cholerae (584-585)	Acute hepatitis, and hepatitis virus etiam including nephritis (580,581)	Infections of kidney (580)	Hypertension of prostate (510)	Deliveries and complications of pregnancy, childbirth, and the puerperium (540-589)	Abortion (580-582)	Other complications of pregnancy, childbirth, and the puerperium (540-589,680-589)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal psychosis, and anaesthetics (760-762)	Infections of newborn (765-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-785)	All other diseases (residual)	Accidents (8800-8862)	Motor vehicle accidents (8810-8855)	Other accidents (8800-8802, 8840-8862)	Suicide (8983,8970-8979)	Homicide (8964,8980-8985)	
4,383	1,005	9,006	3,136	987	160	627	17,328	48,314	19,354	3,269	25,681	24,099	57,165	113,169	52,924	60,245	21,325	13,425	1
277	49	436	167	25	4	21	962	2,504	979	159	1,366	760	3,597	5,496	2,114	3,382	998	307	2
834	187	1,559	620	191	40	151	3,134	8,784	3,666	495	4,623	4,447	11,225	16,739	6,903	9,636	2,972	1,848	3
940	207	1,684	625	199	26	173	3,485	9,783	4,653	598	4,512	2,241	10,544	20,955	10,035	10,920	4,027	2,337	4
487	81	889	348	46	6	40	1,584	3,484	1,410	203	1,871	1,789	4,934	9,932	4,833	5,099	1,692	659	5
602	165	1,637	436	155	23	132	2,630	8,000	2,851	555	4,594	5,063	9,134	18,417	8,793	9,624	3,161	3,262	6
283	81	783	255	109	17	92	1,215	3,504	1,175	295	2,054	4,353	3,556	9,064	4,429	4,635	1,229	1,279	7
428	132	1,066	284	117	11	106	1,643	5,057	1,847	460	2,750	3,190	5,301	12,198	6,124	6,072	1,780	1,934	8
209	42	275	96	38	4	81	737	1,940	649	126	1,166	1,289	3,386	5,501	2,685	2,806	1,137	415	9
413	61	877	307	110	29	81	2,138	5,278	2,124	379	2,775	1,006	6,510	14,868	6,988	7,871	4,311	1,384	10
32	13	53	22	-	-	-	95	242	115	14	113	60	320	612	267	345	117	7	11
15	4	29	12	2	-	2	54	158	59	9	80	79	216	364	168	196	80	13	12
11	3	15	9	-	-	-	41	97	39	7	51	49	138	245	117	128	58	12	13
142	14	202	89	13	3	10	462	1,203	443	76	684	571	1,825	2,664	936	1,729	408	169	14
24	7	31	14	2	-	2	77	193	103	11	79	19	242	367	109	258	59	28	15
53	8	106	41	8	1	7	232	611	220	42	349	182	658	1,244	516	726	274	78	16
423	79	809	318	101	24	77	1,617	4,356	1,828	250	2,278	1,627	4,687	8,184	3,092	5,092	1,415	1,076	17
134	37	261	117	44	12	32	566	1,669	751	100	858	377	1,788	2,909	1,222	1,667	486	307	18
277	71	489	185	46	4	42	951	2,789	1,107	145	1,507	2,443	4,546	5,646	2,589	3,057	1,071	465	19
247	59	466	156	48	3	45	878	2,394	997	151	1,246	821	2,933	5,479	2,490	2,989	1,120	579	20
117	27	214	69	23	-	23	452	1,285	546	74	675	247	1,385	3,085	1,500	1,505	525	230	21
258	68	497	202	74	16	58	959	2,872	1,804	203	865	300	2,694	5,654	2,576	3,078	1,005	828	22
196	38	325	118	46	6	40	817	2,284	941	131	1,212	667	2,273	4,493	2,257	2,226	916	608	23
122	15	182	80	8	1	7	379	818	365	39	514	206	1,199	2,244	1,122	1,122	463	92	24
94	11	134	67	6	1	5	355	784	318	35	431	185	1,070	2,164	1,031	1,133	369	70	25
94	16	91	70	6	1	5	243	591	226	43	322	80	852	1,737	873	864	300	41	26
143	29	256	95	17	3	14	368	1,054	412	64	578	1,211	1,437	2,852	1,345	1,507	540	394	27
24	1	18	12	3	-	3	52	158	54	9	95	25	168	402	209	193	47	3	28
19	6	22	15	3	1	2	60	149	53	7	89	59	202	484	228	256	56	20	29
66	10	65	39	4	-	4	126	321	161	22	138	52	438	934	459	475	136	46	30
47	18	103	48	7	-	7	180	427	186	23	218	187	767	1,359	688	671	254	85	31
10	4	24	8	3	1	2	56	117	47	6	64	17	138	293	136	157	65	40	32
51	13	110	41	16	3	13	381	935	310	58	969	163	982	1,793	785	1,008	329	325	33
13	5	82	13	10	4	6	74	280	80	7	185	212	398	455	156	289	70	174	34
74	21	209	53	21	2	19	377	1,226	434	80	712	508	1,315	2,610	1,186	1,424	556	390	35
39	11	96	35	7	-	7	194	478	198	30	248	501	590	1,234	555	679	200	88	36
70	23	278	68	30	3	27	478	1,431	547	100	784	1,074	1,558	3,398	1,786	1,642	472	567	37
41	18	125	34	15	-	15	219	736	250	58	428	616	655	1,778	813	985	210	298	38
69	28	273	68	28	6	22	374	1,288	425	123	740	584	1,307	2,948	1,561	1,385	455	617	39
135	32	440	116	25	4	21	477	1,481	552	95	844	1,386	2,193	3,910	1,845	2,065	824	763	40
86	16	198	59	12	1	11	300	791	289	55	447	222	892	2,151	1,007	1,144	352	243	41
99	18	210	78	27	6	21	369	972	343	82	547	656	985	2,483	1,284	1,199	407	382	42
69	22	223	66	37	8	29	316	931	319	77	535	1,797	950	2,502	1,218	1,284	401	401	43
39	25	162	52	35	2	31	230	610	224	61	505	1,678	609	1,928	920	1,008	160	253	44
44	21	122	34	3	-	3	173	433	149	41	243	593	540	1,308	639	670	167	166	45
81	25	181	38	58	2	38	342	1,242	458	134	650	227	1,047	2,565	1,211	1,554	299	418	46
88	18	197	65	10	1	9	201	493	175	33	285	642	794	1,722	890	832	265	180	47
215	68	556	149	66	8	58	927	2,689	1,065	252	1,572	1,726	2,920	6,601	3,385	3,216	1,049	1,170	48
15	6	28	13	3	-	3	67	163	45	5	113	213	230	619	331	288	102	32	49
20	3	14	4	4	1	3	53	155	41	10	104	55	210	519	244	275	92	27	50
14	1	14	6	3	-	3	28	91	34	7	50	31	79	249	118	131	63	13	51
49	9	91	17	9	-	9	184	518	189	37	292	175	588	1,247	591	856	330	85	52
32	6	28	9	5	5	5	95	285	88	21	176	322	313	803	387	416	138	70	53
47	7	73	23	2	1	1	168	404	139	31	234	173	533	1,144	579	585	227	111	54
23	6	17	10	3	3	3	101	225	90	7	128	216	301	592	286	306	85	35	55
9	4	10	4	6	2	4	41	99	23	7	69	54	132	328	159	169	100	42	56
46	7	94	31	9	2	7	275	612	241	38	333	244	936	2,013	935	1,078	486	120	57
39	10	78	17	3	-	3	155	339	150	18	171	268	603	1,446	705	741	255	61	58
315	43	672	251	95	27	68	1,605	4,086	1,652	305	2,129	398	4,759	10,852	5,172	5,680	3,464	1,359	59
1	-	2	1	2	-	2	29	86	30	5	61	67	59	254	52	202	43	26	60
12	1	31	7	1	-	1	74	145	51	13	81	29	153	304	134	170	63	18	61

Table 1-14. Death Rates for 60 Selected Causes:  
 [Rates per 100,000 population in each area. Numbers after causes of death are

Division and State	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-009)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-049)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (059)	Whooping cough (058)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum, not specified as secondary (150-156, 157-159)
1 United States	935.7	3.5	3.2	0.3	1.2	0.1	0.0	0.0	0.0	0.3	0.0	0.0	3.0	157.2	3.4	48.2
2 Geographic divisions:																
3 New England	1,028.6	3.2	3.0	0.1	1.7	-	0.0	-	0.0	0.2	0.0	0.0	3.2	184.5	4.3	62.2
4 Middle Atlantic	1,024.4	4.1	3.8	0.3	1.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	2.7	183.4	3.8	60.6
5 East North Central	949.8	3.1	2.8	0.3	1.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	2.6	161.3	3.3	50.1
6 West North Central	1,005.4	2.1	1.9	0.2	1.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	2.6	167.2	3.1	52.5
7 South Atlantic	907.1	3.9	3.5	0.4	1.3	0.1	0.0	0.0	0.0	0.4	0.0	0.1	3.8	143.0	3.6	39.7
8 East South Central	942.5	3.5	3.2	0.4	1.0	0.1	0.0	0.1	0.0	0.5	0.0	0.1	3.5	139.0	3.2	39.8
9 West South Central	857.6	3.9	3.6	0.3	1.4	0.2	0.0	0.1	0.0	0.4	0.0	0.1	3.9	137.7	2.9	36.3
10 Mountain	785.3	3.1	2.7	0.4	1.2	0.2	0.0	0.0	0.0	0.4	0.0	0.2	3.3	119.5	2.0	35.0
11 Pacific	855.0	2.5	2.3	0.2	1.4	0.1	0.0	0.0	0.0	0.5	0.0	0.0	2.4	146.0	3.4	43.4
12 New England:																
13 Maine	1,140.0	2.6	2.5	0.1	0.4	-	0.2	-	0.1	0.6	-	0.2	2.6	192.4	5.3	62.9
14 New Hampshire	1,082.2	1.3	1.2	0.1	2.2	-	-	-	-	0.1	-	-	3.5	193.3	4.2	62.1
15 Vermont	1,085.4	4.8	4.3	0.5	1.7	-	-	-	-	0.2	-	-	2.4	173.3	1.7	35.4
16 Massachusetts	1,070.3	3.7	3.5	0.2	2.2	-	-	-	-	0.1	0.0	-	3.3	192.2	4.5	66.3
17 Rhode Island	1,042.3	3.3	3.2	0.1	1.9	-	-	-	-	0.1	-	-	3.1	189.9	5.6	62.6
18 Connecticut	893.8	2.6	2.5	0.1	1.1	-	-	-	-	0.3	-	-	3.1	165.5	4.2	55.4
19 Middle Atlantic:																
20 New York	1,019.4	4.2	3.9	0.3	1.2	0.0	0.0	0.0	0.0	0.2	-	0.0	2.8	186.4	4.0	62.1
21 New Jersey	940.5	3.7	3.3	0.4	0.5	0.1	0.0	0.0	0.0	0.3	-	-	2.3	175.3	3.5	58.8
22 Pennsylvania	1,082.9	4.2	4.0	0.3	1.6	0.0	0.0	-	0.0	0.2	0.0	0.0	2.8	183.5	3.7	59.8
23 East North Central:																
24 Ohio	942.6	3.2	3.1	0.2	1.2	0.0	0.0	-	0.0	0.2	-	0.0	2.6	163.4	3.6	50.6
25 Indiana	957.7	3.5	3.2	0.3	1.2	0.1	0.0	-	0.0	0.5	0.0	0.0	2.9	155.3	3.1	46.0
26 Illinois	1,010.8	3.5	3.2	0.2	1.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	2.7	168.7	3.5	53.4
27 Michigan	878.2	2.6	2.4	0.2	0.7	-	0.0	-	-	0.3	-	-	2.6	151.5	2.8	45.5
28 Wisconsin	946.3	1.9	1.6	0.3	0.7	0.0	0.0	-	-	0.3	-	-	2.3	164.2	3.3	54.7
29 West North Central:																
30 Minnesota	919.8	1.5	1.3	0.2	0.6	0.0	0.0	-	0.0	0.2	-	-	2.7	163.2	2.8	54.1
31 Iowa	1,048.9	1.5	1.3	0.1	1.0	0.0	0.0	-	-	0.4	-	0.0	2.1	172.3	2.8	55.9
32 Missouri	1,099.7	3.7	3.4	0.3	1.1	0.1	0.0	-	0.0	0.3	-	0.0	3.0	178.3	3.6	52.3
33 North Dakota	845.1	1.4	1.4	-	0.2	-	-	-	-	0.2	-	-	2.7	140.8	2.2	48.7
34 South Dakota	945.4	2.6	1.3	0.3	1.3	-	-	-	-	0.6	-	-	2.7	162.2	1.2	58.3
35 Nebraska	1,010.2	1.0	1.0	0.5	0.5	0.1	-	-	-	0.4	-	-	1.9	173.3	3.6	57.3
36 Kansas	956.1	1.9	1.7	0.2	1.6	-	0.0	-	-	0.0	0.0	0.0	2.6	149.8	3.4	43.0
37 South Atlantic:																
38 Delaware	885.0	4.2	4.0	0.2	1.1	-	-	-	-	0.4	-	-	2.9	146.3	4.4	46.1
39 Maryland	844.7	4.9	4.5	0.5	1.0	0.1	-	-	-	0.4	-	-	3.5	155.0	4.0	42.7
40 District of Columbia	1,089.0	10.8	9.8	1.0	1.1	-	-	-	-	0.5	-	-	4.2	185.0	6.3	59.7
41 Virginia	820.9	3.7	3.3	0.4	1.0	0.1	0.0	-	0.1	0.4	-	0.1	3.6	128.1	3.1	34.5
42 West Virginia	1,070.6	4.7	4.5	0.2	1.9	-	-	-	0.1	0.4	-	0.1	2.2	168.6	3.1	47.8
43 North Carolina	841.4	3.2	2.9	0.4	0.8	0.1	-	-	-	0.5	-	0.1	3.5	115.4	2.6	29.8
44 South Carolina	836.6	3.8	3.5	0.4	1.8	0.2	0.0	0.0	0.0	0.4	-	0.0	3.7	110.5	2.8	28.5
45 Georgia	853.9	3.1	2.8	0.3	1.1	0.3	0.0	0.0	0.0	0.5	-	0.1	4.5	122.5	3.2	33.3
46 Florida	1,064.0	3.3	3.0	0.4	2.0	-	0.0	0.0	-	0.4	0.0	0.0	4.4	186.9	4.9	54.1
47 East South Central:																
48 Kentucky	1,000.1	5.9	5.5	0.4	1.1	-	-	-	0.0	0.4	-	0.1	3.5	151.4	4.0	45.0
49 Tennessee	919.7	5.3	5.1	0.3	0.8	0.1	0.0	0.1	0.0	0.7	-	-	3.0	140.5	3.7	41.4
50 Alabama	901.9	6.9	6.2	0.6	1.2	0.1	0.0	0.1	0.0	0.6	0.0	0.2	3.6	130.5	2.4	34.3
51 Mississippi	963.8	3.4	3.2	0.2	1.0	0.3	0.1	-	0.1	0.3	0.0	0.1	4.1	132.8	3.5	38.2
52 West South Central:																
53 Arkansas	899.3	4.1	3.7	0.4	1.5	0.3	-	0.1	0.1	0.4	-	0.1	3.5	152.0	2.5	42.9
54 Louisiana	866.6	5.1	4.8	0.3	1.6	0.2	0.1	0.1	0.0	0.8	0.0	0.1	4.5	138.9	3.6	37.0
55 Oklahoma	997.3	4.1	3.9	0.2	1.1	0.1	0.0	0.0	-	0.4	-	0.1	3.7	157.6	2.7	45.6
56 Texas	798.6	3.5	3.1	0.3	1.3	0.3	0.1	0.1	0.0	0.3	0.0	0.1	3.6	130.2	2.8	36.2
57 Mountain:																
58 Montana	937.4	2.4	1.9	0.6	2.0	-	-	-	-	0.3	-	-	2.9	142.9	2.6	44.2
59 Idaho	843.8	1.6	1.6	-	1.6	-	-	-	-	0.1	-	-	3.3	131.3	2.1	37.2
60 Wyoming	881.0	2.2	1.6	0.6	2.2	-	-	-	-	0.3	-	-	2.9	130.2	2.2	32.4
61 Colorado	828.1	2.6	2.4	0.3	1.1	0.1	-	-	-	0.2	-	0.2	3.2	125.2	1.6	37.2
62 New Mexico	690.4	4.1	3.7	0.4	1.0	0.3	-	-	0.1	0.5	-	0.7	2.7	100.0	2.1	30.3
63 Arizona	786.2	6.2	5.5	0.7	0.9	0.4	-	-	-	0.4	-	0.2	4.4	125.3	2.6	35.8
64 Utah	658.0	0.3	0.2	0.1	0.7	-	-	-	-	-	-	-	3.2	89.7	0.6	29.5
65 Nevada	746.8	2.9	2.0	0.9	1.1	0.7	-	-	-	0.7	-	-	2.0	122.7	2.9	30.0
66 Pacific:																
67 Washington	952.5	2.5	2.2	0.3	1.4	0.1	0.0	-	-	0.4	-	0.0	2.4	159.5	3.2	47.5
68 Oregon	946.8	2.0	1.8	0.2	0.5	0.1	0.0	0.1	0.1	0.4	-	-	2.1	158.4	3.9	47.3
69 California	819.1	2.5	2.3	0.2	1.5	0.1	0.0	0.0	0.0	0.3	0.0	-	2.5	145.6	3.5	42.9
70 Alaska	472.4	3.7	2.9	0.7	0.7	0.7	-	-	1.1	0.7	-	-	2.9	56.3	0.7	14.0
71 Hawaii	519.4	2.2	1.8	0.4	0.3	-	-	-	-	0.5	-	-	2.7	98.5	4.2	38.4

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1967

category numbers of the Seventh Revision of the International Lists, 1955]

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-175)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (150B,165,180-198)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-205,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-295)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (300-334,400-468,492-594)	Diseases of cardiovascular system (350-354,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402, 410-415)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-415)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
29.4	14.3	20.4	7.4	18.6	7.2	8.3	2.5	2.1	17.7	1.7	1.0	511.5	506.5	102.2	564.5	7.2	289.7	26.6	1
31.8	17.4	22.1	9.1	20.6	7.4	9.5	3.2	2.3	19.8	1.8	1.0	581.7	577.1	105.7	423.2	9.0	362.9	18.7	2
33.5	17.9	21.6	8.9	20.2	7.3	9.6	3.1	2.0	20.9	1.7	1.0	578.2	573.1	93.2	439.1	10.1	358.8	30.4	3
29.5	15.2	21.5	8.0	17.9	7.4	8.5	2.4	2.0	21.6	1.7	0.9	555.1	530.2	103.8	382.9	7.3	311.8	25.8	4
27.7	14.9	22.5	8.1	19.4	9.4	9.5	2.0	2.4	18.8	2.0	0.8	570.1	565.0	126.5	390.9	6.8	319.1	26.5	5
29.1	12.2	19.6	6.2	19.1	6.5	7.1	2.5	2.1	15.6	1.9	1.1	479.8	474.2	104.2	335.5	5.5	244.8	31.7	6
26.1	11.2	20.6	6.2	18.4	6.7	6.9	2.6	2.1	15.3	1.9	1.3	504.7	498.3	124.4	335.5	4.4	252.2	24.3	7
28.7	10.4	19.4	5.9	18.1	6.8	7.2	2.1	1.8	15.5	1.7	1.2	446.5	440.4	101.1	306.1	3.5	235.9	20.1	8
21.1	10.4	17.1	5.7	15.0	6.3	7.0	2.3	2.7	13.9	1.8	1.3	377.2	372.7	74.0	263.1	8.5	208.9	17.3	9
28.6	13.6	17.5	6.9	16.8	7.2	8.5	2.3	2.2	12.0	1.4	1.0	438.7	436.4	81.6	310.6	7.7	239.7	32.9	10
36.2	16.5	27.2	8.4	19.8	8.2	9.8	3.4	2.7	17.2	1.8	0.7	666.2	660.6	130.2	472.5	7.1	394.6	30.3	11
34.0	16.3	30.0	9.3	20.8	9.0	8.5	4.2	2.9	23.9	1.9	1.0	602.2	585.2	118.5	412.5	8.3	343.7	23.9	12
30.5	15.1	26.4	11.5	17.0	7.7	8.6	3.8	3.4	15.3	1.4	1.4	613.4	609.8	117.5	435.5	8.4	361.4	29.0	13
32.7	18.7	21.3	9.6	21.3	7.9	10.0	3.6	2.4	18.6	2.0	1.0	602.1	597.2	106.5	444.2	10.3	381.3	18.5	14
32.7	19.6	22.1	9.0	21.7	4.9	10.7	2.2	1.8	30.4	1.9	0.4	615.9	610.4	93.8	469.9	7.7	420.3	11.3	15
28.3	15.3	19.5	8.1	19.6	6.7	8.5	2.8	1.8	17.4	1.3	1.0	495.8	492.5	94.9	354.4	7.9	305.2	14.8	16
33.6	18.8	21.2	9.4	19.8	7.2	10.5	3.1	2.1	19.2	1.6	1.1	588.5	563.0	80.3	437.4	10.2	372.1	20.5	17
35.2	17.3	21.2	8.7	17.3	7.4	8.1	2.4	1.6	19.7	1.3	1.1	537.4	535.1	85.1	412.7	9.8	336.2	29.3	18
32.8	17.0	22.6	8.4	22.4	7.5	9.3	3.4	2.0	24.1	2.0	1.0	618.0	612.0	106.0	457.6	10.0	351.5	48.6	19
31.2	15.5	21.9	7.9	17.1	6.9	8.9	2.6	2.0	23.1	1.7	0.9	525.2	520.5	105.3	371.5	8.1	292.3	25.5	20
28.3	14.8	21.8	6.7	18.8	7.5	8.2	2.0	2.5	20.2	1.9	1.0	543.9	538.4	121.1	366.7	6.5	297.3	21.6	21
30.9	16.3	22.3	8.1	17.9	7.7	8.6	2.6	1.7	18.4	1.6	1.0	589.0	583.8	102.2	440.5	6.8	367.1	26.5	22
28.2	15.8	19.6	8.3	17.9	7.2	8.3	2.3	2.2	25.4	1.6	0.8	469.6	465.2	91.3	334.2	7.7	276.2	17.8	23
24.2	15.7	22.0	9.3	18.6	8.6	7.8	2.4	1.9	20.0	1.9	0.6	543.1	538.4	109.2	379.4	7.5	307.4	27.6	24
23.3	14.5	21.8	8.5	17.9	9.5	10.9	1.8	2.6	17.7	1.9	0.8	517.8	514.6	122.9	351.4	8.1	295.4	18.8	25
25.7	16.0	22.8	8.9	20.1	10.0	10.1	1.8	2.9	17.9	2.4	0.5	617.3	613.0	136.0	423.0	5.7	343.0	30.4	26
36.1	15.8	23.4	7.6	22.2	9.2	8.0	2.1	2.2	19.3	1.8	1.0	617.2	610.4	133.5	424.2	7.1	339.0	29.1	27
18.8	15.1	20.8	6.1	14.9	8.1	8.1	1.7	1.6	16.7	1.3	0.5	460.7	456.2	100.5	315.0	5.5	267.9	14.1	28
22.3	10.7	24.0	8.8	18.8	9.5	10.7	1.9	3.3	15.0	1.9	1.2	527.9	524.6	113.4	371.9	3.9	304.3	22.1	29
26.6	14.7	23.6	8.2	18.4	11.3	10.7	2.6	2.6	22.0	2.5	0.8	569.3	564.4	126.8	391.5	7.7	324.7	25.9	30
25.3	14.3	21.3	7.7	17.8	8.0	8.9	1.8	1.8	20.5	2.0	0.6	543.6	537.5	117.5	373.4	5.9	302.7	26.7	31
31.0	11.3	18.4	6.7	15.9	5.5	7.1	2.7	2.3	27.2	0.6	0.8	473.2	467.3	66.9	364.8	6.5	242.3	58.5	32
32.3	13.9	19.4	7.1	19.8	6.1	7.7	3.1	1.7	19.6	2.0	1.3	443.6	439.4	65.6	340.4	6.4	209.7	75.5	33
35.0	17.8	24.8	8.5	17.2	7.0	9.8	3.2	4.0	21.0	2.6	2.0	514.5	509.0	96.8	362.1	9.1	229.8	48.3	34
26.0	11.8	17.2	4.7	17.5	6.5	6.7	2.4	1.9	12.3	1.5	0.9	439.9	434.0	87.7	312.2	4.3	234.7	29.6	35
35.9	11.5	22.9	7.0	24.2	8.5	7.7	2.8	2.8	15.3	2.1	0.6	592.3	587.2	117.1	425.3	6.6	337.0	28.0	36
20.9	10.2	18.5	4.9	17.3	5.5	6.4	2.6	2.3	15.2	1.7	1.1	447.5	441.6	105.2	303.6	4.4	218.4	25.8	37
21.3	9.6	17.7	3.3	15.4	6.0	6.0	2.1	1.7	16.9	2.0	1.4	449.8	443.6	114.9	295.0	3.7	210.0	22.5	38
23.9	11.3	17.1	4.6	18.1	5.5	5.5	1.8	1.7	13.0	2.1	1.2	451.7	444.9	122.0	289.1	3.7	212.3	22.4	39
41.3	14.6	23.5	9.1	22.7	8.1	8.7	2.7	2.4	15.7	2.2	1.1	536.4	530.7	121.9	386.9	8.1	310.3	21.8	40
30.2	10.9	19.9	6.8	19.3	7.7	7.4	2.7	2.9	18.1	2.2	0.9	564.5	558.5	123.3	390.5	5.5	301.7	29.3	41
25.6	12.4	20.2	6.3	17.7	6.4	6.8	2.4	1.9	12.8	1.7	1.1	507.6	502.1	129.9	336.0	4.6	269.0	22.3	42
23.9	10.8	21.0	5.7	18.9	6.3	7.1	3.1	1.6	16.2	1.7	1.4	462.6	455.9	113.1	301.2	3.7	213.8	21.5	43
24.7	10.3	21.4	5.8	17.7	6.4	5.8	2.2	1.9	14.1	2.1	1.9	482.2	474.4	126.8	311.8	3.5	214.8	25.2	44
30.2	10.0	23.9	5.0	22.3	8.0	7.2	3.4	1.0	13.6	2.1	1.1	555.9	546.5	134.0	373.1	4.1	291.2	19.3	45
30.3	10.5	17.8	6.6	20.1	6.5	6.6	1.9	2.3	21.4	2.2	1.5	447.8	441.8	92.1	318.7	3.1	240.4	22.3	46
29.4	12.1	22.4	7.1	22.9	6.8	8.5	2.9	2.8	16.9	2.1	1.3	542.8	535.6	127.4	369.8	3.5	308.7	17.4	47
27.8	10.0	18.4	5.5	15.8	6.7	7.2	1.9	1.5	13.6	1.6	1.1	404.1	398.7	92.2	275.3	3.6	209.0	20.0	48
25.1	13.8	21.8	8.8	16.7	5.6	6.3	2.3	2.7	20.1	1.7	1.0	472.3	467.8	96.7	326.5	8.0	247.6	28.4	49
20.2	10.4	18.0	7.3	17.9	7.0	11.2	2.9	3.4	18.7	2.0	0.9	445.8	439.6	95.1	305.9	10.2	245.1	18.2	50
23.5	12.1	19.7	5.4	17.1	9.2	8.6	1.9	1.3	16.5	0.6	0.6	448.9	446.3	91.4	312.4	10.8	255.9	17.1	51
21.1	11.6	18.0	6.1	16.6	6.4	6.7	2.9	2.5	11.3	1.7	1.3	422.9	418.7	82.1	291.0	9.1	236.4	16.2	52
15.5	8.5	14.3	4.0	14.0	6.0	5.5	1.8	2.7	11.3	1.7	1.5	279.2	273.7	54.1	191.8	6.4	148.9	13.2	53
27.4	10.1	17.3	5.2	13.3	6.6	7.0	2.1	4.5	14.5	2.0	1.5	350.6	346.0	66.7	248.1	7.1	200.6	16.6	54
10.9	7.3	13.3	3.8	11.9	5.4	7.0	1.4	1.0	13.5	1.5	1.8	312.5	308.7	56.4	225.1	10.7	172.9	15.2	55
30.4	10.4	16.7	6.5	15.3	5.0	5.6	3.6	1.4	11.3	1.1	0.9	337.6	332.9	68.9	239.6	7.2	184.9	13.3	56
31.0	14.2	20.4	8.0	17.1	7.5	10.6	2.6	2.7	16.3	2.2	1.0	524.3	520.4	110.7	365.3	8.6	296.8	22.0	57
30.9	14.3	20.4	8.8	16.7	8.5	7.9	1.8	2.5	12.4	1.2	1.0	524.1	520.2	117.3	358.0	8.6	298.2	16.0	

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 60 Selected Causes:  
[Rates per 100,000 population in each area. Numbers after causes of death are

Division and State	Other diseases of heart (420-454)	Hypertensive heart disease (440-445)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-460)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-485)	Influenza (460-485)	Pneumonia, except pneumonia of newborn (490-495)	Bronchitis (500-502)	Other bronchopulmonary diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560, 561, 570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (545, 571, 572)	Cirrhosis of liver (581)
1 United States-----	15.8	25.5	5.6	19.0	15.1	5.0	28.8	0.7	28.0	3.2	14.8	5.0	0.8	5.0	3.8	14.1
2 Geographic divisions:																
3 New England:																
4 Maine-----	11.8	20.8	6.9	22.5	18.8	4.7	36.2	0.3	35.9	4.0	15.4	5.9	0.7	5.2	4.0	17.0
5 New Hampshire-----	12.5	27.3	5.8	19.9	18.3	5.0	32.5	0.4	32.1	3.4	12.9	6.0	0.8	5.2	3.9	19.0
6 Vermont-----	14.1	25.6	7.0	22.1	14.6	4.9	26.3	0.9	25.4	3.0	14.8	5.1	0.8	5.0	3.8	13.2
7 Massachusetts-----	17.1	22.4	6.1	25.4	16.2	5.1	32.2	1.4	30.8	3.1	15.2	5.2	0.8	5.6	4.0	9.9
8 Rhode Island-----	19.1	32.3	5.7	15.5	15.3	5.8	29.5	0.9	28.5	2.9	15.3	4.5	0.8	4.7	3.6	12.3
9 Connecticut-----	21.9	32.7	6.4	17.9	14.0	6.4	29.4	1.1	28.3	3.1	15.1	4.0	0.8	4.9	4.2	7.4
10 Middle Atlantic:																
11 New York-----	8.8	25.9	5.4	17.4	15.3	4.7	38.2	0.3	37.8	4.3	12.0	6.5	0.8	4.8	3.9	22.7
12 New Jersey-----	13.4	24.1	4.9	16.1	14.3	4.3	25.5	0.2	25.3	3.0	10.8	5.7	0.8	4.5	4.0	16.3
13 Pennsylvania-----	17.8	31.6	6.2	23.0	19.3	5.9	27.8	0.5	27.3	2.3	15.6	5.6	0.9	6.1	3.9	14.7
14 East North Central:																
15 Ohio-----	14.0	31.7	6.6	21.4	15.7	4.8	23.7	1.1	22.6	3.3	16.2	4.7	0.7	5.4	3.6	12.9
16 Indiana-----	15.2	26.1	6.9	29.8	13.8	5.6	25.3	1.2	24.1	2.3	16.9	5.0	0.9	5.0	4.1	9.9
17 Illinois-----	14.4	25.7	8.9	18.5	13.7	5.3	31.5	0.5	31.0	3.2	13.1	5.7	0.9	4.7	4.0	15.5
18 Michigan-----	13.2	19.3	5.4	20.1	14.2	4.3	23.7	0.9	22.8	3.0	15.2	4.6	0.7	4.6	3.6	14.2
19 Wisconsin-----	14.3	22.7	6.1	27.9	15.8	4.7	25.8	0.8	25.0	2.3	12.3	5.3	1.1	5.7	3.9	9.9
20 West North Central:																
21 Minnesota-----	11.3	17.7	4.9	20.0	15.5	3.2	24.4	0.7	23.7	3.1	11.6	4.2	0.6	4.6	3.0	9.5
22 Iowa-----	18.6	25.3	6.8	30.2	17.1	4.2	31.4	1.3	30.1	3.9	17.2	4.8	1.0	6.6	4.4	9.9
23 Missouri-----	21.7	27.2	7.4	27.3	18.0	6.8	39.8	1.7	38.2	2.7	16.2	5.5	1.0	5.8	4.2	12.1
24 North Dakota-----	14.1	13.5	4.5	22.4	13.8	4.5	42.1	1.1	41.0	2.7	12.1	4.4	0.5	3.8	3.1	5.9
25 South Dakota-----	20.9	20.6	3.4	22.4	15.6	3.3	24.3	1.6	22.7	3.0	12.8	4.9	0.6	5.0	4.2	8.6
26 Nebraska-----	12.7	20.6	5.9	27.2	13.0	4.9	31.4	1.8	29.5	3.8	14.8	6.2	1.3	5.6	4.5	9.8
27 Kansas-----	17.3	20.8	6.1	24.7	15.9	6.1	30.4	2.2	28.2	3.2	18.3	6.1	0.7	6.0	4.3	7.8
28 South Atlantic:																
29 Delaware-----	16.4	41.1	5.7	14.3	15.5	5.9	26.2	0.4	25.8	1.9	16.3	3.1	0.4	4.2	2.3	18.9
30 Maryland-----	13.8	37.0	4.3	13.1	16.0	4.2	24.3	0.4	23.8	2.8	14.5	3.7	0.7	4.5	2.4	17.0
31 District of Columbia-----	12.1	62.7	6.8	15.8	26.8	8.4	45.4	0.9	44.5	3.6	11.4	7.4	1.0	6.3	3.7	40.7
32 Virginia-----	14.4	29.2	5.3	15.9	12.9	4.9	27.4	0.5	26.9	2.7	13.1	3.8	0.7	4.1	3.0	8.8
33 West Virginia-----	20.8	32.8	8.3	21.9	14.6	5.1	35.3	1.1	34.2	4.6	18.0	5.5	1.0	5.8	3.2	10.4
34 North Carolina-----	24.4	32.5	6.2	14.4	12.2	5.9	25.4	0.8	24.5	2.9	11.0	3.2	0.7	4.1	3.4	9.1
35 South Carolina-----	19.0	40.7	5.4	15.8	11.6	6.2	27.2	1.8	25.4	2.0	11.3	4.4	0.7	3.9	5.3	6.7
36 Georgia-----	20.0	29.7	5.8	14.1	14.9	6.8	34.2	1.1	33.2	2.3	15.5	3.9	0.6	4.6	3.6	7.4
37 Florida-----	21.6	24.9	5.7	16.6	19.7	5.8	30.9	0.6	30.3	3.3	22.2	5.9	1.1	5.5	4.4	16.9
38 East South Central:																
39 Kentucky-----	25.4	28.5	5.8	22.7	16.3	6.0	34.0	1.1	32.9	3.6	15.4	4.5	0.7	5.9	3.4	8.9
40 Tennessee-----	12.7	27.3	5.7	18.2	13.5	5.5	30.8	1.2	29.6	3.9	13.2	4.6	1.1	5.0	3.8	7.6
41 Alabama-----	27.0	35.2	6.6	15.7	13.2	6.8	24.7	1.1	23.6	2.2	11.9	3.2	0.6	3.9	3.6	6.8
42 Mississippi-----	25.0	43.3	6.2	14.6	13.1	7.8	27.8	0.9	26.9	2.2	11.5	3.7	0.7	4.6	6.7	5.7
43 West South Central:																
44 Arkansas-----	30.5	27.9	5.8	20.0	13.6	9.3	30.3	1.8	28.5	3.3	14.8	3.7	0.5	4.4	3.4	6.8
45 Louisiana-----	21.4	31.5	4.2	13.5	13.3	5.9	23.0	0.6	22.5	2.3	12.2	3.8	1.0	5.1	4.0	8.9
46 Oklahoma-----	25.0	20.2	4.9	19.9	14.5	7.3	27.2	1.0	26.2	3.2	16.6	4.6	1.1	7.3	3.4	11.2
47 Texas-----	25.1	17.6	4.6	14.3	12.4	5.4	25.0	0.6	25.4	3.4	14.0	3.5	0.6	5.3	4.1	9.8
48 Mountain:																
49 Montana-----	29.7	12.8	3.6	23.4	17.5	4.6	29.4	0.4	29.0	3.9	17.0	6.4	0.3	4.4	3.6	9.1
50 Idaho-----	16.5	17.0	4.6	17.7	15.3	5.2	25.8	0.7	25.0	4.0	18.6	4.0	1.3	6.0	2.7	6.4
51 Wyoming-----	18.1	10.5	4.1	17.8	20.6	2.5	27.9	1.0	27.0	3.2	27.3	6.0	1.0	7.9	1.3	10.8
52 Colorado-----	14.8	14.5	3.9	21.9	19.8	4.2	34.0	0.6	33.5	3.6	20.6	5.5	0.8	5.5	2.9	12.7
53 New Mexico-----	12.6	10.9	3.2	12.9	11.7	5.5	24.3	0.6	23.7	2.5	19.1	4.1	0.9	5.4	4.4	12.3
54 Arizona-----	10.7	11.1	4.0	14.7	12.4	4.5	30.8	0.6	30.2	6.5	27.8	4.4	0.7	3.9	6.5	14.6
55 Utah-----	14.8	12.4	3.0	9.4	13.8	3.8	19.1	0.4	18.8	2.6	13.7	4.0	0.8	4.2	3.2	5.3
56 Nevada-----	20.5	13.7	3.8	7.0	13.7	4.7	16.9	0.5	16.4	1.6	20.7	5.0	0.5	5.0	3.6	20.7
57 Pacific:																
58 Washington-----	16.2	20.5	4.3	26.6	13.5	3.9	31.6	1.1	30.5	3.4	17.7	4.6	0.8	4.3	4.1	12.8
59 Oregon-----	14.6	22.1	4.0	25.4	15.5	4.0	27.2	0.8	26.4	2.8	18.8	5.6	0.8	5.3	3.5	12.7
60 California-----	8.9	19.3	3.5	14.8	14.0	3.0	21.1	0.6	20.5	2.9	16.4	4.9	0.7	4.1	3.1	21.5
61 Alaska-----	17.6	2.6	1.8	9.9	4.4	2.6	13.6	0.4	13.2	1.5	6.6	2.6	0.4	1.5	2.9	5.5
62 Hawaii-----	4.5	30.0	2.7	5.6	10.6	5.1	22.2	0.3	21.9	2.0	8.5	3.9	0.1	2.0	1.5	7.0

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1967-Con.

category numbers of the Seventh Revision of the International Lists, 1955]

Cholera, cholerae, and dysentery (584, 585)	Acute nephritis, and nephritis with edema including nephrosis (590, 591)	Infections of kidney (500)	Hypertrophy of prostate (510)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-699)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649, 660-699)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (765-769)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (residual)	Accidents (E800-E862)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E862)	Suicides (E953, E970-E979)	Homicides (E984, E990-E995)	1
2.2	0.5	4.6	1.6	0.5	0.1	0.4	8.8	24.4	9.8	1.7	13.0	12.2	28.9	57.2	26.7	30.4	10.8	6.8	1
2.4	0.4	3.9	1.5	0.2	0.0	0.2	8.5	22.1	8.6	1.4	12.1	6.7	31.8	48.5	18.7	29.9	8.8	2.7	2
2.3	0.5	4.2	1.7	0.5	0.1	0.4	8.5	23.8	9.9	1.3	12.5	12.0	30.4	45.3	18.7	28.6	8.0	5.0	3
2.4	0.5	4.3	1.6	0.5	0.1	0.4	8.9	25.0	11.9	1.5	11.5	5.7	27.0	53.6	25.6	27.9	10.3	6.0	4
3.1	0.6	4.3	2.2	0.3	0.0	0.3	8.7	21.8	8.8	1.3	11.7	11.3	30.9	62.2	30.3	31.9	10.6	4.1	5
1.7	0.5	5.6	1.5	0.5	0.1	0.4	8.9	27.0	9.7	1.9	15.6	17.2	31.0	62.5	29.8	32.6	10.8	11.1	6
2.3	0.6	6.0	2.0	0.8	0.1	0.7	9.4	27.0	9.2	2.3	15.7	33.6	27.3	69.9	34.1	35.7	9.5	8.9	7
2.3	0.7	5.6	1.5	0.6	0.1	0.6	8.7	26.6	9.7	2.4	14.5	16.8	27.9	64.2	32.0	32.0	9.4	10.2	8
2.7	0.5	3.5	1.2	0.4	0.1	0.4	9.5	24.9	8.3	1.6	15.0	15.9	30.6	70.6	34.6	36.0	14.6	5.3	9
1.6	0.2	3.5	1.2	0.4	0.1	0.3	8.5	20.9	8.4	1.5	11.0	4.0	25.0	56.9	27.7	31.2	17.1	5.5	10
3.3	1.3	5.4	2.3	-	-	-	9.9	24.9	11.8	1.4	11.6	6.2	32.9	62.9	27.4	35.5	12.0	0.7	11
2.2	0.6	4.2	1.7	0.3	-	0.3	7.9	23.0	8.6	1.3	13.1	11.5	31.5	53.1	24.5	28.6	11.7	1.9	12
2.6	0.7	3.6	2.2	-	-	-	9.8	23.3	9.4	1.7	12.2	11.8	33.1	58.8	28.1	30.7	13.9	2.9	13
2.6	0.3	3.7	1.3	0.2	0.1	0.2	8.5	22.2	8.2	1.4	12.6	6.8	33.5	49.1	17.2	31.9	7.5	3.1	14
2.7	0.8	3.4	1.6	0.2	-	0.2	8.6	21.4	11.4	1.2	8.8	2.1	26.9	40.8	12.1	28.7	6.6	3.1	15
1.8	0.3	3.6	1.4	0.3	0.0	0.2	7.9	20.9	7.5	1.4	11.9	6.2	29.3	42.5	17.7	24.8	9.4	2.7	16
2.3	0.4	4.4	1.7	0.6	0.1	0.4	8.8	23.8	10.0	1.4	12.4	8.9	26.7	44.6	16.9	27.8	7.7	5.9	17
1.9	0.5	3.7	1.7	0.6	0.2	0.5	8.1	23.8	10.4	1.4	12.0	5.4	25.5	41.5	17.4	24.1	6.9	4.4	18
2.4	0.6	4.2	1.6	0.4	0.0	0.4	8.2	23.7	9.5	1.2	13.0	21.0	39.1	48.6	22.3	26.3	9.2	4.0	19
2.4	0.6	4.6	1.5	0.5	0.0	0.4	8.4	22.9	9.5	1.4	11.9	7.9	28.6	52.4	25.8	28.6	10.7	5.5	20
2.3	0.5	4.3	1.4	0.5	-	0.5	9.0	25.9	10.9	1.5	13.5	4.9	27.7	61.7	31.6	30.1	10.5	4.6	21
2.4	0.6	4.6	1.9	0.7	0.1	0.5	8.8	26.4	15.8	1.9	7.9	2.8	24.7	51.9	23.8	28.3	9.2	7.6	22
2.3	0.4	3.8	1.4	0.5	0.1	0.5	9.5	26.6	11.0	1.5	14.1	7.8	26.5	52.3	26.4	25.9	10.7	7.1	23
2.9	0.4	3.9	1.9	0.2	0.0	0.2	9.0	21.9	8.7	0.9	12.3	4.9	28.6	53.6	28.8	26.8	11.1	2.2	24
2.6	0.3	3.7	1.9	0.2	0.0	0.1	9.9	21.9	8.9	1.0	12.0	5.2	29.9	60.4	28.8	31.6	10.0	2.0	25
3.4	0.6	3.3	2.5	0.2	0.0	0.2	8.8	21.5	8.2	1.6	11.7	2.9	30.9	63.1	31.7	31.4	10.9	1.5	26
3.1	0.6	5.6	2.1	0.4	0.1	0.3	8.0	22.9	9.0	1.4	12.6	26.3	31.2	62.0	29.2	32.7	11.7	8.6	27
3.8	0.2	2.8	1.9	0.5	-	0.5	8.1	24.7	8.5	1.4	14.9	3.9	26.3	62.9	32.7	30.2	7.4	0.5	28
2.8	0.9	3.3	2.2	0.4	0.1	0.3	8.9	22.1	7.9	1.0	13.2	8.8	30.0	71.8	33.8	38.0	8.3	3.0	29
4.6	0.7	4.5	2.7	0.3	-	0.3	8.8	22.4	11.2	1.5	9.6	3.6	30.5	65.1	32.0	33.1	9.5	3.2	30
2.1	0.8	4.5	2.1	0.3	-	0.3	7.9	18.8	8.2	1.0	9.6	8.2	33.7	59.7	30.2	29.5	11.2	3.7	31
1.9	0.8	4.6	1.5	0.6	0.2	0.4	10.7	22.4	9.0	1.1	12.2	3.3	26.4	56.0	26.0	30.0	12.4	7.6	32
1.4	0.4	3.0	1.1	0.4	0.1	0.4	10.3	25.9	8.4	1.5	16.0	5.0	26.7	48.7	21.3	27.4	8.9	8.8	33
1.6	0.6	10.1	1.6	1.2	0.5	0.7	9.1	34.6	10.9	0.9	22.9	26.2	49.2	56.2	19.3	37.0	8.7	21.5	34
1.5	0.5	4.6	1.2	0.5	0.0	0.4	8.3	27.0	9.6	1.8	15.7	11.2	29.0	57.5	26.1	31.4	12.3	8.6	35
2.2	0.6	5.3	1.9	0.4	-	0.4	10.8	26.5	11.0	1.7	13.8	27.9	32.8	68.6	30.9	37.8	11.1	4.9	36
1.4	0.5	5.5	1.4	0.6	0.1	0.5	9.5	28.5	10.9	2.0	15.6	21.4	30.9	67.6	34.9	32.7	9.4	11.3	37
1.6	0.7	4.8	1.3	0.6	-	0.6	8.4	28.3	9.6	2.2	16.5	23.7	25.2	68.4	31.3	37.1	8.1	11.5	38
1.5	0.6	6.1	1.5	0.6	0.1	0.5	8.3	28.6	9.4	2.7	16.4	13.0	29.0	65.3	34.6	30.7	10.1	13.7	39
2.3	0.5	7.3	1.9	0.4	0.1	0.4	8.0	24.9	9.2	1.6	14.1	23.8	36.6	65.2	30.8	34.4	13.7	12.7	40
2.7	0.5	6.2	1.9	0.4	0.0	0.3	9.4	24.8	9.1	1.7	14.0	7.0	31.1	87.5	31.6	35.9	11.0	7.6	41
2.5	0.5	5.4	2.0	0.7	0.2	0.5	9.5	25.0	8.8	2.1	14.1	16.9	25.3	63.8	33.0	30.8	10.5	9.8	42
1.9	0.6	6.3	1.9	1.0	0.2	0.8	8.9	26.3	9.0	2.2	15.1	50.8	26.8	70.7	34.4	36.3	8.8	11.3	43
1.7	1.1	6.5	2.2	1.4	0.1	1.3	9.8	34.5	9.5	3.4	21.5	71.5	23.9	82.1	39.2	42.3	6.8	10.8	44
2.2	1.1	6.2	1.7	0.2	-	0.2	8.6	22.0	7.6	2.1	12.3	30.1	27.4	66.5	32.4	34.0	8.5	9.4	45
2.2	0.7	5.2	1.0	1.0	0.1	1.0	9.3	33.9	12.5	3.7	17.7	6.2	28.6	70.0	33.1	37.0	8.2	11.4	46
3.6	0.7	7.9	2.6	0.4	0.0	0.4	8.1	19.8	7.0	1.3	11.4	26.7	31.8	69.0	35.7	33.3	10.6	7.2	47
2.0	0.6	5.1	1.4	0.6	0.1	0.5	8.5	26.6	9.8	2.3	14.5	15.9	26.9	60.7	31.1	29.6	9.7	10.8	48
2.1	0.9	4.0	1.9	0.4	-	0.4	9.6	23.3	6.4	0.7	16.1	30.4	32.8	88.3	47.2	41.1	14.6	4.6	49
2.9	0.4	2.0	2.0	0.6	0.1	0.4	7.6	22.2	5.9	1.4	14.9	7.9	30.0	74.2	34.9	39.3	11.7	3.9	50
4.4	0.3	4.4	1.9	1.0	-	1.0	8.9	28.8	10.8	2.2	15.9	9.8	25.1	79.0	37.5	41.6	20.0	4.1	51
2.5	0.5	4.6	0.9	0.5	-	0.5	9.3	26.2	9.6	1.9	14.8	8.9	29.8	63.1	29.9	33.2	16.7	4.3	52
3.2	0.6	2.8	0.9	0.5	-	0.5	9.5	28.4	8.8	2.1	17.5	32.1	31.2	80.1	39.6	41.5	13.8	7.0	53
2.9	0.4	4.5	1.4	0.1	0.1	0.1	10.3	24.7	8.5	1.9	14.3	10.6	32.6	70.0	35.4	34.6	13.9	6.8	54
2.2	0.6	1.7	1.0	0.3	0.3	0.3	9.9	22.0	8.8	0.7	12.5	21.1	29.4	57.8	27.9	29.9	9.3	3.4	55
2.0	0.9	2.3	0.9	1.4	0.5	0.9	9.2	22.3	5.2	1.6	15.5	12.2	29.7	73.9	35.8	38.1	22.5	9.5	56
1.5	0.2	3.0	1.0	0.3	0.1	0.2	8.9	19.8	7.8	1.2	10.8	7.9	30.3	65.2	30.3	34.9	15.7	3.9	57
2.0	0.5	3.9	0.9	0.2	0.2	0.2	7.8	17.0	7.5	0.9	8.6	13.4	30.2	72.3	35.3	37.1	12.8	3.1	58
1.6	0.2	3.5	1.3	0.5	0.1	0.4	8.4	21.3	8.6	1.6	11.1	2.1	24.8	56.7	27.0	29.7	16.1	6.1	59
0.4	-	0.7	0.4	0.7	-	0.7	10.7	35.3	11.0	1.8	22.4	24.6	21.7	93.4	19.1	74.3	15.8	9.6	60
1.6	0.1	4.2	0.9	0.1	-	0.1	10.0	19.6	6.9	1.8	11.0	3.9	20.7	41.1	18.1	23.0	8.5	2.4	61

## SECTION I - GENERAL MORTALITY

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1967.

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group. Maternal mortality rates are subject to sampling error; see Technical Appendix.]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over <sup>1</sup>
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)---	987	134	217	177	193	165	88	13
White-----	571	66	123	112	114	92	57	7
Nonwhite---	416	68	94	65	79	73	31	6
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	127	17	32	30	25	16	5	2
White-----	89	13	17	25	17	13	4	-
Nonwhite---	38	4	15	5	8	3	1	2
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	189	36	37	25	40	29	21	1
White-----	97	15	22	17	20	12	11	-
Nonwhite---	92	21	15	8	20	17	10	1
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	142	9	20	31	34	27	17	4
White-----	97	6	14	21	24	17	12	3
Nonwhite---	45	3	6	10	10	10	5	1
Ectopic pregnancy (645)-----	67	7	17	16	16	9	2	-
White-----	23	3	6	5	5	4	-	-
Nonwhite---	44	4	11	11	11	5	2	-
Abortion without mention of sepsis or toxemia (650)-----	53	7	14	14	7	4	7	-
White-----	32	5	7	7	5	3	5	-
Nonwhite---	21	2	7	7	2	1	2	-
Abortion with sepsis (651)-----	104	21	22	20	19	14	7	1
White-----	45	8	11	7	6	6	5	-
Nonwhite---	61	13	11	13	13	8	2	1
Abortion with toxemia, without mention of sepsis (652)-----	3	-	-	1	1	1	-	-
White-----	1	-	-	-	1	-	-	-
Nonwhite---	2	-	-	1	-	1	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	302	37	75	40	51	65	23	5
White-----	189	16	46	30	36	37	20	4
Nonwhite---	113	21	29	10	15	28	9	1
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)---	28.0	22.1	16.6	20.4	43.9	72.6	131.2	312.7
White-----	19.8	15.1	11.0	14.9	30.8	48.6	103.6	206.9
Nonwhite---	69.5	40.7	48.5	55.4	114.0	192.1	258.2	774.2
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	3.6	2.8	2.4	3.5	5.7	7.0	7.5	48.1
White-----	3.0	3.0	1.5	3.3	4.6	6.9	7.3	-
Nonwhite---	6.3	2.4	7.7	4.3	11.5	7.9	8.3	258.1
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)-----	5.4	6.0	2.8	2.9	9.1	12.8	31.3	24.1
White-----	3.3	3.4	2.0	2.3	5.4	8.3	20.0	-
Nonwhite---	15.4	12.6	7.7	6.8	28.9	44.7	83.3	129.0
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	4.0	1.5	1.5	3.6	7.7	11.9	25.4	96.2
White-----	3.3	1.4	1.3	2.8	6.5	9.0	21.8	88.7
Nonwhite---	7.5	1.8	3.1	8.5	14.4	26.3	41.6	129.0
Ectopic pregnancy (645)-----	1.9	1.2	1.3	1.8	3.6	4.0	3.0	-
White-----	0.8	0.7	0.5	0.7	1.4	2.1	-	-
Nonwhite---	7.4	2.4	5.7	9.4	15.9	13.2	16.7	-
Abortion without mention of sepsis or toxemia (650)-----	1.5	1.2	1.1	1.6	1.6	1.8	10.4	-
White-----	1.1	1.1	0.6	0.9	1.4	1.6	9.1	-
Nonwhite---	3.5	1.2	3.6	6.0	2.9	2.6	16.7	-
Abortion with sepsis (651)-----	3.0	3.5	1.7	2.3	4.3	6.2	10.4	24.1
White-----	1.5	1.8	1.0	0.9	1.6	3.2	9.1	-
Nonwhite---	10.2	7.8	5.7	11.1	19.8	21.1	16.7	129.0
Abortion with toxemia, without mention of sepsis (652)-----	0.1	-	-	0.1	0.2	0.4	-	-
White-----	0.0	-	-	-	0.3	-	-	-
Nonwhite---	0.3	-	-	0.9	-	2.6	-	-
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	8.6	6.1	5.7	4.6	11.6	28.6	43.2	120.3
White-----	6.5	3.7	4.1	4.0	9.7	19.5	36.3	118.2
Nonwhite---	18.9	12.6	15.0	8.5	21.6	73.7	75.0	129.0

<sup>1</sup>Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-67

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Maternal mortality rates for 1951-54 and 1956-67 are subject to sampling error; see Technical Appendix. Deaths are classified according to the International Lists used at the time]

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1967	28.0	19.5	69.5	1950	83.3	61.1	221.6
1966	29.1	20.2	72.4	1949	80.3	69.1	234.8
1965	31.6	21.0	83.7	1948	116.6	89.4	301.0
1964	33.3	22.5	83.8	1947	134.5	103.6	334.6
1963 <sup>1</sup>	35.8	24.0	96.8	1946	156.7	130.7	358.9
1962 <sup>1</sup>	35.2	25.8	95.9	1945	207.2	172.1	454.8
1961	36.9	24.9	101.3	1944	227.9	189.4	506.0
1960	37.1	26.0	97.9	1943	245.2	210.5	509.8
1959	37.4	25.8	102.1	1942	258.7	221.8	544.0
1958	37.6	26.3	101.8	1941	316.5	266.0	678.1
1957	41.0	27.5	118.3	1940	376.0	319.8	775.5
1956	40.9	28.7	110.7	1935-39	493.9	439.9	875.5
1955	47.0	32.8	130.3	1930-34 <sup>2</sup>	636.0	575.4	1,080.7
1954	52.4	37.2	145.8	1925-29	668.6	615.0	1,165.7
1953	61.1	44.1	166.1	1920-24	699.5	649.2	1,154.3
1952	67.8	48.9	188.1	1915-19	727.9	700.3	1,253.5
1951	75.0	54.9	201.3				

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1965-67, (3-Year Average)

[Maternal deaths are those assigned to deliveries and complications of pregnancy, childbirth, and the puerperium, category numbers 640-689 of the Seventh Revision of the International Lists, 1955. Rates per 100,000 live births in specified group, 1965-67. Asterisk indicates rate based on a frequency of less than 20. Maternal mortality rates are subject to sampling error; see Technical Appendix]

Division and State	Total	White	Nonwhite	Division and State	Total	White	Nonwhite
United States	29.6	20.3	75.4	South Atlantic:			
Geographic divisions:				Delaware	*25.8	*24.2	*32.0
New England	12.6	10.8	*45.7	Maryland	30.3	16.0	75.1
Middle Atlantic	32.4	21.1	94.3	District of Columbia	61.5	*19.9	71.9
East North Central	26.0	19.3	71.8	Virginia	29.6	16.0	71.5
West North Central	20.5	15.3	47.9	West Virginia	30.5	27.5	*69.3
South Atlantic	38.9	20.2	76.5	North Carolina	36.0	17.5	77.0
East South Central	45.7	24.1	99.2	South Carolina	52.1	23.1	94.1
West South Central	36.5	27.0	69.4	Georgia	43.6	25.1	77.6
Mountain	24.6	20.4	64.9	Florida	33.9	19.6	71.0
Pacific	23.6	20.1	45.9	East South Central:			
New England:				Kentucky	27.3	26.1	*39.7
Maine	*5.3	*5.4	-	Tennessee	36.2	21.4	87.9
New Hampshire	*7.9	*7.9	-	Alabama	54.5	23.9	109.2
Vermont	*4.2	*4.2	-	Mississippi	69.4	*25.9	108.4
Massachusetts	14.5	12.9	*41.4	West South Central:			
Rhode Island	*10.1	*10.6	*60.0	Arkansas	30.5	*13.5	72.3
Connecticut	15.3	*10.6	-	Louisiana	47.3	29.4	74.2
Middle Atlantic:				Oklahoma	25.5	22.0	*42.7
New York	36.4	22.8	103.7	Texas	35.8	29.3	69.2
New Jersey	35.9	22.5	101.8	Mountain:			
Pennsylvania	23.6	17.7	66.1	Montana	*18.3	*14.3	*59.8
East North Central:				Idaho	*23.0	*21.0	*105.4
Ohio	25.6	19.2	59.3	Wyoming	*33.2	*34.7	-
Indiana	25.6	21.7	*44.1	Colorado	21.5	*18.7	*72.7
Illinois	29.4	18.5	76.1	New Mexico	35.3	*29.2	*72.2
Michigan	30.4	22.0	84.7	Arizona	21.2	*15.9	*46.4
Wisconsin	16.7	13.2	*85.5	Utah	*19.1	*13.6	*214.6
West North Central:				Nevada	*40.6	*38.6	*53.0
Minnesota	15.5	15.2	*20.0	Pacific:			
Iowa	15.0	14.6	*35.9	Washington	20.7	16.8	*77.4
Missouri	24.4	19.8	*49.4	Oregon	*7.2	*7.5	-
North Dakota	*27.6	*26.3	*49.7	California	26.2	22.4	52.4
South Dakota	*25.8	*14.8	*96.2	Alaska	*30.2	*15.1	*60.5
Nebraska	*18.0	*16.3	*48.9	Hawaii	*6.7	-	*12.2
Kansas	27.1	26.3	*56.9				

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States	1,851,323	1,510,592	340,731	275,164	65,567	1,097	98	593	1,147	2,212	456	1,001	275	1,037	2,414	1,238	32	536
Alabama	51,706	26,316	5,390	4,526	864	...	-	1	7	19	-	1	-	2	219	209	-	-
Alaska	1,279	967	312	230	82	-	...	3	-	11	3	-	-	-	1	1	-	-
Arizona	13,171	11,352	902	917	2	2	1	...	9	234	29	5	-	5	10	1	-	10
Arkansas	19,398	14,733	4,673	3,600	1,073	7	-	2	...	29	2	2	-	1	9	2	-	-
California	156,704	140,017	16,687	14,652	2,035	12	9	159	21	...	61	19	3	9	48	16	15	30
Colorado	16,866	12,220	4,646	3,678	968	-	-	37	7	71	...	5	1	2	9	3	-	6
Connecticut	25,863	22,615	3,248	2,529	719	2	-	1	-	8	2	...	2	1	43	4	-	-
Delaware	4,819	3,938	881	405	476	-	-	-	3	2	-	2	...	3	12	2	-	-
District of Columbia	10,420	7,773	2,647	...	2,647	5	-	2	5	14	1	7	...	49	22	1	-	-
Florida	85,230	55,024	10,206	6,351	3,855	147	-	-	4	34	5	110	7	21	...	305	-	2
Georgia	38,866	28,198	10,668	9,067	1,601	346	-	1	2	8	3	9	2	4	345	...	-	-
Hawaii	3,394	3,701	293	105	189	1	-	3	1	68	2	2	1	-	4	3	...	-
Idaho	5,693	4,464	1,229	898	331	-	2	7	1	41	4	1	-	-	1	-	-	-
Illinois	108,280	93,260	15,020	12,537	2,483	16	1	16	30	97	8	4	-	5	138	10	1	-
Indiana	47,580	38,292	9,288	7,469	1,819	9	-	-	2	4	2	3	-	-	51	2	-	-
Iowa	28,899	22,033	6,866	5,587	1,279	-	-	10	7	48	5	-	-	1	9	-	-	3
Kansas	21,375	16,556	4,819	3,699	1,150	1	-	5	13	26	53	2	-	1	6	1	-	-
Kentucky	31,786	24,254	7,532	6,063	1,469	8	-	-	5	37	4	-	1	1	24	11	-	2
Louisiana	32,031	24,151	7,880	6,956	924	41	-	3	108	27	2	1	1	1	44	12	1	-
Maine	10,996	8,962	2,034	1,685	349	-	-	-	-	4	-	30	-	-	21	-	-	-
Maryland	30,714	22,569	8,145	5,960	2,185	4	-	3	-	33	5	15	112	699	69	14	-	1
Massachusetts	58,377	47,936	10,441	8,883	1,758	2	1	4	2	19	3	284	1	6	96	5	-	-
Michigan	74,533	61,650	12,883	11,781	1,102	17	-	7	12	31	6	5	-	2	85	3	-	1
Minnesota	33,487	25,810	7,677	5,999	1,688	3	4	13	5	49	9	2	-	2	26	5	-	-
Mississippi	22,129	17,323	4,806	4,045	761	164	1	-	26	18	3	2	-	-	35	13	-	-
Missouri	51,226	36,077	15,149	12,501	2,648	7	-	8	136	46	15	3	-	2	29	9	-	-
Montana	6,503	5,108	1,395	1,162	233	-	-	6	1	19	6	1	-	-	1	-	1	10
Nebaska	14,529	11,074	3,455	2,794	701	2	-	3	1	27	26	-	-	1	2	1	-	4
Nevada	3,512	2,805	707	243	464	-	-	15	-	284	7	1	-	1	3	-	1	10
New Hampshire	7,191	5,754	1,437	854	603	-	-	-	-	2	-	11	-	1	15	1	-	-
New Jersey	64,233	52,500	11,733	9,650	2,083	6	-	2	-	11	2	58	17	13	86	2	3	1
New Mexico	6,894	5,368	1,526	1,025	501	-	-	110	2	58	39	2	-	-	5	-	-	1
New York	186,611	163,065	23,546	19,996	3,560	9	1	4	2	83	5	251	8	21	258	22	2	-
North Carolina	42,520	32,853	10,167	8,773	1,394	19	-	1	3	15	-	14	2	22	130	73	-	-
North Dakota	5,435	3,524	1,911	1,457	454	-	-	2	-	10	2	-	-	-	2	1	-	-
Ohio	98,454	82,878	15,556	12,655	2,701	20	1	20	7	55	3	11	1	4	130	12	-	1
Oklahoma	24,206	19,529	4,677	4,082	615	3	1	13	60	39	9	1	1	1	3	4	-	1
Oregon	16,814	15,319	3,495	2,819	676	1	15	2	-	158	3	1	-	-	2	-	3	91
Pennsylvania	125,387	106,622	18,765	15,899	2,866	5	-	2	1	24	5	14	93	21	100	11	-	-
Rhode Island	9,380	7,932	1,448	973	475	1	-	-	-	5	-	91	-	2	9	-	-	-
South Carolina	21,506	17,246	4,260	3,584	696	7	-	-	4	5	-	1	1	7	50	119	-	-
South Dakota	6,325	4,307	2,018	1,618	400	-	-	1	-	13	9	1	-	-	1	-	-	3
Tennessee	37,724	29,195	8,529	5,544	2,985	160	1	4	447	10	1	2	-	4	50	287	-	-
Texas	97,365	70,898	16,467	14,349	2,118	28	5	62	197	137	35	6	5	1	61	24	1	2
Utah	6,793	5,434	1,359	921	438	-	-	-	1	72	20	-	-	1	-	-	1	130
Vermont	4,606	3,510	1,096	664	432	-	-	-	-	3	-	19	-	-	8	-	-	-
Virginia	35,459	21,707	14,752	13,148	1,604	9	-	3	1	17	1	18	8	134	61	26	-	1
Washington	29,682	25,493	4,189	3,154	1,015	1	44	7	3	111	8	-	-	1	6	-	1	218
West Virginia	19,431	15,819	5,612	3,924	1,688	-	-	1	-	6	5	3	4	33	24	1	1	1
Wisconsin	39,638	32,786	6,852	5,617	1,235	4	-	6	7	19	-	-	-	-	29	2	-	-
Wyoming	2,745	2,168	580	501	289	-	1	1	2	34	43	1	-	1	1	-	-	7

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967-Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	MD.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States.....	4,308	2,125	1,256	1,527	1,577	628	445	2,572	1,401	1,951	1,150	1,261	2,042	301	669	268	699	3,716	532	
Alabama.....	28	14	2	-	6	10	-	2	5	19	3	131	9	1	-	-	-	6	1	
Alaska.....	1	5	1	1	-	-	-	-	-	4	1	-	-	1	-	1	-	-	1	
Arizona.....	71	25	32	9	-	6	1	2	10	42	31	5	20	11	9	22	1	5	43	
Arkansas.....	45	8	2	18	5	29	-	1	2	14	4	29	233	-	1	-	-	1	4	
California.....	157	40	52	46	6	16	6	13	45	80	45	13	52	18	25	146	4	33	28	
Colorado.....	39	8	21	107	1	6	-	2	5	20	16	3	41	16	126	1	1	8	80	
Connecticut.....	3	4	-	-	1	1	25	4	120	3	2	-	-	-	-	1	12	49	-	
Delaware.....	-	-	-	1	-	1	-	-	121	4	-	-	1	-	2	-	-	-	118	
District of Columbia.....	10	13	1	1	10	1	4	1,574	11	3	6	2	7	-	-	-	2	35	-	
Florida.....	247	131	35	10	42	14	43	65	173	310	35	23	40	1	5	2	25	269	5	
Georgia.....	21	19	2	3	19	8	4	7	7	16	3	14	4	2	-	1	2	18	1	
Hawaii.....	7	2	4	1	2	-	1	3	7	3	2	1	3	2	1	-	-	5	2	
Idaho.....	1	1	1	8	2	-	-	-	1	3	1	1	3	25	5	9	-	-	2	
Illinois.....	...	722	126	29	76	11	1	8	11	163	31	37	356	6	12	4	2	16	6	
Indiana.....	726	...	9	4	234	5	-	3	4	269	9	3	23	-	3	-	1	16	-	
Iowa.....	482	15	...	14	3	8	-	1	2	11	110	-	188	4	193	-	-	2	1	
Kansas.....	33	4	28	...	1	6	-	3	2	6	9	1	644	1	47	1	-	2	5	
Kentucky.....	81	444	3	7	...	8	-	4	9	46	1	3	24	2	-	-	5	1	1	
Louisiana.....	12	3	8	5	4	...	-	2	2	10	2	186	11	1	1	1	1	6	3	
Maine.....	3	1	-	1	1	-	...	3	93	1	-	-	-	-	-	-	95	16	-	
Maryland.....	9	8	2	2	7	3	1	...	22	23	8	3	4	1	2	-	5	72	1	
Massachusetts.....	12	4	4	3	2	1	163	15	...	11	2	2	4	4	2	1	337	56	1	
Michigan.....	143	108	6	3	15	3	2	5	7	...	8	11	14	2	3	-	1	11	-	
Minnesota.....	153	39	250	11	2	6	1	3	3	71	...	6	21	33	32	1	-	3	-	
Mississippi.....	45	8	1	-	7	202	-	4	1	9	5	...	12	1	1	-	-	5	1	
Missouri.....	1,035	41	73	897	24	10	4	6	4	25	12	11	...	3	17	-	-	3	10	
Montana.....	10	3	3	3	-	1	-	-	-	5	12	-	3	...	4	1	-	2	1	
Nebraska.....	20	2	332	112	-	1	-	1	1	4	8	3	25	-	...	-	-	2	-	
Nevada.....	6	3	3	4	-	3	-	2	7	5	1	2	3	3	...	-	-	8	1	
New Hampshire.....	-	-	-	-	-	1	120	1	185	3	-	-	1	-	-	-	...	6	-	
New Jersey.....	14	7	3	4	1	1	7	43	33	18	2	1	3	-	2	2	7	...	-	
New Mexico.....	19	-	3	14	2	1	-	-	1	13	4	2	10	1	4	3	1	3	...	
New York.....	43	19	5	7	6	8	24	46	163	44	15	3	17	-	4	7	15	1,542	1	
North Carolina.....	13	3	-	2	9	6	1	33	12	10	4	16	6	-	-	-	4	26	3	
North Dakota.....	4	1	3	-	-	-	-	1	1	3	287	2	1	26	1	1	-	1	1	
Ohio.....	61	288	11	1	481	2	3	12	17	409	9	4	16	3	1	3	1	15	5	
Oklahoma.....	15	5	8	123	2	6	-	3	-	9	6	2	46	3	8	2	-	2	7	
Oregon.....	4	1	12	2	-	2	-	-	-	2	8	-	1	14	5	5	1	3	1	
Pennsylvania.....	33	15	4	3	5	2	5	188	25	39	3	5	7	1	1	1	1	1,208	1	
Rhode Island.....	1	1	-	-	-	-	-	-	311	1	-	-	-	-	-	-	5	8	-	
South Carolina.....	10	4	1	1	3	-	5	19	9	7	5	3	2	-	1	-	3	24	1	
South Dakota.....	2	1	60	1	-	-	-	-	-	2	105	-	2	11	88	-	-	1	1	
Tennessee.....	64	25	6	2	373	15	1	11	6	25	3	665	99	-	1	1	-	10	2	
Texas.....	49	21	24	56	13	213	2	9	12	36	25	41	52	6	12	8	2	23	291	
Utah.....	3	3	3	3	-	-	-	-	1	1	1	6	1	13	2	38	-	1	9	
Vermont.....	1	-	-	-	1	1	7	1	49	-	1	-	-	-	-	-	167	11	-	
Virginia.....	15	8	3	-	31	3	5	141	17	9	6	1	7	-	1	-	3	45	2	
Washington.....	13	3	2	3	4	3	2	2	4	1	21	-	6	55	10	2	-	3	2	
West Virginia.....	11	10	-	-	167	3	-	206	-	10	1	-	1	-	-	-	-	6	-	
Wisconsin.....	523	24	99	3	8	2	3	3	2	127	268	1	12	6	3	-	-	5	3	
Wyoming.....	12	1	8	4	1	1	-	1	-	4	5	-	7	24	31	1	-	2	4	

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																				All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.		
United States-----	3,860	1,187	419	2,846	1,292	789	3,411	476	984	447	1,056	1,558	178	352	2,381	757	1,508	1,236	289	1,651,323	
Alabama-----	12	9	1	11	7	-	11	1	7	-	82	18	-	-	6	2	-	3	-	31,929	
Alaska-----	1	-	-	-	-	11	-	-	-	1	-	3	-	1	2	28	-	-	-	1,285	
Arizona-----	38	4	2	38	12	20	24	1	-	10	4	42	11	-	3	17	8	27	5	12,847	
Arkansas-----	7	4	1	8	362	4	1	-	-	1	52	175	-	-	2	2	-	5	-	19,470	
California-----	122	5	12	78	34	160	50	3	4	12	11	90	21	3	20	116	13	36	7	156,061	
Colorado-----	26	2	4	14	34	4	8	1	1	26	8	70	22	-	3	8	2	7	85	16,354	
Connecticut-----	339	4	-	10	-	-	23	26	3	-	2	6	-	12	2	-	2	1	-	26,145	
Delaware-----	15	1	-	2	4	-	167	-	1	-	1	-	-	-	10	1	2	-	-	4,618	
District of Columbia-----	53	26	1	18	3	-	53	1	9	-	13	10	1	1	646	1	18	2	-	8,810	
Florida-----	776	61	2	285	7	5	271	26	36	4	49	33	2	20	42	8	42	61	2	83,789	
Georgia-----	44	101	-	36	1	1	24	2	365	-	94	14	1	-	18	1	3	5	-	39,505	
Hawaii-----	12	-	-	8	1	7	6	-	-	-	2	8	-	-	1	10	1	1	-	3,838	
Idaho-----	1	-	3	-	-	65	1	-	-	2	-	9	30	-	-	93	-	-	9	5,898	
Illinois-----	49	5	6	76	24	4	34	5	4	9	40	48	2	-	13	6	10	206	3	110,105	
Indiana-----	15	3	2	285	6	1	25	-	4	1	18	17	-	-	5	1	8	17	1	47,886	
Iowa-----	9	1	3	8	4	4	1	-	-	59	3	7	1	-	2	2	1	56	1	28,876	
Kansas-----	3	-	1	9	158	3	8	1	-	3	-	49	1	-	6	4	-	2	1	21,752	
Kentucky-----	8	6	-	271	2	3	23	-	11	-	201	8	-	-	40	3	154	4	-	31,894	
Louisiana-----	11	9	-	5	19	1	12	-	5	-	17	325	-	-	6	1	3	11	-	31,735	
Maine-----	42	1	-	3	-	-	16	9	-	-	-	-	-	6	1	-	-	-	-	11,092	
Maryland-----	82	29	3	39	2	-	356	6	17	1	10	11	1	-	322	-	174	4	-	31,101	
Massachusetts-----	241	6	-	13	2	2	33	329	4	1	6	9	-	44	15	2	4	3	-	58,020	
Michigan-----	38	8	2	207	6	1	32	-	3	2	29	20	-	-	9	4	13	216	1	75,382	
Minnesota-----	15	4	274	12	8	3	10	-	1	138	4	13	1	1	3	16	1	429	2	32,949	
Mississippi-----	8	3	-	8	4	1	4	1	2	-	99	30	-	-	3	2	3	8	-	22,629	
Missouri-----	18	5	1	10	75	2	8	1	2	3	23	36	1	-	6	12	2	10	8	50,620	
Montana-----	2	2	25	2	2	12	1	-	-	6	-	3	5	-	-	33	-	11	36	6,571	
Nebraska-----	4	-	1	1	4	6	1	-	-	61	1	5	-	-	3	5	-	10	21	14,497	
Nevada-----	7	-	-	8	4	21	5	-	-	1	1	9	17	-	-	14	-	2	2	3,316	
New Hampshire-----	39	1	-	1	-	-	3	7	1	-	-	1	-	198	2	1	1	-	-	7,287	
New Jersey-----	830	18	1	22	4	1	814	8	11	-	6	6	2	2	20	1	4	4	-	65,866	
New Mexico-----	10	-	-	5	21	-	5	-	1	-	4	140	9	-	3	3	1	1	-	6,925	
New York-----	...	43	4	86	12	2	597	28	18	1	10	12	1	48	43	4	7	9	-	186,911	
North Carolina-----	55	...	-	27	9	1	31	4	366	-	94	14	-	2	339	3	18	4	-	42,313	
North Dakota-----	3	1	...	1	1	1	2	-	1	75	1	4	1	-	-	7	1	4	1	5,400	
Ohio-----	102	11	2	...	7	2	341	4	3	1	28	19	1	2	32	4	505	22	-	98,579	
Oklahoma-----	7	3	-	14	...	7	7	1	1	1	1	172	1	-	2	5	1	5	4	24,893	
Oregon-----	2	2	3	7	6	...	-	-	-	1	1	9	4	-	-	297	1	2	2	18,926	
Pennsylvania-----	418	22	-	385	1	1	...	3	12	-	6	13	1	3	45	3	126	4	-	125,932	
Rhode Island-----	23	-	-	1	-	-	6	...	-	-	-	1	-	2	-	2	-	1	-	9,381	
South Carolina-----	37	277	-	9	1	1	27	2	...	-	10	7	1	1	24	1	6	-	-	21,794	
South Dakota-----	5	-	43	2	3	4	3	-	-	...	1	2	-	-	1	2	-	4	28	6,372	
Tennessee-----	16	122	1	38	6	1	14	1	37	-	...	22	-	1	398	4	20	6	2	35,795	
Texas-----	54	17	5	32	420	8	25	-	12	8	31	...	4	2	9	8	14	3	-	86,805	
Utah-----	3	1	-	4	2	5	4	-	-	-	-	9	...	-	1	9	-	-	59	6,533	
Vermont-----	152	-	-	-	-	-	5	2	-	-	-	-	-	...	2	1	-	1	-	4,526	
Virginia-----	90	351	1	34	2	3	76	5	19	-	75	21	-	1	...	3	341	6	-	37,226	
Washington-----	4	1	11	5	5	403	7	-	-	5	3	10	5	-	2	...	5	8	5	28,404	
West Virginia-----	5	14	-	660	-	-	232	-	3	1	7	4	-	-	266	2	...	-	-	19,249	
Wisconsin-----	7	4	3	24	3	2	2	-	-	4	6	16	-	2	1	2	-	...	1	39,639	
Wyoming-----	1	-	1	4	2	5	2	-	-	9	2	8	21	-	1	2	-	4	...	2,775	

## SECTION I. - GENERAL MORTALITY

1-45

Table I-19. Deaths by Month and State of Occurrence: United States and Each State, 1967

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,851,323	164,437	147,997	161,194	150,379	156,406	147,199	149,767	146,488	144,669	154,460	155,913	172,414
Alabama	31,706	2,873	2,610	2,714	2,551	2,647	2,420	2,527	2,480	2,418	2,707	2,730	3,069
Alaska	1,279	92	79	95	111	103	127	117	121	116	119	100	99
Arizona	13,171	1,257	1,089	1,106	1,097	1,103	1,011	1,129	1,050	1,000	1,069	1,060	1,250
Arkansas	19,396	1,717	1,618	1,692	1,572	1,632	1,541	1,549	1,536	1,506	1,651	1,609	1,753
California	156,704	14,511	12,358	13,254	12,711	13,377	12,439	12,825	12,982	12,284	13,065	12,688	14,210
Colorado	16,866	1,467	1,291	1,444	1,363	1,444	1,403	1,423	1,347	1,324	1,470	1,390	1,500
Connecticut	25,863	2,290	2,124	2,278	2,191	2,169	2,164	2,055	2,027	2,003	1,994	2,119	2,449
Delaware	4,819	442	380	431	375	375	384	384	380	406	412	413	427
District of Columbia	10,420	916	819	899	837	864	801	876	808	788	856	938	1,018
Florida	65,230	5,980	5,687	6,193	5,494	5,305	4,855	5,156	4,881	4,683	5,221	5,617	6,258
Georgia	38,866	3,627	3,157	3,442	3,149	3,154	3,041	2,991	3,083	3,024	3,283	3,380	3,555
Hawaii	3,994	361	281	316	349	327	332	340	358	303	341	339	347
Idaho	5,693	495	432	434	460	479	488	499	499	439	498	505	467
Illinois	103,420	9,805	8,389	9,214	8,626	9,282	8,481	8,589	8,465	8,499	9,214	9,094	10,624
Indiana	47,580	4,052	3,636	4,234	3,789	4,216	3,841	3,824	3,660	3,776	4,118	3,975	4,391
Iowa	28,899	2,539	2,275	2,547	2,274	2,490	2,214	2,406	2,277	2,339	2,490	2,314	2,734
Kansas	25,375	1,941	1,704	1,704	1,634	1,784	1,634	1,757	1,682	1,685	1,799	1,815	2,063
Kentucky	31,786	2,655	2,574	2,808	2,669	2,791	2,493	2,556	2,512	2,466	2,601	2,786	2,895
Louisiana	32,031	2,997	2,626	2,665	2,530	2,602	2,529	2,511	2,634	2,543	2,583	2,741	3,070
Maine	10,986	978	868	933	886	976	869	923	946	884	873	887	973
Maryland	30,714	2,688	2,404	2,624	2,657	2,509	2,444	2,485	2,390	2,469	2,565	2,603	2,876
Massachusetts	57,174	5,057	4,699	5,085	4,978	5,111	4,642	4,730	4,538	4,589	4,739	4,900	5,309
Michigan	74,533	6,456	5,826	6,330	5,942	6,227	6,047	6,022	6,025	5,751	6,340	6,143	7,424
Minnesota	33,487	3,127	2,659	2,755	2,645	2,903	2,671	2,872	2,653	2,654	2,783	2,802	2,983
Mississippi	22,129	2,028	1,730	1,901	1,717	1,846	1,736	1,696	1,756	1,715	1,907	1,946	2,151
Missouri	51,226	4,628	4,071	4,428	4,102	4,322	3,919	4,206	4,028	4,028	4,326	4,234	4,934
Montana	6,503	563	465	555	481	546	520	526	586	549	563	555	594
Nebraska	14,529	1,285	1,112	1,318	1,135	1,288	1,175	1,197	1,130	1,093	1,193	1,248	1,357
Nevada	3,512	320	282	277	257	317	292	267	284	259	326	277	354
New Hampshire	7,191	639	593	569	602	674	594	606	557	557	633	570	607
New Jersey	64,233	5,633	5,212	5,489	5,099	5,489	5,068	5,191	5,080	5,112	5,303	5,616	5,941
New Mexico	6,894	615	582	614	531	550	556	561	539	556	563	560	667
New York	186,611	16,287	14,586	16,040	15,079	15,803	14,981	15,278	14,573	14,729	15,346	15,966	17,943
North Carolina	42,520	3,783	3,437	3,636	3,498	3,550	3,354	3,558	3,425	3,329	3,464	3,611	3,877
North Dakota	5,435	488	419	448	445	494	415	461	403	456	492	445	489
Ohio	98,434	8,544	7,854	9,255	8,060	8,243	8,105	7,929	7,686	7,639	8,274	8,316	8,529
Oklahoma	24,206	2,289	1,927	2,084	1,900	1,938	1,892	1,944	1,915	1,860	2,080	2,061	2,336
Oregon	18,814	1,631	1,500	1,657	1,533	1,638	1,559	1,627	1,538	1,454	1,555	1,463	1,639
Pennsylvania	125,387	10,961	10,359	11,478	10,484	10,310	10,087	9,708	9,753	9,818	10,454	10,791	11,186
Rhode Island	9,380	815	746	864	798	800	816	772	744	733	681	793	818
South Carolina	21,508	1,840	1,764	1,863	1,743	1,732	1,589	1,725	1,705	1,665	1,839	1,876	2,035
South Dakota	6,325	557	510	527	505	501	516	561	502	491	521	555	579
Tennessee	37,724	3,291	3,093	3,374	3,003	3,176	2,989	3,038	2,845	3,010	3,122	3,076	3,607
Texas	87,365	7,931	7,086	7,614	6,900	7,468	6,897	6,919	6,877	6,684	7,297	7,420	8,272
Utah	6,793	588	521	566	556	589	555	634	573	518	540	531	622
Vermont	4,606	370	381	382	394	420	388	348	355	374	386	390	429
Virginia	36,459	3,083	2,856	3,209	3,092	3,044	2,962	2,955	2,800	2,953	3,015	3,112	3,388
Washington	29,662	2,643	2,263	2,445	2,448	2,534	2,472	2,377	2,423	2,371	2,518	2,366	2,782
West Virginia	19,431	1,644	1,595	1,710	1,621	1,589	1,566	1,590	1,524	1,469	1,643	1,642	1,828
Wisconsin	39,638	3,455	3,221	3,412	3,251	3,432	3,110	3,291	3,184	3,067	3,422	3,331	3,462
Wyoming	2,745	245	187	209	229	243	214	269	233	213	226	232	245

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,851,323	164,457	147,997	161,194	150,379	155,406	147,199	149,767	146,488	144,669	154,460	155,913	172,414
Male	1,045,945	92,595	82,967	90,615	84,758	88,585	85,800	85,365	83,336	81,859	87,221	87,970	96,856
Female	805,378	71,844	65,030	70,579	65,621	67,821	63,399	64,402	63,152	62,810	67,239	67,943	75,558
White	1,627,151	144,271	130,078	142,007	132,575	137,741	129,615	131,436	128,709	126,942	135,706	135,765	151,247
Male	919,514	81,285	73,083	79,774	74,724	78,047	73,902	74,958	73,199	71,740	76,647	77,231	84,924
Female	707,637	62,986	56,995	62,233	57,851	59,694	55,713	56,478	55,510	55,202	59,059	58,534	66,323
Nonwhite	224,172	20,186	17,919	19,187	17,804	18,665	17,584	18,327	17,779	17,727	18,754	19,148	21,167
Male	126,431	11,508	9,904	10,841	10,054	10,538	9,698	10,402	10,137	10,119	10,574	10,739	11,932
Female	97,741	8,678	8,015	8,346	7,750	8,127	7,886	7,925	7,642	7,608	8,180	8,409	9,235
Alabama	51,929	2,892	2,609	2,728	2,548	2,589	2,448	2,543	2,468	2,425	2,709	2,749	3,121
Male	16,188	1,659	1,473	1,521	1,463	1,549	1,420	1,482	1,404	1,408	1,484	1,567	1,760
Female	15,741	1,233	1,136	1,207	1,085	1,040	1,028	1,061	1,064	1,019	1,225	1,182	1,361
White	21,537	1,940	1,768	1,811	1,745	1,826	1,641	1,720	1,694	1,640	1,827	1,838	2,087
Male	12,592	1,155	1,020	1,027	1,016	1,073	995	1,039	976	975	1,040	1,080	1,196
Female	8,945	785	748	784	729	753	646	681	718	665	787	758	891
Nonwhite	10,392	952	841	917	805	863	807	823	774	785	882	911	1,034
Male	5,596	504	453	494	447	476	425	443	428	431	444	487	564
Female	4,796	448	388	423	358	387	382	380	346	354	438	424	470
Alaska	1,285	98	87	99	118	105	121	99	112	119	125	98	104
Male	848	64	56	62	71	67	79	66	83	82	81	70	67
Female	437	34	31	37	47	38	42	33	29	37	44	28	37
White	847	70	60	62	71	69	78	69	71	77	74	66	80
Male	590	49	39	42	47	51	50	47	53	56	49	46	57
Female	257	21	21	20	24	18	28	22	18	19	25	18	23
Nonwhite	438	28	27	37	47	36	43	30	41	42	51	32	24
Male	258	15	17	20	24	16	29	19	30	24	32	22	10
Female	180	13	10	17	23	20	14	11	11	18	19	10	14
Arizona	12,847	1,174	975	1,027	1,060	1,095	1,003	1,127	1,077	1,003	1,072	1,045	1,199
Male	7,674	730	579	651	647	689	608	705	684	593	658	632	720
Female	4,973	444	396	376	413	396	395	424	393	410	414	413	479
White	11,448	1,054	866	925	948	962	916	1,014	942	877	954	919	1,071
Male	7,002	653	515	565	579	606	553	636	602	519	565	550	638
Female	4,446	401	351	359	369	356	363	378	340	358	389	369	433
Nonwhite	1,599	120	109	102	112	123	87	113	135	126	118	126	128
Male	872	77	64	65	69	83	55	67	92	74	73	82	82
Female	527	43	45	37	44	40	32	46	53	52	45	44	46
Arkansas	19,470	1,712	1,611	1,706	1,576	1,633	1,553	1,552	1,573	1,518	1,654	1,625	1,757
Male	11,511	973	929	1,003	935	972	942	942	935	935	976	968	1,037
Female	7,959	739	682	703	641	661	647	610	638	583	678	657	720
White	15,276	1,527	1,253	1,370	1,251	1,284	1,219	1,236	1,217	1,211	1,287	1,262	1,379
Male	9,161	765	732	809	760	784	726	752	719	755	771	762	826
Female	6,115	562	501	561	491	500	493	484	498	456	516	500	553
Nonwhite	4,194	385	378	336	325	349	334	316	356	307	367	363	378
Male	2,350	209	197	194	175	188	180	190	216	180	205	206	211
Female	1,844	177	181	142	150	161	154	126	140	127	162	157	167
California	156,881	14,480	12,276	15,184	12,704	13,411	12,535	12,900	13,062	12,327	13,106	12,715	14,202
Male	86,455	8,068	6,909	7,467	7,171	7,577	7,119	7,339	7,247	6,838	7,493	7,103	8,104
Female	68,426	6,372	5,366	7,717	5,533	5,834	5,416	5,561	5,815	5,489	5,612	5,612	6,098
White	145,609	13,425	11,413	12,246	11,768	12,431	11,649	11,969	12,139	11,435	12,186	11,760	13,168
Male	81,584	7,453	6,397	6,879	6,590	6,977	6,613	6,869	6,879	6,479	6,940	6,528	7,490
Female	64,025	5,972	5,016	5,367	5,178	5,454	5,026	5,220	5,470	5,156	5,246	5,232	5,678
Nonwhite	11,272	1,055	882	938	936	980	888	911	923	892	920	955	1,034
Male	6,871	635	512	588	581	600	506	570	578	559	553	575	614
Female	4,401	400	350	350	355	380	380	341	345	333	367	380	420
Colorado	16,354	1,437	1,274	1,397	1,350	1,416	1,354	1,360	1,276	1,258	1,417	1,343	1,472
Male	9,273	800	712	790	765	789	773	774	715	604	816	764	860
Female	7,081	637	562	607	585	628	581	586	561	564	599	579	612
White	15,831	1,387	1,238	1,353	1,301	1,375	1,312	1,315	1,236	1,210	1,377	1,305	1,422
Male	8,986	770	692	769	757	787	748	754	694	661	737	736	831
Female	6,885	617	546	584	544	618	564	561	542	549	590	569	591
Nonwhite	523	50	36	44	49	41	42	45	40	48	40	36	50
Male	307	30	20	21	28	31	25	20	21	33	21	28	29
Female	216	20	16	23	21	10	17	25	19	15	19	10	21
Connecticut	26,145	2,322	2,168	2,328	2,225	2,182	2,162	2,072	2,035	2,031	1,995	2,144	2,401
Male	14,478	1,252	1,178	1,262	1,229	1,239	1,224	1,144	1,153	1,127	1,084	1,193	1,383
Female	11,667	1,070	990	1,066	996	943	938	928	882	904	901	951	1,018
White	24,920	2,250	2,063	2,215	2,132	2,070	2,064	1,977	1,936	1,946	1,887	2,029	2,371
Male	13,777	1,114	1,198	1,172	1,168	1,168	1,163	1,096	1,100	1,077	1,045	1,133	1,318
Female	11,143	1,027	949	1,017	960	902	901	891	836	869	842	896	1,053
Nonwhite	1,225	92	105	113	93	112	98	95	99	85	108	115	110
Male	701	49	64	64	57	71	61	59	53	50	49	60	65
Female	524	43	41	49	36	41	37	37	46	35	59	55	45
Delaware	4,618	450	371	405	370	384	370	383	384	384	388	394	415
Male	2,642	248	217	228	212	209	218	203	205	211	227	222	242
Female	1,976	182	154	177	158	155	152	180	179	173	161	172	173
White	3,803	355	306	337	309	292	310	294	293	321	310	327	349
Male	2,160	200	177	193	182	172	182	160	157	172	180	179	206
Female	1,643	155	129	144	127	120	128	134	136	149	130	148	143
Nonwhite	815	75	65	68	61	72	60	69	71	63	78	67	66
Male	482	48	40	35	30	37	26	43	48	39	47	43	36
Female	333	27	25	33	31	35	24	26	23	24	31	24	30
District of Columbia	8,810	784	693	743	725	705	679	756	700	684	729	775	856
Male	4,785	433	372	420	390	398	390	421	367	356	406	416	426
Female	4,025	351	321	323	335	307	289	335	333	308	323	360	430
White	5,787	352	277	318	302	310	300	344	285	272	302	346	379
Male	1,910	172	155	168	145	155	163	185	143	137	151	180	

SECTION I - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>Florida</b>	63,789	5,564	5,175	5,652	5,201	5,254	4,917	5,281	5,097	4,945	5,321	5,493	5,989
Male	38,185	3,333	3,070	3,475	3,114	3,095	2,952	3,185	2,995	2,923	3,143	3,268	3,632
Female	25,606	2,231	2,105	2,177	2,087	2,159	1,965	2,096	2,102	1,922	2,178	2,227	2,357
<b>White</b>	53,789	4,637	4,354	4,773	4,380	4,418	4,182	4,400	4,352	4,106	4,476	4,888	5,057
Male	32,413	2,795	2,593	2,947	2,617	2,617	2,520	2,674	2,587	2,489	2,681	2,815	3,079
Female	21,376	1,842	1,761	1,826	1,763	1,801	1,662	1,726	1,765	1,619	1,795	1,871	1,978
<b>Nonwhite</b>	10,000	927	841	879	821	836	735	873	765	759	845	807	932
Male	5,770	536	477	528	497	478	432	511	409	435	462	451	553
Female	4,230	389	364	351	324	358	303	362	357	304	383	356	379
<b>Georgia</b>	58,503	3,565	3,120	3,405	3,120	3,137	3,012	2,977	3,064	3,003	3,245	3,344	3,611
Male	21,837	1,977	1,785	1,985	1,810	1,776	1,701	1,649	1,741	1,717	1,886	1,967	2,223
Female	16,666	1,588	1,335	1,420	1,310	1,361	1,311	1,328	1,323	1,286	1,359	1,477	1,488
<b>White</b>	26,204	2,392	2,048	2,355	2,122	2,145	2,090	2,058	2,094	2,011	2,208	2,295	2,586
Male	15,269	1,355	1,170	1,414	1,270	1,297	1,228	1,163	1,195	1,175	1,314	1,332	1,597
Female	10,936	1,037	878	941	852	848	862	895	901	836	894	963	989
<b>Nonwhite</b>	12,299	1,173	1,072	1,050	998	992	922	919	970	992	1,037	1,049	1,125
Male	6,589	622	555	551	540	519	473	485	548	542	572	535	626
Female	5,730	551	517	499	458	473	449	433	422	450	465	514	499
<b>Hawaii</b>	5,889	351	269	295	335	316	322	330	340	391	327	351	332
Male	2,364	215	165	190	205	201	199	207	199	172	192	207	212
Female	1,474	136	103	105	130	115	123	123	141	119	135	124	120
<b>White</b>	1,116	85	77	83	101	96	98	101	108	89	103	91	84
Male	683	55	47	53	82	56	58	64	65	50	59	59	57
Female	433	30	30	30	39	40	40	37	45	39	44	32	37
<b>Nonwhite</b>	2,722	266	191	212	234	220	224	229	232	202	224	240	248
Male	1,681	160	118	137	143	145	141	143	156	122	153	168	155
Female	1,041	106	73	75	91	75	83	86	95	80	91	92	93
<b>Idaho</b>	5,698	524	471	444	482	492	482	508	510	454	519	526	496
Male	3,587	295	292	247	304	312	309	311	308	289	335	312	273
Female	2,311	229	179	197	178	180	173	197	202	165	184	214	213
<b>White</b>	5,808	517	466	432	480	498	477	500	500	448	506	517	477
Male	3,557	291	288	241	303	310	306	306	301	287	327	309	268
Female	2,271	226	178	191	177	178	171	194	199	161	179	208	209
<b>Nonwhite</b>	90	7	5	12	2	4	5	8	10	6	15	9	9
Male	50	4	4	6	1	2	3	5	7	2	8	3	5
Female	40	3	1	6	1	2	2	3	3	4	5	6	4
<b>Illinois</b>	110,105	9,908	8,554	9,395	8,749	9,411	8,607	8,803	8,607	8,555	9,374	9,261	10,781
Male	61,470	5,869	4,775	5,248	4,827	5,268	4,879	4,951	4,854	4,807	5,156	5,175	5,961
Female	48,635	4,339	3,779	4,147	3,922	4,143	3,728	3,852	3,753	3,748	4,218	4,086	4,820
<b>White</b>	97,080	8,751	7,632	8,321	7,741	8,327	7,587	7,758	7,596	7,564	8,197	8,155	9,451
Male	54,145	4,958	4,268	4,620	4,268	4,633	4,306	4,347	4,280	4,213	4,483	4,552	5,223
Female	42,935	3,793	3,374	3,701	3,473	3,694	3,281	3,411	3,316	3,351	3,704	3,603	4,228
<b>Nonwhite</b>	13,025	1,157	922	1,074	1,008	1,084	1,020	1,045	1,011	1,091	1,177	1,106	1,330
Male	7,325	617	517	628	559	635	573	604	674	594	663	623	738
Female	5,700	540	405	446	449	449	447	441	437	497	514	483	592
<b>Indiana</b>	47,866	4,107	3,730	4,293	3,850	4,236	3,876	3,821	3,871	3,767	4,112	4,002	4,421
Male	26,841	2,289	2,094	2,396	2,207	2,335	2,233	2,178	2,062	2,122	2,279	2,250	2,459
Female	21,045	1,818	1,636	1,907	1,743	1,901	1,643	1,643	1,609	1,585	1,834	1,744	1,962
<b>White</b>	44,763	3,844	3,487	4,020	3,635	3,946	3,612	3,586	3,403	3,528	3,688	3,733	4,143
Male	25,073	2,147	1,966	2,251	1,989	2,141	2,079	2,037	1,906	2,025	2,127	2,112	2,303
Female	19,690	1,697	1,531	1,769	1,646	1,805	1,533	1,549	1,497	1,501	1,701	1,621	1,840
<b>Nonwhite</b>	3,123	263	243	273	215	290	264	235	268	241	284	269	278
Male	1,769	142	138	135	118	174	154	141	156	157	151	146	156
Female	1,355	121	105	138	97	116	110	94	112	84	133	123	122
<b>Iowa</b>	28,876	2,562	2,290	2,571	2,238	2,501	2,210	2,404	2,271	2,283	2,472	2,335	2,729
Male	16,215	1,451	1,253	1,425	1,276	1,406	1,239	1,398	1,275	1,286	1,568	1,333	1,525
Female	12,661	1,111	1,037	1,146	962	1,095	971	1,006	996	1,007	1,104	1,002	1,204
<b>White</b>	26,856	2,334	2,069	2,337	2,016	2,371	2,196	2,375	2,244	2,289	2,447	2,304	2,708
Male	16,053	1,413	1,245	1,408	1,237	1,398	1,228	1,382	1,272	1,262	1,557	1,315	1,515
Female	12,503	1,121	1,024	1,129	949	1,078	968	993	982	996	1,090	991	1,192
<b>Nonwhite</b>	320	28	21	34	22	30	24	29	27	25	25	31	24
Male	162	18	8	17	9	15	11	16	15	14	11	20	12
Female	158	10	13	17	13	15	13	13	14	11	14	11	12
<b>Kansas</b>	21,752	1,996	1,757	1,820	1,713	1,815	1,688	1,776	1,716	1,749	1,826	1,822	2,104
Male	12,303	1,163	997	1,064	956	1,078	941	1,008	943	989	1,029	992	1,163
Female	9,449	833	760	756	757	737	747	768	773	760	797	830	941
<b>White</b>	20,647	1,891	1,677	1,724	1,610	1,727	1,576	1,675	1,627	1,658	1,759	1,739	1,984
Male	11,702	1,101	956	1,011	900	1,021	889	951	893	919	1,003	956	1,102
Female	8,945	790	721	713	710	706	687	724	734	739	756	783	882
<b>Nonwhite</b>	1,105	105	80	96	103	88	82	101	89	91	67	85	120
Male	601	62	41	53	56	57	52	57	50	50	26	36	61
Female	504	43	39	43	47	31	30	44	39	41	41	47	59
<b>Kentucky</b>	31,894	2,652	2,592	2,837	2,699	2,788	2,486	2,588	2,507	2,473	2,632	2,719	2,921
Male	19,144	1,481	1,441	1,556	1,572	1,608	1,428	1,504	1,441	1,470	1,489	1,632	1,684
Female	13,750	1,161	1,151	1,301	1,127	1,180	1,058	1,084	1,066	1,003	1,143	1,187	1,287
<b>White</b>	28,825	2,404	2,321	2,576	2,466	2,550	2,245	2,324	2,265	2,228	2,357	2,450	2,639
Male	16,522	1,354	1,293	1,400	1,449	1,480	1,297	1,369	1,314	1,356	1,343	1,390	1,495
Female	12,303	1,040	1,028	1,176	1,017	1,070	948	955	951	892	1,014	1,070	1,144
<b>Nonwhite</b>	3,069	248	271	261	233	239	241	264	242	245	275	269	282
Male	1,622	127	146	136	125	129	129	135	127	134	146	152	159
Female	1,447	121	125	125	110	110	112	129	115	111	129	117	145
<b>Louisiana</b>	31,735	2,954	2,604	2,630	2,513	2,564	2,499	2,488	2,262	2,531	2,558	2,734	3,034
Male	18,244	1,656	1,449	1,572	1,421	1,484	1,427	1,428	1,309	1,466	1,504	1,600	1,728
Female	13,491	1,298	1,155	1,058	1,092	1,080	1,072	1,060	1,117				

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maine.....	11,092	1,021	878	957	914	986	877	988	927	968	892	895	999
Male.....	6,169	546	454	523	503	542	495	500	529	501	505	516	555
Female.....	4,923	475	424	434	411	444	382	488	398	467	387	379	444
White.....	11,045	1,015	875	956	908	983	874	986	921	963	878	890	996
Male.....	6,140	541	455	522	499	541	493	498	525	498	503	514	553
Female.....	4,905	474	422	434	409	442	381	488	396	465	375	376	443
Nonwhite.....	47	6	3	1	6	3	3	2	6	5	4	5	3
Male.....	29	5	1	1	4	1	2	2	4	3	2	2	2
Female.....	18	1	2	-	2	2	1	-	2	2	2	3	1
Maryland.....	31,101	2,706	2,462	2,672	2,629	2,551	2,495	2,546	2,444	2,447	2,603	2,652	2,894
Male.....	17,373	1,498	1,369	1,461	1,436	1,465	1,439	1,404	1,368	1,382	1,463	1,499	1,589
Female.....	13,728	1,208	1,093	1,211	1,193	1,086	1,056	1,142	1,076	1,065	1,140	1,153	1,305
White.....	25,220	2,190	2,005	2,257	2,117	2,097	2,027	2,064	1,995	1,974	2,111	2,153	2,330
Male.....	15,898	1,179	1,114	1,165	1,136	1,197	1,165	1,124	1,095	1,093	1,160	1,201	1,269
Female.....	11,322	1,011	891	992	981	900	862	940	900	881	951	952	1,061
Nonwhite.....	5,881	516	457	415	512	454	468	482	449	475	432	499	564
Male.....	3,475	319	255	296	300	268	274	280	275	269	303	298	320
Female.....	2,406	197	202	219	212	186	194	202	176	184	189	201	244
Massachusetts.....	58,020	5,021	4,695	5,091	4,971	5,092	4,615	4,696	4,483	4,510	4,713	4,871	5,284
Male.....	30,715	2,646	2,508	2,718	2,576	2,693	2,467	2,490	2,393	2,425	2,432	2,596	2,772
Female.....	27,305	2,375	2,187	2,373	2,395	2,399	2,146	2,206	2,090	2,085	2,281	2,278	2,492
White.....	56,636	4,885	4,570	4,982	4,850	4,957	4,498	4,595	4,374	4,398	4,610	4,758	5,183
Male.....	29,900	2,561	2,425	2,656	2,505	2,616	2,392	2,435	2,328	2,358	2,580	2,528	2,718
Female.....	26,736	2,322	2,145	2,326	2,345	2,341	2,106	2,160	2,046	2,040	2,200	2,230	2,445
Nonwhite.....	1,384	138	125	109	121	135	115	101	109	112	103	116	101
Male.....	815	85	85	62	71	77	75	55	65	67	52	69	54
Female.....	569	53	42	47	50	58	40	46	44	45	51	46	47
Michigan.....	75,382	6,537	5,983	6,484	6,049	6,295	6,081	6,064	6,044	5,761	6,374	6,224	7,506
Male.....	43,426	3,785	3,463	3,690	3,432	3,605	3,505	3,510	3,577	3,283	3,692	3,589	4,252
Female.....	31,956	2,752	2,520	2,794	2,617	2,690	2,576	2,554	2,467	2,478	2,682	2,635	3,254
White.....	67,322	5,894	5,344	5,844	5,457	5,663	5,426	5,388	5,397	5,144	5,710	5,671	6,714
Male.....	38,854	3,415	3,103	3,327	3,098	3,285	3,122	3,093	3,194	2,944	3,325	3,186	3,772
Female.....	28,668	2,479	2,241	2,517	2,359	2,378	2,304	2,275	2,203	2,200	2,385	2,385	2,942
Nonwhite.....	7,860	643	619	640	592	632	655	706	647	617	664	653	792
Male.....	4,572	370	360	363	334	360	363	427	383	342	387	403	480
Female.....	3,288	273	259	277	258	272	272	279	264	275	297	250	312
Minnesota.....	32,949	3,101	2,647	2,742	2,651	2,848	2,599	2,792	2,564	2,595	2,757	2,747	2,926
Male.....	18,981	1,772	1,484	1,529	1,549	1,653	1,507	1,615	1,505	1,532	1,562	1,601	1,652
Female.....	13,968	1,329	1,163	1,213	1,102	1,195	1,092	1,177	1,059	1,063	1,195	1,146	1,274
White.....	35,802	3,062	2,601	2,701	2,607	2,818	2,588	2,753	2,535	2,599	2,695	2,716	2,867
Male.....	19,728	1,750	1,455	1,507	1,523	1,640	1,493	1,592	1,467	1,510	1,559	1,577	1,655
Female.....	15,774	1,312	1,146	1,194	1,084	1,178	1,075	1,161	1,048	1,049	1,136	1,139	1,252
Nonwhite.....	447	39	46	41	44	30	31	39	29	36	42	31	39
Male.....	253	22	29	22	26	13	14	23	18	22	23	24	17
Female.....	194	17	17	19	18	17	17	16	11	14	19	7	22
Mississippi.....	22,829	2,087	1,771	1,942	1,738	1,868	1,778	1,749	1,805	1,778	1,965	1,960	2,187
Male.....	13,056	1,155	1,025	1,089	1,016	1,090	1,026	1,010	1,012	1,049	1,117	1,147	1,272
Female.....	9,893	932	746	853	722	778	752	739	793	729	849	813	915
White.....	12,869	1,197	991	1,130	1,004	1,060	992	996	1,048	1,040	1,089	1,087	1,235
Male.....	7,859	706	598	667	604	637	584	592	631	639	669	669	746
Female.....	5,210	491	405	463	400	423	408	404	417	409	450	418	489
Nonwhite.....	9,760	890	780	812	734	806	785	753	757	739	877	873	952
Male.....	5,377	489	435	422	412	443	442	418	416	418	476	476	526
Female.....	4,383	401	345	390	322	363	344	335	341	320	399	395	426
Missouri.....	50,620	4,583	4,003	4,393	4,080	4,242	3,861	4,176	3,962	3,975	4,271	4,188	4,886
Male.....	28,074	2,531	2,215	2,416	2,291	2,414	2,161	2,501	2,180	2,180	2,384	2,355	2,848
Female.....	22,546	2,052	1,788	1,977	1,789	1,828	1,700	1,675	1,802	1,795	1,887	1,833	2,220
White.....	45,248	4,093	3,576	3,921	3,692	3,793	3,466	3,721	3,560	3,562	3,801	3,763	4,300
Male.....	25,210	2,267	1,981	2,162	2,063	2,182	1,941	2,057	1,959	1,987	2,122	2,127	2,362
Female.....	20,138	1,826	1,595	1,769	1,629	1,611	1,525	1,664	1,601	1,615	1,689	1,636	1,990
Nonwhite.....	5,272	490	427	472	388	449	395	455	422	393	470	425	496
Male.....	2,864	284	234	264	208	252	220	244	221	213	252	228	264
Female.....	2,408	206	193	208	180	197	175	211	201	180	218	197	232
Montana.....	6,571	576	470	564	497	555	519	517	573	552	568	565	615
Male.....	4,048	345	304	349	295	345	329	322	343	350	364	335	367
Female.....	2,523	231	166	215	202	210	190	195	230	202	204	230	248
White.....	6,286	547	457	541	463	531	498	496	538	520	547	537	591
Male.....	3,892	329	293	337	283	330	317	311	332	336	350	321	353
Female.....	2,394	218	164	204	200	201	181	185	206	184	197	216	238
Nonwhite.....	285	29	13	23	14	24	21	21	35	32	21	28	24
Male.....	156	16	11	12	12	15	12	11	11	14	14	14	14
Female.....	129	13	2	11	2	9	9	10	24	18	7	14	10
Nebraska.....	14,497	1,291	1,106	1,318	1,142	1,285	1,162	1,200	1,136	1,093	1,180	1,248	1,346
Male.....	8,246	785	607	725	665	766	642	712	634	611	640	728	793
Female.....	6,251	506	499	593	477	519	520	488	502	472	540	520	553
White.....	14,101	1,254	1,074	1,285	1,125	1,252	1,132	1,165	1,102	1,044	1,138	1,223	1,311
Male.....	8,018	715	590	707	651	753	623	695	614	589	617	712	774
Female.....	6,083	539	484	578	472	519	509	472	488	455	521	511	537
Nonwhite.....	396	37	32	35	19	33	30	35	34	39	42	25	35
Male.....	228	20	17	18	12	23	19	19	20	22	23	16	19
Female.....	168	17	15	17	7	10	11	16	14	17	19	9	16
Nevada.....	3,316	295	284	282	248	299	279	241	258	234	307	263	348
Male.....	2,125	190	176	168	158	197	179	156	165	164	184	166	222
Female.....	1,191	105	108	94	90	102	100	85	93	70	123	97	126
White.....	3,060	273	266	237	224	277	253	226	259	213	286	2	

## SECTION 1 - GENERAL MORTALITY

1-49

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967--Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Hampshire	7,287	651	607	584	609	674	596	595	535	575	635	600	628
Male	3,979	362	317	325	303	352	332	332	297	326	350	350	333
Female	3,308	289	290	259	306	322	264	263	238	247	285	250	295
White	7,272	650	606	582	609	673	585	591	533	572	634	599	628
Male	3,971	362	316	323	303	352	332	330	298	325	350	349	333
Female	3,301	288	290	259	306	321	263	261	237	247	284	250	295
Nonwhite	15	1	1	2	-	1	1	4	2	1	1	1	-
Male	8	-	-	2	-	-	-	2	1	1	-	-	-
Female	7	1	-	-	-	1	1	2	1	-	1	-	-
New Jersey	65,886	5,782	5,374	5,888	5,297	5,635	5,170	5,259	5,157	5,216	5,422	5,745	6,111
Male	36,242	3,190	2,839	3,153	2,900	3,084	2,896	2,898	2,924	2,906	3,036	3,146	3,272
Female	29,624	2,592	2,535	2,735	2,397	2,551	2,274	2,361	2,233	2,310	2,386	2,599	2,839
White	59,488	5,191	4,836	5,137	4,821	5,097	4,644	4,757	4,667	4,709	4,901	5,185	5,563
Male	32,600	2,854	2,592	2,850	2,633	2,784	2,607	2,591	2,628	2,606	2,715	2,820	2,970
Female	26,988	2,337	2,274	2,307	2,168	2,313	2,037	2,148	2,039	2,103	2,186	2,365	2,593
Nonwhite	6,379	591	538	561	476	538	526	522	490	507	521	560	548
Male	3,542	336	277	323	267	300	289	305	298	300	321	326	302
Female	2,736	255	261	238	209	238	237	217	194	207	200	234	246
New Mexico	6,925	618	583	621	533	553	551	570	548	545	568	575	660
Male	4,222	379	353	373	325	345	342	363	345	327	340	325	405
Female	2,703	239	230	248	208	208	209	207	203	218	228	250	255
White	6,245	552	529	557	480	509	501	508	491	493	506	517	602
Male	3,816	336	325	333	291	319	312	321	314	300	299	292	374
Female	2,429	216	204	224	189	190	189	187	177	193	207	225	228
Nonwhite	660	66	54	64	53	44	50	62	57	52	62	58	58
Male	406	43	28	40	34	26	30	42	31	27	41	33	31
Female	274	23	26	24	19	18	20	20	26	25	21	25	27
New York	186,911	16,379	14,667	16,191	15,105	15,820	14,931	15,274	14,585	14,705	15,827	15,954	17,993
Male	102,522	9,389	8,071	9,765	8,217	8,704	8,172	8,464	8,091	8,113	8,421	8,755	9,860
Female	84,389	7,490	6,596	7,426	6,888	7,116	6,759	6,810	6,494	6,592	6,906	7,199	8,133
White	169,764	14,865	13,276	14,660	13,659	14,261	13,572	13,719	13,082	13,192	13,909	14,395	16,174
Male	92,294	8,023	7,302	7,924	7,400	7,814	7,405	7,618	7,284	7,238	7,614	7,981	8,843
Female	76,470	6,942	5,974	6,736	6,259	6,447	6,167	6,101	5,848	5,956	6,295	6,514	7,331
Nonwhite	16,228	1,514	1,391	1,531	1,446	1,559	1,359	1,555	1,503	1,513	1,418	1,539	1,819
Male	10,228	866	789	841	817	890	767	848	857	877	807	874	1,017
Female	7,013	648	602	690	629	669	592	709	646	636	611	665	802
North Carolina	42,313	3,790	3,451	3,822	3,477	3,557	3,354	3,475	3,400	3,299	3,437	3,603	3,869
Male	24,548	2,186	2,023	2,104	1,974	2,064	1,950	2,017	2,001	1,904	1,987	2,083	2,270
Female	17,771	1,585	1,428	1,518	1,503	1,523	1,384	1,458	1,399	1,395	1,450	1,520	1,599
White	39,612	2,890	2,489	2,632	2,580	2,589	2,400	2,571	2,469	2,366	2,459	2,596	2,822
Male	17,927	1,565	1,459	1,531	1,460	1,494	1,414	1,495	1,445	1,351	1,454	1,498	1,561
Female	12,785	1,115	1,010	1,101	1,100	1,095	986	1,076	1,023	1,015	1,005	1,099	1,161
Nonwhite	11,701	1,110	982	990	917	968	934	904	932	933	978	1,007	1,046
Male	6,715	630	584	573	514	540	536	522	556	553	533	565	609
Female	4,986	480	418	417	403	428	398	382	376	380	445	422	437
North Dakota	5,400	460	423	459	450	481	419	467	399	450	476	433	481
Male	3,297	275	256	296	279	299	242	293	254	251	298	269	286
Female	2,103	185	167	163	172	182	177	174	145	199	180	164	195
White	5,284	448	412	453	436	469	406	461	368	443	473	427	469
Male	3,231	269	250	295	267	294	238	289	245	247	288	265	280
Female	2,053	179	162	158	169	174	174	172	143	196	175	162	189
Nonwhite	116	12	11	6	14	13	13	6	11	7	5	6	12
Male	66	6	6	1	11	6	10	4	9	4	-	4	6
Female	50	6	5	5	3	8	3	2	2	3	5	2	6
Ohio	98,579	8,571	7,999	9,234	8,086	8,231	8,113	7,953	7,885	7,616	8,258	8,375	8,558
Male	54,784	4,741	4,334	5,123	4,598	4,552	4,552	4,453	4,358	4,199	4,522	4,616	4,733
Female	43,795	3,830	3,665	4,111	3,551	3,633	3,561	3,500	3,327	3,417	3,736	3,759	3,825
White	89,758	7,785	7,244	8,385	7,348	7,471	7,366	7,254	7,016	6,943	7,529	7,627	7,791
Male	49,800	4,298	3,955	4,148	4,165	4,148	4,055	3,978	3,816	4,108	4,108	4,219	4,314
Female	39,958	3,487	3,289	3,735	3,200	3,306	3,252	3,219	3,058	3,127	3,420	3,408	3,477
Nonwhite	8,821	786	655	649	758	760	747	699	689	673	730	748	767
Male	4,994	443	379	473	407	433	438	418	380	383	414	397	419
Female	3,827	343	276	376	351	327	309	281	289	290	316	351	348
Oklahoma	24,883	2,344	2,000	2,119	1,942	1,996	1,943	1,990	1,989	1,913	2,130	2,133	2,584
Male	14,372	1,365	1,167	1,207	1,136	1,164	1,137	1,162	1,134	1,110	1,241	1,235	1,316
Female	10,511	979	833	912	806	832	806	828	855	803	889	900	1,068
White	22,508	2,118	1,819	1,927	1,758	1,801	1,749	1,785	1,800	1,754	1,938	1,932	2,147
Male	13,005	1,231	1,071	1,088	1,021	1,061	1,027	1,061	1,013	1,014	1,128	1,120	1,170
Female	9,503	887	748	839	737	740	722	724	787	720	810	812	977
Nonwhite	2,375	226	181	192	194	195	194	205	189	179	192	201	237
Male	1,567	134	96	119	115	103	110	101	121	96	113	113	146
Female	1,008	92	85	73	69	92	84	104	68	83	79	88	91
Oregon	18,926	1,682	1,508	1,685	1,542	1,652	1,558	1,604	1,539	1,450	1,561	1,483	1,662
Male	11,114	866	861	928	899	949	910	944	882	844	955	867	987
Female	7,812	681	622	724	614	703	648	660	657	606	606	616	675
White	18,600	1,647	1,480	1,665	1,519	1,624	1,551	1,579	1,510	1,427	1,533	1,450	1,636
Male	10,909	978	869	948	912	936	891	926	865	832	938	847	967
Female	7,691	669	611	717	607	688	640	653	645	595	595	603	668
Nonwhite	326	35	28	20	23	29	27	25	29	23	28	33	27
Male	205	23	17	13	16	13	19	16	17	12	17	20	20
Female	121	12	11	7	7	15	8	7	12	11	11	13	7
Pennsylvania	125,932	10,999	10,449	11,527	10,523	10,337	10,095	9,832	9,815	9,847	10,448	10,848	11,212
Male	69,392	6,065	5,686	6,249	5,792	5,701	5,590	5,522	5,505	5,398	5,746	5,981	6,157
Female	56,540	4,934	4,763	5,278	4,731	4,636	4,505	4,310	4,310	4,449	4,702	4,867	5,055
White	115,444	10,109	9,598	10,573	9,680	9,504	9,269	9,048	9,026	9,009	9,553	9,924	10,240
Male	63												

## SECTION I - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rhode Island													
.....	9,591	814	749	888	795	799	814	777	747	732	675	784	651
Male	4,931	432	385	445	399	406	428	418	418	419	381	320	440
Female	4,450	382	364	423	394	393	386	359	329	313	322	394	391
White	9,121	784	728	840	766	771	789	762	727	717	656	787	614
Male	4,785	412	375	428	383	391	414	409	408	410	341	384	428
Female	4,338	372	353	412	383	380	375	353	319	307	315	383	386
Nonwhite	260	30	21	28	27	28	25	15	20	15	17	17	17
Male	148	20	10	17	16	15	14	9	10	9	10	6	12
Female	112	10	11	11	11	13	11	6	10	6	7	11	5
South Carolina													
.....	21,794	1,982	1,792	1,899	1,768	1,741	1,604	1,732	1,710	1,723	1,869	1,906	2,068
Male	12,328	1,092	1,017	1,051	986	978	910	999	978	989	1,089	1,056	1,183
Female	9,466	890	775	848	782	763	694	733	732	734	780	850	885
White	13,641	1,190	1,097	1,216	1,140	1,090	1,018	1,088	1,098	1,101	1,160	1,199	1,246
Male	7,899	691	655	689	662	628	581	627	633	641	670	684	718
Female	5,742	499	442	527	478	464	437	459	443	460	490	515	528
Nonwhite	8,153	792	695	685	628	651	586	646	612	622	709	707	822
Male	4,429	401	362	382	324	332	329	372	323	349	419	372	465
Female	3,724	391	333	321	304	299	257	274	289	274	290	335	357
South Dakota													
.....	6,372	555	517	529	497	507	515	559	508	506	527	552	602
Male	3,785	333	295	327	296	300	311	334	300	287	292	340	370
Female	2,587	222	222	202	201	207	204	225	206	219	235	212	232
White	6,051	525	494	499	469	488	483	526	481	482	507	529	569
Male	3,609	312	283	309	285	289	294	316	284	278	282	327	352
Female	2,442	213	211	190	184	199	189	210	197	206	225	201	217
Nonwhite	321	30	23	30	28	19	32	33	25	24	20	24	33
Male	176	21	12	18	11	11	17	18	16	11	10	13	18
Female	145	9	11	12	17	8	15	15	9	13	10	11	15
Tennessee													
.....	35,795	3,120	2,946	3,198	2,992	3,026	2,826	2,952	2,785	2,922	2,966	2,939	3,425
Male	20,525	1,789	1,720	1,813	1,648	1,718	1,630	1,646	1,610	1,614	1,711	1,664	1,962
Female	15,270	1,331	1,226	1,385	1,244	1,308	1,196	1,206	1,175	1,208	1,255	1,275	1,463
White	28,941	2,531	2,376	2,609	2,335	2,456	2,308	2,283	2,244	2,275	2,388	2,379	2,773
Male	16,780	1,477	1,405	1,501	1,340	1,410	1,350	1,327	1,324	1,311	1,374	1,373	1,588
Female	12,161	1,054	975	1,108	975	1,046	958	959	920	964	1,014	1,008	1,185
Nonwhite	6,854	589	568	589	577	570	518	567	539	547	578	560	652
Male	3,745	312	315	312	308	308	280	319	286	305	337	321	374
Female	3,109	277	253	277	269	262	238	248	253	244	241	239	278
Texas													
.....	66,805	7,872	6,988	7,565	6,805	7,425	6,895	6,886	6,852	6,680	7,251	7,566	8,230
Male	50,460	4,584	4,037	4,414	3,984	4,372	4,033	4,038	4,029	3,875	4,196	4,190	4,710
Female	36,345	3,288	2,951	3,151	2,821	3,053	2,862	2,848	2,803	2,807	3,055	3,376	3,520
White	73,607	6,848	5,978	6,438	5,780	6,280	5,866	5,796	5,735	5,578	6,190	6,222	6,991
Male	43,068	3,887	3,497	3,755	3,396	3,705	3,454	3,407	3,438	3,324	3,579	3,539	4,037
Female	30,539	2,761	2,481	2,683	2,384	2,575	2,412	2,389	2,297	2,254	2,601	2,683	2,954
Nonwhite	13,193	1,224	1,010	1,127	1,045	1,165	1,029	1,100	1,039	1,005	1,071	1,144	1,239
Male	7,332	637	540	659	589	667	579	631	591	549	617	601	673
Female	5,866	527	470	468	457	498	450	469	448	456	454	543	566
Utah													
.....	6,535	564	496	559	539	569	541	600	541	508	506	504	606
Male	3,786	332	282	321	319	340	319	348	313	297	303	296	327
Female	2,751	232	214	238	221	229	222	252	228	211	203	208	279
White	6,410	556	485	552	527	555	538	588	535	497	496	491	595
Male	3,720	327	275	317	310	331	317	340	310	289	299	289	316
Female	2,690	229	208	235	217	222	219	249	225	208	197	202	279
Nonwhite	125	8	15	7	12	16	5	11	6	11	10	13	11
Male	76	5	7	4	8	9	2	8	3	8	4	7	11
Female	47	3	8	3	4	7	3	3	3	3	6	6	-
Vermont													
.....	4,526	375	319	379	383	408	391	330	329	367	376	363	426
Male	2,459	188	173	222	208	228	196	185	188	209	197	199	227
Female	2,067	187	166	157	175	180	195	145	141	158	179	165	199
White	4,518	375	319	379	383	406	390	329	327	365	375	383	426
Male	2,455	188	173	222	208	227	195	185	187	208	197	199	227
Female	2,061	187	165	157	175	179	195	144	140	157	178	165	199
Nonwhite	10	-	1	-	-	2	1	1	2	2	1	-	-
Male	4	-	-	-	-	1	1	-	1	1	-	-	-
Female	6	1	1	-	-	1	-	1	1	1	1	-	-
Virginia													
.....	37,256	3,145	2,814	3,311	3,141	3,104	3,029	2,987	2,850	3,041	3,053	3,169	3,492
Male	21,229	1,806	1,609	1,920	1,781	1,767	1,747	1,719	1,630	1,693	1,752	1,830	1,975
Female	16,007	1,339	1,205	1,391	1,360	1,337	1,282	1,268	1,220	1,348	1,301	1,339	1,517
White	27,939	2,354	2,176	2,478	2,384	2,333	2,285	2,223	2,151	2,284	2,355	2,375	2,604
Male	16,043	1,340	1,203	1,449	1,363	1,331	1,331	1,292	1,225	1,275	1,340	1,402	1,472
Female	11,946	1,014	973	1,029	1,021	982	952	931	926	1,009	993	973	1,132
Nonwhite	9,247	791	738	832	757	771	736	764	699	757	720	794	888
Male	5,188	468	408	471	418	416	416	427	405	418	412	428	503
Female	4,061	323	332	361	339	355	320	337	294	339	308	366	385
Washington													
.....	29,404	2,617	2,288	2,420	2,431	2,517	2,455	2,373	2,392	2,333	2,482	2,345	2,753
Male	17,035	1,532	1,324	1,389	1,436	1,449	1,457	1,382	1,427	1,316	1,447	1,376	1,540
Female	12,369	1,085	964	1,031	995	1,068	996	1,011	965	1,017	1,035	969	1,213
White	28,418	2,532	2,225	2,332	2,365	2,434	2,370	2,295	2,295	2,244	2,395	2,268	2,666
Male	16,437	1,484	1,289	1,315	1,399	1,402	1,408	1,309	1,365	1,259	1,399	1,322	1,486
Female	11,981	1,048	936	1,017	966	1,032	962	986	930	985	996	944	1,179
Nonwhite	986	85	63	88	66	83	85	78	97	89	87	79	86
Male	598	48	35	54	37	47	49	53	62	57	46	54	54
Female	588	37	28	34	29	36	34	25	35	32	39	25	34
West Virginia													
.....	19,249	1,666	1,602	1,675	1,588	1,583	1,541	1,527	1,499	1,492	1,635	1,623	1,818
Male	11,342	985	964	964	956	927	912	921	879	888	950	954	1,086
Female	7,907	701	642	711	632	656	629	606	620	604	685	669	732
White	18,175	1,573	1,515	1,570	1,499	1,487	1,470	1,447	1,426	1,406	1,539	1,531	1,713
Male	10,719	917	899	907	905	879	865	875	839	842	932	894	1,005
Female	7,456	655	616	663	594	608	605	572	587	564	647	637	708
Nonwhite	1,074	94	87	105	89	96	71	80	73	86	96	92	105
Male	623	48	61	57	51	48	47	46	40	46	58	60	61
Female	451	46	26	48	38	48	24	34	33	40	38	32	44

## SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month, Color, and Sex: United States and Each State, 1967--Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin-----	39,639	3,485	3,250	3,446	3,253	3,422	3,118	3,249	3,140	3,038	3,442	3,307	3,489
Male----	22,487	2,021	1,799	1,896	1,795	1,903	1,802	1,969	1,828	1,763	1,933	1,901	1,959
Female--	17,172	1,464	1,451	1,550	1,458	1,519	1,316	1,381	1,312	1,275	1,509	1,406	1,531
White-----	38,800	3,425	3,192	3,372	3,181	3,361	3,031	3,177	3,073	2,968	3,382	3,226	3,422
Male----	21,967	1,982	1,761	1,848	1,752	1,867	1,754	1,821	1,786	1,722	1,901	1,858	1,917
Female--	16,833	1,433	1,431	1,524	1,429	1,494	1,277	1,356	1,287	1,246	1,481	1,370	1,505
Nonwhite-----	839	70	58	74	72	61	87	72	67	70	60	81	67
Male----	500	39	38	48	43	36	48	47	42	41	32	45	41
Female--	339	31	20	26	29	25	39	25	25	29	28	36	26
Wyoming-----	2,775	258	212	221	230	244	204	249	215	220	234	237	251
Male----	1,687	148	125	137	139	146	139	168	119	130	144	142	150
Female--	1,088	110	87	84	91	98	65	81	96	90	90	95	101
White-----	2,707	254	198	218	227	238	199	244	214	215	228	230	242
Male----	1,652	146	117	135	138	143	135	166	118	126	140	141	147
Female--	1,055	108	81	83	89	95	64	78	96	89	88	89	95
Nonwhite-----	68	4	14	3	3	6	5	5	1	5	6	7	9
Male----	35	2	8	2	1	3	4	2	1	4	4	1	3
Female--	33	2	6	1	2	3	1	3	-	1	2	6	6

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Specified Race and Sex: United States and Each State, 1967

Area	All races			White		Negro		Indian <sup>1</sup>		Chinese		Japanese		Other races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States	1,851,323	1,045,945	805,378	819,514	707,637	118,639	93,563	3,007	2,099	1,401	414	1,497	957	1,947	709
Alabama	31,929	18,188	13,741	12,592	8,945	5,591	4,785	4	-	-	-	1	1	-	-
Alaska	1,285	848	437	590	257	20	6	223	172	-	-	3	-	12	2
Arizona	12,847	7,874	4,973	7,002	4,446	383	212	479	308	13	4	10	1	7	2
Arkansas	19,470	11,511	7,959	9,161	6,115	2,341	1,839	3	-	4	1	1	2	1	3
California	156,881	88,455	68,426	81,584	64,025	5,015	3,682	205	119	553	186	551	311	547	103
Colorado	16,354	9,273	7,081	8,966	6,865	280	189	17	15	2	1	32	8	6	4
Connecticut	26,145	14,478	11,667	13,777	11,143	684	523	6	1	4	-	3	-	4	-
Delaware	4,818	2,642	1,976	2,160	1,643	480	353	1	-	1	-	-	-	-	-
District of Columbia	8,810	4,785	4,025	1,910	1,877	2,841	2,143	1	-	21	3	-	-	10	2
Florida	63,789	38,183	25,806	32,415	21,376	5,746	4,219	9	6	7	2	4	2	4	1
Georgia	39,503	21,837	16,666	15,269	10,936	6,584	5,728	1	-	2	1	-	2	2	1
Hawaii	3,388	1,474	1,914	683	433	16	7	-	1	143	96	680	490	282	547
Idaho	5,898	3,587	2,311	3,337	2,271	11	2	29	34	-	-	8	4	2	-
Illinois	110,405	61,470	48,635	64,145	42,935	7,166	5,649	25	12	64	9	49	24	21	6
Indiana	47,888	26,841	21,045	25,073	18,680	1,757	1,352	1	1	5	1	3	-	2	1
Iowa	29,876	16,215	12,661	16,053	12,503	155	145	6	10	1	-	-	2	1	1
Kansas	21,752	12,303	9,449	11,702	8,945	584	491	14	12	1	-	1	-	1	1
Kentucky	31,894	18,144	13,750	16,522	12,303	1,620	1,447	-	-	2	-	-	-	-	-
Louisiana	31,735	18,244	13,491	11,994	8,371	6,235	5,109	8	8	4	2	-	-	3	1
Maine	11,092	6,169	4,923	6,140	4,905	11	11	18	7	-	-	-	-	-	-
Maryland	31,101	17,373	13,728	13,898	11,322	3,453	2,393	2	4	10	4	2	2	6	3
Massachusetts	58,020	30,715	27,305	29,900	26,736	580	6	6	57	9	1	3	11	1	-
Michigan	75,382	43,426	31,956	38,854	28,668	4,492	3,243	56	35	15	3	7	4	2	3
Minnesota	32,949	18,981	15,968	18,728	13,774	131	122	111	68	2	1	2	1	5	3
Mississippi	22,629	13,036	9,593	7,659	5,210	5,350	4,370	23	11	3	2	-	-	1	-
Missouri	50,620	28,074	22,546	25,210	20,138	2,844	2,395	3	4	4	1	1	1	12	7
Montana	4,048	2,523	1,525	3,892	2,394	15	15	139	114	1	1	1	-	-	2
Nebraska	14,497	8,245	6,251	8,018	6,083	183	139	40	30	-	-	4	-	1	-
Nevada	3,316	2,125	1,191	1,966	1,094	97	62	44	32	8	1	1	2	9	-
New Hampshire	7,387	3,979	3,308	3,971	3,301	7	5	-	2	1	-	-	-	-	-
New Jersey	65,865	36,242	29,624	32,600	26,099	3,522	2,663	2	2	8	6	4	4	106	61
New Mexico	6,325	4,222	2,703	3,816	2,429	76	67	326	205	3	-	-	-	1	2
New York	186,511	102,522	84,389	92,294	76,470	9,709	7,805	96	43	314	49	25	10	84	13
North Carolina	42,313	24,542	17,771	17,827	12,785	6,516	4,880	189	119	1	2	2	2	7	5
North Dakota	5,400	3,297	2,103	3,231	2,053	6	1	58	49	1	-	-	-	1	-
Ohio	99,579	54,784	43,795	49,800	39,958	4,949	3,822	5	3	22	4	3	5	5	3
Oklahoma	24,883	14,372	10,511	13,005	9,503	1,027	757	338	240	-	-	-	1	2	-
Oregon	18,926	11,114	7,812	10,909	7,691	110	70	37	36	23	2	25	11	10	2
Pennsylvania	123,332	63,392	56,540	63,532	51,912	5,819	4,604	2	4	20	9	4	3	15	8
Rhode Island	9,361	4,931	4,430	4,783	4,338	131	106	6	3	6	1	-	1	5	1
South Carolina	21,794	12,328	9,466	7,889	5,742	4,420	3,722	5	1	1	-	-	1	3	-
South Dakota	6,372	3,785	2,587	3,609	2,442	7	1	169	144	-	-	-	-	-	-
Tennessee	35,795	20,525	15,270	16,780	12,161	3,739	3,106	3	1	2	2	1	1	-	-
Texas	85,805	50,460	36,345	43,063	30,539	7,354	5,785	9	7	17	4	3	6	9	4
Utah	6,533	3,796	2,737	3,720	2,690	25	13	31	26	3	1	15	5	2	2
Vermont	4,526	2,459	2,067	2,455	2,061	3	2	-	2	-	1	-	1	1	-
Virginia	37,236	21,229	16,007	16,043	11,945	5,182	4,051	7	3	5	2	1	1	11	4
Washington	23,404	17,035	12,369	16,437	11,931	280	188	164	129	39	6	56	46	49	10
West Virginia	19,249	11,342	7,907	10,719	7,456	622	451	-	-	-	-	-	-	-	-
Wisconsin	39,639	22,467	17,172	21,967	16,833	422	288	69	49	6	2	-	-	3	-
Wyoming	2,775	1,687	1,088	1,652	1,055	14	12	17	20	-	1	3	-	1	-

<sup>1</sup>Includes deaths among Aleuts and Eskimos.

<sup>2</sup>Includes 384 deaths among Hawaiians and Part-Hawaiians. (In addition there were 15 deaths among Hawaiians and Part-Hawaiians residing in other States.)

<sup>3</sup>Includes 295 deaths among Hawaiians and Part-Hawaiians. (In addition there were 11 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
		Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	All causes-----	1,851,323	1,045,945	805,378	519,514	707,637	126,431	97,741	935.7	1,081.7	796.1	1,080.2	797.0	1,093.0	789.8		
	I. Infective and parasitic diseases																
001-008	Tuberculosis of respiratory system-----	6,351	4,683	1,668	3,408	1,188	1,275	480	3.2	4.8	1.6	4.0	1.3	11.0	3.9		
001	Respiratory tuberculosis with mention of occupational disease of lung-----	257	254	3	220	3	34	-	0.1	0.3	0.0	0.3	0.0	0.5	-		
002	Pulmonary tuberculosis-----	5,700	4,200	1,500	3,015	1,061	1,185	439	2.9	4.3	1.5	3.5	1.2	10.2	3.5		
A	Active-----	5,097	3,772	1,325	2,670	909	1,102	416	2.6	3.9	1.3	3.1	1.0	9.5	3.4		
B	Inactive-----	603	428	175	345	152	83	23	0.3	0.4	0.2	0.4	0.2	0.7	0.2		
003	Pleural tuberculosis-----	226	120	108	99	89	21	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
.0	Pleurisy specified as tuberculous-----	20	14	6	11	4	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Pleurisy with effusion without mention of cause-----	206	106	100	88	85	18	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
004	Primary tuberculosis complex with symptoms-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
005	Tracheobronchial glandular tuberculosis with symptoms-----	3	1	2	1	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0		
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
007	Other respiratory tuberculosis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
008	Tuberculosis, unspecified site-----	162	107	55	72	34	35	21	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
A	Active-----	158	104	54	70	33	34	21	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
B	Inactive-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
010-019	Tuberculosis, other forms-----	550	319	231	166	121	153	110	0.3	0.3	0.2	0.2	0.1	1.3	0.9		
010	Tuberculosis of meninges and central nervous system-----	135	69	66	32	36	37	50	0.1	0.1	0.1	0.0	0.0	0.3	0.2		
011	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	40	26	14	10	5	16	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
012	Tuberculosis of bones and joints, active or unspecified-----	49	26	23	15	18	11	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Active or unspecified tuberculosis of vertebral column-----	44	22	22	13	17	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.1	Active or unspecified tuberculosis of hip-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Active or unspecified tuberculosis of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Active or unspecified tuberculosis of other and unspecified bones and joints-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
013	Late effects of tuberculosis of bones and joints-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Late effects of tuberculosis of vertebral column-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Late effects of tuberculosis of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Late effects of tuberculosis of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Late effects of tuberculosis of other and unspecified bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
014	Tuberculosis of skin and subcutaneous cellular tissue-----	8	1	7	1	3	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Primary tuberculosis of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Erythema nodosum specified as tuberculous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Lupus-----	8	1	7	1	3	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0		
.3	Other tuberculosis of skin and subcutaneous cellular tissue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
015	Tuberculosis of lymphatic system-----	7	2	5	-	4	2	1	0.0	0.0	0.0	-	0.0	0.0	0.0		
016	Tuberculosis of genitourinary system-----	60	37	23	27	16	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
017	Tuberculosis of adrenal glands-----	18	12	6	9	4	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
018	Tuberculosis of other organs-----	29	18	11	8	4	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Tuberculosis of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Tuberculosis of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	29	18	11	8	4	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
019	Disseminated tuberculosis-----	201	126	75	62	30	64	45	0.1	0.1	0.1	0.1	0.0	0.6	0.4		
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Acute miliary tuberculosis, unspecified-----	7	5	2	2	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other forms of disseminated tuberculosis-----	194	121	73	60	29	61	44	0.1	0.1	0.1	0.1	0.0	0.5	0.4		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases--Con.															
020-029	Syphilis and its sequelae-----	2,361	1,684	697	1,347	508	337	189	1.2	1.7	0.7	1.6	0.6	2.9	1.5
020	Congenital syphilis-----	26	11	14	7	8	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile neurosyphilis-----	3	-	3	-	3	-	-	0.0	-	0.0	-	-	-	-
.2	Other congenital syphilis-----	22	11	11	7	5	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
021	Early syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Primary syphilis, except extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Early syphilis, relapse following treatment-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Early syphilis, unspecified stage-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta-----	1,649	1,176	473	1,059	382	117	91	0.8	1.2	0.5	1.2	0.4	1.0	0.7
023	Other cardiovascular syphilis-----	414	291	123	149	62	142	61	0.2	0.3	0.1	0.2	0.1	1.2	0.5
024	Tabes dorsalis-----	28	22	6	19	5	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
025	General paralysis of insane-----	68	47	21	39	14	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
026	Other syphilis of central nervous system-----	140	100	40	51	21	49	19	0.1	0.1	0.0	0.1	0.0	0.4	0.2
027	Other forms of late syphilis-----	35	26	9	16	7	10	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
028	Latent syphilis-----	9	4	5	3	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Early latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Late latent-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Unspecified-----	6	1	5	-	3	1	2	0.0	0.0	0.0	-	0.0	0.0	0.0
029	Syphilis, unqualified-----	13	7	6	4	6	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
030-039	Gonococcal infection and other venereal diseases-----	17	13	4	6	1	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
030	Acute or unspecified gonorrhea-----	4	4	-	1	-	3	-	0.0	0.0	-	0.0	-	0.0	-
031	Chronic gonococcal infection of genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
032	Gonococcal infection of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Gonococcal infection of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	Gonococcal infection of other sites-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
035	Late effects of gonococcal infection-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-
036	Gonorrhoidea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
037	Lymphogranuloma venereum-----	4	2	2	-	2	2	0	0.0	0.0	0.0	-	-	0.0	0.0
038	Granuloma inguinale, venereal-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
039	Other and unspecified venereal diseases-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
040-049	Infectious diseases commonly arising in intestinal tract--	251	140	111	90	67	50	44	0.1	0.1	0.1	0.1	0.1	0.4	0.4
040	Typhoid fever-----	12	6	6	-	5	6	1	0.0	0.0	0.0	-	0.0	0.1	0.0
041	Paratyphoid fever-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
042	Other Salmonella infections-----	62	28	34	20	23	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without food as vehicle of infection-----	61	28	33	20	22	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-
043	Cholera-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)-----	4	2	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
045	Bacillary dysentery-----	62	33	29	23	17	10	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Flexner-Boyd group-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Schmitz-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Shiga-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-
.3	Sonne-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.4	Bacillary, other and unspecified-----	56	31	25	21	14	10	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
046	Amebiasis-----	65	47	18	33	11	14	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of liver abscess-----	39	24	15	14	10	5	0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	With liver abscess-----	26	23	3	19	1	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
047	Other protozoal dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery-----	30	16	14	8	7	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
<b>I. Infective and parasitic diseases--Con.</b>															
<b>Infectious diseases commonly arising in intestinal tract--Con.</b>															
049	Food poisoning (infection and intoxication)-----	15	8	7	7	1	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Staphylococcal-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Botulism-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	-	-	
.2	Unspecified-----	11	5	6	4	-	1	6	0.0	0.0	0.0	-	0.0	0.0	
050-064	Other bacterial diseases-----	3,654	2,000	1,654	1,510	1,237	490	417	1.8	2.1	1.6	1.8	1.4	4.2	3.4
050	Scarlet fever-----	9	5	4	4	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
051	Streptococcal sore throat-----	38	19	19	15	11	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
052	Erysipelas-----	14	8	6	8	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
053	Septicemia and pyemia-----	2,603	1,425	1,178	1,088	911	337	267	1.3	1.5	1.2	1.3	1.0	2.9	2.2
.0	Streptococcus-----	72	33	39	29	34	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Staphylococcus-----	199	122	77	111	72	11	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Pneumococcus-----	41	24	17	18	10	6	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.3	Other specified organism-----	167	101	66	78	52	23	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.4	Organism unspecified-----	2,124	1,145	979	852	743	293	236	1.1	1.2	1.0	1.0	0.8	2.5	1.9
054	Bacterial toxemia-----	68	34	34	27	24	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
055	Diphtheria-----	32	14	18	8	8	6	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
056	Whooping cough-----	37	19	18	6	8	13	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of pneumonia-----	22	12	10	2	3	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia-----	15	7	8	4	5	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
057	Meningococcal infections-----	635	355	280	272	209	63	71	0.3	0.4	0.3	0.3	0.2	0.7	0.6
.0	Meningococcal meningitis-----	319	173	146	135	105	38	41	0.2	0.2	0.1	0.2	0.1	0.3	0.3
.1	Acute and unspecified meningococemia-----	311	179	132	134	102	45	30	0.2	0.2	0.1	0.2	0.1	0.4	0.2
.2	Chronic meningococemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other forms of meningococcal infection-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
058	Plague-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Bubonic-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Pneumonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularemia-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
060	Leprosy-----	4	3	1	1	-	2	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.0	Lepromatous leprosy-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.1	Neuroleprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
061	Tetanus-----	144	76	68	47	31	29	37	0.1	0.1	0.1	0.1	0.0	0.3	0.3
062	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene-----	58	33	25	26	22	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
064	Other bacterial diseases-----	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Epidemic arthritic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hat-bite fever due to Streptobacillus moniliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Glanders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Melioidosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other-----	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070-074	Spirochetal diseases, except syphilis-----	8	4	4	1	2	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070	Vincent's infection-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
071	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis-----	4	3	1	-	-	3	1	0.0	0.0	0.0	-	-	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)-----	3	2	1	-	-	2	1	0.0	0.0	0.0	-	-	0.0	0.0
.1	Other and unspecified-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	0.0
073	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic Diseases--Con. Spirochetal diseases, except syphilis--Con.															
074	Other spirochetal infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Rat-bite fever due to Spirochaeta morsus muris (sodoku)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080-096	Diseases attributable to viruses-----	2,229	1,047	1,182	896	1,021	151	161	1.1	1.1	1.2	1.1	1.1	1.3	1.3
080	Acute poliomyelitis-----	16	7	9	5	7	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Specified as bulbar or polioencephalitis-----	6	2	4	1	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With other paralysis-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.2	Specified as nonparalytic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	8	5	3	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
081	Late effects of acute poliomyelitis-----	105	63	42	61	42	2	-	0.1	0.1	0.0	0.1	0.0	0.0	0.0
082	Acute infectious encephalitis-----	419	217	202	188	175	29	27	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.0	Arthropod-borne encephalitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Lymphocytic choriomeningitis-----	41	27	14	19	10	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Lethargic encephalitis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified infectious encephalitis-----	375	188	187	167	164	21	23	0.2	0.2	0.2	0.2	0.2	0.2	0.2
083	Late effects of acute infectious encephalitis-----	56	30	26	28	25	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Postencephalitic Parkinsonism-----	31	15	16	14	16	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Postencephalitic personality and character disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Postencephalitic psychosis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
.3	Other postencephalitic conditions-----	24	15	9	14	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
084	Smallpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----	81	41	40	30	26	11	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Without mention of pneumonia-----	32	15	17	8	10	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia-----	49	26	23	22	16	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
086	Rubella (German measles)-----	16	7	9	6	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
087	Chickenpox-----	118	60	58	51	51	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster-----	64	24	40	22	38	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
089	Mumps-----	37	18	19	15	18	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
090	Dengue-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
091	Yellow fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis-----	844	343	501	286	433	57	68	0.4	0.4	0.5	0.3	0.5	0.5	0.5
093	Glandular fever (infectious mononucleosis)-----	23	14	9	13	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
094	Rabies-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
095	Trachoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Other diseases attributable to viruses-----	447	220	227	188	190	32	37	0.2	0.2	0.2	0.2	0.2	0.3	0.3
.0	Herpes febrilis-----	29	13	16	11	14	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pottacosis and ornithosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Cowpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Epidemic hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Epidemic myalgia (Bornholm disease)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Foot and mouth disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sandfly fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Rift Valley fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	417	206	211	176	176	30	35	0.2	0.2	0.2	0.2	0.2	0.3	0.3
100-109	Typhus and other rickettsial diseases-----	29	16	13	13	11	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100	Louse-borne epidemic typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101	Flea-borne endemic typhus (murine)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Brill's disease, not specified as louse- or flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus-----	28	16	12	13	11	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
105	Mite-borne typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Volynian fever (trench fever)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases-Con.															
Typhus and other rickettsial diseases-Con.															
107	Typhus, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Other rickettsial diseases-----	1	-	1	-	-	-	-	1	0.0	-	0.0	-	-	0.0
110-117	Malaria-----	4	3	1	5	1	-	-	-	0.0	0.0	0.0	0.0	-	-
110	Vivax malaria (benign tertian)-----	1	1	-	1	-	-	-	-	0.0	0.0	-	-	-	-
111	Malariae malaria (quartan)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)-----	1	1	-	1	-	-	-	-	0.0	0.0	-	-	-	-
113	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria-----	2	1	1	1	1	-	-	-	0.0	0.0	0.0	0.0	-	-
117	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases-----	772	423	349	311	228	112	121	-	0.4	0.4	0.3	0.4	0.3	1.0
120	Leishmaniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (Oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis-----	1	1	-	1	-	-	-	-	0.0	0.0	-	-	-	-
.0	African (sleeping sickness)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	South American (Chagas' disease)-----	1	1	-	1	-	-	-	-	0.0	0.0	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases-----	15	7	8	5	6	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0
.0	Coccidiosis-----	2	2	-	1	-	1	-	-	0.0	0.0	-	-	-	0.0
.1	Toxoplasmosis-----	8	5	3	2	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other-----	5	2	3	2	2	-	1	-	0.0	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis-----	5	4	1	4	1	-	-	-	0.0	0.0	0.0	0.0	-	-
.0	Vesical (S. haematobium)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intestinal (S. mansoni)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oriental (S. japonicum)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified schistosomiasis-----	5	4	1	4	1	-	-	-	0.0	0.0	0.0	0.0	-	-
124	Other trematode infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Clonorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Hydatid disease-----	10	7	3	6	3	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0
126	Other cestode infestation-----	6	4	2	4	2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0
127	Filariasis-----	1	-	1	-	1	-	-	-	0.0	-	0.0	-	0.0	-
128	Trichinosis-----	2	2	-	2	-	-	-	-	0.0	0.0	-	-	-	-
129	Ancylostomiasis-----	2	1	1	-	-	-	1	1	0.0	0.0	0.0	-	-	0.0
130	Infestation with worms of other, mixed, and unspecified type-----	29	18	11	8	2	10	9	-	0.0	0.0	0.0	0.0	0.0	0.1
.0	Ascariasis-----	18	9	10	2	2	7	8	-	0.0	0.0	0.0	0.0	0.0	0.1
.1	Oxyuriasis-----	2	2	-	2	-	-	-	-	0.0	0.0	-	-	-	-
.2	Mixed intestinal helminth infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other-----	8	7	1	4	-	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0
131	Dermatophytosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Actinomycosis-----	28	21	7	17	5	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis-----	49	38	11	28	9	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0
134	Other fungus infections-----	330	203	127	179	97	24	30	-	0.2	0.2	0.1	0.2	0.1	0.2
.0	Blastomycosis-----	17	12	5	9	4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcosis (torulosis)-----	65	45	20	36	14	9	6	-	0.0	0.0	0.0	0.0	0.0	0.0
.2	Histoplasmosis-----	67	52	15	50	13	2	2	-	0.0	0.1	0.0	0.1	0.0	0.0
.3	Moniliasis-----	94	47	47	43	37	4	10	-	0.0	0.0	0.0	0.1	0.0	0.0
.4	Sporotrichosis-----	1	-	-	1	-	-	-	-	0.0	0.0	-	-	-	-
.5	Other-----	86	46	40	40	29	6	11	-	0.0	0.0	0.0	0.0	0.1	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases--Con.															
Other infective and parasitic diseases--Con.															
135	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
137	Other arthropod infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
138	Other infective and parasitic diseases-----	294	117	177	57	102	60	75	0.1	0.1	0.2	0.1	0.1	0.5	0.6
.0	Sarcoid of Boeck-----	253	99	154	43	81	56	73	0.1	0.1	0.2	0.1	0.1	0.5	0.6
.1	Other-----	41	18	23	14	21	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
II. Neoplasms															
140-148	Malignant neoplasm of buccal cavity and pharynx-----	6,718	5,015	1,705	4,409	1,506	604	199	3.4	5.2	1.7	5.2	1.7	5.2	1.6
140	Malignant neoplasm of lip-----	143	123	20	119	16	4	4	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.0	Upper lip-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip-----	38	29	9	29	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.8	Both lips-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Lip, unspecified (including commissure)-----	99	90	9	86	6	4	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0
141	Malignant neoplasm of tongue-----	1,544	1,186	358	1,031	322	155	36	0.8	1.2	0.4	1.2	0.4	1.3	0.3
.0	Base of tongue-----	167	128	39	110	37	18	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.7	Other specified parts of tongue-----	30	26	4	24	4	2	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple parts of tongue-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Part unspecified-----	1,346	1,031	315	896	281	135	34	0.7	1.1	0.3	1.1	0.3	1.2	0.3
142	Malignant neoplasm of salivary gland-----	596	361	235	326	216	35	19	0.3	0.4	0.2	0.4	0.2	0.3	0.2
.0	Parotid gland-----	461	274	187	247	175	27	12	0.2	0.3	0.2	0.3	0.2	0.2	0.1
.7	Other salivary gland-----	98	65	33	59	31	6	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.8	Multiple salivary glands-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Gland unspecified-----	37	22	15	20	10	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth-----	471	371	100	325	85	46	15	0.2	0.4	0.1	0.4	0.1	0.4	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified-----	1,054	702	352	628	321	74	31	0.5	0.7	0.3	0.7	0.4	0.8	0.3
145	Malignant neoplasm of oral mesopharynx-----	605	475	130	403	111	72	19	0.3	0.5	0.1	0.5	0.1	0.6	0.2
.0	Tonsil (excluding pillars)-----	558	437	119	370	102	67	17	0.3	0.5	0.1	0.4	0.1	0.6	0.1
.7	Other specified parts of mesopharynx-----	46	38	8	33	6	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple parts of mesopharynx-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Part unspecified-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
146	Malignant neoplasm of nasopharynx-----	537	401	136	341	113	60	23	0.3	0.4	0.1	0.4	0.1	0.5	0.2
147	Malignant neoplasm of hypopharynx-----	426	342	84	305	75	37	9	0.2	0.4	0.1	0.4	0.1	0.3	0.1
148	Malignant neoplasm of pharynx, unspecified-----	1,342	1,052	290	931	247	121	43	0.7	1.1	0.3	1.1	0.3	1.0	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum-----	96,694	51,988	44,706	45,995	40,586	5,993	4,120	49.9	53.0	44.2	54.0	45.7	51.8	33.3
150	Malignant neoplasm of esophagus-----	5,627	4,306	1,321	3,369	1,069	937	252	2.8	4.5	1.3	4.0	1.2	8.1	2.0
151	Malignant neoplasm of stomach-----	17,050	10,398	6,654	8,717	5,812	1,679	842	8.6	10.8	6.6	10.2	6.5	14.5	6.8
152	Malignant neoplasm of small intestine, including duodenum-----	715	368	347	331	313	37	34	0.4	0.4	0.3	0.4	0.4	0.3	0.3
.0	Duodenum-----	215	101	114	82	107	19	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.7	Other specified parts of small intestine-----	285	139	126	125	107	14	19	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.8	Multiple parts of small intestine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified-----	235	128	107	124	99	4	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1
153	Malignant neoplasm of large intestine, except rectum-----	33,082	15,205	17,877	14,081	16,537	1,124	1,340	16.7	15.7	17.7	16.5	18.6	9.7	10.8
.0	Cecum, appendix, and ascending colon-----	4,538	2,006	2,530	1,873	2,368	133	162	2.3	2.1	2.5	2.2	2.7	1.1	1.3
.1	Transverse colon, including hepatic and splenic flexures-----	1,424	676	748	604	697	72	51	0.7	0.7	0.7	0.7	0.8	0.6	0.4
.2	Descending colon-----	1,097	518	579	476	538	42	41	0.6	0.5	0.6	0.6	0.6	0.4	0.3
.3	Sigmoid colon-----	5,650	2,650	3,000	2,494	2,810	156	190	2.9	2.7	3.0	2.9	3.2	1.3	1.5
.7	Multiple parts of large intestine-----	69	37	32	34	31	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified-----	18,696	8,618	10,078	7,945	9,236	673	842	9.4	8.9	10.0	9.3	10.4	5.8	6.8
.9	Intestinal tract, part unspecified-----	1,610	700	910	655	857	45	53	0.8	0.7	0.9	0.8	1.0	0.4	0.4
154	Malignant neoplasm of rectum-----	10,431	5,836	4,595	5,436	4,239	400	356	5.3	6.0	4.5	6.4	4.8	3.5	2.9

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms--Con.															
Malignant neoplasm of digestive organs and peritoneum--Con.															
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)-----	6,745	2,955	3,790	2,548	3,511	407	279	3.4	3.1	3.7	3.0	4.0	3.5	2.3
.0	Liver-----	2,152	1,428	724	1,136	626	292	98	1.1	1.5	0.7	1.3	0.7	2.5	0.6
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater-----	4,505	1,525	3,060	1,410	2,879	115	181	2.3	1.6	3.0	1.7	3.2	1.0	1.5
.8	Multiple sites-----	8	2	6	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)-----	4,510	2,440	2,070	2,097	1,859	343	231	2.3	2.5	2.0	2.5	2.1	3.0	1.9
A	Not stated whether primary or secondary-----	3,136	1,714	1,422	1,470	1,255	244	167	1.6	1.6	1.4	1.7	1.4	2.1	1.3
B	Secondary-----	1,374	726	648	627	584	99	64	0.7	0.8	0.6	0.7	0.7	0.9	0.5
157	Malignant neoplasm of pancreas-----	16,886	9,696	7,190	8,732	6,502	964	688	8.5	10.0	7.1	10.3	7.3	8.3	5.6
158	Malignant neoplasm of peritoneum-----	798	379	419	343	384	36	35	0.4	0.4	0.4	0.4	0.4	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs-----	850	407	443	341	390	66	63	0.4	0.4	0.4	0.4	0.4	0.6	0.5
160-165	Malignant neoplasm of respiratory system-----	60,202	49,641	10,561	44,909	9,408	4,932	953	30.4	31.5	10.2	32.8	10.6	42.6	7.7
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses-----	572	351	221	301	200	50	21	0.3	0.4	0.2	0.4	0.2	0.4	0.2
.0	Nose (internal) and nasal cavities-----	99	59	40	55	38	4	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eustachian tube and middle ear-----	26	11	15	7	15	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus-----	325	196	129	168	111	28	18	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.7	Other specified sinus (accessory)-----	57	40	17	34	17	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.8	Multiple sites-----	8	3	5	2	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Site unspecified-----	57	42	15	35	15	7	-	0.0	0.0	0.0	0.0	0.0	0.1	-
161	Malignant neoplasm of larynx-----	2,797	2,468	329	2,187	281	281	48	1.4	2.6	0.3	2.6	0.3	2.4	0.4
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary-----	21,479	18,294	3,185	16,484	2,909	1,810	276	10.9	18.9	3.1	19.4	3.3	15.6	2.2
.0	Trachea-----	117	86	31	80	25	6	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Bronchus and lung-----	21,356	18,169	3,147	16,386	2,878	1,803	269	10.8	18.8	3.1	19.2	3.2	15.6	2.2
.2	Pleura-----	19	14	5	13	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary-----	32,928	27,089	5,839	24,475	5,308	2,614	531	16.6	28.0	5.8	28.8	6.0	22.6	4.3
164	Malignant neoplasm of mediastinum-----	310	209	101	186	96	23	5	0.2	0.2	0.1	0.2	0.1	0.2	0.0
165	Malignant neoplasm of thoracic organs (secondary)-----	2,116	1,430	686	1,276	614	154	72	1.1	1.5	0.7	1.5	0.7	1.3	0.6
170-181	Malignant neoplasm of breast and genitourinary organs-----	83,281	27,236	56,045	24,066	50,020	3,170	6,025	42.1	28.2	55.4	28.3	56.3	27.4	48.7
170	Malignant neoplasm of breast-----	28,217	232	27,985	209	25,589	23	2,396	14.3	0.2	27.7	0.2	28.8	0.2	19.4
171	Malignant neoplasm of cervix uteri-----	7,411	...	7,411	...	5,854	...	1,577	3.7	...	7.3	...	6.6	...	12.7
172	Malignant neoplasm of corpus uteri-----	1,743	...	1,743	...	1,498	...	245	0.9	...	1.7	...	1.7	...	2.0
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma-----	46	...	46	...	36	...	10	0.0	...	0.0	...	0.0	...	0.1
174	Malignant neoplasm of uterus, unspecified-----	3,943	...	3,943	...	3,374	...	569	2.0	...	3.9	...	3.8	...	4.6
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament-----	9,168	...	9,168	...	8,511	...	657	4.6	...	9.1	...	9.6	...	5.3
.0	Ovary-----	9,025	...	9,025	...	8,392	...	633	4.6	...	8.9	...	9.5	...	5.1
.1	Fallopian tube and broad ligament-----	124	...	124	...	104	...	20	0.1	...	0.1	...	0.1	...	0.2
.8	Multiple sites-----	14	...	14	...	12	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified-----	5	...	5	...	3	...	2	0.0	...	0.0	...	0.0	...	0.0
176	Malignant neoplasm of other and unspecified female genital organs-----	805	...	805	...	726	...	79	0.4	...	0.8	...	0.8	...	0.6
.0	Vulva-----	457	...	457	...	422	...	35	0.2	...	0.5	...	0.5	...	0.3
.1	Vagina-----	299	...	299	...	265	...	34	0.2	...	0.3	...	0.3	...	0.3
.7	Other specified sites-----	14	...	14	...	11	...	3	0.0	...	0.0	...	0.0	...	0.0
.8	Multiple sites-----	7	...	7	...	5	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified-----	28	...	28	...	23	...	5	0.0	...	0.0	...	0.0	...	0.0
177	Malignant neoplasm of prostate-----	16,345	16,345	...	14,017	...	2,328	...	8.3	16.9	...	16.5	...	20.1	...
178	Malignant neoplasm of testis-----	682	682	...	650	...	32	...	0.3	0.7	...	0.8	...	0.3	...



Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms--Con.															
Malignant neoplasm of other and unspecified sites--Con.															
196	Malignant neoplasm of bone-----	1,853	1,031	822	942	751	89	71	0.9	1.1	0.8	1.1	0.8	0.8	0.6
.0	Bones of the skull and face-----	242	146	96	130	88	16	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.1	Lower jaw bone-----	177	104	73	95	69	9	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Vertebral column (excluding sacrum and coccyx)-----	296	173	123	162	113	11	10	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.3	Ribs, sternum, and clavicle-----	64	42	22	40	22	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Long bones of upper limb, and scapula-----	78	46	32	44	30	2	2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.5	Upper limb, short bones-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Pelvic bones, sacrum, coccyx-----	164	89	75	84	69	5	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb, long bones-----	303	149	154	135	140	16	14	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.8	Lower limb, short bones-----	12	7	5	6	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Multiple sites and site unspecified-----	517	275	242	248	216	27	28	0.3	0.3	0.2	0.3	0.2	0.2	0.2
197	Malignant neoplasm of connective tissue-----	1,374	769	605	685	536	84	69	0.7	0.8	0.6	0.8	0.6	0.7	0.6
.0	Head, face, and neck-----	54	27	27	23	22	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk-----	204	123	81	109	73	14	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)-----	59	37	22	33	19	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Lower limb (including hip)-----	254	143	111	126	101	17	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Multiple sites-----	6	1	5	1	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	797	438	359	393	316	45	43	0.4	0.5	0.4	0.5	0.4	0.4	0.3
198	Secondary and unspecified malignant neoplasm of lymph nodes---	155	101	54	91	47	10	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Head, face, and neck-----	75	55	20	49	16	6	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.1	Intrathoracic-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Intra-abdominal-----	12	7	5	6	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Axillary and upper limb-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Inguinal and lower limb-----	10	5	5	4	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.7	Other specified sites-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.8	Multiple sites-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	42	27	15	26	13	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites-----	16,194	8,034	8,160	7,055	7,173	979	997	8.2	8.3	8.1	8.3	8.1	8.5	8.0
A	Of other specified sites, not specified as secondary-----	980	588	392	540	346	48	46	0.5	0.6	0.4	0.6	0.4	0.4	0.4
B	Primary site not indicated-----	15,214	7,446	7,768	6,515	6,827	931	941	7.7	7.7	7.7	7.7	7.7	8.0	7.6
200-205	Neoplasms of lymphatic and hematopoietic tissues-----	30,817	17,440	13,377	16,018	12,401	1,422	976	15.6	18.0	13.2	18.8	14.0	12.3	7.9
200	Lymphosarcoma and reticulosarcoma-----	7,788	4,306	3,482	4,010	3,293	296	189	3.9	4.5	3.4	4.7	3.7	2.6	1.5
.0	Reticulum cell sarcoma-----	2,314	1,243	1,071	1,158	1,005	85	66	1.2	1.3	1.1	1.4	1.1	0.7	0.5
.1	Lymphosarcoma-----	4,073	2,277	1,796	2,124	1,700	153	96	2.1	2.4	1.8	2.5	1.9	1.3	0.8
.2	Other primary malignant neoplasms of lymphoid tissue-----	1,401	786	615	728	588	58	27	0.7	0.8	0.6	0.9	0.7	0.5	0.2
201	Hodgkin's disease-----	3,446	2,062	1,384	1,897	1,303	165	81	1.7	2.1	1.4	2.2	1.5	1.4	0.7
202	Other forms of lymphoma (reticulososis)-----	1,276	717	559	661	518	56	41	0.6	0.7	0.6	0.8	0.6	0.5	0.3
.0	Giant follicular lymphomas (Brill-Symmers' disease)-----	152	75	77	72	77	3	-	0.1	0.1	0.1	0.1	0.1	0.0	-
.1	Other-----	1,124	642	482	589	441	53	41	0.6	0.7	0.5	0.7	0.5	0.5	0.3
203	Multiple myeloma (plasmocytoma)-----	3,879	2,081	1,798	1,807	1,572	274	226	2.0	2.2	1.8	2.1	1.8	2.4	1.8
204	Leukemia and leukemia-----	14,336	8,222	6,114	7,599	5,683	623	431	7.2	8.5	6.0	8.9	6.4	5.4	3.5
.0	Lymphatic leukemia-----	3,295	2,030	1,265	1,873	1,212	157	83	1.7	2.1	1.3	2.2	1.4	1.4	0.7
.1	Myeloid leukemia-----	2,266	1,243	1,023	1,149	943	94	80	1.1	1.3	1.0	1.3	1.1	0.8	0.6
.2	Monocytic leukemia-----	1,139	640	499	587	461	53	38	0.6	0.7	0.5	0.7	0.5	0.5	0.3
.3	Acute leukemia-----	6,257	3,504	2,753	3,251	2,567	253	186	3.2	3.6	2.7	3.8	2.9	2.2	1.5
.4	Other and unspecified leukemia-----	1,349	805	544	739	500	66	44	0.7	0.8	0.5	0.9	0.6	0.6	0.4
205	Mycosis fungoides-----	92	52	40	44	32	8	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1
210-229	Benign neoplasm-----	2,219	971	1,248	844	1,001	127	247	1.1	1.0	1.2	1.0	1.1	1.1	2.0
210	Benign neoplasm of buccal cavity and pharynx-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
211	Benign neoplasm of other parts of digestive system-----	221	123	98	112	84	11	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system-----	158	107	51	98	46	9	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
213	Benign neoplasm of breast-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
214	Uterine fibromyoma-----	164	...	164	...	93	...	71	0.1	...	0.2	...	0.1	...	0.6
215	Other benign neoplasm of uterus-----	22	...	22	...	16	...	6	0.0	...	0.0	...	0.0	...	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
<b>II. Neoplasms-Con.</b>															
<b>Benign neoplasm-Con.</b>															
216	Benign neoplasm of ovary-----	94	...	94	...	74	...	20	0.0	...	0.1	...	0.1	...	0.2
217	Benign neoplasm of other female genital organs-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs-----	1	...	...	1	...	...	...	0.0	0.0	...	0.0	...	...	...
219	Benign neoplasm of kidney and other urinary organs-----	28	15	15	12	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
220	Benign melanoma of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
221	Pilonidal cyst-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
222	Other benign neoplasm of skin-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
223	Benign neoplasm of brain and other parts of nervous system-----	930	413	517	352	441	61	76	0.5	0.4	0.5	0.4	0.5	0.5	0.6
224	Benign neoplasm of endocrine glands-----	510	165	145	136	120	29	25	0.2	0.2	0.1	0.2	0.1	0.3	0.2
225	Benign neoplasm of bone and cartilage-----	18	9	7	7	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
226	Lipoma-----	18	4	14	3	12	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue-----	92	58	34	56	26	2	8	0.0	0.1	0.0	0.1	0.0	0.0	0.1
228	Hemangioma and lymphangioma-----	98	54	44	47	35	7	9	0.0	0.1	0.0	0.1	0.0	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues-----	51	18	33	15	27	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature-----	2,794	1,479	1,315	1,294	1,151	185	164	1.4	1.5	1.3	1.5	1.3	1.6	1.3
230	Neoplasm of unspecified nature of digestive organs-----	274	118	156	99	135	19	21	0.1	0.1	0.2	0.1	0.2	0.2	0.2
231	Neoplasm of unspecified nature of respiratory organs-----	293	207	86	162	76	25	10	0.1	0.2	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
233	Neoplasm of unspecified nature of uterus-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary-----	19	...	19	...	16	...	3	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
236	Neoplasm of unspecified nature of other genitourinary organs-----	118	66	52	54	46	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system-----	1,814	974	840	865	736	109	104	0.9	1.0	0.8	1.0	0.8	0.9	0.8
238	Neoplasm of unspecified nature of skin and musculoskeletal system-----	15	8	7	8	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
239	Neoplasm of unspecified nature of other and unspecified organs-----	253	106	147	86	129	20	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1
<b>III. Allergic, endocrine system, metabolic, and nutritional diseases</b>															
240-245	Allergic disorders-----	4,235	2,337	1,898	1,952	1,525	385	373	2.1	2.4	1.9	2.3	1.7	3.3	3.0
240	Hay fever-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
241	Asthma-----	4,137	2,266	1,851	1,909	1,490	377	361	2.1	2.4	1.8	2.2	1.7	3.3	2.9
242	Angioneurotic edema-----	21	11	10	10	7	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
243	Urticaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244	Allergic eczema-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
245	Other allergic disorders-----	75	38	37	32	28	6	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
250-254	Diseases of thyroid gland-----	775	163	612	136	525	27	87	0.4	0.2	0.6	0.2	0.6	0.2	0.7
250	Simple goiter-----	46	15	31	11	22	4	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter-----	29	6	23	5	19	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
252	Thyrotoxicosis with or without goiter-----	366	71	295	58	234	13	61	0.2	0.1	0.3	0.1	0.3	0.1	0.5
.0	Toxic diffuse goiter-----	342	67	275	55	219	12	56	0.2	0.1	0.3	0.1	0.2	0.1	0.5
.1	Toxic nodular goiter-----	24	4	20	3	15	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
253	Myxedema and cretinism-----	305	63	242	56	230	7	12	0.2	0.1	0.2	0.1	0.3	0.1	0.1
254	Other diseases of thyroid gland-----	29	8	21	6	20	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
260	Diabetes mellitus-----	35,049	14,421	20,628	12,686	17,391	1,735	3,237	17.7	14.9	20.4	14.9	19.6	15.0	26.2
270-277	Diseases of other endocrine glands-----	910	421	489	328	423	93	66	0.5	0.4	0.5	0.4	0.5	0.8	0.5
270	Disorders of pancreatic internal secretion other than diabetes mellitus-----	104	60	44	32	34	28	10	0.1	0.1	0.0	0.0	0.0	0.2	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Number	Cause of death	Number								Rate					
		Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	<b>III. Allergic, endocrine system, metabolic, and nutritional diseases--Con.</b>														
	<b>Diseases of other endocrine glands--Con.</b>														
271	Diseases of parathyroid gland-----	47	12	35	9	31	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hyperparathyroidism-----	38	12	26	9	23	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hypoparathyroidism-----	9	-	9	-	8	-	1	0.0	-	0.0	-	0.0	-	0.0
.2	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	Diseases of pituitary gland-----	248	124	124	99	98	25	26	0.1	0.1	0.1	0.1	0.1	0.2	0.2
273	Diseases of thymus gland-----	45	31	14	27	14	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
274	Diseases of adrenal glands-----	398	176	222	146	201	30	21	0.2	0.2	0.2	0.2	0.2	0.3	0.2
275	Ovarian dysfunction-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
276	Testicular dysfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
277	Polyglandular dysfunction and other diseases of endocrine glands-----	68	18	50	15	45	3	5	0.0	0.0	0.0	0.0	0.1	0.0	0.0
280-289	<b>Avitaminoses and other metabolic diseases-----</b>	<b>4,815</b>	<b>2,204</b>	<b>2,411</b>	<b>1,895</b>	<b>2,025</b>	<b>309</b>	<b>386</b>	<b>2.3</b>	<b>2.3</b>	<b>2.4</b>	<b>2.2</b>	<b>2.3</b>	<b>2.7</b>	<b>3.1</b>
280	Beriberi-----	8	7	1	7	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
281	Pellagra-----	13	4	9	3	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
282	Scurvy-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
283	Active rickets-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
284	Late effects of rickets-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	Osteomalacia-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-
286	Other avitaminoses and nutritional deficiency states-----	1,459	700	759	548	624	152	135	0.7	0.7	0.8	0.6	0.7	1.3	1.1
.0	Steatorrhea and sprue-----	27	13	14	11	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Vitamin A deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Vitamin B deficiency, except beriberi and pellagra-----	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Vitamin C deficiency, except scurvy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vitamin D deficiency, except rickets and osteomalacia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Malnutrition, unqualified-----	1,274	624	650	492	531	132	119	0.6	0.6	0.6	0.6	0.6	1.1	1.0
.6	Kwashiorkor (protein malnutrition)-----	11	4	7	1	5	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Other and multiple deficiency states-----	143	56	87	43	73	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
287	Obesity, not specified as of endocrine origin-----	1,197	444	753	399	600	45	153	0.6	0.5	0.7	0.5	0.7	0.4	1.2
288	Gout-----	177	136	41	123	36	13	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
289	Other metabolic diseases-----	1,755	912	843	815	752	97	91	0.9	0.9	0.8	1.0	0.8	0.8	0.7
A	Cystic fibrosis-----	637	324	313	307	299	17	14	0.3	0.3	0.3	0.4	0.3	0.1	0.1
.0	Lipidosis (disturbance of lipid metabolism)-----	144	85	59	77	53	8	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis-----	186	114	78	95	63	19	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Other-----	788	369	399	336	337	53	62	0.4	0.4	0.4	0.4	0.4	0.5	0.5
	<b>IV. Diseases of the blood and blood-forming organs</b>														
290-299	<b>Diseases of blood and blood-forming organs-----</b>	<b>5,808</b>	<b>2,901</b>	<b>2,707</b>	<b>2,420</b>	<b>2,262</b>	<b>481</b>	<b>445</b>	<b>2.8</b>	<b>3.0</b>	<b>2.7</b>	<b>2.8</b>	<b>2.5</b>	<b>4.2</b>	<b>3.6</b>
290	<b>Fernicious and other hyperchromic anemias-----</b>	<b>344</b>	<b>150</b>	<b>194</b>	<b>140</b>	<b>180</b>	<b>10</b>	<b>14</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>
.0	Fernicious anemia-----	294	128	166	120	156	8	10	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.1	Subacute combined degeneration of spinal cord-----	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Other hyperchromic anemias-----	41	18	23	16	19	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
291	<b>Iron deficiency anemias (hypochromic anemias)-----</b>	<b>116</b>	<b>52</b>	<b>64</b>	<b>42</b>	<b>54</b>	<b>10</b>	<b>10</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
292	<b>Other anemias of specified type-----</b>	<b>2,056</b>	<b>1,108</b>	<b>948</b>	<b>855</b>	<b>725</b>	<b>243</b>	<b>223</b>	<b>1.0</b>	<b>1.1</b>	<b>0.9</b>	<b>1.0</b>	<b>0.8</b>	<b>2.1</b>	<b>1.8</b>
.0	Familial acholuric jaundice-----	154	66	88	56	78	10	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Acute hemolytic anemia-----	34	16	18	16	15	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hemolytic anemias-----	88	39	29	34	25	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Leuko-erythroblastic anemia-----	425	269	156	254	149	15	7	0.2	0.3	0.2	0.3	0.2	0.1	0.1
.4	Aplastic anemia-----	972	504	468	469	433	35	35	0.5	0.5	0.5	0.6	0.5	0.3	0.3
.5	Nonregenerative anemia-----	50	30	20	30	18	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Sickle cell anemia-----	346	182	164	4	2	178	162	0.2	0.2	0.2	0.0	0.0	1.5	1.3
.7	Other specified anemias-----	7	2	5	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
293	Anemia of unspecified type-----	944	428	516	337	420	91	96	0.5	0.4	0.5	0.4	0.5	0.8	0.8
294	Polycythemia-----	547	341	206	327	198	14	8	0.3	0.4	0.2	0.4	0.2	0.1	0.1
295	Homophilia-----	77	72	5	58	4	14	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions-----	764	346	418	299	356	47	62	0.4	0.4	0.4	0.4	0.4	0.4	0.5
297	Agranulocytosis-----	232	121	111	111	101	10	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1



Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
V. Mental, psychoneurotic, and personality disorders--Con. Psychoneurotic disorders--Con.																	
318	Psychoneurotic disorders, other, mixed, and unspecified types-----	10	4	6	4	6	--	--	0.0	0.0	0.0	0.0	0.0	--	--		
.0	Hypochondriacal reaction-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.1	Depersonalization-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.2	Occupational neurosis-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.3	Asthenic reaction-----	2	1	1	1	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--		
.4	Mixed-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.5	Of other and unspecified types-----	8	3	5	3	5	--	--	0.0	0.0	0.0	0.0	0.0	--	--		
320-326	Disorders of character, behavior, and intelligence-----	3,714	2,745	969	2,005	704	742	265	1.9	2.8	1.0	2.4	0.8	6.4	2.1		
320	Pathological personality-----	1	1	--	1	--	--	--	0.0	0.0	--	0.0	--	--	--		
.0	Schizoid personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.1	Paranoid personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.2	Cyclothymic personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.3	Inadequate personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.4	Antisocial personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.5	Asocial personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.6	Sexual deviation-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.7	Other and unspecified-----	1	1	--	1	--	--	--	0.0	0.0	--	0.0	--	--	--		
321	Immature personality-----	1	--	1	--	1	--	--	0.0	--	0.0	--	0.0	--	--		
.0	Emotional instability-----	1	--	1	--	1	--	--	0.0	--	0.0	--	0.0	--	--		
.1	Passive dependency-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.2	Aggressiveness-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.3	Emuresis characterizing immature personality-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.4	Other symptomatic habits except speech impediments-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.5	Other and unspecified-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
322	Alcoholism-----	2,982	2,300	682	1,675	470	627	212	1.5	2.4	0.7	2.0	0.5	5.4	1.7		
.0	Acute-----	855	645	210	449	135	196	75	0.4	0.7	0.2	0.5	0.2	1.7	0.6		
.1	Chronic-----	1,399	1,084	315	792	225	292	89	0.7	1.1	0.3	0.9	0.3	2.5	0.7		
.2	Unspecified-----	728	571	157	432	109	139	48	0.4	0.6	0.2	0.5	0.1	1.2	0.4		
323	Other drug addiction-----	202	153	49	86	28	67	21	0.1	0.2	0.0	0.1	0.0	0.6	0.2		
324	Primary childhood behavior disorders-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
325	Mental deficiency-----	526	289	237	241	205	48	32	0.3	0.3	0.2	0.3	0.2	0.4	0.3		
.0	Idiocy-----	11	7	4	6	4	1	--	0.0	0.0	0.0	0.0	0.0	0.0	--		
.1	Imbecility-----	2	1	1	1	1	--	--	0.0	0.0	0.0	0.0	0.0	--	--		
.2	Moron-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.3	Borderline intelligence-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.4	Mongolism-----	255	146	109	127	94	19	15	0.1	0.2	0.1	0.1	0.1	0.2	0.1		
.5	Other and unspecified types-----	258	135	123	107	106	28	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
326	Other and unspecified character, behavior, and intelligence disorders-----	2	2	--	2	--	--	--	0.0	0.0	--	0.0	--	--	--		
.0	Specific learning defects-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.1	Stammering and stuttering of nonorganic origin-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.2	Other speech impediments of nonorganic origin-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
.3	Acute situational maladjustment-----	1	1	--	1	--	--	--	0.0	0.0	--	0.0	--	--	--		
.4	Other and unspecified-----	1	1	--	1	--	--	--	0.0	0.0	--	0.0	--	--	--		
VI. Diseases of the nervous system and sense organs																	
330-334	Vascular lesions affecting central nervous system-----	202,184	95,071	109,113	80,932	95,829	12,139	13,284	102.2	96.3	107.9	95.1	107.9	104.9	107.3		
330	Subarachnoid hemorrhage-----	9,153	3,895	5,268	3,231	4,347	654	921	4.6	4.0	5.2	3.8	4.9	5.7	7.4		
331	Cerebral hemorrhage-----	109,204	50,757	58,447	43,385	50,419	7,372	8,028	55.2	52.5	57.8	51.0	56.8	63.7	64.9		
332	Cerebral embolism and thrombosis-----	82,716	29,049	33,667	26,014	30,418	3,035	3,249	31.7	30.0	33.3	30.6	34.3	28.2	28.3		
333	Spasm of cerebral arteries-----	9	6	3	5	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
334	Other and ill-defined vascular lesions affecting central nervous system-----	21,102	9,374	11,728	8,297	10,643	1,077	1,085	10.7	9.7	11.6	9.7	12.0	9.3	8.8		



Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.														
380-389	Other diseases and conditions of eye-----	61	21	40	17	32	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
380	Refractive errors-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
381	Corneal ulcer-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
382	Corneal opacity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	Pterygium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
384	Strabismus-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
385	Cataract-----	38	10	28	6	21	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
386	Detachment of retina-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
387	Glaucoma-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
388	Other diseases of eye-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
389	Blindness-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398	Diseases of ear and mastoid process-----	140	82	59	69	45	12	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
390	Otitis externa-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
391	Otitis media without mention of mastoiditis-----	83	42	41	32	30	10	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Acute-----	12	7	5	5	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	12	8	4	7	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	59	27	32	20	23	7	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
392	Otitis media with mastoiditis-----	12	7	5	6	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Unspecified-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
393	Mastoiditis without mention of otitis media-----	33	26	7	25	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Acute-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic-----	9	8	1	8	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Unspecified-----	17	13	4	12	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
394	Other inflammatory diseases of ear-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
395	Ménière's disease-----	1	-	1	-	-	-	-	0.0	-	0.0	-	0.0	-	-
396	Other diseases of ear and mastoid process-----	9	4	5	4	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
397	Deaf mutism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	Other deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness, one ear, and partial deafness in other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Impairment of hearing, one or both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. Diseases of the circulatory system														
400-402	Rheumatic fever-----	376	196	180	142	141	54	39	0.2	0.2	0.2	0.2	0.2	0.5	0.3
400	Rheumatic fever without mention of heart involvement-----	23	9	14	8	10	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
401	Rheumatic fever with heart involvement-----	349	185	164	132	129	53	35	0.2	0.2	0.2	0.2	0.2	0.5	0.3
.0	Active rheumatic pericarditis-----	139	81	58	66	48	15	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis-----	26	14	12	10	6	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Active rheumatic myocarditis-----	19	6	13	2	12	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Active rheumatic fever with other and multiple types of heart involvement-----	165	84	81	54	63	30	18	0.1	0.1	0.1	0.1	0.1	0.3	0.1
402	Chorea-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Without mention of heart involvement-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VIII. Diseases of the circulatory system-Con.															
410-416	Chronic rheumatic heart disease-----	13,800	5,792	8,008	5,284	7,342	508	666	7.0	6.0	7.9	6.2	8.3	4.4	5.4
410	Diseases of mitral valve-----	5,537	2,089	3,448	1,905	3,201	184	247	2.8	2.2	3.4	2.2	3.6	1.6	2.0
411	Diseases of aortic valve specified as rheumatic-----	1,578	1,050	528	978	485	72	43	0.8	1.1	0.5	1.1	0.5	0.6	0.3
412	Diseases of tricuspid valve-----	23	10	13	9	11	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
414	Other endocarditis specified as rheumatic-----	731	312	419	289	386	23	33	0.4	0.3	0.4	0.3	0.4	0.2	0.3
415	Other myocarditis specified as rheumatic-----	163	71	92	67	87	4	5	0.1	0.1	0.1	0.1	0.1	0.0	0.0
416	Other heart disease specified as rheumatic-----	5,765	2,259	3,506	2,035	3,170	224	336	2.9	2.3	3.5	2.4	3.6	1.9	2.7
420-422	Arteriosclerotic and degenerative heart disease-----	625,850	371,041	254,809	344,127	234,081	36,914	20,728	316.3	385.7	251.9	404.3	263.6	232.7	167.5
420	Arteriosclerotic heart disease, including coronary disease-----	573,153	345,154	227,999	321,241	210,081	23,913	17,918	289.7	357.0	225.4	377.4	236.6	206.7	144.8
.0	Arteriosclerotic heart disease so described-----	160,837	79,196	81,641	72,512	75,495	6,684	6,146	81.3	81.9	80.7	85.2	85.0	57.8	49.7
.1	Heart disease specified as involving coronary arteries-----	412,027	265,798	146,229	248,580	134,488	17,218	11,761	208.2	274.9	144.5	292.0	151.4	148.9	95.0
.2	Angina pectoris without mention of coronary disease-----	289	160	129	149	118	11	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1
421	Chronic endocarditis not specified as rheumatic-----	5,736	2,229	1,507	2,004	1,364	225	143	1.9	2.3	1.5	2.4	1.5	1.9	1.2
.0	Of mitral valve, specified as nonrheumatic-----	138	57	81	52	73	5	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.1	Of aortic valve, not specified as rheumatic-----	2,414	1,587	827	1,441	760	146	67	1.2	1.6	0.8	1.7	0.9	1.3	0.5
.2	Of tricuspid valve, specified as nonrheumatic-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.3	Of pulmonary valve, not specified as rheumatic-----	116	80	36	71	34	9	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Other and ill-defined, not specified as rheumatic-----	1,066	505	561	440	496	65	65	0.5	0.5	0.6	0.5	0.6	0.6	0.5
422	Other myocardial degeneration-----	48,961	23,658	25,303	20,982	22,636	2,776	2,667	24.7	24.5	25.0	24.5	25.5	24.0	21.5
.0	Fatty degeneration-----	37	15	22	13	21	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis-----	41,850	19,990	21,860	17,786	19,710	2,204	2,150	21.2	20.7	21.6	20.9	22.2	19.1	17.4
.2	Other-----	7,074	3,653	3,421	3,083	2,905	570	516	3.6	3.8	3.4	3.6	3.3	4.9	4.2
430-434	Other diseases of heart-----	31,267	17,280	13,987	14,408	11,652	2,872	2,335	15.8	17.9	13.6	16.9	13.1	24.8	18.9
430	Acute and subacute endocarditis-----	752	489	263	417	206	72	57	0.4	0.5	0.3	0.5	0.2	0.6	0.5
.0	Acute and subacute bacterial endocarditis-----	724	476	248	407	198	69	50	0.4	0.5	0.2	0.5	0.2	0.6	0.4
.1	Other acute endocarditis-----	28	13	15	10	8	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
431	Acute myocarditis not specified as rheumatic-----	860	453	407	367	314	86	93	0.4	0.5	0.4	0.4	0.4	0.7	0.8
432	Acute pericarditis specified as nonrheumatic-----	84	52	32	40	26	12	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart-----	10,670	5,418	5,252	4,771	4,658	647	594	5.4	5.6	5.2	5.6	5.2	5.8	4.8
.0	Heart block-----	5,638	2,951	2,687	2,551	2,296	400	391	2.8	3.1	2.7	3.0	2.6	3.5	3.2
.1	Other disorders of heart rhythm-----	4,994	2,444	2,550	2,197	2,347	247	203	2.5	2.5	2.5	2.6	2.6	2.1	1.6
.2	Other functional diseases of heart-----	36	23	15	23	15	-	-	0.0	0.0	0.0	0.0	0.0	-	-
434	Other and unspecified diseases of heart-----	18,901	10,868	8,033	8,813	6,448	2,055	1,585	9.6	11.2	7.9	10.4	7.3	17.8	12.8
.0	Kyphoscoliotic heart disease-----	176	75	101	68	94	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Congestive heart failure-----	10,953	5,685	5,268	4,735	4,406	950	862	5.5	5.9	5.2	5.6	5.0	8.2	7.0
.2	Left ventricular failure-----	472	275	197	341	171	34	26	0.2	0.3	0.2	0.3	0.2	0.3	0.2
.3	Other disease of heart-----	347	205	142	165	112	40	30	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.4	Unspecified disease of heart-----	6,953	4,628	2,325	3,804	1,665	1,024	660	3.5	4.8	2.3	4.2	1.9	8.9	5.3
440-443	Hypertensive heart disease-----	49,975	21,542	28,433	15,994	22,215	5,548	6,218	25.5	22.3	28.1	18.6	25.0	48.0	50.2
440	Essential benign hypertensive heart disease-----	95	36	59	21	33	15	26	0.0	0.0	0.1	0.0	0.0	0.1	0.2
441	Essential malignant hypertensive heart disease-----	419	239	180	106	92	133	88	0.2	0.2	0.2	0.1	0.1	1.1	0.7
442	Hypertensive heart disease with arteriolar nephrosclerosis-----	10,289	4,893	5,396	4,049	4,610	844	786	5.2	5.1	5.3	4.8	5.2	7.3	6.4
443	Other and unspecified hypertensive heart disease-----	39,172	16,374	22,798	11,818	17,480	4,566	5,318	19.8	16.9	22.5	13.9	19.7	39.4	43.0
444-447	Other hypertensive disease-----	11,151	5,583	5,568	4,428	4,507	1,155	1,061	5.6	5.8	5.5	5.2	5.1	10.0	8.6
444	Essential benign hypertension-----	2,796	1,050	1,746	855	1,449	217	297	1.4	1.1	1.7	1.0	1.6	1.9	2.4
445	Essential malignant hypertension-----	1,478	838	640	417	354	421	286	0.7	0.9	0.6	0.5	0.4	3.6	2.3
446	Hypertension with arteriolar nephrosclerosis-----	6,732	3,637	3,095	3,157	2,641	500	454	3.4	3.8	3.1	3.7	3.0	4.3	3.7
447	Other hypertensive disease without mention of heart-----	145	58	87	41	63	17	24	0.1	0.1	0.1	0.0	0.1	0.1	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system--Con.															
450-456	Diseases of arteries-----	53,326	27,120	26,206	25,107	24,173	2,013	2,033	27.0	28.0	25.9	29.5	27.2	17.4	16.4
450	General arteriosclerosis-----	37,564	16,589	20,975	15,307	19,646	1,282	1,329	19.0	17.2	20.7	18.0	22.1	11.1	10.7
.0	Without mention of gangrene-----	35,255	15,420	19,825	14,283	18,613	1,147	1,212	17.8	16.0	19.6	16.8	21.0	9.9	9.8
.1	With mention of gangrene as a consequence-----	2,309	1,159	1,150	1,024	1,033	135	117	1.2	1.2	1.1	1.2	1.2	1.2	0.9
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----	11,621	8,448	3,173	7,960	2,829	488	344	5.9	8.7	3.1	9.4	3.2	4.2	2.8
452	Other aneurysm, except of heart and aorta-----	802	457	345	410	282	47	63	0.4	0.5	0.3	0.5	0.3	0.4	0.5
453	Peripheral vascular disease-----	242	152	90	139	80	14	10	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.0	Raynaud's disease-----	10	4	6	2	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Thromboangitis obliterans-----	84	67	17	63	16	4	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.2	Chilblains-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Other-----	147	81	66	73	57	9	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
454	Arterial embolism and thrombosis-----	1,155	656	499	599	450	57	49	0.6	0.7	0.5	0.7	0.5	0.5	0.4
455	Gangrene of unspecified cause-----	328	185	143	133	113	52	30	0.2	0.2	0.1	0.2	0.1	0.4	0.2
456	Other diseases of arteries-----	1,614	633	981	560	773	73	208	0.8	0.7	1.0	0.7	0.9	0.6	1.7
460-468	Diseases of veins and other diseases of circulatory system-----	14,182	7,101	7,081	6,064	6,057	1,037	1,024	7.2	7.3	7.0	7.1	6.8	9.0	8.3
460	Varicose veins of lower extremities-----	299	104	195	89	171	15	24	0.2	0.1	0.2	0.1	0.2	0.1	0.2
461	Hemorrhoids-----	57	23	14	19	11	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
462	Varicose veins of other specified sites-----	404	271	133	243	118	28	15	0.2	0.3	0.1	0.3	0.1	0.2	0.1
.0	Varicocele-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Varicose veins of esophagus-----	378	264	114	236	101	28	13	0.2	0.3	0.1	0.3	0.1	0.2	0.1
.2	Other-----	26	7	19	7	17	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
463	Phlebitis and thrombophlebitis of lower extremities-----	1,408	619	789	526	696	93	93	0.7	0.6	0.8	0.6	0.8	0.8	0.8
464	Phlebitis and thrombophlebitis of other sites-----	1,188	521	667	453	577	68	90	0.6	0.5	0.7	0.5	0.6	0.6	0.7
465	Pulmonary embolism and infarction-----	7,569	3,960	3,609	3,350	3,041	600	568	3.8	4.1	3.6	3.9	3.4	5.2	4.6
466	Other venous embolism and thrombosis-----	2,398	1,120	1,278	965	1,120	155	158	1.2	1.2	1.3	1.1	1.3	1.3	1.3
467	Other diseases of circulatory system-----	833	455	378	385	309	70	69	0.4	0.5	0.4	0.5	0.3	0.6	0.6
.0	Hypotension-----	73	39	34	30	29	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Diseases of capillaries-----	37	18	19	17	17	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases-----	723	398	325	338	263	60	62	0.4	0.4	0.3	0.4	0.3	0.5	0.5
468	Certain diseases of lymph nodes and lymph channels-----	46	28	18	24	14	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Chronic lymphadenitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Nonspecific mesenteric lymphadenitis-----	11	9	2	8	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified-----	19	13	6	11	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels-----	16	6	10	5	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VIII. Diseases of the respiratory system															
470-475	Acute upper respiratory infections-----	592	320	272	239	194	82	78	0.3	0.3	0.3	0.3	0.2	0.7	0.6
470	Acute nasopharyngitis (common cold)-----	40	20	20	10	10	10	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1
471	Acute sinusitis-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
472	Acute pharyngitis-----	54	30	24	25	22	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Sore throat, unqualified-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Other-----	52	29	23	24	21	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
473	Acute tonsillitis-----	39	12	27	6	15	6	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
474	Acute laryngitis and tracheitis-----	233	138	95	104	63	34	32	0.1	0.1	0.1	0.1	0.1	0.3	0.3
475	Acute upper respiratory infections of multiple or unspecified sites-----	220	118	102	91	81	27	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2
480-483	Influenza-----	1,475	648	827	549	695	99	132	0.7	0.7	0.8	0.6	0.8	0.9	1.1
480	Influenza with pneumonia-----	769	323	436	269	352	54	84	0.4	0.3	0.4	0.3	0.4	0.5	0.7
481	Influenza with other respiratory manifestations, and influenza unqualified-----	659	299	360	260	316	39	44	0.3	0.3	0.4	0.3	0.4	0.3	0.4
482	Influenza with digestive manifestations, but without respiratory symptoms-----	40	16	24	13	22	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms-----	17	10	7	7	5	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0



Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
IX. Diseases of the digestive system-Con.																	
Diseases of buccal cavity and esophagus-Con.																	
530	Dental caries-Con.																
.2	With periapical abscess-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
531	Abscesses of supporting structures of teeth-----	10	3	7	2	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Pericoronary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Periodontal (parietal)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other and unspecified-----	10	3	7	2	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
532	Other inflammatory diseases of supporting structures of teeth-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Gingivitis, except ulcerative-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Periodontitis (pyorrhea, inflammatory)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Periodontosis (pyorrhea, degenerative)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
533	Disorders of occlusion, eruption, and tooth development-----																
.0	Malocclusion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Disorders of first dentition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Impacted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Unerupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Partially erupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Congenital anomalies of teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Chronic dental fluorosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
534	Toothache from unspecified cause-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
535	Other diseases of teeth and supporting structures-----	21	8	13	3	10	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
536	Stomatitis-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-		
537	Diseases of salivary glands-----	77	21	58	21	54	-	2	0.0	0.0	0.1	0.0	0.1	-	0.0		
538	Other diseases of buccal cavity-----	24	10	14	8	11	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
539	Diseases of esophagus-----	766	479	287	441	258	38	29	0.4	0.5	0.3	0.5	0.3	0.3	0.2		
.0	Functional disorders of esophagus-----	36	15	21	14	18	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Other-----	730	464	266	427	240	37	26	0.4	0.5	0.3	0.5	0.3	0.3	0.2		
540-545	Diseases of stomach and duodenum-----	11,183	7,661	3,522	6,928	3,202	733	320	5.7	7.9	3.5	8.1	3.6	6.3	2.6		
540	Ulcer of stomach-----	5,323	3,492	1,831	3,120	1,672	372	159	2.7	3.6	1.8	3.7	1.9	3.2	1.3		
.0	Without mention of perforation-----	3,573	2,359	1,214	2,117	1,118	242	96	1.8	2.4	1.2	2.5	1.3	2.1	0.8		
.1	With perforation-----	1,750	1,133	617	1,003	554	130	63	0.9	1.2	0.6	1.2	0.6	1.1	0.5		
541	Ulcer of duodenum-----	4,502	3,291	1,211	3,045	1,097	246	114	2.3	3.4	1.2	3.6	1.2	2.1	0.9		
.0	Without mention of perforation-----	2,777	2,065	712	1,924	651	141	61	1.4	2.1	0.7	2.3	0.7	1.2	0.5		
.1	With perforation-----	1,725	1,226	499	1,121	446	105	53	0.9	1.3	0.5	1.3	0.5	0.9	0.4		
542	Gastrojejunal ulcer-----	196	144	52	136	49	8	3	0.1	0.1	0.1	0.2	0.1	0.1	0.0		
.0	Without mention of perforation-----	148	107	41	100	39	7	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.1	With perforation-----	48	37	11	36	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
543	Gastritis and duodenitis-----	465	292	173	244	152	48	21	0.2	0.3	0.2	0.3	0.2	0.4	0.2		
544	Disorders of function of stomach-----	112	62	50	46	46	16	4	0.1	0.1	0.0	0.1	0.1	0.1	0.0		
.0	Disorders of gastric secretion-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Disorders of gastric motility-----	75	40	35	32	33	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Other-----	54	22	12	14	10	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
545	Other diseases of stomach and duodenum-----	585	380	205	357	186	43	19	0.3	0.4	0.2	0.4	0.2	0.4	0.2		
550-553	Appendicitis-----	1,526	928	598	768	502	160	96	0.8	1.0	0.6	0.9	0.6	1.4	0.8		
550	Acute appendicitis-----	1,395	857	538	713	455	144	83	0.7	0.9	0.5	0.8	0.5	1.2	0.7		
.0	Without mention of peritonitis-----	111	76	35	67	28	9	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
.1	With peritonitis-----	1,284	781	503	646	427	135	76	0.6	0.8	0.5	0.8	0.5	1.2	0.6		
551	Appendicitis, unqualified-----	119	65	54	49	42	16	12	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
552	Other appendicitis-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
553	Other diseases of appendix-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
IX. Diseases of the digestive system--Con.																	
560,561	Hernia of abdominal cavity-----	3,168	1,569	1,599	1,385	1,463	186	136	1.6	1.6	1.6	1.6	1.6	1.6	1.1		
560	Hernia of abdominal cavity without mention of obstruction-----	1,326	700	626	627	579	73	47	0.7	0.7	0.6	0.7	0.7	0.6	0.4		
.0	Inguinal-----	127	117	10	99	7	18	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0		
.1	Femoral-----	7	2	5	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.2	Umbilical-----	193	89	104	75	86	14	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.3	Ventral (incisional)-----	128	59	69	54	66	5	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0		
.4	Of other specified site-----	788	376	412	347	392	29	20	0.4	0.4	0.4	0.4	0.4	0.3	0.2		
.5	Of unspecified site-----	85	57	28	50	24	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
561	Hernia of abdominal cavity with obstruction-----	1,842	869	973	756	884	113	89	0.9	0.9	1.0	0.9	1.0	1.0	0.7		
.0	Inguinal-----	489	397	92	336	89	61	3	0.2	0.4	0.1	0.4	0.1	0.5	0.0		
.1	Femoral-----	232	57	175	52	164	5	11	0.1	0.1	0.2	0.1	0.2	0.0	0.1		
.2	Umbilical-----	162	42	140	38	112	4	28	0.1	0.0	0.1	0.0	0.1	0.0	0.2		
.3	Ventral (incisional)-----	318	66	252	62	226	4	26	0.2	0.1	0.2	0.1	0.3	0.0	0.2		
.4	Of other specified site-----	259	107	152	92	147	15	5	0.1	0.1	0.2	0.1	0.2	0.1	0.0		
.5	Of unspecified site-----	362	200	162	176	146	24	16	0.2	0.2	0.2	0.2	0.2	0.2	0.1		
570-578	Other diseases of intestines and peritoneum-----	18,965	8,959	10,006	7,563	8,824	1,396	1,182	9.6	9.3	9.9	8.9	9.9	12.1	9.6		
570	Intestinal obstruction without mention of hernia-----	6,846	2,893	3,753	2,473	3,370	420	383	3.4	3.0	3.7	2.9	3.8	3.6	3.1		
.0	Intussusception-----	85	46	39	32	23	14	16	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	Paralytic ileus-----	287	131	156	107	141	24	15	0.1	0.1	0.2	0.1	0.2	0.2	0.1		
.2	Mesenteric infarction-----	2,447	1,120	1,327	1,014	1,235	106	92	1.2	1.2	1.3	1.2	1.4	0.9	0.7		
.3	Volvulus-----	966	503	463	413	425	90	38	0.5	0.5	0.5	0.5	0.5	0.8	0.3		
.4	Impaction of intestine-----	172	60	112	53	106	7	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.5	Other-----	2,689	1,033	1,656	854	1,440	179	216	1.4	1.1	1.6	1.0	1.6	1.5	1.7		
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	2,663	1,347	1,316	892	977	455	339	1.3	1.4	1.3	1.0	1.1	3.9	2.7		
.0	Ages between 4 weeks and 2 years-----	1,179	661	518	328	277	333	241	0.6	0.7	0.5	0.4	0.3	2.9	1.9		
.1	Ages 2 years and over-----	1,484	686	798	564	700	122	98	0.8	0.7	0.8	0.7	0.8	1.1	0.8		
572	Chronic enteritis and ulcerative colitis-----	4,376	1,850	2,526	1,745	2,380	105	146	2.2	1.9	2.5	2.0	2.7	0.9	1.2		
.0	Regional enteritis-----	253	115	138	111	129	4	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
.1	Diverticulitis-----	3,220	1,320	1,900	1,245	1,800	75	100	1.6	1.4	1.9	1.5	2.0	0.6	0.8		
.2	Ulcerative colitis-----	817	375	442	352	410	23	32	0.4	0.4	0.4	0.4	0.5	0.2	0.3		
.3	Other-----	86	40	46	37	41	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
573	Functional disorders of intestines-----	48	21	27	18	25	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Constipation-----	11	6	5	4	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Mucous colitis-----	11	4	7	4	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Irritability of colon-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other-----	24	10	14	9	13	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
574	Anal fissure and fistula-----	6	4	2	2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
575	Abscess of anal and rectal regions-----	84	49	35	34	30	15	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
576	Peritonitis-----	805	410	395	335	326	75	69	0.4	0.4	0.4	0.4	0.4	0.6	0.6		
577	Peritoneal adhesion-----	63	16	47	13	40	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
578	Other diseases of intestines and peritoneum-----	4,274	2,569	1,905	2,051	1,675	318	230	2.2	2.4	1.9	2.4	1.9	2.7	1.9		
580-587	Diseases of liver, gallbladder, and pancreas-----	38,460	23,225	15,235	20,204	13,123	3,021	2,112	19.4	24.0	15.1	23.7	14.8	26.1	17.1		
580	Acute and subacute yellow atrophy of liver-----	505	218	287	177	240	41	47	0.3	0.2	0.3	0.2	0.3	0.4	0.4		
581	Cirrhosis of liver-----	27,816	17,930	9,886	15,493	8,366	2,437	1,520	14.1	18.5	9.8	18.2	9.4	21.1	12.3		
.0	Without mention of alcoholism-----	18,261	11,402	6,859	9,994	5,948	1,418	911	9.2	11.8	6.8	11.7	6.7	12.3	7.4		
.1	With alcoholism-----	9,555	6,528	3,027	5,509	2,418	1,019	609	4.8	6.8	3.0	6.5	2.7	8.8	4.9		
582	Suppurative hepatitis and liver abscess-----	131	72	59	66	48	6	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
583	Other diseases of liver-----	1,375	746	629	628	504	118	125	0.7	0.8	0.6	0.7	0.6	1.0	1.0		
584	Cholelithiasis-----	2,645	1,173	1,472	1,128	1,381	45	91	1.3	1.2	1.5	1.3	1.6	0.4	0.7		
585	Cholecystitis and cholangitis, without mention of calculi-----	1,738	794	944	750	845	44	99	0.9	0.8	0.9	0.9	1.0	0.4	0.8		
586	Other diseases of gallbladder and biliary ducts-----	1,329	578	751	549	693	29	58	0.7	0.6	0.7	0.6	0.8	0.3	0.5		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system-Con.															
Diseases of liver, gallbladder, and pancreas-Con.															
587	Diseases of pancreas-----	2,921	1,714	1,207	1,413	1,046	301	161	1.5	1.8	1.2	1.7	1.2	2.6	1.3
.0	Acute pancreatitis-----	2,536	1,491	1,045	1,231	916	260	129	1.3	1.5	1.0	1.4	1.0	2.2	1.0
.1	Chronic pancreatitis-----	256	154	102	125	77	29	25	0.1	0.2	0.1	0.1	0.1	0.3	0.2
.2	Other diseases of pancreas-----	129	69	60	57	53	12	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
X. Diseases of the genitourinary system															
590-594	Nephritis and nephrosis-----	10,941	6,060	4,881	4,698	3,567	1,382	1,274	5.5	6.3	4.8	5.5	4.0	11.9	10.3
590	Acute nephritis-----	405	209	196	162	142	47	54	0.2	0.2	0.2	0.2	0.2	0.4	0.4
591	Nephritis with edema, including nephrosis-----	600	355	245	290	181	65	64	0.3	0.4	0.2	0.3	0.2	0.6	0.5
592	Chronic nephritis-----	6,519	3,575	2,944	2,760	2,190	815	754	3.3	3.7	2.9	3.2	2.5	7.0	6.1
593	Nephritis not specified as acute or chronic-----	3,270	1,845	1,425	1,410	1,031	435	394	1.7	1.9	1.4	1.7	1.2	3.8	3.2
594	Other renal sclerosis-----	147	96	51	76	43	20	8	0.1	0.1	0.1	0.1	0.0	0.2	0.1
600-609	Other diseases of urinary system-----	15,385	8,747	6,638	5,604	5,441	1,143	1,197	6.8	7.0	6.6	6.6	6.1	9.9	9.7
600	Infections of kidney-----	9,006	4,179	4,827	3,489	3,887	690	940	4.6	4.3	4.8	4.1	4.4	6.0	7.6
.0	Pyelitis, pyelocystitis, and pyelonephritis-----	8,768	4,076	4,692	3,398	3,780	678	912	4.4	4.2	4.6	4.0	4.3	5.9	7.4
.1	Abscess of kidney and perirenal tissue-----	139	61	78	51	57	10	21	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.2	Other-----	99	42	57	40	50	2	7	0.1	0.0	0.1	0.0	0.1	0.0	0.1
601	Hydronephrosis-----	221	130	91	111	81	19	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
602	Calculi of kidney and ureter-----	902	424	478	387	420	37	58	0.5	0.4	0.5	0.5	0.5	0.3	0.5
603	Other diseases of kidney and ureter-----	1,121	667	454	546	378	121	76	0.6	0.7	0.4	0.6	0.4	1.0	0.6
604	Calculi of other parts of urinary system-----	75	53	22	46	20	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
605	Cystitis-----	350	181	169	156	148	25	21	0.2	0.2	0.2	0.2	0.2	0.2	0.2
606	Other diseases of bladder-----	291	219	72	178	66	41	6	0.1	0.2	0.1	0.2	0.1	0.4	0.0
607	Urethritis (nonvenereal)-----	12	8	4	3	4	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
608	Stricture of urethra-----	186	178	8	98	3	80	5	0.1	0.2	0.0	0.1	0.0	0.7	0.0
609	Other diseases of urethra-----	1,221	708	513	590	434	118	79	0.6	0.7	0.5	0.7	0.5	1.0	0.6
610-617	Diseases of male genital organs-----	5,637	3,637	...	3,162	...	475	...	1.8	3.8	...	3.7	...	4.1	...
610	Hyperplasia of prostate-----	3,136	3,136	...	2,736	...	400	...	1.6	3.2	...	3.2	...	3.5	...
611	Prostatitis-----	193	193	...	169	...	24	...	0.1	0.2	...	0.2	...	0.2	...
612	Other diseases of prostate-----	172	172	...	154	...	18	...	0.1	0.2	...	0.2	...	0.2	...
613	Hydrocele-----	4	4	...	4	...	-	...	0.0	0.0	...	0.0	...	-	...
614	Orchitis and epididymitis-----	20	20	...	18	...	2	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis-----	6	6	...	5	...	1	...	0.0	0.0	...	0.0	...	0.0	...
616	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs-----	106	106	...	76	...	30	...	0.1	0.1	...	0.1	...	0.3	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium-----	245	2	243	2	135	-	108	0.1	0.0	0.2	0.0	0.2	-	0.9
620	Chronic cystic disease of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
621	Other diseases of breast-----	11	2	9	2	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Acute mastitis not associated with lactation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	11	2	9	2	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
622	Acute salpingitis and oophoritis-----	11	...	11	...	4	...	7	0.0	...	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified-----	69	...	69	...	29	...	40	0.0	...	0.1	...	0.0	...	0.3
625	Other diseases of ovary and fallopian tube-----	17	...	17	...	10	...	7	0.0	...	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)-----	133	...	133	...	83	...	50	0.1	...	0.1	...	0.1	...	0.4
630-637	Diseases of uterus and other female genital organs-----	380	...	380	...	299	...	81	0.2	...	0.4	...	0.3	...	0.7
630	Infective disease of uterus, vagina, and vulva-----	42	...	42	...	33	...	9	0.0	...	0.0	...	0.0	...	0.1
.0	Cervicitis-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus-----	26	...	26	...	23	...	3	0.0	...	0.0	...	0.0	...	0.0
.2	Vaginitis and vulvitis-----	12	...	12	...	8	...	4	0.0	...	0.0	...	0.0	...	0.0

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
X. Diseases of the genitourinary system-Con. Diseases of uterus and other female genital organs-Con.															
631	Uterovaginal prolapse-----	71	...	71	...	65	...	6	0.0	...	0.1	...	0.1	...	0.0
632	Malposition of uterus-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
633	Other diseases of uterus-----	173	...	173	...	128	...	45	0.1	...	0.2	...	0.1	...	0.4
634	Disorders of menstruation-----	27	...	27	...	19	...	8	0.0	...	0.0	...	0.0	...	0.1
635	Menopausal symptoms-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
636	Sterility, female-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
637	Other diseases of female genital organs-----	65	...	65	...	52	...	13	0.0	...	0.1	...	0.1	...	0.1
.0	Leukorrhea-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other-----	65	...	65	...	52	...	13	0.0	...	0.1	...	0.1	...	0.1
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium															
640-649	Complications of pregnancy-----	369	...	369	...	192	...	177	0.2	...	0.4	...	0.2	...	1.4
640	Pyelitis and pyelonephritis of pregnancy-----	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
642	Toxemias of pregnancy-----	185	...	185	...	95	...	90	0.1	...	0.2	...	0.1	...	0.7
.0	Hypertensive disease arising during pregnancy-----	14	...	14	...	2	...	12	0.0	...	0.0	...	0.0	...	0.1
.1	Renal disease arising during pregnancy-----	6	...	6	...	2	...	4	0.0	...	0.0	...	0.0	...	0.0
.2	Preeclampsia of pregnancy-----	18	...	18	...	15	...	3	0.0	...	0.0	...	0.0	...	0.0
.3	Eclampsia of pregnancy-----	77	...	77	...	34	...	43	0.0	...	0.1	...	0.0	...	0.3
.4	Hyperemesis gravidarum-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.5	Other-----	67	...	67	...	39	...	28	0.0	...	0.1	...	0.0	...	0.2
643	Placenta previa-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
644	Other hemorrhage of pregnancy-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
645	Ectopic pregnancy-----	67	...	67	...	23	...	44	0.0	...	0.1	...	0.0	...	0.4
.0	Without mention of sepsis-----	63	...	63	...	22	...	41	0.0	...	0.1	...	0.0	...	0.3
.1	With sepsis-----	4	...	4	...	1	...	3	0.0	...	0.0	...	0.0	...	0.0
646	Anemia of pregnancy-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
648	Other complications arising from pregnancy-----	105	...	105	...	66	...	39	0.1	...	0.1	...	0.1	...	0.3
.0	Threatened abortion-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Hydatidiform mole-----	12	...	12	...	6	...	6	0.0	...	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere-----	9	...	9	...	5	...	4	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	84	...	84	...	55	...	29	0.0	...	0.1	...	0.0	...	0.2
650-652	Abortion-----	180	...	180	...	76	...	84	0.1	...	0.2	...	0.1	...	0.7
650	Abortion without mention of sepsis or toxemia-----	53	...	53	...	32	...	21	0.0	...	0.1	...	0.0	...	0.2
.0	Spontaneous or unspecified-----	20	...	20	...	10	...	10	0.0	...	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons-----	32	...	32	...	21	...	11	0.0	...	0.0	...	0.0	...	0.1
.3	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
651	Abortion with sepsis-----	104	...	104	...	45	...	61	0.1	...	0.1	...	0.0	...	0.5
.0	Spontaneous or unspecified-----	60	...	60	...	21	...	39	0.0	...	0.1	...	0.0	...	0.3
.1	Induced for medical or legal indications-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
.2	Induced for other reasons-----	37	...	37	...	18	...	19	0.0	...	0.0	...	0.0	...	0.2
.3	Other-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
.0	Spontaneous or unspecified-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
660	Delivery without mention of complication-----	18	...	18	...	10	...	8	0.0	...	0.0	...	0.0	...	0.1

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.															
670-678	Delivery with specified complication-----	289	...	289	...	186	...	103	0.1	...	0.3	...	0.2	...	0.8
670	Delivery complicated by placenta previa or antepartum hemorrhage-----	56	...	56	...	38	...	18	0.0	...	0.1	...	0.0	...	0.1
671	Delivery complicated by retained placenta-----	14	...	14	...	7	...	7	0.0	...	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage-----	72	...	72	...	52	...	20	0.0	...	0.1	...	0.1	...	0.2
673	Delivery complicated by abnormality of bony pelvis-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
674	Delivery complicated by disproportion or malposition of fetus-----	13	...	13	...	8	...	5	0.0	...	0.0	...	0.0	...	0.0
675	Delivery complicated by prolonged labor of other origin-----	12	...	12	...	5	...	7	0.0	...	0.0	...	0.0	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
677	Delivery with other trauma-----	37	...	37	...	22	...	15	0.0	...	0.0	...	0.0	...	0.1
678	Delivery with other complications of childbirth-----	84	...	84	...	54	...	30	0.0	...	0.1	...	0.1	...	0.2
680-689	Complications of the puerperium-----	151	...	151	...	107	...	44	0.1	...	0.1	...	0.1	...	0.4
680	Puerperal urinary infection without other sepsis-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
681	Sepsis of childbirth and the puerperium-----	49	...	49	...	36	...	13	0.0	...	0.0	...	0.0	...	0.1
682	Puerperal phlebitis and thrombosis-----	26	...	26	...	18	...	8	0.0	...	0.0	...	0.0	...	0.1
683	Pyrexia of unknown origin during the puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
684	Puerperal pulmonary embolism-----	43	...	43	...	29	...	14	0.0	...	0.0	...	0.0	...	0.1
685	Puerperal eclampsia-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
686	Other forms of puerperal toxemia-----	1	...	1	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium-----	13	...	13	...	12	...	1	0.0	...	0.0	...	0.0	...	0.0
688	Other and unspecified complications of the puerperium-----	15	...	15	...	9	...	6	0.0	...	0.0	...	0.0	...	0.0
.0	Anemia of puerperium-----	1	...	1	...	-	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Puerperal psychosis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Sudden death from unknown cause in the puerperium-----	1	...	1	...	-	...	1	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	13	...	13	...	9	...	4	0.0	...	0.0	...	0.0	...	0.0
689	Mastitis and other disorders of lactation-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
XII. Diseases of the skin and cellular tissue															
690-698	Infections of skin and subcutaneous tissue-----	452	233	219	175	179	60	40	0.2	0.2	0.2	0.2	0.2	0.5	0.3
690	Boil and carbuncle-----	27	15	12	14	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of face-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	0.0
.1	Of neck-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Of trunk-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	-	-	-
.3	Of upper arm and forearm-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.4	Of hand-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.5	Of buttock-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.6	Of other parts of lower extremity-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.7	Of other and multiple sites-----	6	5	3	4	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
692	Other cellulitis and abscess without mention of lymphangitis--	340	172	168	128	134	44	34	0.2	0.2	0.2	0.2	0.2	0.4	0.3
.0	Of head and neck-----	36	18	20	15	18	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Of trunk-----	89	53	36	43	26	10	10	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm-----	20	11	9	10	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Of hand, except fingers-----	3	2	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Of leg-----	100	44	56	28	43	16	13	0.1	0.0	0.1	0.0	0.0	0.1	0.1
.5	Of foot, except toes-----	11	3	8	2	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Of other, multiple, and unspecified sites-----	79	41	38	31	30	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Of head and neck-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Of trunk-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Of upper arm and forearm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XIII. Diseases of the skin and cellular tissue--Con.																	
Infections of skin and subcutaneous tissue--Con.																	
693	Other cellulitis and abscess with lymphangitis--Con.																
.3	Of hand, except fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of leg-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
.5	Of foot, except toes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Of other, multiple, and unspecified sites-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
694	Acute lymphadenitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
695	Impetigo-----	4	3	1	-	-	3	1	0.0	0.0	0.0	-	-	0.0	0.0		
696	Infectious warts-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
697	Molluscum contagiosum-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
698	Other local infections of skin and subcutaneous tissue-----	71	37	34	26	30	11	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
700-718	Other diseases of skin and subcutaneous tissue-----	1,777	527	1,250	424	1,022	103	228	0.9	0.5	1.2	0.5	1.2	0.9	1.8		
700	Seborrheic dermatitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
701	Eczema-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
702	Occupational dermatitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
703	Other dermatitis-----	17	9	8	7	4	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Due to other specified agents-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Unqualified-----	8	5	5	2	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
704	Pemphigus-----	116	45	71	40	61	5	10	0.1	0.0	0.1	0.0	0.1	0.0	0.1		
.0	Dermatitis herpetiformis-----	7	4	3	3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Other-----	109	41	68	37	58	4	10	0.1	0.0	0.1	0.0	0.1	0.0	0.1		
705	Erythematous conditions-----	392	107	285	86	219	21	86	0.2	0.1	0.3	0.1	0.2	0.2	0.5		
.0	Toxic erythema-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Erythema multiforme (erythema iris)-----	35	19	16	17	9	2	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.2	Erythema nodosum-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Rosacea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Lupus erythematosus-----	322	87	255	56	201	11	54	0.2	0.1	0.3	0.1	0.2	0.1	0.4		
.5	Other and unqualified-----	33	21	12	13	7	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
706	Psoriasis and similar disorders-----	14	6	8	5	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.0	Psoriasis-----	13	5	8	5	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Parapsoriasis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
.2	Pityriasis rosea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
707	Lichen planus-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
708	Pruritus and related conditions-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Pruritus ani-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Lichenification and lichen simplex chronicus-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other pruritic conditions-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
709	Corns and callosities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number								Rate					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XII. Diseases of the skin and cellular tissue-Con. Other diseases of skin and subcutaneous tissue-Con.															
710	Other hypertrophic and atrophic conditions of skin-----	550	142	408	111	342	31	66	0.3	0.1	0.4	0.1	0.4	0.3	0.5
.0	Scleroderma and dermatomyositis-----	546	141	405	110	340	31	65	0.3	0.1	0.4	0.1	0.4	0.3	0.5
.1	Keratomas-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Hereditary edema of legs (Milroy's disease)-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Striae atrophicae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Keloid scar-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other hypertrophic and atrophic conditions of skin-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
711	Other dermatoses-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
712	Diseases of nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
713	Diseases of hair and hair follicles-----	2	1	1	1	-	1	0.0	0.0	0.0	0.0	-	-	-	0.0
714	Diseases of sweat and sebaceous glands-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Diseases of sweat glands-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other diseases of sebaceous glands-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
715	Chronic ulcer of skin-----	655	201	454	158	376	43	78	0.3	0.2	0.4	0.2	0.4	0.4	0.6
716	Other diseases of skin-----	16	8	8	8	5	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
XIII. Diseases of the bones and organs of movement															
720-727	Arthritis and rheumatism, except rheumatic fever-----	2,135	775	1,360	721	1,253	54	107	1.1	0.8	1.3	0.8	1.4	0.5	0.9
720	Acute arthritis due to pyogenic organisms-----	43	25	18	20	17	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	Acute nongyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions-----	1,454	534	920	503	856	31	64	0.7	0.6	0.9	0.6	1.0	0.3	0.5
.0	Rheumatoid arthritis-----	1,409	496	913	469	850	27	63	0.7	0.5	0.9	0.6	1.0	0.2	0.5
.1	Spondylitis ankylopoietica-----	45	38	7	34	6	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteoarthritis (arthrosis) and allied conditions-----	302	107	195	100	179	7	16	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)-----	268	90	178	87	163	3	15	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.1	Spondylitis osteoarthritis (spondylarthrosis)-----	32	17	15	13	14	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine-----	2	-	2	-	2	-	-	0.0	-	0.0	-	-	-	-
724	Other specified forms of arthritis-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
725	Arthritis, unspecified-----	261	84	177	75	157	9	20	0.1	0.1	0.2	0.1	0.2	0.1	0.2
726	Muscular rheumatism-----	60	20	40	18	34	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Myofibrosis of humeroscapular region-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia-----	59	19	40	17	34	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified-----	8	1	7	1	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-
730-739	Osteomyelitis and other diseases of bone and joint-----	760	339	421	300	400	39	21	0.4	0.4	0.4	0.4	0.5	0.3	0.2
730	Osteomyelitis and periostitis-----	173	103	70	89	63	14	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Acute osteomyelitis-----	13	9	4	7	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Chronic osteomyelitis-----	46	30	16	28	15	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified osteomyelitis-----	114	64	50	54	44	10	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.3	Periostitis without mention of osteomyelitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
731	Osteitis deformans-----	121	59	62	53	60	6	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-
733	Other diseases of bone-----	323	96	227	86	219	10	8	0.2	0.1	0.2	0.1	0.2	0.1	0.1
734	Internal derangement of knee joint-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
735	Displacement of intervertebral disk-----	52	23	23	27	20	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
736	Affection of sacroiliac joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
737	Ankylosis of joint-----	14	9	5	9	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of spine-----	11	7	4	7	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Number	Cause of death	Number								Rate					
		Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XIII. Diseases of the bones and organs of movement--Con.															
Osteomyelitis and other diseases of bone and joint--Con.															
737	Ankylosis of joint--Con.														
.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of knee-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other and multiple sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
738	Other diseases of joint-----	72	39	33	34	32	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
740-749	Other diseases of musculoskeletal system-----	1,020	629	391	584	343	45	48	0.5	0.7	0.4	0.7	0.4	0.4	0.4
740	Bunion-----	5	-	5	-	5	-	-	0.0	-	0.0	-	0.0	-	-
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin-----	5	4	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
742	Synovitis, bursitis, and tenosynovitis of occupational origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
743	Infective myositis and other inflammatory diseases of tendon and fascia-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	0.3	0.4
744	Other diseases of muscle, tendon, and fascia-----	911	579	332	542	288	57	44	0.5	0.6	0.3	0.6	0.3	0.3	0.4
.0	Myasthenia gravis-----	257	103	154	93	128	10	26	0.1	0.1	0.2	0.1	0.1	0.1	0.2
.1	Inborn defect of muscle-----	605	443	162	420	145	23	17	0.3	0.5	0.2	0.5	0.2	0.2	0.1
.2	Other-----	49	33	16	29	15	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine-----	82	35	47	28	45	7	2	0.0	0.0	0.0	0.0	0.1	0.1	0.0
746	Flatfoot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
747	Hallux valgus and varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Clubfoot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
749	Other deformities-----	12	0	4	8	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
XIV. Congenital malformations															
750-759	Congenital malformations-----	17,328	9,346	7,982	7,959	6,783	1,387	1,199	8.8	9.7	7.9	9.3	7.6	12.0	9.7
750	Monstrosity-----	1,034	435	599	400	546	35	53	0.5	0.4	0.6	0.5	0.6	0.3	0.4
751	Spina bifida and meningocele-----	1,036	433	603	391	578	42	25	0.5	0.4	0.6	0.5	0.7	0.4	0.2
A	Without mention of hydrocephalus-----	434	181	253	163	238	18	15	0.2	0.2	0.3	0.2	0.3	0.2	0.1
B	With mention of hydrocephalus-----	602	252	350	228	340	24	10	0.3	0.3	0.3	0.3	0.4	0.2	0.1
752	Congenital hydrocephalus-----	863	520	443	431	360	89	83	0.5	0.5	0.4	0.5	0.4	0.6	0.7
753	Other congenital malformations of nervous system and sense organs-----	665	333	332	282	296	51	36	0.3	0.3	0.3	0.3	0.3	0.4	0.3
.0	Congenital cataract-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Other-----	664	332	332	282	296	50	36	0.3	0.3	0.3	0.3	0.3	0.4	0.3
754	Congenital malformations of circulatory system-----	8,742	4,772	3,970	4,052	3,289	720	681	4.4	4.9	3.9	4.8	3.7	6.2	5.5
.0	Tetralogy of Fallot-----	480	276	204	226	182	50	22	0.2	0.3	0.2	0.3	0.2	0.4	0.2
.1	Patent ductus arteriosus (Botalli)-----	300	136	164	116	127	20	37	0.2	0.1	0.2	0.1	0.1	0.2	0.3
.2	Interventricular septal defect-----	690	304	386	253	318	51	68	0.3	0.3	0.4	0.3	0.4	0.4	0.5
.3	Interatrial septal defect-----	445	206	239	173	201	33	38	0.2	0.2	0.2	0.2	0.2	0.3	0.3
.4	Fibroelastosis cordis-----	290	157	133	119	91	38	42	0.1	0.2	0.1	0.1	0.1	0.3	0.3
.5	Other and unspecified malformations of heart-----	4,824	2,662	2,162	2,255	1,790	407	372	2.4	2.6	2.1	2.6	2.0	3.5	3.0
.6	Coarctation of aorta-----	275	168	107	150	95	18	12	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.7	Other circulatory malformations-----	1,438	863	575	780	465	103	90	0.7	0.9	0.6	0.9	0.5	0.9	0.7
755	Cleft palate and harelip-----	43	25	18	23	14	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
756	Congenital malformations of digestive system-----	1,251	722	529	575	427	147	102	0.6	0.7	0.5	0.7	0.5	1.3	0.8
.0	Congenital hypertrophic pyloric stenosis-----	34	26	8	16	6	10	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Imperforate anus-----	86	60	26	49	22	11	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Other-----	1,131	636	495	510	399	126	96	0.6	0.7	0.5	0.6	0.4	1.1	0.8
757	Congenital malformations of genitourinary system-----	1,517	921	596	808	527	113	69	0.8	1.0	0.6	0.9	0.6	1.0	0.6
.0	Undescended testicle-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Polycystic disease of kidney-----	1,004	571	433	508	386	63	47	0.5	0.6	0.4	0.6	0.4	0.5	0.4
.2	Congenital malformations of external genital organs-----	7	6	1	4	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Other-----	505	343	162	295	140	48	22	0.3	0.4	0.2	0.3	0.2	0.4	0.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XIV. Congenital malformations—Con.															
Congenital malformations—Con.															
758	Congenital malformations of bone and joint-----	279	154	125	134	109	20	16	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.0	Congenital dislocation of hip-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Chondrodystrophy-----	59	34	25	27	22	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Congenital malformations of skull-----	43	24	19	21	13	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Brittle bones-----	40	22	18	20	16	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital abnormalities of lumbosacral region-----	7	6	1	4	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.6	Other congenital malformations of bone and joint-----	128	68	60	62	55	6	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
759	Other and unspecified congenital malformations not elsewhere classified-----	1,798	1,031	767	863	637	188	130	0.9	1.1	0.8	1.0	0.7	1.5	1.1
.0	Of respiratory system-----	462	278	184	224	157	54	27	0.2	0.3	0.2	0.3	0.2	0.5	0.2
.1	Of skin-----	30	22	8	17	5	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Of muscle-----	148	82	66	78	58	4	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.3	Other and unspecified-----	1,158	649	509	544	417	105	92	0.6	0.7	0.5	0.6	0.5	0.9	0.7
XV. Certain diseases of early infancy															
760-769	Birth injuries, asphyxia, and infections of newborn-----	23,195	13,742	9,453	10,453	6,876	3,289	2,577	11.7	14.2	9.3	12.3	7.7	28.4	20.8
760	Intracranial and spinal injury at birth-----	2,102	1,324	778	969	552	355	226	1.1	1.4	0.8	1.1	0.6	3.1	1.8
.0	Without mention of immaturity-----	1,052	657	395	499	288	158	109	0.5	0.7	0.4	0.6	0.3	1.4	0.9
.5	With immaturity-----	1,050	667	383	470	266	197	117	0.5	0.7	0.4	0.6	0.3	1.7	0.9
761	Other birth injury-----	4,464	2,646	1,818	3,196	1,484	450	334	2.3	2.7	1.8	2.6	1.7	3.9	2.7
.0	Without mention of immaturity-----	1,339	793	546	623	416	170	130	0.7	0.8	0.5	0.7	0.5	1.5	1.1
.5	With immaturity-----	3,125	1,853	1,272	1,573	1,068	280	204	1.8	1.9	1.3	1.8	1.2	2.4	1.8
762	Postnatal asphyxia and atelectasis-----	12,788	7,581	5,207	5,777	3,753	1,804	1,454	6.5	7.8	5.1	6.8	4.2	15.6	11.7
.0	Without mention of immaturity-----	3,454	2,089	1,365	1,655	1,006	454	359	1.7	2.2	1.3	1.9	1.1	3.9	2.9
.5	With immaturity-----	9,334	5,492	3,842	4,142	2,747	1,350	1,095	4.7	5.7	3.8	4.9	3.1	11.7	8.8
763	Pneumonia of newborn-----	2,219	1,278	941	883	627	395	314	1.1	1.3	0.9	1.0	0.7	3.4	2.5
.0	Without mention of immaturity-----	1,628	921	705	634	459	287	246	0.8	1.0	0.7	0.7	0.5	2.5	2.0
.5	With immaturity-----	593	357	236	249	168	108	68	0.3	0.4	0.2	0.3	0.2	0.9	0.5
764	Diarrhea of newborn-----	225	127	98	54	41	73	57	0.1	0.1	0.1	0.1	0.0	0.6	0.5
.0	Without mention of immaturity-----	188	100	88	42	35	58	53	0.1	0.1	0.1	0.0	0.0	0.5	0.4
.5	With immaturity-----	37	27	10	12	6	15	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
765	Ophthalmia neonatorum-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Without mention of immaturity-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.5	With immaturity-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
766	Empyema neonatorum-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Without mention of immaturity-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.5	With immaturity-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
767	Umbilical sepsis-----	34	13	21	8	14	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Without mention of immaturity-----	30	12	18	7	11	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.5	With immaturity-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
768	Other sepsis of newborn-----	785	451	334	315	206	138	128	0.4	0.5	0.3	0.4	0.2	1.2	1.0
.0	Without mention of immaturity-----	404	242	162	167	103	75	59	0.2	0.3	0.2	0.2	0.1	0.6	0.5
.5	With immaturity-----	381	209	172	148	103	61	69	0.2	0.2	0.2	0.2	0.1	0.5	0.6
769	Neonatal disorders arising from certain diseases of the mother during pregnancy-----	572	318	254	248	198	70	56	0.3	0.3	0.3	0.3	0.2	0.6	0.5
.0-.4	Without mention of immaturity-----	239	129	110	99	81	30	29	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.0	Attributed to "toxemia of pregnancy"-----	61	34	27	20	16	14	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Attributed to maternal diabetes-----	91	56	35	49	29	7	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.2	Attributed to maternal rubella-----	42	15	27	13	19	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.3	Attributed to toxoplasmosis-----	9	3	6	2	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Attributed to other or unspecified diseases of the mother during pregnancy-----	36	21	15	15	11	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0



Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Number	Cause of death	Number								Rate					
		Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions-Con. Symptoms referable to systems or organs-Con.														
782	Symptoms referable to cardiovascular and lymphatic system-----	2,189	1,252	937	1,022	756	230	181	1.1	1.3	0.9	1.2	0.9	2.0	1.5
.0	Precordial pain-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Palpitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.3	Pallor and cyanosis (not of newborn)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute heart failure, undefined-----	2,085	1,200	885	983	709	217	174	1.1	1.2	0.9	1.2	0.8	1.9	1.4
.5	Syncope or collapse-----	10	5	5	3	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.6	Edema and dropsy (not of newborn)-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.7	Enlargement of lymph node-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Splenomegaly-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Shock without mention of trauma-----	90	45	45	34	39	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
783	Symptoms referable to respiratory system-----	164	106	58	89	42	17	16	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.0	Epistaxis-----	11	9	2	8	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	137	84	53	70	38	14	15	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.2	Dyspnea-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Cough-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Excess of sputum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest-----	12	10	2	8	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract-----	192	118	74	100	66	18	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Anorexia-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Nausea and vomiting-----	14	9	5	6	2	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hematemesis-----	174	108	66	93	62	15	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.6	Excessive salivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	90	48	42	36	28	12	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Abdominal swelling (not referable to any particular organ)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hepatomegaly-----	5	2	3	1	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Jaundice (not of newborn)-----	27	16	11	12	11	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Ascites-----	3	-	3	-	1	-	2	0.0	-	0.0	-	0.0	-	0.0
.4	Flatulence-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.5	Abdominal pain-----	21	15	6	12	3	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Diarrhea, age 2 years and over-----	30	11	19	8	11	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.7	Incontinence of feces-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Melena (age 1 year and over)-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Visible peristalsis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system-----	16	11	5	7	5	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pain referable to urinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Retention of urine-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.2	Incontinence of urine-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Frequency of micturition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)-----	11	7	4	5	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Priapism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Swelling of limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Pain in joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Pain in back-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.6	Difficulty in walking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions--Con. Symptoms referable to systems or organs--Con.														
788	Other general symptoms-----	157	82	75	61	57	21	19	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Dehydration-----	39	19	20	13	14	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Excessive sweating-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Rash-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Subcutaneous nodules-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Loss of weight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Acidosis-----	21	8	13	7	9	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Pyrexia of unknown origin-----	77	42	35	33	29	9	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere-----	18	10	8	5	5	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Albuminuria, unqualified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Albuminuria, orthostatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pyuria and bacteriuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Chyluria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Hematuria-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Hemoglobinuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Glycosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Acetouria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases-----	21,098	12,665	8,435	8,339	5,214	4,324	3,221	10.7	13.1	8.3	9.8	5.9	37.4	26.0
790	Nervousness and debility-----	45	16	29	13	25	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Nervousness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Debility and undue fatigue-----	45	15	29	12	24	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Depression-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
791	Headache-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
792	Uremia-----	680	379	301	292	217	87	84	0.3	0.4	0.3	0.3	0.2	0.8	0.7
794	Senility without mention of psychosis-----	1,747	654	1,093	494	883	160	230	0.9	0.7	1.1	0.6	1.0	1.4	1.9
795	Ill-defined and unknown causes of mortality-----	18,625	11,614	7,011	7,540	4,108	4,074	2,903	9.4	12.0	6.9	8.9	4.6	35.2	23.5
.0	Other ill-defined conditions-----	950	566	384	367	252	199	132	0.5	0.6	0.4	0.4	0.3	1.7	1.1
.2	Sudden death (cause unknown)-----	1,712	1,090	622	784	386	306	236	0.9	1.1	0.6	0.9	0.4	2.6	1.9
.3	Found dead (cause unknown)-----	285	166	99	102	55	64	44	0.1	0.2	0.1	0.1	0.1	0.6	0.4
.4	Died without sign of disease-----	9,070	5,901	3,169	3,822	1,700	2,079	1,469	4.6	6.1	3.1	4.5	1.9	18.0	11.9
.5	Other unknown and unspecified causes-----	6,628	3,891	2,737	2,465	1,715	1,426	1,022	3.3	4.0	2.7	2.9	1.9	12.3	8.3
	XVII. Accidents, poisonings, and violence														
E800-E802	Railway accidents-----	997	902	95	703	79	199	16	0.5	0.9	0.1	0.8	0.1	1.7	0.1
E800	Railway accident involving railroad employee-----	173	172	1	154	1	18	-	0.1	0.2	0.0	0.2	0.0	0.2	-
E801	Railway accident involving passenger-----	16	13	3	12	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E802	Railway accident involving other and unspecified person-----	808	717	91	537	75	180	16	0.4	0.7	0.1	0.6	0.1	1.6	0.1
E810-E825	Motor vehicle traffic accidents-----	51,759	37,246	14,513	32,405	12,838	4,841	1,675	26.2	38.5	14.3	38.1	14.5	41.9	13.5
E810	Motor vehicle traffic accident involving collision with railway train-----	1,619	1,084	535	1,000	492	84	43	0.8	1.1	0.5	1.2	0.6	0.7	0.3
E811	Motor vehicle traffic accident involving collision with streetcar-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
E812	Motor vehicle traffic accident to pedestrian-----	8,608	5,955	2,653	4,654	2,143	1,301	510	4.4	6.2	2.6	5.5	2.4	11.2	4.1
E813	Motor vehicle traffic accident to pedal cyclist-----	669	581	88	494	77	87	11	0.3	0.6	0.1	0.6	0.1	0.8	0.1
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	88	79	9	71	9	8	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle-----	1,216	1,121	95	1,070	92	51	3	0.6	1.2	0.1	1.3	0.1	0.4	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles-----	18,167	11,840	6,327	10,610	5,809	1,230	518	9.2	12.2	6.3	12.5	6.5	10.6	4.2

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number							Rate						
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence--Con.															
Motor vehicle traffic accidents--Con.															
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle-----	5	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle-----	77	60	17	52	15	8	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object-----	1,992	1,584	408	1,380	336	224	72	1.0	1.6	0.4	1.6	0.4	1.9	0.6
E820	Motor vehicle traffic accident while boarding and alighting---	38	18	20	16	19	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision-----	636	596	40	578	39	18	1	0.3	0.6	0.0	0.7	0.0	0.2	0.0
E822	Motor vehicle traffic accident involving overturning in roadway-----	1,165	894	271	806	236	88	35	0.6	0.9	0.3	0.9	0.3	0.9	0.3
E823	Motor vehicle traffic accident involving running off roadway--	11,699	9,131	2,568	7,991	2,273	1,140	295	5.9	8.4	2.5	9.4	2.6	9.9	2.4
E824	Other noncollision motor vehicle traffic accident-----	987	762	225	654	198	108	27	0.5	0.8	0.2	0.8	0.2	0.9	0.2
E825	Motor vehicle traffic accident of unspecified nature-----	4,792	3,535	1,257	3,043	1,100	492	157	3.7	3.7	1.2	3.6	1.2	4.3	1.3
E830-E835	Motor vehicle nontraffic accidents-----	1,165	887	278	798	243	89	35	0.6	0.9	0.3	0.9	0.3	0.8	0.3
E830	Motor vehicle nontraffic accident to pedestrian-----	650	456	194	399	165	57	29	0.3	0.5	0.2	0.5	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle-----	31	29	2	26	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles-----	33	27	6	27	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E834	Motor vehicle nontraffic accident while boarding and alighting-----	28	17	11	17	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E835	Motor vehicle nontraffic accident of other and unspecified nature-----	417	352	65	323	59	29	8	0.2	0.4	0.1	0.4	0.1	0.3	0.0
E840-E845	Other road vehicle accidents-----	288	190	98	164	96	26	2	0.1	0.2	0.1	0.2	0.1	0.2	0.0
E840	Streetcar accident to pedestrian-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E841	Other streetcar accident, except collision with motor vehicle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E842	Accident to pedestrian caused by pedal cycle-----	6	1	5	1	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle-----	60	58	22	46	22	12	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E844	Accident to pedestrian caused by other nonmotor road vehicle-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E845	Other nonmotor road vehicle accidents-----	192	122	70	109	69	13	1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
E850-E858	Water transport accidents-----	1,545	1,426	119	1,204	101	222	18	0.8	1.5	0.1	1.4	0.1	1.9	0.1
E850	Submersion of occupant of small boat-----	1,271	1,172	99	978	81	194	18	0.6	1.2	0.1	1.1	0.1	1.7	0.1
E851	Other water transport injury by submersion-----	81	78	3	68	3	10	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E852	Fall on stairs and ladders in water transport-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E853	Other falls from one level to another in water transport-----	29	29	-	23	-	6	-	0.0	0.0	-	0.0	-	0.1	-
E854	Falls on same level in water transport-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E855	Unspecified falls in water transport-----	12	10	2	8	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E856	Machinery accident in water transport-----	10	10	-	8	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E857	Other specified accidents in water transport-----	127	114	13	106	13	8	-	0.1	0.1	0.0	0.1	0.0	0.1	-
E858	Water transport accident of unspecified cause-----	8	7	1	7	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E860-E866	Aircraft accidents-----	1,799	1,524	275	1,497	274	27	1	0.9	1.6	0.3	1.8	0.3	0.2	0.0
E860	Accident to personnel in military aircraft-----	280	280	-	270	-	10	-	0.1	0.3	-	0.3	-	0.1	-
E861	Injury to occupant by accident to commercial "transport" aircraft-----	315	228	87	226	87	2	-	0.2	0.2	0.1	0.3	0.1	0.0	-
E862	Other injury in commercial "transport" aircraft-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
E863	Injury to occupant by accident to other specified aircraft-----	532	475	57	468	57	7	-	0.3	0.5	0.1	0.5	0.1	0.1	-
E864	Aircraft accident at airfield to person not in aircraft-----	12	11	1	10	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E865	Aircraft accident elsewhere to person not in aircraft-----	26	11	15	9	15	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E866	Other and unspecified aircraft accidents-----	633	519	114	514	114	5	-	0.3	0.5	0.1	0.6	0.1	0.0	-

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence-Con.															
E870-E888	Accidental poisoning by solid and liquid substances-----	2,506	1,506	1,000	1,039	617	467	183	1.3	1.6	1.0	1.2	0.9	4.0	1.5
E870	Accidental poisoning by morphine and other opium derivatives--	178	152	24	104	11	48	13	0.1	0.2	0.0	0.1	0.0	0.4	0.1
E871	Accidental poisoning by barbituric acid and derivatives-----	506	216	290	198	269	18	21	0.5	0.2	0.3	0.2	0.3	0.2	0.2
E872	Accidental poisoning by aspirin and salicylates-----	153	74	79	57	64	17	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E873	Accidental poisoning by bromides-----	10	5	5	5	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E874	Accidental poisoning by other analgesic and soporific drugs--	744	527	217	295	172	232	45	0.4	0.5	0.2	0.3	0.2	2.0	0.4
E875	Accidental poisoning by sulfonamides-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E876	Accidental poisoning by strychnine-----	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	-	-
E877	Accidental poisoning by belladonna, hyoscyne, and atropine--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs-----	263	113	150	95	129	18	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E879	Accidental poisoning by noxious foodstuffs-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E880	Accidental poisoning by alcohol-----	158	119	39	78	27	41	12	0.1	0.1	0.0	0.1	0.0	0.4	0.1
E881	Accidental poisoning by petroleum products-----	31	20	11	8	6	12	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E882	Accidental poisoning by industrial solvents-----	36	23	13	20	13	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	51	32	19	24	14	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E884	Accidental poisoning by mercury and its compounds-----	4	3	1	3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
E885	Accidental poisoning by lead and its compounds-----	61	29	32	12	12	17	20	0.0	0.0	0.0	0.0	0.0	0.1	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	31	19	12	16	12	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E887	Accidental poisoning by fluorides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	270	168	102	119	77	49	25	0.1	0.2	0.1	0.1	0.1	0.4	0.2
E890-E895	Accidental poisoning by gases and vapors-----	1,574	1,168	406	1,020	341	148	65	0.8	1.2	0.4	1.2	0.4	1.3	0.5
E890	Accidental poisoning by utility (illuminating) gas-----	280	184	96	158	78	26	18	0.1	0.2	0.1	0.2	0.1	0.2	0.1
E891	Accidental poisoning by motor vehicle exhaust gas-----	819	632	187	566	185	66	22	0.4	0.7	0.2	0.7	0.2	0.6	0.2
E892	Accidental poisoning by other carbon monoxide gas-----	318	211	107	178	85	33	22	0.2	0.2	0.1	0.2	0.1	0.3	0.2
E893	Accidental poisoning by cyanide gas-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E894	Accidental poisoning by other specified gases and vapors-----	142	126	16	105	13	21	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0
E895	Accidental poisoning by unspecified gases and vapors-----	13	13	-	12	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E900-E904	Accidental falls-----	20,120	9,940	10,180	8,822	9,587	1,118	593	10.2	10.3	10.1	10.4	10.8	9.7	4.9
E900	Fall on stairs-----	1,963	1,203	760	1,036	698	167	62	1.0	1.2	0.8	1.2	0.8	1.4	0.5
E901	Fall from ladders-----	348	318	30	297	27	19	3	0.2	0.3	0.0	0.3	0.0	0.2	0.0
E902	Other falls from one level to another-----	3,111	2,161	950	1,818	833	343	117	1.6	2.2	0.9	2.1	0.9	3.0	0.9
E903	Fall on same level-----	5,167	2,314	2,853	2,105	2,731	209	122	2.6	2.4	2.8	2.5	3.1	1.8	1.0
E904	Unspecified falls-----	9,533	5,948	5,587	5,566	5,288	380	289	4.8	4.1	5.5	4.2	6.0	3.3	2.3
E910-E936	Other accidents-----	29,196	21,852	7,344	17,316	5,504	4,536	1,840	14.8	22.6	7.3	20.3	6.2	39.2	14.9
E910	Blow from falling or projected object or missile-----	1,435	1,388	47	1,186	43	202	4	0.7	1.4	0.0	1.4	0.0	1.7	0.0
E911	Accident caused by vehicle-----	96	92	4	80	4	12	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E912	Accident caused by machinery-----	2,055	1,984	71	1,789	83	195	8	1.0	2.1	0.1	2.1	0.1	1.7	0.1
E913	Accident caused by cutting and piercing instruments-----	149	119	30	82	22	37	8	0.1	0.1	0.0	0.1	0.0	0.3	0.1
E914	Accident caused by electric current-----	992	916	76	838	66	78	10	0.5	0.9	0.1	1.0	0.1	0.7	0.1
E915	Accident caused by explosion of pressure vessel-----	42	39	3	38	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E916	Accident caused by fire and explosion of combustible material-----	7,423	4,497	2,926	3,338	2,033	1,159	893	3.8	4.7	2.9	3.9	2.3	10.0	7.2
E917	Accident caused by hot substance, corrosive liquid, and steam-----	376	216	160	152	116	64	44	0.2	0.2	0.2	0.2	0.1	0.6	0.4
E918	Accident caused by radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm-----	2,896	2,462	434	1,927	299	535	135	1.5	2.5	0.4	2.3	0.3	4.6	1.1
E920	Foreign body entering eye and adnexa-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,607	978	629	795	521	183	108	0.8	1.0	0.6	0.9	0.6	1.6	0.9

Table 1-22. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1967-Con.

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories]

Seventh Revision of International Lists, 1955		Number						Rate							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence--Con.															
Other accidents--Con.															
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	373	213	160	164	127	49	33	0.2	0.2	0.2	0.2	0.1	0.4	0.3
E923	Foreign body entering other orifice-----	1,115	674	441	527	540	147	101	0.6	0.7	0.4	0.6	0.4	1.3	0.8
E924	Accidental mechanical suffocation in bed and cradle-----	562	327	235	220	157	107	78	0.3	0.3	0.2	0.3	0.2	0.9	0.6
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	620	463	157	367	116	96	41	0.3	0.5	0.2	0.4	0.1	0.8	0.3
E926	Lack of care of infants under 1 year of age-----	22	15	7	8	3	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E927	Accidents caused by bites and stings of venomous animals and insects-----	44	35	9	30	9	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E928	Other accidents caused by animals-----	125	99	26	92	26	7	-	0.1	0.1	0.0	0.1	0.0	0.1	-
E929	Accidental drowning-----	5,724	4,712	1,012	3,623	843	1,089	169	2.9	4.9	1.0	4.3	0.9	9.4	1.4
E930	High and low air pressure-----	13	12	1	10	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E931	Excessive heat and insolation-----	96	79	17	64	14	15	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E932	Excessive cold-----	327	269	58	177	37	92	21	0.2	0.3	0.1	0.2	0.0	0.8	0.2
E933	Hunger, thirst, and exposure-----	193	144	49	93	31	51	18	0.1	0.1	0.0	0.1	0.0	0.4	0.1
E934	Cataclysm-----	165	98	67	92	59	6	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E935	Lightning-----	88	76	12	57	11	19	1	0.0	0.1	0.0	0.1	0.0	0.2	0.0
E936	Other and unspecified accidents-----	2,656	1,945	713	1,665	561	378	152	1.3	2.0	0.7	1.8	0.6	3.3	1.2
E940-E946	Complications due to nontherapeutic medical and surgical procedures-----	169	93	76	75	60	18	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
E940	Generalized vaccinia following vaccination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E941	Postvaccinal encephalitis-----	1	-	-	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E942	Other complications of smallpox vaccination-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E943	Postimmunization jaundice and hepatitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E944	Other complications of prophylactic inoculation-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E945	Complications of anesthesia for nontherapeutic purpose-----	10	4	6	3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures-----	150	83	67	66	52	17	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures-----	1,361	676	685	594	605	82	80	0.7	0.7	0.7	0.7	0.7	0.7	0.6
E950	Therapeutic misadventure in surgical treatment-----	723	397	326	352	292	45	34	0.4	0.4	0.3	0.4	0.3	0.4	0.3
E951	Therapeutic misadventure in infusion or transfusion-----	173	93	80	87	72	6	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E952	Therapeutic misadventure in local applications-----	20	3	17	3	15	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
E953	Therapeutic misadventure in administration of drugs or biologicals-----	210	92	118	76	103	16	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia-----	68	22	46	15	35	7	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure-----	68	40	28	36	27	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation-----	77	23	54	20	49	3	5	0.0	0.0	0.1	0.0	0.1	0.0	0.0
E957	Late complication of amputation stump-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E958	Late complication of irradiation-----	12	2	10	1	7	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E959	Late complications of other forms of treatment-----	9	4	5	4	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E960-E965	Late effects of injury and poisoning-----	724	498	226	418	200	80	26	0.4	0.5	0.2	0.5	0.2	0.7	0.2
E960	Late effect of motor vehicle accident-----	148	114	34	99	31	15	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning-----	11	4	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury-----	531	351	180	294	160	57	20	0.3	0.4	0.2	0.3	0.2	0.5	0.2
E963	Late effect of self-inflicted injury-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E964	Late effect of injury purposely inflicted by another person (not in war)-----	12	8	4	3	2	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E965	Late effects of injuries due to war operations-----	16	16	-	15	-	1	-	0.0	0.0	-	0.0	-	0.0	-



## SECTION 1 - GENERAL MORTALITY

1-87

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1967

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,851,325	164,437	147,997	161,194	150,379	156,406	147,199	149,767	146,498	144,669	154,460	155,913	172,414
I. Infective and parasitic diseases	16,246	1,493	1,302	1,515	1,352	1,381	1,293	1,275	1,269	1,273	1,271	1,317	1,505
Tuberculosis, all forms	6,901	661	548	649	584	601	593	554	545	548	517	540	603
Tuberculosis of respiratory system	6,351	623	504	599	524	553	553	489	498	496	490	439	533
Tuberculosis of meninges and central nervous system	135	8	9	8	10	21	8	11	10	15	8	11	16
Tuberculosis of intestines, peritoneum, and mesenteric glands	40	5	2	4	2	7	1	5	1	2	3	2	6
Tuberculosis of bones and joints	52	5	5	6	6	10	5	1	2	2	4	4	2
Tuberculosis of other organs and systems	122	8	8	12	10	11	11	9	13	14	8	8	10
Disseminated tuberculosis	201	12	20	20	12	19	15	19	21	17	14	16	16
Syphilis and its sequelae	2,381	191	160	191	214	211	178	200	199	179	203	198	257
Congenital syphilis	25	3	1	4	3	3	1	3	2	2	1	-	2
Early syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta	1,649	133	111	111	147	159	112	150	136	129	138	134	189
Other cardiovascular syphilis	414	34	29	46	40	30	36	28	34	29	35	33	42
Tabes dorsalis	28	2	1	2	1	3	4	1	1	2	5	4	2
General paralysis of insane	68	4	6	10	5	2	7	2	9	5	3	9	6
Other syphilis of central nervous system	140	9	11	11	14	10	12	12	12	10	16	10	13
All other syphilis	57	6	1	7	4	4	6	4	5	2	7	8	3
Gonococcal infection	11	-	1	1	-	-	-	1	2	3	1	2	-
Typhoid fever	12	-	-	1	1	1	2	-	3	1	2	2	7
Paratyphoid fever and other Salmonella infections	63	5	2	3	4	6	4	9	9	6	4	4	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)	4	-	-	1	1	-	-	1	-	-	-	-	-
Dysentery, all forms	157	18	10	17	11	9	15	8	19	17	13	11	9
Food poisoning (infection and intoxication)	15	1	-	1	1	1	4	2	1	1	2	2	-
Scarlet fever	9	-	1	1	4	2	4	2	4	2	1	2	4
Streptococcal sore throat	58	5	2	2	4	6	4	3	4	2	2	1	1
Erysipelas	14	-	-	2	3	-	1	2	1	2	1	-	1
Septicemia and pyemia	2,603	238	229	223	202	192	190	227	221	213	207	227	234
Diphtheria	32	3	3	-	1	1	1	2	2	5	6	3	5
Whooping cough	37	4	4	4	4	4	3	1	4	3	1	2	3
Meningococcal infections	635	71	67	80	64	49	46	32	28	40	48	49	61
Flague	1	-	-	-	-	-	-	1	-	-	-	-	-
Leprosy	4	-	-	-	1	1	-	1	-	-	-	1	-
Tetanus	144	7	7	9	11	14	12	11	20	16	14	14	9
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis	16	2	-	1	1	1	2	1	2	-	2	-	4
Late effects of acute poliomyelitis	105	12	7	8	9	5	8	9	6	11	13	10	7
Acute infectious encephalitis	419	43	36	48	41	24	24	35	29	27	38	36	38
Late effects of acute infectious encephalitis	56	7	4	4	4	7	7	3	-	6	2	6	6
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	81	10	10	20	12	10	4	7	2	1	2	2	1
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis	848	59	65	81	70	78	76	76	61	66	58	78	81
Rabies	2	-	-	-	-	-	-	1	-	1	-	-	-
Rick-borne typhus	28	-	-	-	-	-	-	8	5	-	-	-	-
All other rickettsial diseases	1	-	-	-	-	-	1	-	-	-	-	1	-
Malaria	4	2	-	-	1	-	-	-	-	-	-	-	-
Schistosomiasis	5	2	-	-	1	-	1	-	-	-	-	1	2
Hydatid disease	10	-	1	-	1	3	1	-	-	-	-	-	-
Flariasis	1	-	-	-	-	-	-	-	-	1	-	-	-
Ancylostomiasis	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to helminths	37	7	5	4	4	3	1	1	5	3	1	2	3
All other infective and parasitic diseases	1,574	145	141	165	121	145	107	98	102	121	134	127	168
II. Neoplasms	315,996	26,745	24,401	26,827	25,512	26,893	25,492	26,396	26,743	26,020	27,183	26,159	27,835
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	310,983	26,348	23,989	26,395	25,121	26,476	25,076	25,958	26,322	25,597	26,768	25,757	27,176
Malignant neoplasm of buccal cavity and pharynx	6,718	593	520	585	525	576	584	520	577	522	546	546	598
Of lip	143	15	11	10	11	18	13	12	8	9	21	10	5
Of tongue	1,544	144	132	134	117	148	143	107	122	122	120	118	137
Of other and unspecified parts of buccal cavity	2,121	189	180	182	169	174	185	173	197	175	161	171	187
Of pharynx	2,910	245	217	259	228	236	245	228	250	216	270	247	269
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	95,320	8,044	7,392	8,084	7,759	8,225	7,785	7,992	8,102	7,901	8,047	7,813	8,208
Of esophagus	5,627	479	422	434	467	474	454	474	524	448	462	484	505
Of stomach	17,050	1,463	1,392	1,457	1,384	1,495	1,358	1,378	1,441	1,447	1,412	1,400	1,425
Of small intestine, including duodenum	715	54	56	59	72	67	48	64	61	65	56	56	58
Of large intestine, except rectum	33,082	2,784	2,555	2,753	2,739	2,785	2,690	2,850	2,831	2,768	2,723	2,711	2,893
Cecum, appendix, and ascending colon	4,558	408	388	362	379	382	379	369	383	347	362	383	394
Transverse colon, including hepatic and splenic flexures	1,424	116	116	117	130	128	123	118	113	127	99	121	116
Descending colon	1,097	101	87	90	81	107	102	84	87	80	91	87	100
Sigmoid colon	5,850	488	437	462	490	467	456	494	484	450	456	450	516
Multiple parts of large intestine	68	11	5	4	6	2	2	6	3	6	9	3	12
Large intestine (including colon), part unspecified	18,696	1,525	1,395	1,579	1,522	1,557	1,514	1,637	1,633	1,600	1,569	1,529	1,637
Intestinal tract, part unspecified	1,610	135	127	139	131	142	114	142	128	158	137	139	118
Of rectum	10,431	897	807	926	840	960	880	841	842	820	934	827	887
Of biliary passages and of liver (stated to be primary site)	8,745	588	558	591	545	607	552	572	530	545	544	549	564
Liver and multiple sites of biliary passages	2,152	185	174	179	172	194	205	188	179	143	154	179	200
Of liver not stated whether primary or secondary	4,593	403	384	412	373	413	347	384	351	402	390	370	364
Of pancreas	3,136	254	210	271	273	299	263	283	278	253	278	226	268
Of peritoneum and of unspecified digestive organs	16,886	1,384	1,260	1,440	1,304	1,388	1,410	1,385	1,447	1,421	1,518	1,417	1,501
	1,648	141	132	134	135	149	130	145	140	134	120	143	137

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>II. Neoplasms—Con.</b>													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary-----160-164													
Of larynx-----161	58,088	4,958	4,410	4,970	4,650	4,949	4,679	4,813	4,771	4,693	5,071	4,843	5,201
Of bronchus and trachea, and of lung specified as primary-----162	2,797	246	213	240	209	244	226	214	216	219	246	271	253
Of lung, unspecified as to whether primary or secondary-----163	21,479	1,859	1,654	1,913	1,732	1,825	1,711	1,785	1,730	1,717	1,906	1,817	1,850
Of other parts of respiratory system-----160,164	32,928	2,779	2,475	2,735	2,624	2,907	2,672	2,748	2,751	2,689	2,855	2,777	3,016
Malignant neoplasm of breast-----170	882	92	68	82	65	73	70	66	74	68	88	78	80
	29,217	2,514	2,188	2,385	2,245	2,351	2,289	2,302	2,352	2,353	2,482	2,304	2,452
Malignant neoplasm of genital organs-----171-179													
Of cervix uteri-----171	40,408	3,518	3,175	3,347	3,349	3,405	3,221	3,380	3,401	3,317	3,469	3,289	3,539
Of other and unspecified parts of uterus-----172-174	7,411	628	587	607	632	637	625	591	574	658	614	605	653
Of ovary, fallopian tube, and broad ligament-----175	5,732	517	426	458	479	468	456	504	511	459	488	452	534
Of other and unspecified female genital organs-----176	9,168	765	722	775	752	785	735	788	729	752	800	751	800
Of prostate-----177	805	70	61	72	44	74	72	62	71	60	61	61	77
Of all other and unspecified male genital organs-----178,179	16,345	1,445	1,293	1,357	1,368	1,367	1,253	1,360	1,430	1,320	1,431	1,323	1,398
Malignant neoplasm of urinary organs-----180,181	947	75	84	78	74	74	82	77	86	68	75	77	77
Of kidney-----180	14,856	1,198	1,189	1,256	1,142	1,264	1,153	1,233	1,239	1,205	1,294	1,235	1,257
Of bladder and other urinary organs-----181	5,894	465	485	482	440	518	504	498	496	482	512	474	536
	8,762	733	684	774	702	746	649	735	743	724	782	761	729
Malignant neoplasm of other and unspecified sites-----156B,165,190-199													
Of skin-----190,191	56,761	2,967	2,751	3,112	3,008	3,089	3,029	3,108	3,230	3,017	3,175	3,086	3,179
Of eye-----192	4,724	385	379	395	414	396	402	398	380	384	414	378	401
Of brain and other parts of nervous system-----193	344	24	25	34	37	29	34	29	26	25	21	31	29
Of thyroid gland-----194	7,153	569	522	610	577	605	587	592	618	569	651	637	616
Of bone-----196	979	82	82	96	66	82	81	73	97	81	84	81	74
Of connective tissue-----197	1,853	172	154	190	149	185	168	144	134	152	133	163	159
Of other specified sites, not stated to be secondary-----195,199A	1,374	112	115	94	121	116	122	141	118	111	106	94	124
Of unspecified sites-----156B,165,198,199B	1,475	140	104	142	135	128	116	118	117	125	101	125	126
	18,659	1,473	1,590	1,561	1,509	1,588	1,519	1,615	1,740	1,572	1,665	1,577	1,650
Leukemia and leukemia-----204													
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	14,336	1,248	1,097	1,250	1,148	1,176	1,091	1,215	1,260	1,175	1,253	1,147	1,276
Lymphosarcoma and reticulosarcoma-----200	16,481	1,310	1,289	1,426	1,315	1,451	1,245	1,405	1,390	1,413	1,405	1,394	1,458
Hodgkin's disease-----201	7,798	585	605	659	595	708	619	697	670	651	676	634	680
Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	3,446	274	246	312	287	288	263	279	288	337	294	303	275
	5,247	451	438	455	433	435	363	429	432	425	435	457	494
Benign neoplasms and neoplasms of unspecified nature-----210-239													
Benign neoplasms of female genital organs-----214-217	5,013	397	412	432	391	417	406	438	421	423	415	402	459
Benign neoplasm of brain and other parts of nervous system-----225	292	29	23	33	27	19	20	20	17	29	23	19	24
Other benign neoplasms-----210-213,218-222,224-229	930	74	97	93	69	89	71	82	80	70	67	69	69
Neoplasm of unspecified nature of female genital organs-----233-235	1,007	79	91	83	86	88	70	92	98	71	92	84	73
Neoplasm of unspecified nature of brain and other parts of nervous system-----237	24	1	1	1	-	3	3	2	1	4	2	3	3
Other neoplasms of unspecified nature-----230-232,236,238,239	1,814	137	151	147	133	144	155	150	144	166	151	155	201
	956	78	89	75	76	74	87	92	81	83	80	72	89
<b>III. Allergic, endocrine system, metabolic, and nutritional diseases</b>													
Asthma-----241	4,584	4,173	3,537	4,058	3,705	3,880	3,615	3,596	3,585	3,548	3,812	3,881	4,236
Nontoxic goiter-----250,251	4,137	365	317	374	345	340	348	330	308	311	364	344	393
Thyrototoxicosis with or without goiter-----252	75	8	7	5	9	2	6	4	4	11	6	3	7
All other diseases of thyroid gland-----253,254	566	26	33	31	32	35	28	25	23	32	25	26	49
Diabetes mellitus-----260	354	40	27	38	24	25	35	15	28	27	19	36	22
Diseases of thymus gland-----273	35,049	3,176	2,722	3,124	2,829	2,983	2,798	2,780	2,798	2,695	2,917	2,999	3,243
Diseases of adrenal gland-----274	45	3	4	7	1	3	6	2	3	4	8	2	3
Pellagra-----281	398	37	23	39	27	39	23	50	37	42	27	34	40
Other avitaminoses and nutritional deficiency states-----280,282-286	15	1	1	4	1	-	-	2	2	-	2	-	-
Cystic fibrosis-----289A	1,473	167	105	129	116	119	108	106	99	127	142	118	137
All other allergic, endocrine, and metabolic diseases-----240, 242-245,270-272,275-277,287,288,289.0,289.1,289.2	637	57	46	52	57	60	43	61	49	54	45	51	62
	3,057	293	252	257	265	254	225	241	221	244	257	268	280
<b>IV. Diseases of the blood and blood-forming organs</b>													
Anemias-----290-293	5,608	456	413	504	460	520	436	462	465	448	459	460	525
Pernicious and other hyperchromic anemias-----290	3,460	282	260	315	278	319	266	288	285	285	292	286	324
Anemias of other and unspecified type-----291-293	344	25	40	34	27	30	28	27	15	31	25	30	32
Purpura and other hemorrhagic conditions-----296	3,116	257	220	281	251	289	239	241	270	254	287	256	232
Other diseases of blood and blood-forming organs-----294,295,297-299	764	56	53	75	64	69	61	74	79	82	57	47	69
	1,384	118	100	116	118	132	109	120	101	101	110	127	132
<b>V. Mental, psychoneurotic, and personality disorders</b>													
Senile psychosis-----304	5,683	504	468	503	433	484	430	453	425	453	453	482	576
Alcoholic psychosis-----307	211	22	10	23	13	23	12	14	16	17	19	16	26
Other psychoses-----300-303,305,306,308,309	599	49	45	52	55	52	42	56	42	53	46	57	52
Alcoholism-----322	1,043	89	98	104	64	75	80	94	78	79	78	99	105
Mental deficiency-----325	2,962	258	236	259	239	253	224	228	229	242	249	244	323
Other disorders of personality-----310-321,323,324,326	526	56	55	38	41	42	37	38	39	41	36	50	53
	302	30	24	27	23	39	35	25	21	21	25	16	16
<b>VI. Diseases of the nervous system and sense organs</b>													
Vascular lesions affecting central nervous system-----330-334	216,920	19,738	17,706	19,147	17,266	18,142	17,102	17,214	16,722	16,688	18,264	18,362	20,589
Subarachnoid hemorrhage-----330	202,184	18,368	16,531	17,621	16,061	16,980	15,910	16,025	15,625	15,558	17,020	17,107	19,178
Cerebral hemorrhage-----331	9,153	811	738	748	759	800	725	700	745	679	784	804	860
Cerebral embolism and thrombosis-----332	109,204	9,975	9,043	9,738	8,685	9,136	8,437	8,591	8,437	8,476	9,104	9,130	10,463
Other vascular lesions affecting central nervous system-----333,334	62,716	5,629	5,028	5,594	5,005	5,312	5,059	5,031	4,763	4,714	5,296	5,372	5,913
	21,111	1,953	1,722	1,741	1,612	1,732	1,689	1,703	1,690	1,689	1,936	1,801	1,943

## SECTION 1 - GENERAL MORTALITY

1-89

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>VI. Diseases of the nervous system and sense organs—Con.</b>													
Meningitis, except meningococcal and tuberculous-----	340	236	175	208	181	181	152	128	118	110	162	192	203
Multiple sclerosis-----	345	147	144	114	128	116	121	137	133	132	126	141	135
Paralysis agitans-----	350	5,066	291	232	274	221	236	255	254	231	281	285	285
Cerebral spastic infantile paralysis-----	351	609	51	50	63	77	43	35	47	43	58	40	50
Epilepsy-----	353	1,978	158	183	149	168	161	170	164	166	160	178	197
Inflammatory diseases of eye-----	370-379	9	2	-	3	1	1	-	1	-	1	-	-
Cataract-----	385	38	3	6	2	4	1	2	3	5	2	3	5
Glaucoma-----	387	6	-	1	1	-	-	-	-	-	1	2	1
Otitis media and mastoiditis-----	391-393	128	20	11	17	5	8	10	9	10	10	10	9
Other diseases of nervous system and sense organs-----	341-344,352,354-368,360-384,386,388-390,394-398	5,282	462	403	495	420	415	447	446	391	406	431	504
<b>VII. Diseases of the circulatory system-----</b>													
<b>Diseases of heart-----</b>													
Rheumatic fever-----	400-402	721,268	64,929	58,985	63,800	59,372	61,245	57,200	56,901	55,260	55,585	59,218	61,002
Chronic rheumatic heart disease-----	410-416	15,900	1,292	1,151	1,231	1,108	1,245	1,134	1,085	1,046	1,054	1,098	1,181
Diseases of mitral valve-----	410	5,537	477	449	486	437	509	458	441	454	447	447	469
Diseases of aortic valve specified as rheumatic-----	411	1,578	160	125	160	128	132	153	98	108	117	126	144
Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----	413,414	734	68	45	73	71	53	60	57	51	70	66	60
Other rheumatic heart diseases-----	412,415,416	5,951	587	512	512	472	551	463	467	453	433	457	508
Arteriosclerotic heart disease, including coronary disease-----	420	575,153	51,331	46,858	50,512	47,021	48,697	45,603	45,426	43,946	44,277	47,097	48,512
Arteriosclerotic heart disease so described-----	420.0	160,837	14,410	13,059	14,469	13,271	13,529	12,659	12,548	12,256	12,305	13,260	13,516
Heart disease specified as involving coronary arteries-----	420.1	412,027	36,895	33,770	36,020	33,728	35,142	32,931	32,851	31,670	31,954	33,810	34,972
Angina pectoris without mention of coronary disease-----	420.2	289	26	29	23	22	26	13	27	20	20	24	32
Chronic endocarditis not specified as rheumatic-----	421	3,736	305	305	346	311	311	299	291	277	277	334	308
Of mitral valve, specified as nonrheumatic-----	421.0	159	9	21	17	12	12	10	11	11	12	7	9
Of aortic valve, not specified as rheumatic-----	421.1	2,434	184	193	211	205	207	193	179	182	172	216	205
Of other valves, not specified as rheumatic-----	421.2-421.4	1,184	112	91	118	94	92	96	101	84	93	111	96
Other myocardial degeneration-----	422	48,961	4,469	3,922	4,356	3,977	4,113	3,861	3,896	3,770	3,799	3,912	4,157
With arteriosclerosis-----	422.1	41,950	3,811	3,332	3,699	3,408	3,531	3,303	3,306	3,219	3,240	3,354	3,536
Without mention of arteriosclerosis-----	422.0,422.2	7,111	657	590	657	569	582	558	590	551	559	558	601
<b>Other diseases of heart-----</b>													
Acute and subacute endocarditis-----	430	31,267	2,719	2,461	2,829	2,634	2,546	2,407	2,410	2,549	2,445	2,613	2,692
Acute myocarditis and acute pericarditis, not specified as rheumatic-----	431,432	944	98	84	94	88	87	69	67	67	87	65	79
Functional disease of heart-----	433	10,670	989	849	915	874	813	828	836	865	866	913	925
Other and unspecified diseases of heart-----	434	18,901	1,575	1,475	1,754	1,602	1,592	1,446	1,446	1,542	1,429	1,575	1,619
Hypertensive heart disease-----	440-443	49,975	4,781	4,287	4,501	4,300	4,289	3,888	3,797	3,639	3,716	4,141	4,116
Hypertensive heart disease with arteriolar nephrosclerosis-----	442	10,289	979	917	950	858	837	801	802	785	762	843	833
Other hypertensive heart disease-----	440,441,443	39,686	3,802	3,370	3,551	3,442	3,452	3,087	2,995	2,854	2,954	3,298	3,283
<b>Other hypertensive disease-----</b>													
Hypertension with arteriolar nephrosclerosis-----	444-447	11,151	1,102	942	1,081	913	930	839	862	845	805	862	944
Essential hypertension and other hypertensive disease without mention of heart-----	444,445,447	4,419	469	392	411	359	384	336	345	357	324	342	332
Diseases of arteries-----	450-456	53,326	4,817	4,375	4,695	4,375	4,459	4,175	4,173	4,126	4,078	4,421	4,527
General arteriosclerosis-----	450	37,584	3,480	3,151	3,294	2,948	3,151	2,994	2,978	2,874	2,880	3,040	3,093
Aortic aneurysm, nonmycotic, and dissecting aneurysm-----	451	11,821	995	922	1,057	1,049	921	858	894	893	875	1,035	1,077
Gangrene of unspecified cause-----	455	369	24	23	26	27	30	27	27	33	23	25	27
Other arterial diseases-----	452-454,456	3,913	318	291	318	351	357	293	294	332	290	323	324
Diseases of veins and other diseases of circulatory system-----	460-468	14,182	1,253	1,110	1,261	1,164	1,176	1,059	1,092	1,151	1,149	1,232	1,279
<b>VIII. Diseases of the respiratory system-----</b>													
<b>Acute upper respiratory infections-----</b>													
Influenza-----	470-475	592	68	69	62	36	40	38	34	18	35	48	70
Influenza, except pneumonia of newborn-----	480-483	1,475	164	116	173	108	83	37	28	33	43	66	97
Pneumonia, except pneumonia of newborn-----	490-493	55,417	5,975	5,249	5,491	4,472	4,403	3,785	3,591	3,484	3,495	4,261	4,636
Lobar pneumonia-----	490	7,815	879	780	810	691	615	488	517	451	483	581	609
Bronchopneumonia-----	491	29,569	3,130	2,822	2,944	2,366	2,344	2,044	1,939	1,922	1,907	2,281	2,487
Primary atypical pneumonia-----	492	5,175	589	471	523	366	398	346	326	312	344	392	451
Pneumonia, other and unspecified-----	493	12,858	1,377	1,296	1,214	1,009	1,046	907	809	799	761	1,007	1,110
<b>Acute bronchitis-----</b>													
Bronchitis, chronic and unqualified-----	500,502	959	98	85	112	79	76	59	60	45	42	77	80
Hypertrophy of tonsils and adenoids-----	510	5,306	500	469	504	430	435	395	392	346	401	403	469
Empyema and abscess of lung-----	518,521	70	5	4	8	4	3	17	5	10	1	5	7
Pleurisy-----	519	827	80	57	68	75	77	66	63	75	69	68	77
Other chronic interstitial pneumonia-----	525	178	14	10	14	15	16	12	14	21	15	17	20
Bronchiectasis-----	528	4,219	420	341	407	358	372	300	300	291	289	375	355
Other diseases of lung and pleural cavity-----	527	1,478	158	114	133	120	150	113	108	105	102	103	136
Emphysema without mention of bronchitis-----	527.1	25,065	2,108	1,980	2,110	1,939	1,993	1,833	1,860	1,809	1,714	1,935	1,937
All other diseases of lung and pleural cavity-----	527.0,527.2	20,875	1,969	1,638	1,893	1,744	1,739	1,631	1,644	1,596	1,490	1,716	1,740
Other respiratory diseases-----	511-517,520,522-524	2,780	217	222	217	255	254	202	216	213	224	219	227
	3,541	329	310	329	297	280	296	281	279	264	277	306	314
<b>IX. Diseases of the digestive system-----</b>													
<b>Diseases of teeth and supporting structures-----</b>													
Ulcer of stomach-----	530-535	38	3	4	2	1	-	4	5	7	2	3	4
Ulcer of duodenum-----	540	5,323	491	468	434	435	438	392	397	425	445	461	477
Gastritis and duodenitis-----	541	4,502	390	387	410	374	350	335	387	360	368	362	394
Appendicitis-----	543	465	46	29	40	38	53	37	27	35	36	41	42
Colitis and intestinal obstruction-----	550-553	1,526	155	104	133	126	138	121	127	141	122	132	118
Other diseases of digestive system-----	560,561,570	9,814	865	839	812	821	821	770	840	807	732	854	830
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	571	2,663	320	255	249	191	190	191	173	219	187	231	243

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>IX. Diseases of the digestive system—Con.</b>													
Chronic enteritis and ulcerative colitis-----572	4,376	384	316	375	322	388	349	396	379	385	359	354	369
Cirrhosis of liver-----581	27,816	2,498	2,160	2,250	2,161	2,241	2,164	2,413	2,258	2,232	2,428	2,380	2,631
Without mention of alcoholism-----581.0	18,261	1,642	1,391	1,454	1,437	1,439	1,415	1,641	1,493	1,453	1,579	1,586	1,750
With alcoholism-----581.1	9,555	856	769	796	724	802	748	772	765	779	849	814	881
Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,383	377	357	398	376	346	373	366	388	324	403	339	376
Other diseases of digestive system-----536-539, 542,544,545,573-580,582,583,586,587	13,306	1,169	1,001	1,169	1,108	1,113	1,066	1,060	1,069	1,093	1,145	1,006	1,217
<b>X. Diseases of the genitourinary system-----</b>													
<b>28,588</b>													
Nephritis and nephrosis-----590-594	10,941	973	954	890	937	962	923	902	849	769	888	912	932
Acute nephritis-----590	405	29	43	29	39	37	22	36	36	16	41	35	42
Nephritis with edema, including nephrosis-----591	600	61	54	44	29	53	57	54	54	44	47	51	52
Chronic and unspecified nephritis and other renal sclerosis-----592-594	9,936	883	857	817	869	872	844	812	759	709	800	826	890
Infections of kidney-----600	8,006	811	716	818	766	766	708	682	705	681	737	763	775
Calculi of urinary system-----602,604	977	79	89	69	94	77	74	85	85	89	84	78	74
Other diseases of urinary system-----601,603,606-609	3,402	302	272	278	275	243	311	268	265	271	312	311	294
Hyperplasia of prostate-----610	3,136	291	266	278	244	293	236	238	245	245	280	251	269
Diseases of breast-----620,621	11	1	-	1	1	3	-	2	1	-	-	2	-
Other diseases of genital organs-----611-617,622-637	1,115	99	68	93	103	120	89	79	96	104	81	99	84
<b>XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----</b>													
<b>987</b>													
Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	127	11	13	7	6	9	11	14	10	12	12	10	12
Toxemia of pregnancy and puerperium, except abortion with toxemia-----642,685,688	189	21	11	15	15	17	17	10	17	20	11	19	16
Hemorrhage of pregnancy and childbirth-----643,644,670-672	142	5	13	15	13	14	9	12	17	7	18	10	9
Ectopic pregnancy-----645	67	6	6	5	4	7	6	10	3	5	6	5	4
Abortion without mention of sepsis or toxemia-----650	53	6	4	2	2	7	5	7	4	3	7	3	3
Abortion with sepsis-----651	104	7	10	10	5	12	6	6	9	7	12	5	15
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	302	29	27	27	28	26	26	18	23	22	28	25	25
<b>XII. Diseases of the skin and cellular tissue-----</b>													
<b>2,229</b>													
Infections of skin and subcutaneous tissue-----690-698	452	37	42	32	31	32	41	47	41	39	34	37	39
Other diseases of skin and subcutaneous tissue-----700-716	1,777	155	123	136	155	148	131	138	154	150	160	173	154
<b>XIII. Diseases of the bones and organs of movement-----</b>													
<b>3,915</b>													
Arthritis and spondylitis-----720-725	2,067	186	165	170	149	186	166	168	183	156	168	176	201
Muscular rheumatism and rheumatism, unspecified-----726,727	68	7	4	6	10	9	4	5	4	6	5	4	6
Osteomyelitis and perlostitis-----730	173	15	9	16	15	10	7	15	16	18	22	13	17
Ankylosis and acquired musculoskeletal deformities-----737,745-749	108	8	12	11	11	11	14	11	5	7	8	4	6
Inborn defect of muscle-----744.1	605	58	47	48	51	58	48	31	48	45	50	53	68
Other diseases of musculoskeletal system-----731-736,739-744.0,744.2	894	60	83	72	79	75	64	60	81	79	83	78	80
<b>XIV. Congenital malformations-----</b>													
<b>17,328</b>													
Spina bifida and meningocele-----751	1,056	98	77	92	85	88	77	95	86	99	74	79	89
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,628	157	157	168	124	123	136	120	116	116	136	139	137
Congenital malformations of circulatory system-----754	8,742	819	711	788	660	771	682	896	708	701	746	720	742
Other congenital malformations-----750,755-759	5,922	498	461	458	480	555	485	472	548	477	477	498	533
<b>XV. Certain diseases of early infancy-----</b>													
<b>48,314</b>													
<b>XVI. Symptoms, senility, and ill-defined conditions-----</b>													
<b>24,098</b>													
Senility without mention of psychosis-----794	1,747	162	125	159	138	139	130	153	144	135	146	145	171
Symptoms, ill-defined, and unknown causes-----780-785,795	22,351	2,052	1,899	1,884	1,781	1,843	1,644	1,761	1,660	1,648	1,897	2,032	2,280
<b>XVII. Accidents, poisonings, and violence-----</b>													
<b>147,983</b>													
Accidents-----E800-E862	113,169	8,805	7,716	8,757	8,809	9,481	9,681	10,727	9,980	9,455	9,724	9,698	10,358
Railway accidents-----E800-E802	997	61	67	83	68	95	93	98	113	90	88	73	68
Motor vehicle accidents-----E810-E835	52,924	3,774	3,251	3,852	4,000	4,421	4,291	4,881	4,851	4,778	5,011	4,757	5,077
Motor vehicle traffic accidents-----E810-E825	51,759	3,692	3,187	3,773	3,893	4,321	4,171	4,757	4,717	4,658	4,911	4,672	5,009
Motor vehicle traffic accident involving collision with railway train-----E810	1,619	150	176	134	123	105	99	104	122	132	140	165	169
Motor vehicle traffic accident to pedestrian-----E812	8,608	764	589	697	695	674	582	627	655	729	778	818	1,000
Other motor vehicle traffic accidents involving collision-----E811, E815-E819	22,215	1,542	1,375	1,595	1,609	1,935	1,925	2,056	2,091	1,884	2,116	2,033	2,056
Motor vehicle noncollision traffic accidents-----E820-E824	14,528	955	805	1,058	1,146	1,284	1,174	1,485	1,401	1,356	1,367	1,242	1,272
Motor vehicle traffic accident of unspecified nature-----E825	4,792	281	242	291	320	343	391	485	448	555	510	414	512
Motor vehicle nontraffic accidents-----E830-E835	1,165	82	84	79	107	100	120	124	134	122	100	65	68
Other road vehicle accidents-----E840-E845	288	16	11	16	20	21	31	44	41	27	26	21	14
Water transport accidents-----E850-E858	1,545	77	52	59	171	191	220	254	181	118	91	78	53
Aircraft accidents-----E860-E866	1,799	138	86	196	141	155	142	258	175	132	97	199	80
Accidental poisoning by solid and liquid substances-----E870-E888	2,506	212	179	199	213	230	188	230	214	213	193	204	231
Accidental poisoning by gases and vapors-----E890-E895	1,574	213	182	167	92	95	62	43	53	80	159	183	285
Accidental falls-----E900-E904	20,120	1,767	1,508	1,743	1,625	1,602	1,563	1,728	1,604	1,708	1,724	1,635	1,917
Fall from one level to another-----E900-E902	5,420	426	376	437	444	432	496	497	479	478	498	423	444
Fall on same level-----E903	5,167	534	463	508	427	404	360	416	367	412	419	380	477
Unspecified falls-----E904	9,533	807	667	798	754	766	717	813	758	818	807	832	996

## SECTION 1 - GENERAL MORTALITY

1-91

Table 1-23. Deaths From 258 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Blow from falling or projected object or missile—E910	1,435	121	100	111	121	128	131	121	132	154	128	128	80
Accident caused by machinery—E912	2,055	98	107	145	181	206	207	219	210	206	199	181	97
Accident caused by electric current—E914	992	47	35	62	49	97	124	151	146	103	69	51	58
Accident caused by fire and explosion of combustible material—E916	7,425	902	903	766	636	566	384	359	360	428	530	722	869
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917, E918	376	32	43	43	34	29	20	16	25	25	29	38	45
Accident caused by firearms—E919	2,896	239	172	200	194	179	199	230	207	241	295	385	349
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921, E922	1,980	175	144	152	162	160	157	157	159	151	186	173	204
Accidental drowning—E923	5,724	173	168	296	401	651	1,150	1,206	775	344	213	166	180
Excessive heat and insulation—E931	96	-	-	2	3	12	21	25	21	6	1	1	4
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E949	1,530	125	131	131	125	113	134	139	145	106	119	121	142
ALL other accidents—E911, E913, E915, E920, E925-E928, E930, E932-E936, E960-E962	6,909	633	578	534	573	531	574	564	539	567	566	604	647
Suicide—E963, E970-E979													
Suicide by poisoning—E970-E975	21,325	1,821	1,567	1,845	1,814	1,889	1,815	1,809	1,763	1,770	1,857	1,695	1,680
Suicide by hanging and strangulation—E974	5,685	496	431	493	492	498	449	472	474	445	503	515	426
Suicide by firearm and explosive—E976	2,778	217	217	220	235	267	256	245	245	247	219	199	211
Suicide by all other means—E965, E975, E977-E979	10,550	923	774	919	887	906	920	876	861	889	933	800	862
	2,802	185	145	213	200	210	190	216	183	189	202	180	181
Homicide—E984, E980-E985													
Assault by firearm and explosive—E981	13,425	1,034	958	1,057	1,017	1,055	1,031	1,316	1,197	1,153	1,195	1,112	1,300
Assault by cutting and piercing instruments—E982	8,352	637	575	627	599	666	650	800	727	722	741	744	844
Assault by other means—E984, E980, E983	2,467	202	189	205	214	202	180	244	226	216	210	182	219
Injury by intervention of police—E984	2,257	165	187	190	172	165	170	240	209	181	206	154	198
Execution—E985	387	30	27	37	31	22	30	32	35	34	38	32	39
	2	-	-	-	1	-	1	-	-	-	-	-	-
Injury resulting from operations of war—E965, E990-E999	64	6	5	4	9	6	5	4	8	1	4	9	3

Table 1-24. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers]

Inter-mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
1	All causes.....	1,651,323	1,045,945	605,378
2	I. Infective and parasitic diseases.....	16,246	10,332	5,914
3	Tuberculosis, all forms.....001-019	6,901	5,008	1,899
4 A 1	Tuberculosis of respiratory system.....001-008	6,351	4,693	1,658
5 A 2	Tuberculosis of meninges and central nervous system.....010	135	69	66
6 A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands.....011	40	26	14
7 A 4	Tuberculosis of bones and joints.....012, 013	52	28	24
8 A 5 pt.	Tuberculosis of other organs and systems.....014-018	122	70	52
9 A 5 pt.	Disseminated tuberculosis.....019	201	128	75
10	Syphilis and its sequelae.....020-029	2,581	1,684	697
11 A 6	Congenital syphilis.....020	25	11	14
12 A 7	Early syphilis.....021	-	-	-
13 A 10 pt.	Aneurysm of aorta.....022	1,649	1,176	473
14 A 10 pt.	Other cardiovascular syphilis.....023	414	291	123
15 A 8	Fabes dorsalis.....024	28	22	6
16 A 9	General paralysis of insane.....025	66	47	21
17 A 10 pt.	Other syphilis of central nervous system.....026	140	100	40
18 A 10 pt.	All other syphilis.....027-029	57	37	20
19 A 11	Gonococcal infection.....030-035	11	10	1
20 A 12	Typhoid fever.....040	12	6	6
21 A 13	Paratyphoid fever and other Salmonella infections.....041, 042	63	29	35
22 A 14	Cholera.....043	-	-	-
23 A 15	Brucellosis (undulant fever).....044	4	2	2
24 A 16	Dysentery, all forms.....045-048	157	96	61
25 A 43 pt.	Food poisoning (infection and intoxication).....049	15	8	7
26 A 17	Scarlet fever.....050	9	5	4
27 A 18	Streptococcal sore throat.....051	38	19	19
28 A 19	Erysipelas.....052	14	8	6
29 A 20	Septicemia and pyemia.....053	2,803	1,425	1,178
30 A 21	Diphtheria.....055	32	14	18
31 A 22	Whooping cough.....056	37	19	18
32 A 23	Meningococcal infections.....057	635	355	280
33 A 24	Plague.....058	1	1	-
34 A 25	Leprosy.....060	4	3	1
35 A 26	Tetanus.....061	144	76	68
36 A 27	Anthrax.....062	-	-	-
37 A 28	Acute poliomyelitis.....060	16	7	9
38 A 30 pt.	Late effects of acute poliomyelitis.....081	105	63	42
39 A 29	Acute infectious encephalitis.....082	419	217	202
40 A 30 pt.	Late effects of acute infectious encephalitis.....083	56	30	26
41 A 31	Smallpox.....084	-	-	-
42 A 32	Measles.....085	81	41	40
43 A 33	Yellow fever.....091	-	-	-
44 A 34	Infectious hepatitis.....092	844	343	501
45 A 35	Rabies.....094	2	2	-
46 A 36 pt.	Tick-borne typhus.....104	29	16	12
47 A 36 pt.	All other rickettsial diseases.....100-103, 105-108	1	-	1
48 A 37	Malaria.....110-117	4	3	1
49 A 38	Schistosomiasis.....123	5	4	1
50 A 39	Hydatid disease.....125	10	7	3
51 A 40	Eliariasis.....127	1	-	1
52 A 41	Ancylostomiasis.....129	2	1	1
53 A 42	Other diseases due to helminths.....124, 126, 128, 130	37	24	13
54 A 43 pt.	All other infective and parasitic diseases.....036-039, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	1,574	813	761
55	II. Neoplasms.....	315,996	171,614	144,382
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	310,983	169,164	141,819
57 A 44	Malignant neoplasm of buccal cavity and pharynx.....140-148	6,718	5,013	1,705
58	Of lip.....140	143	123	20
59	Of tongue.....141	1,544	1,186	358
60	Of other and unspecified parts of buccal cavity.....142-144	2,121	1,434	687
61	Of pharynx.....145-148	2,810	2,270	640
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary.....150-156A, 157-159	95,320	51,282	44,038
63 A 45	Of esophagus.....150	5,827	4,306	1,521
64 A 46	Of stomach.....151	17,050	10,396	6,654
65 A 47 pt.	Of small intestine, including duodenum.....152	715	369	347
66 A 47 pt.	Of large intestine, except rectum.....153	33,028	15,205	17,823
67	Cecum, appendix, and ascending colon.....153.0	4,534	2,006	2,528
68	Transverse colon, including hepatic and splenic flexures.....153.1	1,424	678	746
69	Descending colon.....153.2	1,097	518	579
70	Sigmoid colon.....153.3	5,650	2,650	3,000
71	Multiple parts of large intestine.....153.7	69	37	32
72	Large intestine (including colon), part unspecified.....153.8	18,696	8,618	10,078
73	Intestinal tract, part unspecified.....153.9	1,610	700	910
74 A 48	Of rectum.....154	10,431	5,858	4,573
75 A 57 pt.	Of biliary passages and of liver (stated to be primary site).....155	6,745	2,935	3,790
76	Liver.....155.0	2,162	1,428	724
77	Other and multiple sites of biliary passages.....155.1, 155.8	4,583	1,507	3,066
78 A 57 pt.	Of liver not stated whether primary or secondary.....156A	3,135	1,714	1,422
79 A 57 pt.	Of pancreas.....157	16,886	9,696	7,190
80 A 57 pt.	Of peritoneum and of unspecified digestive organs.....159, 159	1,648	796	852
81	Malignant neoplasm of respiratory system, not specified as secondary.....160-164	58,086	48,411	9,675
82 A 49	Of larynx.....161	2,797	2,469	328
83 A 50 pt.	Of bronchus and trachea, and of lung specified as primary.....162	21,479	18,294	3,185
84 A 50 pt.	Of lung, unspecified as to whether primary or secondary.....163	32,828	27,089	5,739
85 A 57 pt.	Of other parts of respiratory system.....160, 164	882	580	302
86 A 51	Malignant neoplasm of breast.....170	28,217	232	27,985

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

Specified Race and Sex: United States, 1967  
of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races		
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
1,627,151	919,514	707,637	212,252	118,689	93,563	5,106	3,007	2,099	1,815	1,401	414	2,444	1,487	957	2,555	1,847	708
12,136	7,751	4,385	5,817	2,592	1,425	170	89	81	30	26	4	31	26	5	62	48	14
4,883	3,574	1,309	1,858	1,322	536	95	50	45	21	19	2	18	14	4	26	23	3
4,588	3,408	1,188	1,626	1,186	440	71	38	33	19	18	1	18	14	4	21	19	2
66	32	36	63	35	28	3	1	2	1	3	-	-	-	-	1	1	-
15	10	5	23	15	8	1	-	1	-	-	-	-	-	-	1	1	-
36	17	19	15	10	5	1	1	-	-	-	-	-	-	-	-	-	-
76	45	31	37	20	17	8	5	3	1	1	1	-	-	-	-	-	-
92	62	30	94	58	36	11	5	6	1	1	-	-	-	-	3	2	1
1,655	1,347	508	507	325	184	5	4	1	1	1	-	5	4	1	8	5	3
15	7	8	10	4	6	-	-	-	-	-	-	-	-	-	-	-	-
1,441	1,059	382	197	109	86	-	-	-	1	1	-	5	4	1	5	3	2
211	149	62	197	137	60	4	3	1	-	-	-	-	-	-	2	2	-
24	19	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
53	39	14	14	8	6	-	-	-	-	-	-	-	-	-	1	-	1
72	51	21	68	49	19	-	-	-	-	-	-	-	-	-	-	-	-
39	23	16	17	13	4	1	1	-	-	-	-	-	-	-	-	-	-
5	5	-	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	5	6	5	1	1	1	-	-	-	-	-	-	-	-	-	-
44	20	24	16	8	8	3	-	3	-	-	-	-	-	-	-	-	-
3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
97	62	35	49	27	22	8	4	4	1	1	-	-	-	-	2	2	-
8	7	1	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
8	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
26	15	11	12	4	8	-	-	-	-	-	-	-	-	-	-	-	-
14	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,999	1,088	911	568	312	256	18	10	8	4	3	1	4	4	-	10	8	2
16	8	8	16	6	10	-	-	-	-	-	-	-	-	-	-	-	-
14	6	8	20	10	10	3	3	-	-	-	-	-	-	-	-	-	-
461	272	209	143	78	65	7	3	4	-	-	-	-	-	-	4	2	2
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
78	47	31	63	27	36	2	1	1	-	-	-	1	1	-	1	1	-
12	5	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
103	61	42	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
363	189	175	50	24	26	3	2	1	1	1	-	-	-	-	2	2	-
53	28	25	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
56	30	26	18	8	10	7	3	4	-	-	-	-	-	-	-	-	-
719	288	433	114	49	65	6	5	1	1	-	1	-	-	-	4	3	1
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	13	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	14	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1,229	645	584	326	180	146	12	3	9	1	1	-	2	2	-	4	2	2
283,792	153,589	130,203	30,397	16,882	13,515	434	211	223	413	310	103	562	339	223	598	283	115
279,502	151,451	128,051	29,715	16,590	13,125	418	207	211	403	304	99	555	334	221	390	278	112
5,915	4,409	1,506	736	554	182	5	4	1	33	27	6	10	7	3	19	12	7
135	119	16	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-
1,353	1,031	322	186	151	35	-	-	-	2	2	-	1	-	1	2	2	-
1,901	1,279	622	204	143	61	3	2	1	5	4	1	4	3	1	4	3	1
2,526	1,980	546	338	256	82	2	2	-	26	21	5	5	4	1	13	7	6
85,370	45,368	40,002	9,214	5,394	3,820	157	82	75	159	126	33	262	166	96	138	106	32
4,438	3,389	1,049	1,137	897	240	7	4	3	12	7	5	20	13	2	13	11	2
14,529	8,717	5,812	2,270	1,515	755	45	25	20	41	32	9	127	82	45	38	25	13
844	531	313	68	35	33	-	-	-	1	1	-	1	1	-	1	1	-
30,618	14,081	16,537	2,356	1,057	1,299	22	10	12	26	20	6	40	22	18	20	15	5
4,241	1,873	2,368	281	128	153	1	1	-	6	3	3	7	1	6	-	-	-
1,301	604	697	117	67	50	-	-	-	3	3	-	2	1	1	1	1	-
1,014	476	538	80	40	40	1	1	-	-	-	-	-	-	-	2	1	1
5,304	2,494	2,810	324	140	184	3	1	2	6	5	1	7	5	2	6	5	1
65	34	31	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
17,181	7,945	9,236	1,456	637	819	15	5	10	11	9	2	23	14	9	10	8	2
1,512	655	857	94	42	52	2	2	-	-	-	-	-	1	-	1	-	1
9,675	5,436	4,239	704	357	347	7	4	3	15	12	3	20	18	2	10	9	1
6,059	2,548	3,511	552	318	234	37	14	23	33	28	5	36	22	14	28	25	3
1,782	1,136	646	229	90	139	7	5	2	29	26	3	15	12	3	20	20	0
4,297	1,412	2,885	233	89	144	30	9	21	4	2	2	21	10	11	8	5	3
2,725	1,470	1,255	365	224	141	6	3	3	8	6	2	5	4	1	7	7	0
15,234	8,732	6,502	1,554	896	658	28	19	9	22	19	3	28	17	11	20	13	7
1,448	684	764	188	95	93	5	3	2	1	1	-	5	3	2	1	-	1
52,427	43,633	8,794	5,371	4,548	823	45	29	16	85	73	12	87	68	19	71	60	11
2,468	2,187	281	308	262	46	2	2	-	4	4	-	7	5	2	8	8	-
18,393	16,484	2,909	2,001	1,740	261	17	10	7	30	26	4	18	15	3	20	19	1
29,783	24,475	5,308	2,967	2,477	490	24	15	9	50	42	8	62	48	14	42	32	10
783	487	296	95	69	26	2	2	-	1	1	-	1	1	-	1	-	-
25,798	209	25,589	2,352	22	2,330	24	-	24	8	1	7	17	-	17	16	-	18

Table 1-24. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers]

Inter-mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
	<b>II. Neoplasms—Con.</b>			
	<b>Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.</b>			
1	Malignant neoplasm of genital organs.....171-179	40,408	17,292	23,116
2	A 52 Of cervix uteri.....171	7,411	...	7,411
3	A 53 Of other and unspecified parts of uterus.....172-174	5,732	...	5,732
4	A 57 pt. Of ovary, fallopian tube, and broad ligament.....175	9,168	...	9,168
5	A 54 Of other and unspecified female genital organs.....176	805	...	805
6	A 57 pt. Of prostate.....177	16,345	16,345	...
7	A 57 pt. Of all other and unspecified male genital organs.....178,179	947	947	...
8	A 57 pt. Malignant neoplasm of urinary organs.....180,181	14,856	9,712	4,944
9	Of kidney.....180	5,694	3,693	2,201
10	Of bladder and other urinary organs.....181	8,762	6,019	2,743
11	Malignant neoplasm of other and unspecified sites.....156B,165,190-199	36,761	19,802	16,959
12	A 55 Of skin.....190,191	4,724	2,799	1,925
13	A 57 pt. Of eye.....192	344	164	180
14	A 57 pt. Of brain and other parts of nervous system.....193	7,155	4,165	2,988
15	A 57 pt. Of thyroid gland.....194	979	298	681
16	A 56 pt. Of bone.....196	1,855	1,051	822
17	A 56 pt. Of connective tissue.....197	1,374	769	605
18	A 57 pt. Of other specified sites, not stated to be secondary.....195,199A	1,475	875	602
19	A 57 pt. Of unspecified sites.....156B,165,196,199B	18,859	9,705	9,156
20	A 58 Leukemia and leukemia.....204	14,358	8,222	6,114
21	A 59 Lymphosarcomas and other neoplasms of lymphatic and hematopoietic tissues.....200-203,205	16,461	9,218	7,265
22	Lymphosarcomas and reticulosarcomas.....200	7,788	4,506	3,482
23	Hodgkin's disease.....201	3,446	2,062	1,384
24	Other neoplasms of lymphatic and hematopoietic tissues.....202,203,205	5,247	2,650	2,597
25	A 60 Benign neoplasms and neoplasms of unspecified nature.....210-239	5,013	2,450	2,565
26	Benign neoplasms of female genital organs.....214-217	292	...	292
27	Benign neoplasm of brain and other parts of nervous system.....223	930	413	517
28	Other benign neoplasms.....210-213,216-222,224-229	1,007	558	449
29	Neoplasm of unspecified nature of female genital organs.....233-235	24	...	24
30	Neoplasm of unspecified nature of brain and other parts of nervous system.....237	1,814	974	840
31	Other neoplasms of unspecified nature.....230-232,236,238,239	956	505	451
32	<b>III. Allergic, endocrine system, metabolic, and nutritional diseases.....</b>	<b>45,594</b>	<b>19,546</b>	<b>26,038</b>
33	A 86 pt. Asthma.....241	4,137	2,286	1,851
34	A 81 Nontoxic goiter.....250,251	75	21	54
35	A 82 Thyrotoxicosis with or without goiter.....252	368	71	295
36	A 86 pt. All other diseases of thyroid gland.....253,254	354	71	283
37	A 63 Diabetes mellitus.....260	35,049	14,421	20,628
38	A 66 pt. Diseases of thymus gland.....273	45	31	14
39	A 86 pt. Diseases of adrenal glands.....274	398	176	222
40	A 64 pt. Pellagra.....281	13	4	9
41	A 64 pt. Other avitaminoses and nutritional deficiency states.....280,282-286	1,473	708	765
42	A 66 pt. Cystic fibrosis.....289A	637	324	313
43	A 66 pt. All other allergic, endocrine, and metabolic diseases.....240,242-245,270-272,275-277,287,288,289-0,289-1,289-2	3,057	1,433	1,624
44	<b>IV. Diseases of the blood and blood-forming organs.....</b>	<b>5,608</b>	<b>2,901</b>	<b>2,707</b>
45	A 65 Anemias.....290-293	3,460	1,738	1,722
46	Fernicious and other hyperchromic anemias.....290	344	150	194
47	Anemias of other and unspecified type.....291-293	3,116	1,588	1,528
48	A 66 pt. Purpura and other hemorrhagic conditions.....296	764	346	418
49	A 66 pt. Other diseases of blood and blood-forming organs.....294,295,297-299	1,384	617	567
50	<b>V. Mental, psychoneurotic, and personality disorders.....</b>	<b>5,665</b>	<b>3,894</b>	<b>1,769</b>
51	A 67 pt. Senile psychosis.....304	211	94	117
52	A 67 pt. Alcoholic psychosis.....307	599	552	47
53	A 67 pt. Other psychoses.....300-305,305,306,308,309	1,043	477	566
54	A 68 pt. Alcoholism.....322	2,982	2,300	682
55	A 69 Mental deficiency.....325	526	289	237
56	A 68 pt. Other disorders of personality.....310-321,323,324,326	302	182	120
57	<b>VI. Diseases of the nervous system and sense organs.....</b>	<b>216,920</b>	<b>101,064</b>	<b>115,856</b>
58	A 70 Vascular lesions affecting central nervous system.....330-334	202,184	93,071	109,113
59	Subarachnoid hemorrhage.....330	9,153	5,685	3,468
60	Cerebral hemorrhage.....331	109,204	60,787	48,417
61	Cerebral embolism and thrombosis.....332	62,716	29,048	33,668
62	Other vascular lesions affecting central nervous system.....333,334	21,111	9,360	11,751
63	A 71 Meningitis, except meningococcal and tuberculous.....340	2,046	1,197	849
64	A 72 Multiple sclerosis.....345	1,574	635	939
65	A 78 pt. Paralysis agitans.....350	3,066	1,631	1,435
66	A 78 pt. Cerebral spastic infantile paralysis.....351	609	373	236
67	A 73 Epilepsy.....353	1,978	1,159	819
68	A 74 Inflammatory diseases of eye.....370-379	9	5	4
69	A 75 Cataract.....385	38	10	28
70	A 76 Glaucoma.....387	6	4	2
71	A 77 Otitis media and mastoiditis.....391-393	128	75	53
72	A 78 pt. Other diseases of nervous system and sense organs.....341-344,352,354-369,380-384,386,388-390,394,398	5,282	2,904	2,378
73	<b>VII. Diseases of the circulatory system.....</b>	<b>799,927</b>	<b>455,855</b>	<b>344,272</b>
74	Diseases of heart.....400-402,410-443	721,268	415,951	305,417
75	A 79 Rheumatic fever.....400-402	376	196	180
76	A 80 Chronic rheumatic heart disease.....410-416	13,900	5,792	8,008
77	Diseases of mitral valve.....410	5,557	2,089	3,468
78	Diseases of aortic valve specified as rheumatic.....411	1,578	1,050	528
79	Diseases of pulmonary valve and other endocarditis, specified as rheumatic.....413,414	754	515	421
80	Other rheumatic heart diseases.....412,415,416	5,951	2,540	3,611

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

Specified Race and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
34,861	14,082	19,779	5,385	2,543	3,042	63	21	42	24	14	10	46	15	31	29	17	12	1
5,834	...	5,834	1,528	...	1,528	26	...	26	3	...	3	15	...	15	5	...	5	2
4,908	...	4,908	812	...	812	4	...	4	...	...	...	4	...	4	2	...	2	3
6,511	...	6,511	628	...	628	10	...	10	5	...	5	10	...	10	4	...	4	4
726	...	726	...	...	...	2	...	2	...	...	...	2	...	2	1	...	1	5
14,017	14,017	...	2,273	2,273	...	15	15	...	14	14	...	14	14	...	14	14	...	6
865	...	...	70	...	...	8	...	8	...	...	...	1	...	1	...	3	...	7
15,427	8,975	4,452	1,178	697	478	18	14	4	10	8	2	21	13	8	5	5	...	8
5,447	3,401	2,046	413	266	147	16	12	4	6	5	1	9	6	3	3	...	3	9
7,980	5,574	2,406	762	431	331	2	2	...	4	3	1	12	7	5	2	2	...	10
33,205	17,957	15,328	3,278	1,741	1,537	65	31	34	45	28	17	37	14	23	51	31	20	11
4,525	2,693	1,832	168	99	86	2	2	2	3	1	2	2	1	1	7	5	2	12
326	152	174	16	10	6	1	1	...	1	1	...	...	...	...	...	...	...	15
6,726	3,899	2,827	400	254	146	3	1	2	5	3	2	7	2	5	12	6	6	14
872	274	398	97	20	77	3	...	3	...	...	...	5	1	2	4	3	...	15
1,695	942	753	144	79	65	6	5	1	5	4	1	5	1	3	2	1	1	16
1,221	685	536	141	79	62	4	2	2	2	2	2	3	1	2	3	2	...	17
1,341	803	538	128	66	62	3	2	1	2	1	1	1	1	...	...	...	...	18
16,581	8,509	8,072	2,167	1,134	1,033	43	20	23	27	18	9	18	8	10	23	14	9	19
13,282	7,599	5,683	960	568	394	21	11	10	22	16	9	26	11	12	28	22	6	20
15,137	8,419	6,718	1,244	675	519	20	15	5	17	14	3	32	20	12	31	25	6	21
7,303	4,010	3,293	436	261	175	10	6	4	13	10	3	14	9	5	12	10	2	22
3,200	1,897	1,303	227	153	74	3	...	...	6	3	...	6	3	3	9	5	4	23
4,634	2,512	2,122	581	311	270	7	6	1	3	3	...	12	8	4	10	10	...	24
4,290	2,138	2,152	682	292	390	16	4	12	10	6	4	7	5	2	6	5	3	25
...	...	...	184	97	87	...	...	...	...	...	...	...	...	...	1	...	...	26
793	352	441	132	58	74	1	1	...	2	2	...	2	2	...	...	...	...	27
868	482	376	125	59	66	5	1	4	4	2	2	3	3	...	2	1	1	28
19	...	...	5	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
1,601	865	736	200	104	96	7	...	6	2	1	1	...	...	...	4	3	1	30
825	429	396	123	71	52	3	1	2	2	1	1	2	2	...	1	1	...	31
38,886	16,997	21,889	6,298	2,537	3,961	149	62	87	69	51	18	80	39	41	102	60	42	32
3,399	1,909	1,490	689	346	343	5	2	3	10	6	4	8	6	2	26	17	9	33
57	16	41	18	5	13	...	...	...	...	...	...	...	...	...	...	...	...	34
292	58	234	66	11	55	1	...	1	5	1	2	3	...	3	1	...	...	35
312	62	250	19	7	12	2	1	1	1	1	...	...	...	...	...	...	...	36
30,077	12,686	17,391	4,885	1,590	3,096	114	47	67	47	36	11	59	27	32	66	35	31	37
47	27	14	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	38
347	146	201	46	27	19	2	1	1	1	1	...	...	...	...	2	1	1	39
10	3	7	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	40
1,185	555	630	284	138	126	10	5	5	5	4	1	7	4	3	2	2	...	41
606	307	299	99	16	13	2	1	1	...	...	...	...	...	...	...	...	...	42
2,560	1,228	1,332	474	192	282	13	5	8	2	2	...	3	2	1	5	4	1	43
4,682	2,420	2,262	887	457	430	11	5	6	3	2	1	9	4	5	16	13	3	44
2,763	1,384	1,379	676	340	336	4	1	3	1	1	...	7	3	4	9	9	...	45
320	140	180	24	10	14	...	...	...	...	...	...	...	...	...	...	...	...	46
2,443	1,244	1,199	652	330	322	4	1	3	1	1	...	7	3	4	9	9	...	47
655	299	356	101	43	58	2	2	...	1	1	...	1	...	1	4	2	2	48
1,264	737	527	110	74	36	5	2	3	1	1	...	1	1	...	3	2	1	49
4,368	2,948	1,420	1,218	692	326	64	43	21	4	4	...	2	2	...	7	5	2	50
184	87	107	16	7	9	1	...	1	...	...	...	...	...	...	...	...	...	51
459	424	35	134	124	10	6	4	2	...	...	...	...	...	...	...	...	...	52
915	410	505	120	62	58	3	1	2	1	1	...	1	1	...	3	2	1	53
2,143	1,673	470	779	584	195	54	38	16	2	2	...	1	1	...	5	2	1	54
446	241	205	78	46	32	...	...	...	1	1	...	...	...	...	1	...	...	55
211	113	98	91	69	22	...	...	...	...	...	...	...	...	...	...	...	...	56
189,243	87,644	101,599	26,554	12,762	13,792	376	194	182	171	114	57	342	161	161	234	169	65	57
176,761	80,932	95,829	24,438	11,560	12,878	295	152	143	162	107	55	323	172	151	206	146	57	58
7,578	3,231	4,347	1,474	609	865	18	7	11	19	11	8	43	16	27	21	11	10	59
85,804	43,385	50,419	14,848	7,038	7,810	187	96	92	65	58	27	153	84	69	127	97	30	60
56,432	26,014	30,418	6,040	2,890	3,150	71	39	32	44	29	15	85	46	39	44	31	13	61
18,947	8,302	10,645	2,076	1,023	1,053	19	11	8	14	9	5	42	26	16	13	9	4	62
1,431	835	596	564	331	233	38	22	16	2	2	...	3	2	1	8	5	3	63
1,453	598	855	120	36	84	1	1	...	...	...	...	...	...	...	...	...	...	64
2,985	1,573	1,392	86	48	38	2	1	1	3	2	1	8	5	3	2	2	...	65
480	308	161	111	61	50	6	3	5	...	...	...	...	...	...	...	...	...	66
1,419	788	621	545	356	189	11	3	8	...	...	...	1	...	1	2	2	...	67
6	3	3	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	68
27	6	21	10	4	6	1	...	1	...	...	...	...	...	...	...	...	...	69
6	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	70
104	63	41	22	10	12	1	1	...	...	...	...	1	1	...	...	...	...	71
4,581	2,523	2,058	656	354	302	18	11	7	4	3	1	6	1	5	17	12	5	72
725,722	415,554	310,168	70,972	37,851	33,121	863	585	378	685	570	115	786	484	302	799	611	188	73
655,586	379,955	275,431	62,965	33,833	29,132	666	536	330	620	519	101	700	435	265	731	573	158	74
293	142	141	91	52	39	1	...	...	...	...	...	...	...	...	1	1	...	75
12,626	5,284	7,342	1,075	461	614	42	22	20	16	7	9	21	5	16	20	13	7	76
5,106	1,905	3,201	391	165	226	11	5	6	9	5	4	10	1	9	10	8	2	77
1,463	978	48																

Table 1-24. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers

Inter-mediate List number <sup>1</sup>	Cause of death	All races			
		Total	Male	Female	
<b>VII. Diseases of the circulatory system--Con.</b>					
<b>Diseases of heart--Con.</b>					
1 A 81 pt.	Arteriosclerotic heart disease, including coronary disease.....	420	575,153	345,154	227,999
2	Arteriosclerotic heart disease so described.....	420,0	160,657	79,196	81,641
3	Heart disease specified as involving coronary arteries.....	420,1	412,027	265,798	146,229
4	Angina pectoris without mention of coronary disease.....	420,2	289	180	129
5 A 81 pt.	Chronic endocarditis not specified as rheumatic.....	421	3,756	2,229	1,507
6	Of mitral valve, specified as nonrheumatic.....	421,0	159	57	81
7	Of aortic valve, not specified as rheumatic.....	421,1	2,414	1,567	827
8	Of other valves, not specified as rheumatic.....	421,2-421,4	1,384	595	599
9 A 81 pt.	Other myocardial degeneration.....	422	46,961	23,658	25,308
10	With arteriosclerosis.....	422,1	41,950	19,890	21,860
11	Without mention of arteriosclerosis.....	422,0,422,2	7,111	3,668	3,443
12 A 82	Other diseases of heart.....	430-434	31,267	17,280	13,987
13	Acute and subacute endocarditis.....	430	752	489	268
14	Acute myocarditis and acute pericarditis, not specified as rheumatic.....	431,432	944	505	439
15	Functional disease of heart.....	433	10,870	5,418	5,252
16	Other and unspecified diseases of heart.....	434	18,901	10,869	8,033
17 A 83	Hypertensive heart disease.....	440-443	49,975	21,542	28,433
18	Hypertensive heart disease with arteriolar nephrosclerosis.....	442	10,289	4,893	5,396
19	Other hypertensive heart disease.....	440,441,443	39,686	16,649	23,037
20 A 84	Other hypertensive disease.....	444-447	11,151	5,583	5,568
21	Hypertension with arteriolar nephrosclerosis.....	446	6,732	3,637	3,095
22	Essential hypertension and other hypertensive disease without mention of heart.....	444,445,447	4,419	1,946	2,473
23 A 85	Diseases of arteries.....	450-456	53,328	27,120	26,208
24	General arteriosclerosis.....	450	37,564	16,589	20,975
25	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm.....	451	11,621	8,448	5,173
26	Congene of unspecified cause.....	455	328	185	143
27	Other arterial diseases.....	452,454,456	3,813	1,898	1,915
28 A 86	Diseases of veins and other diseases of circulatory system.....	460-469	14,182	7,101	7,081
29	<b>VIII. Diseases of the respiratory system.....</b>		<b>97,725</b>	<b>63,732</b>	<b>33,993</b>
30 A 87	Acute upper respiratory infections.....	470-475	592	320	272
31 A 88	Influenza.....	480-483	1,475	648	827
32	Pneumonia, except pneumonia of newborn.....	490-493	55,417	31,256	24,161
33 A 89	Lobar pneumonia.....	490	7,815	4,707	3,108
34 A 90	Bronchopneumonia.....	491	29,569	16,583	12,986
35 A 91 pt.	Primary atypical pneumonia.....	492	5,175	2,908	2,267
36 A 91 pt.	Pneumonia, other and unspecified.....	493	12,058	7,058	5,000
37 A 92	Acute bronchitis.....	500	958	557	401
38 A 93	Bronchitis, chronic and unqualified.....	501,502	5,306	4,041	1,265
39 A 94	Hypertrophy of tonsils and adenoids.....	510	70	39	31
40 A 95	Empyema and abscess of lung.....	518,521	827	614	213
41 A 96	Pleurisy.....	519	179	111	68
42 A 97 pt.	Other chronic interstitial pneumonia.....	525	4,219	2,746	1,473
43 A 97 pt.	Bronchiectasis.....	526	1,476	938	538
44 A 97 pt.	Other diseases of lung and pleural cavity.....	527	23,665	19,872	3,793
45	Emphysema without mention of bronchitis.....	527,1	20,875	17,820	2,955
46	All other diseases of lung and pleural cavity.....	527,0,527,2	2,790	1,962	828
47 A 97 pt.	Other respiratory diseases.....	511-517,520,522-524	3,541	2,590	951
48	<b>IX. Diseases of the digestive system.....</b>		<b>74,212</b>	<b>42,871</b>	<b>31,341</b>
49 A 98	Diseases of teeth and supporting structures.....	530-535	38	14	24
50 A 99	Ulcer of stomach.....	540	5,323	3,492	1,831
51 A 100	Ulcer of duodenum.....	541	4,502	3,291	1,211
52 A 101	Gastritis and duodenitis.....	545	465	293	173
53 A 102	Appendicitis.....	550-555	1,526	928	598
54 A 103	Hernia and intestinal obstruction.....	560,561,570	9,814	4,462	5,352
55 A 104 pt.	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over.....	571	2,663	1,347	1,316
56 A 104 pt.	Chronic enteritis and ulcerative colitis.....	572	4,376	1,850	2,526
57 A 105	Cirrhosis of liver.....	581	27,816	17,930	9,886
58	Without mention of alcoholism.....	581,0	18,261	11,402	6,859
59	With alcoholism.....	581,1	9,555	6,528	3,027
60 A 106	Cholelithiasis, cholecystitis, and cholangitis.....	584,585	4,983	1,967	2,416
61 A 107	Other diseases of digestive system.....	536-539,542,544,545,573-580,582,583,586,587	15,906	7,289	6,008
62	<b>X. Diseases of the genitourinary system.....</b>		<b>28,588</b>	<b>16,486</b>	<b>12,122</b>
63	Nephritis and nephrosis.....	590-594	10,941	6,080	4,861
64 A 108	Acute nephritis.....	590	405	209	196
65 A 109 pt.	Nephritis with edema, including nephrosis.....	591	600	355	245
66 A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis.....	592-594	9,336	5,516	4,420
67 A 110	Infections of kidney.....	600	9,006	4,179	4,827
68 A 111	Calculi of urinary system.....	602,604	977	477	500
69 A 114 pt.	Other diseases of urinary system.....	601,603,605-609	3,402	2,091	1,311
70 A 112	Hyperplasia of prostate.....	610	3,136	3,136	...
71 A 113	Diseases of breast.....	620,621	11	2	9
72 A 114 pt.	Other diseases of genital organs.....	611-617,622-637	1,115	501	614
73	<b>XI. Deliveries and complications of pregnancy, childbirth, and the puerperium.....</b>		<b>967</b>	<b>...</b>	<b>967</b>
74 A 115	Sepsis of pregnancy, childbirth, and puerperium.....	640,641,681,682,684	127	...	127
75 A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia.....	642,685,686	189	...	189
76 A 117 pt.	Hemorrhage of pregnancy and childbirth.....	643,644,670-672	142	...	142
77 A 120 pt.	Ectopic pregnancy.....	645	67	...	67
78 A 118	Abortion without mention of sepsis or toxemia.....	650	53	...	53
79 A 119	Abortion with sepsis.....	651	104	...	104
80 A 118 pt.	Abortion with toxemia, without mention of sepsis.....	652	3	...	3
81 A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication.....	646-649,680,673-680,683,687-689	302	...	302

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

Specified Race and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races		
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
531,322	321,241	210,081	39,747	22,376	17,371	599	386	213	465	404	61	506	335	171	514	412	102
148,007	72,512	75,495	12,278	6,504	5,974	136	75	61	125	112	15	152	92	60	139	101	38
363,048	248,580	134,468	27,447	16,061	11,396	463	311	152	340	292	46	354	243	111	375	311	64
267	149	118	22	11	11	-	-	-	-	-	-	-	-	-	-	-	-
3,368	2,004	1,364	353	212	141	3	1	2	4	4	-	2	2	-	6	6	5
126	52	73	15	5	8	-	-	-	-	-	-	-	-	-	-	-	-
2,201	1,441	760	204	136	66	2	1	1	2	2	-	2	2	-	3	3	6
1,042	511	531	136	69	67	1	1	1	2	2	-	2	2	-	3	3	7
43,518	20,882	22,636	5,256	2,606	2,650	56	30	26	58	29	9	51	32	19	42	35	8
37,496	17,786	19,710	4,205	2,098	2,105	44	25	19	29	23	6	43	29	14	55	29	9
6,022	3,096	2,926	1,053	552	501	12	5	7	9	6	3	8	5	5	7	6	10
26,060	14,408	11,652	5,032	2,754	2,278	107	66	41	24	22	2	22	11	11	22	19	11
625	417	206	120	66	54	3	2	1	3	1	2	2	1	1	2	2	12
747	407	340	190	96	94	4	1	3	5	4	-	7	4	3	2	2	13
9,429	4,771	4,658	1,188	614	574	30	15	15	5	5	-	7	4	3	2	1	14
15,261	8,813	6,448	3,534	1,978	1,556	70	48	22	16	16	-	15	7	7	11	9	15
38,209	18,994	22,215	11,411	5,528	6,083	58	30	28	75	53	20	98	50	48	126	87	16
8,659	4,049	4,610	1,596	823	773	10	4	6	4	3	1	11	7	4	9	7	17
29,550	11,945	17,605	9,815	4,505	5,310	48	26	22	69	50	19	87	45	44	117	80	18
8,935	4,428	4,507	2,185	1,125	1,040	13	7	6	11	9	2	15	7	8	12	7	20
5,778	3,137	2,641	923	486	437	8	3	5	8	7	1	8	2	6	7	2	5
3,157	1,291	1,866	1,242	639	603	5	4	1	3	2	1	7	5	3	5	5	21
49,280	25,107	24,173	3,841	1,987	1,954	54	30	24	42	30	12	64	41	23	45	25	22
34,955	15,507	19,446	2,515	1,222	1,291	39	21	18	10	9	1	53	21	12	16	9	25
10,789	7,960	2,829	757	434	323	8	5	3	21	17	4	25	18	7	21	14	24
246	133	113	61	51	30	-	-	-	-	-	-	4	2	2	7	7	25
3,292	1,707	1,585	490	310	180	7	4	3	11	4	7	6	2	1	7	1	7
12,121	6,084	6,037	2,001	1,006	995	30	12	18	12	12	-	7	2	1	11	6	27
85,084	55,799	29,285	11,831	7,585	4,446	412	243	169	100	80	20	158	120	38	140	105	35
432	238	194	152	78	74	6	3	3	-	-	-	-	-	-	2	1	30
1,244	549	695	223	94	129	1	-	1	3	2	1	1	1	3	2	1	31
48,515	25,885	20,620	8,346	5,002	3,344	317	180	137	57	45	12	97	70	27	85	64	21
6,401	3,431	2,970	1,337	684	653	52	23	29	6	5	1	9	2	10	7	3	33
25,179	13,938	11,241	4,127	2,466	1,661	124	73	51	35	27	8	60	43	17	44	38	34
4,292	2,407	1,885	814	460	354	35	18	17	5	4	1	16	13	3	13	8	35
10,843	5,719	4,924	2,068	1,242	826	106	66	40	11	9	2	12	7	5	18	15	36
806	469	337	144	85	61	5	3	2	1	1	-	-	-	-	2	1	37
4,934	3,774	1,160	335	243	92	13	7	6	6	3	3	11	8	3	7	6	38
55	32	23	14	7	7	-	-	-	-	-	-	-	-	-	-	-	39
838	465	373	179	141	38	6	4	2	1	1	-	-	-	-	3	3	40
148	90	58	30	20	10	-	-	-	-	-	-	-	-	-	1	1	41
3,669	2,368	1,301	610	349	261	14	10	4	5	3	2	15	10	5	6	6	42
1,355	859	496	103	68	35	6	3	3	1	1	6	5	5	1	4	2	43
22,218	16,698	5,520	1,337	1,081	256	35	28	7	24	24	2	28	24	2	25	17	8
19,833	17,025	2,808	855	618	237	23	21	2	23	23	2	24	23	1	17	10	44
2,388	1,673	712	382	263	119	12	7	5	1	1	1	2	1	1	8	7	45
3,170	2,362	808	358	219	139	9	5	4	-	-	-	2	2	1	2	2	46
64,765	37,329	27,436	8,676	5,095	3,581	456	211	245	97	78	19	80	59	21	118	99	19
27	8	19	10	5	5	-	-	-	-	-	-	-	-	-	1	1	49
4,792	3,120	1,672	465	337	148	11	5	6	14	13	1	10	7	3	11	10	50
4,142	3,045	1,097	333	229	104	4	4	1	7	5	4	4	4	2	12	9	51
396	244	152	63	42	21	1	1	-	-	-	-	2	2	3	3	3	52
1,270	768	502	243	151	92	7	5	2	1	1	1	3	2	2	2	2	53
8,689	3,856	4,833	1,062	568	494	35	16	19	7	6	1	34	9	2	7	7	54
1,669	892	777	312	415	297	74	34	40	3	2	1	2	1	1	3	3	55
4,125	1,745	2,380	239	97	142	7	3	4	-	-	-	2	2	3	3	3	56
23,859	15,493	8,366	3,628	2,245	1,383	231	107	124	34	29	5	23	20	5	41	36	57
15,932	8,984	5,948	2,151	1,308	843	98	45	53	27	22	5	21	16	5	27	9	58
7,927	5,509	2,418	1,477	937	540	133	64	69	7	7	-	2	2	2	9	4	59
4,104	1,878	2,226	232	64	168	28	12	18	8	4	4	6	5	5	4	4	60
11,512	6,280	5,232	1,669	942	727	58	24	34	23	20	3	14	11	3	30	21	61
22,928	13,466	9,462	5,401	2,856	2,545	105	44	59	48	35	15	47	26	21	61	41	62
8,285	4,688	3,597	2,686	1,306	1,230	45	23	22	26	18	8	20	15	5	30	21	63
304	182	142	97	45	54	2	1	-	1	1	-	1	1	-	-	-	64
471	290	181	121	61	60	4	2	3	4	3	-	3	3	-	1	1	65
7,510	4,246	3,264	2,317	1,201	1,116	39	20	19	25	17	8	16	11	5	29	21	66
7,376	3,489	3,887	1,549	661	888	35	9	26	9	3	6	17	7	10	20	10	67
873	433	440	99	41	58	2	-	2	1	1	1	1	-	2	2	2	68
2,796	1,682	1,114	579	393	187	10	7	3	4	4	1	8	3	5	4	3	69
2,756	2,756	...	384	384	...	5	5	...	6	6	...	1	1	...	4	4	70
8	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
833	426	427	253	73	180	6	-	6	1	1	-	1	-	1	1	1	72
571	...	571	395	...	395	8	...	8	3	...	3	2	...	2	8	...	8
89	...	89	37	...	37	1	...	1	-	...	-	-	...	-	-	...	74
97	...	97	31	...	31	-	...	-	1	...	-	-	...	-	-	...	75
97	...	97	37	...	37	2	...	2	2	...	2	1	...	1	3	...	76
23	...	23	43	...	43	-	...	-	-	...	-	-	...	-	-	...	77
32	...	32	19	...	19	1	...	1	-	...	-	-	...	-	-	...	78
43																	

Table 1-24. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers]

Inter-mediate List number <sup>1</sup>	Cause of death	All races		
		Total	Male	Female
1	XII. Diseases of the skin and cellular tissue-----	2,229	760	1,469
2 A 121	Infections of skin and subcutaneous tissue-----690-698	452	233	219
3 A 126 pt.	Other diseases of skin and subcutaneous tissue-----700-716	1,777	527	1,250
4	XIII. Diseases of the bones and organs of movement-----	3,915	1,743	2,172
5 A 122	Arthritis and spondylitis-----720-725	2,067	754	1,313
6 A 123	Muscular rheumatism and rheumatism, unspecified-----726, 727	68	21	47
7 A 124	Osteomyelitis and periostitis-----730	173	103	70
8 A 125	Ankylosis and acquired musculoskeletal deformities-----737, 745-749	103	52	56
9 A 126 pt.	Inborn defect of muscle-----744.1	605	445	162
10 A 126 pt.	Other diseases of musculoskeletal system-----731-736, 738-744.0, 744.2	894	370	524
11	XIV. Congenital malformations-----	17,328	9,346	7,982
12 A 127	Spina bifida and meningocele-----751	1,036	433	603
13 A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	1,628	853	775
14 A 128	Congenital malformations of circulatory system-----754	8,742	4,772	3,970
15 A 129 pt.	Other congenital malformations-----750, 755-759	5,922	3,288	2,634
16 A 130-A135	XV. Certain diseases of early infancy-----	48,374	28,261	20,053
17	XVI. Symptoms, senility, and ill-defined conditions-----	24,098	14,394	9,704
18 A 136	Senility without mention of psychosis-----794	1,747	654	1,093
19 A 137	Symptoms, ill-defined, and unknown causes-----780-793, 795	22,351	13,740	8,611
20	XVII. Accidents, poisonings, and violence-----	147,983	103,366	44,617
21	Accidents-----E900-E962	113,169	77,879	35,290
22 AE 139 pt.	Railway accidents-----E900-E902	997	902	95
23 AE 138	Motor vehicle accidents-----E910-E923	52,924	38,133	14,791
24	Motor vehicle traffic accidents-----E910-E923	51,759	37,246	14,513
25	Motor vehicle traffic accident involving collision with railway train-----E910	1,612	1,084	528
26	Motor vehicle traffic accident to pedestrian-----E912	8,608	5,935	2,673
27	Other motor vehicle traffic accidents involving collision-----E911, E913-E919	22,215	15,271	6,944
28	Motor vehicle noncollision traffic accidents-----E920-E924	14,525	11,401	3,124
29	Motor vehicle traffic accident of unspecified nature-----E925	4,792	3,535	1,257
30	Motor vehicle nontraffic accidents-----E930-E935	1,165	887	278
31 AE 139 pt.	Other road vehicle accidents-----E940-E945	288	190	98
32 AE 139 pt.	Water transport accidents-----E950-E953	1,545	1,426	119
33 AE 139 pt.	Aircraft accidents-----E960-E966	1,799	1,524	275
34 AE 140 pt.	Accidental poisoning by solid and liquid substances-----E970-E978	2,506	1,506	1,000
35 AE 140 pt.	Accidental poisoning by gases and vapors-----E980-E985	1,574	1,169	405
36 AE 141	Accidental falls-----E900-E904	20,120	9,940	10,180
37	Fall from one level to another-----E900-E902	5,420	3,580	1,740
38	Fall on same level-----E903	5,157	2,314	2,853
39	Unspecified falls-----E904	9,533	3,946	5,587
40 AE 147 pt.	Blow from falling or projected object or missile-----E910	1,435	1,388	47
41 AE 142	Accident caused by machinery-----E912	2,055	1,984	71
42 AE 147 pt.	Accident caused by electric current-----E914	992	916	76
43 AE 143	Accident caused by fire and explosion of combustible material-----E916	7,423	4,437	2,986
44 AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917, E918	376	215	160
45 AE 145	Accident caused by firearm-----E919	2,896	2,452	434
46 AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	1,980	1,191	789
47 AE 146	Accidental drowning-----E929	5,724	4,712	1,012
48 AE 147 pt.	Excessive heat and insolation-----E931	96	79	17
49 AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures-----E940-E959	1,530	769	761
50 AE 147 pt.	All other accidents-----E911, E913, E915, E920, E923, E928, E930, E932-E936, E960-E962	6,303	4,076	2,033
51 AE 148	Suicide-----E965, E970-E979	21,325	15,187	6,138
52	Suicide by poisoning-----E970-E973	5,535	2,949	2,746
53	Suicide by hanging and strangulation-----E974	2,778	2,112	666
54	Suicide by firearm and explosive-----E976	10,550	8,766	1,784
55	Suicide by all other means-----E965, E975, E977-E979	2,302	1,560	842
56 AE 149	Homicide-----E964, E980-E985	13,425	10,236	3,189
57	Assault by firearm and explosive-----E961	8,332	6,537	1,795
58	Assault by cutting and piercing instruments-----E982	2,467	1,961	506
59	Assault by other means-----E964, E980, E983	2,537	1,354	883
60	Injury by intervention of police-----E984	587	582	5
61	Execution-----E985	2	2	-
62 AE 150	Injury resulting from operations of war-----E965, E990-E999	64	64	-

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - GENERAL MORTALITY

Specified Race and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

White			Negro			Indian			Chinese			Japanese			Other races			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,799	597	1,201	404	152	252	14	5	9	3	2	1	3	-	3	7	4	3	1
352	175	179	92	54	38	5	3	2	3	2	-	-	-	3	3	3	-	2
1,446	424	1,022	312	98	214	9	2	7	3	2	1	3	-	3	4	1	3	3
3,601	1,605	1,996	293	129	164	14	6	8	1	1	-	5	1	4	1	1	-	4
1,914	702	1,212	138	47	91	11	4	7	1	1	-	3	-	3	-	-	-	5
60	19	41	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	6
152	89	63	20	15	7	1	1	-	-	-	-	-	-	-	-	-	-	7
97	45	52	10	7	3	1	-	1	-	-	-	-	-	-	-	-	-	8
565	420	145	38	21	17	1	1	-	-	-	-	-	-	-	1	1	-	9
815	330	485	79	39	40	-	-	-	-	-	-	2	1	1	-	-	-	10
14,742	7,959	6,783	2,586	1,277	1,309	77	44	33	14	11	3	26	14	12	63	41	42	11
969	391	578	59	39	20	7	3	4	1	-	1	-	-	-	-	-	-	12
1,569	713	856	241	130	111	9	6	3	-	-	-	1	-	1	8	4	4	13
7,541	4,052	3,489	1,292	660	632	34	18	16	6	6	-	632	11	9	49	25	24	14
5,065	2,803	2,262	794	448	346	27	17	10	7	5	2	5	3	2	26	12	14	15
35,703	21,231	14,472	12,065	6,712	5,353	291	169	122	35	17	18	59	37	22	161	95	66	16
15,955	9,732	6,223	7,800	4,456	3,344	294	175	119	8	5	3	17	13	4	24	13	11	17
1,387	494	893	360	147	213	19	7	12	4	2	2	7	4	3	-	-	-	18
14,598	9,238	5,360	7,440	4,309	3,131	275	168	107	4	3	1	10	9	1	24	13	11	19
123,155	64,893	58,262	22,858	17,054	5,804	1,270	921	349	131	97	34	235	142	95	354	259	75	20
98,775	66,033	30,742	14,828	10,720	4,108	1,054	750	304	91	69	22	162	101	61	259	206	53	21
782	703	79	184	169	15	28	27	1	-	-	-	1	1	-	2	2	-	22
46,284	33,203	13,081	5,615	4,356	1,259	553	396	167	54	39	15	82	45	37	136	105	31	23
45,243	32,405	12,838	5,713	4,282	1,431	541	378	163	54	39	15	76	41	35	132	101	31	24
1,482	1,000	482	109	76	33	17	7	10	1	1	-	-	-	-	-	-	-	25
6,787	4,654	2,133	1,613	1,159	454	131	98	33	18	16	2	21	6	15	26	22	6	26
20,001	13,663	6,338	1,930	1,419	511	171	107	64	18	13	5	38	24	14	57	45	12	27
12,610	10,045	2,565	1,452	1,164	288	195	148	47	16	8	8	13	10	3	39	26	13	28
4,143	3,043	1,100	609	464	145	27	18	9	1	1	-	4	1	3	8	8	-	29
1,041	799	243	102	73	29	12	8	4	-	-	-	6	4	2	4	4	-	30
260	164	96	20	14	6	6	6	-	1	1	-	-	-	-	1	1	-	31
1,505	1,204	301	201	185	16	30	28	2	1	1	-	2	2	-	6	6	-	32
1,771	1,497	274	25	24	1	1	1	-	-	-	-	-	-	-	2	2	-	33
1,056	1,039	17	628	452	176	10	5	5	4	4	-	4	4	-	8	6	-	34
1,361	1,020	341	205	144	61	7	5	4	1	1	-	-	-	-	-	-	-	35
18,409	8,822	9,587	1,571	1,016	555	73	54	19	14	12	2	30	19	11	25	17	8	36
4,709	3,151	1,558	656	484	172	30	26	4	2	2	-	15	11	4	9	6	3	37
4,836	2,105	2,731	295	181	114	15	10	5	6	6	-	6	3	3	7	7	-	38
6,864	3,566	3,298	621	351	270	28	18	10	4	2	2	9	5	4	7	4	3	39
1,229	1,186	43	198	194	4	6	6	-	-	-	-	1	1	-	1	1	-	40
1,652	1,789	65	194	186	8	6	6	-	-	-	-	-	-	-	3	3	-	41
904	838	66	81	72	9	3	2	1	-	-	-	-	-	-	2	2	-	42
5,371	3,338	2,033	1,947	1,095	852	81	50	31	4	1	3	6	3	3	14	10	4	43
268	152	116	104	63	41	2	2	1	-	-	-	2	2	-	-	-	-	44
2,226	1,927	299	640	512	128	26	21	5	-	-	-	2	-	2	2	2	-	45
1,607	959	648	343	212	131	13	8	5	2	2	-	9	6	3	6	4	2	46
4,466	3,623	843	1,132	990	142	77	57	20	7	6	1	14	12	2	28	24	4	47
78	64	14	16	13	3	1	1	-	-	-	-	-	-	-	1	1	-	48
1,334	669	665	185	93	92	6	3	3	2	2	-	-	-	-	3	2	1	49
5,412	3,836	1,576	1,339	927	412	125	85	40	5	4	1	7	6	1	21	18	3	50
20,116	14,307	5,809	982	712	270	97	87	10	33	22	11	59	34	25	38	25	13	51
5,484	2,842	2,642	159	80	79	10	5	5	9	3	6	21	15	6	12	4	8	52
2,614	1,986	628	115	94	21	11	10	1	8	4	4	25	14	11	5	4	1	53
9,953	8,278	1,675	510	406	104	64	62	2	6	6	-	4	3	1	13	11	2	54
2,065	1,201	864	198	132	66	12	10	2	10	9	1	9	2	7	8	6	2	55
6,212	4,501	1,711	7,037	5,611	1,426	119	84	35	7	6	1	14	7	7	36	27	9	56
3,787	2,835	932	4,477	3,639	838	59	42	17	3	3	-	7	2	5	19	16	3	57
841	618	223	1,594	1,321	273	22	17	5	1	1	-	1	-	1	8	6	2	58
1,401	849	552	785	473	312	34	21	13	3	2	1	5	4	1	9	5	4	59
202	200	2	180	177	3	4	4	-	-	-	-	1	1	-	-	-	-	60
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
52	52	-	11	11	-	-	-	-	-	-	-	-	-	-	1	1	-	62



SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
19,538	16,355	18,431	28,382	45,657	68,247	96,794	130,937	163,225	199,615	238,304	250,552	219,117	144,726	64,525	16,279	2,457	587	01
14,138	11,217	11,701	17,472	28,273	42,771	62,592	85,994	106,492	122,632	138,250	132,744	103,919	60,651	24,084	5,400	771	343	02
5,400	5,138	6,730	10,910	17,384	25,476	34,202	44,943	56,733	76,983	100,054	117,808	115,198	84,075	40,441	10,879	1,686	244	03
11,348	8,376	8,449	13,179	22,171	35,368	53,106	74,608	94,252	108,534	125,434	123,104	97,690	57,152	22,589	4,860	590	212	04
4,179	3,708	4,597	7,753	13,155	20,134	27,597	36,943	47,471	65,549	89,946	109,472	109,120	80,208	38,539	10,101	1,364	142	05
2,566	2,660	3,046	4,082	5,853	7,099	9,079	10,849	11,512	13,239	12,091	8,867	5,601	3,114	1,334	494	166	123	06
1,119	1,327	2,001	2,981	4,039	5,126	6,383	7,781	8,989	11,092	9,711	7,967	5,783	3,653	1,807	740	310	98	07
224	181	206	211	249	304	407	537	728	859	725	773	628	385	161	46	15	8	08
102	103	132	176	190	216	222	219	273	342	397	369	295	214	95	38	12	4	09
219	238	293	459	635	905	1,129	1,433	1,590	1,765	1,805	1,548	1,057	571	202	42	5	10	10
113	114	147	250	377	543	747	982	1,155	1,257	1,312	1,015	629	319	100	16	2	5	11
106	124	146	209	258	362	382	451	435	508	493	533	428	252	102	26	3	5	12
82	68	81	130	208	344	495	713	904	975	1,066	881	532	271	85	12	2	2	13
72	76	74	103	156	239	255	315	330	391	401	465	389	232	89	21	2	3	14
28	44	63	114	161	185	241	257	235	262	230	115	79	43	11	4	-	3	15
34	44	66	98	95	115	124	131	98	109	89	62	35	17	12	5	1	2	16
3	2	3	6	8	14	11	12	16	20	16	19	18	5	4	-	-	-	17
-	4	6	8	7	8	3	5	7	8	3	6	4	3	1	-	-	-	18
33	66	126	241	354	493	632	759	791	864	852	732	492	251	91	20	2	2	19
16	32	73	148	224	337	463	573	623	686	673	535	345	160	55	11	2	-	20
17	34	53	93	130	156	169	186	168	178	179	197	147	91	36	9	-	2	21
5	13	34	63	97	203	286	407	477	515	521	457	288	131	43	8	2	-	22
5	9	20	34	75	91	107	128	126	131	141	161	132	83	28	5	-	2	23
10	18	38	81	120	125	169	157	138	155	141	66	45	26	9	3	-	-	24
12	21	30	52	52	57	60	57	36	41	35	30	13	8	7	4	-	-	25
1	1	1	4	7	9	8	9	8	16	11	12	12	3	3	-	-	-	26
-	4	3	7	3	8	2	1	6	6	3	6	2	-	1	-	-	-	27
25	43	104	215	315	449	592	710	749	857	800	688	465	242	85	20	2	2	28
13	21	65	134	203	314	441	545	596	647	635	505	328	155	52	11	2	-	29
12	22	39	81	112	135	151	165	153	160	165	183	137	87	33	9	-	2	30
4	9	31	61	90	191	279	391	460	493	497	435	277	127	42	8	2	-	31
4	6	12	30	68	82	99	118	117	122	133	151	125	79	25	5	-	2	32
8	12	33	69	109	117	155	146	128	140	127	61	40	25	8	3	-	-	33
8	14	24	45	43	47	50	46	31	34	29	28	11	8	7	4	-	-	34
1	-	1	4	4	6	7	8	14	14	11	9	11	3	2	-	-	-	35
-	2	3	6	1	6	2	1	5	5	3	4	1	-	-	-	-	-	36
3	9	7	4	8	14	10	6	10	6	5	3	1	1	1	-	-	-	37
1	4	4	3	4	9	7	3	4	3	4	2	-	1	1	-	-	-	38
2	5	3	1	4	5	3	3	6	3	1	1	-	-	-	-	-	-	39
1	3	1	-	-	4	2	2	3	2	3	2	-	-	1	-	-	-	40
1	3	2	-	-	3	1	3	2	3	1	1	-	-	-	-	-	-	41
-	1	3	3	4	5	1	1	1	1	1	-	-	-	-	-	-	-	42
1	2	1	1	3	2	2	3	3	3	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	45
1	2	3	3	6	3	1	4	3	4	6	-	1	2	-	-	-	-	46
-	1	1	2	3	2	-	2	1	4	6	-	1	2	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	1	3	2	4	3	9	7	5	6	6	4	5	-	-	-	-	-	56
-	-	1	2	2	1	-	3	6	4	2	3	3	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	4	3	7	7	14	9	15	10	14	15	14	4	2	1	-	-	-	64
-	1	1	6	3	7	6	10	7	7	13	9	2	2	-	-	-	-	65
-	3	-	1	2	4	4	5	3	5	5	5	2	2	1	-	-	-	66
-	-	-	2	2	4	4	4	4	4	9	8	1	1	-	-	-	-	67
-	-	-	1	3	3	2	2	2	3	3	3	2	2	1	-	-	-	68
-	-	-	1	4	2	1	1	3	2	1	1	1	-	-	-	-	-	69
1	2	1	1	4	4	1	1	3	3	2	1	-	-	-	-	-	-	70
-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	71
-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	72
3	7	6	10	16	9	17	15	12	28	20	23	16	4	4	-	-	-	73
2	4	1	3	9	5	9	10	9	21	14	16	11	2	3	-	-	-	74
1	3	5	7	7	8	5	5	3	7	8	7	5	1	1	-	-	-	75
-	-	-	2	2	1	1	1	2	2	3	5	3	2	1	-	-	-	76
2	3	2	3	5	1	8	5	3	9	6	3	3	1	1	-	-	-	77
1	2	3	4	3	3	7	3	1	4	3	1	1	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	1	-	-	1	1	-	-	-	2	-	3							























SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
9	9	14	28	92	201	395	484	470	380	357	226	132	70	17	2	-	1	01
8	5	8	17	65	150	292	391	390	305	271	177	106	53	14	1	-	1	02
4	4	6	11	27	51	103	93	80	75	86	49	26	17	3	1	-	1	03
4	4	3	11	41	116	233	340	356	282	248	164	101	52	14	1	-	1	04
1	2	4	5	18	39	86	82	69	64	79	45	26	17	3	1	-	-	05
4	2	2	6	20	31	50	48	29	22	22	10	4	-	-	-	-	-	06
-	-	2	5	9	11	15	9	9	10	6	4	-	-	-	-	-	-	07
-	1	3	4	4	3	9	3	5	1	1	3	1	-	-	-	-	-	08
-	2	-	1	1	1	2	2	2	1	1	-	-	-	-	-	-	-	09
84	187	366	765	1,801	3,380	5,957	8,779	11,533	14,305	15,748	14,705	10,421	5,225	1,586	281	38	16	10
47	107	199	392	996	1,900	3,384	5,210	6,842	8,038	8,661	7,504	4,927	2,202	634	117	12	6	11
37	80	167	373	805	1,480	2,573	3,569	4,691	6,267	7,087	7,201	5,494	3,023	952	164	26	10	12
36	88	152	324	788	1,555	2,771	4,430	5,917	7,055	7,866	8,927	6,638	2,660	577	103	10	5	13
31	56	135	308	685	1,248	2,195	3,089	4,124	5,572	6,550	6,778	5,223	2,874	900	152	22	5	14
11	18	44	64	195	327	579	740	842	893	740	507	236	114	53	11	2	1	15
6	23	27	57	111	214	358	466	547	660	505	392	247	137	47	11	4	4	16
-	1	3	4	13	18	34	40	83	90	55	70	53	28	4	3	-	-	17
-	1	5	8	9	18	20	14	20	35	32	31	24	12	5	1	-	1	18
1	4	8	33	131	284	537	804	885	835	809	645	399	180	61	9	1	1	19
1	2	6	22	96	204	410	648	708	676	640	468	289	99	31	5	1	1	20
1	2	2	11	35	80	127	156	177	159	169	177	110	81	30	4	-	-	21
1	2	4	8	52	109	273	470	561	543	543	412	261	90	25	5	1	1	22
1	-	-	6	16	47	90	116	135	136	143	162	106	79	28	4	-	-	23
-	-	2	13	44	95	135	172	140	122	88	49	26	7	4	-	-	-	24
-	2	2	5	19	32	36	38	41	23	24	13	3	1	1	-	-	-	25
-	-	-	1	-	2	6	2	6	7	4	7	2	2	2	-	-	-	26
-	-	-	-	-	1	1	2	1	-	2	2	1	1	1	-	-	-	27
8	41	75	155	327	591	966	1,395	1,857	2,402	2,855	2,828	2,099	1,087	284	65	12	-	28
3	24	43	85	206	365	633	961	1,263	1,538	1,754	1,665	1,142	535	142	30	6	-	29
5	17	32	70	121	226	333	434	594	864	1,101	1,163	957	552	142	35	6	-	30
1	17	29	71	150	283	471	765	1,012	1,254	1,501	1,472	1,054	486	122	24	4	-	31
3	12	25	49	103	189	268	352	479	699	993	1,376	888	507	133	31	6	-	32
2	6	13	13	51	76	151	186	229	256	233	169	67	37	19	5	2	-	33
2	4	4	15	15	30	56	79	111	151	103	75	58	40	8	4	-	-	34
-	1	1	5	5	6	11	10	22	28	23	24	21	12	1	1	-	-	35
-	1	3	6	3	7	9	3	4	14	8	12	11	5	1	-	-	-	36
3	1	9	9	37	37	55	68	95	119	101	82	52	37	8	-	-	-	37
1	-	5	7	26	24	30	36	50	66	51	33	18	15	5	-	-	-	38
1	1	4	2	11	13	25	32	45	53	50	49	34	22	3	-	-	-	39
2	1	4	5	20	22	26	34	46	62	46	30	16	15	3	-	-	-	40
2	1	3	2	9	11	23	26	38	49	44	49	31	21	3	-	-	-	41
-	-	1	2	6	4	4	2	4	3	5	3	1	-	2	-	-	-	42
-	-	1	2	2	2	2	6	6	4	6	-	3	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
38	77	134	291	563	1,084	1,871	2,805	3,774	4,828	5,554	5,367	3,954	1,989	610	96	12	5	46
20	35	59	118	233	497	843	1,336	1,897	2,326	2,705	2,474	1,629	760	215	32	3	3	47
18	42	75	173	330	587	1,028	1,469	1,877	2,532	2,849	2,893	2,325	1,229	395	64	4	4	48
16	31	52	102	205	449	761	1,212	1,722	2,122	2,543	2,342	1,554	725	200	29	3	1	49
15	31	67	152	296	520	924	1,310	1,690	2,270	2,665	2,727	2,239	1,175	380	59	9	3	50
4	4	7	16	27	45	79	120	190	154	123	67	32	15	3	-	-	-	51
3	3	7	20	32	63	101	158	180	229	176	161	82	53	14	5	-	1	52
-	-	-	1	1	3	3	4	14	14	8	9	8	3	-	-	-	-	53
-	-	1	1	2	4	3	1	7	3	8	5	4	1	-	-	-	-	54
4	5	24	34	69	122	214	322	434	647	808	808	606	331	96	6	-	-	55
20	4	15	12	38	71	111	169	215	306	352	340	220	108	33	3	-	-	56
1	1	9	22	31	51	103	153	219	341	456	468	386	223	63	3	-	-	57
2	4	11	12	34	62	98	156	200	278	339	324	211	105	32	3	-	-	58
1	-	9	20	29	45	92	143	194	318	429	441	371	217	57	3	-	-	59
1	1	4	4	4	9	12	13	15	26	12	16	9	2	1	-	-	-	60
1	1	-	2	1	6	11	10	23	23	25	27	12	6	5	-	-	-	61
-	-	-	1	1	1	1	-	-	2	2	1	-	1	-	-	-	-	62
-	-	-	-	1	-	-	-	-	-	-	-	3	-	1	-	-	-	63
2	6	7	21	23	49	90	108	154	192	218	237	174	108	28	6	-	-	64
1	11	2	13	21	46	62	62	72	96	113	110	69	45	12	2	-	-	65
1	6	5	10	28	44	66	84	82	96	105	127	105	63	16	4	-	-	66
1	2	10	10	20	40	56	60	57	87	101	101	68	39	10	1	-	-	67
1	5	5	7	22	41	63	73	88	101	122	100	61	15	4	-	-	-	68
-	-	-	1	3	6	3	5	15	9	11	7	5	2	1	-	-	-	69
-	1	-	3	6	3	3	3	9	8	4	5	5	2	1	-	-	-	70
-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	71
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	4	4	8	16	35	59	102	136	127	178	182	163	60	19	3	-	-	73
-	1	3	6	6	18	30	40	68	64	96	83	72	24	5	1	-	-	74
-	3	1	2	10	17	29	62	68	63	82	99	91	36	14	2	-	-	75
-	1	3	5	6	16	24	37	44	56	88	77	68	23	4	1	-	-	76
-	2	1	2	10	14	25	54	62	58	79	93	89	33	14	2	-	-	77
-	-	-	1	-	2	4	3	4	7	7	6	4	1	1	-	-	-	78
-	-	-	-	-	2	4	8	6	5	3	6	2	3	-	-	-	-	79
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	80
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	81
2	7	17	46	102	205	340	480	663	786	988	937	643	330	86	13	1	1	82
4	5	17	36	84	139	218	315	315	374	508	474	293	304	3	3	-	-	83
2	3	12	29	66	121	201	262	348	425	480	463	350	193	52	10	-	-	84
4	5	15	31	77	129	206	287	353	485	456	456	278	131	34	2	1	-	85
1	2	10	25	57	111	185	235	322	369	460	438	346	187	50	9	-	-	86
-	-	2	5	6	10	12	10	23	25	20	17	13	5	-	-	-	-	87
1	1	2	4	9	10	16	27	25	35	17	24	4	6	2	1	-	-	88
-	-	-	-	-	-	-	-	5	3	3	1	2	1	-	-	-	-	89
-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	90



SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	1	1	2	4	4	8	16	18	11	4	-	-	-	-	01
-	-	-	-	1	1	1	1	2	6	12	6	6	2	-	-	-	-	02
-	-	-	-	-	1	1	3	2	2	4	12	5	2	-	-	-	-	03
-	-	-	-	1	1	1	-	2	4	12	6	6	2	-	-	-	-	04
-	-	-	-	-	1	1	3	2	1	4	12	5	2	-	-	-	-	05
-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
28	50	78	175	327	628	1,067	1,675	2,201	2,833	3,104	2,927	2,135	1,044	336	59	11	4	10
14	24	33	70	129	280	477	790	1,140	1,371	1,518	1,335	884	409	112	20	2	1	11
14	26	45	105	198	348	590	885	1,061	1,462	1,586	1,592	1,251	635	224	39	9	3	12
11	20	30	59	115	254	435	705	1,037	1,252	1,415	1,254	839	390	102	19	2	1	13
13	21	39	91	178	310	523	778	946	1,311	1,465	1,496	1,198	600	219	35	9	2	14
3	4	3	11	13	24	40	82	94	113	101	75	40	19	10	1	-	-	15
1	5	5	14	19	35	64	106	112	149	118	92	52	34	5	4	-	-	16
-	-	-	-	1	2	2	3	3	6	2	6	5	-	-	-	-	-	17
-	-	1	-	1	3	3	1	3	2	3	4	1	1	-	-	-	-	18
2	5	4	7	25	44	99	114	182	235	242	258	222	112	45	9	-	-	19
2	2	1	2	10	23	39	56	85	132	106	126	85	35	19	3	-	-	20
3	3	3	5	15	21	40	58	97	133	136	132	137	77	26	6	-	-	21
2	2	1	1	8	20	32	52	75	92	103	124	84	35	18	3	-	-	22
-	1	3	5	15	17	57	54	91	125	127	125	130	75	25	6	-	-	23
-	-	-	1	2	3	7	4	10	8	3	2	-	-	1	-	-	-	24
-	2	-	-	3	4	3	4	5	8	9	7	7	2	1	-	-	-	25
-	-	-	-	-	-	-	-	4	2	-	-	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	27
10	20	38	73	196	372	665	958	1,278	1,584	1,656	1,573	1,156	577	219	40	6	5	28
8	12	22	41	104	198	370	569	777	948	950	870	617	248	81	17	1	1	29
2	8	16	32	92	174	295	389	501	636	706	703	539	329	138	23	5	4	30
6	9	16	38	96	177	327	513	726	869	905	828	587	239	79	17	1	1	31
2	5	13	29	76	153	252	346	451	587	660	670	517	320	128	23	2	2	32
2	3	5	3	8	18	40	53	46	71	43	36	19	8	2	-	-	-	33
3	3	3	3	15	20	43	42	49	48	46	33	21	8	9	-	-	-	34
-	-	1	-	3	3	3	3	5	8	2	6	11	1	1	-	-	-	35
-	-	-	-	1	1	1	1	1	1	-	-	1	1	1	-	-	-	36
12	15	25	44	113	194	399	603	801	1,110	1,194	1,062	696	334	73	14	-	-	37
6	11	14	20	53	111	200	325	406	495	514	388	242	107	24	7	-	-	38
6	4	11	24	60	83	199	278	395	615	680	674	454	227	49	7	-	-	39
4	8	11	15	36	84	150	271	325	435	459	361	235	96	23	7	-	-	40
6	2	7	21	52	71	167	247	365	572	637	641	429	216	49	6	-	-	41
2	3	3	4	14	23	41	45	63	46	44	16	5	4	1	-	-	-	42
-	2	4	2	7	9	30	27	25	37	32	28	20	10	-	-	-	-	43
-	-	-	1	3	4	9	9	14	11	11	11	2	7	-	-	-	-	44
-	-	-	1	1	3	2	4	5	6	11	5	5	1	-	-	-	-	45
11	12	14	27	65	82	185	263	323	339	335	220	130	69	18	5	-	-	46
5	8	9	11	34	64	119	188	222	236	242	134	80	30	9	5	-	-	47
4	5	5	16	31	18	66	75	101	159	93	86	59	39	9	-	-	-	48
4	5	6	6	19	42	77	143	161	196	215	118	77	26	9	5	-	-	49
5	2	4	13	25	50	62	87	92	85	73	47	36	9	-	-	-	-	50
2	3	3	4	12	18	36	36	47	30	20	10	3	1	-	-	-	-	51
-	1	-	2	5	3	16	12	13	10	7	13	3	2	-	-	-	-	52
-	-	-	1	3	4	6	9	14	10	7	6	3	3	-	-	-	-	53
-	-	-	1	1	1	-	1	1	1	1	-	-	1	-	-	-	-	54
1	3	11	17	48	112	214	340	478	771	859	842	566	265	55	9	-	-	55
1	3	5	9	19	47	81	137	184	259	272	254	162	77	15	2	-	-	56
1	6	8	29	65	133	203	294	512	587	588	404	188	40	7	-	-	-	57
1	3	5	9	17	42	73	128	164	239	244	243	158	70	14	2	-	-	58
-	-	3	8	27	57	117	185	278	460	552	568	382	180	40	6	-	-	59
-	-	-	2	5	5	9	16	16	24	24	6	3	1	-	-	-	-	60
-	-	3	2	2	6	14	15	12	27	25	15	17	8	-	-	-	-	61
-	-	-	-	-	3	3	-	4	4	4	5	2	4	-	-	-	-	62
-	-	-	-	-	2	2	3	4	5	10	5	5	-	-	-	-	-	63
3	4	16	19	50	101	194	309	366	509	541	427	322	182	59	10	2	3	64
2	2	8	13	24	56	113	191	227	288	314	231	144	66	23	3	-	-	65
2	8	6	26	45	81	118	139	221	227	196	178	116	36	7	2	-	-	66
1	1	5	11	16	39	90	158	191	244	283	234	135	63	19	3	-	-	67
1	1	8	4	23	34	69	99	113	185	204	190	168	105	33	6	2	-	68
-	1	2	2	8	16	19	33	32	39	30	26	7	2	4	-	-	-	69
-	1	-	2	3	10	11	18	26	35	23	5	9	11	3	1	-	-	70
-	-	-	-	-	1	4	-	4	5	1	1	2	1	-	-	-	-	71
-	-	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-	72
3	.18	49	120	343	648	1,174	1,690	2,293	2,695	2,803	2,451	1,574	737	234	45	3	1	73
3	15	35	74	230	416	723	1,067	1,421	1,586	1,628	1,264	771	337	101	22	-	-	74
3	3	14	46	113	232	451	623	872	1,149	1,175	1,187	803	400	133	23	3	-	75
2	15	25	64	192	367	622	944	1,257	1,427	1,487	1,175	724	315	95	18	-	-	76
2	3	10	40	95	190	373	529	774	981	1,092	1,115	758	392	123	22	2	-	77
1	-	10	9	34	48	99	116	153	147	133	78	41	20	5	2	-	-	78
-	-	3	6	17	41	74	93	97	119	80	67	44	6	9	1	1	-	79
-	-	-	1	4	1	2	7	11	12	8	11	6	2	1	2	-	-	80
-	-	-	-	1	1	4	1	1	9	3	5	1	2	1	-	-	-	81
6	7	12	21	41	69	96	147	184	223	235	270	169	102	38	2	2	-	82
5	6	7	12	24	29	62	77	93	115	105	111	75	35	12	1	-	-	83
1	1	5	9	17	40	34	70	91	148	130	159	94	67	26	1	1	-	84
5	5	6	10	21	25	51	63	77	95	94	103	72	31	11	-	-	-	85
1	1	2	5	15	33	29	64	79	93	115	148	87	59	23	1	1	-	86
-	1	1	2	3	4	11	13	14	19	10	7	3	4	1	1	-	-	87
-	-	3	4	1	7	5	5	12	14	15	10	7	7	3	-	-	-	88
-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	89
-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	90



SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
28	39	192	661	1,716	3,417	5,753	8,037	9,497	10,013	8,592	5,876	2,818	946	207	43	5	3 01
17	26	139	486	1,271	2,532	4,427	6,713	8,437	8,759	7,400	4,967	2,178	679	128	22	4	1 02
11	13	53	175	445	885	1,426	2,124	2,660	2,554	1,192	640	267	79	21	1	1	2 03
16	20	112	387	1,026	2,120	3,965	5,960	7,612	8,036	6,865	4,675	2,056	618	118	20	4	2 04
8	9	44	138	387	788	1,015	1,196	1,147	1,123	1,118	864	597	251	74	18	1	2 05
1	6	27	96	240	399	624	753	783	690	494	269	106	50	6	1	1	1 06
2	4	9	35	53	91	104	122	111	119	68	37	41	16	4	3	1	1 07
2	4	9	35	53	91	104	122	111	119	68	37	41	16	4	3	1	1 08
1	1	1	2	5	6	7	6	2	12	6	8	2	1	1	1	1	1 09
-	-	5	19	60	146	313	414	473	439	390	298	160	70	6	2	1	1 10
-	-	2	16	55	112	261	351	421	403	359	272	148	64	3	2	1	1 11
-	-	2	3	5	34	52	63	52	39	31	26	12	6	3	1	1	1 12
-	-	2	7	44	89	223	302	371	357	329	262	135	60	3	2	1	1 13
-	-	1	2	3	24	48	50	46	36	28	22	11	6	3	1	1	1 14
-	-	1	9	11	23	36	48	48	38	28	22	11	6	3	1	1	1 15
-	-	1	1	2	10	4	13	6	3	3	2	1	1	1	1	1	1 16
-	-	1	1	2	10	4	13	6	3	3	2	1	1	1	1	1	1 17
-	-	1	1	2	10	4	13	6	3	3	2	1	1	1	1	1	1 18
5	12	67	267	676	1,376	2,286	3,125	3,623	3,649	3,159	2,016	867	282	43	16	1	1 19
4	8	51	200	508	1,069	1,887	2,633	3,187	3,254	2,770	1,758	705	216	25	11	1	1 20
1	4	16	67	168	307	399	492	436	395	389	258	162	66	18	5	1	1 21
4	8	43	159	419	884	1,656	2,333	2,874	3,043	2,562	1,634	666	197	23	11	1	1 22
1	2	14	51	153	284	367	445	396	358	359	243	151	62	16	5	1	1 23
-	-	8	41	87	182	226	296	238	238	198	118	35	17	1	1	1	1 24
-	-	2	15	14	22	31	44	39	35	29	12	11	4	1	1	1	1 25
-	-	2	2	2	3	5	4	20	13	13	6	4	2	1	1	1	1 26
-	-	1	1	1	1	1	3	1	2	1	3	-	-	1	1	1	1 27
15	22	108	351	950	1,850	3,073	4,411	5,497	5,802	4,925	3,462	1,712	568	138	22	3	1 28
7	13	77	254	689	1,329	2,429	3,672	4,253	5,323	4,190	2,871	1,289	382	95	8	2	1 29
8	9	31	97	261	521	844	739	744	782	735	591	423	186	43	14	1	1 30
6	7	60	211	546	1,130	2,066	3,259	4,301	4,599	3,902	2,718	1,222	345	87	6	2	1 31
5	7	25	79	220	460	572	673	679	695	697	565	394	174	42	12	1	1 32
1	1	17	41	140	189	352	398	433	437	263	140	57	29	5	1	1	1 33
2	6	6	17	37	56	66	63	64	77	33	23	27	12	1	2	1	1 34
1	1	1	2	3	10	11	15	19	14	28	13	10	8	3	1	1	1 35
1	1	1	1	4	5	6	3	1	10	5	3	2	-	-	-	-	1 36
8	5	12	24	30	45	81	87	104	123	118	100	79	26	20	3	-	1 37
6	5	8	16	19	22	50	57	76	85	81	66	36	17	5	1	-	1 38
2	4	4	8	11	23	31	30	28	38	37	34	43	9	15	2	-	1 39
6	7	10	17	17	40	46	66	77	72	61	33	16	5	5	1	-	1 40
2	4	6	11	20	28	28	26	34	34	34	34	41	9	13	1	-	1 41
-	-	1	5	2	10	11	7	7	7	8	5	3	1	1	1	-	1 42
-	-	1	1	3	3	2	2	4	4	3	2	1	1	2	1	-	1 43
-	-	1	1	3	3	1	1	1	1	1	1	1	1	1	1	-	1 44
-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1 45
18	105	332	825	1,670	2,701	3,458	3,676	3,603	3,210	2,977	2,497	1,742	943	369	72	10	4 46
18	105	332	823	1,664	2,687	3,443	3,641	3,570	3,175	2,942	2,473	1,725	934	366	71	10	4 48
15	86	268	705	1,471	2,382	3,086	3,330	3,244	2,924	2,762	2,349	1,647	891	347	68	8	2 50
3	18	62	115	188	290	347	302	318	245	177	118	77	43	19	3	2	2 52
-	1	2	3	5	15	10	9	8	6	3	3	1	-	-	-	-	2 53
-	-	2	3	5	15	10	9	8	6	3	3	1	-	-	-	-	2 54
186	236	396	733	1,359	2,017	2,601	3,440	4,235	5,273	6,282	5,928	4,467	2,276	689	112	12	7 55
113	101	99	77	69	109	265	614	1,287	2,221	3,260	3,758	3,064	1,621	480	78	9	2 56
73	135	297	656	1,290	1,908	2,336	2,826	2,948	3,352	3,022	2,173	1,403	655	209	34	3	5 57
106	95	96	76	62	86	203	460	1,030	1,760	2,733	3,346	2,784	1,484	432	63	3	1 58
57	100	215	506	1,025	1,596	1,980	2,424	2,539	2,635	2,700	2,004	1,301	604	181	31	2	2 59
5	4	1	7	23	23	61	149	257	455	515	433	260	133	47	15	6	1 60
14	33	78	139	254	298	347	396	397	439	317	165	95	49	28	2	1	3 61
2	2	2	1	-	-	1	5	6	6	12	9	20	4	1	1	-	3 62
2	2	4	11	11	14	9	6	12	8	5	1	7	2	1	1	-	3 63
21	82	191	383	708	818	900	828	855	831	712	524	337	162	74	7	1	4 64
16	53	128	281	526	633	700	660	670	639	590	446	289	134	59	6	1	2 65
5	28	60	98	173	180	196	164	178	150	118	78	44	27	15	1	2	2 66
-	1	3	4	9	5	4	4	7	2	4	-	4	1	-	1	-	2 67
10	11	23	76	141	238	377	618	759	907	1,023	735	469	244	69	15	2	- 68
10	8	17	52	110	187	309	497	632	757	896	681	440	229	58	13	2	- 69
-	2	6	20	31	50	65	121	127	147	127	54	29	15	11	2	-	- 70
-	1	-	4	-	1	3	-	-	3	-	-	-	-	-	-	-	- 71
42	37	79	185	422	825	1,025	1,319	1,257	1,247	1,149	783	480	193	44	8	-	1 72
31	36	66	165	377	755	940	1,218	1,168	1,153	1,083	754	464	189	42	8	-	1 73
9	1	12	17	43	64	83	99	84	91	65	28	15	4	2	1	-	1 74
2	-	1	3	2	6	2	2	5	3	1	1	1	-	-	-	-	1 75
-	5	4	12	19	27	34	61	77	97	138	128	117	56	22	4	-	- 76
-	3	4	8	12	21	31	49	69	86	131	123	108	52	22	4	-	- 77
-	2	-	4	7	4	3	12	8	11	7	5	7	3	2	1	-	- 78
-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	-	-	- 79



SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
3	1	-	1	14	54	208	555	1,237	2,161	3,207	3,712	3,021	1,601	476	75	8	2	01	
3	-	-	1	9	36	152	416	987	1,716	2,682	3,305	2,744	1,464	428	61	3	1	02	
-	1	-	-	5	18	55	135	250	439	513	399	258	133	47	14	5	1	03	
-	-	-	-	-	-	1	4	-	6	12	8	19	4	1	-	-	-	04	
110	100	99	76	55	55	57	59	50	60	53	46	43	20	4	3	1	-	05	
103	95	96	75	53	50	51	44	43	44	51	41	40	20	4	2	-	-	06	
5	3	1	-	2	5	6	14	7	16	2	4	2	-	-	1	1	-	07	
2	2	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	08	
12	15	36	94	231	483	814	1,294	1,693	2,112	2,618	2,294	1,621	806	256	39	4	3	09	
4	6	24	67	147	333	587	927	1,218	1,472	1,782	1,520	953	439	118	15	2	3	10	
8	9	12	27	84	150	227	367	475	543	636	774	668	367	138	24	2	2	11	
2	5	20	62	132	291	521	827	1,101	1,332	1,687	1,446	920	423	113	14	2	3	12	
8	9	11	22	71	118	186	319	403	548	772	742	631	348	132	21	2	-	13	
2	1	4	5	13	42	64	99	110	132	90	66	28	15	4	1	-	-	14	
-	-	1	5	13	31	40	47	71	89	63	30	35	18	6	3	-	-	15	
-	-	-	-	2	-	2	1	7	8	5	8	5	1	1	-	-	-	16	
-	-	-	-	-	1	1	1	1	3	1	2	2	1	-	-	-	-	17	
11	13	29	70	170	317	455	710	760	842	961	684	427	171	46	4	1	3	18	
3	5	20	51	114	228	340	488	524	541	578	394	216	78	19	-	-	3	19	
8	8	9	19	56	89	115	222	236	301	383	290	211	93	27	4	1	-	20	
2	4	16	48	102	202	311	449	479	494	547	373	209	76	16	-	-	3	21	
8	8	9	18	50	74	108	205	215	277	362	286	202	90	26	3	1	-	22	
1	1	4	3	10	26	28	38	40	41	29	15	6	1	2	-	-	-	23	
-	-	-	1	6	14	7	16	20	22	21	3	9	2	1	1	-	-	24	
-	-	-	-	2	-	1	1	5	6	2	6	1	1	1	-	-	-	25	
-	-	-	-	-	1	1	1	1	2	-	1	-	1	-	-	-	-	26	
1	2	7	24	61	166	359	584	933	1,273	1,657	1,610	1,194	635	210	35	3	-	27	
1	1	4	16	33	105	247	439	694	931	1,204	1,126	737	361	99	15	2	-	28	
-	1	3	8	28	61	112	145	239	339	453	484	457	274	111	20	1	-	29	
-	1	4	14	30	89	210	378	622	838	1,140	1,073	711	347	97	14	2	-	30	
-	1	2	4	21	44	78	114	188	271	413	456	429	258	106	18	1	-	31	
1	-	-	2	3	16	36	61	70	91	61	51	22	14	2	1	-	-	32	
-	-	1	4	7	17	33	31	51	67	42	27	26	16	5	2	-	-	33	
-	-	-	-	-	-	1	-	2	2	3	2	4	-	-	-	-	-	34	
-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	35	
381	396	546	893	1,459	2,207	3,025	4,106	4,537	4,590	4,536	3,815	2,561	1,294	417	107	16	4	36	
216	228	305	492	770	1,220	1,679	2,365	2,604	2,563	2,436	1,966	1,156	546	148	37	5	2	37	
165	168	241	401	689	987	1,346	1,741	1,933	2,127	2,103	1,849	1,405	748	269	70	11	2	38	
198	211	280	440	693	1,101	1,497	2,111	2,342	2,231	2,235	1,832	1,104	521	139	35	5	1	39	
149	147	205	358	606	858	1,200	1,552	1,710	1,812	1,921	1,715	1,332	715	254	65	9	2	40	
18	15	24	48	83	115	178	246	249	257	191	116	45	22	6	2	-	-	41	
15	18	35	39	77	126	137	182	215	236	167	123	68	30	14	5	2	-	42	
-	2	1	4	4	4	4	8	13	15	13	18	7	3	3	-	-	-	43	
1	3	1	4	6	3	9	7	8	9	12	11	5	3	1	-	-	-	44	
66	102	160	226	287	361	436	423	466	468	491	443	392	245	95	29	3	-	45	
35	62	95	134	169	219	269	257	273	291	304	275	216	127	39	12	2	-	46	
31	40	65	92	118	142	167	166	193	177	187	165	176	118	56	17	1	-	47	
35	60	92	131	163	211	260	244	261	273	288	266	210	126	39	12	1	-	48	
29	37	63	88	114	128	152	155	184	171	181	156	171	117	55	17	2	-	49	
-	2	2	3	6	8	9	13	11	15	15	8	6	1	-	-	-	-	50	
-	2	2	3	4	14	11	11	9	6	5	9	1	1	-	-	-	-	51	
-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	52	
-	-	-	1	-	-	4	-	-	-	1	-	-	-	-	-	-	-	53	
3	2	1	4	11	13	25	42	46	33	46	37	16	13	6	2	-	-	54	
2	-	-	1	4	7	15	16	24	16	25	21	6	2	3	-	-	-	55	
1	2	1	3	7	6	10	26	22	17	21	16	10	11	3	2	-	-	56	
2	1	-	1	4	7	15	15	24	16	22	23	6	2	2	-	-	-	57	
-	2	1	3	7	6	10	26	22	17	21	15	10	11	3	2	-	-	58	
-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	59	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	60	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
134	144	168	291	453	658	805	964	911	748	494	228	65	19	3	1	-	-	63	
81	89	94	167	271	394	471	582	523	420	295	128	25	7	2	-	-	-	64	
53	55	74	124	182	264	334	382	388	328	199	100	40	12	1	1	-	-	65	
74	84	86	158	260	369	432	553	499	433	283	124	24	7	2	-	-	-	66	
47	51	65	118	172	253	322	369	370	315	194	97	40	12	1	1	-	-	67	
7	5	8	8	11	24	39	27	23	15	12	4	-	-	-	-	-	-	68	
6	4	9	6	9	11	11	12	17	11	4	3	-	-	-	-	-	-	69	
-	-	-	1	-	1	-	-	2	1	2	-	1	-	-	-	-	-	70	
-	-	-	-	1	-	1	1	1	2	1	-	-	-	-	-	-	-	71	
3	3	10	11	20	37	50	92	110	159	190	143	85	40	11	2	1	1	72	
1	1	4	3	8	14	18	32	37	46	55	39	23	7	-	-	-	-	73	
1	2	6	8	12	23	32	60	73	113	135	104	62	33	11	2	1	1	74	
1	1	4	3	6	12	17	28	32	44	52	37	22	7	-	-	-	-	75	
1	2	4	5	10	17	28	54	55	103	123	97	55	30	11	2	1	1	76	
1	-	-	1	2	4	4	3	4	2	3	1	1	-	-	-	-	-	77	
1	-	2	2	2	6	4	5	18	13	11	6	5	3	-	-	-	-	78	
-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	80

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.											
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES--CON.											
01	OF BONE.....196	1,853	1	1	3	2	4	11	42	146	169
02	MALE.....	1,031	-	1	1	2	2	6	28	71	103
03	FEMALE..	822	1	-	2	-	2	5	14	75	66
04	WHITE.....	942	-	1	1	2	2	6	24	63	90
05	FEMALE..	751	1	-	2	-	2	5	12	70	61
06	NEGRO.....	79	-	-	-	-	-	-	4	7	11
07	FEMALE..	65	-	-	-	-	-	-	2	4	3
08	OTHER.....	10	-	-	-	-	-	-	1	1	2
09	FEMALE..	6	-	-	-	-	-	-	-	1	2
10	OF CONNECTIVE TISSUE.....197	1,374	4	12	8	2	14	40	35	30	49
11	MALE.....	769	2	7	4	-	10	23	15	19	28
12	FEMALE..	605	2	5	4	2	4	17	20	11	21
13	WHITE.....	685	2	6	4	-	10	22	12	18	25
14	FEMALE..	536	2	4	3	1	4	14	16	11	20
15	NEGRO.....	79	-	1	-	-	-	1	3	1	3
16	FEMALE..	62	-	1	1	1	-	3	4	-	1
17	OTHER.....	5	-	-	-	-	-	-	-	-	-
18	FEMALE..	7	-	-	-	-	-	-	-	-	-
19	OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,475	10	6	4	4	3	27	14	16	20
20	MALE.....	873	6	1	3	3	2	15	10	7	10
21	FEMALE..	602	4	5	1	1	1	12	4	9	10
22	WHITE.....	803	5	1	1	3	2	12	9	7	9
23	FEMALE..	538	4	4	1	1	1	11	4	8	10
24	NEGRO.....	66	1	-	1	-	-	2	1	-	1
25	FEMALE..	62	-	1	-	-	-	1	-	1	-
26	OTHER.....	4	-	-	1	-	-	1	-	-	-
27	FEMALE..	2	-	-	-	-	-	-	-	-	-
28	OF UNSPECIFIED SITES.....156B,165,198,199B	18,859	4	8	8	5	3	28	22	23	43
29	MALE.....	9,703	2	-	3	1	2	8	10	16	28
30	FEMALE..	9,156	2	8	5	4	1	20	12	7	15
31	WHITE.....	8,509	1	-	2	1	-	4	7	13	25
32	FEMALE..	8,072	2	6	5	3	1	17	10	6	11
33	NEGRO.....	1,134	1	-	1	-	2	4	3	3	3
34	FEMALE..	1,033	-	2	-	1	-	3	2	1	4
35	OTHER.....	60	-	-	-	-	-	-	-	-	-
36	FEMALE..	51	-	-	-	-	-	-	-	-	-
37	LEUKEMIA AND ALEUKEMIA.....204	14,336	77	93	118	182	214	684	801	478	411
38	MALE.....	8,222	46	46	62	94	115	363	459	285	276
39	FEMALE..	6,114	31	47	56	88	99	321	342	193	135
40	WHITE.....	7,599	37	40	62	88	106	333	422	264	244
41	FEMALE..	5,683	28	38	54	81	92	293	316	179	122
42	NEGRO.....	566	8	6	-	6	7	27	35	16	30
43	FEMALE..	394	3	7	2	7	5	24	23	13	13
44	OTHER.....	57	1	-	-	-	2	3	2	5	2
45	FEMALE..	37	-	2	-	-	2	4	3	1	-
46	LYMPHOSARCOMA, ETC.....200-203,205	16,481	13	10	20	23	22	88	134	189	258
47	MALE.....	9,218	6	7	10	12	16	51	101	120	174
48	FEMALE..	7,263	7	3	10	11	6	37	33	69	84
49	WHITE.....	8,419	6	6	9	11	14	46	88	99	153
50	FEMALE..	6,718	6	2	9	11	5	33	26	60	78
51	NEGRO.....	725	-	1	1	1	1	4	12	21	19
52	FEMALE..	519	1	1	1	-	1	4	5	9	6
53	OTHER.....	74	-	-	-	-	1	1	1	-	2
54	FEMALE..	26	-	-	-	-	-	-	2	-	-
55	LYMPHOSARCOMA AND RETICULOSARCOMA.....200	7,788	4	3	7	17	16	47	96	111	102
56	MALE.....	4,306	3	3	5	8	13	32	73	74	73
57	FEMALE..	3,482	1	-	2	9	3	15	23	37	29
58	WHITE.....	4,010	3	3	4	7	11	28	63	64	65
59	FEMALE..	3,293	1	-	2	9	2	14	19	31	28
60	NEGRO.....	261	-	-	1	1	1	3	9	10	7
61	FEMALE..	175	-	-	-	-	1	1	2	6	1
62	OTHER.....	35	-	-	-	-	1	1	1	-	1
63	FEMALE..	14	-	-	-	-	-	-	2	-	-
64	HODCKINS DISEASE.....201	3,446	-	1	1	-	-	2	26	58	145
65	MALE.....	2,062	-	1	-	-	-	1	19	33	92
66	FEMALE..	1,384	-	-	1	-	-	1	7	25	53
67	WHITE.....	1,897	-	1	-	-	-	1	16	25	79
68	FEMALE..	1,303	-	-	1	-	-	1	5	23	49
69	NEGRO.....	153	-	-	-	-	-	-	3	8	12
70	FEMALE..	74	-	-	-	-	-	-	2	2	4
71	OTHER.....	12	-	-	-	-	-	-	-	2	1
72	FEMALE..	7	-	-	-	-	-	-	-	-	-
73	OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES.....202,203,205	5,247	9	6	12	6	6	39	12	20	11
74	MALE.....	2,850	3	3	5	4	3	18	9	13	9
75	FEMALE..	2,397	6	3	7	2	3	21	3	7	2
76	WHITE.....	2,512	3	2	5	4	3	17	9	10	9
77	FEMALE..	2,122	5	2	6	2	3	18	2	6	1
78	NEGRO.....	311	-	1	-	-	-	1	-	3	-
79	FEMALE..	270	1	1	1	-	-	3	1	1	1
80	OTHER.....	27	-	-	-	-	-	-	-	-	-
81	FEMALE..	5	-	-	-	-	-	-	-	-	-
82	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,013	97	37	27	27	14	202	117	113	95
83	MALE.....	2,450	53	19	14	17	12	115	53	55	49
84	FEMALE..	2,563	44	18	13	10	2	87	64	58	46
85	WHITE.....	2,138	44	16	12	16	11	99	38	44	39
86	FEMALE..	2,152	35	17	11	7	-	70	49	44	37
87	NEGRO.....	292	8	2	2	-	-	13	15	11	7
88	FEMALE..	390	6	1	1	2	2	12	13	14	9
89	OTHER.....	20	1	1	-	-	1	3	-	-	3
90	FEMALE..	21	3	-	1	1	-	5	2	-	-















SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	216,920	1,198	348	249	173	140	2,108	530	497	584
02	MALE.....	101,064	671	181	148	103	80	1,183	274	286	324
03	FEMALE..	115,856	527	167	101	70	60	925	256	211	260
04	WHITE.....MALE.....	87,644	469	141	107	82	69	868	233	237	252
05	FEMALE..	101,599	370	136	77	53	47	683	214	154	192
06	NEGRO.....MALE.....	12,762	179	37	40	19	11	286	39	45	68
07	FEMALE..	13,792	142	27	22	17	12	220	37	52	62
08	OTHER.....MALE.....	658	23	3	1	2	-	29	2	4	4
09	FEMALE..	465	15	4	2	-	1	22	5	5	6
10	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....	202,184	107	25	21	20	20	193	101	151	199
11	MALE.....	93,071	53	17	13	11	16	110	50	85	95
12	FEMALE..	109,113	54	8	8	9	4	83	51	66	104
13	WHITE.....MALE.....	83,932	40	14	10	11	16	91	42	70	75
14	FEMALE..	95,829	40	8	5	7	4	64	43	51	78
15	NEGRO.....MALE.....	11,560	12	3	3	-	-	18	7	15	19
16	FEMALE..	12,878	13	-	3	2	-	18	7	14	25
17	OTHER.....MALE.....	579	1	-	-	-	-	1	1	1	1
18	FEMALE..	436	1	-	-	-	-	1	1	1	1
19	SUBARACHNOID HEMORRHAGE.....	9,153	24	3	2	2	1	32	24	57	86
20	MALE.....	3,885	14	1	1	1	1	18	9	37	41
21	FEMALE..	5,268	10	2	1	1	-	14	15	20	45
22	WHITE.....MALE.....	3,231	12	1	1	1	1	16	8	31	31
23	FEMALE..	4,347	6	2	-	1	-	9	13	15	34
24	NEGRO.....MALE.....	609	1	-	-	-	-	1	1	6	10
25	FEMALE..	865	4	-	1	-	-	5	1	5	10
26	OTHER.....MALE.....	45	1	-	-	-	-	1	-	-	-
27	FEMALE..	56	-	-	-	-	-	-	1	-	1
28	CEREBRAL HEMORRHAGE.....	109,204	53	6	1	6	7	73	38	49	61
29	MALE.....	50,757	25	4	1	3	5	38	18	24	29
30	FEMALE..	58,447	28	2	-	3	2	35	20	25	32
31	WHITE.....MALE.....	43,385	17	3	1	3	5	29	15	18	25
32	FEMALE..	50,419	22	2	-	3	2	29	17	18	22
33	NEGRO.....MALE.....	7,038	8	1	-	-	-	9	2	6	3
34	FEMALE..	7,810	6	-	-	-	-	6	3	7	10
35	OTHER.....MALE.....	334	-	-	-	-	-	-	1	-	1
36	FEMALE..	218	-	-	-	-	-	-	-	-	-
37	CEREBRAL EMBOLISM AND THROMBOSIS.....	62,716	9	2	4	2	1	18	9	5	15
38	MALE.....	29,349	2	2	2	1	1	10	3	2	5
39	FEMALE..	33,667	7	-	2	1	-	8	6	3	10
40	WHITE.....MALE.....	26,014	2	2	2	1	1	7	3	2	2
41	FEMALE..	30,418	6	-	1	-	-	8	6	1	8
42	NEGRO.....MALE.....	2,890	1	-	-	-	-	-	-	-	3
43	FEMALE..	3,150	-	-	1	1	-	3	-	2	2
44	OTHER.....MALE.....	145	-	-	-	-	-	-	-	-	-
45	FEMALE..	99	-	-	-	-	-	-	-	-	-
46	OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....	21,111	21	14	14	10	11	70	30	40	37
47	MALE.....	9,380	12	10	9	6	9	46	20	22	20
48	FEMALE..	11,731	9	4	5	4	2	24	10	18	17
49	WHITE.....MALE.....	8,302	9	8	6	6	9	38	16	19	17
50	FEMALE..	10,645	6	4	4	3	2	19	7	17	14
51	NEGRO.....MALE.....	1,923	3	2	3	-	-	8	4	3	3
52	FEMALE..	1,053	2	-	1	1	-	4	3	-	3
53	OTHER.....MALE.....	55	-	-	-	-	-	-	-	-	-
54	FEMALE..	33	1	-	-	-	-	1	-	1	-
55	MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....	2,046	679	135	85	61	30	990	79	45	44
56	MALE.....	1,197	407	69	53	45	17	591	39	29	29
57	FEMALE..	849	272	66	32	16	13	399	40	16	15
58	WHITE.....MALE.....	835	266	47	35	32	15	395	31	21	20
59	FEMALE..	596	189	51	23	9	12	284	33	12	10
60	NEGRO.....MALE.....	331	122	20	18	13	2	175	7	7	9
61	FEMALE..	233	72	13	8	7	1	101	7	3	5
62	OTHER.....MALE.....	31	19	2	-	-	-	21	1	1	-
63	FEMALE..	20	11	2	1	-	-	14	-	1	-
64	MULTIPLE SCLEROSIS.....	1,574	1	-	-	-	-	1	1	4	6
65	MALE.....	635	1	-	-	-	-	1	-	2	4
66	FEMALE..	939	-	-	-	-	-	-	1	2	2
67	WHITE.....MALE.....	598	1	-	-	-	-	1	-	2	4
68	FEMALE..	855	-	-	-	-	-	-	1	1	2
69	NEGRO.....MALE.....	36	-	-	-	-	-	-	-	-	-
70	FEMALE..	84	-	-	-	-	-	-	-	1	-
71	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	PARALYSIS AGITANS.....	3,066	1	-	-	-	-	1	-	1	-
74	MALE.....	1,631	-	-	-	-	-	-	-	1	-
75	FEMALE..	1,435	1	-	-	-	-	1	-	-	-
76	WHITE.....MALE.....	1,573	-	-	-	-	-	-	-	1	-
77	FEMALE..	1,392	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	48	-	-	-	-	-	-	-	-	-
79	FEMALE..	38	1	-	-	-	-	1	-	-	-
80	OTHER.....MALE.....	10	-	-	-	-	-	-	-	-	-
81	FEMALE..	5	-	-	-	-	-	-	-	-	-
82	CEREBRAL SPASTIC INFANTILE PARALYSIS.....	609	97	35	28	19	25	204	98	84	64
83	MALE.....	373	57	22	17	12	13	121	56	47	47
84	FEMALE..	236	40	13	11	7	12	83	42	37	17
85	WHITE.....MALE.....	309	42	18	15	9	8	92	47	42	37
86	FEMALE..	181	26	12	10	4	6	58	33	28	13
87	NEGRO.....MALE.....	61	14	3	2	2	5	26	9	5	10
88	FEMALE..	50	13	1	1	3	6	24	8	7	3
89	OTHER.....MALE.....	3	1	1	-	1	-	3	-	-	-
90	FEMALE..	5	1	-	-	-	-	1	1	2	1





SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
160	179	155	189	196	189	142	140	89	80	37	45	33	8	7	-	-	3	01
98	111	84	117	116	127	86	86	50	41	24	22	18	3	4	-	-	1	02
62	68	71	72	80	62	56	54	39	39	13	23	15	5	3	-	-	2	03
76	76	50	79	71	78	55	56	36	34	19	18	15	1	4	-	-	-	04
51	49	56	45	54	46	49	38	29	36	13	19	12	5	2	-	-	1	05
22	35	34	38	44	49	31	30	14	7	5	4	3	2	-	-	-	1	06
10	18	15	25	24	16	7	16	10	3	-	4	3	-	1	-	-	-	07
1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	1	-	2	1	1	-	1	1	-	2	-	-	-	-	-	10
-	-	-	1	-	2	1	1	-	1	1	-	2	-	-	-	-	-	11
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	12
-	-	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	13
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	18
-	-	-	-	-	-	-	2	1	7	5	11	7	2	1	1	-	-	19
-	-	-	-	-	-	-	-	1	1	2	2	2	1	1	-	-	-	20
-	-	-	-	-	-	-	2	1	6	3	9	5	1	1	1	-	-	21
-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	-	-	-	22
-	-	-	-	-	-	-	1	1	2	2	8	5	1	1	1	-	-	23
-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	24
-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	28
-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	29
-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	3	3	3	2	8	6	8	5	13	7	4	4	1	1	-	1	-	37
2	3	3	3	1	5	4	5	3	8	3	3	3	1	1	-	1	-	38
2	3	3	2	1	3	2	3	2	5	4	1	1	-	-	-	-	-	39
2	3	3	2	1	4	3	5	2	8	3	3	3	1	1	-	1	-	40
-	-	-	1	-	1	2	1	1	5	3	1	1	-	-	-	-	-	41
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
89	90	103	150	217	312	417	534	542	569	506	350	207	92	29	6	-	1	46
50	55	58	84	133	196	237	297	301	303	288	183	108	39	11	5	-	-	47
39	35	45	66	84	116	180	237	241	266	215	170	99	53	18	1	-	1	48
44	44	48	70	109	153	205	258	273	273	258	166	101	38	11	4	-	-	49
31	29	33	54	68	96	160	205	217	241	206	160	94	49	17	1	-	1	50
6	11	9	12	22	42	32	36	24	27	29	11	7	-	-	-	-	-	51
8	6	11	12	15	20	20	32	24	23	10	10	5	3	1	-	-	-	52
-	-	1	2	2	1	-	-	3	3	1	3	-	1	-	-	-	-	53
-	-	1	1	1	-	-	-	4	2	2	-	-	1	-	-	-	-	54
739	1,172	2,379	5,947	12,982	23,326	37,316	55,232	73,583	94,608	117,602	127,972	116,667	80,056	37,347	9,820	1,429	210	55
351	627	1,470	4,107	9,559	17,563	28,224	40,547	51,527	60,413	68,775	67,128	54,306	32,868	13,654	3,156	436	114	56
388	545	909	1,840	3,423	5,763	9,092	14,685	22,056	34,195	48,827	60,844	62,361	47,188	23,693	6,664	993	96	57
246	431	1,023	3,208	7,957	15,238	24,882	36,179	46,551	54,528	63,247	62,758	51,383	31,144	12,922	2,858	331	71	58
254	335	514	1,114	2,275	4,177	6,840	11,664	18,299	29,150	44,067	56,752	59,323	45,122	22,688	6,231	824	51	59
99	190	435	856	1,543	2,251	3,213	4,182	4,715	5,545	5,211	4,062	2,682	1,572	660	278	96	40	60
121	199	388	710	1,118	1,553	2,201	2,964	3,674	4,952	4,612	3,954	2,926	1,968	953	413	164	34	61
6	6	12	43	59	74	129	186	261	340	317	308	241	152	72	20	9	3	62
13	11	7	16	30	33	51	57	83	93	148	138	112	98	52	20	5	1	63
487	893	1,940	5,209	11,874	21,802	35,134	51,969	68,828	87,436	107,533	115,350	102,869	68,618	30,885	7,879	1,101	194	64
276	532	1,285	3,780	9,005	16,701	26,851	38,412	48,398	55,983	62,849	60,526	47,971	28,246	11,351	2,537	331	107	65
211	361	655	1,429	2,869	5,101	8,283	13,557	20,430	31,453	44,684	54,824	54,898	40,372	19,534	5,342	770	87	66
199	379	914	3,037	7,602	14,618	23,810	34,402	43,833	50,623	57,911	56,647	45,392	26,751	10,725	2,293	248	65	67
135	215	376	885	1,935	3,708	6,267	10,831	16,997	26,904	40,430	51,194	52,215	38,630	18,667	4,975	639	54	68
72	147	360	702	1,352	2,013	2,918	3,836	4,322	5,344	4,644	3,599	2,364	1,360	562	226	75	40	69
70	140	275	530	905	1,364	1,967	2,675	3,357	4,566	4,122	3,503	2,586	1,663	824	352	127	32	70
5	6	11	41	51	70	123	174	243	314	292	280	215	135	64	18	8	2	71
6	6	4	14	29	29	49	51	76	83	132	127	97	79	43	15	4	1	72
19	8	18	14	19	26	34	35	23	25	26	25	14	5	3	-	-	-	73
7	8	10	8	10	15	20	21	8	17	12	13	3	3	1	-	-	-	74
12	8	8	6	9	11	14	14	15	8	14	12	11	2	2	-	-	-	75
6	5	6	5	6	11	16	19	7	15	9	12	3	3	1	-	-	-	76
6	8	8	3	8	11	13	9	13	8	13	11	11	2	2	-	-	-	77
1	3	4	2	4	4	4	4	1	2	3	1	-	-	-	-	-	-	78
6	-	-	3	1	-	1	2	2	-	1	1	-	-	-	-	-	-	79
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
139	217	303	526	862	1,243	1,449	1,881	1,884	1,758	1,407	1,013	582	265	104	14	2	3	82
62	103	160	260	365	564	666	814	804	696	571	364	178	66	39	4	-	1	83
77	114	143	266	497	679	783	1,067	1,080	1,362	836	649	404	199	65	10	2	2	84
48	79	133	217	309	503	606	761	760	657	544	345	173	57	37	3	-	1	85
53	80	110	211	415	594	721	1,013	1,010	997	808	634	393	190	61	9	2	2	86
11	22	25	37	50	57	54	48	41	37	24	19	5	7	2	1	-	-	87
19	31	32	53	76	82	55	51	60	60	26	13	10	7	4	1	-	-	88
3	2	2	6	6	4	6	5	3	2	3	-	-	2	-	-	-	-	89
5	3	1	2	6	3	7	3	10	5	2	2	1	2	-	-	-	-	90













SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	DISEASES OF ARTERIES--CON.										
02	OTHER ARTERIAL DISEASES.....452-454,456	3,813	6	-	5	1	2	14	7	30	77
03	MALE.....	1,898	4	-	2	1	1	8	5	9	19
04	FEMALE.....	1,915	2	-	3	-	1	6	2	21	58
05	WHITE.....MALE.....	1,707	3	-	1	1	1	6	3	7	14
06	FEMALE.....	1,585	1	-	2	-	-	3	1	16	44
07	NEGRO.....MALE.....	180	1	-	-	-	-	1	2	2	5
08	FEMALE.....	310	1	-	1	-	1	3	1	2	12
09	OTHER.....MALE.....	11	-	-	1	-	-	1	-	-	-
	FEMALE.....	20	-	-	-	-	-	-	-	3	2
10	DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....460-468	14,182	21	5	6	2	3	37	13	15	59
11	MALE.....	7,101	13	4	5	1	3	26	3	9	27
12	FEMALE.....	7,081	8	1	1	1	-	11	10	6	32
13	WHITE.....MALE.....	6,064	11	4	5	1	2	23	2	5	21
14	FEMALE.....	6,057	4	1	-	-	-	5	7	4	20
15	NEGRO.....MALE.....	1,006	2	-	-	-	1	3	1	4	6
16	FEMALE.....	995	4	-	1	1	-	6	3	2	11
17	OTHER.....MALE.....	31	-	-	-	-	-	-	-	-	-
18	FEMALE.....	29	-	-	-	-	-	-	-	-	1
19	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	97,725	7,708	1,018	469	267	214	9,676	544	408	501
20	MALE.....	63,732	4,383	588	257	148	126	5,502	287	217	297
21	FEMALE.....	33,993	3,325	430	212	119	88	4,174	257	191	204
22	WHITE.....MALE.....	55,799	2,760	352	178	104	89	3,483	218	179	230
23	FEMALE.....	29,285	1,913	255	147	89	68	2,472	192	143	157
24	NEGRO.....MALE.....	7,385	1,529	219	73	39	37	1,897	68	37	63
25	FEMALE.....	4,446	1,346	160	61	28	18	1,613	64	47	47
26	OTHER.....MALE.....	548	94	17	6	5	-	122	1	1	4
27	FEMALE.....	262	66	15	4	2	2	89	1	1	-
28	ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	592	293	41	25	17	13	389	19	9	8
29	MALE.....	320	171	24	12	7	5	219	8	4	8
30	FEMALE.....	272	122	17	13	10	8	170	11	5	-
31	WHITE.....MALE.....	238	112	19	9	6	5	151	6	3	7
32	FEMALE.....	194	73	11	12	7	6	109	10	5	-
33	NEGRO.....MALE.....	78	56	5	3	-	-	64	2	1	1
34	FEMALE.....	74	47	5	1	3	1	57	1	-	-
35	OTHER.....MALE.....	4	3	-	-	1	-	4	-	-	-
36	FEMALE.....	4	2	1	-	-	1	4	-	-	-
37	INFLUENZA.....480-483	1,475	79	8	11	6	5	109	13	10	11
38	MALE.....	648	36	4	8	4	2	54	7	7	8
39	FEMALE.....	827	43	4	3	2	3	55	6	3	3
40	WHITE.....MALE.....	549	12	1	4	2	2	21	4	6	6
41	FEMALE.....	695	18	3	1	-	2	24	6	3	2
42	NEGRO.....MALE.....	94	24	3	4	2	-	33	3	1	2
43	FEMALE.....	129	25	1	2	1	1	30	-	-	1
44	OTHER.....MALE.....	5	-	-	-	-	-	-	-	-	-
45	FEMALE.....	3	-	-	-	1	-	1	-	-	-
46	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	55,417	5,637	745	330	190	148	7,050	376	300	362
47	MALE.....	31,256	3,209	431	172	106	93	4,010	201	156	218
48	FEMALE.....	24,161	2,428	314	158	84	55	3,040	175	144	144
49	WHITE.....MALE.....	25,895	1,964	234	112	73	61	2,444	153	127	168
50	FEMALE.....	23,623	1,380	178	106	64	40	1,768	124	107	112
51	NEGRO.....MALE.....	5,032	1,168	183	55	30	32	1,468	47	28	46
52	FEMALE.....	3,344	990	125	48	20	14	1,197	51	36	32
53	OTHER.....MALE.....	359	76	14	5	3	-	98	1	1	4
54	FEMALE.....	197	59	11	4	-	1	75	-	1	-
55	LOBAR PNEUMONIA.....490	7,815	350	63	35	16	16	480	58	30	53
56	MALE.....	4,737	190	33	18	10	7	258	34	19	32
57	FEMALE.....	3,138	160	30	17	6	9	222	24	11	21
58	WHITE.....MALE.....	3,831	108	18	11	7	4	148	25	16	25
59	FEMALE.....	2,570	78	13	13	3	7	114	20	9	17
60	NEGRO.....MALE.....	834	77	14	7	3	3	104	8	3	7
61	FEMALE.....	533	76	16	4	3	1	100	4	2	4
62	OTHER.....MALE.....	42	5	1	-	-	-	6	1	-	-
63	FEMALE.....	35	6	1	-	-	1	8	-	-	-
64	BRONCHOPNEUMONIA.....491	29,569	2,259	342	160	105	81	2,947	216	172	198
65	MALE.....	16,583	1,275	207	85	57	54	1,678	109	88	121
66	FEMALE.....	12,986	984	135	75	48	27	1,269	101	84	77
67	WHITE.....MALE.....	13,938	705	105	55	40	38	943	85	67	93
68	FEMALE.....	11,241	514	76	46	38	19	693	65	67	58
69	NEGRO.....MALE.....	2,466	547	76	29	15	16	702	24	20	25
70	FEMALE.....	1,661	448	57	20	10	8	551	36	17	19
71	OTHER.....MALE.....	179	23	7	1	2	-	33	-	1	3
72	FEMALE.....	84	22	2	1	-	-	25	-	-	-
73	PRIMARY ATYPICAL PNEUMONIA.....492	5,175	1,762	143	57	27	17	2,006	43	36	42
74	MALE.....	2,908	1,053	79	30	11	10	1,183	21	21	19
75	FEMALE.....	2,267	709	64	27	16	7	823	22	15	23
76	WHITE.....MALE.....	2,407	785	52	22	10	4	873	17	20	16
77	FEMALE.....	1,865	481	49	22	13	5	570	16	10	19
78	NEGRO.....MALE.....	466	249	24	7	1	6	287	4	1	3
79	FEMALE.....	354	214	10	4	3	2	233	6	4	4
80	OTHER.....MALE.....	41	19	3	1	-	-	23	-	-	-
81	FEMALE.....	28	14	5	1	-	-	20	-	1	-
82	PNEUMONIA, OTHER AND UNSPECIFIED.....493	12,858	1,266	197	78	42	34	1,617	65	62	69
83	MALE.....	7,058	690	112	39	28	22	891	37	28	46
84	FEMALE.....	5,800	576	85	39	14	12	726	28	34	23
85	WHITE.....MALE.....	5,719	366	59	24	16	15	480	26	24	34
86	FEMALE.....	4,924	307	40	25	10	9	391	23	21	18
87	NEGRO.....MALE.....	1,242	295	50	12	11	7	375	11	4	11
88	FEMALE.....	826	252	42	12	4	3	313	5	13	5
89	OTHER.....MALE.....	97	29	3	3	1	-	36	-	-	1
90	FEMALE.....	50	17	3	2	-	-	22	-	-	-



SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACUTE BRONCHITIS.....500	958	176	73	32	14	13	308	22	13	16
02	MALE.....	557	108	41	18	4	9	180	10	8	8
03	FEMALE.....	401	68	32	14	10	4	128	12	5	8
04	WHITE.....MALE.....	469	75	34	15	3	8	135	8	6	7
05	FEMALE.....	337	35	25	13	7	4	84	11	4	4
06	NEGRO.....MALE.....	83	32	5	3	1	1	42	2	2	1
07	FEMALE.....	61	32	7	1	2	-	42	1	1	4
08	OTHER.....MALE.....	5	1	2	-	-	-	3	-	-	-
09	FEMALE.....	3	1	-	-	1	-	2	-	-	-
10	BRONCHITIS, CHRONIC AND UNQUALIFIED.....501.502	5,306	138	38	21	15	8	220	17	12	13
11	MALE.....	4,041	89	24	13	9	3	138	7	8	5
12	FEMALE.....	1,265	49	14	8	6	5	82	10	4	8
13	WHITE.....MALE.....	3,774	66	22	10	8	2	108	7	8	4
14	FEMALE.....	1,160	28	8	6	5	4	51	6	2	7
15	NEGRO.....MALE.....	243	22	1	3	1	1	28	1	-	1
16	FEMALE.....	92	20	4	2	1	1	28	3	2	1
17	OTHER.....MALE.....	24	1	1	-	-	-	2	1	-	-
18	FEMALE.....	13	1	2	-	-	-	3	1	-	-
19	HYPERTROPHY OF TONSILS AND ADENOID.....510	70	-	1	3	4	9	17	30	6	5
20	MALE.....	39	-	-	3	4	4	11	17	3	1
21	FEMALE.....	31	-	1	-	-	5	6	13	3	4
22	WHITE.....MALE.....	32	-	-	3	4	4	11	13	2	1
23	FEMALE.....	23	-	1	-	-	5	6	12	1	2
24	NEGRO.....MALE.....	7	-	-	-	-	-	-	4	1	-
25	FEMALE.....	7	-	-	-	-	-	1	1	2	2
26	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	1	-	-	-	-	-	-	-	-	-
28	EMPHYEMA AND ABSCESS OF LUNG.....518.521	827	10	2	2	-	-	14	4	2	6
29	MALE.....	614	7	2	-	-	-	9	3	2	4
30	FEMALE.....	213	3	-	2	-	-	5	1	-	2
31	WHITE.....MALE.....	465	3	1	-	-	-	4	3	2	4
32	FEMALE.....	173	1	-	1	-	-	2	1	-	2
33	NEGRO.....MALE.....	141	3	1	-	-	-	4	-	-	-
34	FEMALE.....	38	2	-	1	-	-	3	-	-	-
35	OTHER.....MALE.....	8	1	-	-	-	-	1	-	-	-
36	FEMALE.....	2	-	-	-	-	-	-	-	-	-
37	PLEURISY.....519	179	15	-	1	-	-	16	2	1	2
38	MALE.....	111	7	-	1	-	-	8	2	1	-
39	FEMALE.....	68	8	-	-	-	-	8	-	-	2
40	WHITE.....MALE.....	90	4	-	1	-	-	5	1	1	-
41	FEMALE.....	58	7	-	-	-	-	7	-	-	2
42	NEGRO.....MALE.....	20	2	-	-	-	-	2	1	-	-
43	FEMALE.....	10	1	-	-	-	-	1	-	-	-
44	OTHER.....MALE.....	1	1	-	-	-	-	1	-	-	-
45	FEMALE.....	-	-	-	-	-	-	-	-	-	-
46	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,219	981	56	18	5	7	1,067	19	17	19
47	MALE.....	2,746	554	33	10	3	2	602	10	9	8
48	FEMALE.....	1,473	427	23	8	2	5	465	9	8	11
49	WHITE.....MALE.....	2,368	374	17	8	1	2	402	6	8	7
50	FEMALE.....	1,231	259	15	3	2	4	283	6	8	9
51	NEGRO.....MALE.....	349	173	16	2	2	-	193	4	1	1
52	FEMALE.....	261	168	7	5	-	1	181	3	-	2
53	OTHER.....MALE.....	29	7	-	-	-	-	7	-	-	-
54	FEMALE.....	11	-	1	-	-	-	1	-	-	-
55	BRONCHIECTASIS.....526	1,476	1	1	1	-	-	3	4	6	9
56	MALE.....	938	-	1	1	-	-	2	3	2	4
57	FEMALE.....	538	1	-	-	-	-	1	1	4	5
58	WHITE.....MALE.....	859	-	-	1	-	-	1	2	1	4
59	FEMALE.....	496	-	-	-	-	-	-	1	2	4
60	NEGRO.....MALE.....	68	-	1	-	-	-	1	1	1	-
61	FEMALE.....	35	1	-	-	-	-	1	-	2	1
62	OTHER.....MALE.....	11	-	-	-	-	-	-	-	-	-
63	FEMALE.....	7	-	-	-	-	-	-	-	-	-
64	OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	23,665	216	28	10	7	3	264	15	19	21
65	MALE.....	19,872	114	11	6	5	1	137	6	11	12
66	FEMALE.....	3,793	102	17	4	2	2	127	9	8	9
67	WHITE.....MALE.....	18,698	76	8	6	2	-	92	4	10	11
68	FEMALE.....	3,520	57	10	3	2	2	74	8	6	9
69	NEGRO.....MALE.....	1,081	34	3	-	3	1	41	2	1	1
70	FEMALE.....	256	43	7	1	-	-	51	1	2	-
71	OTHER.....MALE.....	93	4	-	-	-	-	4	-	-	-
72	FEMALE.....	17	2	-	-	-	-	2	-	-	-
73	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	23,875	38	3	1	-	-	42	3	3	7
74	MALE.....	17,920	22	1	1	-	-	24	2	2	3
75	FEMALE.....	2,955	16	2	-	-	-	18	1	1	4
76	WHITE.....MALE.....	17,025	19	1	1	-	-	21	1	2	3
77	FEMALE.....	2,808	11	1	-	-	-	12	1	-	4
78	NEGRO.....MALE.....	818	3	-	-	-	-	3	1	-	-
79	FEMALE.....	137	4	1	-	-	-	5	-	1	-
80	OTHER.....MALE.....	77	-	-	-	-	-	-	-	-	-
81	FEMALE.....	10	1	-	-	-	-	1	-	-	-
82	ALL OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527.0.527.2	2,790	178	25	9	7	3	222	12	16	14
83	MALE.....	1,952	92	10	5	5	1	113	4	9	9
84	FEMALE.....	838	86	15	4	2	2	109	8	7	5
85	WHITE.....MALE.....	1,673	57	7	5	2	2	71	3	8	8
86	FEMALE.....	712	46	9	3	2	2	62	7	6	5
87	NEGRO.....MALE.....	263	31	3	-	3	1	38	1	1	1
88	FEMALE.....	119	39	6	1	-	-	46	1	1	-
89	OTHER.....MALE.....	16	4	-	-	-	-	4	-	-	-
90	FEMALE.....	7	1	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24j

Table with 18 columns representing age groups (20-24 years to 100 and over) and 'Not stated', and 90 rows of numerical data. The table contains mortality statistics for various age categories, with values ranging from 1 to 1,884. The last column is labeled 'Not stated' and contains numerical values for each row.





















SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision

Table with 12 columns: Cause of death, race, and sex; Total; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5-9 years; 10-14 years; 15-19 years. Rows include categories like VII. ACCIDENTS, POISONINGS, AND VIOLENCE; ACCIDENTS; RAILWAY ACCIDENTS; MOTOR VEHICLE ACCIDENTS; MOTOR VEHICLE TRAFFIC ACCIDENTS; MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN; MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN; OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC.; MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS; MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.

Age, Race, and Sex: United States, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

Table with 17 columns representing age groups (20-24 years to 100 and over) and 'Not stated', and multiple rows of numerical mortality data. Each row contains values for each age group, with some rows having a final column for 'Not stated' with two sub-columns (e.g., 115, 01).





SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
31	ACCIDENTS--CON.										
02	BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,435	3	9	13	13	4	42	51	33	95
63	MALE.....	1,388	2	6	8	8	3	27	36	32	92
04	FEMALE.....	47	1	3	5	5	1	15	15	1	3
65	WHITE.....MALE.....	1,186	1	5	6	6	3	21	31	30	84
66	FEMALE.....	43	1	3	5	5	1	15	13	1	3
07	NEGRO.....MALE.....	194	1	1	2	2	-	6	5	2	7
68	FEMALE.....	4	-	-	-	-	-	-	2	-	-
69	OTHER.....MALE.....	8	-	-	-	-	-	-	-	-	1
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	ACCIDENT CAUSED BY MACHINERY.....E912	2,055	1	8	14	19	15	57	57	98	135
11	MALE.....	1,984	-	5	10	13	10	38	48	86	133
12	FEMALE.....	71	1	3	4	6	5	19	9	12	2
13	WHITE.....MALE.....	1,789	-	4	10	13	10	37	47	81	115
14	FEMALE.....	63	1	2	4	6	5	18	7	11	2
15	NEGRO.....MALE.....	186	-	1	-	-	-	1	1	4	17
16	FEMALE.....	8	-	1	-	-	-	1	2	1	-
17	OTHER.....MALE.....	9	-	-	-	-	-	9	-	1	1
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	992	11	8	11	7	5	22	23	49	97
20	MALE.....	916	6	3	8	4	1	42	16	42	92
21	FEMALE.....	76	5	5	3	3	4	20	7	7	5
22	WHITE.....MALE.....	838	4	3	8	3	1	19	13	40	91
23	FEMALE.....	66	3	3	3	3	4	16	5	6	5
24	NEGRO.....MALE.....	72	2	-	-	1	-	3	2	2	-
25	FEMALE.....	9	2	1	-	-	-	3	2	1	-
26	OTHER.....MALE.....	6	-	-	-	-	-	-	1	-	1
27	FEMALE.....	1	-	1	-	-	-	1	-	-	-
28	ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	7,423	189	242	244	258	199	1,132	474	181	146
29	MALE.....	4,497	92	129	136	155	107	619	258	113	86
30	FEMALE.....	2,926	97	113	108	103	92	513	216	68	60
31	WHITE.....MALE.....	3,338	46	66	75	97	68	352	171	93	72
32	FEMALE.....	2,333	38	56	51	52	53	250	127	47	48
33	NEGRO.....MALE.....	1,095	43	61	59	56	37	256	83	20	13
34	FEMALE.....	852	56	53	55	48	36	248	85	20	12
35	OTHER.....MALE.....	64	3	2	2	2	2	11	4	-	1
36	FEMALE.....	41	3	4	2	3	3	15	4	1	-
37	ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	376	32	57	24	12	5	130	6	1	-
38	MALE.....	216	17	32	12	8	1	70	3	1	-
39	FEMALE.....	160	15	25	12	4	4	60	3	-	-
40	WHITE.....MALE.....	152	13	16	5	4	1	39	2	1	-
41	FEMALE.....	116	10	12	6	2	2	32	1	-	-
42	NEGRO.....MALE.....	63	4	16	7	4	-	31	1	-	-
43	FEMALE.....	41	5	12	6	2	1	26	2	-	-
44	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
45	FEMALE.....	3	-	1	-	-	1	2	-	-	-
46	ACCIDENT CAUSED BY FIREARM.....E919	2,896	5	15	24	20	26	90	153	355	548
47	MALE.....	2,462	3	6	15	15	23	62	107	301	494
48	FEMALE.....	434	2	9	9	5	3	28	46	54	54
49	WHITE.....MALE.....	1,927	3	2	7	9	14	35	80	251	387
50	FEMALE.....	299	2	5	5	2	3	17	34	42	36
51	NEGRO.....MALE.....	512	-	4	7	5	9	25	24	47	100
52	FEMALE.....	128	-	4	3	3	-	10	12	11	17
53	OTHER.....MALE.....	23	-	-	1	1	-	2	3	3	7
54	FEMALE.....	7	-	-	1	-	-	1	-	1	1
55	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	1,980	620	104	38	25	15	802	41	21	42
56	MALE.....	1,191	366	67	22	18	6	479	27	14	24
57	FEMALE.....	789	254	37	16	7	9	323	14	7	18
58	WHITE.....MALE.....	959	252	43	17	13	5	330	21	11	22
59	FEMALE.....	648	181	20	13	4	9	227	13	4	12
60	NEGRO.....MALE.....	212	113	23	5	5	1	144	6	1	2
61	FEMALE.....	131	68	17	3	3	-	91	1	3	6
62	OTHER.....MALE.....	20	4	1	-	-	-	5	-	2	-
63	FEMALE.....	10	5	-	-	-	-	5	-	-	-
64	ACCIDENTAL DROWNING.....E929	5,724	68	252	215	174	130	839	638	733	996
65	MALE.....	4,712	39	147	160	131	99	576	504	586	913
66	FEMALE.....	1,012	29	195	55	43	31	263	134	147	83
67	WHITE.....MALE.....	3,623	32	126	145	126	86	515	390	385	678
68	FEMALE.....	843	21	95	52	39	30	237	115	98	67
69	NEGRO.....MALE.....	990	6	18	9	4	10	47	105	199	218
70	FEMALE.....	142	7	6	1	2	1	17	17	44	11
71	OTHER.....MALE.....	99	1	3	6	1	3	14	9	2	17
72	FEMALE.....	27	1	4	2	2	-	9	2	5	5
73	EXCESSIVE HEAT AND INSOLATION.....E931	96	4	5	3	-	-	12	3	1	6
74	MALE.....	79	2	4	3	-	-	9	3	-	4
75	FEMALE.....	17	2	1	-	-	-	3	-	1	2
76	WHITE.....MALE.....	64	1	2	3	-	-	6	3	-	3
77	FEMALE.....	14	1	1	-	-	-	2	-	1	2
78	NEGRO.....MALE.....	13	1	2	-	-	-	3	-	-	1
79	FEMALE.....	3	1	-	-	-	-	1	-	-	-
80	OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
81	FEMALE.....	-	-	-	-	-	-	-	-	-	-
82	COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,530	35	12	5	6	1	59	9	10	20
83	MALE.....	769	21	5	3	4	-	33	6	4	11
84	FEMALE.....	761	14	7	2	2	1	26	3	6	9
85	WHITE.....MALE.....	669	17	4	2	4	-	27	3	3	8
86	FEMALE.....	665	12	6	1	1	1	21	3	5	8
87	NEGRO.....MALE.....	93	4	-	1	-	-	5	1	1	3
88	FEMALE.....	92	2	-	1	1	-	4	-	1	1
89	OTHER.....MALE.....	7	-	1	-	-	-	1	-	-	-
90	FEMALE.....	4	-	1	-	-	-	1	-	-	-



SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 258 Selected Causes, by

[Numbers after causes of death are category numbers of the Seventh Revision]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACCIDENTS--CON.										
02	ALL OTHER ACCIDENTS.....	6,909	1,232	172	93	62	72	1,631	215	260	290
03	MALE.....	4,876	717	96	52	37	47	949	152	225	247
04	FEMALE.....	2,033	515	76	41	25	25	682	63	35	43
05	WHITE.....	3,836	483	73	38	30	38	662	124	207	220
06	FEMALE.....	1,576	331	50	33	17	20	451	54	33	31
07	NEGRO.....	927	222	20	13	7	8	270	23	18	24
08	FEMALE.....	412	171	24	7	8	5	215	8	2	10
09	OTHER.....	113	12	3	1	-	1	17	5	1	3
	FEMALE.....	45	13	2	1	-	-	16	1	-	2
10	SUICIDE.....	21,325	...	...	...	...	...	...	...	121	836
11	MALE.....	15,187	...	...	...	...	...	...	...	94	624
12	FEMALE.....	6,138	...	...	...	...	...	...	...	27	212
13	WHITE.....	14,337	...	...	...	...	...	...	...	89	579
14	FEMALE.....	5,839	...	...	...	...	...	...	...	23	170
15	NEGRO.....	712	...	...	...	...	...	...	...	2	33
16	FEMALE.....	270	...	...	...	...	...	...	...	4	36
17	OTHER.....	168	...	...	...	...	...	...	...	3	12
18	FEMALE.....	59	...	...	...	...	...	...	...	-	6
19	SUICIDE BY POISONING.....	5,695	...	...	...	...	...	...	...	13	171
20	MALE.....	2,949	...	...	...	...	...	...	...	4	103
21	FEMALE.....	2,746	...	...	...	...	...	...	...	9	68
22	WHITE.....	2,842	...	...	...	...	...	...	...	4	98
23	FEMALE.....	2,642	...	...	...	...	...	...	...	6	54
24	NEGRO.....	80	...	...	...	...	...	...	...	-	4
25	FEMALE.....	79	...	...	...	...	...	...	...	3	12
26	OTHER.....	27	...	...	...	...	...	...	...	-	1
27	FEMALE.....	25	...	...	...	...	...	...	...	-	2
28	SUICIDE BY HANGING AND STRANGULATION.....	2,778	...	...	...	...	...	...	...	59	129
29	MALE.....	2,112	...	...	...	...	...	...	...	53	103
30	FEMALE.....	666	...	...	...	...	...	...	...	6	26
31	WHITE.....	1,986	...	...	...	...	...	...	...	50	95
32	FEMALE.....	628	...	...	...	...	...	...	...	6	21
33	NEGRO.....	94	...	...	...	...	...	...	...	1	5
34	FEMALE.....	21	...	...	...	...	...	...	...	-	4
35	OTHER.....	32	...	...	...	...	...	...	...	2	3
36	FEMALE.....	17	...	...	...	...	...	...	...	-	1
37	SUICIDE BY FIREARM AND EXPLOSIVE.....	13,550	...	...	...	...	...	...	...	47	460
38	MALE.....	8,766	...	...	...	...	...	...	...	36	374
39	FEMALE.....	1,784	...	...	...	...	...	...	...	11	86
40	WHITE.....	8,278	...	...	...	...	...	...	...	35	346
41	FEMALE.....	1,675	...	...	...	...	...	...	...	10	73
42	NEGRO.....	406	...	...	...	...	...	...	...	1	20
43	FEMALE.....	104	...	...	...	...	...	...	...	1	12
44	OTHER.....	82	...	...	...	...	...	...	...	-	8
45	FEMALE.....	5	...	...	...	...	...	...	...	-	1
46	SUICIDE BY ALL OTHER MEANS.....	2,332	...	...	...	...	...	...	...	2	76
47	MALE.....	1,360	...	...	...	...	...	...	...	1	44
48	FEMALE.....	962	...	...	...	...	...	...	...	1	32
49	WHITE.....	1,201	...	...	...	...	...	...	...	-	40
50	FEMALE.....	864	...	...	...	...	...	...	...	1	22
51	NEGRO.....	132	...	...	...	...	...	...	...	-	4
52	FEMALE.....	66	...	...	...	...	...	...	...	-	8
53	OTHER.....	27	...	...	...	...	...	...	...	1	-
54	FEMALE.....	12	...	...	...	...	...	...	...	-	2
55	HOMICIDE.....	13,425	226	52	60	35	27	400	134	152	1,078
56	MALE.....	13,236	122	28	31	16	11	208	57	95	847
57	FEMALE.....	3,189	104	24	29	19	16	192	77	57	231
58	WHITE.....	4,501	84	17	23	11	9	144	39	41	332
59	FEMALE.....	1,711	67	15	18	12	11	123	57	33	120
60	NEGRO.....	5,611	38	10	8	4	2	62	18	52	504
61	FEMALE.....	1,426	35	7	10	7	5	64	19	24	108
62	OTHER.....	124	-	1	-	-	-	-	-	2	11
63	FEMALE.....	52	2	2	1	-	-	5	1	-	3
64	ASSAULT BY FIREARM AND EXPLOSIVE.....	8,332	11	8	10	6	6	41	42	89	711
65	MALE.....	6,537	5	4	4	3	3	21	23	64	563
66	FEMALE.....	1,795	6	2	6	3	3	20	19	25	148
67	WHITE.....	2,835	3	5	3	2	2	15	15	30	210
68	FEMALE.....	932	4	2	4	3	2	15	14	12	69
69	NEGRO.....	3,639	2	1	1	1	1	6	8	33	350
70	FEMALE.....	838	2	-	2	-	1	5	4	13	77
71	OTHER.....	63	-	-	-	-	-	-	-	1	3
72	FEMALE.....	25	-	-	-	-	-	-	1	-	2
73	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....	2,467	14	1	3	3	3	24	16	25	203
74	MALE.....	1,961	9	1	2	1	1	14	8	13	165
75	FEMALE.....	506	5	-	1	2	2	10	8	12	38
76	WHITE.....	616	6	1	2	1	1	11	5	2	56
77	FEMALE.....	225	3	-	1	2	2	8	7	7	20
78	NEGRO.....	1,321	3	-	-	-	-	3	3	11	103
79	FEMALE.....	273	2	-	-	-	-	2	1	5	18
80	OTHER.....	24	-	-	-	-	-	-	-	-	6
81	FEMALE.....	8	-	-	-	-	-	-	-	-	-
82	ASSAULT BY OTHER MEANS.....	2,237	201	43	47	26	18	335	76	33	102
83	MALE.....	1,354	108	21	25	12	7	173	26	13	57
84	FEMALE.....	883	93	22	22	14	11	162	50	20	45
85	WHITE.....	849	75	11	18	8	6	118	19	9	34
86	FEMALE.....	552	60	13	13	7	7	100	36	14	31
87	NEGRO.....	473	33	9	7	3	1	53	7	3	22
88	FEMALE.....	312	31	7	8	7	4	57	14	6	13
89	OTHER.....	32	-	1	-	1	-	2	-	1	1
90	FEMALE.....	19	2	2	1	-	-	5	-	-	1







Table 1-26. Deaths From 258 Selected Causes, by  
 [Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ALL CAUSES.....	1,851,323	1,045,945	805,378	919,514	707,637	126,431	97,741
02 I. INFECTIVE AND PARASITIC DISEASES.....	16,246	10,332	5,914	7,751	4,385	2,581	1,529
03 TUBERCULOSIS, ALL FORMS.....001-019	6,901	5,002	1,899	3,574	1,309	1,428	590
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	6,351	4,683	1,668	3,408	1,188	1,275	489
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	135	69	66	32	36	37	30
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	43	26	14	10	5	16	9
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	52	28	24	17	19	11	5
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	122	70	52	45	31	25	21
09 DISSEMINATED TUBERCULOSIS.....019	201	126	75	62	30	64	45
10 SYPHILIS AND ITS SEQUELAE.....020-029	2,381	1,684	697	1,347	508	337	189
11 CONGENITAL SYPHILIS.....020	25	11	14	7	8	4	6
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	1,649	1,176	473	1,059	382	117	91
14 OTHER CARDIOVASCULAR SYPHILIS.....023	414	291	123	149	62	142	61
15 TABES DORSALIS.....024	28	22	6	19	5	3	1
16 GENERAL PARALYSIS OF INSANE.....025	68	47	21	39	14	8	7
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	140	100	40	51	21	49	19
18 ALL OTHER SYPHILIS.....027-029	57	37	20	23	16	14	4
19 GONOCOCCAL INFECTION.....030-035	11	10	1	5	-	5	1
20 TYPHOID FEVER.....041	12	6	6	6	5	6	1
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	63	28	35	20	24	8	11
22 CHOLERA.....043	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	4	2	2	1	2	1	-
24 DYSENTERY, ALL FORMS.....045-048	157	96	61	62	35	34	26
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	15	8	7	7	1	1	6
26 SCARLET FEVER.....050	9	5	4	4	1	1	-
27 STREPTOCOCCAL SORE THROAT.....051	38	19	19	15	11	4	8
28 ERYSIPELAS.....052	14	8	6	8	6	-	-
29 SEPTICEMIA AND PYEMIA.....053	2,603	1,425	1,178	1,088	911	337	267
30 DIPHTHERIA.....055	32	14	18	8	8	6	10
31 WHOOPING COUGH.....056	37	19	18	6	8	13	10
32 MENINGOCOCCAL INFECTIONS.....057	635	355	280	272	209	83	71
33 PLAGUE.....058	1	1	-	1	-	-	-
34 LEPROSY.....060	4	3	1	1	-	2	1
35 TETANUS.....061	144	76	68	47	31	29	37
36 ANTHRAX.....062	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	16	7	9	5	7	2	2
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	105	63	42	61	42	2	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	419	217	202	188	175	29	27
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	56	30	26	28	25	2	1
41 SMALLPOX.....084	-	-	-	-	-	-	-
42 MEASLES.....085	81	41	40	30	26	11	14
43 YELLOW FEVER.....091	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	844	343	501	286	433	57	68
45 RABIES.....094	2	2	-	2	-	-	-
46 TICK-BORNE TYPHUS.....104	28	16	12	13	11	3	1
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	-	1	-	-	-	1
48 MALARIA.....110-117	4	3	1	3	1	-	-
49 SCHISTOSOMIASIS.....123	5	4	1	4	1	-	-
50 HYDATID DISEASE.....125	10	7	3	6	3	1	-
51 FILARIASIS.....127	1	-	1	-	1	-	-
52 ANCYLOSTOMIASIS.....129	2	1	1	-	-	1	1
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	37	24	13	14	4	10	9
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,574	813	761	645	584	168	177
55 II. NEOPLASMS.....	315,996	171,614	144,382	153,589	130,203	18,025	14,179
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	310,983	169,164	141,819	151,451	128,051	17,713	13,768
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,718	5,013	1,705	4,409	1,506	604	199
58 OF LIP.....140	143	123	20	119	16	4	4
59 OF TONGUE.....141	1,544	1,186	358	1,031	322	155	36
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	2,121	1,434	687	1,279	622	155	65
61 OF PHARYNX.....145-148	2,913	2,270	640	1,980	546	290	94
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	95,320	51,262	44,058	45,368	40,002	5,894	4,056
63 OF ESOPHAGUS.....150	5,627	4,306	1,321	3,369	1,069	937	252
64 OF STOMACH.....151	17,050	10,396	6,654	8,717	5,812	1,679	842
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	715	368	347	331	313	37	34
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	33,382	15,235	17,877	14,081	16,537	1,124	1,340
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,536	2,006	2,530	1,873	2,368	133	162
68 TRANSVERSE COLON.....153.1	1,424	676	748	604	697	72	51
69 DESCENDING COLON.....153.2	1,397	518	579	476	538	42	41
70 SIGMOID COLON.....153.3	5,650	2,650	3,000	2,494	2,810	156	190
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	69	37	32	34	31	3	1
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	18,696	8,618	10,078	7,945	9,236	673	842
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,613	700	910	655	857	45	53
74 OF RECTUM.....154	13,431	5,836	4,595	5,436	4,239	400	356
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	6,745	2,955	3,790	2,548	3,511	407	279
76 LIVER.....155.0	2,152	1,428	724	1,136	626	292	98
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	4,593	1,527	3,066	1,412	2,885	115	181
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,136	1,714	1,422	1,470	1,255	244	167
79 OF PANCREAS.....157	16,886	9,696	7,190	8,732	6,502	964	688
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	1,648	786	862	684	764	102	96

































## SECTION 1 - GENERAL MORTALITY

1-179

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
38,503	15,268	10,936	6,569	5,730	3,038	683	433	1,681	1,041	5,898	3,537	2,271	50	40	01
435	137	88	129	81	42	7	4	25	6	46	33	11	2	-	02
140	53	15	50	22	16	3	-	11	2	11	9	-	2	-	03
127	51	15	45	16	13	3	-	8	2	11	9	-	2	-	04
2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	05
3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	08
5	1	-	2	2	2	-	-	2	-	-	-	-	-	-	09
48	15	1	21	11	2	1	-	-	1	11	9	2	-	-	10
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
28	9	1	12	6	1	1	-	-	-	10	9	1	-	-	13
14	4	-	6	4	-	-	-	-	-	1	-	1	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	16
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	17
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	20
5	-	2	3	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
12	2	3	4	3	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
102	20	32	32	18	10	2	2	6	-	7	5	2	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	30
22	11	6	3	2	4	-	-	2	2	1	1	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	33
6	1	1	-	4	1	-	-	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	36
12	6	2	1	3	3	1	-	2	-	1	1	-	-	-	37
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	38
5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
23	6	10	3	4	1	-	-	1	-	4	-	4	-	-	42
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	46
46	17	13	7	9	3	-	2	-	1	10	7	3	-	-	47
5,607	2,252	1,886	738	731	744	122	77	337	208	938	520	409	7	2	55
5,525	2,224	1,862	731	708	728	122	75	328	203	918	510	399	7	2	56
146	75	36	22	13	31	7	2	14	8	15	10	5	-	-	57
1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	58
29	12	5	10	2	2	1	-	1	-	1	1	-	-	-	59
51	26	17	5	3	9	3	-	4	2	6	3	3	-	-	60
65	36	14	7	8	20	3	2	9	6	4	2	2	-	-	61
1,500	574	520	221	185	284	38	20	150	76	260	141	113	4	2	62
119	43	21	43	12	24	4	2	16	2	11	8	3	-	-	63
285	95	69	75	46	98	9	1	55	33	59	34	23	1	1	64
8	3	2	1	2	1	-	-	-	-	1	-	1	-	-	65
446	162	203	25	56	43	8	4	18	13	90	40	47	3	-	66
44	14	19	4	7	7	1	1	1	4	15	8	7	-	-	67
22	11	5	3	3	3	1	1	1	1	3	2	1	-	-	68
15	6	7	-	2	1	-	-	-	-	1	1	1	-	-	69
70	22	35	3	10	5	-	-	3	2	14	6	7	1	-	70
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	71
281	105	130	15	31	25	5	2	13	5	51	19	30	2	-	72
12	4	5	-	3	2	1	-	-	1	5	4	1	-	-	73
145	54	55	16	20	24	3	4	14	3	29	16	13	-	-	74
84	32	32	10	10	40	3	2	26	9	13	5	8	-	-	75
37	18	8	8	3	20	1	1	17	1	2	1	1	-	-	76
47	14	24	2	7	20	2	1	9	8	11	4	7	-	-	77
61	24	19	9	9	7	1	-	5	1	5	1	4	-	-	78
318	149	108	37	24	41	10	6	14	11	48	33	14	-	1	79
34	12	11	5	6	6	-	1	2	3	4	4	-	-	-	80



## SECTION 1 - GENERAL MORTALITY

1-181

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

Total	GEORGIA				Total	HAWAII				Total	IDAHO				
	White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,077	722	132	189	34	132	36	8	69	19	141	118	21	2	—	01
54	29	8	14	3	15	3	—	10	2	8	5	2	1	—	02
454	316	46	80	12	28	13	2	11	2	66	57	9	—	—	03
560	374	76	91	19	88	19	6	48	15	63	55	7	1	—	04
9	3	2	4	—	1	1	—	—	—	4	1	3	—	—	05
510	4	380	—	126	35	—	15	1	19	73	—	73	—	—	06
772	200	269	139	164	57	6	9	15	27	126	69	57	—	—	07
202	...	116	...	86	13	...	2	...	11	17	...	17	...	—	08
96	...	56	...	40	3	...	—	...	3	11	...	11	...	—	09
121	...	90	...	31	18	...	7	...	11	29	...	29	...	—	10
14	...	7	...	7	2	...	—	...	2	—	...	—	...	—	11
323	190	...	133	...	18	5	...	13	...	65	65	...	...	...	12
16	10	...	6	...	3	1	...	2	...	4	4	...	...	...	13
209	99	56	23	31	24	8	—	9	5	51	34	17	—	—	14
72	35	19	9	9	10	2	—	7	1	24	14	10	—	—	15
137	64	37	14	22	14	6	2	2	4	27	20	7	—	—	16
817	313	291	97	116	81	16	10	34	21	125	59	66	—	—	17
109	58	37	8	6	13	5	1	5	2	12	7	5	—	—	18
8	3	4	1	—	1	—	1	—	—	—	—	—	—	—	19
150	72	61	13	4	15	3	1	9	2	30	18	12	—	—	20
12	5	5	—	2	5	—	—	2	3	5	1	4	—	—	21
42	22	11	3	6	3	1	—	—	2	7	4	3	—	—	22
29	11	5	7	6	5	1	—	2	2	—	—	—	—	—	23
24	11	5	3	5	2	—	—	2	—	6	2	4	—	—	24
443	131	163	62	87	37	6	7	14	10	65	27	38	—	—	25
246	122	87	17	20	33	5	1	14	13	49	29	20	—	—	26
248	115	91	23	19	51	6	8	22	15	78	50	27	1	—	27
111	52	44	7	8	21	3	4	7	7	36	23	12	1	—	28
53	29	18	6	—	13	—	2	6	5	21	16	5	—	—	29
84	34	29	10	11	17	3	2	9	3	21	11	10	—	—	30
82	28	24	7	23	16	—	2	9	5	20	10	10	—	—	31
10	...	6	...	4	1	...	—	...	1	1	...	1	...	...	32
8	2	2	1	3	3	—	1	1	1	1	...	1	...	...	33
18	8	4	3	3	4	—	1	2	1	4	1	3	—	—	34
35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	35
11	13	12	2	8	6	—	—	4	2	8	5	3	—	—	36
795	226	241	108	220	165	26	18	63	58	183	91	87	2	3	38
76	26	16	17	17	33	6	3	13	11	24	16	7	1	—	39
3	—	2	—	1	1	—	—	1	—	—	—	—	—	—	40
4	—	3	1	—	1	—	1	—	—	—	—	—	—	—	41
584	170	186	65	163	109	19	8	38	44	131	63	65	—	3	43
2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	44
9	1	4	2	2	1	—	—	1	—	1	1	—	—	—	45
37	3	11	8	15	8	—	1	5	2	4	2	1	1	—	47
9	5	3	—	1	—	—	—	—	—	3	2	1	—	—	48
71	21	15	14	21	12	1	5	5	1	19	6	13	—	—	49
118	27	31	30	30	16	4	1	6	5	24	16	8	—	—	50
93	21	22	25	25	6	—	—	4	2	14	12	2	—	—	51
3	2	1	—	—	—	—	—	—	—	2	2	—	—	—	52
90	19	21	25	25	6	—	—	4	2	12	10	2	—	—	53
10	2	3	2	3	7	—	—	1	2	2	2	—	—	—	54
15	4	6	3	2	3	—	1	1	1	8	4	4	—	—	55
163	73	25	47	18	6	1	3	1	1	14	12	1	1	—	56
3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	57
16	9	1	6	—	1	1	—	—	—	2	2	—	—	—	58
17	7	6	3	1	2	—	1	1	—	1	—	1	—	—	59
115	54	14	36	11	3	—	2	—	1	11	10	—	1	—	60
10	1	2	1	6	—	—	—	—	—	—	—	—	—	—	61
2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	62
5,806	1,682	1,926	1,016	1,182	371	41	45	149	136	731	369	357	3	2	63
5,501	1,589	1,835	951	1,126	327	35	36	131	125	665	335	325	3	2	64
200	61	74	32	33	46	3	4	15	24	17	5	12	—	—	65
3,258	874	968	642	774	174	16	19	78	61	381	197	181	2	1	66
1,614	529	628	213	244	71	10	9	24	28	167	83	82	1	1	67
429	125	165	64	75	36	6	4	14	12	100	50	50	—	—	68
53	11	12	15	15	9	1	2	—	—	6	5	1	—	—	69
13	6	6	—	1	7	—	—	—	—	9	9	8	—	—	70
31	22	7	—	2	7	1	2	3	1	18	9	9	—	—	71
15	5	4	5	1	3	2	1	—	—	3	2	1	—	—	72
59	10	10	27	12	2	—	—	—	1	6	4	2	—	—	73
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	74
2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	75
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	76
2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	77
129	38	51	16	24	23	1	4	11	7	24	13	11	—	—	78







SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

GEORGIA					HAWAII					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	...	10	...	18	1	...	-	...	1	4	...	3	...	1	01
6	...	5	...	1	-	...	-	...	-	1	...	1	...	-	02
3	...	-	...	3	-	...	-	...	-	2	...	2	...	-	03
3	...	-	...	3	1	...	-	...	1	-	...	-	...	-	04
2	...	-	...	2	-	...	-	...	-	-	...	-	...	-	05
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	06
5	...	-	...	5	-	...	-	...	-	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
8	...	5	...	3	-	...	-	...	-	-	...	-	...	-	09
62	13	22	12	15	5	-	1	3	1	4	1	3	-	-	10
12	2	4	5	1	3	-	-	3	-	-	-	-	-	-	11
50	11	18	7	14	2	-	1	-	1	4	1	3	-	-	12
86	39	33	6	8	7	-	3	1	3	13	6	6	-	1	13
43	17	22	1	3	5	-	2	1	2	6	1	4	-	1	14
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	15
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
16	14	-	1	1	-	-	-	-	-	3	3	-	-	-	18
22	6	11	2	3	2	-	1	-	1	4	2	2	-	-	19
374	142	143	47	42	74	15	8	24	27	53	33	20	-	-	20
36	16	20	-	-	-	-	-	-	-	-	-	-	-	-	21
30	6	18	-	6	9	2	-	4	3	4	4	-	-	-	22
171	62	55	30	24	40	7	5	14	14	33	22	11	-	-	23
137	58	50	17	12	25	6	3	6	10	16	7	9	-	-	24
1,288	423	280	339	246	145	20	12	64	49	155	87	67	-	1	25
584	150	111	165	158	29	7	3	10	9	55	33	21	-	1	26
161	29	45	32	55	5	-	-	2	3	19	8	10	-	1	27
423	121	66	133	103	24	7	3	8	6	36	25	11	-	-	28
4,020	1,959	757	967	337	386	79	37	188	82	628	458	147	12	11	29
2,946	1,511	621	587	227	304	67	27	150	60	519	382	119	10	8	30
14	5	1	8	-	-	-	-	-	-	6	3	2	1	-	31
1,561	860	341	268	92	134	21	9	70	34	244	168	69	7	-	32
1,517	833	329	265	90	129	21	9	66	33	241	166	68	7	-	33
59	36	17	4	2	-	-	-	-	-	8	6	2	-	-	34
217	83	41	61	32	26	1	3	12	10	28	15	9	4	-	35
646	356	161	97	32	53	9	2	31	11	63	40	22	1	-	36
505	314	92	88	11	47	11	4	21	11	71	50	20	1	-	37
90	44	18	15	13	3	-	-	2	1	71	55	15	1	-	38
44	27	12	3	2	5	-	-	4	1	3	2	1	-	-	39
6	-	3	3	-	2	1	-	1	-	1	1	-	-	-	40
33	28	1	4	-	5	1	-	4	-	6	6	-	-	-	41
46	44	1	1	-	8	1	1	1	-	14	11	2	1	-	42
48	15	15	11	7	12	2	6	3	1	7	5	2	-	-	43
34	20	5	6	3	-	-	-	-	-	2	1	1	-	-	44
340	123	153	44	20	34	7	3	14	10	67	45	20	-	2	45
89	47	16	24	2	19	4	1	10	4	14	14	-	-	-	46
76	23	44	7	2	5	2	1	2	-	8	5	2	-	1	47
175	53	93	13	16	10	1	1	2	6	45	26	18	-	1	48
40	18	1	21	-	1	-	-	1	-	13	13	-	-	-	49
60	42	1	16	1	1	1	-	-	-	22	22	-	-	-	50
28	24	-	4	-	4	2	-	2	-	7	6	1	-	-	51
230	79	34	62	55	15	3	1	10	1	24	16	8	-	-	52
12	6	2	3	1	1	-	-	-	1	-	-	-	-	-	53
131	86	12	26	7	5	3	-	2	-	17	15	2	-	-	54
34	9	10	9	6	11	2	1	5	3	4	3	-	-	1	55
151	76	12	57	6	44	11	2	25	6	37	31	5	-	1	56
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	57
13	6	4	1	2	6	1	4	1	-	2	1	1	-	-	58
161	68	25	41	27	21	5	-	12	4	46	35	6	1	4	59
455	311	99	36	9	63	11	8	29	15	82	60	20	1	1	60
50	30	18	1	1	23	2	7	9	5	21	9	12	-	-	61
24	18	3	2	1	21	3	-	12	6	10	6	2	1	1	62
359	251	73	30	5	14	4	1	7	2	46	42	4	-	-	63
22	12	5	3	2	5	2	-	1	2	5	3	2	-	-	64
617	136	37	343	101	18	1	2	8	7	27	14	8	1	2	65
444	95	27	243	79	11	1	2	5	3	19	13	4	-	-	66
93	13	-	70	10	2	-	-	1	1	-	-	-	-	-	67
63	19	10	22	12	5	-	-	2	3	6	2	4	-	-	68
17	9	-	8	-	-	-	-	-	-	2	1	-	1	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	1	-	1	-	1	-	-	1	-	-	-	-	-	-	71



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

IOWA					KANSAS					KENTUCKY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,876	16,053	12,503	162	158	21,752	11,702	8,945	601	504	31,894	16,522	12,303	1,622	1,447	01
140	92	44	--	4	142	86	46	7	3	351	199	108	31	13	02
40	28	12	--	--	43	31	6	3	3	189	117	50	17	5	03
36	26	10	--	--	38	29	4	3	2	176	112	43	17	4	04
2	--	2	--	--	--	--	--	--	--	1	--	1	--	--	05
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	06
1	1	--	--	--	1	1	1	--	--	1	3	4	--	--	07
1	1	--	--	--	2	1	1	--	--	4	2	1	--	--	08
27	15	11	--	1	36	24	9	3	--	35	21	5	7	1	10
1	1	--	--	--	--	--	--	--	--	--	--	--	--	--	11
17	11	5	--	1	27	20	6	1	--	20	14	4	1	1	12
4	1	3	--	--	4	1	1	2	--	13	6	1	5	1	13
1	--	1	--	--	1	1	1	--	--	--	--	--	--	--	14
1	--	1	--	--	3	1	2	--	--	--	--	--	--	--	15
1	--	1	--	--	1	1	--	--	--	2	1	--	1	--	16
3	2	1	--	--	--	--	--	--	--	--	--	--	--	--	17
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	19
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	20
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21
1	--	1	--	--	--	--	--	--	--	1	1	--	--	--	22
1	--	1	--	--	--	--	--	--	--	--	--	--	--	--	23
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	24
30	23	7	--	--	21	12	9	--	--	45	24	15	4	2	25
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	26
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	27
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	28
11	5	4	--	2	1	1	--	--	--	13	5	7	--	1	29
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	30
--	--	--	--	--	--	--	--	--	--	1	--	1	--	--	31
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	32
2	2	1	--	--	9	5	4	--	--	6	4	2	--	--	33
--	--	--	--	--	1	1	1	--	--	1	1	--	--	--	34
1	--	1	--	--	1	1	--	--	--	2	--	2	--	--	35
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	36
5	3	2	--	--	5	1	3	1	--	13	2	10	--	1	37
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	38
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	39
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	40
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	41
2	1	--	--	1	--	--	--	--	--	2	1	1	--	--	42
19	15	4	--	--	22	10	12	--	--	37	20	13	3	1	43
4,793	2,566	2,176	29	22	3,447	1,797	1,472	84	94	4,913	2,456	1,976	271	210	44
4,743	2,541	2,151	29	22	3,407	1,778	1,454	84	91	4,827	2,415	1,941	265	206	45
77	58	19	--	--	78	55	20	2	1	127	85	25	15	2	46
2	2	--	--	--	2	2	--	--	--	5	4	1	--	--	47
14	12	2	--	--	20	13	7	--	--	28	11	7	8	2	48
29	20	9	--	--	26	16	5	2	1	42	26	12	4	--	49
32	24	8	--	--	30	22	8	--	--	52	44	5	3	--	50
1,538	773	754	6	5	978	512	417	28	21	1,435	651	614	96	74	51
86	65	17	3	1	42	34	4	4	--	86	46	17	15	8	52
234	126	107	--	1	132	80	47	5	--	218	108	81	21	8	53
19	8	11	--	--	7	3	4	--	--	11	4	6	--	1	54
572	237	333	1	1	407	183	204	8	12	505	206	242	30	27	55
87	37	50	--	--	74	33	38	1	2	56	25	26	2	3	56
22	10	12	--	--	15	7	7	1	--	16	9	4	2	1	57
21	10	11	--	--	16	6	8	1	1	18	8	8	2	2	58
76	28	47	1	--	61	24	32	1	4	55	14	34	5	2	59
1	1	--	--	--	--	--	--	--	--	2	1	1	--	--	60
343	140	202	--	1	231	107	115	4	5	332	137	157	18	20	61
22	11	11	--	--	10	6	4	--	--	26	12	12	1	1	62
176	97	76	2	1	98	53	38	5	2	140	72	54	5	9	63
113	50	63	--	--	60	24	36	--	--	121	40	76	2	3	64
21	17	4	--	--	11	7	4	--	--	35	22	11	1	1	65
92	33	59	--	--	49	17	32	--	--	86	18	65	1	2	66
38	18	20	--	--	34	16	15	2	1	76	31	38	3	4	67
276	162	113	--	1	178	108	61	4	5	256	130	96	16	14	68
24	10	14	--	--	20	11	8	--	1	22	14	4	4	--	69









SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	74	...	35	...	39	23	...	20	...	3
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	12	...	6	...	6	2	...	2	...	2
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	9	...	3	...	6	5	...	3	...	2
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	6	...	3	...	3	2	...	2	...	1
05 ECTOPIC PREGNANCY.....645	5	...	1	...	4	2	...	1	...	1
06 ABORTICN WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	3	...	2	...	1	...	...	...	...	...
07 ABORTICN WITH SEPSIS.....651	13	...	6	...	7	...	...	...	...	...
08 ABORTICN WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	...	...	...	...	...	...	...	...	...	...
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	26	...	14	...	12	12	...	12	...	...
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	89	16	55	5	13	56	18	33	1	4
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	15	4	6	2	3	15	7	8	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	74	12	49	3	10	41	11	25	1	4
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	223	76	128	12	7	94	30	53	2	1
14 ARTHRITIS AND SPONDYLITIS.....720-725	90	31	56	-	3	55	18	36	1	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	3	-	2	1	-	-	-	-	-	-
16 CSTEOMYELITIS AND PERIOSTITIS.....730	8	3	3	2	-	4	2	1	1	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	5	-	5	-	-	2	-	2	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	31	21	8	2	-	15	14	1	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	86	21	54	7	4	18	4	13	-	1
20 XIV. CONGENITAL MALFORMATIONS.....	959	451	378	57	73	452	222	199	17	14
21 SPINA BIFIDA AND MENINGOCELE.....751	50	18	29	2	1	36	13	22	-	1
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	89	44	32	6	7	48	23	22	1	2
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	491	223	196	30	42	201	97	92	8	4
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	329	166	121	19	23	167	89	63	8	7
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	2,872	1,152	822	496	402	1,295	669	454	94	78
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS...	300	150	101	28	21	247	111	109	19	8
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	16	5	11	-	-	47	21	23	2	1
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	284	145	90	28	21	200	90	86	17	7
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,486	4,284	1,926	960	316	3,841	2,443	1,075	241	82
30 ACCIDENTS.....E800-E962	5,654	3,361	1,562	507	224	3,085	1,988	898	143	56
31 RAILWAY ACCIDENTS.....E800-E802	83	56	14	13	-	28	23	3	2	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	2,576	1,630	712	173	61	1,580	1,080	413	64	23
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	2,543	1,611	700	171	61	1,550	1,057	406	64	23
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	120	73	43	1	3	92	68	18	4	2
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	413	226	122	51	14	184	113	43	22	6
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,317	813	416	62	26	676	446	206	18	6
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	514	373	82	47	12	349	268	67	10	4
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	179	126	37	10	6	269	162	72	10	5
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	33	19	12	2	-	30	23	7	-	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	9	6	3	-	-	10	3	6	1	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	65	54	4	7	-	26	24	-	2	-
42 AIRCRAFT ACCIDENTS.....E860-E866	54	43	11	-	-	37	34	3	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	159	45	73	19	22	48	22	22	2	2
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	169	119	29	12	9	60	44	12	2	2
45 ACCIDENTAL FALLS.....E900-E904	944	474	370	77	23	566	268	275	15	8
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	324	190	73	48	13	129	93	27	9	-
47 FALL ON SAME LEVEL.....E903	211	102	92	13	4	76	38	35	2	1
48 UNSPECIFIED FALLS.....E904	409	182	205	16	6	361	137	213	4	7
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	73	63	3	7	-	30	28	2	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	116	101	8	7	-	60	54	3	3	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	62	54	4	3	1	32	25	5	2	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	411	171	126	61	53	168	92	47	17	12
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	29	11	8	6	4	7	4	1	-	2
54 ACCIDENT CAUSED BY FIREARM.....E919	151	93	12	33	13	71	50	10	10	1
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	135	51	34	10	10	31	16	12	3	-
56 ACCIDENTAL DROWNING.....E929	234	166	27	35	6	103	79	16	8	-
57 EXCESSIVE HEAT AND INSULATION.....E931	3	2	-	1	-	5	4	1	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	50	12	28	5	5	51	28	21	2	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	361	219	96	38	17	172	110	46	10	6
60 SUICIDE.....E963,E970-E979	1,003	675	280	37	11	525	365	142	15	3
61 SUICIDE BY POISONING.....E970-E973	250	124	120	3	3	138	64	71	2	1
62 SUICIDE BY HANGING AND STRANGULATION.....E974	164	115	46	3	-	81	61	20	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	456	371	56	23	6	267	224	30	11	2
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	133	65	58	8	2	39	16	21	2	-
65 HOMICIDE.....E964-E980-E985	828	247	84	416	81	230	89	35	83	23
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	502	151	46	261	44	147	59	18	55	15
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	161	36	9	100	16	33	8	2	17	6
68 ASSAULT BY OTHER MEANS.....E984,E980,E983	130	45	29	35	21	44	20	15	7	2
69 INJURY BY INTERVENTION OF POLICE.....E984	35	15	-	20	-	6	2	-	4	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	1	1	-	-	-



SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	31,735	11,994	8,371	6,250	5,120	11,092	6,140	4,905	29	18
02 I. INFECTIVE AND PARASITIC DISEASES.....	458	130	91	142	95	65	37	26	2	-
03 TUBERCULOSIS, ALL FORMS.....001-019	187	62	29	66	30	25	13	10	2	-
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	177	62	25	63	27	24	13	9	2	-
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....014-018	2	-	-	-	2	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	-	1	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	3	-	2	1	-	1	-	1	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	3	-	1	1	1	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	1	-	1	-	-	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	59	16	11	22	10	4	2	2	-	-
11 CONGENITAL SYPHILIS.....020	1	-	-	1	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	35	15	10	4	6	3	2	1	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	14	1	-	11	2	1	-	1	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	-	1	3	1	-	-	-	-	-
18 ALL OTHER SYPHILIS.....027-029	4	-	-	3	1	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	2	-	1	1	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	-	-	2	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLLOSIS.....044	1	-	1	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	6	3	-	2	1	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	1	-	1	-	-	1	1	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	1	1	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	89	19	17	27	26	14	9	5	-	-
30 DIPHTHERIA.....055	5	1	1	2	1	-	-	-	-	-
31 WHOOPING COUGH.....056	1	-	-	1	-	1	-	1	-	-
32 MENINGOCOCCAL INFECTIONS.....057	28	9	4	3	12	6	3	3	-	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	7	3	1	2	1	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	1	-	-	1	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	1	1	-	-	-	-	-	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....092	6	3	2	1	-	1	-	1	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	3	-	2	-	1	2	2	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	15	5	6	1	3	2	-	2	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	1	-	-	-	1	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	5	2	-	3	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	36	6	13	8	9	8	6	2	-	-
55 II. NEOPLASMS.....	5,158	2,079	1,479	946	654	1,905	1,061	838	3	3
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,087	2,052	1,461	931	643	1,872	1,038	828	3	3
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	131	72	26	24	9	32	21	11	-	-
58 OF LIP.....140	5	3	2	-	-	4	4	-	-	-
59 OF TONGUE.....141	21	9	5	6	1	4	2	2	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	45	24	10	9	2	7	5	2	-	-
61 OF PHARYNX.....145-148	60	36	9	9	6	17	10	7	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,354	496	383	293	182	612	314	296	1	1
63 OF ESOPHAGUS.....150	94	43	10	31	10	35	29	6	-	-
64 OF STOMACH.....151	293	88	52	112	41	110	61	48	1	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	7	2	2	-	3	3	-	3	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	413	127	172	57	57	261	91	109	-	1
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	39	6	27	5	1	36	13	22	-	1
68 TRANSVERSE COLON.....153.1	6	2	2	1	1	10	5	5	-	-
69 DESCENDING COLON.....153.2	11	3	5	3	-	4	-	4	-	-
70 SIGMOID COLON.....153.3	59	19	24	6	10	37	20	17	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	-	1	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	283	89	112	39	43	93	43	50	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	15	8	2	3	2	20	10	10	-	-
74 OF RECTUM.....154	101	36	35	19	11	86	44	42	-	-
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	68	32	22	9	5	42	14	28	-	-
76 LIVER.....155.0	31	22	2	4	3	11	7	4	-	-
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	37	10	20	5	2	31	7	24	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156	67	28	13	14	12	33	15	18	-	-
79 OF PANCREAS.....157	281	132	69	43	37	92	56	36	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	30	8	8	8	6	10	4	6	-	-

## SECTION 1 - GENERAL MORTALITY

1-195

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,101	13,898	11,322	3,475	2,406	58,020	29,900	26,736	815	569	75,382	38,854	28,668	4,572	3,288	01
363	158	68	85	52	509	300	182	17	10	532	263	143	83	43	02
181	76	26	57	22	198	132	52	9	5	224	126	35	49	14	03
164	71	25	50	18	189	128	50	7	4	206	120	30	45	11	04
4	1	-	2	1	1	-	1	-	-	6	1	2	3	-	05
1	-	-	-	1	1	-	-	1	-	2	1	-	-	1	06
3	-	1	2	-	1	1	-	-	-	1	1	-	-	-	07
4	1	-	1	2	3	2	1	-	-	5	2	2	-	1	08
5	3	-	2	-	3	1	-	1	1	4	1	1	1	1	09
38	21	5	7	5	120	87	29	2	2	56	30	12	7	7	10
1	-	-	-	1	1	-	1	-	-	2	-	1	-	1	11
21	17	3	-	1	105	78	26	1	-	28	17	7	1	3	12
11	4	2	5	-	13	8	2	1	2	12	4	1	4	3	13
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	14
5	-	-	2	3	1	1	-	-	-	4	2	-	2	-	15
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	16
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	17
2	1	-	1	-	-	-	-	-	-	1	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	26
68	26	17	14	11	108	45	59	1	3	85	31	35	10	9	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
13	7	4	1	1	8	4	3	1	-	27	11	11	3	2	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	1	-	-	-	4	2	1	-	1	32
-	-	-	-	-	2	-	2	-	-	9	-	-	-	-	33
1	1	-	-	-	1	3	4	-	-	19	7	2	-	-	34
5	2	2	1	1	7	3	4	-	-	2	10	7	2	-	35
3	2	1	-	-	2	1	1	-	-	2	1	1	-	-	36
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
10	5	4	-	1	18	5	13	-	-	38	19	16	1	2	39
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
37	13	8	5	11	40	20	16	4	-	61	21	22	10	8	45
5,746	2,513	2,247	592	394	10,612	5,351	5,045	131	85	13,204	6,580	5,347	735	542	46
5,632	2,483	2,192	578	379	10,419	5,263	4,945	128	83	13,008	6,503	5,265	723	517	47
147	89	31	20	7	242	177	55	8	2	238	158	57	18	5	48
3	1	-	2	6	6	6	-	-	-	4	4	-	-	-	49
31	19	8	3	1	64	45	16	2	1	43	31	9	3	-	50
37	23	9	5	-	71	52	16	2	1	72	46	22	3	1	51
76	46	14	12	4	101	74	23	4	-	119	77	26	12	4	52
1,574	670	617	183	104	3,593	1,768	1,759	45	21	3,907	1,963	1,588	211	145	53
140	67	19	48	6	233	160	65	6	2	255	165	40	41	9	54
220	83	70	48	19	624	335	274	10	5	667	355	221	59	32	55
10	5	3	1	1	27	9	18	-	-	32	14	13	3	2	56
561	222	271	34	34	1,305	574	713	10	8	1,304	577	648	36	43	57
64	31	26	1	6	191	76	111	1	3	179	74	96	3	6	58
29	6	18	4	1	51	21	27	2	1	58	30	21	3	4	59
17	5	11	-	1	34	20	14	-	-	41	14	24	2	1	60
86	35	42	7	2	243	121	121	1	-	275	134	134	3	4	61
1	-	-	1	-	4	1	3	-	-	5	4	1	-	-	62
339	131	163	21	24	670	291	371	5	3	680	289	346	19	26	63
25	14	11	-	-	112	44	66	1	1	66	32	26	6	2	64
186	94	72	10	10	436	225	203	5	3	430	239	162	15	14	65
104	34	51	10	9	236	108	123	5	-	344	121	160	11	12	66
40	18	12	8	2	65	46	16	3	-	87	47	24	10	6	67
64	16	39	2	7	171	62	107	2	-	217	74	136	1	6	68
68	30	24	9	5	112	54	57	1	-	153	74	65	5	9	69
256	123	95	20	18	568	280	278	7	3	744	384	258	40	22	70
29	12	12	3	2	52	23	28	1	-	58	34	21	1	2	71













SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	MINNESOTA						MISSISSIPPI					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 ALL CAUSES.....	32,949	18,728	13,774	253	194	22,629	7,659	5,210	5,377	4,383		
02 I. INFECTIVE AND PARASITIC DISEASES.....	183	101	75	5	2	222	64	44	63	51		
03 TUBERCULOSIS, ALL FORMS.....001-019	53	29	21	2	1	80	27	12	24	17		
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	45	24	18	2	1	76	27	11	22	16		
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	2	1	1	-	-	1	-	-	1	-		
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-		
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	4	3	1	-	-	-	-	-	-	-		
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	1	1	-	-	2	-	1	-	1		
09 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	1	-	-	1	-		
10 SYPHILIS AND ITS SEQUELAE.....020-029	23	18	5	-	-	24	12	2	6	4		
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-		
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-		
13 ANEURYSM OF AORTA.....022	15	13	2	-	-	17	10	2	1	4		
14 OTHER CARDIOVASCULAR SYPHILIS.....023	4	2	2	-	-	4	1	-	3	-		
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-		
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	1	1	-	-	-		
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	1	1	-	-	2	-	-	2	-		
18 ALL OTHER SYPHILIS.....027-029	1	1	-	-	-	-	-	-	-	-		
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-		
20 TYPHOID FEVER.....040	-	-	-	-	-	3	-	-	3	-		
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	2	-	1	-	1		
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-		
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-		
24 DYSENTERY, ALL FORMS.....045-048	1	1	-	-	-	7	-	1	4	2		
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	1	-	-	-	1		
26 SCARLET FEVER.....050	-	-	-	-	-	1	-	-	1	-		
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	1	-	-	1	-		
28 ERYSIPELAS.....052	1	1	-	-	-	-	-	-	-	-		
29 SEPTICEMIA AND PYEMIA.....053	35	22	13	-	-	39	9	9	10	11		
30 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-		
31 WHOOPING COUGH.....056	1	-	-	-	1	3	-	-	1	1		
32 MENINGOCOCCAL INFECTIONS.....057	7	4	3	-	-	6	-	3	2	1		
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-		
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-		
35 TETANUS.....061	2	1	1	-	-	8	2	2	2	2		
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-		
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	1	-	-	-	1		
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	10	5	5	-	-	2	1	1	-	-		
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	7	5	2	-	-	5	-	2	1	2		
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	2	-	2	-	-		
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-		
42 MEASLES.....085	-	-	-	-	-	3	-	1	1	1		
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-		
44 INFECTIOUS HEPATITIS.....092	15	2	11	2	-	13	3	5	3	2		
45 RABIES.....096	-	-	-	-	-	-	-	-	-	-		
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-		
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-		
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-		
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-		
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-		
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-		
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-		
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	1	-	-	-	1		
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	27	12	14	1	-	20	10	2	4	4		
55 II. NEOPLASMS.....	5,916	3,192	2,665	33	26	3,170	1,184	907	568	511		
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,847	3,167	2,623	33	24	3,119	1,165	897	556	501		
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	131	78	22	-	1	58	28	19	7	4		
58 OF LIP.....140	4	4	-	-	-	1	1	-	-	-		
59 OF TONGUE.....141	30	24	6	-	-	4	2	2	-	-		
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	35	23	12	-	-	23	11	7	2	3		
61 OF PHARYNX.....145-148	32	27	4	-	1	30	14	10	5	1		
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,937	1,048	869	14	6	897	287	283	176	151		
63 OF ESOPHAGUS.....150	69	53	12	3	1	48	20	11	13	4		
64 OF STOMACH.....151	387	238	142	5	2	186	44	38	58	46		
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	17	13	4	-	-	7	2	3	1	1		
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	666	336	327	2	1	279	83	110	37	49		
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	124	59	65	-	-	34	12	13	3	6		
68 TRANSVERSE COLON.....153.1	36	15	20	1	-	5	1	4	-	-		
69 DESCENDING COLON.....153.2	21	12	9	-	-	12	4	4	1	3		
70 SIGMOID COLON.....153.3	108	54	53	1	-	29	10	14	4	1		
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	3	1	2	-	-	-	-	-	-	-		
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	353	184	168	-	1	193	54	73	28	38		
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	21	11	10	-	-	6	2	2	1	1		
74 OF RECTUM.....154	212	124	87	1	-	72	29	19	14	10		
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	147	46	98	1	2	43	15	21	4	3		
76 LIVER.....155.0	36	20	15	1	-	19	9	5	4	1		
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	111	26	83	-	2	24	6	16	-	2		
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	49	22	27	-	-	47	10	15	11	11		
79 OF PANCREAS.....157	364	205	157	2	-	195	80	58	33	24		
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	26	11	15	-	-	20	4	8	5	3		





SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,663	1,318	201	121	23	162	128	25	4	5	368	299	58	8	3
76	64	6	6	-	8	5	3	-	-	19	19	-	-	-
523	423	55	38	7	52	43	5	2	2	319	259	50	7	3
1,045	820	134	76	15	97	76	16	2	3	22	16	5	1	-
19	11	6	1	1	5	4	1	-	-	8	5	3	-	-
727	3	659	1	64	97	1	95	-	1	211	4	202	-	5
1,079	419	549	54	57	153	70	79	-	4	338	157	169	5	7
197	...	173	...	24	28	...	26	...	2	38	...	34	...	4
139	...	123	...	16	17	...	17	...	...	42	...	41	...	1
259	...	243	...	16	36	...	34	...	2	89	...	87	...	2
11	...	10	...	1	2	...	2	...	-	7	...	7	...	-
456	403	...	53	...	66	66	...	...	...	153	148	...	5	...
17	16	...	1	...	4	4	...	...	...	9	...	40	...	...
348	218	108	16	6	62	46	14	1	1	118	77	40	1	...
151	94	49	7	1	29	21	7	-	1	52	27	25	-	-
197	124	59	9	5	33	25	7	1	-	66	50	15	1	-
1,024	488	451	42	43	117	56	54	5	2	264	143	113	6	2
113	68	43	1	1	11	6	5	-	-	40	23	16	1	-
7	3	3	-	1	2	1	1	-	-	7	5	2	-	-
164	84	67	8	5	15	11	3	1	-	60	35	24	1	-
21	9	11	-	1	2	-	1	-	1	12	3	7	1	-
52	28	21	2	1	8	4	3	1	-	17	9	8	-	-
29	10	16	1	2	4	2	2	-	-	17	10	6	1	-
37	24	11	-	2	9	2	6	1	-	8	6	2	-	-
601	262	279	30	30	66	30	33	2	1	133	52	48	2	1
422	231	173	10	8	39	25	14	-	-	162	100	59	1	2
369	195	145	16	13	44	23	20	1	-	153	81	67	4	1
184	101	73	6	4	22	11	-11	-	-	75	39	35	1	-
76	44	29	1	2	11	6	4	1	-	31	16	13	1	1
109	50	43	9	7	11	6	5	-	-	47	26	19	2	-
97	37	44	5	11	16	5	11	-	-	37	15	22	-	-
7	...	5	...	2	-	...	-	...	-	1	...	1	...	-
16	3	10	1	2	2	1	1	-	-	10	4	6	-	-
18	7	8	1	2	3	1	2	-	-	11	3	8	-	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
35	16	14	2	3	5	1	4	-	-	11	6	5	-	-
20	11	6	1	2	6	2	4	-	-	4	2	2	-	-
1,175	478	547	65	85	166	85	91	3	7	406	174	220	6	6
101	59	23	11	8	19	11	8	-	-	37	16	20	-	1
5	-	3	1	1	1	-	1	-	-	-	-	-	-	-
10	1	6	2	1	2	-	2	-	-	4	-	4	-	-
8	4	4	-	-	-	-	-	-	-	3	3	3	-	-
889	349	434	40	66	141	67	67	3	4	316	137	168	6	5
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
13	2	10	-	1	3	2	1	-	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	15	25	6	3	5	2	3	-	-	11	5	6	-	-
15	8	6	1	-	1	-	1	-	-	3	-	3	-	-
82	37	36	4	5	14	3	8	-	3	30	15	15	-	-
133	54	60	11	8	20	7	13	-	-	53	25	26	-	2
84	30	40	7	7	12	5	7	-	-	36	16	18	-	2
9	3	5	1	-	1	-	1	-	-	6	2	4	-	-
75	27	35	6	7	11	5	6	-	-	30	14	14	-	2
13	9	1	2	1	4	2	2	-	-	10	5	5	-	-
36	15	19	2	-	4	-	4	-	-	7	4	3	-	-
101	57	26	13	5	16	13	1	1	1	54	39	12	3	-
7	7	-	-	-	-	-	-	-	-	5	4	1	-	-
7	6	-	1	-	4	4	-	-	-	7	7	-	-	-
38	17	15	3	3	1	-	1	-	-	11	5	6	-	-
33	20	6	5	2	11	9	-	1	1	27	22	2	3	-
10	7	2	1	-	-	-	-	-	-	3	-	3	-	-
6	-	3	3	-	-	-	-	-	-	1	1	-	-	-
6,468	2,713	3,680	318	357	743	355	370	9	9	1,924	895	995	11	23
6,145	2,573	2,945	294	333	678	322	344	6	6	1,820	841	948	9	22
203	74	90	19	20	23	10	12	-	1	53	21	28	1	3
3,277	1,395	1,622	131	129	389	187	192	5	5	1,048	484	546	5	13
2,028	848	908	120	152	172	77	94	1	-	510	246	257	2	5
637	256	325	24	32	94	48	46	-	-	209	90	117	1	1
45	21	9	6	9	7	2	2	1	2	11	4	5	2	-
46	19	23	2	2	8	3	5	-	-	17	5	11	-	1
65	30	34	-	1	17	10	6	-	1	30	22	8	-	-
25	8	9	4	4	1	-	1	-	-	5	2	3	-	-
34	7	18	7	2	12	6	5	1	-	11	5	6	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
106	54	42	4	6	19	11	7	1	-	29	16	13	-	-























SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

NEW JERSEY					NEW MEXICO					NEW YORK				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
44	...	24	...	20	5	...	5	...	-	101	...	45	...	56
6	...	4	...	2	-	...	-	...	-	11	...	4	...	7
5	...	3	...	2	-	...	-	...	-	19	...	11	...	8
12	...	8	...	4	2	...	2	...	-	13	...	8	...	5
3	...	1	...	2	-	...	-	...	-	7	...	4	...	5
4	...	2	...	2	-	...	-	...	-	8	...	4	...	4
8	...	3	...	5	-	...	-	...	-	16	...	5	...	11
-	...	-	...	-	-	...	-	...	-	-	...	-	...	7
6	...	3	...	3	3	...	3	...	-	27	...	11	...	8
87	18	57	6	6	11	5	3	1	2	171	46	104	7	14
15	2	9	2	2	4	3	-	-	1	30	15	12	2	1
72	16	48	4	4	7	2	3	1	1	141	31	92	5	13
120	53	62	2	3	17	8	7	-	2	269	112	143	8	6
59	22	34	1	2	11	5	4	-	2	122	34	80	4	4
6	3	3	-	-	-	-	-	-	-	6	3	2	1	-
5	3	2	-	-	1	1	-	-	-	19	11	7	-	1
7	5	2	-	-	1	-	1	-	-	7	2	3	2	-
13	9	3	1	-	-	-	-	-	-	44	30	13	1	-
30	11	18	-	1	4	2	2	-	-	71	32	38	-	1
566	255	224	44	43	95	34	49	10	2	1,617	734	631	145	107
31	11	19	1	-	11	3	8	-	-	86	41	40	1	4
51	25	21	3	2	6	2	3	1	-	137	55	56	14	12
265	128	94	21	22	39	15	16	6	2	872	403	322	86	61
219	91	90	19	19	39	14	22	3	-	522	235	213	44	30
1,669	659	483	291	236	285	140	93	26	26	4,356	1,839	1,193	720	604
377	162	123	62	30	322	153	79	56	34	1,627	676	557	228	166
24	7	15	1	1	12	2	9	1	-	34	10	23	1	-
353	155	108	61	29	310	151	70	55	34	1,593	666	534	227	166
3,703	1,983	1,041	516	163	1,011	632	211	130	38	10,679	5,785	2,964	1,436	494
2,909	1,575	856	358	120	803	503	161	105	34	8,104	4,488	2,438	919	339
35	23	4	7	1	9	3	-	6	-	112	81	7	23	1
1,222	752	300	134	36	387	252	71	44	20	3,392	1,973	791	239	89
1,195	729	295	134	36	382	247	71	44	20	3,043	1,938	779	237	89
15	7	6	2	-	6	4	2	-	-	33	25	8	-	-
313	189	70	37	17	55	27	8	15	5	897	500	260	98	39
499	303	136	47	13	179	113	40	16	10	1,337	661	280	70	26
328	206	73	43	6	128	94	19	11	4	801	552	172	57	20
40	24	11	5	-	14	9	2	2	1	275	200	59	12	4
27	23	4	-	-	5	5	-	-	-	49	35	12	2	-
5	2	1	1	1	7	4	1	2	-	9	7	2	-	-
20	17	-	3	-	1	-	1	-	-	59	46	3	10	-
31	30	-	1	-	16	16	-	-	-	82	64	18	-	-
89	34	28	20	7	19	9	9	-	1	399	157	47	165	30
43	29	8	6	-	8	8	-	-	-	100	64	21	11	4
702	302	343	37	20	76	41	30	5	-	2,273	973	1,035	169	96
183	110	53	15	5	21	14	3	4	-	648	340	186	77	45
107	49	47	9	2	34	16	17	1	-	753	261	434	28	30
412	143	243	13	13	21	11	10	-	-	872	372	415	64	21
37	35	-	2	-	10	9	-	1	-	66	52	2	11	1
21	16	-	5	-	11	10	-	1	-	78	66	1	8	3
15	15	-	-	-	10	10	-	-	-	38	32	2	2	2
192	73	49	38	32	58	33	9	11	5	554	225	196	89	44
13	4	3	4	2	2	2	-	-	-	44	11	19	10	4
41	34	3	4	-	27	19	5	3	-	99	65	16	15	3
87	36	26	15	10	16	11	2	1	2	165	83	62	13	7
130	72	19	38	1	45	27	10	5	3	395	264	54	65	12
1	1	-	-	-	3	2	1	-	-	3	1	1	1	-
45	18	20	6	1	7	2	4	1	-	113	52	46	6	9
180	82	52	37	9	91	45	18	25	3	503	272	115	82	34
486	317	137	25	7	138	83	40	14	1	1,415	900	406	80	29
122	68	46	4	4	25	10	15	-	-	345	173	159	5	8
127	91	31	5	-	14	9	3	2	-	318	237	63	17	1
146	117	20	9	-	96	61	22	12	1	318	270	34	13	1
91	41	40	7	3	3	3	-	-	-	434	220	150	45	19
307	90	48	133	36	70	46	10	11	3	1,076	394	120	436	126
142	50	18	63	11	44	28	6	8	2	424	173	41	172	38
79	14	11	45	9	8	6	1	1	-	359	114	21	180	44
83	24	19	24	16	17	11	3	2	1	253	89	58	63	43
3	-	-	-	-	1	1	-	-	-	40	18	-	21	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	4	3	-	1	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	42,313	17,827	12,785	6,715	4,986	5,400	3,231	2,053	66	50
02 I. INFECTIVE AND PARASITIC DISEASES.....	438	142	93	110	63	28	13	9	4	2
03 TUBERCULOSIS, ALL FORMS.....001-019	163	59	24	57	23	9	4	1	3	1
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	144	57	19	52	16	9	4	1	3	1
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	5	1	3	-	1	-	-	-	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	1	-	-	-	1	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	-	1	-	1	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	5	1	-	3	1	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	6	-	1	2	3	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	39	19	6	9	5	1	1	-	-	-
11 CONGENITAL SYPHILIS.....020	1	-	-	1	1	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	26	16	3	4	3	-	-	-	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	5	1	1	3	-	-	-	-	-	-
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	1	-	2	1	1	1	-	-	-
18 ALL OTHER SYPHILIS.....027-029	2	-	2	-	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	1	-	-	-	1	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	-	1	1	-	-	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	5	2	-	2	1	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	3	1	-	1	1	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	86	29	19	17	21	3	1	1	1	-
30 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	23	8	9	5	1	1	-	-	-	1
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	4	2	1	1	-	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	1	1	-	-	1	-	1	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	8	-	5	-	3	1	1	-	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	-	-	1	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	4	2	-	2	-	-	-	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	11	4	5	1	1	3	2	1	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	6	3	1	2	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103, 105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	1	-	1	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124, 126, 128, 130	-	-	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	48	12	19	11	6	9	4	5	-	-
55 II. NEOPLASMS.....	5,935	2,418	2,129	766	622	911	490	408	4	9
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,804	2,361	2,078	751	614	900	486	401	4	9
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	129	62	40	18	9	14	10	4	-	-
58 OF LIP.....140	6	4	2	-	-	1	1	-	-	-
59 OF TONGUE.....141	16	11	2	2	1	1	1	-	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	55	19	24	8	4	7	4	3	-	-
61 OF PHARYNX.....145-148	52	28	12	8	4	5	4	1	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-159	1,497	568	536	242	151	311	166	141	1	3
63 OF ESOPHAGUS.....150	113	48	20	36	9	11	9	2	-	-
64 OF STOMACH.....151	280	96	78	72	34	87	55	32	-	-
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	11	3	5	1	2	5	2	3	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	429	143	198	38	50	91	40	50	1	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	48	14	27	5	2	14	6	8	-	-
68 TRANSVERSE COLON.....153.1	25	8	9	3	5	5	1	4	-	-
69 DESCENDING COLON.....153.2	19	2	4	3	1	4	2	2	-	-
70 SIGMOID COLON.....153.3	63	17	34	5	7	18	5	12	1	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	1	-	1	-	-	1	1	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	266	99	114	21	32	45	23	22	-	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	3	9	1	3	4	2	2	-	-
74 OF RECTUM.....154	156	64	57	25	10	37	19	17	-	1
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	81	36	29	7	9	24	8	14	-	2
76 LIVER.....155.0	30	18	3	4	5	7	3	4	-	-
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1, 155.8	51	18	26	3	4	17	5	10	-	2
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156	63	21	19	14	9	6	6	-	-	-
79 OF PANCREAS.....157	340	151	119	44	26	47	25	22	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158, 159	24	6	11	5	2	3	2	1	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
98,579	49,800	39,958	4,984	3,837	24,883	13,005	9,503	1,367	1,008	18,926	10,909	7,691	205	121	01
764	378	226	92	68	237	122	67	28	20	101	53	41	6	1	02
339	193	67	52	27	102	54	25	14	9	39	24	11	3	1	03
322	185	66	46	25	98	52	25	13	8	36	23	11	1	1	04
3	-	-	2	1	1	-	-	-	1	-	-	-	-	-	05
5	1	-	3	1	-	-	-	-	-	-	-	-	-	-	06
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	07
5	3	1	1	-	2	1	-	1	-	-	1	-	-	-	08
3	3	-	-	-	1	1	-	-	-	3	1	-	2	-	09
122	66	31	15	10	28	18	3	5	2	10	5	5	-	-	10
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
68	45	18	2	3	15	13	1	1	1	8	5	3	-	-	12
29	14	3	7	5	7	2	2	2	1	-	-	-	-	-	13
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	14
5	-	4	1	-	-	-	-	-	-	-	-	-	-	-	15
9	2	3	3	1	3	2	-	-	1	2	-	2	-	-	16
8	3	3	2	-	3	1	-	2	-	-	-	-	-	-	17
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
4	1	2	-	1	1	-	1	-	-	1	1	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	1	-	2	1	1	-	-	1	1	1	-	-	22
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
93	35	42	7	9	47	23	13	5	6	12	6	6	-	-	24
1	1	-	-	-	1	-	-	1	-	1	-	1	-	-	25
1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	26
25	13	9	-	3	9	5	4	-	-	7	2	4	1	-	27
5	2	2	1	-	2	1	1	-	-	-	-	-	-	-	28
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
23	10	11	-	2	2	1	1	-	-	2	2	-	-	-	30
4	-	3	-	1	1	1	-	-	-	-	-	-	-	-	31
3	-	3	-	-	2	-	1	-	1	-	-	-	-	-	32
40	14	18	4	4	10	5	4	1	-	10	3	6	1	-	33
1	-	-	-	-	2	-	1	-	1	1	-	-	-	-	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
92	35	37	11	9	26	11	12	2	1	13	5	7	1	-	38
17,356	8,496	7,344	909	607	3,989	2,018	1,642	172	157	3,203	1,761	1,395	29	18	55
17,085	8,380	7,219	893	593	3,933	1,987	1,621	172	153	3,167	1,742	1,378	29	18	56
375	255	84	27	9	68	47	20	1	-	75	56	17	2	-	57
5	4	1	-	-	3	2	1	-	-	1	1	-	-	-	58
90	57	25	4	4	11	6	4	1	-	16	13	3	-	-	59
124	75	41	6	2	29	19	10	-	-	24	15	9	-	-	60
156	119	17	17	3	25	20	5	-	-	34	27	5	2	-	61
5,295	2,555	2,266	298	176	1,142	542	486	58	56	946	507	422	11	6	62
320	209	51	46	14	56	37	17	1	1	42	30	9	3	-	63
851	443	325	58	25	214	121	63	16	14	185	123	56	2	4	64
33	14	12	4	3	8	5	3	-	-	10	6	4	-	-	65
1,972	847	992	71	62	394	159	206	10	19	347	157	188	1	1	66
278	125	136	10	7	50	18	30	-	2	48	22	26	-	-	67
82	37	42	2	2	14	7	5	-	-	17	8	9	-	-	68
65	30	32	1	2	7	2	7	-	3	11	9	2	-	-	69
353	144	190	10	9	55	19	32	1	3	61	28	32	1	-	70
4	3	1	-	-	1	-	1	-	-	-	-	-	-	-	71
1,097	465	546	46	40	248	107	122	6	13	196	84	111	-	1	72
92	43	45	2	2	19	6	9	3	1	14	6	8	-	-	73
619	347	234	23	15	84	41	35	4	4	90	44	45	1	-	74
412	158	214	25	15	72	24	38	5	5	72	31	40	-	1	75
129	71	40	13	5	23	11	8	2	2	23	13	9	-	1	76
283	87	174	12	10	49	13	30	3	3	49	18	31	-	-	77
167	79	79	8	1	55	27	18	6	4	23	13	8	2	-	78
836	429	317	54	36	239	122	95	14	8	166	98	66	2	-	79
85	29	42	9	5	20	6	11	2	1	11	5	6	-	-	80



SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,258	2,463	489	267	39	733	577	117	32	7	618	510	101	6	1	01
155	129	9	16	1	29	24	3	2	—	19	17	1	1	—	02
1,328	1,002	186	124	16	185	147	27	10	1	329	271	54	3	1	03
1,711	1,296	272	123	20	506	398	83	20	5	258	212	44	2	—	04
64	36	22	4	2	13	8	4	—	1	12	10	2	—	—	05
1,596	10	1,494	1	91	302	8	277	—	17	286	—	280	—	6	06
2,295	828	1,212	122	133	559	207	270	40	42	407	158	243	5	1	07
452	...	388	...	64	107	...	88	...	19	79	...	79	...	...	08
347	...	316	...	31	91	...	73	...	18	59	...	58	...	...	09
492	...	460	...	32	109	...	105	...	4	131	...	101	...	...	10
54	...	48	...	6	5	...	4	...	1	5	...	5	...	...	11
902	784	...	118	...	234	195	...	39	...	152	147	...	5	...	12
48	44	...	4	...	13	12	...	...	...	11	11	...	...	...	13
828	513	253	35	27	176	107	56	5	...	173	128	47	—	—	14
336	205	115	10	6	74	42	26	2	4	67	46	21	—	—	15
492	308	138	25	21	102	65	30	3	4	158	82	26	—	—	16
1,791	897	754	73	67	571	297	239	22	13	333	190	139	3	1	17
214	121	88	4	1	93	58	34	1	—	40	26	14	—	—	18
19	9	10	—	—	7	1	4	2	—	6	3	3	—	—	19
361	202	142	7	10	111	63	44	3	1	97	67	30	—	—	20
65	22	36	2	5	10	3	5	1	—	7	3	4	—	—	21
89	49	32	2	6	27	16	6	1	1	13	7	4	1	—	22
71	38	25	4	4	14	6	6	—	—	18	11	7	—	—	23
86	48	36	1	1	24	13	8	2	—	13	6	7	—	—	24
886	408	385	53	40	285	137	129	10	9	139	67	70	2	—	25
718	380	288	26	24	169	79	77	7	6	169	101	65	1	2	26
929	479	379	44	27	213	123	79	7	4	158	92	64	1	1	27
434	225	187	14	8	110	59	46	3	2	77	44	32	1	—	28
179	97	70	9	3	38	20	14	3	1	32	22	9	—	1	29
316	157	122	21	16	65	44	19	1	1	49	26	23	—	—	30
271	116	125	16	14	56	31	21	—	4	36	19	17	—	—	31
18	...	13	...	5	3	...	2	...	1	1	...	1	...	...	32
69	27	32	5	5	11	5	4	—	—	10	...	6	...	...	33
62	29	25	5	3	15	10	5	—	—	13	7	6	—	—	34
—	...	—	...	—	—	...	—	...	—	1	...	1	...	...	35
79	39	35	4	1	14	7	6	—	1	6	...	5	...	...	36
43	21	20	2	—	13	9	4	—	—	5	3	2	—	—	37
2,964	1,138	1,526	128	172	583	219	288	31	45	368	166	185	4	13	38
209	93	82	18	16	71	48	18	2	3	50	26	21	1	2	39
4	—	3	1	—	1	—	1	—	—	2	1	2	—	—	40
32	9	19	2	2	5	—	3	—	2	3	—	—	—	—	41
14	1	11	—	2	6	—	4	1	1	4	—	4	—	—	42
2,419	904	1,287	91	137	421	141	225	25	30	248	109	129	2	8	43
3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	44
23	8	9	5	1	9	3	4	1	1	6	2	4	—	—	45
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	46
65	31	31	2	1	28	5	18	2	3	17	7	9	1	—	47
30	18	10	1	1	15	7	7	—	—	1	6	4	2	—	48
163	73	71	8	11	27	15	8	—	4	32	17	13	—	2	49
286	127	127	19	13	84	38	40	2	4	46	30	15	1	—	50
177	75	78	14	10	53	25	24	2	2	24	16	7	1	—	51
18	7	11	—	—	4	2	2	—	—	3	3	—	—	—	52
159	68	67	14	10	49	23	22	2	2	21	13	7	1	—	53
37	21	13	2	1	10	2	7	—	—	9	4	5	—	—	54
72	31	36	3	2	21	11	9	—	1	13	10	3	—	—	55
250	119	81	34	16	70	40	20	9	1	63	36	23	2	2	56
9	4	3	1	1	6	5	1	—	—	3	1	2	—	—	57
20	16	2	2	—	6	5	—	1	—	9	7	2	—	—	58
55	18	28	6	3	15	5	9	—	1	21	9	11	1	—	59
122	63	25	24	10	33	22	4	7	—	21	16	3	1	1	60
36	17	17	—	2	9	2	6	1	—	6	3	3	—	—	61
8	1	6	1	—	1	1	—	—	—	3	—	2	—	1	62
11,841	5,608	5,875	442	516	3,387	1,443	1,619	170	155	2,490	1,171	1,285	21	13	63
11,009	4,614	5,521	395	479	3,179	1,337	1,544	153	145	2,344	1,086	1,226	19	13	64
505	190	244	25	46	87	29	49	3	6	99	29	65	3	2	65
5,838	2,463	2,945	188	242	1,928	816	936	96	80	1,161	570	576	11	4	66
3,582	1,505	1,767	148	162	781	340	366	34	41	813	355	447	4	7	67
1,084	456	565	34	29	383	152	193	20	18	271	132	138	1	—	68
94	34	36	13	11	32	14	7	5	6	20	9	11	—	—	69
121	47	64	5	5	14	5	8	1	—	21	9	12	—	—	70
196	104	86	4	2	43	24	18	1	—	33	20	12	1	—	71
47	32	11	—	4	6	2	2	1	1	6	4	2	—	—	72
101	41	47	8	5	19	8	9	—	2	15	10	5	—	—	73
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	74
1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	75
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	76
7	5	—	1	1	1	1	—	—	—	2	—	1	1	—	77
265	131	109	16	9	93	52	31	9	1	48	32	16	—	—	78

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

Table with 11 columns: CAUSE OF DEATH, NORTH CAROLINA (Total, White Male/Female, Nonwhite Male/Female), NORTH DAKOTA (Total, White Male/Female, Nonwhite Male/Female). Rows 01-80 list various diseases like VII. DISEASES OF THE CIRCULATORY SYSTEM, VIII. DISEASES OF THE RESPIRATORY SYSTEM, IX. DISEASES OF THE DIGESTIVE SYSTEM, and X. DISEASES OF THE GENITOURINARY SYSTEM.

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
43,421	22,664	17,641	1,685	1,431	10,184	5,652	3,780	426	326	8,054	4,795	3,172	54	33	01
38,855	20,606	15,517	1,494	1,238	9,202	5,196	3,332	390	284	7,157	4,330	2,750	48	29	02
22	6	12	2	2	5	2	3	—	—	4	1	2	—	—	03
822	282	478	29	33	82	32	44	1	5	140	64	76	—	—	04
362	111	224	13	14	33	9	22	1	1	45	20	25	—	—	05
102	54	38	8	2	8	3	4	—	—	20	14	6	—	—	06
47	11	34	—	2	1	—	—	—	1	14	6	—	—	—	07
311	106	182	8	15	40	20	18	—	2	61	24	37	—	—	08
30,566	17,296	11,515	1,008	747	7,552	4,467	2,591	299	195	5,962	3,765	2,137	40	20	09
8,818	4,032	4,201	320	265	1,527	706	712	53	56	1,543	749	777	9	8	10
21,736	13,295	7,311	688	482	6,017	3,756	1,876	246	139	4,417	3,014	1,360	31	12	11
12	9	3	—	—	8	5	3	—	—	2	2	—	—	—	12
200	106	80	10	4	39	21	15	1	2	53	34	18	1	—	13
5	2	2	—	1	1	—	1	—	—	—	—	—	—	—	14
133	83	44	6	3	21	12	8	1	—	38	27	10	1	—	15
62	21	34	4	3	17	9	6	—	2	15	7	8	—	—	16
2,465	1,087	1,233	73	72	396	171	200	13	12	266	133	130	1	2	17
2,176	941	1,115	57	63	263	101	145	10	7	232	115	115	—	2	18
289	146	118	16	9	133	70	55	3	5	34	18	15	1	—	19
1,463	686	634	73	70	623	315	239	38	31	291	159	127	5	—	20
27	16	8	2	1	6	5	1	—	—	7	6	1	—	—	21
51	17	17	7	10	7	3	4	—	—	14	9	5	—	—	22
541	238	262	20	21	214	107	88	10	9	124	58	63	3	—	23
844	415	347	44	38	396	200	146	28	22	146	86	58	2	—	24
3,317	1,143	1,565	299	310	505	188	240	38	39	441	174	260	1	6	25
929	396	396	86	51	135	58	58	11	8	138	61	76	—	1	26
2,388	747	1,169	213	259	370	130	182	27	31	333	113	184	1	5	27
690	285	315	48	42	123	50	59	6	8	80	37	41	1	1	28
424	205	174	26	19	72	33	33	3	3	59	27	26	1	1	29
266	80	141	22	23	51	17	26	3	5	25	10	15	—	—	30
3,153	1,464	1,485	102	102	656	304	309	20	23	709	370	334	3	2	31
2,238	886	1,232	58	62	496	202	262	14	18	537	224	279	2	2	32
688	471	166	31	20	105	79	19	6	1	169	127	41	1	—	33
22	11	6	3	2	7	4	3	—	—	2	2	—	—	—	34
205	96	81	10	18	48	19	25	—	4	31	17	14	—	—	35
723	309	324	41	49	203	102	80	10	11	108	58	47	2	1	36
4,820	2,537	1,420	309	154	1,227	708	414	68	37	1,050	698	336	12	4	37
89	37	18	15	19	6	2	3	1	—	3	2	1	—	—	38
114	45	45	2	2	24	13	9	1	1	15	7	8	—	—	39
2,364	1,242	893	145	84	654	293	293	38	30	528	291	225	10	2	40
350	206	103	24	17	83	41	35	4	3	60	35	23	1	1	41
1,412	728	553	84	47	238	115	102	11	10	274	149	121	4	—	42
267	138	101	17	11	74	28	37	6	3	53	26	23	1	—	43
335	170	136	20	9	259	109	119	17	14	144	81	58	4	1	44
38	19	16	1	2	11	5	6	—	—	8	5	3	—	—	45
310	213	79	12	6	68	40	21	4	3	48	36	12	—	—	46
8	3	3	1	1	—	—	—	—	—	1	1	—	—	—	47
37	24	10	2	1	5	4	—	1	—	11	9	1	1	—	48
8	5	3	—	—	2	—	2	—	—	3	2	1	—	—	49
243	157	68	25	13	38	25	12	1	—	37	28	8	1	—	50
109	65	37	4	3	17	8	5	4	—	12	7	5	—	—	51
1,318	1,028	190	82	18	359	295	47	15	2	326	282	44	—	—	52
1,206	962	157	76	11	327	278	37	12	—	298	264	34	—	—	53
112	66	33	6	7	32	17	10	3	2	28	18	10	—	—	54
162	99	38	20	5	43	23	16	3	1	58	28	28	—	2	55
3,770	1,940	1,457	184	189	981	484	383	69	45	736	426	286	11	13	56
3	—	2	—	1	—	—	—	—	—	—	—	—	—	—	57
276	163	90	15	8	61	34	20	4	3	59	33	25	—	1	58
214	151	48	10	5	54	36	11	7	—	52	38	13	1	—	59
28	15	7	3	3	8	5	2	1	—	4	3	1	—	—	60
69	33	24	7	5	27	15	8	3	1	16	9	6	—	1	61
567	224	285	28	30	183	62	99	12	10	106	55	51	—	—	62
109	48	50	5	6	36	12	15	5	4	19	9	10	—	—	63
243	95	133	1	14	42	21	19	2	—	46	22	22	1	1	64
1,350	821	386	78	65	279	156	80	28	15	253	163	77	5	8	65
891	523	289	41	38	200	114	61	18	7	127	80	43	1	3	66
459	298	97	37	27	79	42	19	10	8	126	83	34	4	5	67
247	97	133	1	16	88	42	42	2	2	39	18	18	2	1	68
664	293	299	36	36	203	101	87	5	10	142	76	63	2	1	69
1,448	714	502	131	101	541	282	174	53	32	226	116	99	6	5	70
557	266	191	52	48	199	86	64	31	18	89	47	37	4	1	71
19	10	7	—	2	8	3	5	—	—	4	1	3	—	—	72
40	18	13	5	4	10	4	6	—	—	6	5	1	—	—	73
498	238	171	47	42	181	79	53	31	18	79	41	33	4	1	74
486	192	220	40	34	197	92	85	10	10	78	33	41	1	3	75
40	14	16	6	4	8	7	1	—	—	4	3	1	—	—	76
150	75	50	18	7	53	30	19	2	2	22	12	10	—	—	77
156	142	...	14	...	65	59	...	6	...	17	17	...	...	...	78
1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	79
58	25	24	1	8	18	7	5	4	2	16	4	10	1	1	80

## SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM.....	30	...	11	...	19	3	...	3	...	...
02 SEPSIS OF PREGNANCY, CHILD BIRTH, ETC...640,641,681,682,684	4	...	3	...	1	2	...	2	...	...
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	9	...	3	...	6	...	...	...	...	...
04 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH.....643,644,670-672	3	...	-	...	3	1	...	1	...	...
05 ECTOPIC PREGNANCY.....645	2	...	1	...	1	-	...	-	...	...
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	-	...	1	-	...	-	...	...
07 ABORTION WITH SEPSIS.....651	2	...	1	...	1	-	...	-	...	...
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	...
09 OT. COMPLICATIONS OF PREGNANCY, CHILD BIRTH, ETC...RESIDUAL	9	...	3	...	6	-	...	-	...	...
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	67	15	32	5	15	5	2	3	-	-
11 INFECTIOUS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	10	2	4	2	2	1	-	1	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	57	13	28	3	13	4	2	2	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	114	40	51	9	14	9	2	7	-	-
14 ARTHRITIS AND SPONDYLITIS.....720-725	73	23	38	5	7	6	1	5	-	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	-	1	-	-	-	-	-	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	4	2	-	1	1	1	-	1	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	2	2	-	-	-	1	1	-	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	18	9	3	3	3	-	-	-	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS.....731-736,738-744.0,744.2	16	4	9	-	3	1	-	1	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	478	175	153	84	66	52	24	26	1	1
21 SPINA BIFIDA AND MENINGOCELE.....751	40	12	21	3	4	1	-	1	-	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	56	18	19	10	9	5	2	2	-	1
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	223	95	64	33	31	32	13	19	-	-
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	159	50	49	38	22	14	9	4	1	-
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,431	475	312	356	288	158	98	53	3	4
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,074	329	194	317	234	25	14	9	2	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	53	14	16	12	11	7	5	2	-	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,021	315	178	305	223	18	9	7	2	-
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	4,439	2,168	821	1,105	345	453	317	111	19	6
30 ACCIDENTS.....E800-E962	3,398	1,709	665	762	262	402	279	102	15	6
31 RAILWAY ACCIDENTS.....E800-E802	38	21	2	13	2	2	2	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	1,756	962	329	353	112	209	142	54	8	5
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,723	941	324	348	110	201	135	53	8	5
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	37	16	11	5	5	15	11	4	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	294	119	40	96	39	16	6	5	-	-
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	669	358	182	94	35	105	68	31	1	5
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	636	402	78	133	23	61	48	11	2	-
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	87	46	13	20	8	4	2	2	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	33	21	5	5	2	8	7	1	-	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	3	2	-	-	-	-	-	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	37	27	-	9	1	5	2	1	2	-
42 AIRCRAFT ACCIDENTS.....E860-E866	58	42	12	4	-	8	7	-	1	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	68	28	17	16	7	2	1	1	-	-
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	32	14	2	11	5	12	10	2	-	-
45 ACCIDENTAL FALLS.....E900-E904	385	143	165	50	27	64	38	24	2	-
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	96	37	28	26	5	24	18	4	2	-
47 FALL ON SAME LEVEL.....E903	81	32	39	7	3	20	11	9	-	-
48 UNSPECIFIED FALLS.....E904	298	74	98	17	19	26	9	11	-	-
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	29	21	1	7	-	5	4	1	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	79	64	1	14	-	13	13	-	-	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	33	22	1	9	1	2	1	1	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	246	85	44	73	44	16	11	5	-	-
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	11	4	2	3	2	2	2	-	-	-
54 ACCIDENT CAUSED BY FIREARM.....E919	128	67	13	37	11	11	10	1	-	-
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	77	26	15	22	14	6	3	3	-	-
56 ACCIDENTAL DROWNING.....E929	180	85	17	67	11	20	14	4	2	-
57 EXCESSIVE HEAT AND INSULATION.....E931	1	-	-	1	-	-	-	-	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	44	19	16	6	3	2	1	1	-	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	191	76	26	67	22	23	18	4	-	1
60 SUICIDE.....E963,E970-E979	472	324	98	41	9	47	37	9	1	-
61 SUICIDE BY POISONING.....E970-E973	62	36	25	1	-	9	7	2	-	-
62 SUICIDE BY HANGING AND STRANGULATION.....E974	35	23	9	2	1	11	8	2	1	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	347	254	54	33	6	24	21	3	-	-
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	28	11	10	5	2	3	1	2	-	-
65 HOMICIDE.....E964,E980-E985	567	135	58	300	74	3	-	-	3	-
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	423	136	39	229	49	1	-	-	1	-
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	79	10	6	49	14	1	-	-	1	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	61	19	13	18	11	1	-	-	1	-
69 INJURY BY INTERVENTION OF POLICE.....E984	4	-	-	4	-	-	-	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	2	-	-	2	-	1	1	-	-	-

## SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

OHIO					OKLAHOMA					OREGON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
48	...	38	...	10	10	...	8	...	2	3	...	3	...	-	01
10	...	8	...	2	1	...	1	...	-	1	...	1	...	-	02
5	...	2	...	3	2	...	2	...	-	...	...	...	...	-	03
12	...	12	...	-	1	...	1	...	-	2	...	2	...	-	04
4	...	2	...	2	-	...	-	...	-	...	...	...	...	-	05
2	...	2	...	-	-	...	-	...	-	...	...	...	...	-	06
1	...	-	...	1	1	...	1	...	-	...	...	...	...	-	07
-	...	-	...	-	-	...	-	...	-	...	...	...	...	-	08
14	...	12	...	2	5	...	3	...	2	-	...	-	...	-	09
126	36	71	5	14	32	7	21	2	2	14	5	9	-	-	10
14	6	7	-	1	8	4	4	-	-	4	2	2	-	-	11
112	30	64	5	13	24	3	17	2	2	10	3	7	-	-	12
212	101	94	7	10	55	21	33	-	1	47	21	26	-	-	13
106	43	58	2	3	27	5	21	-	1	28	8	20	-	-	14
4	2	1	-	1	1	-	1	-	-	...	-	-	-	-	15
10	5	5	-	3	3	2	1	-	-	1	1	1	-	-	16
4	3	1	-	-	3	2	1	-	-	3	1	2	-	-	17
41	32	5	2	2	9	7	2	-	-	9	7	2	-	-	18
47	16	24	3	4	12	5	7	-	-	6	4	2	-	-	19
878	419	357	52	50	201	97	76	12	16	155	74	74	5	2	20
48	19	28	-	1	15	5	7	-	3	3	2	1	-	-	21
90	41	36	8	5	16	11	4	1	-	27	14	13	-	-	22
424	201	163	27	33	96	43	35	6	12	86	41	42	1	2	23
316	158	130	17	11	74	38	30	5	1	39	17	18	4	-	24
2,394	1,171	801	238	184	493	239	147	67	40	339	182	140	12	5	25
821	404	261	99	57	642	329	207	70	36	268	136	118	12	2	26
25	7	18	-	-	44	12	29	3	-	27	10	17	-	-	27
796	397	243	99	57	598	317	178	67	36	241	126	101	12	2	28
7,180	4,148	2,137	650	245	2,167	1,306	584	188	89	1,763	1,239	484	30	10	29
5,479	3,222	1,733	366	158	1,722	1,036	499	114	73	1,446	1,007	406	23	10	30
54	43	5	6	-	12	8	2	2	-	7	7	-	-	-	31
2,490	1,636	645	161	48	890	543	238	69	40	705	501	192	6	6	32
2,454	1,610	639	158	47	874	530	235	69	40	683	484	187	6	6	33
85	49	33	3	-	40	20	15	2	3	20	10	6	1	3	34
369	219	97	42	11	95	49	19	19	8	77	62	14	1	-	35
1,045	665	314	49	17	465	285	137	23	20	268	177	87	3	1	36
686	488	126	53	19	211	135	45	24	7	200	149	49	2	2	37
269	189	69	11	-	63	41	19	1	2	118	86	31	1	-	38
36	26	6	3	1	16	13	3	-	-	22	17	5	-	-	39
7	4	3	-	-	7	6	1	-	-	6	4	2	-	-	40
48	42	3	3	-	16	14	2	-	-	59	48	11	-	-	41
107	83	23	1	-	32	25	7	-	-	41	34	7	-	-	42
88	28	38	13	9	20	5	14	-	1	19	8	10	1	-	43
123	75	30	12	6	25	13	10	1	1	14	10	4	-	-	44
1,350	558	710	45	37	243	112	121	5	5	168	77	88	3	-	45
390	215	135	22	18	53	35	16	1	1	64	42	21	1	-	46
449	165	259	14	11	65	32	28	3	2	32	9	22	1	-	47
511	178	316	9	8	125	45	77	1	2	72	26	45	1	-	48
53	45	2	6	-	22	19	2	1	-	50	50	-	-	-	49
97	89	6	2	2	33	32	-	1	-	34	33	-	1	-	50
36	23	7	3	-	15	13	1	1	-	11	11	-	-	-	51
283	139	91	30	23	120	65	44	7	12	68	38	24	5	1	52
14	6	5	-	3	3	-	2	-	-	5	4	1	-	-	53
84	65	10	5	4	57	41	5	9	2	35	30	4	1	-	54
90	52	29	5	4	29	13	11	3	2	34	19	14	-	1	55
196	143	24	24	5	63	46	9	5	3	98	78	18	2	-	56
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	57
53	18	25	5	5	22	11	9	-	2	9	8	8	-	-	58
306	173	77	44	12	104	69	21	9	5	83	54	23	4	2	59
1,120	749	315	43	13	265	194	53	15	3	255	190	65	-	-	60
316	154	150	8	4	48	23	22	2	1	70	45	25	-	-	61
176	124	46	5	1	14	9	4	1	-	20	14	6	-	-	62
519	419	76	19	5	187	152	21	12	2	144	119	25	-	-	63
109	52	43	11	3	16	10	6	-	-	21	12	9	-	-	64
579	175	89	241	74	180	76	32	59	13	61	41	13	7	-	65
381	111	56	172	42	110	46	23	34	7	32	21	7	4	-	66
78	18	8	37	15	37	14	5	15	3	12	6	3	3	-	67
103	40	25	21	17	26	13	4	6	3	16	13	3	-	-	68
17	6	-	11	-	7	3	-	4	-	1	1	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	125,932	63,532	51,912	5,860	4,628	9,381	4,783	4,338	148	112
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,041	572	263	148	58	76	35	36	3	2
03 TUBERCULOSIS, ALL FORMS.....001-019	494	307	69	97	21	30	20	9	-	1
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	462	296	63	85	18	29	20	8	-	1
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	7	3	-	3	1	1	-	1	-	-
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	3	1	-	2	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012, 013	4	-	3	1	-	-	-	-	-	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	7	3	3	1	-	-	-	-	-	-
09 DISSEMINATED TUBERCULOSIS.....019	11	4	-	5	2	-	-	-	-	-
10 SYPHILIS AND ITS SEQUELAE.....020-029	185	116	40	20	9	17	7	7	2	1
11 CONGENITAL SYPHILIS.....020	2	1	-	1	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	137	92	31	10	4	12	5	6	1	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	24	11	4	7	2	2	1	1	-	-
15 TABES DORSALIS.....024	1	-	1	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	4	4	-	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	14	6	3	2	3	1	-	-	1	-
18 ALL OTHER SYPHILIS.....027-029	3	2	1	-	-	2	1	-	-	1
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041, 042	1	-	-	-	-	1	-	-	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	2	1	-	-	1	-	-	-	-	-
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	1	-	-	-	-	-	-	-	-
28 ERYSIPELAS.....052	2	1	1	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	160	67	67	15	11	12	4	8	-	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	1	1	-	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	28	12	10	5	1	1	-	-	1	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	2	1	-	1	-	-	-	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	1	1	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	3	-	-	-	1	-	1	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....002	20	9	10	1	-	1	1	-	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	5	3	2	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	1	-	1	-	-	-	-	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	39	11	21	1	6	5	-	5	-	-
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103, 105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124, 126, 128, 130	1	1	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	95	37	42	8	8	9	3	6	-	-
55 II. NEOPLASMS.....	21,743	10,514	9,473	1,031	725	1,720	905	787	17	11
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	21,345	10,327	9,303	1,013	702	1,700	894	780	16	10
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	429	305	82	37	5	50	43	7	-	-
58 OF LIP.....140	3	2	1	-	-	1	-	-	-	-
59 OF TONGUE.....141	99	70	17	11	1	16	16	-	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	131	87	35	8	1	17	13	4	-	-
61 OF PHARYNX.....145-148	196	146	29	18	3	17	13	3	-	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A, 157-159	6,959	3,337	3,086	329	207	565	288	270	5	2
63 OF ESOPHAGUS.....150	399	252	70	61	16	27	19	6	2	-
64 OF STOMACH.....151	1,187	633	431	95	28	121	64	54	2	1
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	51	26	22	1	2	2	-	-	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,608	1,102	1,347	73	86	222	106	115	1	-
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	335	140	171	10	14	31	14	17	-	-
68 TRANSVERSE COLON.....153.1	106	42	56	5	3	10	4	6	-	-
69 DESCENDING COLON.....153.2	89	38	45	4	2	12	4	7	1	-
70 SIGMOID COLON.....153.3	464	208	227	15	14	41	22	19	-	-
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	0	3	4	1	-	2	2	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,418	586	749	35	48	115	57	58	8	-
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	188	85	95	3	5	11	3	8	-	-
74 OF RECTUM.....154	844	457	343	21	23	67	42	24	-	1
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	417	140	249	16	12	29	13	16	-	-
76 LIVER.....155.0	104	54	34	11	5	6	4	2	-	-
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1, 155.8	313	86	215	5	7	23	9	14	-	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	240	115	104	11	10	9	6	3	-	-
79 OF PANCREAS.....157	1,088	558	457	49	24	78	37	41	-	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158, 159	125	54	63	2	6	10	1	9	-	-

## SECTION 1 - GENERAL MORTALITY

1-227

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					01
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,794	7,899	5,742	4,429	3,724	6,372	3,609	2,442	176	145	35,795	16,780	12,161	3,745	3,109	01
263	80	44	72	67	42	15	22	2	3	388	163	122	58	45	02
100	30	11	39	20	11	3	3	2	3	238	98	60	27	23	03
90	28	10	33	19	9	3	3	1	2	197	96	55	25	21	04
1	-	1	-	-	1	-	-	1	-	3	-	2	1	-	05
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	06
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	07
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	08
6	1	-	5	-	1	-	-	-	1	4	1	1	-	-	09
48	16	9	12	11	9	3	6	-	-	33	6	1	16	7	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
34	15	8	5	6	9	3	6	-	-	7	4	1	1	1	13
8	1	-	4	3	-	-	-	-	-	16	2	-	9	5	14
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	15
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	16
3	-	-	2	1	-	-	-	-	-	5	-	-	5	-	17
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
6	1	-	3	2	-	-	-	-	-	2	-	-	2	-	24
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	25
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	27
29	14	4	5	6	12	4	8	-	-	29	12	11	3	3	28
1	-	-	-	1	-	-	-	-	-	2	1	-	-	1	29
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	30
10	3	1	4	2	4	2	2	-	-	28	9	13	2	4	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	33
6	1	-	1	4	1	-	1	-	-	1	-	-	-	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	1	-	-	-	-	-	-	-	4	1	3	-	-	37
10	1	4	1	4	1	1	-	-	-	14	5	7	2	-	38
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
12	5	4	1	2	2	1	1	-	-	20	6	12	-	2	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	46
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	51
3	-	-	1	2	-	-	-	-	-	40	20	12	5	3	52
28	7	7	4	10	2	1	1	-	-	40	20	12	5	3	53
2,927	1,123	924	442	438	1,106	611	457	15	23	5,560	2,439	2,164	506	451	54
2,873	1,107	903	435	428	1,093	608	448	15	22	5,468	2,411	2,124	500	433	55
74	38	9	17	10	8	4	3	1	-	144	81	42	15	6	56
6	6	-	-	-	-	-	-	-	-	5	4	1	-	-	57
12	6	2	3	1	1	1	-	-	-	29	22	5	2	-	58
25	12	4	2	7	3	-	2	1	-	58	19	29	7	3	59
31	14	3	12	2	4	3	1	-	-	52	36	7	6	3	60
742	278	226	125	113	393	216	161	5	11	1,610	657	634	177	142	61
46	14	7	19	6	16	16	-	-	-	110	44	27	23	16	62
156	54	26	40	36	72	51	17	1	3	241	104	81	37	19	63
4	3	1	2	-	2	2	-	-	-	13	7	4	2	-	64
224	73	103	22	28	128	56	71	1	-	546	209	253	36	46	65
24	9	8	5	4	26	10	16	-	-	64	26	31	4	3	66
8	1	2	2	3	4	2	2	-	-	23	8	11	2	2	67
5	3	2	-	-	3	3	3	-	-	25	6	13	2	4	68
26	8	10	3	5	19	10	9	-	-	72	31	31	3	7	69
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	70
155	47	81	12	15	70	32	38	-	-	354	135	163	26	30	71
5	4	-	-	1	6	2	3	1	-	7	2	4	1	-	72
58	28	14	7	9	36	19	17	-	-	131	63	46	15	7	73
28	9	13	4	2	32	14	13	1	4	125	37	66	14	8	74
11	4	2	3	2	12	7	4	-	1	49	22	16	8	3	75
17	5	11	1	-	20	7	9	1	3	76	15	50	6	5	76
38	15	7	9	7	8	3	3	-	2	64	20	32	6	6	77
164	74	49	19	22	91	51	37	1	2	340	158	114	36	32	78
20	8	6	3	3	8	4	3	1	-	40	15	11	6	8	79

SECTION I - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 MALIGNANT NECROPLASMS, ETC.—CON.										
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,818	2,853	599	301	65	294	246	43	5	—
03 OF LARYNX.....161	192	159	13	19	1	29	27	—	2	—
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,301	990	184	103	24	105	89	15	1	—
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	2,259	1,667	376	176	40	156	126	28	2	—
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	66	37	26	3	—	4	4	—	—	—
	1,972	1,843	118	118	—	176	170	—	—	—
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,631	961	1,410	113	147	199	77	116	1	5
08 OF CERVIX UTERI.....171	385	---	320	---	65	37	---	34	---	3
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	459	---	421	---	38	32	---	30	---	2
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	650	---	610	---	40	44	---	44	---	—
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	63	---	59	---	4	8	---	8	---	—
12 OF PROSTATE.....177	1,918	910	---	108	---	77	---	76	---	---
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	56	51	---	5	---	1	---	1	---	---
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	975	602	318	36	19	81	56	22	2	1
15 OF KIDNEY.....180	378	229	129	15	5	33	21	11	1	—
16 OF BLADDER AND OTHER URINARY ORGANS.....181	597	373	189	21	14	48	35	11	1	1
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....1568,165,190-199	2,639	1,247	1,160	114	88	195	95	99	1	—
18 OF SKIN.....190,191	302	162	130	6	4	11	6	5	—	—
19 OF EYE.....192	21	10	11	—	—	1	6	1	—	—
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	393	207	162	16	8	42	22	20	—	—
21 OF THYROID GLAND.....194	56	20	27	2	7	7	3	4	—	—
22 OF SKIN.....196	150	74	67	6	3	15	8	7	—	—
23 OF CONNECTIVE TISSUE.....197	92	53	33	4	3	12	7	4	—	—
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	82	51	24	4	3	10	6	4	—	—
25 OF UNSPECIFIED SITES.....1568,165,198,199B	1,513	670	706	75	62	97	43	54	—	—
26 LEUKEMIA AND ALEUKEMIA.....204	870	452	359	37	22	44	23	19	1	1
27 LYMPHOSARCOMA, ETC.....200-203,205	1,382	560	446	45	31	96	61	34	1	—
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	516	273	216	12	15	41	28	13	—	—
29 HODGKINS DISEASE.....201	235	133	86	13	3	28	19	9	—	—
30 OTHER NECROPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	331	154	144	20	13	27	14	12	1	—
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	398	187	170	18	23	20	11	7	1	1
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	22	---	15	---	7	1	---	1	---	---
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	60	25	26	6	3	5	3	2	—	—
34 OTHER BENIGN NEOPLASMS.....210-213,216-222,224-229	69	41	21	2	5	4	2	2	—	—
35 UNSPECIFIC NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	3	---	2	---	1	—	---	---	---	---
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	165	86	71	5	3	8	5	1	1	1
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	79	35	35	5	4	2	1	1	—	—
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	3,449	1,216	1,908	117	208	315	110	198	1	6
39 ASTHMA.....241	233	118	83	13	19	16	7	9	—	—
40 NONTOXIC GOITER.....250,251	7	1	4	—	2	—	—	—	—	—
41 THYROIDITIS WITH OR WITHOUT GOITER.....252	32	4	27	—	1	—	—	—	—	—
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	22	7	15	—	—	5	1	4	—	—
43 DIABETES MELLITUS.....260	2,808	955	1,616	80	157	274	99	169	—	6
44 DISEASES OF THYMUS GLAND.....273	4	3	1	—	—	—	—	—	—	—
45 DISEASES OF ADRENAL GLANDS.....274	31	13	14	2	2	—	—	—	—	—
46 PELLAGRA.....281	—	—	—	—	—	—	—	—	—	—
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	85	28	35	11	11	6	2	3	1	—
48 CYSTIC FIBROSIS.....289A	33	13	19	—	1	2	1	1	—	—
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	194	74	94	11	15	12	—	12	—	—
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	381	172	174	17	18	21	7	14	—	—
51 ANEMIAS.....290-293	230	100	110	10	10	17	6	11	—	—
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	19	10	9	—	—	4	1	3	—	—
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	211	90	101	10	10	13	5	8	—	—
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	56	29	24	5	7	3	1	2	—	—
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	95	52	40	2	1	1	—	1	—	—
56 V. MENTAL, PSYCHONEUROIC, AND PERSONALITY DISORDERS.	245	134	76	24	11	24	16	7	1	—
57 SENILE PSYCHOSIS.....304	13	7	6	—	—	1	—	1	—	—
58 ALCOHOLIC PSYCHOSIS.....307	34	24	1	9	—	3	3	—	—	—
59 OTHER PSYCHOSES.....300-303,305,306,308,309	64	22	36	1	5	8	5	3	—	—
60 ALCOHOLISM.....322	85	57	11	11	6	8	5	2	1	—
61 MENTAL DEFICIENCY.....325	36	23	11	2	—	3	2	1	—	—
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	13	1	11	1	—	1	1	—	—	—
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	13,277	5,607	6,667	464	539	904	387	503	7	7
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...336-334	12,325	5,180	6,252	410	483	844	359	471	7	7
65 SUBARACHNOID HEMORRHAGE.....330	536	210	244	28	54	38	14	21	3	2
66 CEREBRAL HEMORRHAGE.....331	6,489	2,731	3,252	242	264	403	180	219	2	4
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	4,149	1,790	2,132	104	123	345	143	196	2	4
68 OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	1,151	449	624	36	42	58	22	35	—	1
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	116	47	37	16	16	4	2	2	—	—
70 MULTIPLE SCLEROSIS.....345	126	49	72	—	5	7	—	7	—	—
71 PARALYSIS AGITANS.....350	210	104	102	2	2	16	8	8	—	—
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	34	23	7	—	3	—	—	—	—	—
73 EPILEPSY.....353	137	64	49	15	9	10	6	4	—	—
74 INFLAMMATORY DISEASES OF EYE.....370-379	—	—	—	—	—	—	—	—	—	—
75 CATARACT.....385	2	1	1	—	—	—	—	—	—	—
76 GLAUCOMA.....387	5	—	—	—	—	—	—	—	—	—
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	5	—	—	—	—	—	—	—	—	—
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	322	137	145	20	20	23	12	11	—	—

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
553	353	68	105	27	150	127	19	3	1	995	725	131	114	25	01
28	16	2	6	4	9	8	1	-	-	36	26	2	8	-	02
152	96	22	26	9	88	76	11	-	-	455	341	38	64	12	03
367	240	43	70	14	50	43	5	2	1	488	353	83	40	12	04
5	1	1	3	-	3	2	2	1	-	16	5	8	2	1	05
249	-	184	1	64	72	-	67	-	5	484	1	415	-	68	06
459	110	155	76	118	162	93	67	-	2	788	256	361	78	93	07
121	...	65	...	56	12	...	11	...	1	187	...	138	...	49	08
70	...	30	...	40	18	...	17	...	1	94	...	65	...	29	09
72	...	52	...	20	36	...	36	...	-	157	...	142	...	15	16
10	...	8	...	2	3	...	3	...	-	16	...	16	...	-	11
175	101	...	74	...	90	90	...	...	...	318	241	...	...	...	12
11	9	...	...	...	3	3	...	-	...	16	...	...	77	...	13
86	41	25	8	12	59	42	17	-	-	245	123	77	20	25	14
36	18	15	3	-	23	14	9	-	-	92	43	31	9	9	15
50	23	10	5	12	36	28	8	-	-	153	80	46	11	16	16
399	151	133	56	59	113	51	55	5	2	688	333	245	59	51	17
35	13	17	-	5	11	7	4	-	-	121	66	47	5	3	18
6	3	2	-	1	1	1	-	-	-	8	4	3	1	-	19
76	44	24	4	4	34	20	13	-	1	147	86	47	7	7	20
9	6	4	1	2	4	-	4	-	-	8	4	4	-	-	21
18	2	4	5	3	4	-	2	2	-	49	25	22	-	2	22
12	4	2	1	5	4	-	3	1	-	34	21	12	-	1	23
17	4	4	5	4	1	1	-	-	-	19	7	11	-	-	24
226	75	76	40	35	54	22	29	2	1	302	120	99	46	37	25
155	71	42	26	16	64	34	29	-	1	251	119	105	17	10	26
156	68	61	21	9	72	41	30	1	-	263	116	114	26	13	27
75	31	31	11	2	35	20	15	-	-	128	62	53	8	5	28
24	12	6	4	2	14	7	7	-	-	46	20	21	3	2	29
57	22	24	6	5	23	14	8	1	-	69	34	40	5	6	30
54	16	21	7	10	13	3	9	-	1	92	28	40	6	18	31
5	...	2	...	3	1	...	1	...	-	9	...	5	...	4	32
7	2	3	1	1	3	1	2	-	-	26	9	9	2	6	33
5	1	2	1	1	-	-	-	-	-	25	11	10	1	3	34
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	35
25	8	11	1	5	5	...	3	...	1	18	5	10	1	2	36
11	5	2	4	-	4	1	3	-	-	14	3	6	2	3	37
552	123	199	74	156	137	57	69	6	5	683	239	289	56	99	38
44	12	14	7	11	22	13	8	1	-	73	36	22	9	6	39
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	40
3	-	1	-	2	-	-	-	-	-	6	1	3	-	2	41
3	-	3	-	-	-	-	-	-	-	4	-	3	-	1	42
440	91	158	60	131	101	40	53	3	5	497	159	223	38	77	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
3	2	1	-	-	-	-	-	-	-	6	2	4	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
12	4	4	3	1	6	-	4	2	-	23	10	7	5	1	47
7	4	3	-	-	3	2	1	-	-	16	5	10	1	-	48
39	10	15	4	10	5	2	3	-	-	58	26	17	3	12	49
72	13	22	19	18	21	13	8	-	-	103	33	38	16	13	50
52	8	11	15	18	13	7	6	-	-	65	18	24	12	11	51
3	1	1	-	1	3	2	1	-	-	4	2	2	-	-	52
49	7	10	15	17	10	5	5	-	-	61	16	22	12	11	53
5	2	2	1	-	1	1	-	-	-	16	6	6	2	2	54
15	3	9	3	-	7	5	2	-	-	19	9	8	2	-	55
72	27	14	21	10	14	10	2	1	1	116	71	23	14	8	56
1	-	1	-	-	2	1	1	-	-	5	3	2	-	-	57
3	3	-	-	-	3	3	-	-	-	12	9	-	3	-	58
13	4	5	4	-	1	1	-	-	-	11	4	6	1	-	59
42	17	6	14	5	4	2	-	1	1	77	51	10	10	6	60
11	3	1	3	4	2	2	-	-	-	9	4	3	-	2	61
2	-	1	-	1	2	1	1	-	-	2	-	2	-	-	62
3,172	868	945	665	694	836	410	404	9	13	5,271	1,990	2,057	575	649	63
2,986	822	897	616	651	764	372	376	6	10	5,011	1,856	1,971	557	627	64
109	32	35	20	22	22	11	11	-	-	251	72	92	44	43	65
1,802	441	486	426	449	461	220	230	3	8	2,775	1,021	1,017	337	400	66
836	257	292	134	153	187	94	88	3	2	1,399	526	617	128	128	67
239	92	84	36	27	94	47	47	-	-	586	237	245	48	56	68
37	8	6	14	9	8	4	4	3	-	42	22	11	5	4	69
9	2	3	-	4	19	7	12	-	-	19	9	6	1	3	70
19	8	9	1	1	16	10	6	-	-	33	16	15	-	2	71
6	1	2	3	-	3	2	-	-	1	29	19	6	2	2	72
34	2	2	14	16	3	1	1	-	1	40	23	9	5	3	73
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
4	2	-	1	1	-	-	-	-	-	2	1	-	-	1	77
75	22	25	16	12	23	14	8	-	1	95	44	39	5	7	78



SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,544	3,375	2,401	1,452	1,316	2,772	1,680	1,039	32	21	14,530	7,274	4,915	1,250	1,091	01
7,693	3,119	2,123	1,277	1,174	2,506	1,530	927	28	21	13,376	6,662	4,357	1,109	948	02
10	1	3	3	3	1	1	—	—	—	4	2	1	1	—	03
87	25	33	13	16	25	15	8	2	—	176	72	75	14	15	04
33	10	16	3	4	13	10	3	—	—	71	29	33	4	5	05
9	5	3	1	2	3	2	1	—	—	20	11	4	3	2	06
6	1	2	1	2	2	1	1	—	—	10	2	7	1	—	07
39	9	12	8	10	7	2	3	2	—	75	30	31	6	8	08
5,457	2,606	1,529	728	594	2,051	1,307	710	20	14	10,470	5,706	3,353	819	592	09
1,118	372	408	167	171	453	235	207	6	5	2,460	999	951	287	223	10
4,330	2,231	1,118	559	422	1,598	1,072	503	14	9	8,005	4,703	2,401	532	369	11
9	3	3	2	1	—	—	—	—	—	5	4	1	—	—	12
42	18	10	7	7	8	5	3	—	—	70	32	22	10	6	13
1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	14
25	17	3	4	1	3	2	1	—	—	41	24	12	3	2	15
16	1	6	3	6	5	3	2	—	—	28	8	9	7	4	16
544	125	196	97	126	141	68	72	1	—	799	329	347	96	67	17
457	103	176	79	99	118	57	60	1	—	598	240	263	42	53	18
87	22	20	18	27	23	11	12	—	—	231	89	84	14	14	19
495	166	128	109	92	141	73	61	3	4	493	226	170	45	52	20
11	5	2	2	2	2	2	—	—	—	18	6	4	4	4	21
18	6	4	3	5	1	—	1	—	—	11	4	4	1	2	22
130	41	48	18	23	46	25	19	1	1	151	62	54	16	19	23
336	114	74	86	62	92	46	41	2	3	313	154	108	24	27	24
1,058	178	224	320	336	139	61	73	2	3	1,064	295	309	164	216	25
210	41	42	68	59	38	24	14	—	—	189	68	76	18	27	26
848	137	182	252	277	101	37	59	2	3	875	227	313	146	189	27
140	21	27	56	36	23	13	10	—	—	223	71	74	32	46	28
58	14	14	20	10	20	12	8	—	—	123	51	38	13	21	29
82	7	13	36	26	3	1	2	—	—	100	20	36	19	25	30
558	186	201	92	79	199	114	81	4	—	981	448	391	71	71	31
410	105	171	71	63	151	79	68	4	—	707	294	326	48	39	32
106	63	18	15	10	37	31	6	—	—	189	117	38	17	17	33
4	1	1	2	—	2	—	5	—	—	2	1	—	1	—	34
38	17	11	4	6	9	4	5	—	—	83	36	27	5	15	35
153	49	50	27	27	44	23	21	—	—	250	93	93	38	26	36
1,100	428	208	266	198	288	182	78	18	10	1,922	975	602	206	139	37
12	3	2	3	4	1	1	—	—	—	9	5	3	1	—	38
40	5	14	10	19	11	4	6	—	—	47	13	19	5	10	39
659	182	135	192	150	153	72	57	15	9	1,152	487	432	121	102	40
132	32	23	38	39	34	13	14	2	5	132	59	37	18	18	41
289	90	60	80	59	69	41	21	5	2	581	232	230	67	52	42
59	21	12	14	12	13	4	7	1	1	89	38	29	12	10	43
179	39	40	60	40	37	14	15	7	1	350	158	136	34	22	44
9	3	1	4	1	3	3	—	—	—	23	5	8	5	5	45
44	28	7	7	2	17	13	3	1	—	129	81	29	15	4	46
—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	47
10	3	—	6	1	6	5	1	—	—	14	9	2	2	1	48
3	2	—	1	—	—	—	—	—	—	5	2	1	2	—	49
54	22	14	13	5	8	6	2	—	—	60	27	27	5	1	50
7	4	2	—	1	9	8	1	—	—	48	27	18	2	—	51
232	168	30	24	10	69	62	5	2	—	406	305	58	34	9	52
199	153	27	16	3	63	58	4	1	—	368	285	48	28	7	53
33	15	3	8	7	6	4	1	1	—	38	20	10	6	2	54
22	8	3	6	5	10	7	3	—	—	28	14	5	2	7	55
722	285	206	135	96	231	123	79	13	16	1,165	535	411	122	96	56
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	57
74	35	13	20	6	21	18	3	—	—	98	54	26	13	5	58
40	19	8	11	2	12	7	5	—	—	82	56	17	8	1	59
7	3	—	2	—	—	—	—	—	—	12	5	4	1	2	60
17	6	3	6	2	4	1	1	2	—	41	19	14	4	4	61
101	27	38	17	19	34	12	13	4	5	195	77	79	21	18	62
95	23	18	31	23	13	6	3	3	1	65	22	19	17	7	63
36	12	20	2	2	15	7	8	—	—	72	19	45	4	4	64
172	104	35	19	15	58	35	13	3	7	297	163	78	30	26	65
128	75	28	13	12	37	22	11	1	3	213	117	63	16	17	66
45	29	7	6	3	21	13	2	2	4	84	46	15	14	9	67
41	9	22	3	7	19	8	9	1	2	99	34	51	1	13	68
138	47	49	24	18	54	28	24	1	1	204	86	70	24	16	69
419	124	103	96	96	74	47	22	2	3	631	272	181	97	81	70
178	43	30	51	54	28	14	12	1	1	234	93	67	38	36	71
7	—	1	3	3	5	3	1	—	—	12	4	5	1	2	72
11	3	3	3	2	1	1	—	—	—	6	6	—	—	—	73
160	40	26	45	49	22	10	11	—	1	216	83	62	37	34	74
125	31	53	16	25	22	12	7	1	2	210	79	87	22	22	75
17	7	5	3	2	2	1	1	—	—	13	5	5	2	1	76
41	16	10	9	6	2	1	1	—	—	66	26	17	11	12	77
34	21	—	13	—	15	15	—	—	—	78	56	—	22	—	78
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	79
24	6	5	4	9	5	4	1	—	—	30	13	5	2	10	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	46	...	27	...	19	2	...	2	...	-
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	2	...	2	...	-
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	5	...	3	...	2	-	...	-	...	-
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	11	...	7	...	4	-	...	-	...	-
05 ECTOPIC PREGNANCY.....645	3	...	1	...	2	-	...	-	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	-	...	-	...	-
07 ABORTION WITH SEPSIS.....651	2	...	1	...	1	-	...	-	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 CT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	22	...	14	...	8	-	...	-	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	161	49	84	9	19	4	2	2	-	-
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	41	17	16	3	5	1	1	-	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	120	32	68	6	14	3	1	2	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	226	98	114	8	6	19	13	6	-	-
14 ARTHRITIS AND SPONDYLITIS.....720-725	109	37	66	2	4	9	6	3	-	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	5	1	4	-	-	-	-	-	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	9	6	3	-	-	-	-	-	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	9	4	4	1	-	3	1	2	-	-
18 INBORN DEFECT OF MUSCLE.....744-1	37	26	8	2	1	6	5	1	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744,0,744.2	57	24	29	3	1	1	1	-	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	951	475	375	58	43	77	44	32	-	1
21 SPINA BIFIDA AND MENINGOCELE.....751	62	24	36	1	1	6	3	3	-	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	83	37	38	7	1	6	5	1	-	-
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	500	263	176	30	31	34	22	12	-	-
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	306	151	125	20	10	31	14	16	-	1
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	2,759	1,250	895	332	282	193	99	68	21	5
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	2,443	1,005	445	602	391	19	9	8	1	1
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	71	27	37	3	4	-	-	-	-	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	2,372	978	408	599	387	19	9	8	1	1
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,184	4,315	1,964	648	257	454	248	174	20	12
30 ACCIDENTS.....E800-E962	5,646	3,466	1,597	414	169	367	196	150	13	8
31 RAILWAY ACCIDENTS.....E800-E802	43	35	3	5	-	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	2,589	1,771	616	142	60	109	69	31	7	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	2,538	1,728	608	142	60	107	67	31	7	2
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	-	38	11	-	2	-	-	-	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	553	353	132	50	18	31	17	10	2	2
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811-E813-E819	949	622	271	38	18	39	22	14	3	-
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	590	440	93	41	16	27	22	3	2	-
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	438	288	101	13	6	10	6	4	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	51	43	8	-	-	2	2	-	-	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	15	9	6	-	-	-	-	-	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	46	29	7	10	-	3	3	-	-	-
42 AIRCRAFT ACCIDENTS.....E860-E866	54	42	12	-	-	3	3	-	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	128	43	32	41	12	6	1	4	-	1
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	93	64	22	5	2	8	6	2	-	-
45 ACCIDENTAL FALLS.....E900-E904	1,189	542	553	69	25	145	55	88	1	1
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	442	242	139	51	10	35	15	20	-	-
47 FALL ON SAME LEVEL.....E903	267	107	135	13	12	70	29	40	1	-
48 UNSPECIFIED FALLS.....E904	480	193	279	5	3	40	11	28	-	1
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1,1	95	1	5	-	3	2	1	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	94	85	1	8	-	5	5	-	-	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	36	34	2	2	-	4	4	-	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	386	180	128	38	40	29	17	8	3	1
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	14	9	2	2	1	1	1	-	-	-
54 ACCIDENT CAUSED BY FIREARM.....E919	81	64	7	10	-	3	3	-	-	-
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	93	41	45	4	3	3	2	1	-	-
56 ACCIDENTAL DROWNING.....E929	220	148	37	31	4	22	14	7	1	-
57 EXCESSIVE HEAT AND INSULATION.....E931	7	5	2	-	-	-	-	-	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	110	55	43	7	5	3	1	2	-	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	345	215	78	35	17	20	10	6	1	3
60 SUICIDE.....E963,E970-E979	1,071	722	303	31	15	59	38	19	1	1
61 SUICIDE BY POISONING.....E970-E973	296	137	146	4	9	20	7	12	1	-
62 SUICIDE BY HANGING AND STRANGULATION.....E974	207	151	45	9	2	13	8	5	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	418	346	58	12	2	15	14	1	-	-
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	150	88	54	6	2	11	9	1	-	1
65 HOMICIDE.....E964,E980-E985	465	126	64	202	73	28	14	5	6	3
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	202	67	28	82	25	9	4	2	1	2
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	138	22	8	89	19	6	2	1	3	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	115	32	28	26	29	13	8	2	2	1
69 INJURY BY INTERVENTION OF POLICE.....E984	10	5	-	5	-	-	-	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	2	1	-	1	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15	...	4	...	11	3	...	2	...	1	27	...	16	...	11	01
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	02
6	...	1	...	5	1	...	1	...	-	6	...	2	...	4	03
4	...	-	...	4	-	...	-	...	-	3	...	3	...	-	04
2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	05
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	06
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	07
3	...	2	...	1	1	...	-	...	1	9	...	5	...	4	08
32	5	9	8	10	6	4	2	-	-	34	10	17	4	3	10
11	3	1	6	1	1	1	-	-	-	9	2	4	2	1	11
21	2	8	2	9	5	3	2	-	-	25	8	13	2	2	12
46	22	13	4	7	14	8	5	1	-	97	38	47	6	6	13
27	13	8	2	4	9	5	3	1	-	59	21	31	3	4	14
2	2	-	-	-	-	-	-	-	-	1	2	2	-	-	15
1	1	-	-	-	-	-	-	-	-	4	2	2	-	-	16
8	5	2	-	1	1	1	-	-	-	2	2	1	1	1	17
8	1	3	2	2	4	2	2	-	-	12	9	2	1	1	18
219	77	73	35	34	60	29	28	3	-	369	151	140	40	38	20
15	6	8	1	-	5	3	2	-	-	27	12	12	1	2	21
19	6	5	1	7	5	1	4	-	-	40	16	15	4	5	22
104	37	32	17	18	29	13	14	2	-	171	66	61	20	24	23
81	28	28	16	9	21	12	8	1	-	131	57	52	15	7	24
736	257	150	189	140	149	73	57	10	9	972	369	291	178	134	25
616	106	63	234	213	59	36	12	7	4	656	260	156	144	96	26
15	4	3	2	6	4	3	1	-	-	18	3	13	-	2	27
601	102	60	232	207	55	33	11	7	4	638	257	143	144	94	28
2,287	986	364	717	220	560	311	156	57	36	3,274	1,961	692	472	149	29
1,778	787	294	523	174	484	262	140	50	32	2,483	1,507	561	314	101	30
14	7	-	5	2	1	-	-	1	-	29	17	-	10	2	31
813	409	130	212	62	228	116	64	31	17	1,284	818	286	136	44	32
797	402	128	207	60	222	112	63	31	16	1,252	797	277	134	44	33
29	18	11	-	-	15	7	8	-	-	26	15	4	5	2	34
126	46	16	40	24	22	5	8	5	4	180	94	39	22	14	35
192	97	41	41	13	92	50	27	11	4	585	374	155	47	9	36
158	79	16	55	8	91	48	20	15	8	456	287	66	39	14	37
292	162	44	71	15	2	2	2	-	-	55	27	13	16	5	38
16	7	2	5	2	6	4	1	-	1	32	21	9	2	-	39
3	-	1	2	-	4	2	1	1	-	9	6	1	1	1	40
32	19	1	12	-	2	2	-	-	-	29	22	3	2	2	41
13	10	2	1	-	8	6	-	-	-	34	29	1	4	-	42
33	12	7	10	4	5	3	-	-	-	35	14	10	6	5	43
17	5	1	8	3	10	7	3	-	-	13	9	1	2	1	44
180	62	75	29	14	68	36	28	2	2	289	125	135	23	6	45
38	14	11	10	3	25	17	8	-	-	68	37	18	12	1	46
19	8	5	5	1	6	2	2	1	1	64	28	27	7	2	47
123	40	59	14	10	37	17	18	1	1	157	60	90	4	3	48
37	17	-	19	1	7	5	-	2	-	58	48	1	9	-	49
30	23	-	6	1	26	25	1	-	-	50	43	1	6	-	50
12	9	-	3	-	5	5	-	-	-	25	21	3	1	-	51
152	41	20	43	48	27	12	9	4	2	175	82	41	38	14	52
7	1	1	2	3	-	-	-	-	-	11	6	2	3	-	53
117	53	8	46	10	12	8	3	-	1	72	48	6	17	1	54
31	10	7	9	5	5	2	1	1	1	42	26	7	7	2	55
108	39	5	58	6	23	11	9	2	1	128	81	19	23	5	56
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	57
25	12	7	2	4	4	1	3	-	-	25	9	11	3	2	58
154	58	29	56	11	49	21	14	6	8	174	102	33	22	16	59
210	133	45	25	7	56	41	13	2	-	407	297	91	12	7	60
28	16	11	1	-	10	5	5	-	-	52	29	19	2	-	61
16	11	2	2	1	14	9	4	1	-	32	25	6	-	1	62
150	99	28	20	3	29	25	3	1	-	293	226	57	10	-	63
16	7	4	2	3	3	2	1	-	-	30	17	9	-	4	64
298	65	25	169	39	20	8	3	5	4	382	155	40	146	41	65
224	47	15	136	26	10	6	2	1	1	272	124	25	96	27	66
37	6	6	21	4	2	-	1	1	-	60	12	7	33	8	67
35	12	4	16	9	6	-	-	3	3	42	14	8	14	6	68
2	-	-	2	-	2	2	-	-	-	8	5	-	3	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS						UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite		
		Male	Female	Male	Female		Male	Female	Male	Female	
01 ALL CAUSES.....	86,805	43,068	30,539	7,392	5,806	6,533	3,720	2,690	76	47	
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,010	464	310	141	95	43	27	16	-	-	
03 TUBERCULOSIS, ALL FORMS.....001-019	375	203	97	60	15	3	2	1	-	-	
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	341	193	87	49	12	2	1	1	-	-	
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	14	4	5	4	1	-	-	-	-	-	
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	3	1	-	1	1	1	1	-	-	-	
07 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	-	-	1	-	-	-	-	-	-	
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	5	2	2	1	-	-	-	-	-	-	
09 DISSEMINATED TUBERCULOSIS.....019	11	3	3	4	1	-	-	-	-	-	
10 SYPHILIS AND ITS SEQUELAE.....020-029	143	68	38	20	17	7	5	2	-	-	
11 CONGENITAL SYPHILIS.....020	5	3	1	-	1	-	-	-	-	-	
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-	
13 ANEURYSM OF AORTA.....022	102	52	32	10	8	7	5	2	-	-	
14 OTHER CARDIOVASCULAR SYPHILIS.....023	23	9	3	6	5	-	-	-	-	-	
15 TABES DORSALIS.....024	1	1	-	-	-	-	-	-	-	-	
16 GENERAL PARALYSIS OF INSANE.....025	3	1	1	1	1	-	-	-	-	-	
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	6	2	1	1	2	-	-	-	-	-	
18 ALL OTHER SYPHILIS.....027-029	3	-	-	2	1	-	-	-	-	-	
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-	
20 TYPHOID FEVER.....040	2	-	1	-	1	-	-	-	-	-	
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	6	2	3	1	-	-	-	-	-	-	
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-	
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-	
24 DYSENTERY, ALL FORMS.....045-048	32	15	8	5	4	-	-	-	-	-	
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	2	-	-	-	2	-	-	-	-	-	
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-	
27 STREPTOCOCCAL SORE THROAT.....051	6	2	2	1	1	-	-	-	-	-	
28 ERYSIPELAS.....052	3	2	1	-	-	-	-	-	-	-	
29 SEPTICEMIA AND PYEMIA.....053	164	69	57	21	17	15	9	6	-	-	
30 DIPHTHERIA.....055	11	4	4	1	2	-	-	-	-	-	
31 WHOOPING COUGH.....056	4	-	1	-	3	-	-	-	-	-	
32 MENINGOCOCCAL INFECTIONS.....057	31	9	10	7	5	-	-	-	-	-	
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-	
34 LEPROSY.....060	1	1	-	-	-	-	-	-	-	-	
35 TETANUS.....061	32	5	10	6	11	-	-	-	-	-	
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-	
37 ACUTE POLIOMYELITIS.....080	3	2	1	-	-	-	-	-	-	-	
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	5	1	4	-	-	2	2	-	-	-	
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	19	10	6	3	-	4	3	1	-	-	
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	2	-	2	-	-	1	-	1	-	-	
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-	
42 MEASLES.....085	16	8	7	-	1	-	-	-	-	-	
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-	
44 INFECTIOUS HEPATITIS.....092	61	24	27	4	6	2	-	2	-	-	
45 RABIES.....094	1	1	-	-	-	-	-	-	-	-	
46 TICK-BORNE TYPHUS.....104	2	2	-	-	-	-	-	-	-	-	
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-	
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-	
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-	
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-	
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-	
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-	
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	2	1	-	-	1	-	-	-	-	-	
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	87	35	31	12	9	9	6	3	-	-	
55 II. NEOPLASMS.....	14,352	6,997	5,485	1,049	821	933	502	415	8	8	
56 MALIGNANT NECPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEPATOCELLULAR TISSUES.....140-205	14,147	6,913	5,407	1,035	792	919	493	411	8	7	
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	302	198	65	32	7	6	4	1	-	1	
58 OF LIP.....140	7	7	-	-	-	-	-	-	-	-	
59 OF TONGUE.....141	73	49	15	7	2	2	1	1	-	-	
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	92	50	30	8	4	-	-	-	-	-	
61 OF PHARYNX.....145-148	130	92	20	17	1	4	3	-	-	1	
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	3,940	1,775	1,593	328	244	362	159	134	7	2	
63 OF ESOPHAGUS.....150	216	121	49	36	10	7	6	1	-	-	
64 OF STOMACH.....151	765	350	255	102	58	59	31	24	3	1	
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	28	17	6	4	1	4	2	2	-	-	
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,254	478	633	60	83	99	45	53	1	-	
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	155	57	81	6	11	8	3	5	-	-	
68 TRANSVERSE COLON.....153.1	41	18	19	2	2	8	4	4	-	-	
69 DESCENDING COLON.....153.2	30	10	18	1	1	3	-	2	1	-	
70 SIGMOID COLON.....153.3	157	57	87	7	6	22	11	11	-	-	
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-	
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	835	323	413	40	59	51	25	26	-	-	
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	36	13	15	4	4	7	2	5	-	-	
74 OF RECTUM.....154	295	133	119	17	26	30	17	13	-	-	
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	390	151	187	31	21	26	12	13	-	1	
76 LIVER.....155.0	219	109	73	27	10	4	1	3	-	-	
77 CT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	171	42	114	4	11	22	11	10	-	1	
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	76	31	33	10	2	11	6	5	-	-	
79 OF PANCREAS.....157	84	457	283	62	39	56	33	20	3	-	
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	75	37	28	6	4	10	7	3	-	-	

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,526	2,455	2,061	4	6	37,236	16,043	11,946	5,186	4,061	29,404	16,437	11,981	598	388	01
38	29	9	-	-	404	134	88	108	74	207	132	61	3	11	02
20	18	2	-	-	168	60	29	56	23	76	51	18	2	5	03
18	17	1	-	-	148	57	26	47	18	67	46	17	2	2	04
-	-	-	-	-	4	1	-	1	2	1	1	-	-	-	05
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	06
-	-	-	-	-	2	1	-	1	-	1	-	1	-	-	07
-	-	-	-	-	6	-	3	1	2	3	1	-	-	-	08
2	1	1	-	-	8	1	-	6	1	3	2	-	-	-	09
7	5	2	-	-	44	16	7	14	7	43	32	10	-	1	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
4	3	1	-	-	27	15	5	5	2	36	26	9	-	1	13
2	1	1	-	-	10	-	2	4	4	5	4	1	-	-	14
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	5	1	-	4	1	-	-	-	-	-	16
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	4	1	-	2	1	2	1	1	-	-	23
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	24
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	26
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	27
5	3	2	-	-	84	29	24	16	15	25	15	8	1	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	4	-	1	2	1	-	-	-	-	-	30
1	-	1	-	-	17	5	6	3	3	11	5	6	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	5	1	-	1	3	1	1	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	2	2	-	-	-	2	1	1	-	-	35
-	-	-	-	-	6	4	2	-	-	2	2	4	-	-	36
2	1	1	-	-	4	2	-	-	-	2	2	-	-	-	37
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	38
-	-	-	-	-	4	2	-	1	1	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	19	3	9	1	6	13	6	7	-	-	42
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	49
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	2	1	-	-	39	9	9	8	13	20	12	4	-	4	53
741	370	367	3	1	5,922	2,441	2,117	776	588	5,006	2,701	2,167	72	66	54
725	362	360	2	1	5,812	2,401	2,077	763	571	4,925	2,665	2,126	72	62	55
7	4	3	-	-	140	77	23	27	13	99	65	33	1	-	56
-	-	-	-	-	3	2	-	-	1	3	2	1	-	-	57
1	1	-	-	-	21	9	3	8	1	20	13	7	-	-	58
4	2	2	-	-	46	25	9	9	3	31	19	12	-	-	59
2	1	1	-	-	70	41	11	10	8	45	31	13	1	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
231	102	128	-	1	1,564	575	589	238	162	1,467	768	647	29	23	62
9	5	4	-	-	105	43	14	36	12	79	55	18	4	2	63
32	16	16	-	-	284	105	78	77	24	283	164	100	11	8	64
3	1	2	-	-	13	7	5	1	-	19	11	6	1	1	65
82	27	55	-	-	497	176	220	43	58	487	220	256	5	6	66
12	3	9	-	-	51	21	21	3	6	82	34	47	-	1	67
5	2	3	-	-	16	5	6	3	2	17	7	8	1	1	68
4	2	2	-	-	9	3	6	-	-	16	10	6	-	-	69
22	6	16	-	-	74	26	30	4	14	86	38	48	-	-	70
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71
36	13	23	-	-	334	119	148	32	35	263	121	136	2	4	72
3	1	2	-	-	13	2	9	1	1	22	9	11	2	-	73
27	17	10	-	-	150	63	61	14	12	160	88	70	1	1	74
18	6	12	-	-	111	22	66	12	11	98	36	61	1	-	75
6	3	3	-	-	32	7	16	7	2	25	13	11	1	-	76
12	3	9	-	-	79	15	50	5	9	73	23	50	-	-	77
4	1	4	-	1	69	25	23	10	11	38	24	12	1	1	78
49	26	23	-	-	303	122	106	45	30	284	164	112	5	3	79
5	3	2	-	-	32	12	16	-	4	19	6	12	-	1	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS					UTAH					
	Total	White		Nonwhite		Total	White		Nonwhite		
		Male	Female	Male	Female		Male	Female	Male	Female	
01 MALIGNANT NECPLASMS, ETC.—CON.											
02 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,022	2,250	446	281	45	112	95	17	-	-	-
03 OF LARYNX.....161	132	101	12	16	3	6	5	1	-	-	-
04 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	1,148	888	144	103	13	52	48	4	-	-	-
05 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,693	1,230	276	159	28	49	39	10	-	-	-
06 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	49	31	14	3	1	5	3	2	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	1,088	7	963	1	117	75	2	73	-	-	-
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,996	718	924	151	203	136	72	62	-	-	2
08 OF CERVIX UTERI.....171	412	---	317	---	95	8	---	6	---	---	2
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	261	---	199	---	62	20	---	20	---	---	---
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	422	---	381	---	41	34	---	34	---	---	---
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	32	---	27	---	5	2	---	2	---	---	---
12 OF PROSTATE.....177	806	659	---	147	---	69	---	69	---	---	---
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	63	59	---	4	---	3	---	3	---	---	---
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	596	339	177	62	18	39	22	16	---	---	1
15 OF KIDNEY.....180	273	138	99	26	10	17	9	8	---	---	---
16 OF BLADDER AND OTHER URINARY ORGANS.....181	323	201	78	36	8	22	13	8	---	---	1
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	1,699	839	668	97	95	122	65	56	1	---	---
18 OF SKIN.....190,191	337	194	136	5	2	16	11	5	---	---	---
19 OF EYE.....192	18	6	11	1	---	---	---	---	---	---	---
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	390	217	149	10	14	37	20	17	---	---	---
21 OF THYROID GLAND.....194	46	19	23	---	4	5	3	1	---	---	---
22 OF BCNE.....196	77	35	33	7	2	6	4	2	---	---	---
23 OF CONNECTIVE TISSUE.....197	54	26	20	7	1	8	4	4	---	---	---
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	82	50	23	5	4	2	1	1	---	---	---
25 OF UNSPECIFIED SITES.....156B,165,198,199B	695	292	273	62	68	48	22	26	---	---	---
26 LEUKEMIA AND ALEUKEMIA.....204	726	385	276	41	24	55	27	27	---	---	1
27 LYMPHOSARCOMA, ETC.....200-203,205	778	402	295	42	39	72	47	25	---	---	---
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	310	164	127	9	10	45	27	18	---	---	---
29 HODGKINS DISEASE.....201	181	104	60	11	6	7	6	1	---	---	---
30 OTHER NECPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	287	134	108	22	23	20	14	6	---	---	---
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	205	84	78	14	29	14	9	4	---	---	1
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	9	---	3	---	6	---	---	---	---	---	---
33 BENIGN NECPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	47	17	19	4	7	2	---	2	---	---	---
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	51	26	18	1	6	5	4	---	---	---	1
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	---	1	---	---	1	---	1	---	---	---
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	53	23	18	6	6	3	3	---	---	---	---
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	44	18	19	3	4	3	2	1	---	---	---
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,996	733	917	124	222	170	67	99	2	---	2
39 ASTHMA.....241	163	69	59	15	20	10	7	3	---	---	---
40 NONTOXIC GOITER.....250,251	2	---	1	---	1	---	---	---	---	---	---
41 THYROIDITIS WITH OR WITHOUT GOITER.....252	12	2	4	1	5	1	---	1	---	---	---
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	24	2	21	---	1	3	1	2	---	---	---
43 DIABETES MELLITUS.....260	1,479	535	701	73	170	138	51	83	2	---	2
44 DISEASES OF THYROID GLAND.....273	6	2	3	---	---	---	---	---	---	---	---
45 DISEASES OF ADRENAL GLANDS.....274	15	4	9	1	1	---	---	---	---	---	---
46 PELLAGRA.....281	---	---	---	---	---	---	---	---	---	---	---
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	97	38	42	10	7	2	---	2	---	---	---
48 CYSTIC FIBROSIS.....289A	31	13	13	3	2	1	---	---	---	---	---
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	167	68	64	20	15	15	8	7	---	---	---
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	299	122	116	31	30	24	12	11	---	---	1
51 ANEMIAS.....290-293	169	62	62	23	22	15	6	8	---	---	1
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	18	4	8	3	3	---	---	---	---	---	---
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	151	58	54	20	19	15	6	8	---	---	1
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	58	23	24	5	6	2	1	1	---	---	---
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	72	37	30	3	2	7	5	2	---	---	---
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS...	236	131	71	23	11	37	25	11	1	---	---
57 SENILE PSYCHOSIS.....304	9	2	6	---	1	4	1	3	---	---	---
58 ALCOHOLIC PSYCHOSIS.....307	31	25	2	3	3	---	---	---	---	---	---
59 OTHER PSYCHOSSES.....300-303,305,306,308,309	62	22	35	2	3	4	2	2	---	---	---
60 ALCOHOLISM.....322	105	67	16	16	6	19	14	4	1	---	---
61 MENTAL DEFICIENCY.....325	22	12	8	2	---	6	5	1	---	---	---
62 OTHER DISORDERS OF PERSONALITY...RESIDUAL	7	3	4	---	---	---	---	---	---	---	---
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	10,683	4,219	4,690	823	951	659	296	349	7	---	7
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	10,020	3,902	4,443	770	905	578	253	318	5	---	2
65 SUBARACHNOID HEMORRHAGE.....330	424	137	205	27	55	20	9	11	---	---	---
66 CEREBRAL HEMORRHAGE.....331	5,984	2,366	2,623	439	556	314	144	166	2	---	2
67 CEREBRAL EMPOLISM AND THROMBOSIS.....332	2,246	908	1,008	180	150	166	69	95	2	---	---
68 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	1,366	491	607	124	144	78	31	46	1	---	---
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	118	48	41	16	13	18	9	8	1	---	---
70 MULTIPLE SCLEROSIS.....345	39	16	20	---	3	7	3	4	---	---	---
71 PARALYSIS AGITANS.....350	127	64	56	2	5	14	10	4	---	---	---
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	20	8	6	4	2	3	---	---	1	---	1
73 EPILEPSY.....353	78	28	35	11	4	7	5	1	---	---	1
74 INFLAMMATORY DISEASES OF EYE.....370-379	---	---	---	---	---	---	---	---	---	---	---
75 CATARACT.....385	3	1	1	1	---	2	---	1	---	---	1
76 GLAUCOMA.....387	---	---	---	---	---	---	---	---	---	---	---
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	9	3	5	---	1	---	---	---	---	---	---
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	269	149	83	19	18	30	16	12	---	---	2



Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	33,315	17,365	11,451	2,409	2,090	2,583	1,481	1,074	20	8
02 DISEASES OF HEART.....400-402,410-443	29,918	15,940	10,001	2,164	1,813	2,315	1,328	967	16	4
03 RHEUMATIC FEVER.....400-402	19	5	12	1	1	1	1	1	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	367	159	164	23	21	109	46	62	-	1
05 DISEASES OF MITRAL VALVE.....410	182	79	90	7	6	38	15	23	-	-
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	34	19	11	3	1	13	9	4	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	14	6	3	3	2	6	4	2	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	137	55	60	10	12	52	18	33	-	1
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	22,713	12,898	7,291	1,381	1,143	1,770	1,086	668	15	1
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,476	2,004	1,873	301	298	428	208	215	5	-
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	18,228	10,892	5,413	1,079	844	1,341	878	452	10	1
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	9	2	5	1	1	1	-	1	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	160	89	47	17	7	18	12	6	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	-	1	-	-	1	1	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	111	65	30	11	5	15	10	5	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	48	24	16	6	2	2	1	1	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	2,017	823	845	192	157	138	50	85	1	2
18 WITH ARTERIOSCLEROSIS.....422.1	1,645	685	670	158	132	104	36	67	1	2
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	372	138	175	34	25	34	14	18	-	-
20 OTHER DISEASES OF HEART.....430-434	2,724	1,360	865	296	203	152	74	78	-	-
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	44	27	8	5	3	3	1	2	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	48	25	12	6	5	3	2	1	-	-
23 FUNCTIONAL DISEASE OF HEART.....433	726	331	304	46	45	69	32	37	-	-
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,906	977	541	239	149	77	39	38	-	-
25 HYPERTENSIVE HEART DISEASE.....440-443	1,918	606	777	254	281	127	60	67	-	-
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	388	141	161	46	40	32	20	12	-	-
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,530	465	616	208	241	95	40	55	-	-
28 OTHER HYPERTENSIVE DISEASE.....444-447	498	171	181	66	80	31	16	13	1	1
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	288	109	102	37	40	12	7	5	-	-
30 ESSENTIAL HYPERTENSION.....444,445,447	210	62	79	29	40	19	9	8	1	1
31 DISEASES OF ARTERIES.....450-456	2,185	966	983	112	124	156	90	63	3	1
32 GENERAL ARTERIOSCLEROSIS.....450	1,555	618	786	74	77	96	47	47	1	1
33 AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	409	253	116	23	17	38	32	5	-	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	22	8	7	5	2	2	2	0	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	199	87	74	10	28	21	9	11	1	1
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	714	288	286	67	73	80	47	31	-	2
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	4,954	2,779	1,514	412	249	388	283	98	5	2
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	63	9	30	3	2	4	2	2	-	-
39 INFLUENZA.....480-483	24	20	30	5	9	4	3	1	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	2,766	1,264	1,049	271	182	192	113	72	5	2
41 LOBAR PNEUMONIA.....490	340	162	132	27	19	26	16	10	-	-
42 BRONCHOPNEUMONIA.....491	1,108	529	418	98	63	58	37	16	3	2
43 PRIMARY ATYPICAL PNEUMONIA.....492	242	119	85	28	19	18	12	6	-	-
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	1,076	463	414	118	81	90	48	40	2	-
45 ACUTE BRONCHITIS.....500	38	20	8	7	3	3	3	-	-	-
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	333	248	56	24	5	24	22	2	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	7	3	-	-	1	1	-	1	-	-
48 EMPHYEMA AND ABSCESS OF LUNG.....518,521	52	25	14	11	2	3	2	1	-	-
49 PLEURISY.....519	6	2	4	-	-	-	-	-	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	198	101	61	17	19	6	4	2	-	-
51 BRONCHIECTASIS.....526	70	34	27	6	3	1	1	1	-	-
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	1,253	983	193	62	15	133	120	13	-	-
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	1,127	907	165	47	8	103	93	10	-	-
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	126	76	28	15	7	30	27	3	-	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	144	70	60	6	8	17	13	4	-	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,548	1,733	1,366	265	104	294	168	117	5	4
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	1	1	-	-	-	-	-	-	-
58 ULCER OF STOMACH.....540	205	123	61	17	4	27	19	8	-	-
59 ULCER OF DUODENUM.....541	179	120	44	10	5	14	8	6	-	-
60 GASTRITIS AND DUODENITIS.....543	28	11	16	1	-	3	3	1	-	-
61 APPENDICITIS.....550-553	66	28	24	7	7	8	7	1	-	-
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	572	210	265	54	43	43	24	19	-	-
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	252	102	96	31	23	12	3	5	3	1
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	170	65	96	5	4	18	11	7	-	-
65 CIRRHOSIS OF LIVER.....581	1,365	596	358	74	37	64	32	29	1	2
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	746	393	279	48	26	31	16	15	-	-
67 WITH ALCOHOLISM.....581.1	319	203	79	26	11	33	16	14	1	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	215	93	105	7	10	23	11	11	-	1
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	794	384	300	59	51	82	50	31	1	-
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,661	767	571	195	148	92	57	32	2	1
71 NEPHRITIS AND NEPHROSIS.....590-594	650	267	219	84	80	45	27	16	1	1
72 ACUTE NEPHRITIS.....590	30	13	11	3	3	1	1	-	-	-
73 NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	38	13	15	4	6	5	3	2	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	582	241	193	77	71	39	23	14	1	1
75 INFECTIONS OF KIDNEY.....600	556	220	243	46	47	17	7	10	-	-
76 CALCULI OF URINARY SYSTEM.....602,604	54	25	23	1	5	3	3	-	-	-
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	203	110	56	30	7	10	3	3	-	-
78 HYPERPLASIA OF PROSTATE.....610	149	123	-	26	-	10	-	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	69	22	30	8	9	7	3	3	1	-

## SECTION 1 - GENERAL MORTALITY

1-239

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,053	1,103	948	-	2	15,708	7,169	5,117	1,835	1,587	12,647	7,288	5,067	190	102	01
1,816	990	825	-	1	14,160	6,571	4,563	1,626	1,400	11,276	6,586	4,430	171	89	02
1	1	-	-	-	9	2	1	3	3	4	1	3	-	-	03
34	19	15	-	-	186	66	98	7	15	263	96	158	4	5	04
10	6	4	-	-	74	17	46	2	9	126	40	85	-	1	05
7	6	1	-	-	22	12	6	4	-	28	16	11	1	-	06
1	-	1	-	-	9	3	5	-	1	12	6	6	-	-	07
16	7	9	-	-	81	34	41	1	5	97	34	56	2	4	08
1,507	858	648	-	1	10,645	5,526	3,268	1,068	783	9,132	5,664	3,271	137	60	09
523	240	283	-	-	2,314	947	971	217	179	2,135	1,053	1,030	31	21	10
982	616	365	-	1	8,322	4,576	2,292	850	604	6,988	4,607	2,236	106	39	11
2	2	-	-	-	9	3	5	1	-	9	4	5	-	-	12
11	7	4	-	-	73	31	26	11	5	86	48	36	1	1	13
2	1	1	-	-	7	3	2	1	1	2	2	-	-	-	14
7	5	2	-	-	37	20	11	5	1	55	35	19	1	-	15
2	1	1	-	-	29	8	13	5	3	29	11	17	-	1	16
110	44	66	-	-	1,269	397	535	155	182	594	268	318	6	2	17
95	34	61	-	-	1,072	327	484	119	142	515	229	278	6	2	18
15	10	5	-	-	197	70	51	36	40	79	39	40	-	-	19
54	29	25	-	-	652	243	202	115	92	563	275	279	4	5	20
1	1	-	-	-	19	10	3	4	2	17	11	6	-	-	21
2	2	-	-	-	27	11	7	5	4	16	7	8	-	1	22
18	12	6	-	-	287	117	95	40	35	233	117	113	1	2	23
33	14	19	-	-	319	105	97	66	51	297	140	152	3	2	24
99	32	67	-	-	1,326	306	433	267	320	634	234	365	19	16	25
30	12	18	-	-	286	66	102	53	65	186	81	98	5	2	26
69	20	49	-	-	1,040	240	331	214	255	448	153	267	14	14	27
53	22	30	-	1	241	87	60	49	45	134	63	66	2	3	28
41	18	22	-	1	136	61	28	25	22	76	39	35	-	2	29
12	4	8	-	-	105	26	32	24	23	58	24	31	2	1	30
137	69	68	-	-	1,010	407	390	105	108	1,055	540	499	12	4	31
96	36	60	-	-	720	254	307	78	81	821	386	424	8	3	32
30	25	5	-	-	208	125	51	15	17	174	126	44	3	1	33
3	3	-	-	-	8	1	4	3	-	6	4	2	-	-	34
8	5	3	-	-	74	27	28	9	10	54	24	29	1	-	35
47	22	25	-	-	297	104	104	55	34	182	99	72	5	6	36
310	193	117	-	-	2,066	1,014	537	330	185	1,685	1,083	526	49	27	37
1	-	1	-	-	29	5	11	8	5	3	1	2	-	-	38
3	-	3	-	-	23	7	10	2	4	34	14	20	-	-	39
195	109	86	-	-	1,221	495	373	222	131	942	522	362	37	21	40
20	8	12	-	-	152	66	35	22	29	124	81	32	9	2	41
121	74	47	-	-	636	261	216	109	50	418	221	177	9	11	42
16	10	6	-	-	72	35	16	10	11	102	56	35	6	5	43
38	17	21	-	-	361	133	106	81	41	298	164	118	13	3	44
2	2	-	-	-	17	7	7	1	2	16	12	3	1	-	45
17	14	3	-	-	107	76	17	11	3	89	68	19	1	1	46
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	2	-	-	-	27	13	6	5	3	9	6	3	-	-	48
-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	49
6	3	3	-	-	99	42	24	18	15	70	47	19	2	2	50
3	1	2	-	-	24	13	7	4	-	15	10	5	-	-	51
74	57	17	-	-	473	331	73	50	19	462	379	73	8	2	52
58	47	11	-	-	389	300	43	40	6	387	323	57	6	1	53
16	10	6	-	-	84	31	30	10	13	75	56	16	2	1	54
6	4	2	-	-	44	23	9	9	3	44	24	19	-	1	55
162	86	76	-	-	1,296	560	441	167	128	1,074	579	452	22	21	56
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	57
19	12	7	-	-	98	44	36	13	5	82	54	27	1	-	58
10	7	3	-	-	74	51	11	9	3	61	39	21	1	-	59
2	2	-	-	-	9	-	6	2	1	9	6	3	-	-	60
2	2	-	-	-	33	14	8	10	1	24	12	9	1	2	61
19	5	14	-	-	188	58	84	21	25	133	60	70	3	-	62
6	2	4	-	-	63	21	21	11	10	25	14	11	-	-	63
14	6	8	-	-	66	27	31	-	8	92	41	51	-	-	64
49	33	16	-	-	397	196	112	56	33	395	223	144	12	16	65
32	19	13	-	-	269	125	91	34	19	262	142	106	5	9	66
17	14	3	-	-	128	71	21	22	14	133	81	38	7	7	67
11	3	8	-	-	74	26	38	4	6	46	18	27	1	-	68
30	14	16	-	-	294	123	94	41	36	206	112	88	3	3	69
55	37	18	-	-	625	229	196	109	91	316	180	118	10	8	70
18	11	7	-	-	244	84	64	50	46	128	66	54	4	4	71
2	-	2	-	-	9	2	3	1	3	3	1	2	-	-	72
1	1	-	-	-	12	5	3	2	2	4	2	1	1	-	73
15	10	5	-	-	223	77	58	47	41	121	63	51	3	4	74
15	6	9	-	-	209	64	87	26	32	94	36	49	5	4	75
3	3	-	-	-	24	9	12	1	2	5	3	2	-	-	76
6	4	2	-	-	71	24	24	19	4	48	36	11	1	-	77
9	9	-	-	-	53	42	-	11	-	31	31	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
4	4	-	-	-	24	6	9	2	7	10	8	2	-	-	80

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	66	...	45	...	21	3	...	2	...	1
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	15	...	10	...	5	1	...	1	...	-
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	18	...	14	...	4	1	...	1	...	-
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	5	...	4	...	1	1	...	-	...	1
05 ECTOPIC PREGNANCY.....645	3	...	1	...	2	-	...	-	...	-
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	4	...	3	...	1	-	...	-	...	-
07 ABORTION WITH SEPSIS.....651	4	...	1	...	3	-	...	-	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	17	...	12	...	5	-	...	-	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	117	30	57	12	18	11	5	6	-	-
11 INFECTIOUS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	21	8	7	3	3	4	2	2	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	96	22	50	9	15	7	3	4	-	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	161	81	87	5	8	31	12	19	-	-
14 ARTHRITIS AND SPONDYLITIS.....720-725	132	34	61	1	6	20	6	14	-	-
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	2	1	1	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	9	8	1	-	-	-	-	-	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	5	1	3	1	-	-	-	-	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	26	20	4	2	-	5	4	1	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	39	18	18	1	2	4	1	3	-	-
20 XIV. CONGENITAL MALFORMATIONS.....	927	452	341	79	55	101	47	53	1	-
21 SPINA BIFIDA AND MENINGOCELE.....751	62	28	32	1	1	7	1	5	1	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	83	38	32	8	5	12	7	5	-	-
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	443	219	152	44	28	52	21	31	-	-
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	339	167	125	26	21	30	18	12	-	-
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	2,889	1,268	933	395	293	225	131	90	2	2
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	1,728	721	535	251	221	216	113	93	6	4
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	216	52	115	20	29	53	19	32	1	1
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,512	669	420	231	192	163	94	61	5	3
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	8,823	5,206	2,050	1,178	389	723	494	205	17	7
30 ACCIDENTS.....E800-E962	6,601	3,980	1,665	682	274	592	389	185	11	7
31 RAILWAY ACCIDENTS.....E800-E802	51	34	2	15	-	2	2	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	3,385	2,126	828	323	108	286	182	97	6	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	3,292	2,071	805	313	103	277	175	96	5	1
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	151	90	46	9	6	7	3	4	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	433	232	83	67	21	38	25	12	1	-
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,895	1,180	507	155	53	126	82	43	-	1
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	741	508	138	75	20	99	62	33	4	-
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	102	61	31	7	3	7	3	4	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	93	55	23	10	5	9	7	1	1	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	18	9	6	3	-	2	1	1	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	97	75	7	12	3	7	6	1	-	-
42 AIRCRAFT ACCIDENTS.....E860-E866	139	116	22	1	-	15	15	-	-	-
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	109	53	40	10	6	10	3	6	1	-
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	67	47	11	7	2	8	6	2	-	-
45 ACCIDENTAL FALLS.....E900-E904	731	326	350	32	23	86	38	46	1	1
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	182	114	46	15	7	34	24	9	-	1
47 FALL ON SAME LEVEL.....E903	159	63	83	7	6	20	6	13	1	-
48 UNSPECIFIED FALLS.....E904	390	149	221	10	10	32	8	24	-	-
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	77	61	1	14	1	11	11	-	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	134	89	3	12	-	9	8	1	-	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	82	72	7	3	-	8	5	3	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	436	201	112	66	59	20	14	3	1	2
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	28	15	7	2	4	4	1	3	-	-
54 ACCIDENT CAUSED BY FIREARM.....E919	229	159	25	31	14	21	21	-	-	-
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	156	64	51	25	10	11	6	4	1	-
56 ACCIDENTAL DROWNING.....E929	389	243	57	77	12	28	22	6	-	-
57 EXCESSIVE HEAT AND INSOLATION.....E931	5	3	1	1	-	-	-	-	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	102	49	43	5	5	10	4	5	-	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	400	238	92	43	27	54	44	7	1	2
60 SUICIDE.....E963,E970-E979	1,049	748	252	31	18	95	77	16	2	-
61 SUICIDE BY POISONING.....E970-E973	192	93	95	1	3	21	12	8	1	-
62 SUICIDE BY HANGING AND STRANGULATION.....E974	94	75	12	3	4	13	9	4	-	-
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	717	554	126	27	10	55	51	4	-	-
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	46	26	19	-	1	6	5	-	1	-
65 HOMICIDE.....E964,E980-E985	1,170	475	133	465	97	35	27	4	4	-
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	851	356	84	346	65	22	16	2	4	-
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	183	61	19	84	19	2	1	1	-	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	110	45	30	22	13	10	9	1	-	-
69 INJURY BY INTERVENTION OF POLICE.....E984	26	13	-	13	-	1	1	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	3	3	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

VERMONT					VIRGINIA					WASHINGTON					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	21	...	6	...	15	9	...	9	...	-	01
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	02
-	...	-	...	-	9	...	3	...	6	1	...	1	...	-	03
-	...	-	...	-	3	...	1	...	2	2	...	2	...	-	04
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	05
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	06
-	...	-	...	-	1	...	-	...	-	1	...	1	...	-	07
-	...	-	...	-	6	...	1	...	5	4	...	4	...	-	08
-	...	-	...	-	6	...	1	...	5	4	...	4	...	-	09
5	1	4	-	-	49	17	23	2	7	29	5	24	-	-	10
-	-	-	-	-	9	6	1	1	1	3	-	3	-	-	11
5	1	4	-	-	40	11	22	1	6	26	5	21	-	-	12
12	5	7	-	-	92	38	42	4	8	88	44	43	-	1	13
7	2	5	-	-	62	21	31	3	7	47	16	30	-	1	14
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	15
1	1	-	-	-	3	1	2	-	-	3	-	3	-	-	16
2	2	-	-	-	3	1	1	1	-	1	-	1	-	-	17
1	-	1	-	-	10	6	3	-	1	20	17	3	-	-	18
1	-	1	-	-	12	8	4	-	-	15	9	6	-	-	19
41	24	17	-	-	377	160	119	52	46	275	133	126	5	11	20
4	1	3	-	-	32	12	17	1	2	9	3	6	-	-	21
4	3	1	-	-	37	12	9	9	7	30	16	13	-	1	22
20	12	8	-	-	185	80	57	24	24	142	70	64	3	5	23
13	8	5	-	-	123	56	36	18	13	94	44	43	2	5	24
97	59	38	-	-	1,226	495	313	214	204	612	331	216	32	33	25
49	27	21	-	1	508	167	142	112	87	244	142	86	8	8	26
1	-	1	-	-	38	7	17	6	8	35	16	19	-	-	27
48	27	20	-	1	470	160	125	106	79	209	126	67	8	8	28
316	220	95	-	1	3,558	1,811	786	725	236	2,621	1,717	730	132	42	29
245	167	77	-	1	2,610	1,341	605	488	176	2,013	1,315	574	97	27	30
-	-	-	-	-	21	11	-	8	2	30	22	1	7	-	31
117	82	34	-	1	1,186	675	233	219	59	935	607	273	41	14	32
116	81	34	-	1	1,160	657	228	216	59	905	584	267	41	13	33
1	1	-	-	-	18	7	3	7	1	32	21	9	-	2	34
17	10	7	-	-	209	93	29	67	20	140	83	45	11	1	35
39	22	16	-	1	340	192	96	37	15	379	234	130	12	3	36
33	28	5	-	-	240	162	37	36	5	261	185	57	15	4	37
26	20	6	-	-	353	203	63	69	18	93	61	26	3	3	38
1	1	-	-	-	26	18	5	3	-	30	23	6	-	1	39
2	2	-	-	-	6	2	2	2	-	3	3	-	-	-	40
4	3	1	-	-	38	28	1	9	-	58	51	4	3	-	41
6	6	-	-	-	46	39	7	-	-	45	41	4	-	-	42
1	-	1	-	-	44	14	13	13	6	21	8	11	1	1	43
4	3	1	-	-	25	15	1	4	5	18	13	5	-	-	44
45	22	23	-	-	453	161	226	44	22	362	187	154	14	7	45
16	11	5	-	-	109	51	33	20	5	145	74	21	7	3	46
17	7	10	-	-	76	32	35	8	1	99	50	44	4	1	47
12	4	8	-	-	268	78	158	16	16	158	63	89	3	3	48
4	4	-	-	-	48	39	-	9	-	38	35	1	2	-	49
5	5	-	-	-	50	41	-	9	-	40	35	4	1	-	50
2	2	-	-	-	28	25	1	1	1	11	11	-	-	-	51
12	6	6	-	-	227	72	42	69	44	118	65	44	8	1	52
1	1	-	-	-	10	2	4	3	1	6	3	3	-	-	53
9	8	1	-	-	63	36	11	13	3	22	18	2	2	-	54
6	2	4	-	-	38	13	12	8	5	19	12	5	1	1	55
12	10	2	-	-	130	71	16	40	3	151	122	18	9	2	56
-	-	-	-	-	1	1	-	-	-	4	2	1	1	-	57
1	1	-	-	-	30	13	7	3	7	38	15	23	-	-	58
14	10	4	-	-	164	83	29	34	18	94	65	21	7	1	59
58	45	13	-	-	556	372	132	42	10	486	339	127	15	5	60
15	8	7	-	-	124	75	46	2	1	163	87	73	1	2	61
6	5	1	-	-	45	26	12	7	-	42	36	3	2	1	62
34	29	5	-	-	350	253	59	32	6	226	185	33	8	-	63
3	3	-	-	-	37	18	15	1	3	55	31	18	4	2	64
12	7	5	-	-	390	96	49	195	50	120	61	29	20	10	65
8	4	4	-	-	262	70	30	126	36	67	35	13	14	5	66
1	-	1	-	-	62	6	3	48	5	19	6	8	3	2	67
2	2	-	-	-	58	15	16	18	9	27	14	7	3	3	68
1	1	-	-	-	8	5	-	3	-	7	6	1	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	71

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 ALL CAUSES.....	19,249	10,719	7,456	623	451	39,639	21,967	16,833	500	339
02 I. INFECTIVE AND PARASITIC DISEASES.....	169	98	57	13	1	221	123	78	13	7
03 TUBERCULOSIS, ALL FORMS.....001-019	65	54	23	8	-	80	49	22	6	3
04 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	61	51	22	8	-	69	44	20	4	1
05 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	2	-	1	-	1
06 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
07 TUBERCULOSIS OF BONES AND JOINTS.....012,018	3	3	-	-	-	4	3	1	1	-
08 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	3	3	-	-	-	4	3	1	1	-
09 DISSEMINATED TUBERCULOSIS.....019	1	-	1	-	-	2	-	-	1	1
10 SYPHILIS AND ITS SEQUELAE.....020-029	35	19	12	4	-	30	20	7	1	2
11 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	20	13	7	1	-	20	16	4	-	-
14 OTHER CARDIOVASCULAR SYPHILIS.....023	7	3	3	1	-	8	4	2	-	2
15 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	1	-	1	-	-	-	-	-	-	-
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	2	1	1	-	2	-	1	1	-
18 ALL OTHER SYPHILIS.....027-029	3	1	-	2	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
20 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	-	-	-	1	5	4	1	-	-
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	1	-	-	-	1
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
26 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	1	1	-	-	-
28 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
29 SEPTICEMIA AND PYEMIA.....053	21	13	7	1	-	36	17	18	1	-
30 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
31 WHOOPING COUGH.....056	1	-	1	-	-	-	-	-	-	-
32 MENINGOCOCCAL INFECTIONS.....057	7	5	2	-	-	12	4	5	3	-
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	-	-	-	-	-	3	3	-	-	-
36 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	3	1	2	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	3	1	2	-	-	10	5	5	-	-
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	1	-	1	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	1	1	-	-	-	-	-	-	-	-
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	7	2	5	-	-	11	6	3	1	1
45 RABIES.....094	-	-	-	-	-	-	-	-	-	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	8	3	5	-	-	28	13	14	1	-
55 II. NEOPLASMS.....	3,061	1,666	1,255	81	79	6,980	3,746	3,115	69	50
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	3,531	1,640	1,233	81	77	6,878	3,698	3,063	68	49
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	56	39	14	3	-	137	113	19	4	1
58 OF LIP.....140	1	1	-	-	-	6	6	-	-	-
59 OF TONGUE.....141	13	10	3	-	-	29	23	6	-	-
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	19	11	7	1	-	44	36	6	1	1
61 OF PHARYNX.....145-148	23	17	4	2	-	58	48	7	3	-
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	859	450	363	25	21	2,293	1,262	998	23	10
63 OF ESOPHAGUS.....150	39	30	7	2	-	122	99	17	4	2
64 OF STOMACH.....151	166	106	47	8	5	457	298	149	9	1
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	9	4	5	-	-	9	4	5	-	-
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	277	115	150	7	5	807	357	442	4	4
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	34	11	23	-	-	122	47	75	-	-
68 TRANSVERSE COLON.....153.1	12	5	6	1	-	43	16	27	-	-
69 DESCENDING COLON.....153.2	7	3	4	-	-	25	8	17	-	-
70 SIGMOID COLON.....153.3	45	22	21	-	2	154	73	78	2	1
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	-	1	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	164	70	87	4	3	405	190	210	2	3
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	15	4	9	2	-	57	23	34	-	-
74 OF RECTUM.....154	99	46	48	1	4	269	159	109	-	1
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	67	34	30	1	2	166	73	89	2	2
76 LIVER.....155.0	23	14	8	1	-	46	34	10	1	1
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	44	20	22	-	2	120	39	79	1	1
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	43	25	16	-	2	53	30	23	-	-
79 OF PANCREAS.....157	138	79	52	4	3	379	229	166	4	-
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	21	11	8	2	-	31	13	18	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
2,775	1,652	1,055	35	33	01
24	15	8	-	1	02
7	4	3	-	-	03
5	4	1	-	-	04
1	-	1	-	-	05
-	-	-	-	-	06
-	-	-	-	-	07
1	-	1	-	-	08
-	-	-	-	-	09
7	5	1	-	1	10
-	-	-	-	-	11
-	-	-	-	-	12
5	3	1	-	1	13
1	1	-	-	-	14
-	-	-	-	-	15
1	1	-	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
-	-	-	-	-	20
-	-	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
-	-	-	-	-	27
-	-	-	-	-	28
1	1	-	-	-	29
-	-	-	-	-	30
-	-	-	-	-	31
1	-	1	-	-	32
-	-	-	-	-	33
-	-	-	-	-	34
-	-	-	-	-	35
-	-	-	-	-	36
-	-	-	-	-	37
1	1	-	-	-	38
-	-	-	-	-	39
-	-	-	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
1	-	1	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
-	-	-	-	-	47
-	-	-	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
-	-	-	-	-	53
6	4	2	-	-	54
416	242	169	1	4	55
410	238	167	1	4	56
7	5	2	-	-	57
2	2	-	-	-	58
-	-	-	-	-	59
3	2	1	-	-	60
2	1	1	-	-	61
102	61	40	-	1	62
2	2	-	-	-	63
14	9	5	-	-	64
-	-	-	-	-	65
37	20	17	-	-	66
3	1	2	-	-	67
1	-	1	-	-	68
1	1	-	-	-	69
3	-	3	-	-	70
-	-	-	-	-	71
25	16	9	-	-	72
4	2	2	-	-	73
13	8	5	-	-	74
6	3	2	-	1	75
2	2	-	-	-	76
4	1	2	-	1	77
2	1	1	-	-	78
26	16	10	-	-	79
2	2	-	-	-	80

SECTION I - GENERAL MORTALITY

Table I-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN						
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
01 MALIGNANT NEOPLASMS, ETC.—CON.												
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	646	517	91	28	10	1,012	838	151	20	3		
02 OF LARYNX.....161	28	20	4	1	3	60	51	8	1	-		
03 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	192	149	30	10	3	378	325	43	10	3		
04 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	417	341	56	16	4	558	452	94	9	3		
05 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	9	7	1	1	-	16	10	6	-	-		
06 MALIGNANT NEOPLASM OF BREAST.....170	206	3	189	-	14	458	4	642	-	12		
07 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	411	163	223	11	14	923	430	479	9	5		
08 OF CERVIX UTERI.....171	154	...	96	...	8	130	...	127	...	3		
09 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	47	...	43	...	4	106	...	105	...	1		
10 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	74	...	72	...	2	224	...	223	...	1		
11 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	12	...	12	...	-	24	...	24	...	-		
12 OF PROSTATE.....177	159	148	...	11	...	418	409	...	9	...		
13 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	15	15	...	-	...	21	21	...	-	...		
14 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	125	77	41	3	4	390	261	123	3	3		
15 OF KIDNEY.....180	52	26	21	1	4	185	116	67	-	2		
16 OF BLADDER AND OTHER URINARY ORGANS.....181	73	51	20	2	-	265	145	56	3	1		
17 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	436	227	192	6	11	780	408	361	1	10		
18 OF SKIN.....190,191	49	21	26	-	2	101	52	47	-	2		
19 OF EYE.....192	6	2	4	-	-	9	5	3	-	1		
20 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	56	34	20	2	-	173	96	73	-	4		
21 OF THYROID GLAND.....194	9	4	4	-	1	25	8	17	-	-		
22 OF BONE.....196	20	10	10	-	-	33	20	12	-	1		
23 OF CONNECTIVE TISSUE.....197	16	11	5	-	-	36	19	17	-	-		
24 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	19	9	10	-	-	32	23	9	-	-		
25 OF UNSPECIFIED SITES.....156B,165,198,199B	261	136	113	4	8	371	185	183	1	2		
26 LEUKEMIA AND ALEUKEMIA.....204	153	80	68	4	1	360	198	157	5	-		
27 LYMPHOSARCOMA, ETC.....200-203,205	139	84	52	1	2	325	184	133	3	5		
28 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	74	45	26	1	2	160	88	69	1	2		
29 HODGKINS DISEASE.....201	21	14	7	-	-	61	40	19	1	1		
30 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	44	25	19	-	-	104	56	45	1	2		
31 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	50	26	22	-	2	102	48	52	1	1		
32 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	...	6	...	6	...	-		
33 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	-	2	-	1	26	12	13	1	-		
34 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	9	7	2	-	-	22	14	7	-	1		
35 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...233-235	-	...	-	...	-	-	...	-	...	-		
36 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC...237	27	14	12	-	1	30	14	16	-	-		
37 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	8	5	3	-	-	18	8	10	-	-		
38 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	404	163	214	10	17	1,080	488	572	8	12		
39 ASTHMA.....241	51	24	27	-	-	79	44	30	1	4		
40 NONTOXIC GOITER.....250,251	1	1	-	-	-	3	-	3	-	-		
41 THYROIDITIS WITH OR WITHOUT GOITER.....252	5	2	3	-	-	8	4	3	-	-		
42 ALL OTHER DISEASES OF THYROID GLAND.....253,254	4	-	4	-	-	6	3	3	-	-		
43 DIABETES MELLITUS.....260	275	106	145	8	14	836	364	462	4	6		
44 DISEASES OF THYROID GLAND.....273	1	1	-	-	-	-	-	-	-	-		
45 DISEASES OF ADRENAL GLANDS.....274	8	5	2	1	-	10	5	5	-	-		
46 PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-		
47 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	19	6	13	-	-	21	7	14	-	-		
48 CYSTIC FIBROSIS.....289A	6	4	2	-	-	17	7	10	-	-		
49 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	34	12	18	1	3	100	54	41	3	2		
50 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	66	36	25	2	3	120	61	57	1	1		
51 ANEMIAS.....290-293	38	23	11	2	2	79	40	38	1	-		
52 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	3	1	1	-	1	16	7	9	-	-		
53 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	35	22	10	2	1	63	33	29	1	-		
54 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	10	2	7	-	1	16	6	10	-	-		
55 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	18	11	7	-	-	25	15	9	-	1		
56 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	49	33	12	4	-	108	62	44	2	-		
57 SENILE PSYCHOSIS.....304	1	-	1	-	-	6	2	4	-	-		
58 ALCOHOLIC PSYCHOSIS.....307	7	6	-	1	-	7	6	1	-	-		
59 OTHER PSYCHOSIS.....300-303,305,306,308,309	10	5	4	1	-	28	12	16	-	-		
60 ALCOHOLISM.....322	29	22	5	2	-	45	36	7	2	-		
61 MENTAL DEFICIENCY.....325	-	-	-	-	-	19	5	14	-	-		
62 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	-	2	-	-	3	1	2	-	-		
63 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	2,248	1,054	1,039	76	79	4,864	2,293	2,502	36	33		
64 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	2,106	987	974	71	74	4,576	2,142	2,373	30	31		
65 SUBARACHNOID HEMORRHAGE.....330	99	48	49	1	1	203	96	99	3	5		
66 CEREBRAL HEMORRHAGE.....331	1,382	493	512	37	40	2,543	1,192	1,319	17	15		
67 CEREBRAL EMBOLISM AND THROMBOSIS.....332	641	311	281	28	21	1,292	611	664	7	10		
68 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	284	135	132	5	12	538	243	291	3	1		
69 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	10	5	5	-	-	25	10	14	1	-		
70 MULTIPLE SCLEROSIS.....345	10	4	5	-	1	48	15	33	-	-		
71 PARALYSIS AGITANS.....350	37	17	19	1	-	74	38	36	-	-		
72 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	6	4	2	-	-	9	7	2	-	-		
73 EPILEPSY.....352	24	13	9	2	-	45	29	11	4	1		
74 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-		
75 CATARACT.....385	-	-	-	-	-	-	-	-	-	-		
76 GLAUCOMA.....387	5	1	4	-	-	1	1	-	-	-		
77 OTITIS MEDIA AND MASTOIDITIS.....391-393	-	-	-	-	-	-	-	-	-	-		
78 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	59	23	21	2	4	86	51	33	1	1		

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
74	61	13	-	-	01
2	1	1	-	-	02
24	21	3	-	-	03
45	37	8	-	-	04
3	2	1	-	-	05
38	-	38	-	-	06
62	40	22	-	-	07
10	...	10	...	-	08
3	...	3	...	-	09
8	...	8	...	-	10
1	...	1	...	-	11
40	40	...	-	...	12
-	-	...	-	...	13
17	11	6	-	-	14
5	3	2	-	-	15
12	8	4	-	-	16
54	24	27	-	3	17
6	2	4	-	-	18
-	-	-	-	-	19
12	5	7	-	-	20
3	1	1	-	1	21
1	-	1	-	-	22
2	-	1	-	1	23
2	2	-	-	-	24
28	14	13	-	1	25
29	22	7	-	-	26
27	14	12	1	-	27
6	3	3	-	-	28
7	2	5	-	-	29
14	9	4	1	-	30
6	4	2	-	-	31
2	...	-	...	-	32
2	1	1	-	-	33
1	1	-	-	-	34
-	...	-	...	-	35
3	2	1	-	-	36
-	-	-	-	-	37
65	27	36	-	2	38
4	3	1	-	-	39
-	-	-	-	-	40
1	-	1	-	-	41
-	-	-	-	-	42
52	24	26	-	2	43
-	-	-	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
1	-	1	-	-	47
1	-	1	-	-	48
6	-	6	-	-	49
8	5	3	-	-	50
2	1	1	-	-	51
1	1	-	-	-	52
1	-	1	-	-	53
2	-	2	-	-	54
4	4	-	-	-	55
7	6	1	-	-	56
-	-	-	-	-	57
-	-	-	-	-	58
1	1	-	-	-	59
6	5	1	-	-	60
-	-	-	-	-	61
-	-	-	-	-	62
308	143	159	4	2	63
288	136	146	4	2	64
12	5	7	-	-	65
181	79	98	4	-	66
61	35	25	-	1	67
34	17	16	-	1	68
2	-	2	-	-	69
4	1	3	-	-	70
3	2	1	-	-	71
-	-	-	-	-	72
1	1	-	-	-	73
-	-	-	-	-	74
-	-	-	-	-	75
-	-	-	-	-	76
-	-	-	-	-	77
10	3	7	-	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,452	4,708	3,316	258	170	17,979	10,258	7,489	140	92
02 DISEASES OF HEART.....400-402,410-443	7,646	4,296	2,967	234	149	15,892	9,246	6,459	113	74
03 RHEUMATIC FEVER.....400-402	3	1	2	-	-	8	5	3	-	-
04 CHRONIC RHEUMATIC HEART DISEASE.....410-416	115	49	61	1	4	305	143	158	1	3
05 DISEASES OF MITRAL VALVE.....410	39	10	26	1	2	115	41	73	-	1
06 DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	15	11	4	-	-	32	22	10	-	-
07 DISEASES OF PULMONARY VALVE, ETC.....413,414	4	1	2	-	-	22	15	7	-	-
08 OTHER RHEUMATIC HEART DISEASES.....412,415,416	57	27	29	-	1	136	65	68	1	2
09 ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	6,060	3,557	2,252	159	92	12,875	7,755	4,987	79	56
10 ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420-0	1,746	800	845	58	43	3,584	1,736	1,804	26	18
11 HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420-1	4,312	2,756	1,406	101	49	9,288	6,018	3,181	53	36
12 ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420-2	2	1	1	-	-	3	1	2	-	-
13 CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	31	21	9	1	-	111	63	48	-	-
14 OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421-0	-	-	-	-	-	-	-	-	-	-
15 OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421-1	14	12	1	1	-	65	42	23	-	-
16 OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421-2-421-4	17	9	8	-	-	46	21	25	-	-
17 OTHER MYOCARDIAL DEGENERATION.....422	473	245	211	10	7	1,047	512	527	7	1
18 WITH ARTERIOSCLEROSIS.....422-1	400	204	181	10	5	864	409	449	5	1
19 WITHOUT MENTION OF ARTERIOSCLEROSIS.....422-0,422-2	73	41	30	-	2	183	103	78	2	-
20 OTHER DISEASES OF HEART.....430-434	374	191	143	25	15	597	356	234	5	2
21 ACUTE AND SUBACUTE ENDOCARDITIS.....430	2	1	1	-	-	12	11	1	-	-
22 ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	7	3	3	-	1	17	9	7	1	1
23 FUNCTIONAL DISEASE OF HEART.....433	183	90	67	16	10	246	128	115	2	1
24 OTHER AND UNSPECIFIED DISEASES OF HEART.....434	182	97	72	9	4	322	208	111	2	1
25 HYPERTENSIVE HEART DISEASE.....440-443	590	232	289	38	31	949	412	502	21	14
26 HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	133	64	55	8	6	236	108	126	1	1
27 OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	457	168	234	30	25	713	304	376	20	13
28 OTHER HYPERTENSIVE DISEASE.....444-447	150	70	62	11	7	257	119	131	4	3
29 HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	115	55	48	8	4	176	94	75	4	3
30 ESSENTIAL HYPERTENSION.....444,445,447	35	15	14	3	3	81	25	56	-	-
31 DISEASES OF ARTERIES.....450-456	541	278	245	9	9	1,496	723	748	15	10
32 GENERAL ARTERIOSCLEROSIS.....450	393	176	203	8	6	1,169	509	643	10	7
33 AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	99	73	25	-	1	246	176	67	3	-
34 GANGRENE OF UNSPECIFIED CAUSE.....455	1	-	1	-	-	3	3	-	-	-
35 OTHER ARTERIAL DISEASES.....452-454,456	48	29	16	1	2	78	35	38	2	3
36 DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	115	64	42	4	5	334	170	151	8	5
37 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,104	682	358	45	19	1,761	1,107	590	38	26
38 ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	4	3	1	-	-	13	5	6	2	-
39 INFLUENZA.....480-483	19	12	6	-	1	32	19	13	-	-
40 PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	615	335	239	27	14	1,048	548	451	26	23
41 LOBAR PNEUMONIA.....490	97	59	30	4	4	112	57	48	3	4
42 BRONCHOPNEUMONIA.....491	294	161	119	8	6	478	263	200	11	4
43 PRIMARY ATYPICAL PNEUMONIA.....492	39	20	17	2	-	148	69	64	6	9
44 PNEUMONIA, OTHER AND UNSPECIFIED.....493	185	95	73	13	4	310	159	139	6	6
45 ACUTE BRONCHITIS.....500	10	6	4	-	-	11	4	5	1	1
46 BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	72	48	23	1	-	85	68	17	-	-
47 HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	-	-	-	-	-	-	-
48 EMPYEMA AND ABSCESS OF LUNG.....518,521	4	1	2	1	-	6	5	1	-	-
49 PLEURISY.....519	2	2	-	-	-	1	1	1	-	-
50 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	55	39	15	-	1	56	38	18	-	-
51 BRONCHIECTASIS.....526	28	17	9	1	1	25	18	6	-	1
52 OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	241	181	49	9	2	435	370	57	7	1
53 EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	226	171	45	9	1	383	337	40	5	1
54 ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	15	10	4	-	1	52	33	17	2	-
55 OTHER RESPIRATORY DISEASES.....RESIDUAL	52	37	9	6	-	49	32	15	2	-
56 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	644	353	258	20	13	1,480	832	607	23	18
57 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	-	2	-	-	1	-	1	-	-
58 ULCER OF STOMACH.....540	53	31	20	2	-	129	80	45	3	1
59 ULCER OF DUODENUM.....541	45	26	18	-	1	93	67	24	2	-
60 GASTRITIS AND DUODENITIS.....543	-	-	-	-	-	8	4	3	1	-
61 APPENDICITIS.....550-553	18	10	5	1	2	47	33	12	1	1
62 HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	104	47	52	4	1	240	111	124	3	2
63 GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	18	7	9	2	-	54	28	21	1	4
64 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	40	18	20	-	2	103	39	62	-	2
65 CIRRHOSIS OF LIVER.....581	187	119	59	6	3	414	251	151	6	6
66 WITHOUT MENTION OF ALCOHOLISM.....581.0	120	67	48	3	2	285	167	109	5	4
67 WITH ALCOHOLISM.....581.1	67	52	11	3	1	129	84	42	1	2
68 CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	39	24	15	-	-	122	59	62	1	-
69 OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	138	71	58	5	4	269	160	102	5	2
70 X. DISEASES OF THE GENITOURINARY SYSTEM.....	278	159	96	16	7	571	317	245	3	6
71 NEPHRITIS AND NEPHROSIS.....590-594	102	54	38	8	2	211	116	92	-	3
72 ACUTE NEPHRITIS.....590	3	1	1	1	-	9	3	6	-	-
73 NEPHRITIS WITH OEDEMA, INCLUDING NEPHROSIS.....591	8	3	4	1	-	6	5	1	-	-
74 CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	91	50	33	6	2	196	108	85	-	3
75 INFECTIENS OF KIDNEY.....600	96	45	43	4	4	162	61	99	1	1
76 CALCULI OF URINARY SYSTEM.....602,604	11	7	4	-	-	25	11	13	-	1
77 OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	24	14	9	1	-	73	40	31	2	-
78 HYPERPLASIA OF PROSTATE.....610	35	33	-	2	-	80	80	-	-	-
79 DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
80 OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	10	6	2	1	1	20	9	10	-	1

## SECTION 1 - GENERAL MORTALITY

1-247

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
1,118	673	421	13	11	01
984	606	359	11	8	02
-	-	-	-	-	03
34	7	26	1	-	04
17	4	13	-	-	05
-	-	-	-	-	06
-	-	-	-	-	07
17	3	13	1	-	08
806	530	260	9	7	09
181	88	90	3	-	10
625	442	170	6	7	11
-	-	-	-	-	12
5	3	2	-	-	13
-	-	-	-	-	14
3	2	1	-	-	15
2	1	1	-	-	16
49	23	24	1	1	17
25	13	11	1	-	18
24	10	13	-	1	19
57	28	29	-	-	20
-	-	-	-	-	21
6	3	3	-	-	22
19	10	9	-	-	23
32	15	17	-	-	24
33	15	18	-	-	25
8	4	4	-	-	26
25	11	14	-	-	27
13	4	7	1	1	28
10	4	5	-	1	29
3	-	2	1	-	30
93	50	41	-	2	31
56	27	28	-	1	32
27	19	7	-	1	33
-	-	-	-	-	34
10	4	6	-	-	35
28	13	14	1	-	36
191	134	56	1	-	37
1	1	-	-	-	38
3	1	2	-	-	39
85	47	37	1	-	40
13	8	4	1	-	41
32	16	16	-	-	42
8	6	2	-	-	43
32	17	15	-	-	44
2	-	2	-	-	45
8	6	2	-	-	46
1	1	-	-	-	47
1	1	-	-	-	48
-	-	-	-	-	49
15	8	7	-	-	50
2	2	-	-	-	51
69	63	6	-	-	52
66	60	6	-	-	53
3	3	-	-	-	54
4	4	-	-	-	55
113	62	43	4	4	56
-	-	-	-	-	57
12	11	1	-	-	58
7	4	2	1	-	59
-	-	-	-	-	60
3	2	1	-	-	61
25	11	12	-	2	62
1	-	1	-	-	63
3	1	2	-	-	64
34	16	16	1	1	65
18	8	9	-	1	66
16	8	7	1	-	67
14	8	5	1	-	68
14	9	3	1	1	69
34	26	8	-	-	70
9	6	3	-	-	71
-	-	-	-	-	72
1	-	1	-	-	73
8	6	2	-	-	74
14	10	4	-	-	75
-	-	-	-	-	76
3	3	-	-	-	77
6	6	---	-	---	78
-	-	-	-	-	79
2	1	1	-	-	80

Table 1-26. Deaths From 258 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Seventh Revision]

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
01 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	7	...	4	...	3	8	...	7	...	1
02 SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	1	...	1	...	-
03 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	1	...	1	...	-	1	...	1	...	-
04 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	2	...	1	...	1	1	...	1	...	-
05 ECTOPIC PREGNANCY.....645	-	...	-	...	-	1	...	-	...	1
06 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	1	...	1	...	-
07 ABORTION WITH SEPSIS.....651	-	...	-	...	-	-	...	-	...	-
08 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
09 OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	1	...	2	3	...	3	...	-
10 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	20	7	11	1	1	49	21	27	1	-
11 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	5	3	1	1	-	9	6	3	-	-
12 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE....700-716	15	4	10	-	1	40	15	24	1	-
13 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	33	18	13	-	2	113	48	63	1	1
14 ARTHRITIS AND SPONDYLITIS.....720-725	17	8	7	-	2	60	25	34	-	1
15 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	4	-	4	-	-
16 OSTEOMYELITIS AND PERIOSTITIS.....730	3	3	-	-	-	6	3	3	-	-
17 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	2	2	2	-	-	18	-	1	-	-
18 INBORN DEFECT OF MUSCLE.....744.1	5	3	2	-	-	1	9	1	-	-
19 OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	6	2	4	-	-	24	11	12	1	-
20 XIV. CONGENITAL MALFORMATIONS.....	194	104	81	5	4	379	203	157	8	11
21 SPINA BIFIDA AND MENINGOCELE.....751	20	10	9	1	-	13	6	7	-	-
22 CONGENITAL HYDROCEPHALUS, ETC.....752,753	18	9	9	-	-	31	13	18	-	-
23 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	93	49	38	3	3	185	98	76	4	7
24 OTHER CONGENITAL MALFORMATIONS.....750,755-759	63	36	25	1	1	150	86	56	4	4
25 XV. CERTAIN DISEASES OF EARLY INFANCY.....	476	282	163	16	15	918	466	347	59	46
26 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	501	283	178	23	17	206	103	100	2	1
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	17	4	11	-	2	71	27	43	1	-
28 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	484	279	167	23	15	135	76	57	1	1
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,523	1,073	376	53	21	2,802	1,839	833	96	34
30 ACCIDENTS.....E800-E862	1,236	859	320	40	15	2,244	1,461	696	63	24
31 RAILWAY ACCIDENTS.....E800-E802	21	18	2	1	-	12	9	2	1	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E835	555	405	130	17	3	1,122	794	291	28	9
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	549	401	128	17	3	1,103	781	287	27	8
34 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	10	8	2	-	-	56	39	17	-	-
35 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	90	65	22	2	1	133	78	45	8	2
36 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	152	109	39	3	1	538	363	161	13	1
37 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	165	128	31	5	1	363	292	60	6	5
38 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	132	91	34	7	-	13	9	4	-	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	6	4	2	-	-	19	13	4	1	1
40 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	3	1	2	-	-	2	1	1	-	-
41 WATER TRANSPORT ACCIDENTS.....E850-E858	10	7	1	2	-	33	31	1	1	-
42 AIRCRAFT ACCIDENTS.....E860-E866	11	10	1	-	-	29	18	10	1	1
43 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	8	3	3	-	2	39	17	18	3	1
44 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	18	12	6	-	-	44	31	13	-	-
45 ACCIDENTAL FALLS.....E900-E904	217	105	107	2	3	432	203	220	5	4
46 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	44	31	11	1	1	117	82	31	3	1
47 FALL ON SAME LEVEL.....E903	25	16	9	-	-	76	36	38	-	2
48 UNSPECIFIED FALLS.....E904	148	58	87	1	2	239	85	151	2	1
49 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	45	45	-	-	-	21	20	1	-	-
50 ACCIDENT CAUSED BY MACHINERY.....E912	33	30	1	2	-	63	56	4	3	-
51 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	11	11	-	-	-	21	19	2	-	-
52 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	88	49	27	7	5	89	44	34	5	4
53 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	1	1	-	-	-	6	5	1	-	-
54 ACCIDENT CAUSED BY FIREARM.....E919	39	36	3	-	-	40	32	5	2	1
55 INHALATION AND INGESTION OF OBJECTS, ETC.....E921-E922	16	9	7	-	-	36	18	15	2	1
56 ACCIDENTAL DROWNING.....E929	51	43	5	3	-	98	68	23	7	-
57 EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
58 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	11	6	3	1	1	21	12	8	1	-
59 ALL OTHER ACCIDENTS.....RESIDUAL	96	68	22	5	1	136	83	45	5	3
60 SUICIDE.....E963,E970-E979	200	160	36	1	3	463	339	111	9	4
61 SUICIDE BY POISONING.....E970-E973	27	14	10	1	2	133	76	55	2	-
62 SUICIDE BY HANGING AND STRANGULATION.....E974	24	19	5	-	-	96	74	18	1	3
63 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	132	115	16	-	1	200	173	21	5	1
64 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	17	12	5	-	-	34	16	17	1	-
65 HOMICIDE.....E964,E980-E985	88	53	20	12	3	92	36	26	24	6
66 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	58	40	11	5	2	61	23	16	18	4
67 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	15	5	3	6	1	15	4	5	6	-
68 ASSAULT BY OTHER MEANS.....E964,E980,E983	13	6	6	1	-	14	7	5	-	2
69 INJURY BY INTERVENTION OF POLICE.....E984	2	2	-	-	-	2	2	-	-	-
70 EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
71 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	3	3	-	-	-

## SECTION 1 - GENERAL MORTALITY

1-249

and Sex: United States and Each State, 1967—Con.

of the International Lists, 1955. For complete category titles, see table 1-24]

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
3	...	3	...	-	01
2	...	2	...	-	02
-	...	-	...	-	03
-	...	-	...	-	04
1	...	1	...	-	05
-	...	-	...	-	06
-	...	-	...	-	07
-	...	-	...	-	08
-	...	-	...	-	09
3	1	1	-	1	10
-	-	-	-	-	11
3	1	1	-	1	12
10	5	5	-	-	13
5	3	2	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
2	-	2	-	-	18
3	2	1	-	-	19
28	15	13	-	-	20
1	-	1	-	-	21
5	5	-	-	-	22
19	8	11	-	-	23
3	2	1	-	-	24
91	52	37	-	2	25
31	20	9	1	1	26
2	1	1	-	-	27
29	19	8	1	1	28
325	226	83	11	5	29
249	169	66	9	5	30
4	4	-	-	-	31
118	84	27	5	2	32
115	82	26	5	2	33
7	5	2	-	-	34
8	7	1	-	-	35
46	33	9	4	-	36
49	33	13	1	2	37
5	4	1	-	-	38
3	2	1	-	-	39
3	1	2	-	-	40
1	1	-	-	-	41
5	4	1	-	-	42
4	2	2	-	-	43
13	9	4	-	-	44
38	19	18	-	1	48
12	10	1	-	1	46
7	4	3	-	-	47
19	5	14	-	-	48
3	3	-	-	-	49
7	7	-	-	-	50
2	2	-	-	-	51
9	6	2	-	1	52
-	-	-	-	-	53
8	7	1	-	-	54
3	1	2	-	-	55
12	6	3	3	-	56
-	-	-	-	-	57
3	2	1	-	-	58
16	11	3	1	1	59
63	48	14	1	-	60
14	7	7	-	-	61
3	2	-	1	-	62
43	37	6	-	-	63
3	2	1	-	-	64
13	9	3	1	-	65
8	6	1	1	-	66
-	-	-	-	-	67
5	3	2	-	-	68
-	-	-	-	-	69
-	-	-	-	-	70
-	-	-	-	-	71

## Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-67 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1967-----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race: United States, 1967-----	2-3
2-4. Infant mortality rates by age and color: United States, 1958-67-----	2-4
2-5. Infant mortality rates for 55 selected causes: United States, 1958-67 -----	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1963-67 -----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1963-67-----	2-7
2-8. Deaths under 1 year, by age, race, and sex: United States and each State, 1967-----	2-8
2-9. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1967 -----	2-22
2-10. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1967-----	2-29
2-11. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1967 -----	2-32
2-12. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1967 -----	2-38
2-13. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1967 -----	2-56

SECTION 2 - INFANT MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-67

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group. Rates for 1951-54 and 1956-67 are subject to sampling error; see Technical Appendix]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	Non-white	Total	White	Non-white		Total	White	Non-white	Total	White	Non-white
1967	22.4	19.7	35.9	16.5	15.0	25.8	1950	29.2	26.8	44.5	20.5	19.4	27.5
1966	23.7	20.6	38.8	17.2	15.6	24.8	1949	31.3	28.9	47.3	21.4	20.3	28.6
1965	24.7	21.5	40.3	17.7	16.1	25.4	1948	32.0	29.9	48.5	22.2	21.2	29.1
1964	24.8	21.6	41.1	17.9	16.2	26.5	1947	32.2	30.1	48.5	22.8	21.7	31.0
1963 <sup>1</sup>	25.2	22.2	41.5	18.2	16.7	26.1	1946	33.8	31.8	49.5	24.0	23.1	31.5
1962 <sup>1</sup>	25.3	22.3	41.4	18.3	16.9	26.1	1945	38.3	35.6	57.0	24.3	23.3	32.0
1961	25.3	22.4	40.7	18.4	16.9	26.2	1944	39.9	36.9	60.3	24.7	23.6	32.5
1960	26.0	22.9	43.2	18.7	17.2	26.9	1943	40.4	37.5	62.5	24.7	23.7	32.9
1959	26.4	23.2	44.0	19.0	17.5	27.7	1942	40.4	37.3	64.6	25.7	24.5	34.6
1958	27.1	23.8	45.7	19.5	17.8	29.0	1941	45.3	41.2	74.8	27.7	26.1	39.0
1957	26.3	23.3	43.7	19.1	17.5	27.8	1940	47.0	43.2	73.8	28.6	27.2	39.7
1956	26.0	23.2	42.1	18.9	17.5	27.0	1939-39	53.2	49.2	81.3	31.0	29.5	41.4
1955	26.4	23.6	42.8	19.1	17.7	27.2	1938-34 <sup>2</sup>	60.4	55.2	96.6	34.4	32.5	48.2
1954	26.6	23.9	42.9	19.1	17.8	27.0	1935-29	69.0	65.0	105.4	37.2	36.0	47.9
1953	27.8	25.0	44.7	19.6	18.3	27.4	1930-24	76.7	73.3	115.3	39.7	38.7	51.1
1952	28.4	25.5	47.0	19.8	18.5	28.0	1915-19	95.7	92.8	149.7 <sup>2</sup>	43.4	42.3	58.1
1951	28.4	25.8	44.8	20.0	18.9	27.3							

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1967

[Rates per 100,000 live births in specified group. Rates are subject to sampling error; see Technical Appendix]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,244.5	2,519.8	1,985.4	1,968.6	2,235.8	1,848.4	3,591.7	3,930.7	3,246.1
Under 28 days	1,650.9	1,871.1	1,419.7	1,501.8	1,718.4	1,273.0	2,379.0	2,829.7	2,123.2
Under 1 day	964.6	1,085.2	838.1	871.6	989.7	747.2	1,418.0	1,559.4	1,273.7
Under 1 hour	198.4	200.5	175.7	171.6	181.0	161.7	270.4	297.5	242.7
1-23 hours	776.2	884.7	662.4	700.2	808.7	585.5	1,147.6	1,261.9	1,031.1
1 day	239.3	277.7	200.3	224.8	263.2	184.3	323.6	349.6	276.7
2 days	143.7	169.6	116.5	139.6	165.7	112.1	163.6	189.0	137.7
3 days	62.7	70.9	54.1	58.4	66.9	49.5	83.9	91.0	76.6
4 days	35.2	42.3	27.8	31.0	37.5	24.1	56.0	66.2	45.6
5 days	28.4	32.4	24.3	25.1	28.5	21.6	44.4	51.6	37.1
6 days	20.7	22.8	18.5	18.6	19.9	17.2	30.7	37.1	24.3
7-13 days	74.4	81.6	66.8	65.7	73.0	67.9	116.8	124.1	109.3
14-20 days	42.8	46.3	39.1	35.8	40.2	31.2	76.7	76.8	76.6
21-27 days	38.4	42.3	34.4	30.9	33.8	27.9	75.2	84.7	65.5
28-59 days	149.9	168.6	130.2	118.8	136.0	100.6	301.6	330.6	272.0
2 months	113.9	125.9	101.4	90.0	101.5	77.9	230.8	247.2	214.0
3 months	82.4	91.7	72.8	64.5	71.9	56.7	170.1	190.0	149.8
4 months	59.5	63.3	55.5	45.1	48.6	41.4	129.7	136.0	123.2
5 months	45.9	48.3	42.4	35.3	39.3	31.2	97.6	99.0	96.2
6 months	37.6	40.6	34.5	29.4	31.9	26.8	77.7	83.7	71.5
7 months	27.5	29.5	25.3	22.1	23.0	21.1	53.6	61.6	45.6
8 months	23.5	24.5	22.4	19.1	20.2	17.9	45.1	46.0	44.2
9 months	19.5	19.3	19.6	15.6	15.9	15.3	38.3	36.1	40.5
10 months	17.4	18.4	16.4	13.8	14.7	12.8	35.3	36.7	33.7
11 months	16.4	17.6	15.2	13.0	14.3	11.7	33.1	34.1	32.1

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race: United States, 1967

[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group. Rates are subject to sampling error; see Technical Appendix]

Age	All races	White	Negro	Indian <sup>1</sup>	Chinese	Japanese	Other races
UNDER 1 YEAR							
Number	79,028	57,533	20,572	697	55	90	281
Rate	22.4	18.7	37.5	30.8	9.5	10.7	15.9
UNDER 28 DAYS							
Number	58,127	43,890	13,573	337	42	71	214
Rate	16.5	15.0	25.0	14.9	7.2	8.5	12.1
28 DAYS TO 11 MONTHS							
Number	20,901	13,643	6,799	360	15	19	67
Rate	5.9	4.7	12.5	15.9	2.2	2.3	3.8

<sup>1</sup>Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1958-67

[Rates per 100,000 live births in specified group. Rates are subject to sampling error; see Technical Appendix]

Age and color	1967	1966	1965	1964	1963 <sup>1</sup>	1962 <sup>1</sup>	1961	1960	1959	1958
<b>TOTAL</b>										
Under 1 year	2,244.5	2,371.3	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,630.7	2,706.6
Under 28 days	1,650.8	1,717.6	1,766.3	1,788.4	1,821.6	1,832.0	1,830.7	1,872.6	1,903.0	1,945.8
Under 1 day	964.6	994.7	1,016.5	1,022.6	1,037.5	1,035.7	1,025.8	1,034.2	1,029.8	1,021.5
1 day	239.9	254.2	253.2	265.2	265.6	262.0	266.5	271.2	277.7	277.0
2 days	143.7	151.3	153.9	160.2	168.2	175.1	172.0	176.9	182.3	186.0
3 days	62.7	67.0	66.4	72.2	72.9	77.4	79.1	82.6	85.2	83.9
4 days	35.2	38.3	37.4	40.0	41.8	43.6	44.3	46.5	50.1	57.7
5 days	23.4	27.3	28.9	28.4	30.7	31.2	34.7	34.2	36.8	44.5
6 days	20.7	20.7	20.7	21.4	22.4	22.8	24.1	25.0	28.5	32.7
7-13 days	74.4	78.4	83.2	85.5	85.7	91.5	91.5	99.0	106.2	119.9
14-20 days	42.8	45.4	53.2	51.3	52.8	53.0	56.2	58.2	59.8	64.2
21-27 days	38.4	40.3	43.9	43.5	43.9	41.5	42.5	45.0	47.8	49.5
28-59 days	149.9	161.7	170.1	165.4	162.5	161.5	162.0	170.8	172.5	177.1
2 months	115.9	119.9	130.4	128.7	129.4	132.4	129.4	132.9	132.8	137.1
3 months	82.4	92.2	103.5	95.9	99.2	96.8	97.8	100.7	102.3	104.7
4 months	59.5	68.3	74.3	69.7	75.0	71.4	70.6	77.2	74.9	78.8
5 months	45.9	49.9	52.1	53.4	55.8	55.6	55.6	57.4	62.5	61.6
6 months	37.6	39.1	41.7	43.4	45.0	44.3	43.6	47.2	47.1	50.8
7 months	27.5	31.6	33.8	34.9	36.4	35.7	34.5	39.2	38.3	39.0
8 months	23.5	27.8	28.1	29.1	29.7	30.4	29.7	35.2	32.5	33.4
9 months	19.5	22.5	25.6	26.1	24.7	26.0	24.9	26.9	26.9	29.5
10 months	17.4	21.0	21.8	21.9	22.1	23.1	21.4	25.0	25.8	25.5
11 months	16.4	19.7	21.8	20.6	21.6	21.9	21.2	22.9	22.3	23.6
<b>WHITE</b>										
Under 1 year	1,968.6	2,083.0	2,151.1	2,158.6	2,216.5	2,233.7	2,243.4	2,290.6	2,320.9	2,377.6
Under 28 days	1,501.8	1,560.8	1,608.3	1,620.4	1,667.9	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0
Under 1 day	871.8	903.6	930.1	929.3	954.1	959.1	953.5	960.7	954.2	949.3
1 day	224.8	238.8	240.0	244.9	247.4	247.4	252.4	252.9	252.9	250.3
2 days	139.6	145.8	152.9	152.4	162.3	165.2	165.3	172.0	175.2	176.4
3 days	58.4	63.4	61.9	66.8	67.4	73.3	74.8	77.7	79.6	84.4
4 days	31.0	35.1	33.0	36.3	36.6	39.3	39.0	41.3	45.3	50.4
5 days	25.1	24.7	24.3	24.8	27.1	27.7	30.1	30.4	31.7	39.5
6 days	18.6	17.6	17.7	19.0	19.8	19.4	21.0	22.5	24.9	27.3
7-13 days	65.7	65.9	69.4	72.8	74.4	77.4	78.0	85.3	87.8	100.7
14-20 days	35.8	36.0	43.8	41.2	42.7	42.7	45.5	46.2	48.3	51.9
21-27 days	30.9	31.8	35.2	32.8	35.3	34.3	34.0	34.8	37.6	38.3
28-59 days	118.8	125.7	130.0	130.6	129.8	129.3	128.7	133.8	137.0	139.6
2 months	90.0	91.4	100.9	99.4	101.9	104.5	103.8	103.4	103.5	106.8
3 months	64.5	70.5	80.5	74.8	76.3	74.7	77.7	78.6	78.5	82.8
4 months	45.1	51.2	56.1	52.3	57.2	53.7	54.5	57.3	55.7	60.6
5 months	35.3	37.7	39.3	40.2	41.7	41.3	42.7	43.2	47.6	48.7
6 months	29.4	29.5	32.1	33.8	33.6	34.7	34.2	35.2	36.0	39.5
7 months	22.1	24.5	26.0	27.8	29.5	28.2	27.5	30.4	30.4	31.5
8 months	19.1	21.9	21.7	22.8	23.4	23.6	24.6	26.4	25.4	27.2
9 months	15.6	17.9	20.9	21.7	20.2	21.1	20.1	21.3	21.4	23.7
10 months	13.8	16.0	17.4	17.8	18.7	19.1	18.2	18.4	20.1	21.3
11 months	13.0	15.9	17.9	17.2	17.4	17.8	17.8	18.3	18.1	18.9
<b>NONWHITE</b>										
Under 1 year	3,591.7	3,876.9	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8	4,589.1
Under 28 days	2,379.0	2,483.3	2,541.6	2,648.1	2,610.0	2,606.1	2,621.9	2,685.7	2,766.9	2,900.5
Under 1 day	1,418.0	1,439.7	1,440.6	1,500.0	1,456.8	1,434.1	1,416.1	1,436.6	1,449.8	1,432.4
1 day	313.6	339.3	348.3	357.0	353.7	337.8	342.0	369.5	360.1	371.8
2 days	163.6	178.3	188.1	200.2	203.2	215.4	208.4	203.9	221.7	239.9
3 days	83.9	84.3	86.3	99.8	102.4	100.8	102.3	109.4	116.5	147.4
4 days	56.0	53.5	58.9	59.4	68.6	66.1	72.7	75.8	76.3	96.7
5 days	44.4	40.5	51.2	45.8	50.4	50.2	59.6	55.4	65.7	78.7
6 days	30.7	35.9	35.5	33.9	37.2	41.6	41.1	38.3	47.3	63.3
7-13 days	116.8	139.3	150.8	150.5	142.3	169.8	177.7	173.9	202.2	221.5
14-20 days	76.7	91.0	89.1	102.7	106.1	109.1	113.7	124.3	123.6	133.6
21-27 days	75.2	81.6	80.8	98.0	89.4	81.2	88.2	100.4	104.1	113.2
28-59 days	301.6	337.7	367.0	343.6	342.0	337.6	341.3	373.5	369.7	389.1
2 months	230.8	259.4	275.3	279.9	280.6	289.3	267.7	294.8	297.2	306.5
3 months	170.1	198.0	216.3	204.0	225.7	219.8	204.8	221.7	234.8	228.7
4 months	129.7	151.7	163.9	159.9	173.4	169.3	157.8	186.3	180.9	181.9
5 months	97.6	109.6	115.2	121.4	131.5	133.4	125.3	135.6	144.9	134.9
6 months	77.7	86.0	89.1	92.2	107.2	93.7	94.7	113.2	108.9	114.3
7 months	53.6	66.6	72.3	71.1	79.2	77.5	72.1	97.5	82.0	81.1
8 months	45.1	56.4	59.4	61.5	63.5	68.1	58.8	70.5	71.8	68.1
9 months	38.3	44.5	49.7	48.9	50.2	52.4	50.9	56.3	57.3	62.2
10 months	35.3	45.2	43.4	42.8	41.0	46.1	38.7	48.2	44.6	46.0
11 months	33.1	39.5	40.7	38.3	44.9	43.6	39.6	47.8	45.7	51.8

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

## SECTION 2 - INFANT MORTALITY

2-5

Table 2-5. Infant Mortality Rates for 55 Selected Causes: United States, 1958-67

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Asterisk indicates rate based on a frequency of less than 20. Rates are subject to sampling error; see Technical Appendix.]

Cause of death	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958
All causes	2,244.5	2,371.3	2,469.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8
Dysentery, all forms	0.9	1.2	2.3	2.7	2.3	2.8	2.4	3.3	4.0	4.4
Septicemia and pyemia	8.0	8.2	9.0	9.2	8.9	8.8	8.8	9.6	10.0	10.3
Whooping cough	0.8	0.8	1.1	1.6	2.1	1.6	1.3	1.7	4.3	3.1
Meningococcal infections	4.7	5.9	7.3	5.1	5.0	4.5	3.9	4.6	4.8	5.8
Tetanus	0.7	0.8	0.7	0.8	1.1	1.3	1.5	1.6	1.9	2.0
Other infective and parasitic dis.	11.2	12.8	13.4	13.5	13.0	14.4	12.7	13.1	13.1	13.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5.6	5.7	6.0	5.8	6.3	6.3	6.9	7.0	6.6	6.2
Benign neoplasms and neoplasms of unspecified nature	2.9	2.4	2.8	2.4	3.1	3.0	2.9	3.2	3.0	3.2
Diseases of thymus gland	1.0	1.4	1.5	1.8	2.2	2.4	2.1	2.7	3.5	3.3
Meningitis, except meningococcal and tuberculous	19.3	22.2	22.4	23.7	21.1	21.0	20.5	20.5	19.7	20.9
Other diseases of nervous system and sense organs	14.7	14.3	18.7	17.2	16.9	18.4	20.1	22.3	22.0	22.9
Acute upper respiratory infections	8.3	7.7	8.7	9.1	9.4	9.7	9.1	9.8	11.7	10.8
Influenza and pneumonia, except pneumonia of newborn	182.3	193.0	213.7	206.7	217.5	215.6	215.6	230.8	229.6	235.9
Pneumonia, except pneumonia of newborn	2.2	3.6	4.8	3.4	8.7	6.8	6.0	12.6	8.0	10.6
Influenza	160.1	189.4	208.9	203.3	208.8	208.8	209.6	218.2	221.6	225.3
Pneumonia, except pneumonia of newborn	8.9	9.8	12.5	12.3	13.3	15.9	14.0	15.4	17.3	18.6
Other diseases of respiratory system	39.3	44.7	43.7	39.5	41.6	38.2	37.3	36.1	35.5	36.3
Pulmonary congestion and hypostasis	3.9	5.1	5.3	5.5	5.7	4.3	5.1	4.3	3.7	---
Other chronic interstitial pneumonia	27.9	29.9	28.7	24.5	26.0	24.1	21.5	21.9	20.9	---
Bronchiectasis	40.0	40.1	40.0	40.1	40.1	40.1	40.0	40.0	40.0	---
Other diseases of lung and pleural cavity	5.1	6.1	6.2	5.3	6.1	5.7	6.2	5.5	5.9	---
All other diseases of respiratory system	2.4	3.5	3.5	4.0	3.7	4.0	4.5	4.3	4.9	---
Hernia and intestinal obstruction	19.5	19.9	22.7	21.4	22.2	21.3	21.8	21.7	22.5	22.6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	29.3	37.5	45.4	50.3	51.1	56.2	53.9	61.6	60.1	65.5
Other diseases of digestive system	9.1	9.1	10.1	9.7	16.1	15.7	15.5	15.9	16.1	17.6
Congenital malformations	330.4	338.3	357.5	352.5	355.8	355.9	362.5	361.4	367.0	370.0
Spina bifida and meningocele	24.4	27.2	30.7	29.4	32.6	32.0	24.5	25.7	28.2	27.6
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	26.6	27.0	29.4	30.4	30.2	31.9	39.1	38.6	39.8	39.7
Congenital malformations of circulatory system	160.6	159.4	174.6	171.0	172.3	172.3	178.7	178.2	177.2	181.0
Other congenital malformations	118.8	124.8	122.9	121.6	120.7	119.8	122.3	118.8	122.8	121.8
Certain diseases of early infancy	1,571.0	1,451.1	1,472.6	1,497.2	1,529.1	1,540.2	1,538.4	1,575.3	1,600.0	1,639.9
Birth injuries	189.3	196.3	205.2	210.5	218.5	227.2	232.5	236.6	245.5	254.7
Without mention of immaturity (.0)	67.9	74.6	77.8	82.5	85.4	89.4	90.1	94.0	98.0	108.7
With immaturity (.5)	118.5	122.0	127.4	128.1	133.1	137.8	142.3	144.6	148.5	156.1
Intracranial and spinal injury at birth	59.7	63.9	65.5	63.1	65.4	69.6	70.6	74.6	80.7	92.9
Without mention of immaturity (.0)	29.9	33.6	36.0	37.0	38.6	41.7	40.4	43.6	48.1	56.5
With immaturity (.5)	29.8	30.3	29.5	26.1	26.8	27.9	30.2	31.0	32.6	36.3
Other birth injury	126.6	132.6	139.7	147.5	153.1	157.6	161.8	164.0	165.8	171.9
Without mention of immaturity (.0)	38.0	41.6	41.8	45.4	44.8	48.7	49.7	50.4	49.8	52.1
With immaturity (.5)	88.6	91.7	97.9	102.0	108.3	110.9	112.1	113.6	116.0	119.7
Postnatal asphyxia and atelectasis	363.1	367.0	410.3	416.2	437.6	449.4	445.7	458.9	466.1	485.2
Without mention of immaturity (.0)	98.0	102.8	109.2	109.6	120.1	119.9	119.5	125.4	129.4	136.9
With immaturity (.5)	265.0	264.1	301.1	306.6	317.5	329.5	326.1	335.5	336.6	348.2
Pneumonia of newborn	63.0	68.7	73.7	76.7	77.6	80.4	85.0	85.2	86.6	93.2
Without mention of immaturity (.0)	46.2	50.1	52.8	57.5	56.2	59.9	60.3	60.2	62.9	65.1
With immaturity (.5)	16.8	18.6	20.9	19.3	21.4	20.5	24.8	25.0	23.7	28.1
Diarrhea of newborn	6.4	6.9	7.8	9.9	9.4	9.8	9.8	10.9	11.6	12.9
Without mention of immaturity (.0)	5.3	5.0	7.8	8.0	7.8	7.8	7.7	9.5	9.1	10.2
With immaturity (.5)	1.1	1.9	2.0	1.9	1.6	2.2	2.2	2.4	2.5	2.5
Other infections of newborn	23.4	22.0	20.9	21.5	20.5	19.0	17.5	18.3	19.1	25.7
Without mention of immaturity (.0)	12.4	11.6	11.6	12.2	12.4	11.3	11.1	11.9	13.1	18.2
With immaturity (.5)	11.0	8.9	9.3	9.3	8.2	7.7	6.4	6.4	6.0	9.6
Neonatal disorders arising from certain diseases of mother during pregnancy	15.8	16.9	18.8	16.6	17.9	18.7	21.4	23.5	20.6	19.1
Without mention of immaturity (.0-4)	6.4	6.3	8.0	6.2	6.5	6.8	7.8	8.3	6.9	6.5
With immaturity (.5-9)	9.5	10.6	10.8	10.4	11.4	11.9	13.6	15.2	13.7	12.6
Hemolytic disease of newborn (erythroblastosis)	33.8	35.6	39.3	41.2	44.8	47.8	49.2	50.4	51.5	58.4
Without mention of immaturity (.0-2)	25.5	25.1	28.4	30.6	35.0	37.5	38.6	40.0	40.9	45.8
With immaturity (.5-7)	10.4	10.5	10.9	10.6	9.8	10.3	10.7	10.4	10.6	10.6
Hemorrhagic disease of newborn	14.7	13.4	12.7	13.2	13.8	12.8	13.2	14.6	15.9	16.2
Without mention of immaturity (.0)	8.0	8.2	7.2	8.4	8.3	7.5	8.1	9.2	9.6	9.8
With immaturity (.5)	6.7	5.2	5.4	4.8	5.5	5.3	5.1	5.3	6.3	6.4
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	290.0	283.6	269.4	265.4	255.2	222.4	198.9	188.2	179.7	159.5
Without mention of immaturity (.0)	62.8	67.2	67.6	68.1	67.8	60.3	57.4	55.3	52.7	49.1
With immaturity (.5)	227.2	216.5	201.8	197.3	185.3	162.0	141.5	134.0	127.0	110.4
Immaturity with mention of any other subsidiary condition	35.1	35.6	28.7	29.3	26.5	22.9	31.6	30.8	31.5	30.8
Immaturity, unqualified	338.2	366.8	383.8	396.6	409.2	429.7	435.7	457.0	468.9	476.4
Symptoms and ill-defined conditions	74.4	73.3	65.0	64.3	61.8	54.4	56.1	59.1	58.1	65.5
All other diseases	37.7	39.3	40.7	41.1	32.3	32.2	32.6	32.6	33.6	33.8
Accidents	79.1	85.9	88.2	84.6	85.7	87.7	83.9	90.0	90.9	93.2
Inhalation and ingestion of food or other object causing obstruction or suffocation	17.6	17.1	18.1	19.5	19.8	20.1	28.8	28.3	27.2	30.2
Accidental mechanical suffocation in bed and cradle	14.8	16.1	18.6	19.4	20.3	22.0	21.7	23.9	27.0	26.8
Other accidental causes	45.7	50.8	51.5	45.6	45.6	45.6	35.4	37.8	36.7	36.1
Homicide	6.4	5.9	5.7	5.4	5.0	5.1	4.5	4.7	3.5	3.2

## SECTION 2 - INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1963-67

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20. Rates are subject to sampling error; see Technical Appendix]

Division and State	1967			1966			1965			1964			1963		
	Total	White	Non-white												
United States <sup>1</sup>	22.4	19.7	35.9	23.7	20.6	38.8	24.7	21.5	40.3	24.8	21.6	41.1	25.2	22.2	41.5
<b>Geographic divisions:</b>															
New England	20.1	19.3	33.8	21.5	20.7	34.0	22.1	21.2	37.5	21.1	20.5	34.4	22.0	21.3	36.2
Middle Atlantic <sup>2</sup>	22.1	19.2	37.7	22.4	19.6	38.1	23.3	20.3	40.6	23.7	20.8	40.9	25.8	21.3	40.0
East North Central	21.8	19.7	35.6	22.7	20.5	38.1	23.6	21.3	40.1	23.2	21.0	40.1	23.3	21.5	37.8
West North Central	20.6	19.2	38.2	20.9	19.5	39.1	22.1	20.8	39.7	22.2	20.9	40.3	22.3	21.1	39.7
South Atlantic	25.1	20.0	37.4	27.1	21.2	41.0	28.3	22.4	41.9	23.4	22.0	43.8	23.4	22.9	44.9
East South Central	27.2	21.8	40.9	29.2	22.8	45.3	30.7	23.7	47.3	25.0	23.8	46.9	24.9	24.5	49.6
West South Central	23.8	20.5	35.5	25.8	21.8	39.7	28.6	22.5	40.6	27.2	23.1	41.6	27.9	24.1	41.6
Mountain	21.8	20.6	35.6	23.9	22.2	40.0	24.2	22.8	37.7	25.6	24.2	40.4	26.1	24.1	48.3
Pacific	19.5	18.7	25.0	21.0	20.1	26.7	22.1	21.1	28.8	21.9	21.0	28.4	22.4	21.5	28.6
<b>New England:</b>															
Maine	22.9	22.8	*32.1	22.4	22.4	*16.3	22.6	22.5	*32.5	23.5	23.5	21.3	24.1	24.1	*24.6
New Hampshire <sup>1</sup>	20.6	20.1	*150.0	21.6	21.6	*12.2	21.1	21.2	*10.9	22.6	22.5	*41.7	22.7	22.6	*27.3
Vermont	20.9	21.0	-	22.8	22.7	*45.5	21.9	22.0	-	24.7	24.6	*62.5	24.6	24.7	-
Massachusetts	20.0	19.2	34.6	21.2	20.7	31.7	22.2	21.4	38.5	19.8	19.3	*31.7	20.6	20.2	29.6
Rhode Island	19.4	18.2	43.5	21.9	20.9	44.4	22.5	21.6	42.0	24.9	24.0	46.3	23.9	22.5	54.7
Connecticut	19.2	17.9	30.9	21.2	19.6	36.0	21.9	20.3	36.9	20.6	19.2	35.4	22.7	21.0	41.0
<b>Middle Atlantic:</b>															
New York	22.1	19.1	36.8	22.5	19.5	37.4	23.4	20.2	39.5	24.1	20.9	41.5	24.0	21.2	39.4
New Jersey	21.9	18.5	38.2	22.3	18.4	41.9	23.2	19.2	43.5	23.7	20.4	41.6	23.7	-	-
Pennsylvania	22.3	19.9	39.2	22.3	20.3	36.4	23.3	21.0	40.4	23.1	21.1	38.9	23.7	21.4	41.3
<b>East North Central:</b>															
Ohio	20.7	19.0	33.8	21.3	19.8	34.2	22.3	20.5	37.0	22.0	20.4	35.7	23.2	21.6	36.0
Indiana	22.3	21.0	35.0	22.8	21.4	37.0	23.5	22.2	38.5	23.8	22.4	39.8	23.4	21.9	39.5
Illinois	23.6	20.3	36.9	25.1	21.3	41.9	25.6	21.4	44.5	25.1	21.4	43.5	23.9	20.9	36.7
Michigan	22.0	19.8	35.2	22.5	20.0	38.2	23.6	21.6	37.8	23.0	21.0	39.1	23.2	21.5	36.9
Wisconsin	19.4	18.4	36.5	20.4	20.2	24.0	21.9	21.6	28.7	20.8	20.1	37.8	22.3	21.8	35.7
<b>West North Central:</b>															
Minnesota	19.8	19.5	29.9	19.5	19.2	35.3	20.3	20.0	30.1	20.5	20.2	30.4	20.8	20.6	29.1
Iowa	19.2	18.9	32.4	19.3	19.2	28.8	20.6	20.5	26.0	21.2	20.7	45.9	20.6	20.4	33.7
Missouri	22.7	19.1	42.1	23.4	19.9	42.4	25.4	22.3	42.2	24.2	21.0	42.7	24.1	21.4	41.0
North Dakota	21.0	21.0	*21.4	20.8	19.9	36.1	21.2	20.2	40.2	23.1	22.3	38.3	24.6	23.8	43.3
South Dakota	22.4	20.8	35.3	24.8	22.5	43.2	22.7	19.5	48.8	23.5	21.0	36.2	24.7	22.7	46.6
Nebraska	19.8	19.0	36.2	18.1	17.6	25.7	22.6	22.0	35.2	22.7	22.0	35.2	21.6	20.6	40.6
Kansas	19.5	18.4	34.4	21.1	20.0	35.1	20.4	19.7	29.2	22.0	20.7	39.4	22.4	21.3	37.8
<b>South Atlantic:</b>															
Delaware	20.5	15.9	39.3	22.7	17.7	42.3	24.3	20.1	40.8	21.7	17.1	39.4	24.5	20.5	41.2
Maryland	22.1	19.0	32.5	23.3	19.2	37.4	24.7	21.8	34.9	24.5	20.1	40.1	25.6	21.6	39.8
District of Columbia	27.3	20.5	28.7	34.5	22.9	37.3	32.0	24.5	34.1	34.0	22.6	39.0	33.0	23.4	36.1
Virginia	24.3	20.1	37.4	25.3	21.5	37.2	23.6	22.2	39.7	23.0	22.7	44.4	29.2	24.1	45.0
West Virginia	25.2	24.8	33.1	26.2	25.3	43.3	26.8	26.1	41.6	23.6	22.8	38.7	26.1	25.6	36.8
North Carolina	26.8	20.0	42.0	29.0	22.1	44.4	30.5	22.1	48.3	30.3	21.5	49.4	31.2	22.2	50.8
South Carolina	27.7	21.0	37.8	30.0	21.2	42.8	31.3	22.7	43.3	31.1	23.1	42.4	33.0	22.4	48.1
Georgia	26.5	19.8	39.4	27.9	20.3	41.9	29.9	21.7	41.6	29.2	21.9	42.6	31.0	23.0	45.8
Florida	23.8	18.8	37.2	27.1	21.3	41.7	28.3	22.4	44.0	28.9	23.0	44.9	27.9	22.6	42.7
<b>East South Central:</b>															
Kentucky	24.1	22.9	36.1	25.0	23.1	45.0	25.3	23.7	42.6	25.4	23.6	44.7	27.8	26.3	44.4
Tennessee	24.4	21.0	36.4	26.1	22.3	39.6	28.0	23.8	42.0	26.2	24.8	40.4	29.0	23.0	44.2
Alabama	26.9	20.7	38.2	29.3	22.8	41.0	30.8	25.3	45.8	31.0	23.1	44.6	32.2	24.5	45.3
Mississippi	35.5	22.8	47.4	38.8	23.1	52.6	40.6	24.5	54.4	39.4	23.1	53.2	41.3	22.0	57.6
<b>West South Central:</b>															
Arkansas	24.3	20.5	34.2	25.4	20.6	36.8	25.7	20.6	37.7	26.8	22.3	37.8	28.5	23.4	41.4
Louisiana	26.4	19.1	37.4	28.8	19.5	42.7	30.5	22.0	43.1	29.8	20.5	43.8	30.4	20.6	45.5
Oklahoma	20.8	19.0	31.3	23.3	21.5	33.1	23.1	21.7	30.7	22.6	20.9	32.3	24.3	22.3	35.5
Texas	23.3	21.1	34.9	23.3	22.6	39.1	26.0	23.1	41.1	27.4	24.4	42.6	27.6	25.5	39.3
<b>Mountain:</b>															
Montana	23.8	22.9	33.0	22.5	20.5	44.3	25.0	24.3	32.2	26.6	24.5	50.1	24.2	22.3	46.8
Idaho	19.4	19.5	*11.0	20.7	20.5	*29.0	24.5	24.5	*24.8	22.2	22.3	*19.8	22.8	22.4	*43.4
Wyoming	23.1	23.8	*8.7	24.2	23.8	*36.0	22.1	21.2	*42.3	23.1	28.5	*39.6	28.5	27.7	*47.9
Colorado	22.8	22.3	33.6	23.5	23.0	33.9	24.3	24.0	30.8	25.4	24.6	43.9	25.9	25.6	34.0
New Mexico	24.8	22.5	37.9	26.8	24.2	43.1	26.9	25.6	35.4	29.1	27.1	42.4	30.5	28.2	46.6
Arizona	22.8	20.2	35.8	27.7	24.0	45.2	25.4	21.6	43.0	26.3	24.0	38.0	28.8	23.3	56.2
Utah	16.6	16.2	*28.8	18.3	18.2	*18.6	18.7	17.8	47.8	20.0	19.2	50.0	18.6	18.2	34.4
Nevada	19.6	18.6	25.7	24.3	23.9	27.0	24.8	23.7	32.7	29.0	28.4	33.3	30.3	29.3	45.1
<b>Pacific:</b>															
Washington	19.2	18.3	31.1	21.1	20.1	36.6	21.4	20.4	36.4	22.5	21.7	35.3	22.1	20.9	39.6
Oregon	19.4	18.9	32.0	21.4	21.3	24.5	21.1	20.8	28.2	22.4	21.9	33.6	21.4	21.4	21.3
California	19.6	18.8	24.9	20.8	20.0	26.7	22.1	21.2	28.1	21.8	20.8	28.9	22.3	21.5	28.3
Alaska	29.2	19.1	51.2	31.3	22.0	48.8	38.1	24.0	66.1	29.7	19.2	62.2	31.9	24.8	46.7
Hawaii	16.7	14.9	17.5	18.6	15.5	19.7	21.3	20.9	21.5	19.9	20.9	19.4	22.5	20.7	23.3

<sup>1</sup>Figures by color exclude data for residents of New Jersey for 1963; see Technical Appendix.

## SECTION 2 - INFANT MORTALITY

2-7

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1963-67

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20. Rates are subject to sampling error; see Technical Appendix]

Division and State	1967			1966			1965			1964			1963			
	Total	White	Non-white													
United States <sup>1</sup> .....	16.5	15.0	23.8	17.2	15.6	24.8	17.7	16.1	25.4	17.9	16.2	26.5	18.2	16.7	26.1	
Geographic divisions:																
New England:.....	15.3	14.8	25.4	16.4	15.9	25.4	16.9	16.3	28.0	15.6	15.2	23.9	16.8	16.3	26.4	
Middle Atlantic <sup>2</sup> .....	17.1	15.1	28.1	17.1	15.1	27.7	17.5	15.5	29.1	18.1	16.1	29.9	18.2	16.3	28.8	
East North Central.....	16.4	15.1	25.2	17.1	15.7	26.4	17.4	16.0	28.1	17.5	16.0	28.7	17.6	16.4	26.9	
West North Central.....	15.7	15.0	24.8	15.8	15.0	25.9	16.4	15.8	24.6	16.7	15.9	27.6	16.7	16.1	25.1	
South Atlantic.....	17.6	15.4	22.9	18.5	16.2	23.9	19.3	17.1	24.3	19.3	16.6	25.9	19.9	17.3	25.8	
East South Central.....	18.5	16.0	24.8	19.3	16.4	26.5	20.1	17.4	26.4	20.4	17.3	27.8	20.9	17.7	28.6	
West South Central.....	17.0	15.3	23.0	17.9	15.8	25.2	18.2	16.2	24.9	18.8	16.8	26.0	19.4	17.6	25.9	
Mountain.....	15.7	15.5	17.4	16.8	16.6	19.3	16.8	16.7	17.6	17.9	17.7	20.1	18.2	17.8	23.1	
Pacific.....	14.3	13.8	17.7	15.4	14.9	18.8	15.9	15.3	19.9	16.0	15.5	20.1	16.6	16.1	20.6	
New England:																
Maine.....	16.2	16.0	*24.1	17.1	17.1	*16.5	16.9	16.8	*28.5	16.8	16.6	*14.2	18.0	18.0	*14.1	
New Hampshire.....	14.7	14.5	*100.0	16.2	16.3	*12.2	15.4	15.4	*10.9	16.4	16.3	*41.7	17.8	17.9	*18.2	
Vermont.....	15.9	15.9	-	16.8	16.7	*45.5	16.1	16.2	-	18.8	18.7	*62.5	19.0	19.1	-	
Massachusetts.....	15.3	14.8	24.9	16.4	16.1	23.4	17.0	16.5	27.7	14.6	14.3	22.2	15.7	15.4	21.0	
Rhode Island.....	15.4	14.3	38.9	16.4	15.6	32.3	17.5	16.8	31.8	19.1	18.6	32.7	18.5	17.5	39.4	
Connecticut.....	15.1	14.2	23.7	16.2	15.1	27.0	17.1	16.0	28.2	15.4	14.5	24.3	17.3	16.0	50.9	
Middle Atlantic:																
New York.....	17.0	14.8	27.6	17.0	14.8	27.7	17.5	15.3	28.8	18.2	15.9	30.6	17.9	16.1	28.2	
New Jersey.....	17.0	14.6	28.2	16.9	14.3	29.9	17.5	14.9	30.4	18.2	15.9	30.7	18.8	-	-	
Pennsylvania.....	17.4	15.8	29.0	17.3	16.1	25.7	17.7	16.2	28.6	17.8	16.5	27.5	18.2	16.7	50.2	
East North Central:																
Ohio.....	15.7	14.6	24.1	16.3	15.2	25.3	16.5	15.2	26.8	17.0	15.8	27.1	17.8	16.7	28.9	
Indiana.....	16.8	16.2	23.3	17.3	16.4	28.1	17.5	16.7	26.1	17.5	16.6	27.7	17.6	16.5	29.2	
Illinois.....	17.3	15.4	25.1	18.4	16.2	27.6	18.7	16.0	30.9	18.6	16.4	29.2	17.7	15.9	26.6	
Michigan.....	16.6	14.9	28.5	16.9	15.4	27.2	17.5	16.1	27.0	17.5	15.8	30.6	17.4	16.2	25.9	
Wisconsin.....	15.1	14.3	28.4	16.0	15.9	18.0	16.5	16.4	17.8	15.8	15.4	25.4	16.9	16.6	24.7	
West North Central:																
Minnesota.....	15.0	14.9	17.8	14.8	14.7	18.6	15.2	15.3	13.6	15.6	15.4	23.5	15.9	15.9	16.6	
Iowa.....	15.4	15.2	21.6	15.3	15.1	22.2	15.4	15.4	*17.7	15.9	15.5	36.7	15.4	15.3	21.8	
Missouri.....	16.8	14.7	29.3	16.9	14.8	28.4	18.6	16.8	29.3	17.8	15.9	29.0	17.6	16.0	27.8	
North Dakota.....	16.7	17.1	*10.7	16.2	16.0	*19.6	15.7	15.0	*27.3	18.0	17.8	*22.1	16.3	18.4	*17.9	
South Dakota.....	16.1	16.1	15.7	16.9	15.9	25.2	15.1	14.5	19.4	25.1	14.9	17.4	17.9	17.9	17.7	
Nebraska.....	15.6	15.2	23.3	14.6	14.3	20.0	17.6	17.2	25.6	17.5	17.2	24.2	16.8	16.4	22.9	
Kansas.....	14.9	14.2	23.3	16.1	15.4	24.9	15.3	15.1	19.7	16.7	15.8	28.8	17.1	16.3	27.3	
South Atlantic:																
Delaware.....	13.8	12.0	21.5	16.0	13.2	27.1	16.8	15.2	23.4	14.7	12.5	22.9	17.8	16.0	24.9	
Maryland.....	16.7	14.6	24.0	17.6	15.1	26.5	18.3	16.7	24.0	18.3	15.8	27.2	19.2	16.6	28.5	
District of Columbia.....	20.7	15.6	21.8	26.1	19.1	27.9	22.5	19.0	25.5	25.7	18.6	28.2	24.3	18.9	26.4	
Virginia.....	17.6	15.5	24.0	18.6	16.9	24.1	18.8	16.8	24.9	20.3	17.6	28.7	20.9	18.3	28.9	
West Virginia.....	19.1	18.8	25.2	19.8	19.2	30.9	20.2	19.6	31.8	16.7	16.4	23.4	18.5	18.4	21.9	
North Carolina.....	18.2	15.3	25.1	18.6	16.5	23.4	20.0	16.9	26.7	19.8	16.1	28.2	19.9	16.7	26.8	
South Carolina.....	17.7	16.4	19.7	17.3	16.0	19.2	18.8	17.2	20.9	18.2	17.0	19.9	19.0	16.7	22.4	
Georgia.....	17.2	15.3	20.9	17.4	15.1	21.7	18.5	16.2	22.6	18.7	16.2	23.2	19.4	17.1	23.7	
Florida.....	17.3	14.7	24.6	19.0	16.2	26.1	19.8	17.4	26.3	20.1	17.4	27.3	19.7	17.4	26.1	
East South Central:																
Kentucky.....	16.9	16.1	24.5	17.0	16.0	28.4	17.3	16.5	25.7	17.9	16.7	30.1	18.3	17.4	27.6	
Tennessee.....	17.4	15.7	23.5	18.2	16.2	25.2	19.5	17.4	26.4	19.6	17.6	26.7	19.5	17.5	26.6	
Alabama.....	18.1	15.7	22.5	19.3	16.8	24.0	19.8	17.5	23.8	20.5	17.4	26.0	21.3	18.4	25.2	
Mississippi.....	22.7	17.2	27.9	23.6	17.3	29.1	24.5	19.4	28.9	24.2	17.7	29.7	25.3	17.6	32.0	
West South Central:																
Arkansas.....	16.2	15.7	17.3	16.1	14.9	19.0	15.9	14.6	18.7	17.1	16.1	19.5	18.2	17.1	21.0	
Louisiana.....	19.0	15.4	24.4	20.4	15.1	28.3	20.9	17.0	26.6	20.9	16.3	27.8	21.4	16.2	29.4	
Oklahoma.....	15.4	14.5	20.6	16.5	15.8	20.6	16.2	15.6	19.2	16.7	15.8	21.7	18.0	16.9	24.2	
Texas.....	16.8	15.4	23.7	17.6	16.1	25.2	18.0	16.3	26.3	18.8	17.2	27.2	19.1	18.1	24.5	
Mountain:																
Montana.....	16.7	16.8	*16.0	17.0	16.0	28.9	18.1	18.4	*15.3	18.8	18.0	27.5	16.6	16.2	21.7	
Idaho.....	14.4	14.7	*5.7	15.1	15.0	*19.4	17.4	17.5	*16.4	16.1	16.4	*5.6	17.2	17.1	*23.1	
Wyoming.....	18.3	18.7	*8.7	19.3	18.8	*29.8	16.3	15.7	*28.2	23.9	23.9	*24.4	22.2	22.0	*27.4	
Colorado.....	17.7	17.5	21.7	17.7	17.3	24.9	17.6	17.4	20.7	18.7	18.2	30.2	19.2	19.0	24.0	
New Mexico.....	16.0	15.6	18.3	16.7	16.7	16.9	17.7	18.4	13.9	19.0	19.0	19.5	20.3	20.2	21.1	
Arizona.....	15.5	15.2	17.1	17.4	17.1	18.9	15.9	15.6	17.3	16.4	16.6	15.7	18.1	17.0	23.5	
Utah.....	12.5	12.5	*11.2	14.8	14.9	*10.1	13.5	13.3	21.6	14.6	14.3	*25.0	13.1	13.1	*10.9	
Nevada.....	14.4	13.5	19.5	17.8	18.4	*13.9	19.4	18.8	23.5	21.2	21.1	22.2	22.9	21.6	33.0	
Pacific:																
Washington.....	13.5	13.0	20.3	15.1	14.4	25.3	15.2	14.6	24.5	15.9	15.5	21.3	16.1	15.5	24.9	
Oregon.....	13.5	13.3	20.4	15.6	15.6	*15.0	14.5	14.3	17.2	15.7	15.5	20.0	15.8	15.8	*15.6	
California.....	14.5	14.0	17.9	15.4	14.9	18.9	16.1	15.4	20.4	16.1	15.5	21.3	16.7	16.1	20.5	
Alaska.....	17.4	13.2	26.3	17.9	15.9	21.5	19.7	17.2	24.6	17.0	14.3	22.9	20.6	18.9	24.1	
Hawaii.....	13.2	11.6	13.8	15.6	13.5	16.4	16.0	15.9	16.0	14.9	14.6	15.0	18.3	15.8	19.4	

<sup>1</sup>Figures by color exclude data for residents of New Jersey for 1963; see Technical Appendix.







## SECTION 2 - INFANT MORTALITY

2-11

and Sex: United States and Each State, 1967-Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
129	2	3	5	139	20	13	6	4	2	5	5	4	2	2	2	1
87	2	1	4	74	10	5	3	3	1	2	2	2	1	1	1	2
82	-	2	1	65	10	8	5	1	1	3	4	1	1	1	1	3
88	2	2	5	97	13	7	2	2	1	2	3	1	1	1	1	4
44	2	1	4	51	7	3	1	1	1	1	3	-	-	-	-	5
44	1	1	1	46	7	4	1	1	1	1	1	-	-	-	-	6
41	1	1	1	42	7	6	1	1	1	1	2	1	1	1	1	7
23	-	-	-	23	3	2	2	2	1	1	1	3	2	1	1	8
18	1	1	-	19	4	4	4	-	-	2	1	1	1	1	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
308	6	7	8	329	21	23	13	6	14	11	6	6	-	-	-	13
163	4	5	8	178	12	11	7	2	9	6	3	2	-	-	1	14
145	2	2	2	151	9	12	6	4	5	5	3	4	-	-	2	15
39	2	1	3	45	4	2	2	1	1	1	2	-	-	-	-	16
22	1	1	1	25	1	-	-	-	-	-	-	-	-	-	-	17
17	1	-	2	20	3	3	2	1	2	1	-	-	-	-	-	18
269	4	6	4	283	17	20	11	5	12	10	5	6	-	-	1	19
141	3	4	4	182	11	11	7	2	9	6	2	2	-	-	1	20
128	1	2	-	131	6	9	4	3	3	4	3	4	-	-	2	21
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,581	63	48	55	1,737	152	119	80	69	55	45	29	20	25	29	25	25
921	46	24	23	1,014	97	64	44	40	30	24	14	9	8	17	14	26
670	17	24	12	723	55	36	24	29	25	21	15	11	15	12	9	27
983	42	29	19	1,073	75	66	38	29	25	17	12	8	5	11	15	28
575	32	18	11	636	45	32	23	14	8	8	5	5	2	8	10	29
408	10	11	8	437	30	34	15	15	8	9	7	3	3	3	5	30
604	21	19	16	660	77	53	42	40	30	28	17	12	18	13	8	31
344	14	6	12	376	52	32	21	26	13	16	9	4	6	9	4	32
260	7	13	4	284	25	21	21	14	17	12	8	8	12	9	4	33
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	34
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	35
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	36
1,294	87	61	57	1,489	198	153	115	87	66	48	45	29	27	23	18	37
762	52	26	28	868	106	84	64	42	29	29	31	18	18	12	8	38
532	35	25	29	621	92	69	51	45	37	19	14	11	9	11	10	39
789	43	20	22	874	64	47	40	27	16	13	15	10	14	8	8	40
468	26	10	12	516	32	26	21	18	7	11	11	7	9	5	3	41
321	17	10	10	359	32	21	19	9	9	2	4	3	6	3	5	42
505	44	31	35	615	134	105	75	60	50	35	30	19	13	15	10	43
294	26	16	16	352	74	57	43	24	22	18	20	11	9	7	5	44
211	18	15	19	263	60	48	32	36	28	17	10	8	4	8	5	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
176	13	3	3	195	16	5	8	6	1	3	3	6	1	2	2	49
98	6	1	2	107	10	2	6	4	1	2	3	5	1	1	2	50
78	7	2	1	68	6	2	2	2	1	1	1	1	1	1	-	51
42	6	2	-	50	5	-	2	2	-	-	1	2	1	1	1	52
27	4	1	-	32	3	-	2	1	1	-	1	2	1	-	-	53
15	2	1	-	18	2	-	-	1	1	-	-	-	-	-	-	54
4	-	-	-	4	-	-	-	-	-	2	-	-	-	-	-	55
1	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	56
3	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	57
130	7	1	3	141	11	5	6	3	1	1	2	4	-	2	1	58
70	2	-	2	74	2	4	4	2	1	1	2	3	1	1	1	59
60	5	1	1	67	4	3	2	1	1	2	1	1	1	1	-	60
184	7	7	6	184	11	16	9	6	3	3	5	4	3	1	2	61
98	3	4	3	108	7	6	6	5	2	1	3	2	2	1	1	62
86	4	3	3	76	4	10	3	1	1	2	2	1	1	1	2	63
163	7	7	6	183	11	16	8	6	3	3	5	3	3	2	2	64
98	3	4	3	108	7	6	5	5	2	2	3	2	2	1	1	65
65	4	3	3	75	4	10	3	1	1	1	1	1	1	1	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	69
1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
3,103	146	72	73	3,394	330	234	155	124	96	74	61	45	39	41	29	73
1,769	75	45	44	1,933	186	129	82	66	49	37	36	25	21	26	20	74
1,334	71	27	29	1,461	144	105	75	58	47	37	23	20	18	15	9	75
2,230	94	46	58	2,428	206	143	94	85	67	44	37	26	33	21	19	76
1,286	50	29	36	1,400	121	76	52	44	34	26	23	14	17	13	14	77
945	44	17	22	1,028	85	67	42	41	33	18	14	12	16	8	5	78
862	52	25	15	954	123	91	61	59	29	30	23	19	6	19	10	79
475	25	15	8	523	64	53	30	22	15	11	14	11	4	13	6	80
367	27	10	7	431	59	38	31	17	14	19	9	8	2	6	4	81
11	-	1	-	12	1	-	-	-	-	-	1	-	-	1	-	82
9	-	1	-	10	1	-	-	-	-	-	1	-	-	-	-	83
2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	84
1,437	73	39	30	1,579	125	89	71	54	39	34	19	30	18	16	18	85
847	37	19	17	920	72	53	40	22	25	17	7	15	7	8	8	86
590	36	20	13	659	53	36	31	32	14	17	12	15	11	8	10	87
1,262	60	36	25	1,363	100	68	53	45	34	30	14	27	16	13	14	88
751	30	17	14	812	57	43	32	16	22	15	5	13	7	6	6	89
511	30	19	11	571	43	25	21	29	12	15	9	14	9	7	8	90
175	12	3	5	195	25	18	9	5	4	4	5	3	2	3	4	91
96	6	2	3	107	15	10	8	6	3	3	2	2	2	2	2	92
79	6	1	2	88	10	11	10	3	2	2	3	1	2	1	2	93
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Iowa	907	105	322	108	61	30	15	10	9
2		516	51	209	59	31	18	7	6	4
3		391	52	113	49	30	12	8	4	5
4	White	877	100	312	106	59	28	15	10	9
5		505	49	204	59	30	18	7	6	4
6		374	51	108	47	29	10	6	4	5
7	Negro	26	2	9	1	2	2	-	-	-
8		12	2	4	-	1	-	-	-	-
9		14	1	5	1	1	2	-	-	-
10	Other	4	-	1	1	-	-	-	-	-
11		1	-	1	-	-	-	-	-	-
12		3	-	-	1	-	-	-	-	-
13	Kansas	686	66	233	67	42	24	11	12	6
14		410	36	144	49	31	11	4	8	3
15		276	30	89	36	11	13	7	4	3
16	White	599	55	204	81	36	21	11	12	6
17		355	29	124	46	26	9	4	8	3
18		244	26	80	35	8	12	7	4	3
19	Negro	87	13	29	6	6	3	-	-	-
20		55	9	20	3	3	2	-	-	-
21		32	4	9	3	3	1	-	-	-
22	Other	-	-	-	-	-	-	-	-	-
23		-	-	-	-	-	-	-	-	-
24		-	-	-	-	-	-	-	-	-
25	Kentucky	1,357	110	451	135	74	41	19	18	12
26		791	59	274	77	44	23	13	14	9
27		566	51	177	58	30	18	8	4	3
28	White	1,179	97	363	123	65	37	18	17	11
29		705	54	237	70	42	21	12	13	8
30		474	43	146	53	23	16	4	4	5
31	Negro	178	13	69	12	9	4	1	1	1
32		86	5	37	7	2	2	-	-	-
33		92	8	31	5	7	2	-	-	-
34	Other	-	-	-	-	-	-	-	-	-
35		-	-	-	-	-	-	-	-	-
36		-	-	-	-	-	-	-	-	-
37	Louisiana	1,988	118	698	227	127	48	24	19	17
38		1,128	73	378	130	85	26	15	14	12
39		860	45	320	97	42	22	9	5	5
40	White	871	63	336	119	76	29	12	7	7
41		519	44	193	70	48	15	7	3	5
42		352	19	143	49	28	14	5	4	2
43	Negro	1,110	54	360	107	50	19	12	12	10
44		606	26	165	59	37	11	8	11	7
45		504	26	175	48	13	8	4	1	3
46	Other	7	1	2	1	1	-	-	-	-
47		3	1	-	1	-	-	-	-	-
48		4	-	2	-	1	-	-	-	-
49	Maine	414	34	117	53	26	13	7	5	5
50		250	18	80	22	20	9	3	2	3
51		164	16	37	31	6	4	4	3	2
52	White	406	34	114	51	26	13	7	5	5
53		244	18	77	22	20	9	3	2	3
54		182	16	37	29	6	4	4	3	2
55	Negro	4	-	1	2	-	-	-	-	-
56		2	-	1	-	-	-	-	-	-
57		2	-	-	2	-	-	-	-	-
58	Other	4	-	2	-	-	-	-	-	-
59		4	-	2	-	-	-	-	-	-
60		-	-	-	-	-	-	-	-	-
61	Maryland	1,526	114	570	173	95	41	18	19	13
62		890	55	334	95	63	25	12	12	8
63		636	59	236	78	32	16	6	7	5
64	White	1,021	79	379	121	65	28	13	13	8
65		609	38	226	67	43	17	9	8	5
66		412	41	153	54	22	11	4	5	3
67	Negro	500	54	188	52	30	13	5	6	4
68		278	17	105	26	20	8	3	4	3
69		222	17	63	24	10	5	2	2	1
70	Other	5	1	3	-	-	-	-	-	1
71		3	-	3	-	-	-	-	-	1
72		2	1	-	-	-	-	-	-	1
73	Massachusetts	1,897	154	663	229	149	62	27	24	15
74		1,095	78	393	136	85	35	16	16	9
75		802	76	270	93	64	29	11	8	6
76	White	1,726	142	605	212	142	58	21	18	14
77		999	75	360	127	82	31	11	11	8
78		727	69	245	85	60	27	10	7	6
79	Negro	168	12	57	16	6	4	6	6	1
80		93	5	32	8	2	2	5	5	1
81		75	7	25	8	4	2	1	1	-
82	Other	3	-	1	1	1	-	-	-	-
83		3	-	1	1	1	-	-	-	-
84		-	-	-	-	-	-	-	-	-
85	Michigan	3,600	323	1,335	410	230	86	51	39	28
86		2,098	173	789	259	143	51	31	23	19
87		1,502	150	546	151	87	35	20	16	9
88	White	2,777	246	1,020	322	196	67	33	28	20
89		1,643	125	614	214	120	43	20	15	14
90		1,134	121	406	108	76	24	13	13	6
91	Negro	617	77	315	86	33	19	18	11	8
92		453	48	175	45	23	8	11	8	5
93		364	29	140	41	10	11	7	3	3
94	Other	6	-	-	2	1	-	-	-	-
95		2	-	-	-	-	-	-	-	-
96		4	-	-	2	1	-	-	-	-



SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota-----	1,281	131	455	151	84	27	19	14	15
2	Male-----	749	78	269	94	53	15	12	5	5
3	Female-----	532	53	186	57	31	12	7	9	10
4	White-----	1,229	128	438	147	81	26	18	14	14
5	Male-----	725	76	262	93	51	15	12	5	4
6	Female-----	504	52	176	54	30	11	6	9	10
7	Negro-----	29	3	10	2	1	1	1	1	1
8	Male-----	13	2	4	1	1	-	-	-	1
9	Female-----	16	1	6	1	-	1	1	-	-
10	Other-----	23	-	7	2	2	-	-	-	-
11	Male-----	11	-	3	-	1	-	-	-	-
12	Female-----	12	-	4	2	1	-	-	-	-
13	Mississippi-----	1,651	109	426	135	86	50	44	26	18
14	Male-----	930	66	250	69	49	29	30	14	13
15	Female-----	721	43	176	66	37	21	14	12	5
16	White-----	517	39	176	50	43	19	12	6	5
17	Male-----	294	21	101	25	25	11	9	3	4
18	Female-----	223	18	75	25	18	8	3	3	1
19	Negro-----	1,129	70	249	85	43	31	32	20	11
20	Male-----	633	45	148	44	24	18	21	11	9
21	Female-----	496	25	101	41	19	13	11	9	2
22	Other-----	5	-	1	-	-	-	-	-	-
23	Male-----	3	-	1	-	-	-	-	-	-
24	Female-----	2	-	-	-	-	-	-	-	-
25	Missouri-----	1,692	127	613	172	87	51	37	22	21
26	Male-----	957	70	364	101	55	29	17	13	11
27	Female-----	735	57	249	71	32	22	20	9	10
28	White-----	1,203	88	444	130	70	42	26	18	17
29	Male-----	710	53	267	83	47	25	11	11	8
30	Female-----	493	43	177	47	23	17	15	7	9
31	Negro-----	486	31	167	42	17	9	11	4	4
32	Male-----	246	17	96	16	8	4	6	2	3
33	Female-----	240	14	71	24	9	5	5	2	1
34	Other-----	3	-	2	-	-	-	-	-	-
35	Male-----	1	-	1	-	-	-	-	-	-
36	Female-----	2	-	1	-	-	-	-	-	-
37	Montana-----	287	23	95	32	18	8	3	1	3
38	Male-----	164	15	55	12	12	5	2	1	1
39	Female-----	123	8	40	20	6	3	1	1	2
40	White-----	252	22	86	28	19	8	3	1	1
41	Male-----	142	14	49	11	12	5	2	2	1
42	Female-----	110	8	37	17	6	3	1	1	2
43	Negro-----	4	-	1	1	-	-	-	-	-
44	Male-----	2	-	1	-	-	-	-	-	-
45	Female-----	2	-	-	-	-	-	-	-	-
46	Other-----	31	1	8	3	-	-	-	-	-
47	Male-----	20	1	6	1	-	-	-	-	-
48	Female-----	11	-	2	2	-	-	-	-	-
49	Nebraska-----	482	46	197	57	22	12	7	3	5
50	Male-----	266	22	127	35	16	6	4	2	2
51	Female-----	186	24	70	22	6	6	3	1	3
52	White-----	437	41	182	55	20	11	7	3	5
53	Male-----	260	20	115	33	14	6	4	2	2
54	Female-----	177	21	67	22	6	5	3	1	3
55	Negro-----	35	5	11	2	1	-	-	-	-
56	Male-----	19	2	9	2	1	-	-	-	-
57	Female-----	14	3	2	-	-	-	-	-	-
58	Other-----	12	-	4	-	1	1	-	-	-
59	Male-----	7	-	3	-	1	-	-	-	-
60	Female-----	5	-	1	-	-	1	-	-	-
61	Nevada-----	168	13	62	20	8	5	2	3	-
62	Male-----	98	5	39	8	4	3	1	3	-
63	Female-----	70	8	23	12	4	2	1	1	-
64	White-----	135	10	45	18	6	5	2	3	-
65	Male-----	80	4	31	7	3	3	1	1	-
66	Female-----	55	6	14	11	3	2	1	2	-
67	Negro-----	28	1	16	2	2	-	-	-	-
68	Male-----	15	-	7	1	1	-	-	-	-
69	Female-----	13	1	9	1	1	-	-	-	-
70	Other-----	5	2	1	-	-	-	-	-	-
71	Male-----	3	1	1	-	-	-	-	-	-
72	Female-----	2	1	-	-	-	-	-	-	-
73	New Hampshire-----	259	16	82	29	28	6	3	4	1
74	Male-----	150	7	51	18	13	4	-	2	-
75	Female-----	109	9	31	11	15	2	3	2	1
76	White-----	252	16	80	27	28	6	3	4	1
77	Male-----	146	7	49	17	15	4	2	2	1
78	Female-----	106	9	31	10	13	2	1	2	-
79	Negro-----	6	-	2	2	-	-	-	-	-
80	Male-----	4	-	2	1	-	-	-	-	-
81	Female-----	2	-	-	1	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male-----	-	-	-	-	-	-	-	-	-
84	Female-----	-	-	-	-	-	-	-	-	-
85	New Jersey-----	2,554	223	996	272	155	76	54	31	28
86	Male-----	1,473	122	550	170	93	43	22	16	15
87	Female-----	1,081	101	446	102	62	33	12	15	13
88	White-----	1,777	160	696	198	106	58	22	28	24
89	Male-----	1,029	85	392	126	66	36	16	16	13
90	Female-----	748	75	314	72	40	23	6	13	11
91	Negro-----	760	63	297	69	47	18	12	3	4
92	Male-----	436	37	166	42	26	8	6	1	2
93	Female-----	324	26	131	27	21	10	6	2	2
94	Other-----	17	-	3	5	2	-	-	-	-
95	Male-----	8	-	2	2	-	-	-	-	-
96	Female-----	9	-	1	3	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1967—Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
896	35	18	21	970	94	61	45	20	15	25	14	5	19	14	3
531	24	10	14	579	55	52	25	15	7	10	7	4	9	6	2
365	11	8	7	391	39	29	20	7	6	13	7	1	10	8	1
666	35	18	20	939	89	57	42	18	12	22	15	5	15	14	3
518	24	10	13	565	53	30	23	12	7	9	6	4	8	6	2
348	11	8	7	374	36	27	19	6	5	13	7	1	7	8	1
19	-	-	-	19	1	3	-	1	1	-	-	-	2	-	-
9	-	-	-	9	-	2	-	-	-	1	-	-	1	-	-
10	-	-	-	10	1	1	-	1	1	-	-	-	1	-	-
11	-	-	-	12	4	1	2	1	-	-	1	-	2	-	10
4	-	-	-	5	2	-	-	1	-	-	1	-	-	-	11
7	-	-	-	7	2	1	-	-	-	-	-	-	2	-	12
892	76	44	45	1,057	155	106	78	63	50	36	27	25	15	15	24
520	46	21	26	613	85	58	46	41	27	15	12	15	4	7	8
372	30	23	19	444	69	48	32	22	23	21	15	12	11	8	16
350	18	10	12	390	30	23	18	10	10	6	10	8	4	5	3
199	11	3	6	219	18	17	14	8	6	1	4	4	2	2	2
151	7	7	6	171	12	6	4	2	4	5	6	5	4	3	1
541	59	34	33	666	123	83	60	52	40	30	17	17	11	9	21
320	35	18	20	393	66	41	32	33	21	14	8	10	4	5	6
221	23	16	13	273	57	42	28	19	19	16	9	7	7	4	15
1	-	-	-	1	2	-	-	1	-	-	-	-	-	1	-
1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,130	71	29	23	1,253	91	85	58	48	34	27	26	20	19	17	15
660	37	10	12	719	56	42	33	26	21	11	14	10	8	9	8
470	34	19	11	534	35	43	25	22	15	16	12	10	10	8	7
843	46	19	16	924	62	48	39	31	19	18	21	11	9	10	11
505	26	9	9	549	39	25	25	14	14	7	11	7	6	6	6
358	20	10	7	375	25	22	14	14	5	11	10	4	3	4	5
285	24	10	7	326	29	37	19	17	15	9	5	9	9	7	4
184	11	1	3	189	17	16	8	9	7	4	3	5	5	3	3
151	15	9	4	157	12	21	21	8	8	5	2	3	4	4	2
2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	36
183	9	4	6	202	19	16	13	6	7	4	6	8	2	4	-
102	6	1	4	113	10	9	8	4	5	3	4	4	1	3	-
81	3	3	2	89	9	7	5	2	7	2	4	4	1	1	-
189	7	4	5	185	14	11	12	5	5	4	5	7	1	3	-
94	4	1	3	102	7	6	8	3	4	3	3	3	1	2	-
75	3	3	2	83	7	5	4	2	1	1	2	4	1	1	-
2	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
12	1	-	1	14	4	5	1	1	2	-	1	1	1	1	-
8	1	-	1	10	2	3	3	1	1	-	1	1	1	1	-
4	-	-	-	4	2	2	1	-	1	-	-	-	1	-	-
349	15	8	8	360	33	14	11	9	9	11	4	3	5	2	1
214	9	6	5	234	15	10	6	6	6	6	-	2	2	1	1
135	6	2	3	146	20	4	5	4	3	5	4	1	3	1	-
324	13	7	7	351	30	12	8	8	6	9	4	3	3	2	1
196	8	5	4	213	11	9	5	5	5	6	6	2	2	1	1
128	5	2	3	134	19	3	3	3	1	3	4	1	1	1	-
19	1	1	1	22	1	1	2	1	3	1	-	-	2	-	-
14	1	-	1	16	1	-	1	1	-	-	-	-	-	-	-
5	1	-	-	6	-	1	1	1	2	1	-	-	2	-	-
6	1	-	-	7	2	1	1	1	-	-	-	-	-	-	-
4	1	-	-	5	1	1	-	-	-	-	-	-	-	-	-
2	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
113	3	3	4	123	16	7	8	3	4	1	-	3	-	2	1
63	3	1	2	69	12	4	5	1	4	1	-	1	-	1	-
50	-	2	2	54	4	3	3	2	-	-	-	-	-	1	-
89	3	2	4	98	14	7	6	2	2	-	-	3	-	2	1
52	3	-	2	57	11	4	3	1	2	-	-	1	-	1	-
37	-	2	2	41	3	3	3	1	-	-	-	2	-	1	1
21	1	1	-	22	2	-	2	-	1	1	-	-	-	-	-
9	-	1	-	10	1	-	-	-	1	1	-	-	-	-	-
12	-	-	-	12	1	-	-	-	-	-	-	-	-	-	-
3	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-
2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
169	10	4	2	185	19	12	12	6	9	5	5	4	-	-	-
95	7	1	2	105	11	8	5	8	6	3	3	2	-	-	-
74	3	3	-	80	8	4	7	-	3	2	1	2	-	-	-
165	10	4	2	181	19	11	11	6	9	5	3	3	-	-	-
92	7	1	2	102	11	7	5	6	6	3	2	2	-	-	-
73	3	3	-	79	8	4	6	2	3	2	1	1	-	-	-
4	-	-	-	4	-	1	1	-	-	-	-	-	-	-	-
3	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,615	78	44	44	1,991	144	105	94	59	48	37	22	16	10	21	17
1,031	43	29	24	1,127	92	60	61	32	30	26	10	14	4	7	10
784	35	20	20	654	52	45	35	27	18	11	12	2	6	14	7
1,292	60	29	25	1,406	95	64	55	45	31	21	14	8	0	12	14
739	34	21	16	809	61	35	37	22	18	15	14	15	3	4	9
554	26	8	9	597	34	31	18	21	15	6	9	2	1	3	9
513	18	15	18	564	48	41	37	15	16	16	7	2	1	3	1
268	9	8	7	312	31	27	25	9	12	11	5	1	1	3	2
225	9	7	11	252	17	14	14	6	4	5	2	1	1	6	2
10	-	-	1	11	1	-	2	1	1	-	1	-	-	-	-
5	-	-	1	6	-	-	1	1	-	-	-	-	-	-	-
5	-	-	-	5	1	-	1	-	1	-	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico-----	528	31	159	49	41	17	9	3	3
2	Male----	290	16	88	28	27	8	8	3	2
3	Female--	238	15	71	21	14	9	1	3	1
4	White-----	408	29	133	39	37	15	3	2	3
5	Male----	220	16	77	23	24	6	2	2	2
6	Female--	188	13	56	16	13	9	1	2	1
7	Negro-----	25	-	10	2	1	-	-	-	-
8	Male----	12	-	5	2	1	-	-	-	-
9	Female--	11	-	5	-	-	-	-	-	-
10	Other-----	97	2	16	8	3	2	6	1	-
11	Male----	58	-	6	3	2	2	6	-	-
12	Female--	39	2	10	5	1	-	-	1	-
13	New York-----	6,799	725	2,502	732	395	185	88	65	65
14	Male----	3,920	407	1,449	429	225	114	58	37	36
15	Female--	2,879	318	1,054	303	170	71	30	28	29
16	White-----	4,880	490	1,749	560	319	153	68	46	50
17	Male----	2,863	277	1,047	356	183	94	45	24	26
18	Female--	1,997	213	702	224	136	59	23	22	24
19	Negro-----	1,811	233	746	171	74	32	20	17	14
20	Male----	1,054	128	397	92	40	20	13	11	9
21	Female--	877	105	349	79	34	12	7	6	5
22	Other-----	28	2	7	1	2	-	-	2	1
23	Male----	23	2	4	1	2	-	-	2	1
24	Female--	5	-	3	-	-	-	-	-	-
25	North Carolina-----	2,478	208	735	256	171	67	26	33	16
26	Male----	1,420	117	423	150	105	41	14	18	12
27	Female--	1,058	91	312	106	68	26	12	15	4
28	White-----	1,288	134	413	153	117	54	16	15	12
29	Male----	750	75	256	94	71	19	8	7	8
30	Female--	538	59	157	59	46	15	8	8	4
31	Negro-----	1,129	70	306	99	53	32	8	17	4
32	Male----	633	38	156	54	31	21	4	11	4
33	Female--	496	32	150	45	22	11	4	6	4
34	Other-----	61	4	16	4	1	1	2	1	-
35	Male----	37	4	11	2	1	1	2	-	-
36	Female--	24	-	5	2	-	-	-	1	-
37	North Dakota-----	228	30	84	19	17	7	3	2	2
38	Male----	135	17	55	12	9	4	2	2	1
39	Female--	93	13	29	7	8	3	1	-	1
40	White-----	214	30	79	17	17	7	3	2	2
41	Male----	130	17	52	12	9	4	2	2	1
42	Female--	84	13	27	5	8	3	1	1	1
43	Negro-----	-	-	-	-	-	-	-	-	-
44	Male----	-	-	-	-	-	-	-	-	-
45	Female--	-	-	-	-	-	-	-	-	-
46	Other-----	14	-	5	2	-	-	-	-	-
47	Male----	5	-	3	-	-	-	-	-	-
48	Female--	9	-	2	2	-	-	-	-	-
49	Ohio-----	3,838	374	1,354	435	249	122	66	46	25
50	Male----	2,251	212	801	255	147	68	38	25	11
51	Female--	1,607	162	553	180	102	54	28	21	14
52	White-----	3,138	294	1,115	370	220	108	54	38	22
53	Male----	1,846	168	667	218	129	62	31	20	10
54	Female--	1,292	126	448	152	91	44	23	18	12
55	Negro-----	694	78	237	85	29	16	12	8	3
56	Male----	381	42	133	37	18	6	7	5	1
57	Female--	313	36	104	28	11	10	5	3	2
58	Other-----	6	2	2	-	-	-	-	-	-
59	Male----	4	2	1	-	-	-	-	-	-
60	Female--	2	-	1	-	-	-	-	-	-
61	Oklahoma-----	836	65	275	117	47	23	12	10	6
62	Male----	503	36	169	85	25	15	6	4	3
63	Female--	333	29	106	32	22	8	6	6	3
64	White-----	649	45	215	99	40	16	10	8	4
65	Male----	336	25	134	72	22	13	4	4	1
66	Female--	251	20	81	27	18	3	6	4	3
67	Negro-----	147	16	47	14	6	3	2	2	2
68	Male----	83	8	27	11	3	-	2	2	2
69	Female--	64	8	20	3	3	3	-	2	-
70	Other-----	40	4	13	4	1	4	-	-	-
71	Male----	22	3	8	2	-	2	-	-	-
72	Female--	18	1	5	2	1	2	-	-	-
73	Oregon-----	610	49	194	52	45	15	10	12	9
74	Male----	349	24	100	35	31	8	8	6	2
75	Female--	261	25	94	17	14	7	2	6	7
76	White-----	574	47	184	48	44	14	9	12	9
77	Male----	323	23	95	32	30	7	7	6	2
78	Female--	251	24	91	16	14	7	2	6	7
79	Negro-----	23	1	6	2	1	-	-	-	-
80	Male----	16	1	3	2	1	-	-	-	-
81	Female--	7	-	3	-	-	-	-	-	-
82	Other-----	13	1	4	2	-	-	1	-	-
83	Male----	10	-	4	1	-	-	1	-	-
84	Female--	3	1	-	1	-	-	-	-	-
85	Pennsylvania-----	4,139	381	1,339	450	269	109	72	54	37
86	Male----	2,353	211	933	256	155	65	43	33	26
87	Female--	1,846	170	706	194	114	43	29	21	11
88	White-----	3,286	288	1,289	378	229	88	56	43	27
89	Male----	1,863	159	741	220	138	52	34	28	19
90	Female--	1,423	129	547	158	91	36	22	15	8
91	Negro-----	907	93	348	70	40	20	16	11	10
92	Male----	498	52	180	38	17	13	9	5	7
93	Female--	419	41	159	34	23	7	7	6	3
94	Other-----	6	-	3	2	-	-	-	-	-
95	Male----	2	-	2	-	-	-	-	-	-
96	Female--	4	-	1	2	-	-	-	-	-

## SECTION 2 - INFANT MORTALITY

2-17

and Sex: United States and Each State, 1967-Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
312	10	9	11	542	42	17	32	24	17	11	17	11	5	7	3	1
177	5	3	6	191	19	10	20	12	11	7	11	3	2	2	2	2
135	5	6	5	151	23	7	12	12	6	4	6	8	3	5	5	1
261	6	7	10	284	31	13	24	15	7	7	9	9	3	5	5	1
150	3	2	5	160	13	8	15	6	4	4	4	2	1	2	2	1
111	3	5	5	124	18	5	9	9	3	3	5	7	2	3	3	6
13	1	1	-	15	4	-	-	-	1	-	-	-	-	-	-	7
8	-	1	-	8	1	-	-	-	-	-	-	-	-	-	-	8
5	1	-	-	8	3	-	-	-	1	-	-	-	-	-	-	9
38	3	1	1	43	7	4	8	9	9	4	6	2	2	2	2	10
19	2	2	1	22	5	2	5	7	7	3	5	1	1	1	1	11
19	1	1	-	21	2	2	3	3	2	1	1	1	1	2	-	12
4,757	208	126	141	5,232	389	295	207	172	130	87	75	66	52	50	44	13
2,754	116	70	83	3,023	219	180	123	98	71	54	41	33	22	30	26	14
2,003	92	56	58	2,209	170	115	84	74	59	53	34	33	30	20	18	15
3,435	158	88	95	3,776	264	204	146	119	87	63	51	50	37	31	32	16
2,032	89	51	58	2,230	159	132	84	69	50	30	20	23	15	18	17	17
1,403	69	37	37	1,546	105	72	62	50	37	25	23	27	22	13	15	18
1,307	48	37	45	1,437	122	89	61	51	43	24	23	15	15	19	12	19
710	26	18	25	779	57	46	39	27	12	9	12	9	7	12	9	20
597	22	19	20	658	65	43	22	24	22	8	11	6	8	7	3	21
15	2	1	1	19	3	2	-	2	1	-	1	-	-	-	-	22
12	1	1	-	14	3	2	-	2	-	-	1	1	-	-	-	23
3	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	24
1,512	80	49	49	1,690	197	148	124	77	66	54	24	41	27	11	19	25
878	44	24	23	969	115	87	79	39	31	31	14	22	12	7	14	26
654	36	25	26	721	82	61	45	36	35	23	10	19	15	4	5	27
894	45	22	20	981	69	72	41	28	28	20	10	19	12	4	4	28
538	24	8	8	578	37	41	24	16	15	10	5	10	6	3	3	29
356	21	14	13	403	32	31	17	10	13	6	5	9	6	1	1	30
589	35	27	29	660	121	73	76	46	36	32	14	19	13	5	14	31
319	20	16	15	370	74	44	52	20	16	19	9	10	6	2	11	32
270	15	11	14	310	47	29	24	26	20	13	7	9	7	3	3	33
29	-	-	-	29	7	3	7	3	2	2	-	3	2	2	1	34
21	-	-	-	21	4	2	3	2	1	2	-	2	-	2	-	35
8	-	-	-	8	3	1	4	2	2	-	1	2	-	2	1	36
164	7	8	2	181	18	5	5	6	4	1	1	1	1	3	3	37
102	2	4	2	110	11	3	2	3	3	3	1	-	-	1	1	38
62	5	4	4	71	7	2	3	3	1	1	-	1	1	2	2	39
157	7	8	2	174	15	5	5	4	4	-	1	1	1	1	1	40
99	2	4	2	107	9	3	2	3	3	-	1	-	-	1	1	41
58	5	4	2	67	6	2	1	2	1	-	1	1	1	2	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
7	-	-	-	7	3	-	2	1	-	-	-	-	-	-	1	46
3	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	47
4	-	-	-	4	1	-	2	1	-	-	-	-	-	-	1	48
2,671	119	84	52	2,908	217	184	134	103	90	59	35	41	27	21	21	49
1,557	68	29	30	1,684	130	109	81	58	53	33	18	25	15	11	14	50
1,114	51	35	22	1,222	87	75	53	45	37	26	17	16	12	10	7	51
2,219	99	48	41	2,407	166	144	109	81	71	48	31	29	20	18	15	52
1,305	58	24	23	1,410	103	86	63	46	44	26	15	21	12	10	10	53
914	41	24	18	997	63	58	46	35	27	22	16	7	8	5	5	54
448	20	16	11	495	50	39	25	22	19	11	4	13	7	3	6	55
249	10	5	7	271	27	22	18	12	9	7	3	4	3	1	4	56
189	10	11	4	224	23	17	7	10	10	4	4	9	4	2	2	57
4	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	58
3	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	60
555	28	13	21	617	51	35	30	22	21	18	9	10	8	5	10	61
343	18	6	8	375	27	21	22	10	11	14	5	6	4	4	4	62
212	10	7	13	242	24	14	8	12	10	4	4	4	4	1	6	63
437	25	13	19	494	35	23	16	18	18	18	6	10	7	1	7	64
275	16	6	7	304	21	13	13	8	9	10	5	6	4	1	3	65
162	9	7	12	190	14	9	3	10	9	4	1	4	3	4	6	66
92	1	2	2	95	13	10	10	4	3	3	1	-	1	4	3	67
53	1	-	1	55	5	5	7	2	2	3	-	-	-	3	1	68
39	-	-	-	40	8	5	3	2	1	-	1	-	-	1	2	69
26	2	-	-	28	5	2	4	-	-	1	2	-	-	-	70	70
15	1	-	-	16	1	2	2	-	-	1	-	-	-	-	-	71
11	1	-	-	12	2	-	2	-	-	-	2	-	-	-	-	72
396	20	10	11	427	42	39	25	23	13	13	6	8	5	3	6	73
214	12	8	6	240	26	23	10	18	11	6	6	6	1	2	3	74
172	8	2	5	187	16	16	15	5	2	7	3	2	4	1	3	75
367	18	9	10	404	39	39	23	20	13	13	6	7	4	2	4	76
200	11	7	6	224	24	23	9	15	11	6	5	5	1	1	1	77
187	7	2	4	180	15	16	14	5	2	7	3	2	1	1	3	78
11	2	-	1	14	3	2	1	1	3	-	-	-	-	-	1	79
8	1	-	-	9	2	-	-	-	-	-	-	-	-	-	-	80
3	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-	81
8	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	82
6	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	83
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	84
3,010	148	72	62	3,292	244	196	128	83	61	56	37	36	26	21	19	85
1,722	76	39	27	1,864	133	107	69	37	33	23	16	18	17	8	8	86
1,288	72	33	35	1,428	91	89	59	46	28	33	21	18	9	13	11	87
2,587	114	61	48	2,618	194	138	87	58	43	48	27	23	19	15	15	88
1,381	58	32	18	1,489	120	76	47	30	25	19	11	13	11	4	8	89
1,006	56	29	28	1,119	74	63	40	28	18	29	16	10	8	11	7	90
608	34	11	16	669	50	57	41	25	17	8	10	13	7	6	4	91
329	18	7	9	363	33	31	22	7	8	4	5	5	6	4	-	92
279	16	4	7	306	17	26	19	18	9	4	4	8	1	2	4	93
5	-	-	-	5	-	-	-	-	1	-	-	-	-	-	-	94
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
3	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	96

SECTION 2 - INFANT MORTALITY

Table 2-8. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Rhode Island-----	307	24	130	35	15	8	3	2	1
2	Male----	192	16	87	17	7	4	3	2	1
3	Female--	115	8	43	18	8	4	2	1	-
4	White-----	274	21	111	32	13	8	3	2	1
5	Male----	167	13	73	15	5	4	3	2	1
6	Female--	107	8	38	17	8	4	2	1	-
7	Negro-----	31	2	18	3	2	-	-	-	-
8	Male----	23	2	13	2	2	-	-	-	-
9	Female--	8	-	5	1	-	-	-	-	-
10	Other-----	2	1	1	-	-	-	-	-	-
11	Male----	2	1	1	-	-	-	-	-	-
12	Female--	-	-	-	-	-	-	-	-	-
13	South Carolina-----	1,383	95	348	147	83	41	17	19	12
14	Male----	779	53	209	97	52	25	11	11	8
15	Female--	604	42	139	50	41	16	6	8	4
16	White-----	629	56	199	89	55	15	7	11	7
17	Male----	389	29	128	54	34	9	5	7	6
18	Female--	280	27	71	35	21	6	2	4	1
19	Negro-----	753	39	148	58	38	26	10	8	5
20	Male----	409	24	80	43	18	16	6	4	2
21	Female--	344	15	68	15	20	10	4	4	3
22	Other-----	1	-	1	-	-	-	-	-	-
23	Male----	1	-	1	-	-	-	-	-	-
24	Female--	-	-	-	-	-	-	-	-	-
25	South Dakota-----	256	26	82	22	19	8	5	2	5
26	Male----	137	16	47	12	12	4	3	1	3
27	Female--	119	10	35	10	7	4	2	1	2
28	White-----	211	20	74	19	18	8	5	1	5
29	Male----	110	12	42	10	11	4	3	1	3
30	Female--	101	8	32	9	7	4	2	1	2
31	Negro-----	2	-	1	-	-	-	-	-	-
32	Male----	2	-	1	-	-	-	-	-	-
33	Female--	-	-	-	-	-	-	-	-	-
34	Other-----	43	6	7	3	1	-	-	1	-
35	Male----	25	4	4	2	1	-	-	-	-
36	Female--	18	2	3	1	-	-	-	1	-
37	Tennessee-----	1,661	129	495	196	137	50	30	23	12
38	Male----	935	69	279	98	82	31	22	14	7
39	Female--	728	60	216	98	55	19	8	9	5
40	White-----	1,119	91	344	135	104	41	23	17	7
41	Male----	631	48	198	66	57	26	16	10	4
42	Female--	488	43	146	69	47	15	7	7	3
43	Negro-----	541	38	150	61	33	9	7	6	5
44	Male----	301	21	80	32	25	5	6	4	3
45	Female--	240	17	70	29	8	4	1	2	2
46	Other-----	1	-	1	-	-	-	-	-	-
47	Male----	1	-	1	-	-	-	-	-	-
48	Female--	-	-	-	-	-	-	-	-	-
49	Texas-----	4,844	320	1,614	482	368	161	70	62	45
50	Male----	2,732	179	948	288	194	96	47	45	21
51	Female--	2,112	141	666	194	174	65	23	17	24
52	White-----	3,687	249	1,264	368	291	125	53	41	36
53	Male----	2,079	132	752	235	156	73	36	27	16
54	Female--	1,608	117	512	133	135	52	17	14	20
55	Negro-----	1,147	70	346	92	77	36	17	21	9
56	Male----	645	46	193	62	38	23	11	18	5
57	Female--	502	24	153	40	39	13	6	3	4
58	Other-----	10	1	4	2	-	-	-	-	-
59	Male----	8	1	3	1	-	-	-	-	-
60	Female--	2	-	1	1	-	-	-	-	-
61	Utah-----	361	36	123	46	31	8	8	4	3
62	Male----	230	20	73	23	17	6	7	4	3
63	Female--	151	16	50	23	14	2	1	-	3
64	White-----	363	36	119	46	30	8	7	4	3
65	Male----	219	20	72	23	17	6	6	4	3
66	Female--	144	16	47	23	13	2	1	-	3
67	Negro-----	4	-	-	-	1	-	-	-	-
68	Male----	2	-	-	-	-	-	-	-	-
69	Female--	2	-	-	-	1	-	-	-	-
70	Other-----	14	-	4	-	-	-	1	-	-
71	Male----	9	-	1	-	-	-	1	-	-
72	Female--	5	-	3	-	-	-	-	-	-
73	Vermont-----	161	18	44	21	14	3	5	1	2
74	Male----	99	9	29	14	8	2	4	1	-
75	Female--	62	9	15	7	6	1	1	-	2
76	White-----	161	16	44	21	14	3	5	1	2
77	Male----	99	9	29	14	8	2	4	1	-
78	Female--	62	9	15	7	6	1	1	-	2
79	Negro-----	-	-	-	-	-	-	-	-	-
80	Male----	-	-	-	-	-	-	-	-	-
81	Female--	-	-	-	-	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male----	-	-	-	-	-	-	-	-	-
84	Female--	-	-	-	-	-	-	-	-	-
85	Virginia-----	2,008	171	675	214	139	45	29	26	18
86	Male----	1,140	96	392	137	92	20	16	14	10
87	Female--	869	75	283	77	47	26	13	12	8
88	White-----	1,263	114	446	158	101	30	19	18	11
89	Male----	744	67	273	107	63	11	10	10	7
90	Female--	519	47	173	51	38	19	9	8	4
91	Negro-----	736	57	225	55	38	16	10	8	7
92	Male----	392	29	117	30	29	9	6	4	3
93	Female--	344	28	108	25	9	7	4	4	4
94	Other-----	10	-	4	1	-	-	-	-	-
95	Male----	4	-	2	-	-	-	-	-	-
96	Female--	6	-	2	1	-	-	-	-	-







## SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1967

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>UNIFIED STATES</b>													
<u>Both sexes</u>													
Under 1 year-----	79,028	7,270	6,466	6,788	6,250	6,745	6,347	6,545	6,522	6,201	6,494	6,583	6,819
White-----	57,533	5,122	4,647	4,993	4,595	4,973	4,681	4,829	4,806	4,589	4,714	4,719	4,915
Nonwhite---	21,495	2,148	1,819	1,795	1,655	1,770	1,666	1,716	1,716	1,612	1,780	1,864	1,904
Under 28 days-----	58,127	4,747	4,289	4,725	4,743	5,213	4,940	5,298	5,155	4,815	4,796	4,711	4,685
White-----	45,890	3,671	3,378	3,616	3,575	3,952	3,725	3,971	3,812	3,608	3,590	3,526	3,571
Nonwhite---	14,237	1,176	1,016	1,109	1,168	1,261	1,215	1,327	1,343	1,207	1,206	1,185	1,114
Under 7 days-----	52,650	4,234	3,859	4,264	4,334	4,755	4,532	4,870	4,661	4,338	4,343	4,239	4,221
White-----	40,021	3,240	2,988	3,269	3,269	3,622	3,413	3,677	3,544	3,280	3,272	3,207	3,240
Nonwhite---	12,629	994	871	995	1,065	1,133	1,119	1,193	1,117	1,058	1,071	1,032	981
Under 1 hour-----	6,633	523	511	563	609	619	537	595	558	544	544	552	478
White-----	5,015	399	390	451	449	481	397	457	411	407	413	415	385
Nonwhite---	1,618	124	121	132	160	138	140	138	147	137	131	137	113
1-25 hours-----	27,331	2,142	1,997	2,219	2,309	2,500	2,383	2,478	2,441	2,251	2,236	2,191	2,194
White-----	20,465	1,611	1,528	1,670	1,703	1,881	1,781	1,811	1,820	1,675	1,687	1,624	1,672
Nonwhite---	6,868	531	469	549	606	619	602	667	621	576	549	557	522
1 day-----	8,448	685	597	658	626	748	775	858	736	707	670	669	639
White-----	6,571	535	456	501	506	576	587	674	598	543	509	530	559
Nonwhite---	1,877	150	141	157	120	172	188	184	140	164	162	159	140
2 days-----	5,060	451	358	428	385	465	404	469	451	404	419	416	410
White-----	4,081	372	303	365	306	361	322	379	350	327	324	344	328
Nonwhite---	979	79	55	63	79	104	82	90	101	77	95	72	82
3 days-----	2,209	186	174	166	180	192	178	202	180	190	208	170	183
White-----	1,707	140	143	133	142	150	139	156	139	141	159	138	139
Nonwhite---	502	46	31	33	38	42	40	46	41	49	49	48	45
4 days-----	1,240	119	80	91	101	101	106	111	126	105	107	95	98
White-----	905	91	65	67	72	73	75	84	99	80	69	64	66
Nonwhite---	335	28	15	24	29	28	31	27	27	25	38	31	32
5 days-----	1,001	79	61	68	63	72	80	95	91	87	98	84	92
White-----	735	57	59	50	47	57	65	72	65	69	67	62	65
Nonwhite---	266	22	22	18	16	15	15	23	26	18	31	22	27
6 days-----	728	49	61	71	61	58	59	61	78	50	61	52	67
White-----	544	35	44	52	44	43	48	44	64	38	45	40	47
Nonwhite---	184	14	17	19	17	15	11	17	14	12	16	12	20
7-13 days-----	2,618	224	184	207	202	237	204	224	266	220	198	239	213
White-----	1,919	156	134	167	149	174	152	154	192	160	149	174	159
Nonwhite---	699	68	50	40	53	63	52	70	74	60	49	65	55
14-20 days-----	1,506	146	136	147	96	111	100	107	119	136	144	124	140
White-----	1,047	95	93	105	71	77	79	70	94	91	97	78	97
Nonwhite---	459	51	43	42	25	34	21	37	25	45	47	46	43
21-27 days-----	1,353	143	110	107	111	110	104	97	109	121	111	109	121
White-----	903	80	58	75	86	79	81	70	82	77	72	67	76
Nonwhite---	450	63	52	32	25	31	23	27	27	44	39	42	45
28-59 days-----	5,277	586	544	493	348	351	367	343	434	404	481	484	462
White-----	3,472	350	341	332	252	239	245	230	279	274	328	307	304
Nonwhite---	1,805	236	203	161	116	112	121	115	155	130	153	177	158
2 months-----	4,012	435	424	381	270	285	257	231	235	284	339	377	434
White-----	2,631	305	275	258	182	191	189	184	148	185	225	238	269
Nonwhite---	1,381	129	148	123	88	94	68	67	87	99	113	139	166
3 months-----	2,903	353	298	277	217	213	170	170	161	193	239	280	332
White-----	1,885	225	182	181	151	145	120	122	99	139	154	167	202
Nonwhite---	1,018	130	116	96	66	68	50	48	62	54	85	113	130
4 months-----	2,095	289	232	212	145	148	143	106	107	120	172	180	241
White-----	1,319	176	150	136	91	91	87	69	72	73	107	115	152
Nonwhite---	776	113	82	76	54	57	56	37	35	47	65	65	89
5 months-----	1,617	208	175	167	114	110	103	85	109	83	116	161	186
White-----	1,033	124	98	104	74	69	69	60	73	49	87	115	111
Nonwhite---	584	84	77	63	40	41	34	25	36	34	29	46	75
6 months-----	1,325	175	146	152	108	107	94	79	78	67	86	94	139
White-----	860	99	88	108	70	77	62	49	54	45	57	61	90
Nonwhite---	465	76	58	44	38	30	32	30	24	22	29	33	49
7 months-----	967	109	99	120	83	74	56	57	78	63	64	62	92
White-----	646	61	71	76	58	54	38	44	54	48	44	40	58
Nonwhite---	321	48	28	44	25	20	18	23	24	15	20	22	34
8 months-----	827	105	97	70	67	74	56	52	43	46	68	83	66
White-----	557	65	60	47	47	52	38	42	29	34	45	55	44
Nonwhite---	270	40	37	23	20	22	18	10	15	12	23	28	22
9 months-----	685	91	62	74	60	63	57	34	37	47	52	53	55
White-----	456	63	41	51	45	40	36	23	24	30	27	39	38
Nonwhite---	229	28	21	23	15	23	21	11	13	17	25	15	17
10 months-----	614	62	55	58	49	56	56	41	37	45	43	52	60
White-----	405	36	37	43	38	32	44	27	25	30	26	30	35
Nonwhite---	211	26	18	15	11	24	12	14	12	15	17	22	25
11 months-----	579	70	45	59	46	49	48	39	48	34	38	46	57
White-----	381	38	30	41	32	31	27	28	38	24	23	27	42
Nonwhite---	198	32	15	18	14	18	21	11	10	10	15	19	15
<u>Male</u>													
Under 1 year-----	45,442	4,210	3,703	3,938	3,599	3,988	3,753	3,763	3,753	3,566	3,668	3,790	3,913
White-----	33,565	3,009	2,726	2,840	2,695	2,900	2,822	2,796	2,799	2,630	2,701	2,793	2,854
Nonwhite---	11,877	1,201	977	998	904	988	931	967	954	936	967	997	1,059
Under 28 days-----	35,743	2,761	2,509	2,703	2,777	3,033	2,917	3,063	3,019	2,797	2,744	2,734	2,686
White-----	25,797	2,093	1,951	2,071	2,121	2,320	2,241	2,308	2,322	2,121	2,070	2,097	2,082
Nonwhite---	7,946	668	558	632	656	713	676	755	697	676	674	637	604
Under 7 days-----	30,674	2,486	2,272	2,423	2,544	2,773	2,690	2,842	2,724	2,530	2,482	2,471	2,427
White-----	23,581	1,920	1,800	1,880	1,939	2,127	2,063	2,145	2,097	1,939	1,887	1,913	1,901
Nonwhite---	7,093	576	472	563	605	646	627	697	627	591	595	558	526
Under 1 hour-----	3,616	291	295	294	323	363	303	321	318	276	284	317	331
White-----	2,717	223	234	224	231	283	218	241	222	201	214	250	176
Nonwhite---	899	68	61	70	92	80	85	80	96	75	70	67	55

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1967-Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Male--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
1-23 hours	15,954	1,236	1,172	1,270	1,346	1,494	1,409	1,437	1,419	1,324	1,297	1,260	1,298
White	12,141	954	917	958	1,007	1,138	1,080	1,052	1,082	1,004	1,002	961	1,006
Nonwhite	3,813	504	255	312	339	356	329	385	337	320	295	299	292
1 day	5,008	415	355	378	384	413	478	508	453	421	384	425	396
White	3,851	330	284	299	312	315	371	399	375	326	289	322	329
Nonwhite	1,057	85	71	79	72	98	107	109	78	95	95	101	67
2 days	3,059	295	218	256	246	269	252	279	269	249	248	247	243
White	2,488	229	162	218	199	204	207	229	211	204	192	213	200
Nonwhite	571	54	36	38	47	65	45	50	58	45	56	34	43
3 days	1,279	119	102	92	111	116	99	116	96	111	113	93	111
White	1,004	88	88	75	87	90	77	90	76	88	87	74	88
Nonwhite	275	31	16	19	24	26	22	26	20	25	26	19	25
4 days	763	69	46	61	55	59	64	79	78	68	69	59	58
White	563	57	38	42	42	46	45	56	61	53	43	39	41
Nonwhite	200	12	8	19	13	13	19	23	15	15	26	20	17
5 days	584	51	56	39	41	38	52	62	49	53	54	43	47
White	428	36	39	27	34	29	39	46	33	41	35	34	33
Nonwhite	156	15	17	11	7	9	13	16	16	12	19	9	14
6 days	411	30	28	34	38	31	35	40	44	28	33	29	43
White	299	21	20	19	27	22	26	32	37	22	25	20	28
Nonwhite	112	9	8	15	11	9	7	8	7	6	8	9	15
7-13 days	1,471	116	96	129	114	134	113	119	153	118	119	137	123
White	1,096	82	69	105	88	100	89	83	117	81	88	105	89
Nonwhite	375	34	27	24	26	34	24	36	36	37	31	32	34
14-20 days	835	71	75	85	50	61	68	52	75	78	81	72	69
White	603	47	51	69	42	43	47	40	60	55	56	45	48
Nonwhite	232	24	24	16	8	18	9	12	15	23	25	27	21
21-27 days	783	78	88	58	69	65	58	50	67	71	62	54	67
White	507	44	51	37	52	50	42	40	48	48	39	34	44
Nonwhite	256	34	35	19	17	15	16	10	19	25	23	20	23
28-59 days	3,041	308	303	293	204	218	207	208	241	226	284	280	269
White	2,042	205	202	195	140	149	142	143	155	148	199	167	177
Nonwhite	999	103	101	98	64	69	65	65	86	78	85	93	92
2 months	2,271	235	227	215	144	159	158	135	129	159	187	218	245
White	1,524	197	147	150	102	106	118	97	80	105	121	144	157
Nonwhite	747	98	80	65	42	53	40	38	49	54	66	74	88
3 months	1,653	198	160	151	128	127	104	95	89	114	124	165	209
White	1,079	126	99	93	95	83	75	61	55	79	88	104	121
Nonwhite	574	72	61	58	33	44	29	34	33	35	36	61	88
4 months	1,141	170	121	108	67	72	82	61	53	68	93	96	150
White	780	104	82	78	37	46	50	41	39	44	55	61	93
Nonwhite	411	66	39	30	30	26	32	20	14	24	38	35	57
5 months	889	128	100	84	62	56	64	38	51	47	66	89	104
White	590	73	63	56	48	40	43	28	34	31	49	64	61
Nonwhite	299	55	37	28	14	16	21	10	17	16	17	25	43
6 months	752	100	83	86	55	62	55	45	42	27	43	55	77
White	479	56	50	65	35	49	39	27	26	15	31	35	51
Nonwhite	253	44	33	23	20	13	16	18	16	12	12	20	26
7 months	532	84	56	59	45	36	36	31	39	38	36	41	51
White	346	36	38	34	30	26	24	19	26	28	28	28	33
Nonwhite	186	28	18	25	15	10	12	12	13	12	10	13	18
8 months	442	64	54	31	34	34	33	30	25	27	34	36	40
White	303	41	34	22	24	26	24	21	18	19	28	22	26
Nonwhite	139	23	20	9	10	8	9	9	7	8	6	14	14
9 months	548	55	57	36	31	24	32	21	17	21	21	24	27
White	259	39	25	27	25	16	20	15	11	14	11	19	17
Nonwhite	109	16	12	11	6	8	12	6	6	7	10	5	10
10 months	332	32	27	31	28	35	36	20	22	25	15	28	33
White	221	17	18	21	24	21	27	17	14	15	10	17	20
Nonwhite	111	15	9	10	4	14	9	3	8	10	5	11	13
11 months	318	35	26	37	24	30	29	26	27	17	21	24	22
White	215	22	17	26	14	18	19	19	19	13	15	15	16
Nonwhite	103	13	9	9	10	12	10	7	8	4	6	9	6
Female													
Under 1 year	33,586	3,060	2,763	2,950	2,631	2,867	2,894	2,782	2,769	2,635	2,826	2,793	2,906
White	23,968	2,113	1,921	2,153	1,900	2,073	1,859	2,033	2,007	1,909	2,013	1,926	2,061
Nonwhite	9,618	947	842	797	731	794	735	749	762	726	813	867	845
Under 28 days	24,384	1,986	1,780	2,022	1,966	2,180	2,023	2,235	2,135	2,018	2,052	1,977	2,009
White	18,093	1,478	1,322	1,545	1,454	1,632	1,484	1,663	1,590	1,487	1,520	1,499	1,489
Nonwhite	6,291	508	458	477	512	548	539	572	546	531	532	548	520
Under 7 days	21,976	1,739	1,587	1,841	1,790	1,982	1,842	2,028	1,937	1,808	1,861	1,768	1,794
White	16,430	1,320	1,188	1,408	1,350	1,495	1,350	1,532	1,447	1,341	1,385	1,294	1,339
Nonwhite	5,546	418	399	432	440	487	492	496	490	467	476	474	455
Under 1 hour	3,017	232	216	269	285	256	234	274	240	268	260	255	247
White	2,298	176	156	207	218	198	179	216	189	206	199	185	189
Nonwhite	719	56	60	62	69	58	55	58	51	62	61	70	58
1-23 hours	11,377	904	825	949	963	1,015	974	1,041	1,022	927	939	921	896
White	8,322	677	611	712	696	743	701	759	739	671	685	663	666
Nonwhite	3,055	227	214	237	267	273	273	282	284	256	254	259	230
1 day	3,440	270	242	280	242	335	297	350	283	286	286	266	305
White	2,620	205	172	202	194	251	215	275	221	217	219	208	230
Nonwhite	820	65	70	78	48	74	81	75	62	69	67	58	75
2 days	2,001	168	140	172	139	198	152	190	182	155	171	169	167
White	1,593	143	121	147	107	157	115	150	139	123	132	131	128
Nonwhite	408	25	19	25	32	39	37	40	43	32	39	38	39
3 days	930	67	72	74	69	76	79	86	84	79	95	77	72
White	703	52	57	60	55	60	61	66	63	58	72	54	50
Nonwhite	227	15	15	14	14	16	18	20	21	21	23	23	22

## SECTION 2 - INFANT MORTALITY

Table 2-9., Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State, and by Age and Sex for the United States: 1967-Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES-Con.													
Female-Con.													
Under 28 days-Con.													
Under 7 days-Con.													
4 days-----Con.	477	50	54	30	46	42	42	32	50	37	38	36	40
White-----	542	34	27	25	30	27	30	28	38	27	26	25	25
Nonwhite-----	155	16	7	5	16	15	12	4	12	10	12	11	15
5 days-----	417	29	25	30	22	34	38	34	42	34	44	41	45
White-----	307	19	20	23	13	28	26	26	32	28	32	28	32
Nonwhite-----	110	9	5	7	9	6	12	8	10	6	12	13	13
6 days-----	317	19	33	37	23	27	26	21	34	22	28	23	24
White-----	245	14	24	33	17	21	22	12	27	16	20	20	19
Nonwhite-----	72	5	9	4	6	6	4	9	7	6	8	3	5
7-13 days-----	1,147	108	98	78	88	103	91	105	113	102	79	102	90
White-----	823	74	65	62	61	74	63	71	75	79	61	69	69
Nonwhite-----	324	34	23	16	27	29	28	34	38	23	18	33	21
14-20 days-----	671	75	61	52	46	50	44	55	44	58	63	52	71
White-----	444	48	42	36	29	34	32	30	34	36	41	33	49
Nonwhite-----	227	27	19	16	17	16	12	25	10	22	22	19	22
21-27 days-----	590	65	44	51	42	45	46	47	42	50	49	55	54
White-----	396	36	27	38	34	29	39	30	34	31	33	33	32
Nonwhite-----	194	29	17	13	8	16	7	17	8	19	16	22	22
28-59 days-----	2,236	258	241	200	144	133	160	135	193	178	197	204	193
White-----	1,430	155	139	137	92	90	104	87	124	126	129	120	127
Nonwhite-----	806	103	102	63	52	43	56	49	69	52	68	84	66
2 months-----	1,741	200	197	166	126	126	99	96	106	125	152	159	189
White-----	1,107	109	129	108	80	85	71	67	68	80	105	94	111
Nonwhite-----	634	91	68	58	46	41	28	29	38	45	47	65	78
3 months-----	1,250	155	138	126	89	86	66	85	73	79	115	115	123
White-----	806	97	83	88	56	62	45	61	44	60	86	63	81
Nonwhite-----	444	58	55	38	33	24	21	24	29	19	49	52	42
4 months-----	954	119	111	104	78	76	61	45	54	52	79	64	91
White-----	589	72	68	58	54	45	37	28	33	29	52	54	59
Nonwhite-----	365	47	43	46	24	31	24	17	21	23	27	30	32
5 months-----	728	80	75	83	52	54	39	47	58	36	50	72	62
White-----	443	51	35	48	28	29	28	32	39	18	38	51	50
Nonwhite-----	285	29	40	35	26	25	13	15	19	18	12	21	32
6 months-----	593	75	63	64	53	45	39	34	36	40	43	39	62
White-----	381	43	38	43	35	28	23	22	28	30	26	26	39
Nonwhite-----	212	32	25	21	18	17	16	12	8	10	17	13	23
7 months-----	436	46	43	61	38	38	20	36	39	25	28	21	41
White-----	300	25	33	42	28	28	14	25	28	22	18	12	25
Nonwhite-----	135	20	10	19	10	10	6	11	11	3	10	9	16
8 months-----	365	41	43	39	33	40	23	22	18	19	34	47	26
White-----	254	24	26	25	23	26	14	21	10	15	19	33	18
Nonwhite-----	131	17	17	14	10	14	9	1	8	4	15	14	8
9 months-----	357	36	25	36	23	39	25	13	20	26	31	29	28
White-----	217	24	16	24	20	24	16	8	13	16	18	19	21
Nonwhite-----	120	12	9	12	9	15	9	5	7	10	15	10	7
10 months-----	282	30	28	27	21	21	20	21	15	20	28	24	27
White-----	182	19	19	22	14	11	17	10	11	15	16	13	15
Nonwhite-----	100	11	9	5	7	10	3	11	4	5	12	11	12
11 months-----	261	35	19	22	22	19	19	13	21	17	17	22	36
White-----	166	16	13	13	18	13	8	9	19	11	8	12	26
Nonwhite-----	95	19	6	9	4	6	11	4	2	6	9	10	9
ALABAMA													
Under 1 year-----	1,757	177	160	143	126	142	130	137	140	147	137	159	139
White-----	863	77	70	60	73	85	71	72	77	81	65	80	62
Nonwhite-----	874	100	90	83	53	57	59	65	63	66	72	79	67
Under 28 days-----	1,172	111	84	94	95	111	92	108	101	105	92	101	78
White-----	657	58	46	45	59	71	51	61	58	63	47	63	36
Nonwhite-----	515	53	38	49	36	40	41	47	43	42	45	38	43
ALASKA													
Under 1 year-----	183	14	15	14	18	15	13	14	24	14	17	8	17
White-----	82	6	7	6	8	9	6	5	6	5	7	2	11
Nonwhite-----	101	8	8	8	10	6	7	9	18	9	10	6	6
Under 28 days-----	109	7	8	10	13	9	7	11	15	7	10	5	7
White-----	57	4	4	5	7	7	4	4	4	4	4	1	6
Nonwhite-----	52	3	4	5	6	2	3	4	11	3	6	4	1
ARIZONA													
Under 1 year-----	740	66	55	59	55	64	40	53	69	74	78	69	59
White-----	543	46	43	44	43	49	36	42	47	56	52	47	38
Nonwhite-----	197	20	12	15	12	15	4	11	21	18	26	22	21
Under 28 days-----	504	39	40	40	36	48	30	37	56	63	48	46	31
White-----	410	31	36	32	30	38	28	33	41	44	39	36	22
Nonwhite-----	94	8	4	8	6	10	2	4	15	9	9	10	9
ARKANSAS													
Under 1 year-----	814	109	81	51	69	65	71	48	62	53	67	69	69
White-----	498	53	42	31	47	49	43	33	43	27	43	46	41
Nonwhite-----	316	56	39	20	22	16	28	15	19	26	24	23	28
Under 28 days-----	541	60	36	33	55	54	55	40	43	34	44	48	39
White-----	361	40	22	22	40	44	38	30	34	21	28	34	28
Nonwhite-----	180	20	14	11	15	10	17	10	9	13	16	14	11
CALIFORNIA													
Under 1 year-----	6,597	627	538	574	513	566	504	545	569	599	495	515	562
White-----	5,525	525	454	492	417	483	424	451	489	495	418	429	460
Nonwhite-----	1,072	102	84	82	96	103	80	94	80	94	77	86	94
Under 28 days-----	4,889	435	388	411	373	440	396	424	444	442	390	360	386
White-----	4,115	368	334	355	305	362	326	356	385	377	317	314	316
Nonwhite-----	774	67	54	56	68	78	60	69	59	65	63	66	70

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1967—Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>COLORADO</b>													
Under 1 year	804	61	68	47	56	84	66	67	65	63	76	58	75
White	742	72	60	44	48	80	62	62	60	59	72	54	69
Nonwhite	62	9	6	3	8	4	4	5	5	4	4	4	6
Under 28 days	623	56	43	34	44	64	54	57	54	54	60	44	59
White	563	54	39	32	36	61	51	53	51	51	58	42	55
Nonwhite	40	2	4	2	8	3	3	4	3	3	2	2	4
<b>CONNECTICUT</b>													
Under 1 year	956	61	74	63	66	79	84	83	82	72	77	74	83
White	808	72	63	67	73	65	73	77	82	64	62	63	69
Nonwhite	150	9	11	16	13	14	11	6	20	8	15	13	14
Under 28 days	785	60	51	61	70	69	69	75	70	59	61	53	58
White	640	52	45	51	60	57	59	71	53	51	49	43	49
Nonwhite	115	8	6	10	10	12	9	4	17	8	12	10	9
<b>DELAWARE</b>													
Under 1 year	206	14	17	19	15	21	25	19	13	15	16	15	18
White	129	7	13	14	9	12	17	13	6	8	9	11	10
Nonwhite	77	7	4	4	6	9	8	6	7	7	7	4	8
Under 28 days	139	6	14	9	13	17	20	15	7	7	11	9	11
White	97	5	10	8	8	10	15	12	4	4	8	7	6
Nonwhite	42	1	4	1	5	7	5	3	3	3	3	2	5
<b>DISTRICT OF COLUMBIA</b>													
Under 1 year	434	42	45	43	32	41	34	42	30	39	31	16	37
White	59	7	4	4	6	5	7	6	3	4	1	5	7
Nonwhite	375	35	41	39	26	36	27	36	27	35	30	13	30
Under 28 days	329	27	33	37	22	31	29	34	26	36	24	12	18
White	45	4	3	4	4	4	8	5	2	3	1	3	6
Nonwhite	284	23	30	33	18	27	23	29	24	33	23	9	12
<b>FLORIDA</b>													
Under 1 year	2,361	209	200	192	185	203	183	206	192	200	205	208	200
White	1,374	110	118	111	105	116	114	123	118	116	109	120	114
Nonwhite	1,007	99	82	81	80	87	69	83	74	84	94	88	86
Under 28 days	1,737	127	130	128	140	152	142	161	147	164	156	148	142
White	1,073	77	85	80	87	99	95	98	93	97	87	91	84
Nonwhite	664	50	45	48	53	53	47	63	54	67	69	57	58
<b>GEORGIA</b>													
Under 1 year	2,298	244	190	193	163	185	193	205	173	157	217	180	200
White	1,136	135	86	86	61	97	107	108	91	75	108	83	101
Nonwhite	1,162	139	104	97	82	88	86	95	82	82	111	97	99
Under 28 days	1,489	131	90	121	107	130	142	167	129	115	126	105	127
White	874	68	54	71	65	81	87	95	77	62	72	63	79
Nonwhite	615	63	36	50	42	49	55	72	51	53	54	42	48
<b>HAWAII</b>													
Under 1 year	249	19	16	20	14	23	34	14	20	17	16	30	25
White	64	5	5	5	2	2	11	6	8	3	3	8	6
Nonwhite	184	14	11	15	12	21	23	8	12	14	13	22	19
Under 28 days	195	15	10	15	12	19	25	12	19	14	12	26	16
White	50	3	2	4	2	2	6	5	7	3	1	8	6
Nonwhite	145	12	7	11	10	17	19	7	12	11	11	18	10
<b>IDAHO</b>													
Under 1 year	247	26	22	19	17	19	23	24	23	17	20	24	13
White	244	26	22	18	17	19	23	24	23	17	20	24	11
Nonwhite	3	-	-	1	-	-	-	-	-	-	-	-	2
Under 28 days	194	18	16	16	15	11	15	18	21	15	12	18	9
White	183	18	16	15	15	11	15	18	21	15	12	18	9
Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-
<b>ILLINOIS</b>													
Under 1 year	4,622	440	355	368	362	376	391	411	394	333	415	365	432
White	3,203	305	227	266	246	260	274	282	274	237	285	252	295
Nonwhite	1,419	135	108	102	116	116	117	129	120	95	130	113	137
Under 28 days	3,394	288	239	255	272	283	288	323	303	269	308	251	306
White	2,428	203	167	188	182	204	212	235	220	185	215	179	227
Nonwhite	966	85	72	67	90	79	76	97	83	74	92	72	79
<b>INDIANA</b>													
Under 1 year	2,082	166	176	191	175	199	149	168	146	174	186	173	189
White	1,797	142	149	157	150	166	132	149	123	153	162	144	161
Nonwhite	285	24	28	24	25	33	17	19	23	21	24	29	28
Under 28 days	1,579	114	109	142	136	155	120	134	121	142	139	150	139
White	1,383	98	91	128	118	134	111	118	101	128	123	111	122
Nonwhite	196	16	18	14	18	19	9	16	20	14	16	19	17
<b>IOWA</b>													
Under 1 year	907	92	95	71	65	79	73	69	67	65	77	81	73
White	877	85	93	71	64	75	69	68	66	63	76	76	71
Nonwhite	30	7	2	-	1	4	4	1	1	2	1	5	2
Under 28 days	727	70	68	57	51	63	66	62	57	61	61	61	64
White	707	65	68	57	51	61	63	61	56	55	61	57	52
Nonwhite	20	5	-	-	-	2	3	1	1	2	2	4	2

## SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; by Age and Sex for the United States: 1967—Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS</b>													
Under 1 year	686	67	60	58	46	48	65	54	49	61	57	54	65
White	599	56	53	47	44	45	57	50	42	51	50	49	55
Nonwhite	87	11	7	11	4	3	8	4	7	10	7	5	10
Under 28 days	522	44	39	45	37	36	58	44	39	46	45	41	46
White	463	38	35	39	33	36	52	41	34	37	39	38	41
Nonwhite	59	6	4	6	4	-	6	3	5	9	6	3	7
<b>KENTUCKY</b>													
Under 1 year	1,357	112	112	123	103	117	103	112	112	103	121	127	112
White	1,179	101	91	107	96	96	90	103	102	89	101	108	95
Nonwhite	178	11	21	16	7	21	13	9	10	14	20	19	17
Under 28 days	950	70	66	70	78	89	80	91	90	78	81	90	67
White	829	67	53	60	72	74	69	82	86	67	69	75	56
Nonwhite	121	3	13	10	6	15	11	9	4	11	13	15	11
<b>LOUISIANA</b>													
Under 1 year	1,988	203	159	151	126	171	152	160	169	174	162	184	177
White	871	74	63	85	47	79	63	79	79	84	78	76	80
Nonwhite	1,117	129	96	66	79	92	89	97	90	90	84	108	97
Under 28 days	1,431	106	99	107	90	125	119	128	144	141	118	134	120
White	701	46	46	68	37	65	53	53	71	72	65	69	66
Nonwhite	730	60	53	39	53	60	66	75	73	69	53	75	54
<b>MAINE</b>													
Under 1 year	414	35	39	45	33	30	38	37	30	43	30	29	23
White	406	35	39	45	31	30	36	37	29	43	29	29	23
Nonwhite	8	1	-	1	2	-	2	-	1	-	1	-	-
Under 28 days	292	24	23	33	26	21	24	29	22	35	22	17	16
White	286	24	23	32	24	21	22	29	21	35	22	17	16
Nonwhite	6	-	-	1	2	-	2	-	1	-	-	-	-
<b>MARYLAND</b>													
Under 1 year	1,526	135	127	153	125	114	138	141	125	115	111	117	125
White	1,021	80	85	97	89	79	87	89	91	74	71	87	82
Nonwhite	505	55	42	56	36	35	51	42	34	41	40	30	43
Under 28 days	1,158	81	83	108	101	87	114	121	105	91	88	88	91
White	784	51	55	75	76	58	70	82	81	59	54	64	61
Nonwhite	374	30	28	33	25	29	44	39	24	32	34	24	30
<b>MASSACHUSETTS</b>													
Under 1 year	1,697	150	143	164	162	170	180	146	163	138	136	188	157
White	1,726	133	131	151	146	152	155	136	146	129	131	170	144
Nonwhite	171	17	12	13	16	18	25	10	15	9	5	19	13
Under 28 days	1,455	105	103	116	128	138	144	116	133	109	105	151	107
White	1,332	95	98	106	115	121	128	107	120	101	101	140	100
Nonwhite	123	10	5	10	13	17	16	9	13	8	4	11	7
<b>MICHIGAN</b>													
Under 1 year	3,600	320	294	349	281	309	293	298	276	271	297	308	304
White	2,777	246	223	288	232	228	221	223	209	211	233	230	232
Nonwhite	823	74	71	61	49	80	72	75	67	60	64	78	72
Under 28 days	2,719	230	205	241	218	249	229	242	226	205	238	220	215
White	2,099	181	162	183	161	184	175	179	171	157	166	166	164
Nonwhite	620	49	43	58	57	65	54	63	55	48	52	54	52
<b>MINNESOTA</b>													
Under 1 year	1,261	112	81	115	87	107	109	122	101	121	101	120	105
White	1,229	109	75	109	82	102	107	115	99	116	99	116	100
Nonwhite	32	3	6	6	5	5	2	7	2	5	2	4	5
Under 28 days	970	77	62	85	62	85	89	96	77	92	76	89	82
White	938	75	61	79	59	81	89	90	75	91	74	87	78
Nonwhite	31	2	1	4	3	4	-	6	2	1	2	2	4
<b>MISSISSIPPI</b>													
Under 1 year	1,651	158	147	133	109	141	131	128	128	126	147	153	150
White	517	49	42	38	33	56	47	39	38	40	47	40	48
Nonwhite	1,134	109	105	95	76	85	84	89	90	86	100	113	102
Under 28 days	1,057	87	85	69	77	104	89	86	92	89	96	95	88
White	390	34	30	28	28	49	36	31	28	28	36	26	26
Nonwhite	667	53	55	41	51	55	53	55	64	61	60	67	52
<b>MISSOURI</b>													
Under 1 year	1,692	160	166	143	129	120	134	139	132	137	147	155	149
White	1,203	108	115	109	92	89	98	98	91	101	99	98	106
Nonwhite	489	52	51	34	37	31	36	41	41	36	48	58	44
Under 28 days	1,253	103	122	90	102	99	103	119	100	112	108	92	104
White	924	77	89	73	72	74	75	84	73	84	73	74	78
Nonwhite	329	26	33	17	30	25	28	34	27	28	35	18	26
<b>MONTANA</b>													
Under 1 year	287	19	26	31	24	21	28	18	26	16	25	24	31
White	252	16	22	28	22	19	25	15	22	12	25	18	28
Nonwhite	35	3	4	3	2	2	1	3	4	4	-	6	3
Under 28 days	202	11	21	21	18	11	18	16	21	12	19	11	23
White	185	10	19	20	17	11	17	14	20	9	19	8	21
Nonwhite	17	1	2	1	1	-	1	2	1	3	-	3	2

## SECTION 2 - INFANT MORTALITY

2-27

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1967—Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEBRASKA</b>													
Under 1 year	482	44	34	49	36	41	43	34	55	34	36	39	37
White	437	38	32	45	31	37	41	33	49	28	33	36	34
Nonwhite	45	6	2	4	5	4	2	1	6	6	3	3	3
Under 28 days	380	28	26	37	27	33	36	33	47	28	24	20	28
White	351	24	25	34	24	30	36	32	44	28	22	29	26
Nonwhite	29	4	1	3	3	3	2	1	3	4	2	1	2
<b>NEVADA</b>													
Under 1 year	168	15	17	15	20	14	11	11	14	10	11	15	19
White	135	11	12	11	14	11	8	9	14	9	10	11	15
Nonwhite	33	4	5	2	6	3	3	2	-	1	1	4	4
Under 28 days	125	9	12	7	17	10	5	9	13	6	11	10	14
White	98	6	8	7	11	8	3	7	13	5	10	9	11
Nonwhite	25	3	4	-	6	2	2	2	-	1	1	1	3
<b>NEW HAMPSHIRE</b>													
Under 1 year	258	21	17	22	23	18	20	19	18	30	29	21	21
White	252	20	16	21	23	18	20	15	18	30	29	21	21
Nonwhite	6	1	1	1	-	-	-	3	-	-	-	-	-
Under 28 days	185	13	10	14	17	12	15	15	14	22	21	14	18
White	181	13	10	13	17	12	15	12	14	22	21	14	18
Nonwhite	4	-	-	1	-	-	-	3	-	-	-	-	-
<b>NEW JERSEY</b>													
Under 1 year	2,554	234	214	210	201	238	205	196	232	165	219	210	229
White	1,777	159	148	150	145	177	136	135	160	111	152	145	159
Nonwhite	76	66	66	60	56	62	69	60	72	54	67	65	70
Under 28 days	1,981	156	163	168	168	185	167	168	185	127	183	160	153
White	1,406	107	110	122	124	138	110	121	133	87	127	117	110
Nonwhite	575	49	53	46	42	47	57	47	52	40	56	43	43
<b>NEW MEXICO</b>													
Under 1 year	528	45	40	51	50	42	39	41	44	37	43	44	44
White	408	35	36	33	43	36	29	31	31	30	34	32	38
Nonwhite	120	10	12	18	7	6	10	10	13	7	9	12	6
Under 28 days	342	23	21	26	31	29	29	27	37	22	27	28	24
White	284	19	23	29	28	26	23	22	28	20	23	21	22
Nonwhite	58	4	8	7	5	3	6	5	9	2	4	5	2
<b>NEW YORK</b>													
Under 1 year	6,799	616	542	563	591	602	585	571	574	480	534	582	589
White	4,860	458	401	398	398	412	405	427	427	319	399	394	422
Nonwhite	1,939	158	141	165	193	190	180	144	147	161	135	188	167
Under 28 days	5,232	446	365	432	468	484	442	466	463	393	416	445	412
White	3,776	332	268	314	316	327	331	344	356	261	319	304	304
Nonwhite	1,456	114	97	118	152	157	111	122	107	132	97	141	108
<b>NORTH CAROLINA</b>													
Under 1 year	2,478	254	254	215	184	205	195	187	217	188	191	206	216
White	1,288	101	111	99	105	109	105	117	122	94	98	109	120
Nonwhite	1,190	153	143	114	81	94	90	80	95	94	93	97	96
Under 28 days	1,690	123	131	129	132	148	151	162	164	138	136	146	130
White	981	69	78	69	81	85	84	105	94	77	77	82	82
Nonwhite	709	54	55	60	51	63	67	57	70	61	59	64	48
<b>NORTH DAKOTA</b>													
Under 1 year	228	16	15	17	19	28	21	19	17	15	23	16	22
White	214	15	12	16	17	27	20	18	17	12	22	16	22
Nonwhite	14	1	3	1	2	1	1	1	-	3	1	-	-
Under 28 days	181	14	13	13	15	21	17	16	13	12	18	12	17
White	174	14	10	12	13	21	17	16	13	11	18	12	17
Nonwhite	7	-	3	1	2	-	-	-	-	1	-	-	-
<b>OHIO</b>													
Under 1 year	3,839	312	310	344	315	367	305	320	318	324	316	295	312
White	3,138	245	267	273	250	300	250	264	266	273	260	239	252
Nonwhite	700	67	43	71	65	67	55	56	52	52	56	56	60
Under 28 days	2,906	221	216	248	249	274	243	264	242	260	257	217	235
White	2,407	182	186	193	201	228	200	216	208	222	198	177	196
Nonwhite	499	39	30	55	48	46	43	48	34	38	39	40	39
<b>OKLAHOMA</b>													
Under 1 year	836	92	69	76	63	69	59	67	66	60	58	68	90
White	649	69	50	58	52	54	42	55	54	44	48	52	71
Nonwhite	187	23	19	18	11	14	17	12	12	16	10	16	19
Under 28 days	617	66	41	52	43	50	39	60	55	44	46	54	66
White	494	54	31	38	34	43	27	50	45	33	41	42	56
Nonwhite	123	12	10	14	9	7	11	10	10	11	7	12	10
<b>OREGON</b>													
Under 1 year	610	69	50	47	44	53	55	47	67	36	42	47	53
White	574	66	49	44	40	47	51	43	62	36	40	43	53
Nonwhite	36	3	1	3	4	6	4	4	5	-	2	4	-
Under 28 days	427	42	30	35	35	41	37	35	46	28	29	32	38
White	404	40	29	32	32	36	34	32	44	28	28	29	38
Nonwhite	23	2	1	3	1	5	3	3	2	-	-	3	-
<b>PENNSYLVANIA</b>													
Under 1 year	4,199	385	363	377	329	347	334	344	344	336	335	364	341
White	3,286	305	288	295	257	273	263	263	260	267	264	294	257
Nonwhite	913	80	75	82	72	74	71	81	84	69	71	70	84
Under 28 days	3,292	282	256	256	250	293	281	297	283	283	271	271	269
White	2,618	229	207	207	199	237	225	232	211	226	212	229	204
Nonwhite	674	53	49	49	51	56	56	65	72	57	59	42	65

## SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State, and by Age and Sex for the United States: 1967-Con.

Area, sex, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>RHODE ISLAND</b>													
Under 1 year	307	24	27	31	28	26	25	31	25	29	17	23	21
White	274	21	23	24	21	25	24	29	23	26	17	22	19
Nonwhite	33	3	4	7	7	1	1	2	2	3	-	1	2
Under 28 days	244	16	20	25	23	19	17	27	22	24	16	17	18
White	216	13	19	18	17	18	17	25	20	21	16	16	16
Nonwhite	28	3	1	7	6	1	-	2	2	3	-	1	2
<b>SOUTH CAROLINA</b>													
Under 1 year	1,585	144	117	109	105	97	115	123	105	99	120	127	125
White	629	55	55	54	54	44	59	58	52	47	51	50	52
Nonwhite	754	91	62	54	49	53	56	65	53	52	69	77	73
Under 28 days	894	79	58	59	68	72	90	96	79	68	71	74	71
White	491	39	45	37	42	39	49	47	45	36	39	37	38
Nonwhite	393	40	15	21	26	33	41	49	34	32	32	37	33
<b>SOUTH DAKOTA</b>													
Under 1 year	256	15	25	27	20	17	21	24	20	20	15	25	29
White	211	12	17	21	19	15	16	21	18	15	14	19	24
Nonwhite	45	3	6	6	1	2	5	3	2	5	1	6	5
Under 28 days	184	12	18	18	15	15	11	17	15	13	11	20	20
White	164	10	14	16	15	14	9	16	15	10	10	18	16
Nonwhite	20	2	2	2	-	1	2	1	-	3	1	4	2
<b>TENNESSEE</b>													
Under 1 year	1,661	165	116	175	122	129	127	154	137	158	125	154	159
White	1,119	112	80	123	79	87	86	86	90	99	79	94	104
Nonwhite	542	53	36	52	43	42	41	68	47	59	46	60	55
Under 28 days	1,186	104	70	116	94	94	106	97	106	110	89	99	101
White	836	78	59	84	63	63	72	63	74	83	60	68	69
Nonwhite	350	26	11	32	31	31	34	34	32	27	29	31	32
<b>TEXAS</b>													
Under 1 year	4,844	442	357	407	405	406	373	397	398	376	430	424	429
White	3,567	333	274	312	302	320	292	287	292	279	315	308	344
Nonwhite	1,157	106	83	95	103	86	81	100	106	79	115	118	85
Under 28 days	3,485	274	246	271	305	312	281	317	308	286	302	298	286
White	2,599	217	199	212	225	243	222	236	232	235	219	228	233
Nonwhite	766	57	47	59	80	69	59	81	76	55	83	70	52
<b>UTAH</b>													
Under 1 year	361	24	37	39	34	39	31	37	23	29	31	31	26
White	363	22	34	38	32	39	31	34	23	27	31	29	23
Nonwhite	18	2	3	1	2	-	-	3	-	2	-	2	3
Under 28 days	267	15	30	31	24	34	24	29	21	23	23	21	12
White	260	15	28	31	23	34	24	27	21	22	23	21	11
Nonwhite	7	-	2	-	1	-	-	2	-	1	-	-	1
<b>VERMONT</b>													
Under 1 year	161	15	18	11	11	12	11	11	16	8	14	11	23
White	161	15	18	11	11	12	11	11	16	8	14	11	23
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	122	13	8	9	11	6	8	9	16	4	9	10	19
White	122	13	8	9	11	6	8	9	16	4	9	10	19
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>													
Under 1 year	2,009	171	155	178	182	168	156	175	182	195	132	149	166
White	1,253	99	95	117	129	109	102	114	119	121	80	88	90
Nonwhite	746	72	60	61	53	59	54	61	63	74	52	61	76
Under 28 days	1,454	103	96	121	137	133	129	143	147	146	95	98	106
White	975	63	62	85	103	93	85	94	99	94	65	63	69
Nonwhite	479	40	34	36	34	40	44	49	48	52	30	35	37
<b>WASHINGTON</b>													
Under 1 year	1,054	99	72	81	87	100	73	83	81	74	102	96	96
White	939	93	64	72	80	87	65	82	70	69	83	85	89
Nonwhite	115	6	8	9	7	13	8	11	11	5	19	11	7
Under 28 days	742	62	48	54	63	76	56	73	56	49	71	68	68
White	687	60	43	47	59	66	50	64	50	46	59	61	62
Nonwhite	75	2	5	7	4	10	6	9	6	3	12	5	6
<b>WEST VIRGINIA</b>													
Under 1 year	741	77	57	69	55	75	51	57	55	64	61	59	61
White	695	73	48	62	53	71	49	54	54	60	58	58	55
Nonwhite	46	4	9	7	2	4	3	3	1	4	3	-	6
Under 28 days	562	54	41	50	45	63	39	47	48	51	42	39	48
White	527	52	34	47	44	59	36	44	45	47	40	39	40
Nonwhite	35	2	7	3	1	4	2	3	1	4	2	-	6
<b>WISCONSIN</b>													
Under 1 year	1,476	120	120	123	138	131	127	128	125	108	134	106	116
White	1,322	103	108	111	127	123	109	118	113	93	116	95	106
Nonwhite	154	17	12	12	11	8	18	10	12	15	18	11	10
Under 28 days	1,143	82	82	94	107	102	104	105	107	83	97	81	99
White	1,023	68	74	87	100	97	88	96	96	71	94	71	91
Nonwhite	120	14	8	7	7	5	16	9	11	12	13	10	8
<b>WYOMING</b>													
Under 1 year	180	12	15	5	12	12	13	12	10	12	14	7	6
White	128	12	15	5	12	12	13	11	10	12	14	6	6
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	1	-
Under 28 days	103	8	13	5	11	9	7	12	9	11	9	6	3
White	101	8	13	5	11	9	7	11	9	11	9	5	3
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	1	-

## SECTION 2 - INFANT MORTALITY

2-29

Table 2-10. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1967

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year--all causes-----	79,028	7,270	6,466	6,788	6,250	6,743	6,347	6,545	6,522	6,201	6,494	6,583	6,819
Dysentery, all forms-----045-048	32	5	1	2	1	4	3	1	-	2	7	4	2
Septicemia and pyemia-----053	282	31	26	31	22	11	22	19	15	24	23	25	31
Whooping cough-----056	29	3	4	1	3	4	3	1	3	3	-	2	2
Meningococcal infections-----057	167	17	16	21	13	15	13	10	8	11	19	11	13
Tetanus-----061	25	1	2	3	1	-	1	3	4	1	2	5	2
Other infective and parasitic diseases-----001-044, 049-052, 054, 055, 058-060, 062-138	396	45	42	44	33	24	30	20	28	29	26	35	40
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-205	196	18	15	20	13	23	20	15	20	6	16	18	12
Benign neoplasms and neoplasms of unspecified nature-----210-239	97	11	9	2	8	12	7	2	9	11	12	6	8
Diseases of thymus gland-----273	35	3	4	4	-	1	6	2	3	3	6	1	2
Meningitis, except meningococcal and tuberculous-----340	679	89	59	64	51	61	46	41	33	40	54	74	67
Other diseases of nervous system and sense organs-----330-334, 341-399	519	65	57	50	56	28	33	31	32	33	49	44	41
Acute upper respiratory infections-----470-475	293	32	39	26	17	16	19	18	5	19	25	40	37
Influenza and pneumonia, except pneumonia of newborn-----480-495	5,716	818	699	614	404	393	311	274	306	308	410	516	663
Influenza-----480-483	79	14	8	13	5	5	3	1	2	2	3	7	16
Pneumonia, except pneumonia of newborn-----490-493	5,637	804	691	601	399	388	308	273	304	306	407	509	647
Bronchitis-----500-502	314	49	37	34	23	23	16	12	14	14	30	30	32
Other diseases of respiratory system-----510-522, 525-527	1,385	152	140	149	123	109	79	77	82	103	108	131	132
Pulmonary congestion and hypostasis-----522	139	12	12	5	9	7	12	17	10	16	16	14	14
Other chronic interstitial pneumonia-----525	961	114	89	122	87	77	61	51	49	72	74	93	92
Bronchiectasis-----528	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	178	19	31	13	19	16	5	8	8	16	11	11	21
All other diseases of respiratory system-----510-521, 527.1	86	7	7	9	8	7	6	6	8	5	7	11	5
Hernia and intestinal obstruction-----560, 561, 570	665	57	56	53	55	61	61	66	49	49	62	52	65
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	1,031	130	113	99	70	64	70	56	79	71	88	87	104
Other diseases of digestive system-----530-542, 544-553, 573-587	321	31	34	27	22	22	30	18	28	28	29	23	32
Congenital malformations-----750-789	11,692	1,041	945	1,018	961	1,021	939	933	1,001	984	962	936	977
Spina bifida and meningocele-----751	859	80	66	75	71	72	68	72	64	83	63	70	73
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	935	88	85	98	65	70	75	73	75	69	72	86	80
Congenital malformations of circulatory system-----754	5,655	536	466	514	406	492	441	463	463	487	485	438	468
Other congenital malformations-----750, 755-759	4,183	337	326	325	339	387	355	325	399	346	344	342	358
Certain diseases of early infancy-----760-776	48,271	3,952	3,537	3,912	3,966	4,298	4,141	4,458	4,306	3,936	3,987	3,921	3,857
Birth injuries-----760, 761	6,561	539	488	532	530	569	580	623	570	534	576	550	470
Without mention of immaturity (.0)-----	2,390	223	188	210	187	182	185	219	230	178	211	186	171
With immaturity (.5)-----	4,171	316	300	322	343	387	385	404	340	356	365	364	299
Intracranial and spinal injury at birth-----760	2,102	193	173	177	148	185	204	199	181	152	184	147	160
Without mention of immaturity (.0)-----	1,052	119	92	100	78	76	85	96	106	74	79	66	81
With immaturity (.5)-----	1,050	74	81	77	70	109	119	103	76	78	105	81	79
Other birth injury-----761	4,459	346	315	355	382	384	376	425	389	382	392	405	310
Without mention of immaturity (.0)-----	1,338	104	96	110	109	106	110	123	124	104	132	130	90
With immaturity (.5)-----	3,121	242	219	245	273	278	266	302	265	278	260	273	220
Postnatal asphyxia and atelectasis-----762	12,783	1,071	967	1,024	1,089	1,146	1,110	1,184	1,108	1,035	1,050	990	1,009
Without mention of immaturity (.0)-----	5,452	285	279	294	275	285	295	311	320	286	305	272	274
With immaturity (.5)-----	9,331	786	688	730	814	861	815	873	788	749	744	718	735
Pneumonia of newborn-----763	2,219	212	156	189	159	187	143	184	200	188	183	197	221
Without mention of immaturity (.0)-----	1,626	165	122	142	113	120	99	128	150	139	136	147	165
With immaturity (.5)-----	593	47	34	47	46	67	44	56	50	49	47	50	56
Diarrhea of newborn-----764	225	19	14	18	10	15	15	19	28	31	23	17	16
Without mention of immaturity (.0)-----	189	16	10	15	8	9	13	16	24	28	21	16	12
With immaturity (.5)-----	37	3	4	3	2	6	2	3	4	3	2	1	4
Other infections of newborn-----765-769	825	60	66	64	68	70	88	73	82	75	63	58	58
Without mention of immaturity (.0)-----	437	35	31	42	34	38	42	24	45	39	40	33	33
With immaturity (.5)-----	388	24	35	22	34	32	46	49	37	36	23	25	25
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	557	50	51	42	43	43	49	50	41	35	42	60	51
Without mention of immaturity (.0-.4)-----	224	20	21	12	12	15	25	22	19	16	20	22	20
With immaturity (.5-.9)-----	333	30	30	30	31	28	24	28	22	19	22	38	31
Hemolytic disease of newborn (erythroblastosis)-----770	1,191	108	94	99	102	105	80	112	112	90	93	100	95
Without mention of immaturity (.0-.2)-----	828	89	63	69	66	71	59	70	81	57	68	87	66
With immaturity (.5-.7)-----	363	20	31	30	36	34	21	42	31	33	25	33	29
Hemorrhagic disease of newborn-----771	519	52	32	41	34	42	45	44	55	45	36	44	49
Without mention of immaturity (.0)-----	283	27	17	22	15	21	22	31	30	20	24	26	28
With immaturity (.5)-----	236	25	15	19	19	21	23	13	25	25	12	18	21
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	10,211	790	753	775	828	889	852	931	925	831	865	851	861
Without mention of immaturity (.0)-----	2,212	171	172	168	183	209	176	225	207	165	179	173	184
With immaturity (.5)-----	7,999	619	581	607	645	680	674	788	718	666	686	678	677
Immaturity with mention of any other subsidiary condition-----774	1,271	112	86	104	88	106	109	111	109	119	115	104	108
Immaturity, unqualified-----776	11,909	938	830	1,024	1,015	1,126	1,070	1,067	1,076	853	941	950	919
Symptoms and ill-defined conditions-----780-793, 795	2,620	308	259	251	194	182	162	184	155	179	204	265	308
All other diseases-----Residual	1,328	139	112	108	91	124	90	96	110	119	104	103	128
Accidents-----E900-E962	2,751	253	254	238	195	228	232	212	216	203	256	236	248
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	620	61	53	50	43	49	53	55	48	44	57	54	53
Accidental mechanical suffocation in bed and cradle-----E924	522	48	56	45	34	36	46	33	35	33	48	51	57
Other accidental causes-----E900-E920, E923, E925-E962	1,609	144	125	143	118	143	133	124	133	126	151	131	138
Homicide-----E964, E980-E984	226	20	24	23	18	19	13	14	20	26	15	18	16

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days—all causes	58,127	4,747	4,289	4,725	4,745	5,213	4,940	5,298	5,155	4,615	4,786	4,711	4,695
Dysentery, all forms.....045-048	6	-	-	-	-	1	1	-	-	1	2	1	-
Septicemia and pyemia.....053	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough.....056	1	-	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infections.....057	14	1	1	1	3	2	1	1	-	1	1	1	1
Tetanus.....061	23	1	1	3	1	-	1	2	4	1	2	5	2
Other infective and parasitic diseases.....001-044, 049-052, 054, 055, 058-060, 062-138	71	3	5	6	5	4	7	8	7	5	6	8	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	37	2	6	2	2	4	6	2	3	1	1	5	1
Benign neoplasms and neoplasms of unspecified nature.....210-239	44	5	4	2	3	6	4	-	6	4	6	1	3
Diseases of thymus gland.....273	5	-	-	1	-	-	1	1	1	-	1	-	-
Meningitis, except meningococcal and tuberculous.....340	221	23	14	18	18	19	19	18	19	16	16	22	19
Other diseases of nervous system and sense organs.....330-334, 341-398	24	5	1	3	3	1	2	2	3	-	2	-	2
Acute upper respiratory infections.....470-475	26	-	5	2	2	1	2	2	3	-	2	-	2
Influenza and pneumonia except pneumonia of newborn.....480-493	5	1	-	-	-	-	-	-	-	-	1	-	3
Influenza.....480-483	5	1	-	-	-	-	-	-	-	-	1	-	3
Pneumonia, except pneumonia of newborn.....490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis.....500-502	24	6	2	2	1	2	1	1	2	1	-	1	5
Other diseases of respiratory system.....510-522, 525-527	109	5	11	7	10	9	5	9	15	10	11	12	6
Pulmonary congestion and hypostasis.....522	27	2	2	1	1	2	1	2	4	2	5	4	1
Other chronic interstitial pneumonia.....525	10	1	2	1	1	1	-	-	1	2	-	1	-
Bronchiectasis.....526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity.....527.2	25	1	1	2	3	4	1	3	1	5	2	1	3
All other diseases of respiratory system.....510-521, 527.1	46	1	6	3	5	3	2	3	7	3	4	1	2
Hernia and intestinal obstruction.....560, 561, 570	492	42	44	37	39	45	45	48	32	32	44	37	47
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543, 571, 572	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system.....530-542, 544, 553, 573-587	163	15	15	17	12	12	19	9	15	15	14	9	11
Congenital malformations.....750-759	7,850	645	604	650	600	732	631	689	701	690	646	624	661
Spina bifida and meningocele.....751	512	39	41	48	47	40	39	48	37	47	40	43	44
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752, 753	528	51	50	52	43	40	38	43	44	35	38	55	39
Congenital malformations of circulatory system.....754	3,429	299	254	296	248	317	284	311	295	318	297	248	291
Other congenital malformations.....750, 755-759	3,322	287	259	254	270	333	290	287	325	290	290	278	277
Certain diseases of early infancy.....760-776	47,382	3,841	3,452	3,838	3,910	4,236	4,037	4,393	4,220	3,883	3,907	3,859	3,777
Birth injuries.....760, 761	6,555	539	488	533	530	569	590	622	583	531	576	550	470
Without mention of immaturity (.0).....	2,387	222	188	210	187	182	195	219	230	176	211	196	171
With immaturity (.5).....	4,168	316	300	323	343	387	395	403	339	355	365	354	299
Intracranial and spinal injury at birth.....760	2,102	193	173	177	149	165	204	198	181	152	164	147	160
Without mention of immaturity (.0).....	1,052	119	92	100	78	76	85	96	108	74	79	65	81
With immaturity (.5).....	1,050	74	81	77	70	109	119	102	75	78	105	81	79
Other birth injury.....761	4,453	345	315	355	382	394	376	424	398	379	392	403	310
Without mention of immaturity (.0).....	1,335	103	96	110	109	108	110	123	124	102	132	130	90
With immaturity (.5).....	3,118	242	219	245	273	278	266	301	274	277	260	273	220
Postnatal asphyxia and atelectasis.....762	12,536	1,040	941	998	1,077	1,127	1,093	1,162	1,083	1,023	1,035	986	991
Without mention of immaturity (.0).....	3,253	281	257	271	251	272	272	294	298	279	293	253	259
With immaturity (.5).....	9,283	759	684	727	812	876	821	868	785	744	742	713	732
Pneumonia of newborn.....763	2,219	212	156	169	159	187	143	184	200	138	183	197	221
Without mention of immaturity (.0).....	1,626	165	122	142	113	120	99	123	150	139	158	147	165
With immaturity (.5).....	593	47	34	47	46	67	44	61	50	49	47	50	56
Diarrhea of newborn.....764	222	18	14	18	10	15	15	19	27	31	23	16	16
Without mention of immaturity (.0).....	198	15	10	15	8	9	13	15	23	28	21	16	12
With immaturity (.5).....	36	3	4	3	2	6	2	5	4	3	2	-	4
Other infections of newborn.....765-769	617	58	68	63	67	70	88	72	81	75	62	57	58
Without mention of immaturity (.0).....	430	34	31	41	33	38	42	44	39	39	33	32	33
With immaturity (.5).....	387	24	35	22	34	32	46	28	37	36	23	25	25
Neonatal disorders arising from certain diseases of mother during pregnancy.....769	532	50	49	39	41	41	48	48	37	34	42	55	49
Without mention of immaturity (.0-.4).....	203	20	19	9	11	14	25	20	15	20	17	18	18
With immaturity (.5-.9).....	329	30	29	30	30	27	23	28	22	19	22	38	31
Hemolytic disease of newborn (erythroblastosis).....770	1,188	108	94	99	102	105	80	112	112	89	93	99	93
Without mention of immaturity (.0-.2).....	922	88	63	69	66	71	59	70	81	57	68	66	64
With immaturity (.5-.7).....	364	20	31	30	36	34	21	42	31	32	25	33	29
Hemorrhagic disease of newborn.....771	514	51	32	41	34	42	45	44	55	45	35	43	47
Without mention of immaturity (.0).....	278	26	17	22	15	21	22	31	30	20	25	25	26
With immaturity (.5).....	236	25	15	19	19	21	23	13	25	25	12	18	21
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772, 773	9,821	743	713	741	801	857	831	972	891	809	819	819	826
Without mention of immaturity (.0).....	1,873	150	138	140	159	161	159	208	178	148	141	142	150
With immaturity (.5).....	7,948	613	575	601	643	676	672	764	713	661	676	676	676
Immaturity with mention of any other subsidiary condition.....774	1,138	92	74	95	78	101	100	99	95	110	107	93	94
Immaturity, unqualified.....776	11,842	931	825	1,023	1,011	1,122	1,064	1,069	1,070	946	932	944	912
Symptoms and ill-defined conditions.....780-783, 795	683	75	47	61	53	46	44	46	49	69	00	09	75
All other diseases.....Residual	519	35	42	36	34	53	35	51	49	58	43	41	42
Accidents.....E800-E962	511	32	23	23	25	30	23	30	22	22	24	24	33
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921, E922	82	8	8	9	5	6	4	11	4	6	5	9	7
Accidental mechanical suffocation in bed and cradle.....E924	54	8	5	3	6	4	3	4	4	2	3	4	8
Other accidental causes.....E900-E920, E923, E925-E962	175	16	10	11	14	20	16	15	14	14	16	11	18
Homicide.....E964, E960-E984	117	10	11	16	14	10	4	7	9	13	7	8	8

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1967—Con.

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days to 11 months—all causes	20,901	2,523	2,177	2,063	1,507	1,530	1,407	1,247	1,367	1,396	1,698	1,672	2,124
Dysentery, all forms	26	5	1	2	1	3	2	1	-	1	5	3	2
Septicemia and pyemia	281	31	28	31	22	11	22	19	15	24	22	25	31
Whooping cough	28	3	3	1	3	4	3	1	3	3	-	2	2
Meningococcal infections	153	16	15	20	10	13	12	9	8	10	16	10	12
Tetanus	2	-	1	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases	325	42	37	38	28	20	23	12	21	24	20	27	33
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	189	16	9	18	11	19	12	13	17	5	15	15	11
Benign neoplasms and neoplasms of unspecified nature	55	6	5	-	5	6	3	2	3	7	6	5	5
Diseases of thymus gland	30	3	4	3	-	1	5	1	2	3	5	1	2
Meningitis, except meningococcal and tuberculous	456	66	45	46	33	42	27	23	14	24	38	52	48
Other diseases of nervous system and sense organs	495	60	56	47	53	27	31	29	29	33	47	44	39
Acute upper respiratory infections	267	32	34	24	15	15	17	16	5	17	22	35	35
Influenza and pneumonia, except pneumonia of newborn	5,711	817	689	614	404	393	311	274	306	307	410	516	660
Pneumonia, except pneumonia of newborn	71	13	8	13	5	5	3	1	2	1	3	7	13
Bronchitis	290	43	35	32	22	21	15	11	12	13	30	29	27
Other diseases of respiratory system	1,277	147	128	142	113	100	74	68	69	93	97	119	126
Pulmonary congestion and hypostasis	112	10	10	4	6	7	6	10	13	8	11	12	13
Other chronic interstitial pneumonia	971	113	87	121	86	77	60	51	48	70	74	92	92
Bronchiectasis	1	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity	153	16	30	11	16	12	4	5	7	13	9	10	18
All other diseases of respiratory system	40	6	1	6	3	4	4	2	1	2	3	5	3
Hernia and intestinal obstruction	193	15	12	16	16	16	16	18	16	17	18	15	18
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	1,081	180	113	99	70	64	70	56	79	71	88	87	104
Other diseases of digestive system	158	16	19	10	10	10	11	9	10	13	15	14	21
Congenital malformations	5,782	396	341	362	273	209	306	264	300	294	317	312	326
Spina bifida and meningocele	347	42	27	27	24	32	29	24	27	36	23	27	29
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	407	37	35	46	22	30	37	30	31	33	34	31	41
Congenital malformations of circulatory system	2,227	237	212	218	158	175	177	152	168	169	195	190	175
Other congenital malformations	801	80	67	71	69	52	65	58	74	56	64	64	81
Certain diseases of early infancy	689	111	85	74	56	62	54	65	66	53	80	83	80
Birth injuries	6	1	-	-	-	-	-	1	1	3	-	-	-
Without mention of immaturity (.0)	3	1	-	-	-	-	-	-	-	2	-	-	-
With immaturity (.5)	3	-	-	-	-	-	-	1	1	1	-	-	-
Intracranial and spinal injury at birth	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury	6	1	-	-	-	-	-	1	1	3	-	-	-
Without mention of immaturity (.0)	3	1	-	-	-	-	-	-	-	2	-	-	-
With immaturity (.5)	3	-	-	-	-	-	-	1	1	1	-	-	-
Postnatal asphyxia and atelectasis	247	51	26	26	12	19	17	22	25	12	15	24	18
Without mention of immaturity (.0)	199	24	22	23	10	14	13	17	22	7	13	19	15
With immaturity (.5)	48	7	4	3	2	5	4	5	3	5	2	5	3
Pneumonia of newborn	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn	3	1	-	-	-	-	-	-	1	-	-	1	-
Without mention of immaturity (.0)	2	1	-	-	-	-	-	-	1	-	-	-	-
With immaturity (.5)	1	-	-	-	-	-	-	-	-	-	-	1	-
Other infections of newborn	8	2	-	1	1	-	-	1	1	-	1	1	-
Without mention of immaturity (.0)	7	2	-	1	1	-	-	-	1	-	1	1	-
With immaturity (.5)	1	-	-	-	-	-	-	1	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy	25	-	3	3	2	2	1	2	4	1	-	5	2
Without mention of immaturity (.0-.4)	21	-	2	3	1	1	-	2	4	1	-	5	2
With immaturity (.5-.9)	4	1	1	-	1	1	1	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)	5	1	-	-	-	-	-	-	-	-	-	1	2
Without mention of immaturity (.0-.2)	4	1	-	-	-	-	-	-	-	-	-	-	-
With immaturity (.5-.7)	1	-	-	-	-	-	-	-	-	1	-	-	-
Hemorrhagic disease of newborn	5	1	-	-	-	-	-	-	-	-	1	1	2
Without mention of immaturity (.0)	5	1	-	-	-	-	-	-	-	-	1	1	2
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy including nutritional maladjustment	390	47	40	34	27	32	21	19	34	22	46	33	35
Without mention of immaturity (.0)	339	41	34	28	25	28	19	15	29	17	38	31	34
With immaturity (.5)	51	6	6	6	2	4	2	4	5	5	8	2	1
Immaturity with mention of any other subsidiary condition	135	20	12	9	10	5	9	12	14	9	8	11	14
Immaturity, unqualified	67	7	4	1	4	4	6	8	6	5	9	6	7
Symptoms and ill-defined conditions	1,937	233	212	190	131	136	118	119	106	119	144	196	233
All other diseases	807	104	70	72	57	71	55	47	61	61	61	82	86
Accidents	2,440	221	211	215	170	198	209	162	194	161	232	212	215
Inhalation and ingestion of food or other object causing obstruction or suffocation	538	53	45	41	38	43	49	44	44	36	52	45	46
Accidental mechanical suffocation in bed and cradle	463	40	51	42	28	32	43	29	31	31	45	47	49
Other accidental causes	1,434	128	115	132	104	123	117	109	119	112	135	120	120
Homicide	109	10	13	7	4	9	9	7	11	13	8	10	8

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size

Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967

[Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
<b>Total, under 1 year—all causes</b>	<b>79,028</b>	<b>44,341</b>	<b>34,687</b>	<b>50,001</b>	<b>37,370</b>	<b>12,631</b>	<b>29,027</b>	<b>6,971</b>	<b>22,056</b>
Dysentery, all forms.....045-049	22	6	26	12	6	6	20	-	20
Septicemia and pyemia.....053	202	139	143	155	112	43	127	27	100
Whooping cough.....056	29	12	17	12	11	1	17	1	16
Meningococcal infections.....057	167	80	87	97	59	38	70	21	49
Tetanus.....061	25	12	13	5	3	2	20	9	11
Other infective and parasitic dis.....001-044, 049-052, 054, 055, 058-060, 062-138	396	204	192	204	147	57	192	57	135
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues.....140-205	195	109	87	125	98	27	71	11	60
Benign neoplasms and neoplasms of unspecified nature.....210-239	97	55	42	62	47	15	35	8	27
Diseases of thymus gland.....273	35	17	18	23	15	8	12	2	10
Other diseases of respiratory system.....510-522, 525-527	679	353	326	421	306	115	258	47	211
Other diseases of nervous system and sense organs.....330-334, 341-358	519	289	230	339	251	88	180	38	142
Acute upper respiratory infections.....470-475	293	174	119	184	159	35	99	15	84
Influenza and pneumonia, except pneumonia of newborn.....480-493	5,715	2,980	2,738	3,264	2,518	746	2,432	462	1,970
Influenza.....480-483	79	25	54	19	13	6	60	12	48
Pneumonia, except pneumonia of newborn.....490-493	5,637	2,955	2,682	3,245	2,505	740	2,392	450	1,942
Bronchitis.....500-502	314	178	136	205	154	51	109	24	85
Other diseases of respiratory system.....510-522, 525-527	1,385	872	513	1,018	771	247	367	101	266
Pulmonary congestion and hypostasis.....522	139	93	46	102	82	20	37	11	26
Other chronic interstitial pneumonia.....525	981	640	341	773	584	189	208	56	152
Bronchiectasis.....526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity.....527-2	178	79	99	77	50	27	101	29	72
All other diseases of respiratory system.....510-521, 527.1	86	59	27	65	54	11	21	5	16
Hernia and intestinal obstruction.....560, 561, 570	685	370	315	448	319	129	237	51	186
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543, 571, 572	1,031	397	644	362	285	77	669	102	567
Other diseases of digestive system.....530-542, 544-553, 573-587	2,390	1,223	1,067	1,492	1,116	376	898	207	691
Congenital malformations.....760-759	11,632	6,448	5,184	7,520	5,415	2,105	4,112	1,033	3,079
Spina bifida and meningocele.....751	859	467	392	539	381	158	320	86	234
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752, 753	935	491	444	559	405	154	376	86	290
Congenital malformations of circulatory system.....754	5,655	3,135	2,522	3,699	2,633	1,046	1,856	480	1,476
Other congenital malformations.....750, 755-759	4,185	2,357	1,826	2,723	1,976	747	1,460	381	1,079
Certain diseases of early infancy.....760-776	46,271	27,994	20,277	31,455	23,673	7,780	16,818	4,321	12,497
Birth injuries.....760, 761	6,561	3,679	2,882	4,234	3,089	1,135	2,337	590	1,747
Without mention of immaturity (.0)	2,390	1,323	1,067	1,492	1,116	376	898	207	691
With immaturity (.5)	4,171	2,356	1,815	2,732	1,973	759	1,439	383	1,056
Intracranial and spinal injury at birth.....760	2,102	1,276	826	1,490	1,118	372	612	158	454
Without mention of immaturity (.0)	1,052	610	442	702	521	181	350	89	261
With immaturity (.5)	1,050	666	384	788	597	191	262	69	193
Other birth injury.....761	4,459	2,402	2,065	2,734	1,971	763	1,725	432	1,293
Without mention of immaturity (.0)	1,338	713	625	780	595	185	548	118	430
With immaturity (.5)	3,121	1,690	1,431	1,944	1,376	568	1,177	314	863
Postnatal asphyxia and atelectasis.....762	12,783	7,837	4,946	8,836	6,757	2,089	3,947	1,070	2,877
Without mention of immaturity (.0)	3,542	1,899	1,553	2,140	1,578	562	1,312	321	991
With immaturity (.5)	9,331	5,938	3,393	6,696	5,189	1,607	2,635	749	1,886
Pneumonia of newborn.....763	2,219	1,247	723	1,357	774	503	862	183	669
Without mention of immaturity (.0)	1,626	905	555	1,002	620	228	624	129	495
With immaturity (.5)	593	342	168	355	200	75	238	64	174
Diarrhea of newborn.....764	225	89	136	85	60	25	140	29	111
Without mention of immaturity (.0)	168	75	113	75	54	19	115	21	94
With immaturity (.5)	57	14	23	12	6	6	25	8	17
Other infections of newborn.....765-768	825	501	324	565	439	126	360	62	198
Without mention of immaturity (.0)	437	238	199	276	200	76	161	39	123
With immaturity (.5)	388	263	125	289	239	50	99	24	75
Neonatal disorders arising from certain diseases of mother during pregnancy.....769	557	288	269	326	227	99	231	61	170
Without mention of immaturity (.0-.4)	224	116	108	134	92	42	90	24	66
With immaturity (.5-.9)	333	172	161	192	135	57	141	37	104
Hemolytic disease of newborn (erythroblastosis).....770	1,191	628	563	794	536	258	397	92	305
Without mention of immaturity (.0-.2)	826	431	395	545	366	179	281	85	216
With immaturity (.5-.7)	365	197	168	249	170	79	116	27	89
Hemorrhagic disease of newborn.....771	519	302	217	334	257	77	165	45	140
Without mention of immaturity (.0)	283	155	128	170	132	38	113	23	90
With immaturity (.5)	236	147	89	164	125	39	72	22	50
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772, 773	10,211	5,640	4,571	6,366	4,678	1,688	3,845	982	2,863
Without mention of immaturity (.0)	2,212	1,203	1,003	1,139	793	346	1,073	210	863
With immaturity (.5)	7,999	4,437	3,568	5,227	3,885	1,342	2,772	752	2,020
Immaturity with mention of any other subsidiary condition.....774	1,271	771	500	895	675	222	378	98	278
Immaturity, unqualified.....776	11,909	7,012	4,897	7,671	5,893	1,778	4,258	1,119	3,119
Symptoms and ill-defined conditions.....780-793, 795	2,620	1,302	1,318	1,450	1,107	343	1,170	195	975
All other diseases.....Residual	1,326	713	613	832	599	233	494	114	380
Accidents.....E900-E962	2,751	1,307	1,444	1,429	1,028	401	1,322	279	1,043
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921, E922	620	290	330	319	237	82	301	53	248
Accidental mechanical suffocation in bed and cradle.....E924	522	224	298	232	161	71	290	63	227
Other accidental causes.....E900-E920, E923, E925-E962	1,609	793	816	878	630	248	731	163	568
Homicide.....E964, E980-E984	226	155	71	185	136	29	61	19	42

## SECTION 2 - INFANT MORTALITY

2-33

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967—Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year—all causes	57,533	30,165	27,368	35,994	24,618	11,176	21,589	5,347	16,192
Dysentery, all forms	11	3	8	8	3	5	3	—	3
Septicemia and pyemia	171	80	91	96	64	32	75	16	59
Whooping cough	9	3	6	5	3	—	6	—	6
Meningococcal infections	144	68	76	81	48	33	63	20	43
Tetanus	5	1	4	—	—	—	5	1	4
Other infective and parasitic dis.	287	145	142	153	104	49	134	41	93
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	165	90	75	106	79	27	59	11	48
Benign neoplasms and neoplasms of unspecified nature	79	43	36	50	37	13	29	6	23
Diseases of thyroid gland	32	16	16	21	14	7	11	2	9
Meningitis, except meningococcal and tuberculous	455	226	229	290	194	96	165	32	133
Other diseases of nervous system and sense organs	384	197	187	248	168	80	136	29	107
Acute upper respiratory infections	185	99	86	117	87	30	88	12	56
Influenza and pneumonia, except pneumonia of newborn	3,374	1,691	1,663	1,982	1,396	586	1,392	295	1,097
Pneumonia, except pneumonia of newborn	30	5	25	6	3	3	24	2	22
Bronchitis	3,344	1,686	1,658	1,976	1,393	583	1,368	293	1,075
Other diseases of respiratory system	204	101	103	150	83	47	74	18	56
Pulmonary congestion and hypostasis	910	569	371	672	469	205	238	70	168
Other chronic interstitial pneumonias	109	69	40	76	59	17	83	10	23
Bronchiectasis	633	383	250	499	345	154	154	38	96
Other diseases of lung and pleural cavity	—	—	—	—	—	—	—	—	—
All other diseases of respiratory system	103	46	57	49	28	21	54	18	36
Hernia and intestinal obstruction	65	41	24	48	37	11	17	4	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	567	293	274	372	248	124	195	45	150
Other diseases of digestive system	504	205	299	205	153	50	301	52	249
Congenital malformations	217	114	103	156	89	47	81	25	56
Spina bifida and meningocele	9,852	5,236	4,616	6,263	4,311	1,952	3,589	925	2,664
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	751	428	370	499	346	153	299	82	217
Congenital malformations of circulatory system	762	392	390	456	320	136	326	72	254
Other congenital malformations	4,713	2,477	2,236	3,006	2,047	959	1,707	430	1,277
Certain diseases of early infancy	3,559	1,859	1,620	2,502	1,598	704	1,237	341	916
Birth injuries	35,868	18,941	16,727	22,524	15,576	6,948	13,144	3,265	9,779
Without mention of immaturity (.0)	5,198	2,711	2,467	3,264	2,225	1,039	1,934	486	1,448
With immaturity (.5)	1,823	933	890	1,112	773	339	711	160	551
Intracranial and spinal injury at birth	3,575	1,778	1,597	2,152	1,452	700	1,223	326	897
Without mention of immaturity (.0)	1,821	842	679	1,047	721	326	474	121	353
With immaturity (.5)	785	428	528	521	560	161	254	68	196
Other birth injury	736	414	322	526	361	165	210	53	157
Without mention of immaturity (.0)	3,677	1,869	1,808	2,217	1,504	713	1,460	365	1,095
With immaturity (.5)	1,038	506	533	591	413	178	447	92	355
Postnatal asphyxia and atelectasis	2,639	1,364	1,275	1,626	1,091	535	1,015	275	740
Without mention of immaturity (.0)	9,225	5,261	4,264	6,290	4,417	1,873	5,235	844	2,391
With immaturity (.5)	2,639	1,323	1,316	1,596	1,084	512	1,043	229	804
Pneumonia of newborn	6,886	3,538	2,940	4,694	3,333	1,361	2,192	605	1,587
Without mention of immaturity (.0)	1,510	797	753	916	649	267	594	138	456
With immaturity (.5)	1,093	562	531	674	476	198	419	66	353
Diarrhea of newborn	417	228	192	242	173	69	125	52	125
Without mention of immaturity (.0)	95	47	48	48	33	15	47	14	33
With immaturity (.5)	77	39	38	40	29	11	37	10	27
Other infections of newborn	18	8	10	8	4	4	10	4	6
Without mention of immaturity (.0)	547	303	244	370	262	108	177	41	136
With immaturity (.5)	290	147	145	186	121	65	104	26	78
Neonatal disorders arising from certain diseases of mother during pregnancy	257	156	101	184	141	43	73	15	59
Without mention of immaturity (.0-.4)	434	209	225	253	162	91	181	47	134
With immaturity (.5-.9)	168	82	86	102	64	38	68	18	48
Hemolytic disease of newborn (erythroblastosis)	266	127	139	151	98	53	115	29	86
Without mention of immaturity (.0-.2)	1,105	569	536	730	479	251	375	90	285
With immaturity (.5-.7)	766	393	373	504	329	175	262	64	198
Hemorrhagic disease of newborn	339	176	163	226	150	76	113	26	87
Without mention of immaturity (.0)	371	195	176	227	157	70	144	38	106
With immaturity (.5)	208	106	102	119	85	34	89	21	68
All-defined diseases peculiar to early infancy, including nutritional maladjustment	163	89	74	108	72	36	55	17	38
Without mention of immaturity (.0)	7,817	4,035	3,782	4,776	3,269	1,507	3,041	766	2,275
With immaturity (.5)	1,648	737	611	889	584	305	759	153	606
Immaturity with mention of any other subsidiary condition	6,169	3,298	2,871	3,887	2,685	1,202	2,282	613	1,669
Immaturity, unqualified	893	509	384	622	432	190	271	77	194
Symptoms and ill-defined conditions	8,173	4,315	3,859	5,028	3,491	1,537	3,145	824	2,321
All other diseases	1,286	643	643	826	551	275	460	92	369
Residual	1,003	507	496	626	421	205	377	86	291
Accidents	1,870	833	1,037	985	645	340	885	188	697
Inhalation and ingestion of food or other object causing obstruction or suffocation	433	190	243	229	157	72	204	33	171
Accidental mechanical suffocation in bed and cradle	346	138	208	162	102	60	184	36	148
Other accidental causes	1,091	505	586	594	386	208	497	119	378
Homicide	151	91	60	102	75	27	49	16	33

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967—Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 1 year—all causes	21,495	14,176	7,319	14,607	12,552	1,455	7,486	1,624	5,864
Dysentery, all forms—045-048	21	3	18	4	3	1	17	-	17
Septicemia and pyemia—053	111	59	52	59	48	11	52	11	41
Whooping cough—056	20	9	11	9	8	1	11	1	10
Meningococcal infections—057	23	12	11	16	11	5	7	1	6
Tetanus—061	20	11	9	5	3	2	15	8	7
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	109	59	50	51	43	8	58	16	42
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	31	19	12	19	19	-	12	-	12
Benign neoplasms and neoplasms of unspecified nature—210-239	18	12	6	12	10	2	6	2	4
Diseases of thymus gland—273	3	1	2	2	1	1	1	-	1
Meningitis, except meningococcal and tuberculous—340	224	127	97	131	112	19	95	15	79
Other diseases of nervous system and sense organs—330-334,341-398	135	92	43	91	83	8	44	9	35
Acute upper respiratory infections—470-475	108	75	33	77	72	5	31	3	28
Influenza and pneumonia, except pneumonia of newborn—480-495	2,342	1,289	1,053	1,282	1,122	160	1,060	167	893
Influenza—480-483	49	20	29	13	10	3	36	10	26
Pneumonia, except pneumonia of newborn—490-493	2,293	1,269	1,024	1,269	1,112	157	1,024	157	867
Bronchitis—500-502	110	77	33	75	71	4	35	6	29
Other diseases of respiratory system—510-522,525-527	475	233	142	346	302	44	129	31	98
Pulmonary congestion and hypostasis—522	30	24	6	26	23	3	4	1	3
Other chronic interstitial pneumonia—525	348	257	91	274	239	35	74	18	56
Bronchiectasis—526	1	1	-	1	1	-	-	-	-
Other diseases of lung and pleural cavity—527.2	75	33	42	23	22	1	47	11	36
All other diseases of respiratory system—510-521,527.1	21	18	3	17	17	-	4	1	3
Hernia and intestinal obstruction—560,561,570	118	77	41	76	71	5	42	6	36
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	527	162	345	159	132	27	368	50	318
Other diseases of digestive system—530-542,544-553,573-587	104	71	33	70	62	8	34	9	25
Congenital malformations—750-759	1,780	1,212	568	1,357	1,104	153	523	108	415
Spina bifida and meningocele—751	61	39	22	40	35	5	21	4	17
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	153	99	54	103	85	18	50	14	36
Congenital malformations of circulatory system—754	942	656	286	693	606	87	249	80	169
Other congenital malformations—750,755-759	824	418	406	421	378	43	203	40	163
Certain diseases of early infancy—760-776	12,803	9,053	3,550	8,929	8,097	832	3,674	956	2,718
Birth injuries—760,761	1,363	968	395	960	664	96	403	104	299
Without mention of immaturity (.0)	567	390	177	380	343	37	187	47	140
With immaturity (.5)	796	578	218	580	521	59	216	57	159
Intracranial and spinal injury at birth—760	581	434	147	443	397	46	138	37	101
Without mention of immaturity (.0)	267	182	85	181	161	20	86	21	65
With immaturity (.5)	314	252	62	262	236	26	52	16	36
Other birth injury—761	782	534	248	517	467	50	265	67	198
Without mention of immaturity (.0)	300	208	92	199	182	17	101	26	75
With immaturity (.5)	482	326	156	318	285	33	164	41	123
Postnatal asphyxia and atelectasis—762	3,258	2,576	682	2,544	2,350	196	712	226	486
Without mention of immaturity (.0)	613	576	37	544	494	50	269	82	187
With immaturity (.5)	2,445	2,000	445	2,002	1,856	146	443	144	299
Pneumonia of newborn—763	709	460	249	441	405	36	268	55	213
Without mention of immaturity (.0)	533	341	192	328	298	30	205	43	162
With immaturity (.5)	176	119	57	113	107	6	63	12	51
Diarrhea of newborn—764	130	42	88	37	27	10	93	15	78
Without mention of immaturity (.0)	111	36	75	33	25	8	78	11	67
With immaturity (.5)	19	6	13	4	2	2	15	4	11
Other infections of newborn—765-768	278	198	80	195	177	18	63	21	62
Without mention of immaturity (.0)	147	91	56	90	79	11	57	12	45
With immaturity (.5)	131	107	24	105	98	7	26	9	17
Neonatal disorders arising from certain diseases of mother during pregnancy—769	123	79	44	73	65	8	50	14	36
Without mention of immaturity (.0-.4)	56	34	22	32	28	4	24	6	18
With immaturity (.5-.9)	67	45	22	41	37	4	26	8	18
Hemolytic disease of newborn (erythroblastosis)—770	86	59	27	64	57	7	22	2	20
Without mention of immaturity (.0-.2)	60	38	22	41	37	4	19	1	18
With immaturity (.5-.7)	26	21	5	23	20	3	3	1	2
Hemorrhagic disease of newborn—771	148	107	41	107	100	7	41	7	34
Without mention of immaturity (.0)	75	49	26	51	47	4	24	2	22
With immaturity (.5)	73	58	15	56	53	3	17	5	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,394	1,605	789	1,590	1,409	181	804	196	608
Without mention of immaturity (.0)	564	266	298	250	209	41	314	57	257
With immaturity (.5)	1,830	1,339	491	1,340	1,200	140	490	139	351
Immaturity with mention of any other subsidiary condition—774	378	262	116	273	241	32	105	21	84
Immaturity, unqualified—776	3,736	2,697	1,039	2,643	2,402	241	1,093	295	798
Symptoms and ill-defined conditions—780-795,795	1,354	659	675	624	556	68	710	103	607
All other diseases—Residual	323	206	117	208	178	28	117	28	89
Accidents—E800-E962	881	474	407	444	393	61	437	91	346
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	187	100	87	90	60	10	97	20	77
Accidental mechanical suffocation in bed and cradle—E924	176	86	90	70	59	11	106	27	79
Other accidental causes—E800-E920,E923,E925-E962	518	288	230	284	244	40	234	44	190
Homicide—E964,E980-E984	75	64	11	63	61	2	12	3	9

## SECTION 2 - INFANT MORTALITY

2-35

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967--Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days--all causes	59,127	33,451	24,696	37,751	29,224	9,527	20,376	5,207	15,169
Dysentery, all forms-----045-048	6	3	3	5	3	2	1	--	1
Septicemia and pyemia-----053	1	1	--	1	1	--	--	--	--
Whooping cough-----056	1	--	1	--	--	1	--	--	1
Meningococcal infections-----057	14	8	6	8	7	1	6	1	5
Tetanus-----061	23	10	13	3	1	2	20	9	11
Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	71	42	29	43	32	11	28	10	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	37	25	12	25	22	3	12	3	9
Benign neoplasms and neoplasms of unspecified nature-----210-239	44	23	21	29	19	10	15	4	11
Diseases of thymus gland-----273	5	2	3	2	1	1	3	1	2
Meningitis, except meningococcal and tuberculous-----340	221	119	102	149	104	45	72	15	57
Other diseases of nervous system and sense organs-----330-334,341-398	24	12	12	10	8	2	14	4	10
Acute upper respiratory infections-----470-475	26	19	7	21	18	3	5	1	4
Influenza and pneumonia, except pneumonia of newborn-----480-493	5	2	3	--	--	--	5	2	3
Influenza-----490-493	5	2	3	--	--	--	5	2	3
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	24	17	7	17	15	2	7	2	5
Other diseases of respiratory system-----510-522,525-527	108	63	45	70	51	19	38	12	26
Pulmonary congestion and hypostasis-----522	27	14	13	18	13	5	9	1	8
Other chronic interstitial pneumonia-----525	10	7	3	7	5	2	3	2	1
Bronchiectasia-----526	--	--	--	--	--	--	--	--	--
Other diseases of lung and pleural cavity-----527.2	25	10	15	10	5	5	15	5	10
All other diseases of respiratory system-----510-521,527.1	46	32	14	35	28	7	11	4	7
Hernia and intestinal obstruction-----560,561,570	492	278	214	329	238	91	163	40	123
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	163	97	66	107	76	31	56	21	35
Other diseases of digestive system-----530-542,544-553,573-597	7,850	4,380	3,470	5,129	3,689	1,441	2,721	692	2,029
Congenital malformations-----750-759	512	276	236	325	251	92	189	45	144
Spina bifida and meningocele-----751	512	276	236	325	251	92	189	45	144
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	528	272	256	311	222	89	217	50	167
Congenital malformations of circulatory system-----754	3,428	1,910	1,518	2,245	1,614	631	1,183	296	887
Other congenital malformations-----750,755-759	3,362	1,922	1,460	2,250	1,621	629	1,132	301	831
Certain diseases of early infancy-----760-776	47,362	27,533	19,849	30,981	23,302	7,689	16,421	4,281	12,190
Birth injuries-----760,761	6,555	3,677	2,878	4,221	3,089	1,133	2,334	589	1,745
Without mention of immaturity (.0)-----760,761	2,367	1,322	1,065	1,490	1,115	375	897	207	690
With immaturity (.5)-----760,761	4,188	2,355	1,813	2,731	1,973	758	1,437	382	1,055
Intracranial and spinal injury at birth-----760	2,102	1,276	826	1,490	1,118	372	612	158	454
Without mention of immaturity (.0)-----760	1,052	610	442	702	521	181	350	89	251
With immaturity (.5)-----760	1,050	666	384	788	597	191	262	69	195
Other birth injury-----761	4,453	2,401	2,052	2,731	1,970	761	1,722	431	1,231
Without mention of immaturity (.0)-----761	1,355	712	625	796	594	194	547	118	429
With immaturity (.5)-----761	3,110	1,689	1,429	1,935	1,376	567	1,175	313	802
Postnatal asphyxia and atelectasis-----762	12,536	7,680	4,856	8,670	6,632	2,038	3,866	1,048	2,818
Without mention of immaturity (.0)-----762	3,253	1,772	1,481	2,004	1,470	534	1,249	302	947
With immaturity (.5)-----762	9,283	5,908	3,375	6,666	5,162	1,504	2,617	746	1,871
Pneumonia of newborn-----763	2,219	1,247	972	1,357	1,054	303	862	193	669
Without mention of immaturity (.0)-----763	1,626	905	725	1,002	774	228	624	129	495
With immaturity (.5)-----763	593	342	247	355	280	75	238	64	174
Diarrhea of newborn-----764	222	89	134	85	60	25	137	28	109
Without mention of immaturity (.0)-----764	196	74	112	73	54	19	113	20	93
With immaturity (.5)-----764	36	14	22	12	6	6	24	8	16
Other infections of newborn-----765-769	817	497	320	560	435	125	257	62	195
Without mention of immaturity (.0)-----765-769	450	235	195	272	197	75	158	36	120
With immaturity (.5)-----765-769	367	262	125	288	238	50	99	24	75
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	532	275	257	307	216	91	225	59	166
Without mention of immaturity (.0-.4)-----769	205	104	99	119	82	37	94	22	62
With immaturity (.5-.9)-----769	328	171	158	188	134	54	141	37	104
Hemolytic disease of newborn (erythroblastosis)-----770	1,186	625	561	791	534	257	395	91	304
Without mention of immaturity (.0-.2)-----770	822	429	334	543	364	179	279	64	215
With immaturity (.5-.7)-----770	364	197	167	248	170	78	118	27	89
Hemorrhagic disease of newborn-----771	514	301	213	333	258	77	181	45	136
Without mention of immaturity (.0)-----771	278	154	124	169	131	38	109	23	86
With immaturity (.5)-----771	236	147	89	164	125	39	72	22	50
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	9,821	5,482	4,339	6,192	4,556	1,636	3,629	926	2,703
Without mention of immaturity (.0)-----772,773	1,873	873	1,000	996	694	302	877	179	698
With immaturity (.5)-----772,773	7,948	4,609	3,339	5,196	3,862	1,334	2,752	747	2,005
Immaturity with mention of any other subsidiary condition-----774	1,138	688	450	814	609	205	324	79	245
Immaturity, unqualified-----776	11,842	6,978	4,869	7,631	5,862	1,769	4,211	1,111	3,100
Symptoms and ill-defined conditions-----780-793,795	683	304	379	296	237	59	387	67	320
All other diseases-----Residual	519	278	241	324	230	94	195	48	147
Accidents-----E800-E992	311	186	175	132	100	32	179	36	143
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	82	41	41	34	28	6	48	15	35
Accidental mechanical suffocation in bed and cradle-----E924	54	19	35	17	12	5	37	7	30
Other accidental causes-----E800-E920,E923,E925-E962	175	76	99	81	60	21	94	16	78
Homicide-----E964,E960-E994	117	79	38	90	71	19	27	8	19

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967—Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days—all causes	45,890	23,314	20,576	27,770	19,189	8,581	16,120	4,125	11,995
Dysentery, all forms—045-048	4	2	2	4	2	2	-	-	-
Septicemia and pyemia—053	1	1	-	1	1	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	10	6	4	6	5	1	4	1	3
Tetanus—061	5	1	4	-	-	-	5	1	4
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-139	55	31	24	32	22	10	23	9	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	29	19	10	19	16	3	10	5	7
Benign neoplasms and neoplasms of unspecified nature—210-239	38	19	19	25	16	9	13	5	10
Diseases of thymus gland—273	4	2	2	2	1	1	2	1	1
Meningitis, except meningococcal and tuberculous—340	170	86	84	114	74	40	56	12	44
Other diseases of nervous system and sense organs—330-334,341-398	20	11	9	10	8	2	10	3	7
Acute upper respiratory infections—470-475	15	11	4	14	11	3	1	-	1
Influenza and pneumonia, except pneumonia of newborn—480-493	4	1	3	-	-	-	4	1	3
Influenza—480-483	4	1	3	-	-	-	4	1	3
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	15	9	4	8	7	1	5	2	3
Other diseases of respiratory system—510-522,525-527	81	45	38	54	36	18	27	7	20
Pulmonary congestion and hypostasis—522	21	9	12	12	8	4	9	1	8
Other chronic interstitial pneumonia—525	7	5	2	6	4	2	1	1	-
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	15	5	11	8	5	3	8	2	6
All other diseases of respiratory system—510-521,527.1	37	24	13	28	21	7	9	5	6
Hernia and intestinal obstruction—560,561,570	424	228	196	281	193	88	143	35	108
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	-	-	-	-	-	-	-	-	-
Other diseases of digestive system—530-542,544-553,573-587	109	57	52	72	44	28	37	13	24
Congenital malformations—750-759	6,765	3,630	3,135	4,343	2,998	1,345	2,422	632	1,790
Spina bifida and meningocele—751	480	255	225	303	213	90	177	42	135
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	455	225	230	261	181	80	194	44	150
Congenital malformations of circulatory system—754	2,912	1,550	1,362	1,858	1,275	583	1,058	275	781
Other congenital malformations—750,755-759	2,918	1,600	1,318	1,823	1,328	495	985	271	724
Certain diseases of early infancy—760-776	35,192	18,702	16,490	22,245	15,384	6,861	12,947	3,318	9,629
Birth injuries—760,761	5,194	2,710	2,484	3,262	2,225	1,037	1,932	485	1,447
Without mention of immaturity (.0)	1,821	953	868	1,111	775	336	710	160	550
With immaturity (.5)	3,373	1,757	1,616	2,151	1,450	699	1,222	325	897
Intracranial and spinal injury at birth—760	1,521	842	679	1,047	721	326	474	121	353
Without mention of immaturity (.0)	785	428	357	521	360	161	264	69	196
With immaturity (.5)	736	414	322	526	361	165	210	53	157
Other birth injury—761	3,675	1,868	1,805	2,215	1,504	711	1,458	364	1,094
Without mention of immaturity (.0)	1,036	505	531	590	413	177	446	92	354
With immaturity (.5)	2,637	1,363	1,274	1,625	1,091	534	1,012	272	740
Postnatal asphyxia and atelectasis—762	9,372	5,176	4,196	6,194	4,345	1,849	3,178	831	2,347
Without mention of immaturity (.0)	2,511	1,252	1,259	1,514	1,024	490	997	229	769
With immaturity (.5)	6,861	3,924	2,937	4,680	3,321	1,359	2,181	603	1,578
Pneumonia of newborn—763	1,510	787	723	918	649	267	594	139	456
Without mention of immaturity (.0)	1,093	562	551	674	476	198	419	86	333
With immaturity (.5)	417	225	172	244	173	69	175	53	123
Diarrhea of newborn—764	94	47	47	48	33	15	46	14	32
Without mention of immaturity (.0)	76	39	37	40	29	11	36	10	26
With immaturity (.5)	18	8	10	8	4	4	10	4	6
Other infections of newborn—765-768	541	300	241	386	259	107	175	41	134
Without mention of immaturity (.0)	284	144	140	182	118	64	102	26	76
With immaturity (.5)	257	156	101	184	141	43	73	15	58
Neonatal disorders arising from certain diseases of mother during pregnancy—769	417	201	216	239	155	84	178	46	132
Without mention of immaturity (.0-.4)	154	74	80	91	57	34	63	17	46
With immaturity (.5-.9)	263	127	136	148	98	50	115	29	86
Hemolytic disease of newborn (erythroblastosis)—770	1,102	567	535	729	478	251	373	89	284
Without mention of immaturity (.0-.2)	763	391	372	503	328	175	260	63	197
With immaturity (.5-.7)	339	176	163	226	150	76	113	26	87
Hemorrhagic disease of newborn—771	368	195	173	227	157	70	141	39	103
Without mention of immaturity (.0)	205	106	99	119	85	34	86	21	65
With immaturity (.5)	163	89	74	108	72	36	55	17	38
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	7,629	3,958	3,671	4,679	3,206	1,473	2,950	752	2,198
Without mention of immaturity (.0)	1,489	674	615	809	533	276	680	141	539
With immaturity (.5)	6,140	3,284	2,856	3,870	2,673	1,197	2,270	611	1,659
Immaturity with mention of any other subsidiary condition—774	815	460	355	573	337	176	242	63	179
Immaturity, unqualified—775	8,150	4,501	3,949	5,012	3,480	1,532	3,158	821	2,317
Symptoms and ill-defined conditions—780-793,795	262	124	139	144	105	39	118	19	99
All other diseases—Residual	403	197	206	242	157	85	161	40	121
Accidents—E900-E962	202	83	119	93	65	28	109	18	91
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	57	26	31	24	18	6	33	6	25
Accidental mechanical suffocation in bed and cradle—E924	33	10	23	11	7	4	22	5	19
Other accidental causes—E900-E920,E923,E925-E962	112	47	65	68	40	18	54	7	47
Homicide—E964,E980-E984	84	51	33	61	44	17	23	7	16

SECTION 2 - INFANT MORTALITY

Table 2-11. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1967—Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Nonwhite, under 28 days—all causes	14,237	10,117	4,120	9,981	9,085	946	4,256	1,082	3,174
Dysentery, all forms	2	1	1	1	1	-	1	-	1
Septicemia and pyemia	-	-	-	-	-	-	-	-	-
Whooping cough	1	-	1	-	-	-	-	-	1
Meningococcal infections	4	2	2	2	2	-	2	-	2
Tetanus	18	9	9	3	1	2	15	8	7
Other infective and parasitic dis.	16	11	5	11	10	1	5	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8	6	2	6	6	-	2	-	2
Benign neoplasms and neoplasms of unspecified nature	6	4	2	4	3	1	2	1	1
Diseases of thymus gland	1	-	1	-	-	-	1	-	1
Meningitis, except meningococcal and tuberculous	51	35	18	35	30	5	16	5	15
Other diseases of nervous system and sense organs	4	1	3	-	-	-	4	1	3
Acute upper respiratory infections	11	8	3	7	7	-	4	1	3
Influenza and pneumonia, except pneumonia of newborn	1	1	-	-	-	-	1	1	-
Influenza	1	1	-	-	-	-	1	1	-
Pneumonia, except pneumonia of newborn	...	...	...	...	...	...	...	...	...
Bronchitis	11	8	3	9	8	1	2	-	2
Other diseases of respiratory system	27	20	7	16	15	1	11	5	6
Pulmonary congestion and hypostasis	6	5	1	6	5	1	-	-	-
Other chronic interstitial pneumonia	3	2	1	1	1	-	2	1	1
Bronchiectasis	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity	9	5	4	2	2	-	7	3	4
All other diseases of respiratory system	9	8	1	7	7	-	2	1	1
Hernia and intestinal obstruction	68	50	18	48	45	3	20	5	15
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	54	40	14	35	32	3	19	8	11
Congenital malformations	1,085	750	335	788	690	98	299	60	239
Spina bifida and meningocele	32	21	11	20	18	2	12	3	9
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	73	47	26	50	41	9	25	6	17
Congenital malformations of circulatory system	516	360	156	369	339	30	127	21	106
Other congenital malformations	484	322	162	327	292	35	137	30	107
Certain diseases of early infancy	12,190	8,851	3,339	8,716	7,918	798	3,474	913	2,561
Birth injuries	1,381	967	394	959	865	94	402	104	298
Without mention of immaturity (.0)	586	389	177	379	342	37	167	47	140
With immaturity (.5)	795	578	217	580	523	57	235	57	158
Intracranial and spinal injury at birth	760	581	179	443	397	46	138	37	101
Without mention of immaturity (.0)	267	182	85	161	161	0	86	21	65
With immaturity (.5)	514	252	262	282	236	46	52	16	36
Other birth injury	761	780	535	247	516	264	264	67	197
Without mention of immaturity (.0)	299	207	92	198	161	37	101	26	75
With immaturity (.5)	481	326	155	318	285	33	163	41	122
Postnatal asphyxia and atelectasis	762	3,164	2,504	660	2,476	2,267	189	698	217
Without mention of immaturity (.0)	742	2,920	2,222	520	2,446	444	252	74	178
With immaturity (.5)	2,422	1,384	430	1,986	1,941	145	436	143	298
Pneumonia of newborn	763	709	460	249	441	405	36	268	55
Without mention of immaturity (.0)	533	341	192	328	298	30	205	45	162
With immaturity (.5)	176	119	57	115	107	6	65	12	51
Diarrhea of newborn	764	128	41	67	37	27	10	91	14
Without mention of immaturity (.0)	110	38	75	38	28	6	77	10	67
With immaturity (.5)	18	6	12	4	2	2	14	4	10
Other infections of newborn	765-768	276	197	79	194	176	18	82	21
Without mention of immaturity (.0)	146	91	55	90	79	11	56	12	44
With immaturity (.5)	130	106	24	104	97	7	26	9	17
Neonatal disorders arising from certain diseases of mother during pregnancy	769	115	74	41	68	61	7	47	13
Without mention of immaturity (.0-.4)	49	30	19	28	25	3	21	5	16
With immaturity (.5-.9)	66	44	22	40	38	4	26	8	18
Hemolytic disease of newborn (erythroblastosis)	770	94	57	26	62	56	6	22	2
Without mention of immaturity (.0-.2)	59	37	22	40	36	4	19	1	18
With immaturity (.5-.7)	25	21	4	22	20	2	3	1	2
Hemorrhagic disease of newborn	771	146	108	40	108	99	7	40	7
Without mention of immaturity (.0)	73	48	25	50	46	4	23	2	21
With immaturity (.5)	73	58	15	56	53	3	17	5	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772,773	2,192	1,524	668	1,513	1,350	163	679	174
Without mention of immaturity (.0)	384	199	185	187	161	26	197	38	159
With immaturity (.5)	1,808	1,325	483	1,326	1,189	137	482	136	346
Immaturity with mention of any other subsidiary condition	774	323	228	95	241	212	29	82	16
Immaturity, unqualified	776	3,692	2,672	1,020	2,618	2,382	237	1,073	290
Symptoms and ill-defined conditions	780-793,795	421	180	241	152	132	20	269	48
All other diseases—Residual	116	81	35	82	73	9	34	8	26
Accidents—E800-E862	109	53	56	39	35	4	70	18	52
Inhalation and ingestion of food or other object causing obstruction or suffocation	E821,E822	25	15	10	10	-	15	5	10
Accidental mechanical suffocation in bed and cradle	E824	21	9	12	6	5	15	4	11
Other accidental causes	E800-E820,E823,E825-E862	63	29	34	23	20	3	40	9
Homicide	E864,E880-E894	53	28	5	29	27	2	1	3

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, both sexes--all causes-----	79,028	6,533	27,331	8,448	5,060	2,209	1,240	1,001	728
2 Dysentery, all forms-----045-048	32	-	1	-	-	1	-	-	-
3 Septicemia and pyemia-----053	282	-	-	-	-	1	-	-	-
4 Whooping cough-----056	29	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	167	-	-	-	1	-	-	1	-
6 Tetanus-----061	25	-	-	-	-	-	1	-	2
7 Other infective and parasitic dis.--001-044, 049-052, 054, 055, 058-060, 062-138	396	3	9	4	6	7	2	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	196	5	10	7	2	2	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	97	15	10	3	3	4	3	1	1
10 Diseases of thymus gland-----273	35	-	2	-	1	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	673	-	4	8	19	15	9	10	12
12 Other diseases of nervous system and sense organs-----330-334, 341-398	519	-	5	1	1	-	5	1	1
13 Acute upper respiratory infections-----470-475	295	-	1	-	2	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	5,716	-	-	-	-	-	-	-	-
15 Influenza-----480-483	79	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	5,637	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	314	-	-	-	1	-	-	-	-
18 Other diseases of respiratory system-----510-522, 525-527	1,385	8	37	17	11	6	-	1	2
19 Pulmonary congestion and hypostasis-----522	189	2	11	2	2	3	-	-	-
20 Other chronic interstitial pneumonia-----525	981	-	-	-	-	-	-	-	-
21 Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	178	-	8	5	4	-	-	-	1
23 All other diseases of respiratory system-----510-521, 527.1	86	6	17	10	5	3	-	1	1
24 Hernia and intestinal obstruction-----560, 561, 570	685	52	199	67	46	17	13	9	5
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	1,031	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542, 544-553, 573-587	321	1	8	10	13	14	17	12	13
27 Congenital malformations-----750-759	11,632	1,185	2,149	744	745	534	296	250	195
28 Spina bifida and meningocele-----751	859	82	102	46	31	21	13	8	19
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	835	123	191	46	35	20	10	11	7
30 Congenital malformations of circulatory system-----754	5,655	121	602	402	491	354	182	155	101
31 Other congenital malformations-----750, 755-759	4,183	859	1,254	250	188	139	81	76	68
32 Certain diseases of early infancy-----760-776	49,271	5,144	24,561	7,447	4,096	1,514	846	651	469
33 Birth injuries-----760, 761	6,561	1,211	3,279	904	528	211	108	81	51
34 Without mention of immaturity (.0)-----	2,390	452	986	385	261	126	49	33	19
35 With immaturity (.5)-----	4,171	759	2,293	519	267	85	59	48	32
36 Intracranial and spinal injury at birth-----760	2,102	95	804	437	293	148	77	60	41
37 Without mention of immaturity (.0)-----	1,052	59	201	159	91	39	27	17	17
38 With immaturity (.5)-----	1,060	37	427	236	135	55	39	35	24
39 Other birth injury-----761	4,459	1,115	2,475	467	235	65	31	21	10
40 Without mention of immaturity (.0)-----	1,338	393	609	164	103	35	10	6	2
41 With immaturity (.5)-----	3,121	722	1,866	303	132	30	21	6	8
42 Postnatal asphyxia and atelectasis-----762	12,783	1,250	7,127	2,108	1,084	325	157	117	95
43 Without mention of immaturity (.0)-----	5,452	367	1,539	666	373	116	46	25	14
44 With immaturity (.5)-----	7,331	883	5,588	1,442	711	208	111	82	81
45 Pneumonia of newborn-----763	2,219	30	361	284	213	130	89	70	47
46 Without mention of immaturity (.0)-----	1,626	24	229	181	142	92	62	50	32
47 With immaturity (.5)-----	593	6	133	103	71	38	27	31	23
48 Diarrhea of newborn-----764	225	-	2	-	4	1	4	6	5
49 Without mention of immaturity (.0)-----	188	-	1	-	3	-	3	4	5
50 With immaturity (.5)-----	37	-	1	-	1	-	1	2	-
51 Other infections of newborn-----765-768	925	54	159	72	73	66	64	40	34
52 Without mention of immaturity (.0)-----	437	14	57	34	45	35	33	27	20
53 With immaturity (.5)-----	388	40	101	38	28	31	31	22	14
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	557	87	250	88	50	23	12	7	5
55 Without mention of immaturity (.0-.4)-----	224	42	80	32	16	13	4	5	3
56 With immaturity (.5-.9)-----	333	45	170	56	34	10	8	2	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,131	205	607	121	99	51	22	25	12
58 Without mention of immaturity (.0-.2)-----	826	154	430	74	58	35	15	10	10
59 With immaturity (.5-.7)-----	305	51	177	47	41	16	7	15	2
60 Hemorrhagic disease of newborn-----771	519	12	148	111	91	33	34	16	14
61 Without mention of immaturity (.0)-----	283	9	95	59	39	20	12	6	7
62 With immaturity (.5)-----	236	3	53	52	52	13	22	10	7
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	10,211	519	4,855	2,255	1,205	385	159	110	79
64 Without mention of immaturity (.0)-----	2,212	85	703	514	317	110	33	19	9
65 With immaturity (.5)-----	7,999	434	4,152	1,741	889	255	126	91	70
66 Immaturity with mention of any other subsidiary condition-----774	1,271	99	527	151	93	45	37	48	24
67 Immaturity, unqualified-----776	11,909	1,678	7,247	1,353	646	264	160	113	80
68 Symptoms and ill-defined conditions-----780-793, 795	2,620	106	174	58	41	33	22	20	9
69 All other diseases-----Residual	1,326	26	122	62	62	46	21	24	10
70 Accidents-----E800-E962	2,751	16	17	13	18	14	15	21	8
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	620	-	3	3	5	6	3	7	3
72 Accidental mechanical suffocation in bed and cradle-----E924	522	1	3	1	-	-	1	3	4
73 Other accidental causes-----E900-E920, E923, E925-E962	1,609	15	11	9	13	8	11	11	1
74 Homicide-----E964, E980-E984	226	74	22	7	2	1	-	-	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
52,650	2,618	1,506	1,353	58,127	5,277	4,012	2,903	2,095	1,617	1,325	967	827	685	614	579	
2	1	2	1	6	4	3	3	5	-	5	2	3	1	-	-	2
1	-	-	-	1	90	56	29	28	23	16	14	9	5	8	3	3
-	-	1	1	1	7	5	2	2	-	1	3	1	2	2	1	4
2	3	4	5	14	26	19	16	8	14	16	17	16	5	4	12	5
3	15	4	1	23	-	-	1	-	1	-	-	-	-	-	-	6
31	17	12	11	71	51	58	30	44	34	26	23	17	19	9	14	7
26	3	4	4	37	17	12	20	15	10	15	9	14	17	12	18	8
38	5	-	1	44	3	1	10	9	2	7	8	2	6	4	1	9
3	-	1	1	5	4	10	5	5	1	1	1	1	1	1	1	10
77	65	51	28	221	79	59	51	50	51	37	36	32	25	20	18	11
14	3	2	5	24	89	55	43	48	48	47	37	40	32	27	29	12
3	6	6	11	26	73	51	46	29	20	12	11	8	10	4	3	13
-	2	1	2	5	1,406	1,216	939	615	417	321	242	176	134	130	115	14
-	2	1	2	5	10	17	12	9	7	2	4	3	5	2	3	15
...	...	...	...	...	1,396	1,199	927	606	410	319	238	173	129	128	112	16
1	5	9	9	24	58	51	44	37	30	21	6	10	9	13	11	17
82	8	12	6	108	340	324	213	126	85	60	53	25	20	20	11	18
20	3	2	2	27	38	28	19	10	8	3	1	1	2	1	1	19
1	1	6	2	10	256	249	165	101	62	42	42	22	12	14	6	20
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
18	2	4	1	25	40	39	23	13	13	10	5	1	4	1	4	22
43	2	-	1	46	6	8	6	2	2	5	4	1	2	4	-	23
408	27	28	29	492	80	33	21	14	9	10	9	3	6	4	4	24
-	-	-	-	-	238	155	86	99	98	104	63	66	48	39	35	25
88	35	18	22	163	45	24	26	12	13	10	7	7	4	5	5	26
6,086	839	497	426	7,650	1,128	668	456	368	262	280	174	160	124	104	108	27
322	63	64	63	512	123	51	46	37	14	17	17	14	15	8	5	28
443	27	28	30	528	91	57	48	39	39	27	25	18	16	26	21	29
2,408	521	280	219	3,428	630	426	283	231	163	138	85	86	71	49	56	30
2,915	228	125	114	3,382	284	134	79	61	46	48	37	42	22	22	26	31
44,718	1,377	683	604	47,382	362	188	106	73	35	34	26	21	20	12	12	32
6,373	121	35	26	6,555	1	1	1	1	1	1	1	-	-	-	-	33
2,281	54	21	21	2,387	1	1	1	-	-	-	-	-	-	-	-	34
4,082	67	14	5	4,168	-	-	-	1	-	1	-	-	-	-	-	35
1,954	95	31	22	2,102	...	...	...	...	...	...	...	...	...	...	...	36
989	42	21	20	1,052	...	...	...	...	...	...	...	...	...	...	...	37
985	53	10	2	1,050	...	...	...	...	...	...	...	...	...	...	...	38
4,419	26	4	4	4,453	1	1	1	1	-	1	1	-	-	-	-	39
1,322	12	-	1	1,335	1	1	1	1	-	-	-	-	-	-	-	40
3,097	14	4	5	3,118	-	-	1	-	1	1	-	-	-	-	-	41
12,263	188	55	30	12,536	89	60	26	21	11	11	5	6	4	8	42	
3,146	63	26	18	3,253	61	49	23	19	10	10	5	5	3	3	43	
9,117	125	29	12	9,283	28	11	3	2	1	1	1	-	1	1	44	
1,288	353	288	340	2,219	...	...	...	...	...	...	...	...	...	...	...	45
826	251	241	308	1,626	...	...	...	...	...	...	...	...	...	...	...	46
432	82	47	32	593	...	...	...	...	...	...	...	...	...	...	...	47
22	65	62	73	222	3	-	-	-	-	-	-	-	-	-	-	48
16	54	49	67	186	2	-	-	-	-	-	-	-	-	-	-	49
6	11	13	6	36	1	-	-	-	-	-	-	-	-	-	-	50
570	148	63	36	817	5	2	1	-	-	-	-	-	-	-	-	51
265	95	43	27	430	4	2	1	-	-	-	-	-	-	-	-	52
305	53	20	9	387	1	-	-	-	-	-	-	-	-	-	-	53
522	4	3	3	532	3	9	2	3	2	5	-	-	1	-	-	54
195	3	2	3	203	2	8	1	2	2	5	-	-	1	-	-	55
327	1	1	-	329	1	1	1	1	-	-	-	-	-	-	-	56
1,140	38	4	4	1,186	2	2	2	-	-	-	1	-	-	-	-	57
786	29	4	3	822	1	2	-	-	-	-	1	-	-	-	-	58
354	9	-	1	384	1	-	-	-	-	-	-	-	-	-	-	59
459	35	14	6	514	3	2	-	-	-	-	-	-	-	-	-	60
245	20	9	4	278	3	2	-	-	-	-	-	-	-	-	-	61
214	15	5	2	236	-	-	-	-	-	-	-	-	-	-	-	62
9,547	161	71	42	9,821	126	76	59	39	20	15	17	15	12	8	3	63
1,780	30	31	22	1,873	102	63	53	36	18	14	16	14	12	8	3	64
7,757	131	40	20	7,948	24	13	6	3	2	1	1	-	-	-	-	65
1,023	74	26	15	1,138	86	22	13	6	2	1	2	-	-	-	1	66
11,541	210	62	29	11,842	44	14	4	3	-	1	-	-	1	-	-	67
463	71	62	87	683	532	472	321	205	159	90	48	34	28	23	25	68
373	76	45	25	519	163	137	88	67	76	55	50	43	43	35	69	
122	56	61	72	311	461	402	331	225	219	196	124	125	121	110	70	
30	21	15	16	82	104	125	88	69	46	28	19	14	14	19	12	71
10	9	14	21	54	142	98	69	48	31	31	16	15	11	6	1	72
82	26	32	35	175	215	179	174	108	142	137	89	96	96	101	97	73
107	4	3	3	117	21	13	16	11	10	11	4	7	3	4	9	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,  
[Numbers after causes of death are category numbers]

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, male—all causes-----	45,442	3,615	15,954	5,008	3,059	1,279	783	594	411
2	Dysentery, all forms-----045-048	18	-	1	-	-	-	-	-	-
3	Septicemia and pyemia-----053	145	-	-	-	-	-	-	-	-
4	Whooping cough-----056	15	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	105	-	-	-	-	-	-	-	-
6	Tetanus-----061	9	-	-	-	-	-	-	1	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	214	1	3	3	5	3	1	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	106	1	5	2	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	53	7	7	2	2	2	3	1	-
10	Diseases of thymus gland-----273	24	-	1	-	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	407	-	1	8	9	13	5	7	8
12	Other diseases of nervous system and sense organs-----350-354,341-398	264	-	2	-	-	-	-	-	-
13	Acute upper respiratory infections-----470-475	171	-	1	-	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,244	-	-	-	-	-	-	-	-
15	Influenza-----480-483	36	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	3,208	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	197	-	-	-	1	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	771	1	20	13	7	3	-	-	2
19	Pulmonary congestion and hypostasis-----522	73	-	6	1	1	2	-	-	-
20	Other chronic interstitial pneumonia-----525	554	-	1	-	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	82	-	5	4	2	-	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	52	1	9	8	4	1	-	-	1
24	Hernia and intestinal obstruction-----560,561,570	402	27	116	37	28	7	7	5	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	578	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	191	-	6	5	5	6	12	9	6
27	Congenital malformations-----750-759	6,307	537	1,190	433	454	312	187	153	103
28	Spina bifida and meningocele-----751	352	23	41	17	15	8	10	7	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	401	59	108	20	21	8	5	5	5
30	Congenital malformations of circulatory system-----754	3,164	54	336	246	315	218	126	92	49
31	Other congenital malformations-----750,755-759	2,310	401	707	150	103	78	46	49	41
32	Certain diseases of early infancy-----760-776	28,253	2,324	14,393	4,420	2,474	875	511	372	272
33	Birth injuries-----760,761	3,965	713	1,373	553	340	124	69	51	31
34	Without mention of immaturity (.0)-----	1,449	279	576	220	174	74	31	22	13
35	With immaturity (.5)-----	2,516	434	1,397	333	166	50	38	29	18
36	Intracranial and spinal injury at birth-----760	1,324	62	492	220	194	66	54	35	26
37	Without mention of immaturity (.0)-----	657	38	220	129	110	59	27	16	12
38	With immaturity (.5)-----	667	24	272	161	84	30	27	19	14
39	Other birth injury-----761	2,641	651	1,491	263	146	38	15	16	5
40	Without mention of immaturity (.0)-----	792	241	356	91	64	18	4	6	1
41	With immaturity (.5)-----	1,849	410	1,125	172	82	20	11	10	4
42	Postnatal asphyxia and atelectasis-----762	7,576	687	4,217	1,294	664	201	96	59	57
43	Without mention of immaturity (.0)-----	2,087	199	897	425	244	81	51	12	9
44	With immaturity (.5)-----	5,489	488	3,320	869	420	120	65	47	40
45	Pneumonia of newborn-----763	1,278	16	212	165	140	77	53	40	40
46	Without mention of immaturity (.0)-----	921	12	127	99	99	54	37	29	26
47	With immaturity (.5)-----	357	4	85	66	41	23	16	19	14
48	Diarrhea of newborn-----764	127	-	2	-	2	1	2	1	3
49	Without mention of immaturity (.0)-----	100	-	1	-	1	1	1	1	3
50	With immaturity (.5)-----	27	-	1	-	1	1	-	-	-
51	Other infections of newborn-----765-768	468	35	84	35	44	39	46	30	15
52	Without mention of immaturity (.0)-----	256	9	35	16	24	21	29	18	7
53	With immaturity (.5)-----	212	26	49	19	20	18	17	12	8
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	311	50	153	52	23	11	4	3	3
55	Without mention of immaturity (.0-4)-----	122	25	47	19	9	6	1	3	3
56	With immaturity (.5-9)-----	189	25	106	33	14	5	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	648	100	326	70	57	27	13	12	8
58	Without mention of immaturity (.0-2)-----	452	76	225	47	35	23	8	6	6
59	With immaturity (.5-7)-----	196	24	101	23	22	4	5	6	2
60	Hemorrhagic disease of newborn-----771	313	4	78	69	61	18	23	13	13
61	Without mention of immaturity (.0)-----	169	3	50	34	29	13	7	5	7
62	With immaturity (.5)-----	144	1	28	35	32	5	16	8	6
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,184	305	2,914	1,369	772	210	98	70	46
64	Without mention of immaturity (.0)-----	1,580	49	418	325	220	70	22	13	7
65	With immaturity (.5)-----	4,604	257	2,496	1,044	552	140	76	57	39
66	Immaturity with mention of any other subsidiary condition-----774	728	60	307	89	50	27	21	27	13
67	Immaturity, unqualified-----776	6,655	954	4,127	724	321	140	86	58	43
68	Symptoms and ill-defined conditions-----780-793,795	1,538	59	106	33	23	23	14	9	8
69	All other diseases-----Residual	776	10	77	39	40	27	13	14	4
70	Accidents-----E800-E962	1,552	9	13	10	8	7	9	13	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	366	-	3	3	3	3	2	5	3
72	Accidental mechanical suffocation in bed and cradle-----E924	305	-	2	1	-	-	-	1	-
73	Other accidental causes-----E800-E920,E923,E925-E962	883	9	7	6	5	4	7	7	1
74	Homicide-----E964,E980-E984	122	40	12	3	2	-	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967.—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
30,674	1,471	835	763	33,743	3,041	2,271	1,653	1,141	889	732	532	442	349	332	318	1
1	1	1	-	3	3	2	2	2	-	2	2	2	-	-	-	2
-	-	-	-	-	46	27	16	15	12	9	7	7	3	3	-	3
1	-	1	-	1	4	3	1	1	-	1	1	1	1	1	-	4
1	2	3	4	10	17	9	10	4	8	7	11	13	5	3	8	5
1	6	1	-	8	-	-	1	-	-	-	-	-	-	-	-	6
15	13	6	6	40	28	35	18	24	21	11	9	6	8	5	9	7
10	2	1	3	16	6	9	11	7	7	9	6	6	9	6	12	8
24	3	-	-	27	1	-	5	4	-	6	4	1	3	1	1	9
2	-	-	1	3	2	8	4	3	1	1	1	-	-	1	-	10
51	36	30	13	130	39	31	29	37	35	21	24	22	16	14	9	11
3	2	2	2	9	49	35	17	26	28	24	19	21	12	11	13	12
2	4	3	5	14	44	34	26	21	8	6	7	5	3	1	2	13
-	-	-	1	1	835	680	572	319	230	181	138	87	71	64	66	14
-	-	-	1	1	5	9	7	5	4	1	-	-	2	2	15	
...	...	...	...	...	830	671	585	314	226	180	138	87	69	62	66	16
1	3	2	5	11	37	34	26	25	20	15	5	5	7	6	6	17
46	3	6	5	60	186	179	129	69	42	35	29	15	9	13	5	18
10	1	1	2	14	22	16	10	3	3	1	1	1	1	1	1	19
1	-	4	2	7	138	141	102	57	33	24	20	13	5	11	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
12	1	1	-	14	21	17	13	8	4	6	5	2	2	1	1	22
23	1	-	1	25	5	5	4	1	2	4	4	1	1	1	-	23
229	17	14	24	264	51	21	26	8	6	4	5	3	2	2	3	24
-	-	-	-	-	131	92	43	59	59	64	33	35	27	17	16	25
49	21	11	13	94	31	10	16	9	9	5	4	3	3	3	2	26
3,369	464	276	238	4,347	638	351	224	171	117	121	84	83	64	58	51	27
130	25	26	26	207	58	16	18	13	7	9	8	6	7	1	2	28
229	15	15	17	276	55	27	15	12	20	13	14	12	11	17	9	29
1,435	277	162	124	1,998	335	234	144	110	70	74	46	44	34	26	29	30
1,575	147	73	71	1,866	170	74	47	36	20	25	16	21	12	12	11	31
26,241	779	369	345	27,734	205	110	54	39	24	18	14	11	7	9	8	32
3,854	73	18	16	3,961	-	1	1	1	-	1	-	-	-	-	-	33
1,389	35	11	12	1,447	-	1	1	-	-	-	-	-	-	-	-	34
2,465	38	7	4	2,514	-	-	-	1	-	1	-	-	-	-	-	35
1,239	56	16	13	1,324	...	...	...	...	...	...	...	...	...	...	...	36
608	27	11	11	657	...	...	...	...	...	...	...	...	...	...	...	37
631	29	5	2	667	...	...	...	...	...	...	...	...	...	...	...	38
2,615	17	2	3	2,637	...	1	1	1	1	1	1	1	1	1	1	39
761	8	-	1	790	...	1	1	1	1	1	1	1	1	1	1	40
1,834	9	2	2	1,847	...	-	-	1	-	-	-	-	-	-	-	41
7,275	99	36	16	7,426	51	42	14	9	8	8	4	2	3	3	6	42
1,698	36	15	12	1,961	36	34	14	9	8	8	4	2	3	2	6	43
5,377	63	21	4	5,465	15	8	-	-	-	-	-	-	-	1	-	44
751	180	148	189	1,278	...	...	...	...	...	...	...	...	...	...	...	45
483	140	124	174	921	...	...	...	...	...	...	...	...	...	...	...	46
288	50	24	15	357	...	...	...	...	...	...	...	...	...	...	...	47
11	39	30	44	124	3	-	-	-	-	-	-	-	-	-	-	48
7	31	22	38	98	2	-	-	-	-	-	-	-	-	-	-	49
4	8	8	6	26	1	-	-	-	-	-	-	-	-	-	-	50
326	80	36	21	465	1	1	1	-	-	-	-	-	-	-	-	51
169	53	25	16	253	1	1	1	-	-	-	-	-	-	-	-	52
169	27	11	5	212	-	-	-	-	-	-	-	-	-	-	-	53
289	2	2	1	304	2	2	-	-	1	2	-	-	-	-	-	54
113	1	2	1	117	1	1	-	-	1	2	-	-	-	-	-	55
186	1	-	-	187	1	1	-	-	-	-	-	-	-	-	-	56
613	26	3	2	644	1	2	-	-	-	-	1	-	-	-	-	57
426	19	3	1	449	-	2	-	-	-	-	1	-	-	-	-	58
187	7	-	1	195	1	-	-	-	-	-	-	-	-	-	-	59
279	17	10	4	310	2	1	-	-	-	-	-	-	-	-	-	60
146	8	7	3	166	2	1	-	-	-	-	-	-	-	-	-	61
131	9	3	1	144	-	-	-	-	-	-	-	-	-	-	-	62
5,784	95	42	27	5,948	78	39	26	25	13	6	9	9	4	6	1	63
1,123	19	22	13	1,177	61	32	24	22	11	6	8	8	4	6	1	64
4,661	76	20	14	4,771	17	7	2	3	2	-	1	1	-	-	-	65
594	41	12	7	654	45	13	9	4	2	-	9	-	-	-	1	66
6,453	117	32	18	6,620	22	9	3	-	-	1	-	-	-	-	-	67
275	40	35	49	398	308	282	201	124	89	50	25	20	14	12	15	68
224	44	30	16	314	98	76	50	43	39	35	32	25	22	23	19	69
73	31	41	32	177	267	234	181	126	130	101	68	66	59	78	65	70
21	15	11	5	52	56	74	49	44	25	13	11	9	11	12	10	71
4	4	6	13	27	75	58	50	25	21	18	11	8	6	3	1	72
48	12	24	14	88	136	102	82	57	84	70	46	49	42	63	54	73
57	-	3	2	62	13	9	4	5	4	6	3	4	3	3	6	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, female—all causes-----	33,586	5,017	11,377	3,440	2,001	930	477	417	317
2	Dysentery, all forms-----045-048	14	-	-	-	-	1	-	-	-
3	Septicemia and pyemia-----053	157	-	-	-	-	1	-	-	-
4	Whooping cough-----056	14	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	62	-	-	-	1	-	-	-	-
6	Tetanus-----061	16	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-QS2,054,055,058-060,062-138	182	2	6	1	1	4	2	-	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	90	4	5	5	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	44	6	3	1	1	2	-	-	1
10	Diseases of thymus gland-----273	11	-	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	272	-	3	-	10	2	4	3	4
12	Other diseases of nervous system and sense organs-----330-334,341-398	255	-	3	1	1	1	4	1	1
13	Acute upper respiratory infections-----470-475	122	-	-	-	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	2,472	-	-	-	-	-	-	-	-
15	Influenza-----480-483	43	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----480-493	2,429	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	117	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	614	7	17	4	4	3	-	1	-
19	Pulmonary congestion and hypostasis-----522	66	2	5	1	1	1	-	-	-
20	Other chronic interstitial pneumonia-----525	427	-	-	-	-	-	-	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527,2	86	-	3	1	2	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	34	5	9	2	1	2	-	1	-
24	Hernia and intestinal obstruction-----560,561,570	293	25	83	30	20	10	6	4	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	453	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	150	1	2	5	8	5	3	7	7
27	Congenital malformations-----750-759	5,325	648	959	311	291	222	99	97	92
28	Spina bifida and meningocele-----751	507	59	61	29	16	13	3	1	10
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	454	64	85	26	14	12	5	6	2
30	Congenital malformations of circulatory system-----754	2,491	67	286	156	176	136	56	63	53
31	Other congenital malformations-----750,755-759	1,873	458	547	100	85	61	35	27	27
32	Certain diseases of early infancy-----760-776	20,039	2,220	10,168	3,027	1,612	639	335	279	197
33	Birth injuries-----760,761	2,596	499	1,368	351	189	87	39	30	20
34	Without mention of immaturity (.0)-----760,761	941	173	410	145	87	52	18	11	6
35	With immaturity (.5)-----760,761	1,655	326	958	206	102	35	21	19	14
36	Intracranial and spinal injury at birth-----760	778	34	332	147	99	60	23	25	15
37	Without mention of immaturity (.0)-----760	395	21	157	72	48	35	12	11	5
38	With immaturity (.5)-----760	383	13	185	75	51	11	14	10	10
39	Other birth injury-----761	1,818	454	934	204	89	27	16	6	5
40	Without mention of immaturity (.0)-----761	548	152	253	73	39	17	6	5	1
41	With immaturity (.5)-----761	1,270	302	681	131	50	10	10	5	4
42	Postnatal asphyxia and atelectasis-----762	5,207	563	2,910	814	420	124	61	58	39
43	Without mention of immaturity (.0)-----762	1,365	169	642	241	129	35	15	13	5
44	With immaturity (.5)-----762	3,842	395	2,268	573	291	89	46	45	33
45	Pneumonia of newborn-----763	3,941	14	119	73	53	46	33	30	30
46	Without mention of immaturity (.0)-----763	705	12	101	82	43	38	25	21	21
47	With immaturity (.5)-----763	236	2	18	37	50	15	11	12	9
48	Diarrhea of newborn-----764	99	-	-	-	-	-	2	5	2
49	Without mention of immaturity (.0)-----764	88	-	-	-	2	-	2	3	2
50	With immaturity (.5)-----764	10	-	-	-	-	-	-	2	-
51	Other infections of newborn-----765-768	357	19	74	37	29	27	18	19	19
52	Without mention of immaturity (.0)-----765-768	181	5	22	18	21	14	4	9	13
53	With immaturity (.5)-----765-768	176	14	52	19	8	13	14	10	6
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	246	37	97	36	27	12	8	4	2
55	Without mention of immaturity (.0-.4)-----769	102	17	33	13	7	3	2	2	2
56	With immaturity (.5-.9)-----769	144	20	64	23	20	5	5	2	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	543	105	281	51	42	24	9	11	4
58	Without mention of immaturity (.0-.2)-----770	374	78	205	27	23	12	7	4	4
59	With immaturity (.5-.7)-----770	169	27	76	24	19	12	2	7	4
60	Hemorrhagic disease of newborn-----771	206	8	70	42	30	15	11	3	1
61	Without mention of immaturity (.0)-----771	114	6	43	25	10	7	5	1	-
62	With immaturity (.5)-----771	92	2	27	17	20	8	6	2	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,047	214	1,941	866	433	155	61	40	33
64	Without mention of immaturity (.0)-----772,773	852	37	189	189	97	40	11	6	2
65	With immaturity (.5)-----772,773	3,195	177	1,752	677	336	115	50	34	31
66	Immaturity with mention of any other subsidiary condition-----774	543	38	220	82	43	18	16	21	11
67	Immaturity, unqualified-----776	5,254	724	3,120	629	325	124	74	55	37
68	Symptoms and ill-defined conditions-----780-793,795	1,082	47	88	25	18	10	8	11	1
69	All other diseases-----Residual	550	16	45	23	22	19	8	10	6
70	Accidents-----E800-E962	1,199	7	4	3	10	7	8	8	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	254	-	1	-	2	3	1	2	-
72	Accidental mechanical suffocation in bed and cradle-----E924	219	1	1	-	-	-	1	2	-
73	Other accidental causes-----E800-E920,E923,E925-E962	726	6	2	3	8	4	4	4	3
74	Homicide-----E964,E980-E984	104	34	10	4	-	1	-	-	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
21,976	1,147	671	590	24,394	2,236	1,741	1,250	954	728	595	435	385	337	282	261	1
1	-	1	1	3	1	1	1	3	-	3	-	1	1	-	-	2
1	-	-	-	1	44	29	15	13	11	7	7	2	2	5	3	3
1	-	-	-	-	3	2	1	1	-	-	2	-	-	1	1	4
1	1	1	1	4	9	10	6	4	6	9	6	3	-	1	4	5
2	9	3	1	15	-	-	-	-	-	-	-	-	-	-	-	6
16	4	6	5	31	23	23	12	20	13	15	14	11	11	4	5	7
16	1	3	1	21	9	3	9	8	3	6	3	8	8	6	6	8
14	2	-	-	17	2	1	5	5	2	1	4	1	3	3	-	9
1	-	-	-	2	2	2	1	2	-	-	-	-	-	-	-	10
26	29	21	15	91	40	28	22	13	16	15	12	10	9	6	9	11
11	1	3	3	15	40	20	26	22	20	23	18	19	20	16	16	12
1	2	-	6	12	29	17	20	8	12	6	4	3	7	3	1	13
-	2	1	1	4	571	536	367	296	187	140	104	89	63	66	49	14
-	2	1	1	4	5	8	5	4	3	1	4	3	3	3	3	15
...	...	...	...	...	565	528	362	282	184	139	100	86	60	66	46	16
-	2	7	4	13	21	17	18	12	10	6	1	5	2	7	5	17
36	5	6	1	48	154	145	84	57	43	25	24	10	11	7	6	18
10	2	1	-	13	16	12	9	7	5	2	1	-	1	-	3	19
-	-	2	-	3	118	106	65	44	29	18	22	9	7	5	3	20
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
6	1	3	1	11	19	22	10	5	9	4	1	1	2	-	3	22
20	1	-	-	21	1	3	2	1	-	1	-	-	1	4	-	23
179	10	14	5	206	29	12	8	6	3	6	4	-	4	2	1	24
-	-	-	-	-	107	63	43	40	39	40	30	31	21	22	17	25
39	14	7	9	69	14	14	10	3	4	5	2	3	1	2	3	26
2,719	375	221	188	3,503	480	317	232	197	145	109	90	77	60	48	57	27
192	38	36	37	305	65	35	28	24	7	8	9	6	8	7	3	28
214	12	13	13	232	36	30	33	27	19	14	11	6	5	9	12	29
973	244	118	95	1,430	275	192	139	121	93	64	49	42	37	22	27	30
1,340	81	52	43	1,516	114	60	32	25	26	23	21	21	10	10	15	31
18,477	598	314	259	19,648	157	78	52	34	11	16	12	10	13	3	4	32
2,519	48	17	10	2,594	1	-	-	-	-	-	1	-	-	-	-	33
902	19	10	9	940	1	-	-	-	-	-	-	-	-	-	-	34
1,617	29	7	1	1,654	-	-	-	-	-	-	1	-	-	-	-	35
715	39	15	9	778	...	...	...	...	...	...	...	...	...	...	...	36
361	15	10	9	395	...	...	...	...	...	...	...	...	...	...	...	37
354	24	5	-	383	...	...	...	...	...	...	...	...	...	...	...	38
1,804	9	2	1	1,816	1	-	-	-	-	-	1	-	-	-	-	39
541	4	-	-	545	1	-	-	-	-	-	-	-	-	-	-	40
1,263	5	2	1	1,271	-	-	-	-	-	-	1	-	-	-	-	41
4,988	89	19	14	5,110	38	18	12	12	3	3	1	4	3	1	2	42
1,248	27	11	6	1,292	25	15	9	10	2	2	1	5	3	1	2	43
3,740	62	8	8	3,818	13	3	3	2	1	1	-	-	-	-	-	44
507	143	140	151	941	...	...	...	...	...	...	...	...	...	...	...	45
343	111	117	134	705	...	...	...	...	...	...	...	...	...	...	...	46
164	32	23	17	236	...	...	...	...	...	...	...	...	...	...	...	47
11	26	32	29	98	-	-	-	-	-	-	-	-	-	-	-	48
9	23	27	29	88	-	-	-	-	-	-	-	-	-	-	-	49
2	3	5	-	10	-	-	-	-	-	-	-	-	-	-	-	50
242	88	27	15	352	4	1	-	-	-	-	-	-	-	-	-	51
106	42	18	11	177	3	1	-	-	-	-	-	-	-	-	-	52
138	26	9	4	175	1	-	-	-	-	-	-	-	-	-	-	53
223	2	1	2	228	1	7	2	3	1	3	-	-	1	-	-	54
82	2	-	2	86	1	7	1	2	1	3	-	-	1	-	-	55
141	-	1	-	142	-	-	1	1	-	-	-	-	-	-	-	56
527	12	1	2	542	1	-	-	-	-	-	-	-	-	-	-	57
360	10	1	2	373	1	-	-	-	-	-	-	-	-	-	-	58
167	2	-	-	169	-	-	-	-	-	-	-	-	-	-	-	59
180	18	4	2	204	1	1	-	-	-	-	-	-	-	-	-	60
97	12	2	1	112	1	1	-	-	-	-	-	-	-	-	-	61
83	6	2	1	92	-	-	-	-	-	-	-	-	-	-	-	62
3,763	86	29	15	3,873	48	37	33	14	7	9	8	6	8	2	2	63
667	11	9	9	696	41	31	29	14	7	8	8	6	8	2	2	64
3,096	55	20	6	3,177	7	6	4	-	-	1	-	-	-	-	-	65
429	33	14	8	484	41	9	4	2	-	1	2	-	-	-	-	66
5,088	93	30	11	5,222	22	5	1	3	-	-	-	-	1	-	-	67
189	31	27	39	285	224	190	120	81	70	40	23	14	14	11	10	68
149	32	15	9	205	65	61	38	24	37	20	18	25	21	20	16	69
49	25	20	40	154	194	168	150	99	89	95	58	58	62	48	45	70
9	6	4	11	30	48	51	39	26	21	16	8	5	3	7	2	71
6	5	8	8	27	67	40	19	23	10	13	5	7	5	3	-	72
34	14	8	21	77	79	77	92	51	58	67	43	47	54	38	43	73
50	4	-	1	55	8	4	12	6	6	5	1	-3	-	1	3	74

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, both sexes—all causes-----	57,535	5,015	20,463	6,571	4,081	1,707	905	735	544
2 Dysentery, all forms-----045-048	11	-	1	-	-	1	-	-	-
3 Septicemia and pyemia-----053	171	-	-	-	-	1	-	-	-
4 Whooping cough-----056	9	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	144	-	-	-	1	-	-	-	-
6 Tetanus-----061	5	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	287	1	6	4	5	6	1	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hemtopoietic tissues-----140-205	185	4	7	6	1	1	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	79	11	10	3	3	3	2	1	-
10 Diseases of thymus gland-----273	32	-	2	-	1	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	455	-	3	8	17	14	6	9	11
12 Other diseases of nervous system and sense organs-----330-334,341-398	384	-	5	1	1	-	4	1	1
13 Acute upper respiratory infections-----470-475	185	-	1	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----460-493	3,374	-	-	-	-	-	-	-	-
15 Influenza-----460-463	30	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	3,344	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	204	-	-	-	1	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	910	7	27	14	10	5	-	-	1
19 Pulmonary congestion and hypostasis-----522	109	2	10	1	2	3	-	-	-
20 Other chronic interstitial pneumonia-----525	633	-	1	-	-	-	-	-	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527,2	103	-	4	4	3	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	65	5	12	9	5	2	-	-	1
24 Hernia and intestinal obstruction-----560,561,570	567	46	161	58	37	16	9	9	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	504	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-555,573-587	217	1	6	9	5	8	11	7	8
27 Congenital malformations-----750-759	9,852	1,050	1,862	628	657	442	244	207	166
28 Spina bifida and meningocele-----751	798	80	94	44	28	19	11	8	19
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	782	103	163	45	28	17	9	10	6
30 Congenital malformations of circulatory system-----754	4,713	98	502	330	437	294	158	132	86
31 Other congenital malformations-----750,755-759	3,559	769	1,103	211	163	112	66	57	56
32 Certain diseases of early infancy-----760-776	35,668	3,777	18,182	5,771	3,270	1,154	590	459	335
33 Birth injuries-----760,761	5,198	961	2,620	716	428	165	80	61	36
34 Without mention of immaturity (.0)-----	1,823	351	744	278	209	99	37	25	12
35 With immaturity (.5)-----	3,375	610	1,876	438	219	66	43	36	24
36 Intracranial and spinal injury at birth-----760	1,521	55	558	331	227	114	58	45	30
37 Without mention of immaturity (.0)-----	785	39	275	153	121	73	52	21	12
38 With immaturity (.5)-----	736	16	283	178	106	41	28	24	18
39 Other birth injury-----761	3,677	906	2,062	365	201	51	22	16	6
40 Without mention of immaturity (.0)-----	1,038	312	489	125	88	26	5	4	-
41 With immaturity (.5)-----	2,639	594	1,573	260	113	25	17	12	6
42 Postnatal asphyxia and atelectasis-----762	9,525	900	5,277	1,632	882	240	116	84	65
43 Without mention of immaturity (.0)-----	2,639	276	1,171	528	301	94	37	17	10
44 With immaturity (.5)-----	6,886	624	4,106	1,104	581	146	79	67	55
45 Pneumonia of newborn-----763	1,510	16	263	212	155	92	61	55	48
46 Without mention of immaturity (.0)-----	1,083	11	172	130	102	65	44	37	29
47 With immaturity (.5)-----	417	5	91	82	53	27	17	18	19
48 Diarrhea of newborn-----764	95	-	2	-	4	-	2	5	3
49 Without mention of immaturity (.0)-----	77	1	-	-	5	-	1	4	3
50 With immaturity (.5)-----	18	-	1	-	1	-	1	-	-
51 Other infections of newborn-----765-768	547	30	98	47	54	43	45	34	25
52 Without mention of immaturity (.0)-----	290	6	34	20	34	22	23	19	16
53 With immaturity (.5)-----	257	24	64	27	20	21	22	15	9
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	434	62	187	78	41	20	10	5	5
55 Without mention of immaturity (.0-.4)-----	168	28	56	29	15	10	3	3	3
56 With immaturity (.5-.9)-----	266	34	131	49	26	10	7	2	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,105	184	577	112	90	46	18	21	9
58 Without mention of immaturity (.0-.2)-----	766	69	407	69	52	31	13	9	8
59 With immaturity (.5-.7)-----	339	46	170	43	38	15	5	12	1
60 Hemorrhagic disease of newborn-----771	371	8	105	78	64	28	25	10	12
61 Without mention of immaturity (.0)-----	208	7	69	43	27	15	6	4	7
62 With immaturity (.5)-----	163	1	36	35	37	13	19	6	5
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,775	7,817	388	3,672	1,833	1,020	300	116	76	61
64 Without mention of immaturity (.0)-----	1,648	60	528	446	280	93	22	12	5
65 With immaturity (.5)-----	6,169	328	3,144	1,387	740	207	94	63	56
66 Immaturity with mention of any other subsidiary condition-----774	893	73	376	110	72	31	21	32	21
67 Immaturity, unqualified-----776	8,173	1,145	3,003	953	460	189	96	77	50
68 Symptoms and ill-defined conditions-----780-793,795	1,286	36	59	16	15	9	11	11	6
69 All other diseases-----Residual	1,003	22	88	44	43	40	19	18	9
70 Accidents-----E800-E862	1,870	5	9	4	12	6	8	12	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	433	-	2	2	2	2	2	3	2
72 Accidental mechanical suffocation in bed and cradle-----E924	346	-	-	-	-	-	-	3	1
73 Other accidental causes-----E800-E920,E923,E925-E962	1,031	6	7	2	10	4	5	6	2
74 Homicide-----E964,E980-E984	151	54	14	5	2	1	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
40,021	1,919	1,047	905	43,890	3,472	2,631	1,885	1,319	1,033	860	646	557	456	403	361	1
2	1	1	-	4	1	3	-	1	-	1	-	-	1	-	-	2
1	-	-	-	1	48	39	19	16	14	11	8	5	3	8	2	3
-	-	-	-	-	3	1	-	2	-	-	2	-	1	-	-	4
1	5	5	3	10	24	17	13	7	13	15	14	13	4	4	10	5
5	5	-	-	5	5	44	-	-	-	-	-	-	-	-	-	6
23	13	10	9	55	32	21	21	33	28	22	13	12	10	6	11	7
19	3	4	3	29	13	11	18	14	7	11	9	12	15	11	15	8
33	8	-	-	38	3	1	8	8	1	5	6	1	5	2	1	9
3	-	-	-	4	4	10	5	4	1	-	1	1	1	1	-	10
88	55	30	17	170	56	38	28	30	26	25	22	18	18	12	12	11
13	1	2	4	20	70	38	30	35	43	31	24	29	19	21	24	12
1	5	4	5	15	40	35	31	21	11	7	6	6	7	3	3	13
-	1	1	2	4	859	749	582	328	240	173	144	103	67	78	57	14
1	1	1	2	4	3	4	5	2	2	1	4	2	1	1	1	15
...	...	...	...	...	856	745	567	326	238	172	140	101	66	77	56	16
1	1	5	6	13	38	33	26	29	20	12	4	7	7	7	8	17
64	5	8	4	81	244	215	144	78	47	35	29	10	10	12	5	18
18	1	1	2	21	31	15	9	15	5	3	-	1	1	1	1	19
1	1	3	1	7	185	166	110	60	34	23	24	9	6	7	4	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
11	1	4	-	16	26	22	13	8	6	6	3	-	2	1	-	22
34	2	-	1	37	4	6	6	1	2	3	2	-	1	3	-	23
358	25	19	22	424	64	24	14	11	7	6	7	2	4	2	2	24
-	-	-	-	-	102	70	41	34	51	54	35	43	33	22	19	25
55	26	12	16	109	29	18	19	8	10	7	5	6	2	2	4	26
5,256	729	424	356	6,765	941	532	363	295	200	198	150	134	106	82	66	27
303	60	59	58	480	113	40	44	36	13	16	15	13	15	6	5	28
390	24	26	25	455	79	40	37	30	33	24	21	14	13	17	19	29
2,036	453	239	184	2,912	528	348	219	183	118	114	82	68	60	38	43	30
2,537	192	100	89	2,918	221	104	63	46	36	44	32	39	18	19	19	31
33,538	894	414	346	35,192	193	108	54	42	14	20	12	7	9	9	8	32
5,067	83	26	18	5,194	-	1	1	1	1	1	-	-	-	-	-	33
1,785	37	15	14	1,821	-	1	1	-	-	-	-	-	-	-	-	34
3,312	46	11	4	3,373	-	-	-	1	-	-	-	-	-	-	-	35
1,418	67	22	14	1,521	...	...	...	...	...	...	...	...	...	...	...	36
726	31	15	13	765	...	...	...	...	...	...	...	...	...	...	...	37
692	36	7	1	736	...	...	...	...	...	...	...	...	...	...	...	38
3,649	16	4	4	3,673	-	1	1	1	1	1	-	-	-	-	-	39
1,029	6	-	1	1,036	-	1	1	-	-	-	-	-	-	-	-	40
2,620	10	4	3	2,637	-	-	-	-	-	-	-	-	-	-	-	41
9,196	119	32	25	9,572	49	43	18	16	6	5	3	2	1	4	6	42
2,434	47	15	15	2,511	38	36	16	15	5	5	3	2	1	3	6	43
6,762	72	17	10	6,861	13	7	2	1	1	-	-	-	-	1	4	44
902	212	193	203	1,510	...	...	...	...	...	...	...	...	...	...	...	45
590	157	163	183	1,093	...	...	...	...	...	...	...	...	...	...	...	46
312	55	30	20	417	...	...	...	...	...	...	...	...	...	...	...	47
16	32	21	25	94	1	-	-	-	-	-	-	-	-	-	-	48
12	29	12	23	76	1	-	-	-	-	-	-	-	-	-	-	49
4	3	9	2	18	-	-	-	-	-	-	-	-	-	-	-	50
376	103	40	22	541	3	2	1	-	-	-	-	-	-	-	-	51
174	64	30	16	284	3	2	1	-	-	-	-	-	-	-	-	52
202	39	10	6	257	-	-	-	-	-	-	-	-	-	-	-	53
408	3	3	3	417	2	5	2	1	2	4	-	-	1	-	-	54
147	2	2	3	154	1	5	5	1	2	4	-	-	1	-	-	55
261	1	1	-	263	1	-	1	1	-	-	-	-	-	-	-	56
1,067	30	3	2	1,102	1	2	2	-	-	-	-	-	-	-	-	57
737	22	3	1	763	1	2	-	-	-	-	-	-	-	-	-	58
330	8	-	1	339	-	-	-	-	-	-	-	-	-	-	-	59
330	24	10	4	368	1	2	-	-	-	-	-	-	-	-	-	60
178	16	8	3	205	1	2	-	-	-	-	-	-	-	-	-	61
152	8	2	1	163	-	-	-	-	-	-	-	-	-	-	-	62
7,485	107	35	22	7,629	63	37	26	22	6	9	7	5	7	5	1	63
1,446	19	14	10	1,499	46	32	23	20	5	9	7	4	7	5	1	64
6,019	88	21	12	6,140	17	5	3	2	1	-	-	-	-	-	-	65
736	52	21	6	815	56	12	5	2	-	-	2	-	-	-	1	66
7,975	129	30	16	8,130	17	4	1	-	-	1	-	-	-	-	-	67
163	32	33	34	262	286	263	175	103	76	41	24	17	16	11	10	68
284	67	33	19	403	121	106	61	58	58	45	35	39	31	29	19	69
62	44	40	56	202	308	270	215	158	180	135	93	87	64	79	80	70
15	18	10	14	57	72	84	59	50	32	17	13	13	13	14	9	71
5	6	5	17	33	84	65	48	33	22	22	13	11	10	4	1	72
42	20	25	25	112	153	121	108	73	106	98	67	63	61	61	70	73
76	4	3	1	84	14	9	8	6	6	6	3	5	5	2	5	74

Table 2-12, Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers]

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, male--all causes-----	33,565	2,717	12,141	3,951	2,488	1,004	563	429	299
2	Dysentery, all forms-----045-048	5	-	1	-	-	-	-	-	-
3	Septicemia and pyemia-----053	93	-	-	-	-	-	-	-	-
4	Whooping cough-----056	4	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	91	-	-	-	-	-	-	-	-
6	Tetanus-----061	2	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	164	-	3	3	5	2	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	89	1	3	2	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-259	44	5	7	2	2	2	2	1	-
10	Diseases of thymus gland-----273	21	-	1	-	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	288	-	1	8	8	12	2	6	7
12	Other diseases of nervous system and sense organs-----330-334,341-398	203	-	2	-	-	-	1	-	-
13	Acute upper respiratory infections-----470-475	112	-	1	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,976	-	-	-	-	-	-	-	-
15	Influenza-----480-483	12	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-495	1,964	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	141	-	-	-	1	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	531	1	16	10	6	3	-	-	1
19	Pulmonary congestion and hypostasis-----522	59	-	5	-	1	2	-	-	-
20	Other chronic interstitial pneumonia-----525	374	-	1	-	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527-2	57	-	4	3	1	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	41	1	6	7	4	1	-	-	1
24	Hernia and intestinal obstruction-----560,561,570	327	24	105	31	22	7	3	5	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	270	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	128	-	4	4	3	3	8	6	5
27	Congenital malformations-----750-759	5,345	471	1,040	368	396	265	158	129	82
28	Spina bifida and meningocele-----751	314	23	35	17	13	7	8	7	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	399	48	90	19	18	6	4	4	5
30	Congenital malformations of circulatory system-----754	2,676	44	289	205	277	187	108	82	37
31	Other congenital malformations-----750,755-759	1,856	356	626	127	88	65	38	36	31
32	Certain diseases of early infancy-----760-776	21,206	2,159	10,849	3,481	1,997	675	365	261	191
33	Birth injuries-----760,761	3,162	573	1,579	454	274	98	48	39	20
34	Without mention of immaturity (.0)-----	1,131	222	429	173	144	61	23	16	8
35	With immaturity (.5)-----	2,041	351	1,150	279	130	37	25	23	12
36	Intracranial and spinal injury at birth-----760	969	35	545	235	150	37	38	26	17
37	Without mention of immaturity (.0)-----	499	25	157	106	88	45	22	12	8
38	With immaturity (.5)-----	470	10	188	129	62	20	16	14	9
39	Other birth injury-----761	2,195	538	1,234	213	124	33	10	13	3
40	Without mention of immaturity (.0)-----	622	197	272	89	58	16	1	4	3
41	With immaturity (.5)-----	1,571	341	962	150	68	17	9	9	3
42	Postnatal asphyxia and atelectasis-----762	5,772	495	3,201	1,024	540	155	74	43	44
43	Without mention of immaturity (.0)-----	1,635	145	705	343	197	66	26	8	8
44	With immaturity (.5)-----	4,137	348	2,496	681	343	89	48	35	36
45	Pneumonia of newborn-----763	825	8	187	120	99	53	36	33	23
46	Without mention of immaturity (.0)-----	634	5	107	66	72	37	26	23	12
47	With immaturity (.5)-----	249	3	60	54	27	16	10	10	11
48	Diarrhea of newborn-----764	54	-	2	-	2	-	1	1	2
49	Without mention of immaturity (.0)-----	42	-	1	-	-	-	1	1	2
50	With immaturity (.5)-----	12	-	1	-	1	-	1	-	-
51	Other infections of newborn-----765-768	326	24	49	26	33	27	34	21	10
52	Without mention of immaturity (.0)-----	175	4	20	10	18	14	20	12	5
53	With immaturity (.5)-----	151	20	29	16	14	13	14	9	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	242	38	111	46	21	10	4	1	3
55	Without mention of immaturity (.0-.4)-----	93	18	33	18	8	5	1	1	3
56	With immaturity (.5-.9)-----	149	20	78	28	13	5	3	-	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	601	94	312	63	54	25	12	10	5
58	Without mention of immaturity (.0-.2)-----	419	72	214	44	33	21	8	5	4
59	With immaturity (.5-.7)-----	182	22	98	19	21	4	4	5	1
60	Hemorrhagic disease of newborn-----771	235	4	61	49	40	15	18	7	12
61	Without mention of immaturity (.0)-----	130	3	41	27	17	10	4	3	7
62	With immaturity (.5)-----	103	1	20	22	23	5	14	4	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,805	227	2,250	1,125	685	179	72	46	37
64	Without mention of immaturity (.0)-----	1,049	35	296	158	99	60	14	8	4
65	With immaturity (.5)-----	3,756	192	1,953	939	467	119	58	38	32
66	Immaturity with mention of any other subsidiary condition-----774	516	46	220	66	40	18	12	19	11
67	Immaturity, unqualified-----776	4,612	652	2,897	508	229	95	55	41	25
68	Symptoms and ill-defined conditions-----780-783,795	806	15	36	10	9	7	7	5	5
69	All other diseases-----Residual	586	7	58	27	29	24	11	10	4
70	Accidents-----E800-E962	1,071	5	7	3	6	3	5	5	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	252	-	1	2	1	1	1	1	2
72	Accidental mechanical suffocation in bed and cradle-----E924	201	-	-	-	-	-	-	-	-
73	Other accidental causes-----E800-E920,E923,E925-E962	618	5	6	1	5	2	4	3	-
74	Homicide-----E964,E960-E984	84	29	7	2	2	-	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
23,591	1,096	603	507	25,797	2,042	1,524	1,079	730	590	479	346	303	239	221	215	1
1	1	1	-	5	26	2	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	1	18	9	9	9	9	4	4	2	3	-	3
-	2	2	3	7	16	8	10	5	6	7	1	10	4	5	6	4
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6
13	9	6	5	33	19	26	13	20	15	10	5	6	6	4	7	7
8	2	1	3	14	7	8	9	6	5	6	6	5	8	5	10	8
21	3	-	-	24	1	-	5	4	-	4	2	-	3	-	1	9
2	-	-	-	2	2	8	4	2	1	-	1	-	-	1	-	10
44	30	18	5	97	26	20	17	22	19	12	15	15	12	6	6	11
3	1	2	1	7	40	22	14	21	25	16	17	7	9	9	11	12
1	4	2	3	10	27	23	16	16	6	3	3	4	2	-	2	13
-	-	-	1	1	517	436	360	176	138	102	80	54	36	42	34	14
-	-	-	1	1	2	2	3	1	1	-	-	-	1	1	1	15
...	...	...	...	...	515	434	357	175	137	102	80	54	35	41	34	16
1	1	2	3	7	25	24	21	20	15	9	3	3	6	3	5	17
37	2	4	4	47	142	122	89	45	28	21	18	5	3	8	3	18
8	1	1	1	11	18	11	9	3	2	1	1	1	1	1	1	19
1	-	2	2	5	109	95	69	34	22	14	13	4	1	6	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
8	-	1	-	9	12	7	7	7	2	3	3	-	1	1	2	22
20	1	-	1	22	3	4	4	1	2	3	2	-	-	-	-	23
199	16	8	19	241	41	13	6	5	6	3	4	2	2	1	1	24
-	-	-	-	-	52	46	19	17	27	33	18	22	19	9	10	25
33	14	9	9	65	19	8	13	6	6	2	3	3	1	1	1	26
2,909	401	238	198	3,746	522	277	183	132	96	107	70	73	53	45	41	27
119	22	23	23	189	52	7	18	12	7	6	6	5	7	1	2	28
194	15	14	15	238	44	19	11	9	15	12	12	10	9	13	8	29
1,229	242	142	105	1,718	300	192	113	83	57	64	39	27	21	21	23	30
1,367	122	57	55	1,601	126	60	41	28	17	23	13	19	10	10	8	31
19,979	523	234	193	20,329	114	65	26	24	8	12	6	5	2	7	8	32
3,085	48	15	10	3,158	-	1	1	1	-	1	-	-	-	-	-	33
1,078	25	9	7	1,119	-	-	-	-	-	-	-	-	-	-	-	34
2,007	23	6	3	2,039	-	-	-	1	-	1	-	-	-	-	-	35
911	38	13	7	969	...	...	...	...	...	...	...	...	...	...	...	36
463	21	9	6	499	...	...	...	...	...	...	...	...	...	...	...	37
448	17	4	1	470	...	...	...	...	...	...	...	...	...	...	...	38
2,174	10	2	3	2,189	-	1	1	1	-	1	-	-	-	-	-	39
615	4	1	1	620	-	1	1	-	-	-	-	-	-	-	-	40
1,559	6	2	2	1,569	-	-	-	1	-	1	-	-	-	-	-	41
5,574	65	20	14	5,673	32	30	10	8	3	4	2	1	-	3	6	42
1,498	28	9	11	1,546	25	10	6	3	3	4	2	1	-	2	6	43
4,076	37	11	3	4,127	6	5	-	-	-	-	-	-	-	1	-	44
539	150	102	112	983	...	...	...	...	...	...	...	...	...	...	...	45
548	95	88	103	634	...	...	...	...	...	...	...	...	...	...	...	46
191	35	14	9	249	...	...	...	...	...	...	...	...	...	...	...	47
8	17	14	14	53	1	...	...	...	...	...	...	...	...	...	...	48
5	16	8	12	41	1	-	-	-	-	-	-	-	-	-	-	49
3	1	6	2	12	-	-	-	-	-	-	-	-	-	-	-	50
224	62	25	12	323	1	1	1	-	-	-	-	-	-	-	-	51
104	42	19	7	172	1	1	1	-	-	-	-	-	-	-	-	52
120	20	6	5	151	-	-	-	-	-	-	-	-	-	-	-	53
234	1	2	1	238	2	-	-	-	1	1	-	-	-	-	-	54
87	-	2	1	90	1	-	-	-	1	1	-	-	-	-	-	55
147	1	-	-	148	1	-	-	-	-	-	-	-	-	-	-	56
575	21	2	1	599	-	2	-	-	-	-	-	-	-	-	-	57
401	14	2	-	417	-	2	-	-	-	-	-	-	-	-	-	58
174	7	-	1	182	-	-	-	-	-	-	-	-	-	-	-	59
206	14	9	2	231	1	1	-	-	-	-	-	-	-	-	-	60
112	7	7	2	128	1	1	-	-	-	-	-	-	-	-	-	61
94	7	2	-	103	-	-	-	-	-	-	-	-	-	-	-	62
4,600	65	18	14	4,697	39	21	10	14	4	5	4	4	2	4	1	63
932	14	9	5	960	28	18	9	12	3	5	4	3	2	4	1	64
3,668	51	9	9	3,737	11	3	1	2	1	-	-	-	-	-	-	65
432	29	10	2	475	30	7	4	1	-	-	-	-	-	-	1	66
4,502	71	17	11	4,601	8	2	-	-	-	1	-	-	-	-	-	67
94	21	21	21	157	176	176	108	73	52	25	12	10	8	4	5	68
170	39	21	13	243	76	56	34	37	29	29	20	21	13	16	12	69
36	25	31	26	118	183	159	119	87	95	67	53	42	48	52	48	70
9	12	8	4	33	41	47	34	30	17	6	8	8	11	9	8	71
1	4	3	11	19	41	39	32	20	15	12	10	4	6	2	1	72
28	9	20	11	66	101	73	53	37	63	49	35	30	31	41	39	73
40	-	3	1	44	10	6	2	4	3	2	2	2	3	2	4	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,  
[Numbers after causes of death are category numbers]

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, female--all causes-----	23,968	2,298	8,322	2,620	1,593	703	342	307	245
2	Dysentery, all forms-----045-048	6	-	-	-	-	1	-	-	-
3	Septicemia and pyemia-----053	78	-	-	-	-	1	-	-	-
4	Whooping cough-----056	5	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	53	-	-	-	1	-	-	-	-
6	Tetanus-----061	3	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	123	1	3	1	-	4	1	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	76	3	4	4	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	35	6	3	1	1	1	-	-	-
10	Diseases of thymus gland-----273	11	-	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	189	-	2	-	9	2	4	3	4
12	Other diseases of nervous system and sense organs-----330-334,341-398	181	-	3	1	1	1	3	1	1
13	Acute upper respiratory infections-----470-475	73	-	-	-	-	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,598	-	-	-	-	-	-	-	-
15	Influenza-----490-493	18	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	1,580	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	63	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	379	6	11	4	4	2	-	-	-
19	Pulmonary congestion and hypostasis-----522	50	2	5	1	1	1	-	-	-
20	Other chronic interstitial pneumonia-----528	259	-	-	-	-	-	-	-	-
21	Bronchiectasis-----528	46	-	-	1	2	-	-	-	-
22	Other diseases of lung and pleural cavity-----527-2	46	-	-	1	2	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	24	4	6	2	1	1	-	-	-
24	Hernia and intestinal obstruction-----560,561,570	240	22	76	27	15	9	6	4	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	234	1	2	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,575-587	89	-	-	-	2	5	3	1	3
27	Congenital malformations-----750-759	4,507	579	822	260	261	177	86	78	84
28	Spina bifida and meningocele-----751	484	57	59	27	15	12	5	1	10
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	393	55	73	24	11	11	5	6	1
30	Congenital malformations of circulatory system-----754	2,037	54	215	125	160	107	50	50	48
31	Other congenital malformations-----750,755-759	1,603	413	477	84	75	47	28	21	25
32	Certain diseases of early infancy-----760-776	14,482	1,618	7,333	2,290	1,273	479	224	198	144
33	Birth injuries-----760,761	2,036	368	1,041	262	154	67	32	22	16
34	Without mention of immaturity (.0)-----	702	129	315	105	65	39	14	9	4
35	With immaturity (.5)-----	1,334	259	726	159	99	29	18	13	12
36	Intrauterine and spinal injury at birth-----760	552	20	213	96	77	49	20	19	13
37	Without mention of immaturity (.0)-----	286	14	118	47	35	28	10	9	4
38	With immaturity (.5)-----	266	6	95	49	44	21	10	10	9
39	Other birth injury-----761	1,484	368	828	166	77	18	12	3	3
40	Without mention of immaturity (.0)-----	416	115	197	56	32	10	4	-	-
41	With immaturity (.5)-----	1,068	253	631	110	45	8	8	3	3
42	Postnatal asphyxia and atelectasis-----762	3,753	407	2,076	608	342	85	42	41	21
43	Without mention of immaturity (.0)-----	1,006	131	466	185	104	28	11	9	2
44	With immaturity (.5)-----	2,747	276	1,610	423	238	57	31	32	19
45	Pneumonia of newborn-----763	627	8	86	92	56	39	25	22	25
46	Without mention of immaturity (.0)-----	459	6	65	64	30	28	18	14	17
47	With immaturity (.5)-----	169	2	31	28	26	11	7	8	8
48	Diarrhea of newborn-----764	41	-	-	-	2	-	1	4	1
49	Without mention of immaturity (.0)-----	35	-	-	-	2	-	1	3	1
50	With immaturity (.5)-----	6	-	-	-	-	-	-	1	-
51	Other infections of newborn-----765-768	221	6	49	21	21	16	11	13	15
52	Without mention of immaturity (.0)-----	115	2	14	10	15	8	3	7	11
53	With immaturity (.5)-----	106	4	35	11	6	8	8	6	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	192	24	76	32	20	10	6	4	2
55	Without mention of immaturity (.0-.4)-----	75	10	23	11	7	5	2	2	-
56	With immaturity (.5-.9)-----	117	14	53	21	13	5	4	2	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	504	100	265	49	36	21	6	11	4
58	Without mention of immaturity (.0-.2)-----	347	76	193	25	19	10	5	4	4
59	With immaturity (.5-.7)-----	157	24	72	24	17	11	1	7	-
60	Hemorrhagic disease of newborn-----771	138	4	44	29	24	13	7	3	-
61	Without mention of immaturity (.0)-----	78	4	29	16	10	5	2	1	-
62	With immaturity (.5)-----	60	-	16	13	14	8	5	2	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	3,012	161	1,422	708	335	121	44	20	25
64	Without mention of immaturity (.0)-----	599	25	201	160	82	35	8	4	1
65	With immaturity (.5)-----	2,413	136	1,221	548	275	86	36	25	24
66	Immaturity with mention of any other subsidiary condition-----774	377	27	156	44	52	13	9	13	10
67	Immaturity, unqualified-----776	3,561	493	2,106	445	231	94	41	36	25
68	Symptoms and ill-defined conditions-----780-793,795	480	21	23	6	6	2	4	6	1
69	All other diseases-----Residual	417	15	30	17	14	16	8	9	5
70	Accidents-----E900-E962	799	1	2	1	6	3	3	7	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	181	-	1	-	1	1	1	2	-
72	Accidental mechanical suffocation in bed and cradle-----E924	145	-	1	-	-	-	1	2	1
73	Other accidental causes-----E900-E920,E923,E925-E962	473	1	1	1	5	2	1	3	2
74	Homicide-----E964,E980-E984	67	25	7	3	-	1	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
16,430	623	444	396	18,093	1,430	1,107	806	589	443	381	300	254	217	182	166	1
1	-	-	-	1	1	1	-	1	-	1	-	-	1	-	-	2
1	-	-	-	1	20	20	10	7	5	2	4	-	1	5	2	3
1	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	4
1	1	1	-	3	8	9	3	4	5	8	5	3	-	-	4	5
1	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	6
10	4	4	4	22	13	18	8	13	13	12	8	6	4	2	4	7
11	1	3	-	15	6	3	9	8	2	5	3	7	7	6	5	0
12	2	-	-	14	2	1	3	4	1	1	4	1	2	2	-	9
1	-	1	-	2	2	2	1	2	-	-	-	1	1	-	-	10
24	25	12	12	73	30	18	11	8	8	13	7	3	6	6	6	11
10	-	-	3	13	30	16	16	14	18	15	10	12	12	12	13	12
-	1	-	2	5	13	12	15	5	5	4	3	2	5	3	1	13
-	1	1	1	3	322	313	232	152	102	71	64	49	31	36	23	14
-	1	1	1	3	1	2	2	1	1	1	4	2	-	4	1	15
...	...	...	...	...	321	311	230	151	101	70	60	47	31	36	22	16
-	-	3	3	6	13	9	5	9	5	3	1	4	1	4	3	17
27	3	4	-	34	102	93	55	33	19	14	11	5	7	4	2	18
10	-	-	-	10	13	10	6	6	3	2	-	-	-	-	-	19
-	1	1	-	2	74	71	41	26	12	9	11	5	5	1	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	3	-	7	14	10	6	1	4	3	-	-	1	-	-	22
14	1	-	-	15	1	2	2	-	-	-	-	-	1	3	-	23
159	9	11	4	183	23	11	6	6	1	3	3	-	2	1	1	24
-	-	-	-	-	50	24	22	17	24	21	19	21	14	13	9	25
22	12	3	7	44	10	8	6	2	4	5	2	3	1	1	3	26
2,347	328	188	158	3,019	419	255	180	163	104	81	80	61	53	37	45	27
164	38	34	35	291	61	33	26	24	6	8	9	8	8	7	3	28
166	9	12	10	217	35	22	26	21	18	12	9	4	4	4	11	29
807	211	97	79	1,194	228	156	106	61	50	43	29	33	17	20	30	
1,170	70	43	34	1,317	95	44	22	18	19	21	19	20	8	9	31	
13,559	371	180	153	14,263	79	43	28	18	6	8	6	2	7	2	-	32
1,982	35	11	8	2,036	-	-	-	-	-	-	-	-	-	-	-	33
677	12	6	7	702	-	-	-	-	-	-	-	-	-	-	-	34
1,305	23	5	1	1,334	-	-	-	-	-	-	-	-	-	-	-	35
507	29	9	7	552	...	...	...	...	...	...	...	...	...	...	...	36
263	10	6	7	288	...	...	...	...	...	...	...	...	...	...	...	37
244	19	3	-	266	...	...	...	...	...	...	...	...	...	...	...	38
1,475	6	2	1	1,484	-	-	-	-	-	-	-	-	-	-	-	39
414	2	-	-	416	-	-	-	-	-	-	-	-	-	-	-	40
1,061	4	2	1	1,068	-	-	-	-	-	-	-	-	-	-	-	41
3,622	54	12	11	3,699	17	13	8	8	3	1	1	1	1	1	-	42
936	19	6	4	965	10	11	6	7	2	1	1	1	1	1	-	43
2,686	35	6	7	2,734	7	2	2	1	1	-	-	-	-	-	-	44
363	82	91	91	627	...	...	...	...	...	...	...	...	...	...	...	45
242	62	75	80	459	...	...	...	...	...	...	...	...	...	...	...	46
121	20	16	11	168	...	...	...	...	...	...	...	...	...	...	...	47
8	15	7	11	41	-	-	-	-	-	-	-	-	-	-	-	48
7	13	4	11	35	-	-	-	-	-	-	-	-	-	-	-	49
1	2	3	-	6	-	-	-	-	-	-	-	-	-	-	-	50
152	41	15	10	216	2	1	-	-	-	-	-	-	-	-	-	51
70	22	11	9	112	2	1	-	-	-	-	-	-	-	-	-	52
82	19	4	1	106	-	-	-	-	-	-	-	-	-	-	-	53
174	2	1	2	179	-	5	2	1	1	3	-	-	1	-	-	54
60	2	-	2	64	-	5	1	-	1	3	-	-	1	-	-	55
114	-	1	-	115	-	-	1	1	-	-	-	-	-	-	-	56
492	9	1	1	503	1	-	-	-	-	-	-	-	-	-	-	57
335	8	1	1	348	1	-	-	-	-	-	-	-	-	-	-	58
156	1	-	-	157	-	-	-	-	-	-	-	-	-	-	-	59
124	10	1	2	137	-	1	-	-	-	-	-	-	-	-	-	60
66	9	1	1	77	-	1	-	-	-	-	-	-	-	-	-	61
58	1	-	1	60	-	-	-	-	-	-	-	-	-	-	-	62
2,865	42	17	8	2,932	24	16	16	8	2	4	3	1	5	1	-	63
514	5	5	5	529	18	14	14	8	2	4	3	1	5	1	-	64
2,351	37	12	3	2,403	6	2	2	-	-	-	-	-	-	-	-	65
304	23	11	4	342	26	5	1	1	-	-	-	-	-	-	-	66
3,473	58	13	5	3,549	9	2	1	-	-	-	-	-	-	-	-	67
69	11	12	13	105	110	67	67	32	24	16	12	7	8	7	5	68
114	28	12	6	160	45	50	27	19	29	16	15	18	13	15	7	69
26	19	9	30	84	125	111	96	69	65	68	40	45	36	27	32	70
6	6	2	10	24	31	37	25	20	15	11	5	5	2	5	1	71
4	2	2	6	14	43	26	16	13	7	10	3	7	4	2	-	72
16	11	5	14	46	52	48	55	36	43	47	32	33	30	20	31	73
36	4	-	-	40	4	3	6	2	3	4	1	3	-	-	1	74

SECTION 2 - INFANT MORTALITY

Table 2-12 Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex .	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, both sexes--all causes-----	21,495	1,618	6,868	1,877	979	502	338	266	194
2	Dysentery, all forms-----045-048	21	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	111	-	-	-	-	-	-	-	-
4	Whooping cough-----056	20	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	23	-	-	-	-	-	-	-	-
6	Tetanus-----061	20	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	109	2	3	-	1	1	1	-	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	31	1	3	1	1	1	-	-	1
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	18	2	-	-	-	-	-	-	-
10	Diseases of thymus gland-----273	3	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	224	-	1	-	2	1	3	1	1
12	Other diseases of nervous system and sense organs-----330-334,341-398	135	-	-	-	-	-	-	-	-
13	Acute upper respiratory infections-----470-475	108	-	-	-	2	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	2,342	-	-	-	-	-	-	-	-
15	Influenza-----480-483	49	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	2,293	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	110	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	475	1	10	3	1	1	-	1	1
19	Pulmonary congestion and hypostasis-----522	30	-	1	1	-	-	-	-	-
20	Other chronic interstitial pneumonia-----525	348	-	-	-	-	-	-	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527-2	75	-	4	1	1	-	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	21	1	5	1	-	1	-	1	-
24	Hernia and intestinal obstruction-----560,561,570	118	6	18	9	9	1	4	-	3
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	527	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,575-587	104	-	2	1	8	6	6	5	5
27	Congenital malformations-----750-759	1,780	135	287	116	88	92	42	45	29
28	Spina bifida and meningocele-----751	61	2	8	2	3	2	2	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	153	20	28	3	6	3	1	1	1
30	Congenital malformations of circulatory system-----754	942	23	100	72	54	60	24	23	16
31	Other congenital malformations-----750,755-759	624	90	151	39	25	27	15	19	12
32	Certain diseases of early infancy-----760-776	12,603	1,367	6,379	1,676	816	380	256	192	134
33	Birth injuries-----760,761	1,363	250	659	198	100	46	28	20	15
34	Without mention of immaturity (.0)-----	567	101	242	97	52	27	12	8	7
35	With immaturity (.5)-----	796	149	417	101	48	19	16	12	8
36	Intracranial and spinal injury at birth-----760	581	41	246	106	66	32	19	16	11
37	Without mention of immaturity (.0)-----	267	20	102	46	37	14	7	6	5
38	With immaturity (.5)-----	314	21	144	58	29	14	12	9	6
39	Other birth injury-----761	782	209	413	82	34	14	9	5	4
40	Without mention of immaturity (.0)-----	300	81	140	39	15	9	2	2	2
41	With immaturity (.5)-----	482	128	273	45	19	5	4	3	2
42	Postnatal asphyxia and atelectasis-----762	3,256	350	1,850	476	202	65	41	33	30
43	Without mention of immaturity (.0)-----	813	91	368	138	72	22	9	8	4
44	With immaturity (.5)-----	2,445	259	1,482	338	130	63	32	25	26
45	Pneumonia of newborn-----763	709	14	98	72	58	38	28	20	22
46	Without mention of immaturity (.0)-----	533	13	56	51	40	38	28	20	22
47	With immaturity (.5)-----	176	1	42	21	18	11	10	13	19
48	Diarrhea of newborn-----764	130	-	-	-	-	1	2	1	2
49	Without mention of immaturity (.0)-----	111	-	-	-	-	2	2	1	2
50	With immaturity (.5)-----	19	-	-	-	-	1	1	1	-
51	Other infections of newborn-----765-768	278	24	60	25	19	23	19	15	9
52	Without mention of immaturity (.0)-----	147	8	23	14	11	13	10	8	4
53	With immaturity (.5)-----	131	16	37	11	8	10	9	7	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	123	25	63	10	9	3	2	2	-
55	Without mention of immaturity (.0-.4)-----	56	14	24	3	1	3	1	2	-
56	With immaturity (.5-.9)-----	67	11	39	7	8	4	2	1	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	86	11	80	9	9	5	4	2	3
58	Without mention of immaturity (.0-.2)-----	60	6	23	5	6	4	2	1	2
59	With immaturity (.5-.7)-----	26	5	7	4	3	1	2	1	1
60	Hemorrhagic disease of newborn-----771	148	4	43	33	27	5	9	6	2
61	Without mention of immaturity (.0)-----	75	2	24	16	12	5	6	2	2
62	With immaturity (.5)-----	73	2	19	17	15	5	3	4	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,394	131	1,183	422	185	65	43	35	18
64	Without mention of immaturity (.0)-----	564	25	175	68	37	17	11	7	4
65	With immaturity (.5)-----	1,830	106	1,008	354	148	48	32	28	14
66	Immaturity with mention of any other subsidiary condition-----774	378	25	151	41	21	14	16	16	5
67	Immaturity, unqualified-----776	3,736	533	2,242	400	186	75	64	36	20
68	Symptoms and ill-defined conditions-----780-793,795	1,334	70	115	42	26	24	11	9	3
69	All other diseases-----Residual	323	4	34	18	19	6	2	5	1
70	Accidents-----E800-E962	681	10	8	9	6	8	7	9	3
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	187	-	1	1	3	4	1	4	1
72	Accidental mechanical suffocation in bed and cradle-----E924	176	1	3	1	-	-	-	-	-
73	Other accidental causes-----E800-E920,E923,E925-E962	518	9	4	7	3	4	6	5	2
74	Homicide-----E864,E980-E984	75	20	8	2	-	-	-	-	1

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
12,629	699	459	450	14,237	1,806	1,381	1,018	776	584	465	321	270	229	211	199	1
-	-	1	1	2	3	-	3	4	-	4	2	3	-	-	-	2
-	-	-	-	-	44	16	10	12	9	5	6	4	2	-	-	3
1	-	1	-	1	4	4	2	-	-	1	1	1	3	2	1	4
5	10	4	1	18	2	2	3	1	1	1	3	3	1	-	2	5
8	4	2	2	16	19	14	9	11	6	4	10	8	9	3	3	6
7	-	-	1	8	4	1	2	1	3	4	-	2	2	1	3	8
5	-	-	1	6	-	-	2	1	1	2	2	1	1	2	-	9
-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	10
9	10	21	11	51	23	21	23	20	25	12	14	14	7	-	6	11
1	2	-	1	4	19	17	13	13	5	16	13	11	13	6	5	12
2	1	2	6	11	33	16	15	8	9	5	5	2	3	1	-	13
-	1	-	-	1	567	467	347	287	177	148	98	75	67	52	58	14
1	1	-	-	1	7	13	7	7	5	1	1	4	4	1	2	15
...	...	...	...	...	580	454	340	280	172	147	98	72	65	51	56	16
-	4	4	3	11	20	18	16	8	10	9	2	3	2	6	3	17
18	3	4	2	27	96	109	69	48	38	25	24	15	10	8	6	18
3	2	1	1	6	7	7	4	1	3	-	1	-	1	-	-	19
-	-	3	-	3	73	83	55	41	28	19	18	13	6	7	2	20
7	1	-	1	9	-	-	-	-	-	-	1	-	-	-	-	21
9	-	-	-	9	14	17	10	5	7	4	2	1	2	-	4	22
-	-	-	-	9	2	2	-	1	-	2	2	1	1	1	-	25
50	2	9	7	68	16	9	7	3	2	4	2	1	2	2	2	24
-	-	-	-	-	136	85	45	65	47	50	28	25	15	17	16	25
33	9	6	6	54	16	8	7	4	3	3	2	1	2	3	1	26
832	110	73	70	1,095	187	136	93	73	82	32	24	26	18	22	22	27
19	3	5	5	32	10	11	2	5	1	1	2	1	-	-	-	28
63	3	2	5	73	12	17	11	9	6	3	4	4	5	9	2	29
372	68	41	35	516	102	78	64	48	45	24	15	18	11	10	15	30
378	36	25	25	464	63	80	16	18	10	4	5	3	4	3	7	31
11,180	485	289	258	12,190	169	80	52	31	21	14	14	14	11	3	4	32
1,306	38	9	8	1,861	1	-	-	-	-	-	1	-	-	-	-	33
536	17	6	7	866	1	-	-	-	-	-	-	-	-	-	-	34
770	21	3	1	795	-	-	-	-	-	-	1	-	-	-	-	35
536	28	9	8	581	...	...	...	...	...	...	...	...	...	...	...	36
243	11	6	7	267	...	...	...	...	...	...	...	...	...	...	...	37
293	17	3	1	314	...	...	...	...	...	...	...	...	...	...	...	38
770	10	-	-	780	1	-	-	-	-	-	1	-	-	-	-	39
293	6	-	-	299	1	-	-	-	-	-	-	-	-	-	-	40
477	4	-	-	481	-	-	-	-	-	-	1	-	-	-	-	41
3,067	69	23	5	3,164	40	17	8	5	5	6	2	4	5	-	2	42
712	16	11	3	742	25	15	7	4	5	5	2	3	5	-	2	43
2,355	53	12	2	2,422	15	4	1	1	-	1	1	1	-	-	-	44
356	121	85	137	709	...	...	...	...	...	...	...	...	...	...	...	45
256	94	78	125	533	...	...	...	...	...	...	...	...	...	...	...	46
120	27	17	12	176	...	...	...	...	...	...	...	...	...	...	...	47
6	33	41	48	128	2	-	-	-	-	-	-	-	-	-	-	48
4	25	37	44	110	1	-	-	-	-	-	-	-	-	-	-	49
2	8	4	4	18	1	-	-	-	-	-	-	-	-	-	-	50
194	45	23	14	276	2	-	-	-	-	-	-	-	-	-	-	51
91	31	13	11	146	1	-	-	-	-	-	-	-	-	-	-	52
103	14	10	3	130	1	-	-	-	-	-	-	-	-	-	-	53
114	1	-	-	115	1	4	-	2	-	1	-	-	-	-	-	54
48	1	-	-	49	1	3	-	2	-	1	-	-	-	-	-	55
66	-	-	-	66	-	1	-	-	-	-	-	-	-	-	-	56
73	8	1	2	84	1	-	-	-	-	-	1	-	-	-	-	57
49	7	1	2	59	-	-	-	-	-	-	1	-	-	-	-	58
24	1	-	-	25	1	-	-	-	-	-	-	-	-	-	-	59
129	11	4	2	146	2	-	-	-	-	-	-	-	-	-	-	60
67	4	1	1	73	2	-	-	-	-	-	-	-	-	-	-	61
82	7	3	1	73	-	-	-	-	-	-	-	-	-	-	-	62
2,082	54	36	20	2,192	63	39	33	17	14	6	10	10	5	3	2	63
344	11	17	12	304	56	31	30	16	13	5	9	10	5	3	2	64
1,738	43	19	8	1,808	7	8	3	1	1	1	1	-	-	-	-	65
267	22	5	9	323	30	10	8	4	2	1	-	-	-	-	-	66
3,566	81	32	13	3,692	27	10	3	3	-	-	-	-	1	-	-	67
300	39	29	53	421	246	209	146	100	85	49	24	17	12	12	15	68
89	9	12	6	116	42	31	27	11	18	10	15	11	12	14	16	69
60	12	21	16	109	152	132	116	69	59	61	31	38	37	47	50	70
15	3	5	2	25	32	41	29	19	14	11	6	1	1	5	3	71
5	3	9	4	21	58	33	21	15	9	9	5	4	1	2	-	72
40	6	7	10	63	62	58	66	35	36	41	33	33	35	40	27	73
31	-	-	2	33	7	4	8	5	4	5	1	2	-	2	4	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,

[Numbers after causes of death are category numbers

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, male--all causes-----	11,877	899	5,815	1,067	571	275	200	156	112
2	Dysentery, all forms-----045-048	13	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	52	-	-	-	-	-	-	-	-
4	Whooping cough-----056	11	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	14	-	-	-	-	-	-	1	-
6	Tetanus-----051	7	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	50	1	-	-	-	1	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	17	-	2	-	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	9	2	-	-	-	-	1	-	-
10	Diseases of thymus gland-----273	3	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	141	-	-	-	1	1	3	1	1
12	Other diseases of nervous system and sense organs-----330-334,341-398	61	-	-	-	-	-	-	-	-
13	Acute upper respiratory infections-----470-475	59	-	-	-	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,268	-	-	-	-	-	-	-	-
15	Influenza-----480-483	24	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn-----490-495	1,244	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	56	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system-----510-522,525-527	240	-	4	3	1	-	-	-	1
19	Pulmonary congestion and hypostasis-----522	14	-	1	1	-	-	-	-	-
20	Other chronic interstitial pneumonia-----525	180	-	-	-	-	-	-	-	-
21	Bronchiectasis-----528	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527,2	35	-	1	1	1	-	-	-	1
23	All other diseases of respiratory system-----510-521,527,1	11	-	2	1	-	-	-	-	-
24	Hernia and intestinal obstruction-----560,561,570	75	3	11	6	4	-	4	-	2
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	308	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-555,573-587	63	-	2	1	2	3	4	3	1
27	Congenital malformations-----750-759	952	66	150	65	58	47	29	24	21
28	Spina bifida and meningocele-----751	38	-	6	-	2	1	2	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,755	82	11	16	1	3	2	1	1	-
30	Congenital malformations of circulatory system-----754	488	10	47	41	38	31	18	10	11
31	Other congenital malformations-----750,755-759	354	45	81	23	15	13	8	13	10
32	Certain diseases of early infancy-----760-776	7,027	765	3,544	939	477	200	145	111	61
33	Birth injuries-----760,761	805	140	394	99	66	26	21	12	11
34	Without mention of immaturity (.0)-----	328	57	147	45	30	13	8	6	5
35	With immaturity (.5)-----	475	83	247	54	36	13	13	6	6
36	Intracranial and spinal injury at birth-----760	355	27	147	55	44	21	16	9	9
37	Without mention of immaturity (.0)-----	158	15	65	23	22	11	5	4	4
38	With immaturity (.5)-----	197	14	84	32	22	10	11	5	5
39	Other birth injury-----761	448	115	247	44	22	5	3	2	1
40	Without mention of immaturity (.0)-----	170	44	84	22	6	3	2	1	1
41	With immaturity (.5)-----	278	69	163	22	14	3	2	1	1
42	Postnatal asphyxia and atelectasis-----762	1,804	194	1,016	270	124	46	22	16	13
43	Without mention of immaturity (.0)-----	454	54	192	82	47	15	5	4	1
44	With immaturity (.5)-----	1,350	140	824	188	77	31	17	12	12
45	Pneumonia of newborn-----763	335	8	45	45	41	24	17	15	17
46	Without mention of immaturity (.0)-----	287	7	20	33	27	17	11	6	14
47	With immaturity (.5)-----	108	1	25	12	14	7	6	9	3
48	Diarrhea of newborn-----764	73	-	-	-	-	1	1	-	1
49	Without mention of immaturity (.0)-----	58	-	-	-	-	1	-	-	-
50	With immaturity (.5)-----	15	-	-	-	-	1	-	-	-
51	Other infections of newborn-----765-768	142	11	36	9	11	12	12	9	5
52	Without mention of immaturity (.0)-----	81	5	15	6	5	7	9	6	2
53	With immaturity (.5)-----	61	6	20	3	6	5	3	3	3
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	69	12	42	6	2	1	-	2	-
55	Without mention of immaturity (.0-.4)-----	29	7	14	1	1	1	-	2	-
56	With immaturity (.5-.9)-----	40	5	28	5	1	-	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	47	6	14	7	3	2	1	2	3
58	Without mention of immaturity (.0-.2)-----	33	4	11	3	2	2	-	1	2
59	With immaturity (.5-.7)-----	14	2	3	4	1	1	1	1	1
60	Hemorrhagic disease of newborn-----771	80	-	17	20	21	3	5	6	1
61	Without mention of immaturity (.0)-----	39	-	9	7	12	3	3	2	-
62	With immaturity (.5)-----	41	-	8	13	9	-	2	4	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,775	1,359	78	664	244	107	31	26	24	10
64	Without mention of immaturity (.0)-----	311	13	91	39	22	10	8	5	3
65	With immaturity (.5)-----	1,048	65	573	205	85	21	18	19	7
66	Immaturity with mention of any other subsidiary condition-----774	212	14	87	25	10	9	9	8	2
67	Immaturity, unqualified-----776	2,043	302	1,230	216	92	45	31	17	16
68	Symptoms and ill-defined conditions-----780-793,795	732	44	70	23	14	16	7	4	3
69	All other diseases-----Residual	190	5	19	12	11	3	2	4	-
70	Accidents-----E800-E962	481	4	6	7	2	4	4	8	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	114	-	1	1	2	2	1	4	1
72	Accidental mechanical suffocation in bed and cradle-----E924	102	-	2	1	-	-	-	-	-
73	Other accidental causes-----E800-E920,E923,E925-E962	265	4	3	5	-	2	3	4	1
74	Homicide-----E964,E980-E984	38	11	5	1	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

by Age, Color, and Sex: United States, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
7,083	375	232	256	7,946	999	747	574	411	289	253	186	139	109	111	105	1
-	-	-	-	-	3	-	2	2	-	2	2	2	-	-	-	2
-	-	-	-	-	20	9	7	6	3	-	3	3	1	-	-	3
1	-	1	1	1	3	2	1	-	-	1	1	1	-	1	-	4
1	4	1	-	6	-	1	1	1	-	-	-	-	1	-	-	5
2	4	-	1	7	9	9	5	4	6	1	4	-	-	1	-	6
2	-	-	-	2	1	1	2	1	2	3	-	1	1	1	2	8
3	-	-	-	3	-	-	-	-	-	2	2	1	-	1	-	9
-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	10
7	6	12	8	35	15	11	12	15	17	9	9	7	4	6	3	11
-	1	-	1	2	9	13	3	5	3	8	5	4	5	2	2	12
1	-	1	2	4	17	11	10	5	2	3	4	1	1	1	1	13
-	-	-	-	-	318	244	212	143	92	79	58	35	35	22	32	14
-	-	-	-	-	3	7	4	4	3	1	-	-	1	1	1	15
...	...	...	...	...	315	237	208	139	89	78	58	35	34	21	32	16
-	2	-	2	4	12	10	5	5	5	6	2	2	1	3	1	17
9	1	2	1	15	44	37	40	24	14	14	11	10	6	5	2	18
2	-	-	1	3	4	5	1	-	1	-	-	-	-	-	-	19
-	-	2	-	2	29	46	33	23	11	10	7	9	4	5	1	20
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	-	-	-	3	2	1	-	-	-	1	2	1	1	-	-	22
30	1	6	6	43	10	8	5	3	-	1	1	1	-	1	2	24
-	-	-	-	-	79	46	24	42	32	31	17	13	8	6	8	25
16	7	2	4	29	12	2	3	3	3	3	2	1	2	2	1	26
450	65	38	40	601	116	74	41	39	21	14	14	10	11	11	10	27
11	3	1	3	18	6	9	-	1	-	2	-	-	-	-	-	28
35	-	1	2	39	11	9	4	3	5	1	2	2	2	4	1	29
206	35	20	19	280	55	42	31	27	13	10	7	5	7	5	6	30
208	25	16	16	265	44	14	6	8	3	2	3	2	2	3	3	31
6,262	256	135	152	6,805	91	45	28	15	16	6	8	6	5	2	-	32
769	25	3	6	803	-	-	-	-	-	-	-	-	-	-	-	33
311	10	2	5	328	-	-	-	-	-	-	-	-	-	-	-	34
458	15	1	1	475	-	-	-	-	-	-	-	-	-	-	-	35
328	19	3	6	355	...	...	...	...	...	...	...	...	...	...	...	36
145	6	2	5	158	...	...	...	...	...	...	...	...	...	...	...	37
183	12	1	1	197	...	...	...	...	...	...	...	...	...	...	...	38
441	7	-	-	448	-	-	-	-	-	-	-	-	-	-	-	39
166	4	-	-	170	-	-	-	-	-	-	-	-	-	-	-	40
275	3	-	-	278	-	-	-	-	-	-	-	-	-	-	-	41
1,701	34	16	2	1,753	19	12	4	1	5	4	2	1	3	-	-	42
400	8	6	1	415	10	9	4	1	5	4	2	1	3	-	-	43
1,301	26	10	1	1,338	9	3	-	-	-	-	-	-	-	-	-	44
212	60	46	77	395	...	...	...	...	...	...	...	...	...	...	...	45
135	45	36	71	287	...	...	...	...	...	...	...	...	...	...	...	46
77	15	10	6	108	...	...	...	...	...	...	...	...	...	...	...	47
3	22	16	30	71	2	-	-	-	-	-	-	-	-	-	-	48
2	15	14	26	57	1	-	-	-	-	-	-	-	-	-	-	49
1	7	2	4	14	1	-	-	-	-	-	-	-	-	-	-	50
104	18	11	9	142	-	-	-	-	-	-	-	-	-	-	-	51
55	11	6	9	81	-	-	-	-	-	-	-	-	-	-	-	52
49	7	5	-	61	-	-	-	-	-	-	-	-	-	-	-	53
65	1	-	-	66	-	2	-	-	-	1	-	-	-	-	-	54
26	1	-	-	27	-	1	-	-	-	1	-	-	-	-	-	55
39	-	-	-	39	-	1	-	-	-	-	-	-	-	-	-	56
38	6	1	1	45	1	-	-	-	-	-	1	-	-	-	-	57
25	5	1	1	32	-	-	-	-	-	-	1	-	-	-	-	58
13	-	-	-	13	1	-	-	-	-	-	-	-	-	-	-	59
73	3	2	2	79	1	-	-	-	-	-	-	-	-	-	-	60
86	1	-	1	88	1	-	-	-	-	-	-	-	-	-	-	61
37	2	1	1	41	-	-	-	-	-	-	-	-	-	-	-	62
1,184	30	24	13	1,251	39	18	16	11	9	1	5	5	2	2	-	63
191	5	13	8	217	33	14	15	10	8	1	4	5	2	2	-	64
993	23	11	5	1,034	6	4	1	1	1	-	1	-	-	-	-	65
162	12	2	5	181	15	6	5	3	2	-	-	-	-	-	-	66
1,361	46	15	7	2,019	14	7	3	-	-	-	-	-	-	-	-	67
181	19	14	27	241	132	106	93	51	37	25	13	10	6	8	10	68
54	5	9	3	71	22	20	16	6	10	6	12	4	9	7	7	69
37	6	10	6	59	84	75	62	39	35	34	15	24	11	26	17	70
12	3	3	1	19	15	27	15	14	8	7	3	1	-	3	2	71
3	-	3	2	8	34	19	18	6	6	6	1	4	-	1	-	72
22	3	4	3	32	35	29	29	20	21	21	19	11	11	22	15	73
17	-	-	1	18	3	3	2	1	1	4	1	2	-	1	2	74

Table 2-12. Deaths Under 1 Year From 55 Selected Causes,  
[Numbers after causes of death are category numbers]

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Nonwhite, female—all causes	9,618	719	3,055	820	408	227	135	110	72
2	Dysentery, all forms	8	-	-	-	-	-	-	-	-
3	Septicemia and pyemia	59	-	-	-	-	-	-	-	-
4	Whooping cough	9	-	-	-	-	-	-	-	-
5	Meningococcal infections	9	-	-	-	-	-	-	-	-
6	Tetanus	13	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.	59	1	3	-	1	-	1	-	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14	1	1	1	1	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature	9	-	-	-	-	1	-	-	1
10	Diseases of thymus gland	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous	85	-	1	-	1	-	-	-	-
12	Other diseases of nervous system and sense organs	74	-	-	-	-	-	1	-	-
13	Acute upper respiratory infections	49	-	-	-	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn	1,074	-	-	-	-	-	-	-	-
15	Influenza	25	-	-	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn	1,049	...	...	...	...	...	...	...	...
17	Bronchitis	54	-	-	-	-	-	-	-	-
18	Other diseases of respiratory system	255	1	6	-	-	1	-	1	-
19	Pulmonary congestion and hypostasis	16	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia	168	-	-	-	-	-	-	-	-
21	Bronchiectasis	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity	40	-	3	-	-	-	-	-	-
23	All other diseases of respiratory system	10	1	3	-	-	1	-	1	-
24	Hernia and intestinal obstruction	43	3	7	3	5	1	-	-	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	219	-	-	-	-	-	-	-	-
26	Other diseases of digestive system	41	-	-	-	6	3	2	2	4
27	Congenital malformations	818	69	137	51	30	45	13	19	8
28	Spina bifida and meningocele	23	2	2	2	1	-	-	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	71	9	12	2	3	1	-	-	1
30	Congenital malformations of circulatory system	454	13	53	31	16	29	6	13	5
31	Other congenital malformations	270	45	70	16	10	14	7	6	2
32	Certain diseases of early infancy	5,576	602	2,835	737	339	160	111	81	53
33	Birth injuries	560	110	265	89	34	20	7	8	4
34	Without mention of immaturity (.0)	239	44	95	42	22	14	4	2	2
35	With immaturity (.5)	321	66	170	47	12	6	3	6	2
36	Intracranial and spinal injury at birth	226	14	99	51	22	11	3	6	2
37	Without mention of immaturity (.0)	109	7	39	25	15	7	2	2	1
38	With immaturity (.5)	117	7	60	26	7	4	1	4	1
39	Other birth injury	334	98	166	38	12	9	4	2	2
40	Without mention of immaturity (.0)	130	37	56	17	7	7	2	2	1
41	With immaturity (.5)	204	59	110	21	5	2	2	2	1
42	Postnatal asphyxia and atelectasis	1,454	156	834	206	78	39	19	17	17
43	Without mention of immaturity (.0)	359	37	176	56	25	7	4	4	3
44	With immaturity (.5)	1,095	119	658	150	53	32	15	13	14
45	Pneumonia of newborn	314	6	53	27	17	14	11	11	5
46	Without mention of immaturity (.0)	246	6	36	18	13	10	7	7	4
47	With immaturity (.5)	68	-	17	9	4	4	4	4	1
48	Diarrhea of newborn	57	-	-	-	-	-	1	1	1
49	Without mention of immaturity (.0)	53	-	-	-	-	-	1	1	1
50	With immaturity (.5)	4	-	-	-	-	-	-	1	-
51	Other infections of newborn	126	13	25	16	8	11	7	6	4
52	Without mention of immaturity (.0)	66	3	8	8	6	6	1	2	2
53	With immaturity (.5)	70	10	17	8	2	5	6	4	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy	54	13	21	4	7	2	2	-	-
55	Without mention of immaturity (.0-.4)	27	7	10	2	-	2	1	-	-
56	With immaturity (.5-.9)	27	6	11	2	7	-	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)	39	5	16	2	6	3	3	-	-
58	Without mention of immaturity (.0-.2)	27	2	12	2	4	2	2	-	-
59	With immaturity (.5-.7)	12	3	4	-	2	1	1	-	-
60	Hemorrhagic disease of newborn	68	4	26	13	6	2	4	-	1
61	Without mention of immaturity (.0)	36	2	15	9	-	2	3	-	-
62	With immaturity (.5)	32	2	11	4	6	-	1	-	1
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	1,035	53	519	178	78	34	17	11	8
64	Without mention of immaturity (.0)	253	12	84	29	15	7	3	2	1
65	With immaturity (.5)	782	41	435	149	63	27	14	9	7
66	Immaturity with mention of any other subsidiary condition	166	11	64	18	11	5	7	8	1
67	Immaturity, unqualified	1,693	231	1,012	184	94	30	33	19	12
68	Symptoms and ill-defined conditions	602	28	45	19	12	8	4	5	-
69	All other diseases—Residual	133	1	15	6	3	-	1	1	1
70	Accidents—E800-E962	400	6	2	2	4	4	3	1	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	73	-	-	-	1	2	-	-	-
72	Accidental mechanical suffocation in bed and cradle—E924	74	1	1	-	-	-	-	-	-
73	Other accidental causes—E800-E920,E923,E925-E962	253	5	1	2	2	3	2	1	1
74	Homicide—E964,E980-E984	37	9	3	1	-	-	-	-	1

SECTION 2 - INFANT MORTALITY.

by Age, Color, and Sex: United States, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
5,546	324	227	194	6,291	806	634	444	365	285	212	135	131	120	100	95	1
-	-	1	1	2	-	7	1	2	-	2	-	1	-	-	-	2
-	-	-	-	-	24	9	3	6	6	5	3	1	1	-	1	3
-	-	-	-	-	1	2	1	-	-	-	-	-	3	1	1	4
-	-	-	1	1	1	1	3	-	1	1	1	-	-	-	-	5
2	6	3	1	12	-	-	-	-	1	-	-	-	-	-	-	6
6	-	-	1	9	10	5	4	7	-	3	6	5	4	7	2	7
5	-	-	1	6	3	-	-	-	1	1	-	1	1	-	1	8
2	-	-	1	3	-	-	2	1	1	-	-	-	1	1	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
2	4	9	3	18	10	10	11	5	8	3	5	7	3	-	3	11
1	1	-	-	2	10	4	10	8	2	8	8	7	8	4	3	12
1	1	1	4	7	16	5	5	3	2	1	1	1	2	-	-	13
-	1	-	-	1	249	223	135	144	85	69	40	40	32	30	26	14
-	1	-	-	1	4	6	3	3	2	-	1	1	3	-	2	15
...	...	...	...	...	245	217	132	141	83	69	40	39	29	30	24	16
-	2	4	1	7	8	8	13	3	5	3	-	1	1	3	2	17
9	2	2	1	14	52	14	29	24	24	11	13	5	4	3	4	18
-	2	1	-	3	3	2	3	1	2	-	1	-	1	-	-	19
-	-	1	-	1	44	37	22	18	17	9	11	4	2	2	1	20
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
3	-	-	1	4	5	12	4	4	5	1	-	1	1	-	3	22
6	-	-	-	6	-	1	-	1	-	1	-	-	-	1	-	23
20	1	3	1	25	6	1	2	-	2	3	1	-	2	1	-	24
-	-	-	-	-	57	39	21	23	15	19	11	10	7	9	8	25
17	2	4	2	25	4	6	4	1	-	-	-	-	-	1	-	26
372	47	35	30	484	71	62	52	34	41	18	10	16	7	11	12	27
8	-	4	2	14	4	2	2	-	1	-	-	-	-	-	-	28
28	3	1	3	35	1	8	7	6	1	2	2	2	1	5	1	29
166	33	21	16	236	47	36	33	21	32	14	6	13	4	5	7	30
170	11	9	9	199	19	16	10	7	7	2	2	1	2	1	4	31
4,918	227	134	106	5,385	78	35	24	16	5	8	6	8	6	1	4	32
537	13	6	2	558	1	-	-	-	-	-	1	-	-	-	-	33
225	7	4	2	238	1	-	-	-	-	-	-	-	-	-	-	34
312	6	2	-	320	-	-	-	-	-	-	1	-	-	-	-	35
208	10	6	2	228	...	...	...	...	...	...	...	...	...	...	...	36
98	5	4	2	109	...	...	...	...	...	...	...	...	...	...	...	37
110	5	2	-	117	...	...	...	...	...	...	...	...	...	...	...	38
329	3	-	-	332	...	...	...	...	...	...	...	...	...	...	...	39
127	2	-	-	129	1	-	-	-	-	-	1	-	-	-	-	40
202	1	-	-	203	-	-	-	-	-	-	1	-	-	-	-	41
1,366	35	7	3	1,411	21	5	4	4	-	2	-	3	2	-	2	42
312	8	5	2	327	15	4	3	3	-	1	-	2	2	-	-	43
1,054	27	2	1	1,084	6	1	1	1	-	1	-	1	-	-	-	44
144	61	49	60	314	...	...	...	...	...	...	...	...	...	...	...	45
101	49	42	54	246	...	...	...	...	...	...	...	...	...	...	...	46
43	12	7	6	68	...	...	...	...	...	...	...	...	...	...	...	47
3	11	25	18	57	...	...	...	...	...	...	...	...	...	...	...	48
2	10	23	18	53	-	-	-	-	-	-	-	-	-	-	-	49
1	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-	50
90	27	12	5	134	2	-	-	-	-	-	-	-	-	-	-	51
36	20	7	2	65	1	-	-	-	-	-	-	-	-	-	-	52
54	7	5	3	69	1	-	-	-	-	-	-	-	-	-	-	53
49	-	-	-	49	1	2	-	2	-	-	-	-	-	-	-	54
22	-	-	-	22	1	2	-	2	-	-	-	-	-	-	-	55
27	-	-	-	27	-	-	-	-	-	-	-	-	-	-	-	56
35	3	-	1	39	-	-	-	-	-	-	-	-	-	-	-	57
24	2	-	1	27	-	-	-	-	-	-	-	-	-	-	-	58
11	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-	59
56	8	3	-	67	1	-	-	-	-	-	-	-	-	-	-	60
31	3	1	-	35	1	-	-	-	-	-	-	-	-	-	-	61
25	5	2	-	32	-	-	-	-	-	-	-	-	-	-	-	62
898	24	12	7	941	24	21	17	6	5	5	5	5	3	1	2	63
153	6	4	4	167	23	17	15	6	5	4	5	5	3	1	2	64
745	18	8	3	774	1	4	2	-	-	1	-	-	-	-	-	65
125	10	3	4	142	15	4	3	1	-	1	-	-	-	-	-	66
1,615	35	17	6	1,673	13	3	-	3	-	-	-	-	1	-	-	67
119	20	15	26	180	114	103	53	49	46	24	11	7	6	4	5	68
35	4	3	3	45	20	11	11	5	8	4	3	7	3	7	9	69
23	6	11	10	50	68	57	54	30	24	27	16	14	26	21	13	70
3	-	2	1	6	17	14	14	5	6	4	-	-	1	2	1	71
2	3	6	2	13	24	14	3	10	5	3	2	-	1	1	1	72
18	3	3	7	31	27	29	37	15	15	20	11	14	24	18	12	73
14	-	-	1	15	4	1	6	4	3	1	-	-	-	1	2	74

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers]

Cause of death	United States						
	Total, under 1 year	Under 28 days			28 days-11 months		
		Total	White	Nonwhite	Total	White	Nonwhite
1 All causes-----	79,028	58,127	45,890	14,237	20,901	13,643	7,258
2 Dysentery, all forms-----045-048	32	6	4	2	26	7	19
3 Septicemia and pyemia-----053	292	1	1	-	281	170	111
4 Whooping cough-----056	29	1	-	1	28	9	19
5 Meningococcal infections-----057	167	14	10	4	153	134	19
6 Tetanus-----061	26	23	5	18	2	-	2
7 Other infective and parasitic diseases-----001-044,049-052,054,055,058-062,062-138	396	71	55	16	325	232	93
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	196	37	29	8	159	136	23
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	97	44	38	6	53	41	12
10 Diseases of thymus gland-----273	35	5	4	1	30	28	2
11 Meningitis, except meningococcal and tuberculous-----340	679	221	170	51	458	285	173
12 Other diseases of nervous system and sense organs-----330-334,341-398	519	24	20	4	495	364	131
13 Acute upper respiratory infections-----470-475	295	26	15	11	267	170	97
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	5,716	5	4	1	5,711	3,370	2,341
15 Influenza-----480-483	79	5	4	1	74	26	48
16 Pneumonia, except pneumonia of newborn-----490-493	5,637	---	---	---	5,637	3,344	2,293
17 Bronchitis-----500-502	314	24	15	11	290	191	99
18 Other diseases of respiratory system-----510-522,525-527	1,565	108	81	27	1,277	829	448
19 Pulmonary congestion and hypostasis-----522	139	27	21	6	112	88	24
20 Other chronic interstitial pneumonia-----525	961	10	7	3	971	626	345
21 Bronchiectasis-----526	1	-	-	-	1	-	1
22 Other diseases of lung and pleural cavity-----527.2	178	25	16	9	153	87	66
23 All other diseases of respiratory system-----510-521,527.1	86	46	37	9	40	28	12
24 Hernia and intestinal obstruction-----560,561,570	685	492	424	68	193	143	50
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,031	-	-	-	1,031	504	527
26 Other diseases of digestive system-----530-543,544-553,573-587	321	163	109	54	159	108	50
27 Congenital malformations-----750-759	11,632	7,850	6,765	1,085	3,782	3,087	695
28 Spina bifida and meningocele-----751	659	512	480	32	347	318	29
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	935	528	455	73	407	327	80
30 Congenital malformations of circulatory system-----754	5,655	3,428	2,912	516	2,227	1,801	426
31 Other congenital malformations-----750,755-759	4,183	3,392	2,918	484	801	641	160
32 Certain diseases of early infancy-----760-776	49,271	47,392	35,192	12,190	889	476	413
33 Birth injuries-----760,761	6,561	6,561	5,194	1,361	6	4	2
34 Without mention of immaturity (.0)-----	2,390	2,387	1,621	566	3	2	1
35 With immaturity (.5)-----	4,171	4,174	3,573	795	3	2	1
36 Intracranial and spinal injury at birth-----760	2,102	2,102	1,521	581	---	---	---
37 Without mention of immaturity (.0)-----	1,052	1,052	785	267	---	---	---
38 With immaturity (.5)-----	1,050	1,050	736	314	---	---	---
39 Other birth injury-----761	4,459	4,453	3,673	780	6	4	2
40 Without mention of immaturity (.0)-----	1,338	1,335	1,036	299	3	2	1
41 With immaturity (.5)-----	3,121	3,118	2,637	481	3	2	1
42 Postnatal asphyxia and atelectasis-----762	12,783	12,536	9,372	3,164	247	153	94
43 Without mention of immaturity (.0)-----	3,452	3,253	2,511	742	199	128	71
44 With immaturity (.5)-----	9,331	9,283	6,861	2,422	48	25	23
45 Pneumonia of newborn-----763	2,219	2,219	1,510	709	---	---	---
46 Without mention of immaturity (.0)-----	1,626	1,626	1,083	533	---	---	---
47 With immaturity (.5)-----	593	593	417	176	---	---	---
48 Diarrhea of newborn-----764	285	282	94	180	3	1	2
49 Without mention of immaturity (.0)-----	188	186	76	110	2	1	1
50 With immaturity (.5)-----	37	36	18	18	1	-	1
51 Other infections of newborn-----765-768	825	817	541	276	8	6	2
52 Without mention of immaturity (.0)-----	437	430	294	146	7	6	1
53 With immaturity (.5)-----	388	387	257	130	1	-	1
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	557	532	417	115	25	17	8
55 Without mention of immaturity (.0-.4)-----	224	205	154	49	21	14	7
56 With immaturity (.5-.9)-----	333	329	263	66	4	3	1
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,191	1,186	1,102	84	5	3	2
58 Without mention of immaturity (.0-.2)-----	826	822	763	59	4	3	1
59 With immaturity (.5-.7)-----	365	364	339	25	1	-	1
60 Hemorrhagic disease of newborn-----771	519	514	368	146	5	3	2
61 Without mention of immaturity (.0)-----	283	279	205	73	5	3	2
62 With immaturity (.5)-----	236	236	163	73	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,211	9,821	7,829	2,192	390	188	202
64 Without mention of immaturity (.0)-----	2,212	1,873	1,489	384	339	159	180
65 With immaturity (.5)-----	7,999	7,948	6,140	1,808	51	29	22
66 Immaturity with mention of any other subsidiary condition-----774	1,271	1,138	815	323	133	78	55
67 Immaturity, unqualified-----776	11,909	11,842	8,150	3,692	67	23	44
68 Symptoms and ill-defined conditions-----780-795,795	2,620	693	262	421	1,937	1,024	913
69 All diseases-----Residual	1,326	519	403	116	807	600	207
70 Accidents-----E900-E962	2,751	311	202	109	2,440	1,668	772
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	620	82	57	25	538	376	162
72 Accidental mechanical suffocation in bed and cradle-----E924	522	54	33	21	468	313	155
73 Other accidental causes-----E900-E920,E923,E925-E962	1,609	175	112	63	1,434	979	455
74 Homicide-----E964,E990-E994	226	117	84	33	109	67	42

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Alabama				Total, under 1 year	Alaska				Total, under 1 year	Arizona				Total, under 1 year	Arkansas				1				
	Under 28 days		28 days-11 months			Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year			
	White	Non-white	White	Non-white			White	Non-white	White			Non-white	White	Non-white			White	Non-white	White			Non-white	White	Non-white
1,757	857	515	206	359	185	57	52	25	49	740	410	94	133	103	814	381	160	117	156	1				
15	1	1	6	9	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2				
1	1	1	1	1	2	1	1	1	2	9	1	1	1	1	3	1	1	1	1	3				
2	1	1	5	2	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	4				
7	2	1	3	2	1	1	1	1	1	9	1	1	2	7	6	1	1	2	3	5				
3	1	1	1	1	1	1	1	1	1	3	1	1	5	2	1	1	1	1	1	6				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7				
17	4	3	4	6	7	1	1	1	6	11	4	3	4	8	3	3	1	3	4	8				
16	1	1	6	9	1	1	1	1	3	3	1	1	1	4	1	1	1	3	1	11				
9	1	1	3	5	1	1	1	1	3	3	1	1	2	1	1	1	1	1	1	12				
152	1	1	36	116	16	1	1	4	12	47	1	1	29	18	104	1	1	41	63	13				
4	1	1	2	2	2	1	1	1	1	1	1	1	1	11	1	1	1	11	11	14				
146	1	1	34	114	16	1	1	4	12	47	1	1	29	18	93	1	1	41	52	15				
6	1	1	3	3	1	1	1	1	1	1	1	1	1	6	1	1	1	2	4	17				
19	3	1	7	9	1	1	1	1	14	14	1	1	8	5	1	1	1	3	3	18				
1	1	1	4	4	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	19				
13	1	1	6	7	1	1	1	1	10	10	1	1	7	2	1	1	1	1	2	20				
4	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	21				
1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22				
10	7	2	1	1	2	1	1	1	1	5	3	1	1	6	4	1	1	1	1	23				
35	1	1	5	28	5	1	1	4	32	1	1	8	24	16	1	1	1	1	15	24				
7	2	1	2	2	1	1	1	1	2	2	1	2	1	4	1	2	2	1	1	25				
214	120	50	39	25	25	8	3	4	114	63	11	35	5	105	58	16	24	3	9	26				
18	10	1	8	1	1	1	1	1	9	2	1	4	2	12	7	1	3	1	1	27				
17	9	1	4	4	3	1	1	2	11	5	2	4	1	4	1	1	3	3	1	28				
53	46	17	21	15	12	3	1	2	57	33	3	19	2	47	26	6	11	4	4	29				
80	55	13	6	6	9	4	2	1	37	23	5	8	1	42	23	8	7	4	4	31				
931	497	409	9	16	96	48	47	1	404	323	73	1	7	433	300	123	3	7	32					
131	68	63	1	17	17	8	9	1	48	36	12	1	1	65	40	25	1	1	1	33				
54	28	28	1	3	3	2	1	1	26	20	6	1	1	24	16	8	1	1	1	34				
75	40	35	1	14	6	6	9	1	22	16	6	1	1	41	24	17	1	1	1	35				
67	28	39	1	5	5	5	5	1	25	18	7	1	1	18	13	5	1	1	1	36				
30	12	18	1	1	1	1	1	1	19	14	5	1	1	11	9	2	1	1	1	37				
37	16	21	1	4	4	4	4	1	6	4	2	1	1	7	4	3	1	1	1	38				
64	40	24	1	12	8	4	4	1	23	18	5	1	1	47	27	20	1	1	1	39				
26	16	10	1	2	2	2	2	1	7	6	1	1	1	13	7	6	1	1	1	40				
38	24	14	1	10	6	4	4	1	16	12	4	1	1	34	20	14	1	1	1	41				
106	127	57	3	13	6	7	1	1	91	81	10	1	1	84	63	20	1	1	1	42				
57	36	18	3	3	2	1	1	1	36	30	6	1	1	33	25	10	1	1	1	43				
131	91	39	1	10	4	6	1	1	55	51	4	1	1	51	40	10	1	1	1	44				
56	25	31	1	3	3	3	3	1	20	14	6	1	1	22	14	8	1	1	1	45				
38	18	20	1	3	3	3	3	1	16	13	3	1	1	18	10	8	1	1	1	46				
18	7	11	1	1	1	1	1	1	4	1	3	1	1	4	4	4	1	1	1	47				
9	1	9	1	1	1	1	1	1	7	2	5	1	1	4	4	4	1	1	1	48				
6	1	8	1	1	1	1	1	1	6	2	4	1	1	4	4	4	1	1	1	49				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50				
12	9	3	1	13	6	7	1	1	4	3	1	1	1	15	10	5	1	1	1	51				
7	5	2	1	3	2	1	1	1	2	2	1	1	1	11	6	5	1	1	1	52				
5	4	1	1	1	1	1	1	1	2	1	1	1	1	4	4	4	1	1	1	53				
9	7	2	1	1	1	1	1	1	7	5	1	1	1	6	3	2	1	1	1	54				
1	1	1	1	1	1	1	1	1	2	1	1	1	1	4	1	2	1	1	1	55				
8	6	2	1	1	1	1	1	1	5	4	1	1	1	2	2	2	1	1	1	56				
14	12	2	1	1	1	1	1	1	10	9	1	1	1	7	6	1	1	1	1	57				
9	8	1	1	1	1	1	1	1	2	1	1	1	1	7	6	1	1	1	1	58				
5	4	1	1	1	1	1	1	1	8	8	1	1	1	1	1	1	1	1	1	59				
6	1	6	1	1	1	1	1	1	3	3	1	1	1	6	4	2	1	1	1	60				
4	1	4	1	1	1	1	1	1	2	2	1	1	1	3	1	2	1	1	1	61				
2	1	2	1	1	1	1	1	1	1	1	1	1	1	3	3	1	1	1	1	62				
185	111	65	4	15	39	21	17	1	84	66	13	1	5	103	81	15	2	5	5	63				
65	32	18	4	11	11	8	7	1	19	9	5	1	1	23	12	5	1	1	1	64				
130	79	49	1	2	28	18	10	1	65	57	8	1	1	60	69	10	1	1	1	65				
13	7	4	2	1	1	1	1	1	10	6	2	1	1	17	5	12	1	1	1	66				
300	151	167	1	2	20	11	9	1	120	98	22	1	1	104	74	29	1	1	1	67				
178	12	56	33	75	14	1	8	5	28	8	3	6	11	37	2	9	11	15	15	68				
28	6	3	10	9	1	1	1	1	17	4	1	9	3	19	4	5	3	3	3	69				
76	2	31	39	8	1	4	4	4	31	3	2	16	8	52	7	2	22	21	21	70				
25	1	13	11	1	1	1	1	1	5	1	1	4	1	8	1	1	5	2	2	71				
17	1	6	9	1	1	1	1	1	5	1	1	4	1	16	1	1	6	9	9	72				
34	1	12	19	1	1	1	1	1	21	2	2	10	7	28	5	1	11	11	11	73				
5	1	1	5	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	74				

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	California				Colorado					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	6,597	4,115	774	1,410	298	804	583	40	159	22
2 Dysentery, all forms-----045-048	2	1	-	1	-	-	-	-	-	-
3 Septicemia and pyemia-----053	16	-	-	12	4	2	-	-	2	-
4 Whooping cough-----056	2	-	-	1	1	-	-	-	-	-
5 Meningococcal infections-----057	18	3	1	12	2	1	-	-	1	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	33	6	2	18	7	5	2	-	2	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	16	5	-	10	1	5	-	-	5	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	10	2	1	5	2	2	1	-	1	-
10 Diseases of thymus gland-----273	2	1	-	1	-	2	-	-	2	-
11 Meningitis, except meningococcal and tuberculous-----340	65	31	6	23	5	12	5	-	4	3
12 Other diseases of nervous system and sense organs-----330-334,341-396	51	1	-	41	9	4	-	-	2	2
13 Acute upper respiratory infections-----470-475	22	2	1	13	6	9	-	2	6	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-485	496	-	-	394	102	44	-	-	40	4
15 Influenza-----480-483	-	-	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----480-485	496	---	---	394	102	44	---	---	40	4
17 Bronchitis-----500-502	29	-	-	22	7	3	-	-	3	-
18 Other diseases of respiratory system-----510-522,525-527	243	7	1	189	46	3	1	-	2	-
19 Pulmonary congestion and hypostasis-----522	14	-	-	10	4	1	-	-	1	-
20 Other chronic interstitial pneumonia-----525	215	2	-	172	41	1	-	-	1	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	5	1	-	3	1	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	9	4	1	4	-	1	1	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	55	38	2	12	2	2	2	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	42	-	-	35	7	4	-	-	4	-
26 Other diseases of digestive system-----530-542,544-553,573-587	31	11	8	11	1	1	-	-	1	-
27 Congenital malformations-----750-759	1,025	598	69	310	48	126	86	4	31	5
28 Spina bifida and meningocele-----751	50	22	3	23	2	6	4	-	2	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	84	43	3	33	5	11	4	-	6	1
30 Congenital malformations of circulatory system-----754	533	281	34	186	32	51	32	1	16	2
31 Other congenital malformations-----750,755-759	358	252	29	68	9	58	46	3	7	2
32 Certain diseases of early infancy-----760-776	4,080	3,348	671	47	14	518	476	32	8	-
33 Birth injuries-----760,761	668	549	118	-	1	76	72	4	-	-
34 Without mention of immaturity (.0)-----	230	186	43	-	1	17	17	-	-	-
35 With immaturity (.5)-----	438	363	75	-	-	59	55	4	-	-
36 Intracranial and spinal injury at birth-----760	215	176	39	...	...	21	19	2	...	...
37 Without mention of immaturity (.0)-----	85	74	9	...	...	5	5	-	...	...
38 With immaturity (.5)-----	132	102	30	...	...	16	14	2	...	...
39 Other birth injury-----761	453	373	79	-	1	55	53	2	...	...
40 Without mention of immaturity (.0)-----	147	112	34	-	1	12	12	-	-	-
41 With immaturity (.5)-----	306	261	45	-	-	43	41	2	-	-
42 Postnatal asphyxia and atelectasis-----762	983	819	146	14	4	113	103	7	3	-
43 Without mention of immaturity (.0)-----	272	225	33	13	1	22	19	2	1	-
44 With immaturity (.5)-----	711	594	113	1	3	91	84	5	2	-
45 Pneumonia of newborn-----763	213	171	42	...	...	25	23	2	...	...
46 Without mention of immaturity (.0)-----	164	131	33	...	...	15	13	2	...	...
47 With immaturity (.5)-----	49	40	9	...	...	10	10	-	...	...
48 Diarrhea of newborn-----764	8	5	3	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	7	4	3	-	-	1	1	-	-	-
50 With immaturity (.5)-----	1	1	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	84	68	15	1	-	11	11	-	-	-
52 Without mention of immaturity (.0)-----	42	30	11	1	-	1	1	-	-	-
53 With immaturity (.5)-----	42	38	4	-	-	10	10	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	75	57	15	2	1	12	11	-	1	-
55 Without mention of immaturity (.0-.4)-----	27	21	3	2	1	2	2	-	-	-
56 With immaturity (.5-.9)-----	48	36	12	-	-	10	9	-	1	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	101	96	6	-	-	10	10	-	-	-
58 Without mention of immaturity (.0-.2)-----	62	59	3	-	-	4	4	-	-	-
59 With immaturity (.5-.7)-----	39	36	3	-	-	6	6	-	-	-
60 Hemorrhagic disease of newborn-----771	52	45	6	1	-	11	11	-	-	-
61 Without mention of immaturity (.0)-----	27	23	3	1	-	1	1	-	-	-
62 With immaturity (.5)-----	25	22	3	-	-	10	10	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	974	811	144	16	3	151	138	11	2	-
64 Without mention of immaturity (.0)-----	144	125	5	12	2	14	14	-	-	-
65 With immaturity (.5)-----	830	686	139	4	1	137	124	11	2	-
66 Immaturity with mention of any other subsidiary condition-----774	148	108	27	10	3	11	9	-	2	-
67 Immaturity, unqualified-----776	774	620	149	3	2	97	89	8	-	-
68 Symptoms and ill-defined conditions-----780-793,795	52	6	4	37	5	32	2	1	24	5
69 All other diseases-----Residual	91	37	6	42	6	4	2	-	1	1
70 Accidents-----E800-E862	185	7	1	158	19	22	3	-	19	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	34	3	-	28	3	10	2	-	8	-
72 Accidental mechanical suffocation in bed and cradle-----E924	25	-	-	22	3	1	-	-	1	-
73 Other accidental causes-----E800-E920,E923,E925-E962	126	4	1	108	13	11	1	-	10	-
74 Homicide-----E864,E880-E884	31	10	1	16	4	3	1	1	1	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967-Con.

of the Seventh Revision of the International Lists, 1955]

Connecticut					Delaware				District of Columbia				Florida								
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White
958	640	115	168	35	206	97	42	32	35	434	45	284	14	91	2,381	1,075	664	501	343	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
7	-	-	5	2	-	-	-	-	-	-	-	-	-	-	12	-	-	-	4	8	3
1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	4	2	4
7	-	-	5	2	-	-	-	-	-	1	-	-	-	-	17	2	-	-	7	8	6
1	-	-	1	-	-	-	-	-	-	2	-	-	1	1	2	-	-	2	-	-	8
2	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	10
7	1	-	6	-	1	-	-	-	1	2	1	-	-	23	2	3	3	3	15	11	11
2	-	-	2	-	1	-	-	-	1	5	-	-	-	13	1	-	-	5	7	12	12
2	-	-	2	-	-	-	-	-	-	-	-	-	-	5	-	-	-	4	1	13	13
47	-	-	36	9	13	-	-	6	7	13	-	-	1	12	145	-	-	60	85	14	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	2	4	15	15
47	...	...	39	9	13	...	...	6	7	13	...	...	1	12	139	...	...	58	81	16	16
4	1	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	17
8	1	-	5	2	21	-	-	10	11	1	-	-	1	85	1	2	32	30	16	16	16
2	-	-	2	-	-	-	-	-	1	1	-	-	1	13	1	-	-	5	19	19	19
1	-	-	-	1	21	-	-	10	11	-	-	-	-	46	-	-	-	23	20	20	20
3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	21	21
2	1	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	1	22	22
9	7	-	1	1	2	1	1	-	-	4	-	-	1	3	20	10	2	2	6	24	24
3	-	-	1	2	2	-	-	1	1	5	-	-	2	3	48	-	-	9	59	25	25
5	2	-	3	-	-	-	-	-	-	1	-	-	1	11	3	3	1	1	4	26	26
165	107	11	43	4	37	16	6	9	6	52	11	23	2	16	299	142	57	70	30	27	27
14	7	-	6	1	1	1	-	-	-	4	2	-	-	1	26	11	1	12	2	28	28
18	11	2	5	-	5	3	-	1	1	3	1	-	-	2	32	10	6	10	6	29	29
72	40	8	22	2	21	9	2	7	3	27	3	14	-	10	146	62	25	42	17	30	30
61	49	1	10	1	10	3	4	1	2	18	5	9	1	3	95	59	25	6	5	31	31
610	503	101	5	1	117	80	33	-	4	279	30	245	1	3	1,485	887	562	12	24	32	32
68	60	8	-	-	13	8	5	-	-	23	2	21	-	-	184	123	60	1	-	33	33
25	23	2	-	-	4	3	1	-	-	12	1	11	-	-	75	40	34	1	-	34	34
43	37	6	-	-	9	5	4	-	-	11	1	10	-	-	109	63	26	-	-	35	35
30	28	4	-	-	5	3	2	-	-	5	-	5	-	-	61	35	26	-	-	36	36
12	10	2	-	-	1	1	-	-	-	2	-	2	-	-	34	16	18	-	-	37	37
18	16	2	-	-	4	2	-	-	-	3	-	3	-	-	27	19	8	-	-	38	38
38	34	4	-	-	8	5	3	-	-	18	2	16	-	-	123	88	34	1	-	39	39
13	15	-	-	-	3	2	1	-	-	10	1	9	-	-	41	24	16	1	-	40	40
25	21	4	-	-	5	3	2	-	-	8	1	7	-	-	82	64	18	-	-	41	41
151	132	18	1	-	34	24	8	-	2	64	7	57	-	-	367	198	163	4	2	42	42
53	31	1	1	-	7	6	1	-	-	18	4	14	-	-	116	54	57	4	4	43	43
118	101	17	-	-	27	18	7	-	2	46	3	43	-	-	251	144	106	-	-	44	44
26	21	4	-	-	3	2	1	-	-	5	-	5	-	-	55	29	24	-	-	45	45
18	15	3	-	-	1	1	-	-	-	4	-	4	-	-	41	21	20	-	-	46	46
7	6	1	-	-	2	2	-	-	-	4	-	4	-	-	12	8	4	-	-	47	47
3	3	-	-	-	2	2	-	-	-	-	-	-	-	-	11	4	7	-	-	48	48
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	8	3	5	-	-	49	49
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	50	50
14	9	5	-	-	1	-	1	-	-	2	-	2	-	-	31	19	12	-	-	51	51
8	6	2	-	-	1	-	1	-	-	2	-	2	-	-	15	7	6	-	-	52	52
6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	18	12	6	-	-	53	53
8	8	-	-	-	1	1	-	-	-	-	-	-	-	-	16	12	3	1	-	54	54
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	55	55
4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	10	8	1	1	-	56	56
18	18	-	-	-	3	3	-	-	-	2	1	1	-	-	24	21	3	-	-	57	57
14	14	-	-	-	2	2	-	-	-	1	-	1	-	-	19	17	2	-	-	58	58
4	4	-	-	-	1	1	-	-	-	1	1	-	-	-	5	4	1	-	-	59	59
4	3	1	-	-	2	2	-	-	-	1	-	1	-	-	12	8	4	-	-	60	60
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	8	5	3	-	-	61	61
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	62	62
130	101	26	2	1	25	19	4	-	2	32	9	20	1	2	406	257	128	5	16	63	63
14	9	2	2	1	5	2	1	-	2	9	2	4	1	2	74	42	16	3	13	64	64
116	92	24	-	-	20	17	3	-	-	23	7	16	-	-	332	215	112	2	3	65	65
40	29	9	2	-	-	-	-	-	-	2	1	1	-	-	46	27	15	1	3	66	66
149	119	30	-	-	33	19	14	-	-	148	10	137	-	-	335	189	143	-	-	67	67
26	3	-	14	9	-	-	-	-	-	49	2	9	2	36	69	10	12	24	22	68	68
22	8	1	12	1	3	-	-	1	2	5	1	3	-	-	51	11	13	14	13	69	69
28	4	2	20	2	9	-	1	4	4	13	-	3	2	-	104	2	7	46	46	70	70
5	-	-	5	-	2	-	-	-	-	1	-	1	-	-	19	1	1	7	10	71	71
3	-	-	3	-	2	-	-	2	2	1	-	-	-	-	21	-	10	10	10	72	72
20	4	2	12	2	5	-	-	1	2	11	-	2	1	-	64	1	5	29	29	73	73
2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	74	74

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

{Numbers after causes of death are category numbers

Cause of death	Georgia				Hawaii					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	2,298	874	615	262	547	248	50	145	14	39
2 Dysentery, all forms-----045-048	8	1	-	1	6	-	-	-	-	-
3 Septicemia and pyemia-----053	12	-	-	8	6	-	-	-	-	-
4 Whooping cough-----056	1	-	-	-	1	-	-	-	-	-
5 Meningococcal infections-----057	5	2	-	2	1	1	-	-	-	1
6 Tetanus-----061	1	-	1	-	-	-	-	-	-	-
7 Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	18	1	1	7	9	-	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	5	1	-	-	4	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	-	1	-	1	-	-	-	-	-
10 Diseases of thymus gland-----273	2	-	-	1	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	18	1	3	7	7	1	-	-	-	1
12 Other diseases of nervous system and sense organs-----330-334,341-398	15	-	-	8	7	1	-	-	1	-
13 Acute upper respiratory infections-----470-475	5	-	1	4	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	286	-	-	71	215	16	-	-	3	13
15 Influenza-----480-483	8	-	-	-	8	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	278	-	-	71	207	16	-	-	3	13
17 Bronchitis-----500-502	6	-	-	-	5	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	102	2	-	32	68	7	-	1	1	5
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	91	-	-	27	64	3	-	-	1	2
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	8	1	-	3	4	2	-	-	-	2
23 All other diseases of respiratory system-----510-521,527.1	3	1	-	2	-	-	-	1	-	1
24 Hernia and intestinal obstruction-----560,561,570	15	7	4	2	3	2	-	1	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	55	-	-	6	49	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	9	1	3	-	5	-	-	-	-	-
27 Congenital malformations-----750-759	239	138	28	51	22	59	16	29	2	12
28 Spina bifida and meningocele-----751	27	12	-	15	-	-	-	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	16	8	4	4	-	5	1	3	-	1
30 Congenital malformations of circulatory system-----754	98	46	11	24	17	30	7	12	1	10
31 Other congenital malformations-----750,755-759	98	72	13	8	5	24	8	14	1	1
32 Certain diseases of early infancy-----760-778	1,288	694	538	9	47	145	32	111	-	2
33 Birth injuries-----760,761	147	90	57	-	-	17	6	11	-	-
34 Without mention of immaturity (.0)-----	71	37	34	-	-	5	3	9	-	-
35 With immaturity (.5)-----	76	53	23	-	-	12	3	2	-	-
36 Intracranial and spinal injury at birth-----760	39	27	12	-	-	7	3	4	-	-
37 Without mention of immaturity (.0)-----	26	18	8	-	-	4	3	1	-	-
38 With immaturity (.5)-----	13	9	4	-	-	3	3	3	-	-
39 Other birth injury-----761	108	63	45	-	-	10	3	7	-	-
40 Without mention of immaturity (.0)-----	45	19	26	-	-	1	1	-	-	-
41 With immaturity (.5)-----	63	44	19	-	-	9	3	6	-	-
42 Postnatal asphyxia and atelectasis-----762	278	174	100	1	3	54	9	24	-	1
43 Without mention of immaturity (.0)-----	86	52	31	1	2	12	2	9	-	1
44 With immaturity (.5)-----	192	122	69	-	1	22	7	15	-	-
45 Pneumonia of newborn-----763	74	22	52	-	-	8	2	6	-	-
46 Without mention of immaturity (.0)-----	53	14	39	-	-	5	1	4	-	-
47 With immaturity (.5)-----	21	8	13	-	-	3	1	2	-	-
48 Diarrhea of newborn-----764	22	1	20	-	1	1	-	1	-	-
49 Without mention of immaturity (.0)-----	20	1	19	-	-	1	-	1	-	-
50 With immaturity (.5)-----	2	-	1	-	1	-	-	-	-	-
51 Other infections of newborn-----765-768	27	10	17	-	-	4	1	3	-	-
52 Without mention of immaturity (.0)-----	15	5	10	-	-	1	1	-	-	-
53 With immaturity (.5)-----	12	5	7	-	-	3	1	2	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	13	11	2	-	-	4	-	3	-	1
55 Without mention of immaturity (.0-.4)-----	3	3	-	-	-	3	-	2	-	1
56 With immaturity (.5-.9)-----	10	8	2	-	-	1	-	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	18	15	3	-	-	4	-	4	-	-
58 Without mention of immaturity (.0-.2)-----	12	10	2	-	-	2	-	2	-	-
59 With immaturity (.5-.7)-----	6	5	1	-	-	2	-	2	-	-
60 Hemorrhagic disease of newborn-----771	16	9	6	-	1	2	-	2	-	-
61 Without mention of immaturity (.0)-----	12	7	4	-	1	-	-	-	-	-
62 With immaturity (.5)-----	4	2	2	-	-	2	-	2	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	359	162	119	5	35	21	3	16	-	-
64 Without mention of immaturity (.0)-----	113	45	32	5	31	1	-	1	-	-
65 With immaturity (.5)-----	226	137	87	-	2	20	3	17	-	-
66 Immaturity with mention of any other subsidiary condition-----774	60	21	33	-	6	3	1	2	-	-
67 Immaturity, unqualified-----775	294	159	129	3	3	47	10	37	-	-
68 Symptoms and ill-defined conditions-----780-793,795	59	8	11	7	33	7	2	2	2	1
69 All other diseases-----Residual	50	12	16	7	15	1	-	1	-	-
70 Accidents-----E900-E962	94	5	7	40	42	8	-	-	4	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	20	2	2	8	8	1	-	-	-	1
72 Accidental mechanical suffocation in bed and cradle-----E924	17	-	2	6	9	2	-	-	-	1
73 Other accidental causes-----E900-E920,E923,E925-E962	57	3	3	26	25	5	-	-	3	2
74 Homicide-----E964,E960-E984	2	1	1	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Idaho					Illinois					Indiana					Iowa				
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
247	183	1	61	2	4,622	2,428	966	775	453	2,092	1,385	196	414	99	907	707	20	170	10
1	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
1	-	-	1	-	15	-	-	10	5	7	-	-	5	2	3	-	-	3	-
1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	9	-	1	8	-	6	-	-	4	-	1	-	-	1	-
1	-	-	-	-	9	-	-	6	3	19	4	2	11	2	2	-	-	2	-
1	1	-	-	-	12	1	-	11	-	2	-	-	2	-	3	1	-	2	-
1	-	-	-	-	5	2	-	2	1	1	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-
3	1	-	2	-	37	6	4	13	14	19	3	-	15	3	5	2	-	3	-
1	-	-	1	-	31	2	-	26	3	16	1	-	11	4	5	-	-	4	1
1	-	-	1	-	7	1	-	4	2	7	-	-	6	1	2	-	-	2	-
13	1	-	11	1	501	-	-	254	247	136	-	-	105	31	41	-	-	39	2
1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
12	...	...	11	1	500	...	...	253	247	186	...	...	105	31	41	...	...	39	2
1	-	-	-	-	40	-	5	18	17	8	-	-	7	5	4	-	-	3	2
1	-	-	1	-	42	-	2	31	9	52	4	1	28	19	17	4	1	12	-
1	-	-	1	-	3	-	1	1	2	3	1	-	1	5	3	1	-	1	-
1	-	-	-	-	30	-	1	25	4	42	1	-	24	17	10	-	-	10	-
1	-	-	-	-	4	-	-	3	1	4	1	-	2	1	2	-	-	1	-
1	-	-	-	-	5	-	-	3	2	3	1	1	1	-	-	-	-	-	-
2	2	-	-	-	42	30	2	7	3	22	12	3	7	7	9	7	-	2	-
2	-	-	-	-	57	-	-	26	31	28	-	-	21	7	5	-	-	1	25
2	1	-	1	-	18	3	2	7	6	10	4	2	3	1	4	2	-	1	26
38	24	-	14	-	677	385	59	200	33	314	206	9	90	9	164	108	2	52	2
1	-	-	-	-	46	20	1	24	1	32	18	1	13	7	13	-	-	6	28
1	1	-	-	-	54	24	3	23	4	27	15	-	10	2	10	7	1	2	29
24	15	-	9	-	343	162	31	129	21	129	61	1	42	4	66	54	1	30	1
13	8	-	5	-	234	179	24	24	7	127	92	7	25	3	55	40	-	14	31
155	151	1	3	-	2,871	1,954	877	19	21	1,295	1,114	170	9	2	591	568	17	7	32
19	19	-	-	-	358	285	72	1	-	160	170	10	-	-	100	96	4	-	33
4	4	-	-	-	140	107	32	1	-	76	74	2	-	-	38	36	2	-	34
15	15	-	-	-	218	178	40	-	-	104	96	8	-	-	62	60	2	-	35
5	5	-	-	-	101	64	37	-	-	46	45	1	-	-	24	22	2	-	36
5	5	-	-	-	55	39	16	-	-	25	25	-	-	-	15	14	1	-	37
5	5	-	-	-	46	25	21	-	-	21	20	1	-	-	9	8	1	-	38
14	14	-	-	-	257	221	35	1	-	134	125	9	-	-	76	74	2	-	39
4	4	-	-	-	65	68	16	1	-	51	49	2	-	-	23	22	1	-	40
10	10	-	-	-	172	153	19	-	-	83	76	7	-	-	53	52	1	-	41
22	20	-	2	-	1,446	870	561	8	7	566	313	49	3	1	126	117	4	4	42
15	13	-	2	-	237	173	57	5	2	123	102	17	2	1	36	31	-	4	43
7	7	-	-	-	1,209	697	504	3	5	243	211	32	-	-	90	86	4	-	44
8	8	-	-	-	175	96	79	-	-	56	49	7	-	-	34	32	2	-	45
5	5	-	-	-	148	77	71	-	-	39	34	5	-	-	23	21	2	-	46
3	3	-	-	-	27	19	8	-	-	17	15	2	-	-	11	11	-	-	47
1	-	-	-	-	7	5	1	-	-	1	1	-	-	-	1	1	-	-	48
1	-	-	-	-	7	5	1	-	-	1	1	-	-	-	1	1	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
2	2	-	-	-	21	19	2	-	-	17	17	-	-	-	8	6	1	1	51
1	1	-	-	-	16	15	1	-	-	10	10	-	-	-	5	4	-	-	52
1	1	-	-	-	5	4	1	-	-	7	7	-	-	-	3	2	1	-	53
4	4	-	-	-	23	14	7	-	2	16	14	1	1	-	9	9	-	-	54
3	3	-	-	-	7	5	1	-	1	5	3	1	1	-	2	2	-	-	55
1	1	-	-	-	16	9	6	-	1	11	11	-	-	-	7	7	-	-	56
6	6	-	-	-	79	73	5	-	1	32	28	4	-	-	13	13	-	-	57
4	4	-	-	-	64	59	4	-	1	25	22	3	-	-	10	10	-	-	58
2	2	-	-	-	15	14	1	-	-	7	6	1	-	-	3	3	-	-	59
2	2	-	-	-	33	20	13	-	-	8	5	3	-	-	6	5	-	1	60
1	1	-	-	-	18	13	5	-	-	6	4	2	-	-	5	4	-	1	61
1	1	-	-	-	15	7	8	-	-	2	1	1	-	-	1	1	-	-	62
37	37	-	-	-	260	212	36	6	6	229	207	18	3	1	148	144	4	-	63
11	11	-	-	-	73	57	6	5	5	86	58	4	3	1	29	29	-	-	64
28	28	-	-	-	187	155	30	1	1	163	149	14	-	-	119	115	4	-	65
1	-	-	1	-	35	19	10	4	2	22	16	5	1	-	13	12	-	1	66
54	53	1	-	-	434	341	91	-	2	368	285	72	1	-	133	131	2	-	67
7	2	-	5	-	34	8	2	19	5	24	-	3	17	4	10	3	-	7	68
5	-	-	4	1	58	22	4	27	5	59	14	1	22	2	20	8	-	12	69
16	-	-	16	-	137	7	84	42	42	78	13	3	51	11	20	2	-	17	70
1	-	-	1	-	37	2	1	26	8	11	4	2	4	1	3	1	-	2	71
2	-	-	2	-	18	1	-	14	3	16	3	-	11	2	5	-	-	5	72
13	-	-	13	-	82	4	3	44	31	51	6	1	36	8	12	1	-	10	73
1	-	-	1	-	16	6	4	2	4	8	5	1	2	-	2	-	-	-	74

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers]

Cause of death	Kansas				Kentucky					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	686	463	59	136	28	1,357	629	121	350	57
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	1	-	-	1	-	5	-	-	4	1
4 Whooping cough-----066	-	-	-	-	-	1	-	-	1	-
5 Meningococcal infections-----067	-	-	-	-	-	6	-	-	6	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	4	2	-	2	-	10	-	-	10	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	3	-	-	3	-	4	1	-	3	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	2	1	-	1	-
10 Diseases of thymus gland-----275	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	1	-	-	1	-	10	2	1	5	2
12 Other diseases of nervous system and sense organs-----330-334,341-398	7	-	-	6	1	16	-	-	14	2
13 Acute upper respiratory infections-----470-475	3	-	-	3	-	4	-	-	4	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	43	-	-	31	12	128	-	-	112	16
15 Influenza-----480-483	-	-	-	-	-	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn-----490-493	43	...	...	31	12	125	...	...	109	16
17 Bronchitis-----500-502	6	-	-	6	-	4	2	-	2	-
18 Other diseases of respiratory system-----510-522,525-527	12	5	-	7	-	16	1	-	12	3
19 Pulmonary congestion and hypostasis-----522	3	2	-	1	-	3	1	-	2	-
20 Other chronic interstitial pneumonia-----525	4	-	-	4	-	8	-	-	8	3
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	2	1	-	1	-	4	-	-	4	-
23 All other diseases of respiratory system-----510-521,527.1	3	2	-	1	-	1	-	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	5	5	-	-	-	22	15	1	5	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	3	-	-	-	3	18	-	-	17	1
26 Other diseases of digestive system-----530-542,544-555,573-587	4	2	-	2	-	6	2	-	3	1
27 Congenital malformations-----750-759	116	74	6	34	2	206	124	10	64	8
28 Spina bifida and meningocele-----751	10	6	-	4	-	19	10	-	9	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	9	4	1	4	-	22	13	1	7	1
30 Congenital malformations of circulatory system-----754	61	36	4	20	1	105	57	4	38	6
31 Other congenital malformations-----750,755-759	36	28	1	6	1	60	44	5	11	-
32 Certain diseases of early infancy-----760-776	427	386	55	5	3	791	664	105	16	6
33 Birth injuries-----760,761	81	68	15	-	-	122	104	18	-	-
34 Without mention of immaturity (.0)-----	35	32	3	-	-	39	36	3	-	-
35 With immaturity (.5)-----	46	36	10	-	-	83	68	15	-	-
36 Intracranial and spinal injury at birth-----760	24	19	5	...	...	43	30	13	...	...
37 Without mention of immaturity (.0)-----	15	13	2	...	...	19	17	2	...	...
38 With immaturity (.5)-----	9	6	3	...	...	24	13	11	...	...
39 Other birth injury-----761	57	49	8	...	...	79	74	5	...	...
40 Without mention of immaturity (.0)-----	20	19	1	-	-	20	19	1	-	-
41 With immaturity (.5)-----	37	30	7	-	-	59	55	4	-	-
42 Postnatal asphyxia and atelectasis-----762	105	89	12	3	1	167	144	17	5	1
43 Without mention of immaturity (.0)-----	43	34	6	2	1	48	41	4	2	1
44 With immaturity (.5)-----	62	55	6	1	-	119	103	13	3	-
45 Pneumonia of newborn-----763	18	17	1	...	...	39	31	8	...	...
46 Without mention of immaturity (.0)-----	15	15	-	...	...	32	26	6	...	...
47 With immaturity (.5)-----	3	2	1	...	...	7	5	2	...	...
48 Diarrhea of newborn-----764	-	-	-	...	...	4	4	-	...	...
49 Without mention of immaturity (.0)-----	-	-	-	-	-	2	2	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	2	2	-	-	-
51 Other infections of newborn-----765-768	5	4	-	1	-	12	12	-	-	-
52 Without mention of immaturity (.0)-----	5	4	-	1	-	7	7	-	-	-
53 With immaturity (.5)-----	-	-	-	-	-	5	5	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	9	8	1	-	-	11	10	1	-	-
55 Without mention of immaturity (.0-.4)-----	2	2	-	-	-	6	5	1	-	-
56 With immaturity (.5-.9)-----	7	6	1	-	-	5	5	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	11	11	-	-	-	15	14	1	-	-
58 Without mention of immaturity (.0-.2)-----	8	8	-	-	-	8	7	1	-	-
59 With immaturity (.5-.7)-----	3	3	-	-	-	7	7	-	-	-
60 Hemorrhagic disease of newborn-----771	5	5	-	-	-	5	5	-	-	-
61 Without mention of immaturity (.0)-----	3	3	-	-	-	4	4	-	-	-
62 With immaturity (.5)-----	2	2	-	-	-	1	1	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	103	67	14	-	2	161	155	15	7	4
64 Without mention of immaturity (.0)-----	21	17	2	-	2	55	42	2	7	4
65 With immaturity (.5)-----	82	70	12	-	-	126	113	13	-	-
66 Immaturity with mention of any other subsidiary condition-----774	6	5	1	-	-	22	14	4	3	1
67 Immaturity, unqualified-----776	84	72	11	1	-	213	171	41	1	-
68 Symptoms and ill-defined conditions-----780-793,795	7	2	-	4	1	24	3	2	13	6
69 All other diseases-----Residual	10	3	-	6	1	22	6	1	13	2
70 Accidents-----E800-E962	32	3	-	25	4	60	8	1	43	8
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	3	-	-	2	1	12	4	-	7	1
72 Accidental mechanical suffocation in bed and cradle-----E924	5	-	-	4	1	16	-	1	13	2
73 Other accidental causes-----E800-E920,E923,E925-E962	24	3	-	19	2	32	4	-	23	5
74 Homicide-----E964,E980-E994	1	-	-	-	1	2	-	-	2	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Louisiana					Maine					Maryland					Massachusetts					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	White
1,986	701	750	170	567	414	286	6	120	2	1,526	784	374	237	151	1,697	1,532	123	394	48	1
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
19	-	-	3	15	2	-	-	2	-	4	-	-	2	2	7	-	-	7	-	3
7	-	-	-	1	1	-	-	1	-	1	-	-	-	-	4	-	-	-	-	4
1	-	-	-	2	1	-	-	-	-	4	-	-	-	-	4	-	-	-	-	5
1	-	-	-	1	1	-	-	-	-	4	-	-	-	-	4	-	-	-	-	6
10	1	3	2	4	4	2	-	2	-	4	-	-	3	1	12	3	-	8	1	7
6	-	-	4	2	-	-	-	-	-	1	-	-	1	-	7	2	1	4	-	8
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	3	-	-	3	-	9
1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	3	1	-	2	-	10
23	5	2	3	13	4	2	-	2	2	9	5	-	2	2	15	3	2	9	1	11
14	1	1	4	9	3	-	-	3	-	11	1	-	6	4	9	-	-	6	1	12
-	-	-	-	3	3	-	-	3	-	4	-	-	3	1	6	-	-	4	-	13
166	-	-	58	128	41	-	-	41	-	58	-	-	28	30	151	-	-	129	22	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
166	...	...	38	128	41	...	...	41	-	58	...	...	28	30	151	...	...	129	22	16
6	-	-	2	4	2	1	-	1	-	4	-	-	2	2	6	-	-	6	-	17
48	1	1	17	29	3	-	-	3	-	93	4	-	49	40	44	6	1	35	2	18
1	-	-	-	-	-	-	-	-	-	3	-	-	2	1	7	-	-	6	1	19
42	-	-	15	27	2	-	-	2	-	80	2	-	44	34	12	-	-	11	1	20
4	1	-	1	2	1	-	-	1	-	7	-	-	3	4	22	3	1	16	-	21
1	-	-	1	-	-	-	-	-	-	3	2	-	-	1	3	3	-	-	-	22
17	7	8	1	1	4	1	-	3	-	15	9	3	3	-	22	15	-	6	1	24
47	-	-	6	41	6	-	-	5	1	8	-	-	4	4	7	-	-	7	-	25
16	4	2	2	8	1	-	-	1	-	-	-	-	-	9	5	-	-	3	1	26
234	105	49	42	39	72	43	1	28	-	254	119	41	76	18	301	207	9	78	7	27
17	6	3	7	1	10	3	-	7	-	17	12	-	4	1	24	13	1	10	-	28
22	15	1	3	3	6	4	-	2	-	19	5	5	7	2	11	10	-	1	-	29
107	37	25	21	24	33	16	-	17	-	130	54	19	46	11	158	98	4	49	7	30
88	47	19	11	11	23	20	1	2	-	88	48	17	19	4	108	86	4	18	-	31
1,242	571	647	5	19	242	232	5	5	-	958	622	323	5	5	1,203	1,076	109	15	3	32
157	74	85	-	-	36	54	1	1	-	103	74	29	-	-	160	143	17	-	-	33
66	24	42	-	-	17	16	1	1	-	41	32	9	-	-	46	43	3	-	-	34
91	50	41	-	-	19	18	-	1	-	62	42	20	-	-	114	100	14	-	-	35
72	23	49	-	-	17	16	1	1	-	39	27	12	6	-	60	53	7	-	-	36
39	13	26	-	-	13	12	1	1	-	31	15	6	-	-	35	23	2	-	-	37
33	10	23	-	-	4	4	-	-	-	18	12	6	-	-	35	30	5	-	-	38
85	51	34	-	-	19	18	-	1	-	47	17	3	-	-	100	90	10	-	-	39
27	11	16	-	-	4	4	-	-	-	20	17	3	-	-	21	20	1	-	-	40
58	40	18	-	-	15	14	-	1	-	44	30	14	-	-	79	70	9	-	-	41
301	147	148	1	5	79	76	2	1	-	207	145	58	3	1	283	256	20	6	1	42
88	38	46	1	3	24	24	-	1	-	40	27	9	3	1	70	58	6	5	1	43
213	109	102	-	2	55	52	2	2	-	167	113	49	-	-	213	198	14	5	1	44
92	36	56	-	-	7	7	-	-	-	40	26	14	-	-	57	52	5	-	-	45
64	23	41	-	-	4	4	-	-	-	30	18	12	-	-	36	36	4	-	-	46
28	13	15	-	-	4	3	-	-	-	10	8	2	-	-	17	16	1	-	-	47
12	-	-	-	-	2	2	-	-	-	1	1	-	-	-	4	3	1	-	-	48
11	-	-	-	-	1	1	-	-	-	1	1	-	-	-	3	2	1	-	-	49
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	50
30	9	21	-	-	5	4	-	1	-	15	8	7	-	-	15	13	2	-	-	51
19	4	18	-	-	4	3	-	1	-	11	8	3	-	-	7	7	-	-	-	52
11	5	6	-	-	1	1	-	-	-	4	-	4	-	-	6	6	2	-	-	53
19	7	11	1	1	1	1	-	-	-	3	2	1	-	-	10	7	2	1	-	54
14	3	2	1	1	1	1	-	-	-	1	1	-	-	-	3	2	-	1	-	55
5	3	2	1	1	1	1	-	-	-	1	1	-	-	-	7	5	2	-	-	56
21	17	3	1	10	10	10	-	-	-	23	20	2	-	-	51	51	-	-	-	57
15	11	3	1	5	5	5	-	-	-	18	16	2	-	-	32	32	-	-	-	58
6	6	-	-	5	5	5	-	-	-	5	4	-	-	1	19	19	-	-	-	59
27	6	21	-	-	2	2	-	-	-	18	15	5	-	-	16	13	3	-	-	60
15	3	12	-	-	2	2	-	-	-	8	8	5	-	-	5	3	2	-	-	61
12	3	9	-	-	2	2	-	-	-	10	5	5	-	-	11	10	1	-	-	62
282	126	144	2	10	51	49	-	2	-	219	146	68	2	3	210	184	18	7	1	63
55	31	23	2	7	15	13	-	2	-	37	27	5	2	3	40	30	2	7	1	64
219	95	121	-	3	36	36	-	-	-	182	119	63	-	-	170	154	16	-	-	65
33	10	20	-	2	2	2	-	-	-	31	17	14	-	-	43	38	4	1	-	66
288	139	128	-	1	47	45	2	-	-	295	170	125	-	-	354	316	37	-	-	67
7	1	3	-	3	2	-	-	2	-	28	4	3	11	12	13	5	-	10	2	68
45	5	9	14	15	7	7	-	4	-	33	11	3	18	9	26	1	1	18	2	69
72	-	5	18	49	15	2	-	12	-	36	7	1	20	8	46	5	-	37	4	70
16	-	2	4	10	4	-	-	4	-	5	1	-	3	1	11	1	-	10	-	71
15	-	2	3	6	5	5	-	2	-	4	1	-	2	1	10	1	-	7	-	72
43	-	1	11	31	6	6	-	6	-	27	5	1	15	6	25	2	-	20	5	73
7	-	1	2	4	1	-	-	1	-	3	1	2	-	-	3	1	-	1	-	74

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers

Cause of death	Michigan				Minnesota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	3,600	2,099	620	678	203	1,281	939	31	290	21
2 Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia 053	11	-	-	10	1	1	-	-	1	-
4 Whooping cough 056	-	-	-	-	-	1	-	-	-	1
5 Meningococcal infections 057	8	1	1	6	-	2	-	-	2	-
6 Tetanus 061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases 001-044, 049-052, 054, 055, 058-060, 062-138	18	3	1	13	1	2	1	-	1	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	10	1	-	6	3	6	3	-	2	1
9 Benign neoplasms and neoplasms of unspecified nature 210-239	8	2	-	5	1	1	1	-	-	-
10 Diseases of thymus gland 273	4	-	-	4	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous 340	16	3	-	9	4	10	4	-	5	1
12 Other diseases of nervous system and sense organs 330-334, 341-398	23	2	-	15	6	9	-	-	9	-
13 Acute upper respiratory infections 470-475	7	-	-	6	1	3	-	-	3	-
14 Influenza and pneumonia, except pneumonia of newborn 480-493	189	-	-	149	40	52	-	-	46	6
15 Influenza 480-483	2	-	-	2	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn 490-493	187	-	-	147	40	52	-	-	46	6
17 Bronchitis 500-502	21	1	-	13	7	2	1	-	1	-
18 Other diseases of respiratory system 510-522, 525-527	33	2	1	24	6	28	1	-	25	2
19 Pulmonary congestion and hypostasis 522	5	1	1	3	-	18	1	-	16	1
20 Other chronic interstitial pneumonia 525	21	-	-	16	5	9	-	-	8	1
21 Bronchiectasis 526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity 527.2	5	-	-	4	1	1	-	-	1	-
23 All other diseases of respiratory system 510-521, 527.1	2	1	-	1	-	-	-	-	-	-
24 Hernia and intestinal obstruction 560, 561, 570	32	15	4	10	3	10	7	-	3	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	23	-	-	19	4	7	-	-	7	-
26 Other diseases of digestive system 530-542, 544-553, 573-587	12	2	1	8	1	6	4	-	2	-
27 Congenital malformations 750-759	566	318	49	172	27	238	151	1	85	1
28 Spina bifida and meningocele 751	42	22	-	19	2	14	8	-	8	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs 752, 753	45	22	3	19	2	17	7	-	10	-
30 Congenital malformations of circulatory system 754	271	127	25	101	18	118	70	-	48	-
31 Other congenital malformations 750, 755-759	208	147	21	35	5	89	63	1	19	1
32 Certain diseases of early infancy 760-776	2,280	1,702	544	25	9	784	748	27	9	-
33 Birth injuries 760, 761	375	284	90	1	-	157	154	3	-	-
34 Without mention of immaturity (.0)	121	86	35	-	-	40	38	2	-	-
35 With immaturity (.5)	254	198	55	1	-	117	116	1	-	-
36 Intracranial and spinal injury at birth 760	87	61	26	-	-	31	30	1	-	-
37 Without mention of immaturity (.0)	41	30	11	-	-	16	15	1	-	-
38 With immaturity (.5)	46	31	15	-	-	15	15	-	-	-
39 Other birth injury 761	288	223	64	1	-	122	124	2	-	-
40 Without mention of immaturity (.0)	80	56	24	-	-	24	23	1	-	-
41 With immaturity (.5)	208	167	40	1	-	102	101	1	-	-
42 Postnatal asphyxia and atelectasis 762	585	439	117	9	2	161	155	6	-	-
43 Without mention of immaturity (.0)	141	107	24	8	2	41	39	2	-	-
44 With immaturity (.5)	424	331	93	-	-	120	116	4	-	-
45 Pneumonia of newborn 763	83	66	17	-	-	26	25	1	-	-
46 Without mention of immaturity (.0)	64	52	12	-	-	18	17	1	-	-
47 With immaturity (.5)	19	14	5	-	-	8	8	-	-	-
48 Diarrhea of newborn 764	3	3	-	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)	3	3	-	-	-	-	-	-	-	-
50 With immaturity (.5)	-	-	-	-	-	1	1	-	-	-
51 Other infections of newborn 765-768	45	29	16	-	-	8	8	-	-	-
52 Without mention of immaturity (.0)	19	12	7	-	-	4	4	-	-	-
53 With immaturity (.5)	26	17	9	-	-	4	4	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy 769	29	19	9	1	-	15	14	-	1	-
55 Without mention of immaturity (.0-.4)	13	7	5	1	-	2	1	-	1	-
56 With immaturity (.5-.9)	16	12	4	-	-	13	13	-	-	-
57 Hemolytic disease of newborn (erythroblastosis) 770	57	52	5	-	-	33	33	-	-	-
58 Without mention of immaturity (.0-.2)	38	36	2	-	-	18	18	-	-	-
59 With immaturity (.5-.7)	19	16	3	-	-	15	15	-	-	-
60 Hemorrhagic disease of newborn 771	26	18	7	-	-	4	4	-	-	-
61 Without mention of immaturity (.0)	13	7	5	-	-	3	3	-	-	-
62 With immaturity (.5)	13	11	2	-	-	1	1	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772, 773	375	297	73	3	2	177	167	7	3	-
64 Without mention of immaturity (.0)	67	52	11	2	2	32	30	-	2	-
65 With immaturity (.5)	308	245	62	1	-	145	137	7	1	-
66 Immaturity with mention of any other subsidiary condition 774	51	28	9	11	3	28	21	4	3	-
67 Immaturity, unqualified 775	671	468	201	1	1	174	166	6	2	-
68 Symptoms and ill-defined conditions 780-793, 795	178	20	7	82	69	54	4	1	46	3
69 All other diseases 794	61	18	5	29	9	22	6	2	13	1
70 Accidents 800-892	91	9	4	68	10	37	4	-	28	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation 891, 892	19	-	1	14	4	5	1	-	3	1
72 Accidental mechanical suffocation in bed and cradle 894	15	2	-	12	1	4	-	-	4	-
73 Other accidental causes 890-893, 895, 896-898	57	7	3	42	5	28	3	-	21	4
74 Homicide 894, 898-8984	9	-	3	5	1	6	4	-	2	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Mississippi				Total, under 1 year	Missouri				Total, under 1 year	Montana				Total, under 1 year	Nebraska					
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		
1,651	390	667	127	467	1,692	924	329	279	160	267	185	17	67	18	462	351	29	66	16	1	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
11	-	-	3	8	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	3
3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	-	1	-	1	4	-	-	4	-	1	-	1	-	-	1	-	-	-	-	-	5
8	1	-	1	6	9	2	-	7	-	2	-	-	-	-	-	-	-	-	-	-	6
4	-	2	2	-	5	2	-	3	-	1	1	-	-	-	2	-	-	-	-	-	8
2	-	-	-	-	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	9
1	-	-	1	-	3	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	10
14	-	2	3	9	14	2	2	8	2	3	1	-	1	1	4	1	1	2	-	-	11
10	-	-	-	7	10	-	-	5	4	1	-	-	-	1	1	-	-	-	-	-	12
8	-	-	-	7	5	-	1	5	-	5	-	-	-	-	2	-	-	-	-	-	13
130	-	-	14	116	155	2	-	81	72	24	-	-	-	7	28	-	-	-	-	-	14
2	-	-	-	2	3	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	15
128	...	...	14	114	152	...	...	80	72	24	...	...	17	7	27	...	...	19	8	-	16
3	-	-	2	1	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	17
15	1	3	1	10	12	2	2	4	4	3	-	-	2	1	15	1	-	10	2	-	18
1	-	-	-	2	2	1	1	-	-	2	-	-	2	-	9	-	-	7	-	-	19
3	-	-	-	1	7	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	20
10	-	3	-	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	3	3	1	1	-	1	-	-	-	-	1	3	1	-	3	-	-	22
15	6	1	2	4	11	5	2	3	1	-	-	-	-	1	1	1	-	-	-	-	24
74	-	-	8	66	16	-	-	11	5	3	-	-	1	2	1	-	-	1	-	-	25
8	1	2	1	4	5	1	-	5	1	-	-	-	-	-	3	-	-	3	-	-	26
169	65	52	29	23	246	143	19	65	19	46	32	1	15	-	84	52	4	27	1	-	27
14	8	2	4	14	14	8	2	3	1	3	1	-	2	-	5	2	1	2	-	-	28
11	5	3	1	2	15	5	2	8	-	2	1	-	1	-	12	6	-	6	-	-	29
81	27	23	16	15	138	75	8	41	16	21	14	1	6	-	42	22	2	17	1	-	30
65	25	24	8	6	79	57	7	13	2	22	16	-	6	-	25	22	1	2	-	-	31
610	300	480	2	28	1,052	738	292	9	13	163	146	15	2	-	321	294	24	3	-	-	32
86	45	40	-	1	140	114	26	-	-	19	16	3	-	-	86	85	3	-	-	-	33
40	21	19	-	-	51	37	14	-	-	4	4	-	-	-	14	13	1	-	-	-	34
46	24	21	-	1	89	77	12	-	-	15	12	3	-	-	74	72	2	-	-	-	35
24	13	11	...	...	46	26	18	...	...	3	2	1	...	...	8	7	1	...	...	...	36
16	8	8	...	...	29	17	12	...	...	1	1	-	...	...	6	5	1	...	...	...	37
9	5	3	...	...	17	11	6	...	...	2	1	-	...	...	2	2	-	...	...	...	38
62	32	29	...	1	94	86	8	-	-	16	14	2	-	-	80	78	2	-	-	-	39
24	13	11	-	-	22	20	2	-	-	3	3	-	-	-	9	8	-	-	-	-	40
38	19	16	-	1	72	66	6	-	-	13	11	2	-	-	72	70	2	-	-	-	41
138	64	70	-	4	271	207	60	2	2	26	23	3	-	-	73	63	8	2	-	-	42
53	20	28	-	4	86	60	22	2	2	7	5	2	-	-	17	14	1	2	-	-	43
85	44	41	-	-	185	147	38	-	-	19	18	1	-	-	56	49	7	-	-	-	44
51	13	38	...	...	42	24	18	...	...	3	3	-	...	...	15	12	3	...	...	...	45
42	11	31	...	...	29	16	13	...	...	2	2	-	...	...	12	10	2	...	...	...	46
9	2	7	...	...	13	6	5	...	...	1	1	-	...	...	3	2	1	...	...	...	47
15	-	15	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	48
12	-	12	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	49
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
15	4	11	-	-	21	13	8	-	-	2	1	1	-	-	5	5	-	-	-	-	51
12	3	9	-	-	8	5	3	-	-	1	1	-	-	-	3	3	-	-	-	-	52
3	1	2	-	-	13	6	5	-	-	1	-	1	-	-	2	2	-	-	-	-	53
11	2	9	-	-	11	7	3	1	-	2	2	-	-	-	4	4	-	-	-	-	54
4	-	4	-	-	4	2	1	1	-	1	1	-	-	-	1	1	-	-	-	-	55
7	2	5	-	-	7	5	2	-	-	1	1	-	-	-	3	3	-	-	-	-	56
10	6	4	-	-	24	20	3	1	-	6	6	-	-	-	7	7	-	-	-	-	57
7	4	3	-	-	17	14	2	1	-	6	6	-	-	-	5	5	-	-	-	-	58
3	2	1	-	-	7	6	1	-	-	-	-	-	-	-	2	2	-	-	-	-	59
9	2	7	-	-	11	9	2	-	-	1	1	-	-	-	1	1	-	-	-	-	60
5	2	3	-	-	6	5	1	-	-	1	1	-	-	-	1	1	-	-	-	-	61
4	-	4	-	-	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
214	88	113	2	11	250	167	72	4	7	41	36	3	2	-	61	57	3	1	-	-	63
84	31	51	1	11	40	25	5	3	7	10	6	2	2	-	6	5	-	1	-	-	64
120	57	62	1	-	210	142	67	1	-	31	30	1	-	-	55	52	3	-	-	-	65
23	6	10	-	7	46	37	7	-	2	5	5	-	-	-	4	4	-	-	-	-	66
238	70	163	-	5	235	140	92	1	2	58	53	5	-	-	61	54	7	-	-	-	67
267	11	109	18	129	42	6	7	15	14	5	2	-	2	3	1	-	-	1	-	-	68
18	3	3	4	8	39	17	1	16	5	7	-	-	4	1	1	1	-	-	-	-	69
80	2	12	25	41	54	2	1	31	20	18	2	-	14	2	17	1	-	13	8	-	70
16	-	4	6	6	7	1	-	3	3	4	1	-	-	3	-	-	-	-	-	-	71
14	-	1	6	7	14	-	-	6	6	5	-	-	3	2	4	-	-	-	-	-	72
50	2	7	13	28	33	1	1	20	11	9	1	-	-	10	1	1	-	8	-	-	73
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	74

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers]

Cause of death	Nevada				New Hampshire					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	168	98	25	37	8	258	181	4	71	2
2 Dysentery, all forms-----045-048	-	1	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	1	-	-	1	-	-	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	-	-	-	-	-	1	-	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	1	-	-	1	-
10 Diseases of thymus gland-----273	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	2	1	-	1	-	3	-	-	3	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	3	1	-	2	-	2	-	-	2	-
13 Acute upper respiratory infections-----470-475	4	-	-	4	-	-	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	10	-	-	7	3	21	-	-	21	-
15 Influenza-----480-483	-	-	-	7	3	21	-	-	21	-
16 Pneumonia, except pneumonia of newborn-----490-493	10	-	-	7	3	21	-	-	21	-
17 Bronchitis-----500-502	-	-	-	-	-	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	7	-	1	5	1	4	-	-	4	-
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	6	-	-	5	1	3	-	-	3	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527-2	1	-	1	-	-	1	-	-	1	-
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	2	1	1	-	-	-	-	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1	1	-	-	1	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	1	1	-	-	-	1	-	-	1	-
27 Congenital malformations-----750-759	24	14	1	7	2	37	24	-	12	1
28 Spina bifida and meningocele-----751	-	-	-	-	-	-	-	-	-	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1	1	-	-	-	2	-	-	2	-
30 Congenital malformations of circulatory system-----754	10	5	-	4	1	17	10	-	6	1
31 Other congenital malformations-----750,755-759	13	8	1	3	1	18	14	-	4	-
32 Certain diseases of early infancy-----760-776	99	78	21	-	-	158	152	4	2	-
33 Birth injuries-----760,761	10	6	4	1	-	22	21	1	-	-
34 Without mention of immaturity (.0)-----	4	3	1	-	-	2	2	-	-	-
35 With immaturity (.5)-----	6	3	3	-	-	20	19	1	-	-
36 Intracranial and spinal injury at birth-----760	2	2	2	-	-	4	4	-	-	-
37 Without mention of immaturity (.0)-----	2	2	-	-	-	4	4	-	-	-
38 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
39 Other birth injury-----781	8	4	4	-	-	18	17	1	-	-
40 Without mention of immaturity (.0)-----	2	1	1	-	-	2	2	-	-	-
41 With immaturity (.5)-----	6	3	3	-	-	16	15	1	-	-
42 Postnatal asphyxia and atelectasis-----762	13	11	2	-	-	37	36	-	1	-
43 Without mention of immaturity (.0)-----	2	2	-	-	-	6	5	-	1	-
44 With immaturity (.5)-----	11	9	2	-	-	31	31	-	-	-
45 Pneumonia of newborn-----763	6	5	1	-	-	7	7	-	-	-
46 Without mention of immaturity (.0)-----	4	3	1	-	-	3	3	-	-	-
47 With immaturity (.5)-----	2	2	-	-	-	4	4	-	-	-
48 Diarrhea of newborn-----764	2	2	-	-	-	4	4	-	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	1	-	1	-	-	2	2	-	-	-
52 Without mention of immaturity (.0)-----	-	-	-	-	-	1	1	-	-	-
53 With immaturity (.5)-----	1	-	1	-	-	1	1	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1	1	-	-	-	2	2	-	-	-
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	1	1	-	-	-
56 With immaturity (.5-.9)-----	-	-	-	-	-	1	1	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	1	1	-	-	-	4	4	-	-	-
58 Without mention of immaturity (.0-.2)-----	1	1	-	-	-	2	2	-	-	-
59 With immaturity (.5-.7)-----	-	-	-	-	-	2	2	-	-	-
60 Hemorrhagic disease of newborn-----771	3	2	1	-	-	1	1	-	-	-
61 Without mention of immaturity (.0)-----	3	2	1	-	-	1	1	-	-	-
62 With immaturity (.5)-----	-	-	-	-	-	1	1	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	31	27	4	-	-	39	39	-	-	-
64 Without mention of immaturity (.0)-----	2	2	-	-	-	3	3	-	-	-
65 With immaturity (.5)-----	29	25	4	-	-	36	36	-	-	-
66 Immaturity with mention of any other subsidiary condition-----774	-	-	-	-	-	3	2	-	1	-
67 Immaturity, unqualified-----776	33	25	8	-	-	41	38	3	-	-
68 Symptoms and ill-defined conditions-----780-793,795	2	1	-	1	-	12	1	-	10	1
69 All other diseases-----Residual	4	1	-	3	-	3	2	-	1	-
70 Accidents-----E800-E962	7	-	1	5	1	14	1	-	13	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1	-	-	1	-	3	-	-	3	-
72 Accidental mechanical suffocation in bed and cradle-----E924	-	-	-	-	-	3	-	-	3	-
73 Other accidental causes-----E800-E920,E923,E925-E962	6	-	1	4	1	8	1	-	7	-
74 Homicide-----E964,E980-E984	1	-	-	1	-	1	1	-	-	-



SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers]

Cause of death	North Dakota				Ohio					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes-----	228	174	7	40	7	3,838	2,407	499	751	201
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	1	-	-	-	1	10	-	-	5	5
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	1	-	-	-	1	8	-	-	8	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases---001-044,049-052,054,055,058-060,062-138	2	-	-	2	-	19	3	-	12	4
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	11	1	-	9	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	1	-	6	3	-	2	1
10 Diseases of thymus gland-----273	-	-	-	-	-	1	1	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	1	-	-	1	-	29	10	4	11	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	2	-	-	2	-	24	-	-	21	3
13 Acute upper respiratory infections-----470-475	1	-	-	1	-	71	5	2	32	32
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	18	-	-	14	4	213	-	-	172	41
15 Influenza-----480-483	-	-	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	18	-	-	14	4	213	-	-	172	41
17 Bronchitis-----500-502	-	-	-	-	-	15	-	-	12	3
18 Other diseases of respiratory system-----510-522,525-527	2	-	-	2	-	95	2	1	64	26
19 Pulmonary congestion and hypostasis-----522	1	-	-	1	-	3	-	-	2	1
20 Other chronic interstitial pneumonia-----525	1	-	-	1	-	78	-	-	57	21
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	-	-	-	-	-	7	-	1	3	3
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	5	2	-	2	1
24 Hernia and intestinal obstruction-----560,561,570	1	1	-	-	-	32	25	2	4	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	-	-	-	-	-	20	-	-	15	5
26 Other diseases of digestive system-----530-542,544-553,573-587	1	-	-	1	-	14	5	1	5	3
27 Congenital malformations-----750-759	31	24	-	6	1	607	359	47	175	26
28 Spina bifida and meningocele-----751	1	1	-	-	-	40	25	1	14	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	3	1	-	1	1	55	21	3	26	5
30 Congenital malformations of circulatory system-----754	22	19	-	4	-	283	141	27	97	18
31 Other congenital malformations-----750,755-759	5	4	-	1	-	229	172	16	30	3
32 Certain diseases of early infancy-----760-776	158	149	7	2	-	2,395	1,940	413	31	9
33 Birth injuries-----760,761	22	21	1	-	-	365	309	56	-	-
34 Without mention of immaturity (.0)-----	7	6	1	-	-	137	118	19	-	-
35 With immaturity (.5)-----	15	15	-	-	-	228	191	37	-	-
36 Intracranial and spinal injury at birth-----760	4	4	-	-	-	105	87	18	-	-
37 Without mention of immaturity (.0)-----	3	3	-	-	-	63	54	9	-	-
38 With immaturity (.5)-----	1	1	-	-	-	42	33	9	-	-
39 Other birth injury-----761	18	17	1	-	-	260	222	38	-	-
40 Without mention of immaturity (.0)-----	4	3	1	-	-	74	64	10	-	-
41 With immaturity (.5)-----	14	14	-	-	-	186	159	28	-	-
42 Postnatal asphyxia and atelectasis-----762	32	30	-	2	-	632	531	88	11	2
43 Without mention of immaturity (.0)-----	11	9	-	2	-	149	118	18	11	2
44 With immaturity (.5)-----	21	21	-	-	-	483	413	70	-	-
45 Pneumonia of newborn-----763	8	8	-	-	-	101	82	19	-	-
46 Without mention of immaturity (.0)-----	3	3	-	-	-	58	49	9	-	-
47 With immaturity (.5)-----	5	5	-	-	-	43	33	10	-	-
48 Diarrhea of newborn-----764	-	-	-	-	-	5	3	2	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	5	3	2	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	1	1	-	-	-	45	28	17	-	-
52 Without mention of immaturity (.0)-----	1	1	-	-	-	23	16	7	-	-
53 With immaturity (.5)-----	-	-	-	-	-	22	12	10	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	4	4	-	-	-	26	21	4	-	1
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	13	12	-	-	1
56 With immaturity (.5-.9)-----	3	3	-	-	-	13	9	4	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	10	10	-	-	-	59	58	1	-	-
58 Without mention of immaturity (.0-.2)-----	6	6	-	-	-	42	41	1	-	-
59 With immaturity (.5-.7)-----	4	4	-	-	-	17	17	-	-	-
60 Hemorrhagic disease of newborn-----771	1	1	-	-	-	26	19	7	-	-
61 Without mention of immaturity (.0)-----	1	1	-	-	-	13	10	3	-	-
62 With immaturity (.5)-----	-	-	-	-	-	13	9	4	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	45	42	3	-	-	536	433	84	14	5
64 Without mention of immaturity (.0)-----	11	9	2	-	-	109	83	10	12	4
65 With immaturity (.5)-----	34	33	1	-	-	427	350	74	2	1
66 Immaturity with mention of any other subsidiary condition-----774	2	2	-	-	-	57	45	5	5	1
67 Immaturity, unqualified-----776	33	30	3	-	-	541	410	130	1	-
68 Symptoms and ill-defined conditions-----780-793,795	3	-	-	3	-	87	14	22	45	6
69 All other diseases-----Residual	1	-	-	1	-	57	24	1	25	7
70 Accidents-----E800-E962	3	-	-	3	-	114	11	4	78	21
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	-	-	-	-	-	27	2	-	21	4
72 Accidental mechanical suffocation in bed and cradle-----E924	1	-	-	-	-	25	3	-	16	6
73 Other accidental causes-----E800-E920,E923,E925-E962	2	-	-	2	-	62	6	4	41	11
74 Homicide-----E964,E980-E984	-	-	-	-	-	14	4	2	5	3

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967-Con.  
of the Seventh Revision of the International Lists, 1955]

Oklahoma					Oregon				Pennsylvania				Rhode Island				Total, under 1 year				
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White		Non-white	White	Non-white	
856	494	123	155	64	610	404	25	170	13	4,199	2,618	674	668	239	307	216	28	58	5	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	-	1	3	-	-	3	-	10	-	-	8	2	2	-	-	2	-	3	
3	-	-	3	-	2	-	-	2	-	7	1	-	6	-	-	-	-	-	-	4	
7	-	-	6	1	2	-	-	2	-	15	2	2	10	1	3	1	-	2	-	5	
4	-	-	3	1	2	1	-	1	-	14	1	-	12	1	2	-	-	2	-	6	
-	-	-	-	-	2	2	-	-	-	7	2	-	4	1	1	1	-	-	-	7	
-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	8	
13	3	1	5	4	5	-	-	5	-	27	9	2	15	3	2	1	-	1	-	9	
9	-	-	8	1	4	-	-	4	-	35	2	-	26	7	1	-	-	1	-	10	
1	-	-	1	-	4	-	-	-	-	4	-	-	3	1	1	-	-	1	-	11	
50	-	-	30	-	37	-	-	35	2	180	-	-	127	33	31	-	-	27	4	12	
50	-	-	30	20	37	-	-	35	2	156	-	-	126	30	31	-	-	27	4	13	
5	-	-	3	2	1	-	-	1	-	17	1	-	15	3	3	-	1	1	1	14	
5	1	1	3	2	9	2	-	6	1	49	4	1	39	5	3	-	3	1	1	15	
1	-	-	-	-	4	1	-	2	1	-	-	-	-	1	1	-	-	-	-	16	
2	-	-	1	-	2	-	-	2	-	40	2	-	33	5	2	-	-	2	-	17	
8	1	1	1	-	3	1	-	2	-	4	1	-	3	-	-	-	-	-	-	18	
8	6	1	1	-	7	6	-	1	-	56	25	3	8	-	2	2	-	-	-	19	
8	-	-	4	4	4	-	-	4	-	22	-	-	21	1	2	-	-	2	-	20	
5	3	-	2	-	4	2	-	2	-	9	4	3	2	1	1	-	-	-	-	21	
121	80	11	26	4	93	56	4	33	-	644	409	49	160	26	49	39	1	9	-	22	
10	7	2	1	-	2	2	-	-	-	50	32	1	16	1	5	5	-	-	-	23	
8	4	-	3	1	13	7	-	6	-	50	51	2	16	1	3	2	-	1	-	24	
50	29	7	12	2	50	28	1	21	-	335	189	26	101	19	21	14	-	7	-	25	
53	40	2	10	1	29	19	3	6	-	209	157	20	27	5	20	18	1	1	-	26	
480	382	105	1	2	339	320	16	2	1	2,755	2,114	598	27	16	193	167	26	-	-	27	
72	53	17	-	-	85	81	2	-	-	425	350	75	-	-	29	27	2	-	-	28	
24	16	8	-	-	22	22	2	-	-	149	130	19	-	-	6	5	1	-	-	29	
48	39	9	-	-	61	59	2	-	-	276	220	56	-	-	25	22	1	-	-	30	
24	19	5	-	-	41	39	2	-	-	169	119	50	-	-	10	8	2	-	-	31	
12	9	3	-	-	12	12	-	-	-	82	68	15	-	-	2	1	1	-	-	32	
12	10	2	-	-	28	27	2	-	-	87	53	34	-	-	8	7	1	-	-	33	
48	36	12	-	-	42	42	-	-	-	256	231	25	-	-	19	19	4	-	-	34	
12	7	5	-	-	10	10	-	-	-	67	64	3	-	-	4	4	-	-	-	35	
36	29	7	-	-	32	32	-	-	-	189	167	22	-	-	15	15	-	-	-	36	
102	76	25	-	1	67	61	4	2	-	680	557	108	8	7	74	64	10	-	-	37	
33	22	10	-	1	24	22	1	1	-	208	163	28	8	4	10	8	2	-	-	38	
69	54	15	-	-	43	39	3	1	-	472	389	80	-	3	64	56	8	-	-	39	
23	17	6	-	-	12	12	-	-	-	94	77	17	-	-	10	10	-	-	-	40	
17	14	3	-	-	8	8	-	-	-	85	55	10	-	-	9	9	-	-	-	41	
6	3	3	-	-	4	4	-	-	-	29	22	7	-	-	1	1	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	44	
10	6	4	-	-	6	5	1	-	-	45	31	14	-	-	1	-	1	-	-	45	
3	2	1	-	-	2	1	1	-	-	24	21	3	-	-	-	-	-	-	-	46	
7	4	3	-	-	4	4	-	-	-	21	10	11	-	-	1	-	1	-	-	47	
10	7	3	-	-	4	3	1	-	-	22	19	2	-	-	3	3	-	-	-	48	
5	3	2	-	-	1	1	-	-	-	12	11	1	-	-	2	2	-	-	-	49	
5	4	1	-	-	3	2	1	-	-	10	8	2	-	-	1	1	-	-	-	50	
8	5	1	-	-	5	5	-	-	-	68	63	5	-	-	6	6	-	-	-	51	
4	4	-	-	-	4	4	-	-	-	51	47	4	-	-	2	2	-	-	-	52	
2	1	1	-	-	1	1	-	-	-	17	16	1	-	-	5	4	-	-	-	53	
7	6	1	-	-	3	3	-	-	-	25	19	6	-	-	2	2	-	-	-	54	
4	4	-	-	-	1	1	-	-	-	11	8	3	-	-	2	2	-	-	-	55	
3	2	1	-	-	2	2	-	-	-	14	11	3	-	-	-	-	-	-	-	56	
127	106	20	-	1	71	68	3	-	-	647	478	154	11	4	51	28	3	-	-	57	
28	27	1	-	-	12	11	1	-	-	106	76	17	10	3	2	2	-	-	-	58	
99	79	19	-	1	59	57	2	-	-	541	402	137	1	1	29	26	3	-	-	59	
9	7	2	-	-	6	5	-	-	-	56	37	13	6	1	1	1	-	-	-	60	
124	97	26	-	1	82	77	5	-	-	665	477	202	1	5	35	27	8	-	-	61	
35	7	3	16	9	45	41	2	31	4	171	12	11	54	94	1	1	-	-	-	62	
17	6	-	6	5	13	12	-	8	-	81	25	4	43	11	4	4	-	-	-	63	
52	8	1	35	10	35	31	1	28	5	119	7	2	87	25	4	1	-	-	-	64	
14	4	1	6	3	4	3	-	3	-	31	1	-	30	-	2	-	-	-	-	65	
11	-	-	10	1	8	7	-	4	-	22	2	-	16	4	2	-	-	-	-	66	
27	2	-	19	6	23	21	-	21	1	66	4	2	42	19	2	1	-	-	-	67	
2	-	-	2	-	2	1	-	1	-	15	2	1	1	11	2	2	-	-	-	68	

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[[Numbers after causes of death are category numbers

Cause of death	South Carolina				South Dakota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	1,383	481	585	138	561	256	164	20	47	25
2 Dysentery, all forms	2	-	-	-	2	-	-	-	-	-
3 Septicemia and pyemia	2	-	-	1	1	-	-	-	-	-
4 Whooping cough	1	-	-	-	1	-	-	-	-	-
5 Meningococcal infections	4	-	-	1	3	-	-	-	-	-
6 Tetanus	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases	12	-	1	4	7	1	-	-	1	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1	-	-	1	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature	-	-	-	-	-	-	-	-	-	-
10 Diseases of thymus gland	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous	15	1	2	4	8	4	2	-	-	2
12 Other diseases of nervous system and sense organs	8	1	-	4	3	5	-	-	4	1
13 Acute upper respiratory infections	7	-	1	3	3	1	-	-	1	-
14 Influenza and pneumonia, except pneumonia of newborn	190	-	-	40	150	11	-	-	5	6
15 Influenza	13	-	-	2	11	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn	177	...	...	38	139	11	...	...	5	6
17 Bronchitis	5	-	1	2	2	-	-	-	-	-
18 Other diseases of respiratory system	17	-	-	4	13	4	1	-	3	-
19 Pulmonary congestion and hypostasis	1	-	-	1	-	1	1	-	-	-
20 Other chronic interstitial pneumonia	12	-	-	3	9	1	-	-	1	-
21 Bronchiectasis	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity	4	-	-	-	4	2	-	-	2	-
23 All other diseases of respiratory system	-	-	-	-	-	-	-	-	-	-
24 Hernia and intestinal obstruction	11	5	3	3	-	6	2	1	1	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	40	-	-	11	37	4	-	-	1	3
26 Other diseases of digestive system	5	1	2	1	1	2	1	-	1	-
27 Congenital malformations	145	73	30	26	16	45	25	1	17	2
28 Spina bifida and meningocele	13	8	-	4	1	4	2	-	2	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	8	3	4	1	-	4	2	-	2	-
30 Congenital malformations of circulatory system	67	29	15	16	7	21	12	1	7	1
31 Other congenital malformations	57	33	11	5	8	16	9	-	6	1
32 Certain diseases of early infancy	735	401	308	6	20	149	130	18	-	1
33 Birth injuries	71	40	31	-	-	19	18	1	-	-
34 Without mention of immaturity (.0)	26	12	14	-	-	8	7	1	-	-
35 With immaturity (.5)	45	28	17	-	-	11	11	-	-	-
36 Intracranial and spinal injury at birth	15	6	9	...	...	4	3	1	...	...
37 Without mention of immaturity (.0)	8	3	5	...	...	2	1	1	...	...
38 With immaturity (.5)	7	3	4	...	...	2	2	-	...	...
39 Other birth injury	56	34	22	-	-	15	15	-	-	-
40 Without mention of immaturity (.0)	18	9	9	-	-	6	6	-	-	-
41 With immaturity (.5)	38	25	13	-	-	9	9	-	-	-
42 Postnatal asphyxia and atelectasis	179	125	51	2	1	34	32	2	-	-
43 Without mention of immaturity (.0)	67	38	27	1	1	12	12	2	-	-
44 With immaturity (.5)	112	87	24	1	-	22	20	2	-	-
45 Pneumonia of newborn	42	17	25	...	...	6	5	1	...	...
46 Without mention of immaturity (.0)	34	11	23	...	...	3	2	1	...	...
47 With immaturity (.5)	8	6	2	...	...	3	3	-	...	...
48 Diarrhea of newborn	7	1	6	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)	5	-	5	-	-	-	-	-	-	-
50 With immaturity (.5)	2	1	1	-	-	-	-	-	-	-
51 Other infections of newborn	9	5	3	1	-	1	-	-	-	1
52 Without mention of immaturity (.0)	7	3	3	1	-	1	-	-	-	1
53 With immaturity (.5)	2	2	-	-	-	-	-	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy	9	2	7	-	-	-	-	-	-	-
55 Without mention of immaturity (.0-.4)	3	1	2	-	-	-	-	-	-	-
56 With immaturity (.5-.9)	6	1	5	-	-	-	-	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)	15	11	4	-	-	4	4	-	-	-
58 Without mention of immaturity (.0-.2)	12	9	3	-	-	3	3	-	-	-
59 With immaturity (.5-.7)	3	2	1	-	-	1	-	-	-	-
60 Hemorrhagic disease of newborn	6	2	4	-	-	3	2	1	-	-
61 Without mention of immaturity (.0)	3	-	3	-	-	1	1	-	-	-
62 With immaturity (.5)	3	2	1	-	-	2	1	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	169	87	66	2	14	43	40	3	-	-
64 Without mention of immaturity (.0)	57	24	18	2	13	8	7	1	-	-
65 With immaturity (.5)	112	63	48	-	1	35	33	2	-	-
66 Immaturity with mention of any other subsidiary condition	19	12	5	1	1	5	5	-	-	-
67 Immaturity, unqualified	209	99	106	-	4	34	24	10	-	-
68 Symptoms and ill-defined conditions	97	2	36	6	53	2	-	-	1	1
69 All other diseases-Residual	21	3	3	4	11	2	2	-	-	-
70 Accidents-E800-E962	53	2	6	16	29	20	1	-	12	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-E921-E922	13	-	2	5	6	4	-	-	2	2
72 Accidental mechanical suffocation in bed and cradle-E924	11	-	1	3	7	6	1	-	2	3
73 Other accidental causes-E800-E920, E923, E925-E962	29	2	3	8	16	10	-	-	8	2
74 Homicide-E964, E980-E994	4	2	-	1	1	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967--Con.

of the Seventh Revision of the International Lists, 1955]

Total, under 1 year	Tennessee				Total, under 1 year	Texas				Total, under 1 year	Utah				Total, under 1 year	Vermont						
	Under 28 days		28 days-11 months			Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white			White	Non-white	White			Non-white	White	Non-white			White	Non-white	White	Non-white	White	Non-white
1,681	836	350	283	192	4,044	2,699	785	988	371	381	280	7	63	11	161	122	-	39	-	1		
1	-	-	-	1	8	1	-	5	2	-	-	-	-	-	-	-	-	-	-	2		
4	-	-	3	1	25	1	-	19	5	1	-	-	1	-	-	-	-	-	-	3		
1	-	-	1	-	4	-	-	1	3	-	-	-	-	-	-	-	-	-	-	4		
9	-	-	7	2	5	-	-	5	1	-	-	-	-	-	-	-	-	-	-	5		
1	1	1	-	-	15	4	10	4	1	-	-	-	-	-	-	-	-	-	-	6		
9	1	1	3	4	35	6	1	23	5	-	-	-	-	2	2	-	-	-	-	7		
6	-	-	4	2	8	-	1	7	-	-	-	-	-	-	-	-	-	1	-	8		
1	-	-	-	1	5	3	-	1	1	1	1	-	-	1	-	-	-	-	-	9		
-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10		
21	5	1	11	4	56	11	3	33	9	4	-	-	3	1	4	1	-	3	-	11		
8	1	-	4	3	35	2	-	25	3	-	-	-	-	-	-	-	-	-	-	12		
1	1	-	-	-	9	1	-	5	5	-	-	-	-	1	-	-	-	1	-	13		
105	-	-	64	41	356	-	-	238	117	21	-	-	17	4	13	-	-	13	-	14		
1	-	-	1	1	6	1	1	4	1	-	-	-	-	-	-	-	-	-	-	15		
104	...	...	63	41	350	...	...	254	116	21	...	...	17	4	13	...	...	13	-	16		
6	-	-	3	3	18	-	2	9	7	-	-	-	-	-	-	-	-	-	-	17		
6	1	1	2	2	74	4	2	39	29	2	1	-	1	3	-	-	-	3	-	18		
-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	19		
1	-	-	1	-	58	-	2	32	24	-	-	-	-	-	-	-	-	-	-	20		
3	1	-	1	1	7	1	-	5	3	1	-	-	-	3	-	-	-	3	-	22		
2	-	1	-	1	7	2	-	3	2	-	-	-	-	-	-	-	-	-	-	23		
11	7	1	2	1	50	27	5	13	5	7	5	-	2	-	1	1	-	-	-	24		
26	-	-	11	15	146	-	-	116	30	5	-	-	3	2	1	-	-	1	-	25		
2	-	1	1	-	21	9	4	7	1	3	1	-	2	-	-	-	-	-	-	26		
259	145	26	63	25	647	409	60	152	26	65	48	1	16	28	21	-	-	7	-	27		
21	16	2	2	1	55	37	2	16	2	5	4	1	-	4	3	-	-	1	-	28		
24	10	2	9	3	50	26	5	17	2	5	3	-	2	4	3	-	-	1	-	29		
119	52	13	41	12	300	161	21	95	23	33	22	-	11	15	8	-	-	5	-	30		
96	67	9	11	9	242	165	32	24	1	22	19	-	3	7	7	-	-	-	-	31		
970	647	289	12	22	2,888	2,148	663	52	25	225	218	4	3	97	86	-	-	1	-	32		
114	81	33	-	-	334	265	69	-	-	26	25	1	-	18	18	-	-	-	-	33		
53	38	15	-	-	152	114	38	-	-	10	9	-	-	2	2	-	-	-	-	34		
51	43	18	-	-	162	151	31	-	-	16	16	-	-	16	16	-	-	-	-	35		
42	24	18	...	...	122	92	31	...	...	4	4	-	-	6	6	-	-	...	...	36		
23	15	8	...	...	72	58	16	...	...	2	2	-	-	5	5	-	-	...	...	37		
19	9	10	...	...	51	36	15	...	...	2	2	-	-	12	12	-	-	...	...	38		
72	57	15	-	-	211	173	38	-	-	22	21	1	-	1	1	-	-	-	-	39		
30	23	7	-	-	80	58	22	-	-	8	7	1	-	1	1	-	-	-	-	40		
42	34	8	-	-	131	115	16	-	-	14	14	-	-	11	11	-	-	-	-	41		
229	149	65	3	12	731	573	143	9	6	64	62	1	1	21	21	-	-	-	-	42		
79	52	14	2	11	262	205	45	7	5	16	15	-	-	4	4	-	-	-	-	43		
150	97	51	1	1	469	368	99	2	1	48	47	1	-	17	17	-	-	-	-	44		
50	39	11	...	...	160	108	52	...	...	5	4	1	-	3	3	-	-	...	...	45		
35	29	6	...	...	125	82	43	...	...	3	3	-	-	2	2	-	-	...	...	46		
15	10	5	...	...	35	26	9	...	...	2	1	1	-	1	1	-	-	...	...	47		
10	3	7	...	...	26	19	8	...	...	-	-	-	-	1	1	-	-	...	...	48		
8	2	6	...	...	25	17	5	...	...	-	-	-	-	1	1	-	-	...	...	49		
2	1	1	...	...	3	2	1	...	...	-	-	-	-	-	-	-	-	...	...	50		
22	13	9	-	-	66	50	16	-	-	2	2	-	-	3	3	-	-	-	-	51		
15	7	8	-	-	38	28	10	-	-	2	2	-	-	1	1	-	-	-	-	52		
7	6	1	-	-	20	22	6	-	-	-	-	-	-	2	2	-	-	-	-	53		
11	9	2	-	-	35	29	5	1	-	3	3	-	-	1	1	-	-	-	-	54		
6	4	2	-	-	18	14	3	1	-	3	3	-	-	1	1	-	-	-	-	55		
5	5	-	-	-	17	15	2	-	-	3	3	-	-	6	6	-	-	-	-	56		
12	12	-	-	-	49	48	1	-	-	10	10	-	-	2	2	-	-	-	-	57		
10	10	-	-	-	34	33	1	-	-	9	9	-	-	4	4	-	-	-	-	58		
2	2	-	-	-	15	15	-	-	-	1	1	-	-	4	4	-	-	-	-	59		
8	5	2	1	-	43	31	12	-	-	1	1	-	-	-	-	-	-	-	-	60		
4	2	1	1	-	27	22	5	-	-	1	1	-	-	-	-	-	-	-	-	61		
4	3	1	-	-	16	9	7	-	-	-	-	-	-	-	-	-	-	-	-	62		
228	172	46	6	4	687	490	147	36	14	61	59	-	2	17	16	-	-	1	-	63		
60	42	10	5	3	185	109	30	32	14	21	19	-	2	5	2	-	-	1	-	64		
189	130	36	1	1	502	361	117	4	-	40	40	-	-	14	14	-	-	-	-	65		
22	12	6	2	2	89	52	29	4	4	2	2	-	-	2	2	-	-	-	-	66		
264	152	108	-	4	668	483	183	1	1	51	50	1	-	25	25	-	-	-	-	67		
97	12	24	28	33	109	24	21	45	19	11	3	-	7	2	2	-	-	2	1	68		
29	6	2	11	10	108	31	6	55	16	7	3	1	3	1	1	-	-	1	5	69		
66	10	2	52	22	211	15	6	131	59	24	22	1	22	5	5	-	-	-	-	70		
25	4	-	16	5	41	7	1	22	11	4	-	-	3	2	2	-	-	2	-	71		
19	4	-	11	6	45	1	2	26	16	2	-	-	2	1	1	-	-	-	-	72		
42	2	-	25	11	125	7	3	83	32	18	-	1	17	2	2	-	-	-	-	73		
2	1	-	1	-	7	3	-	4	-	2	-	-	2	-	-	-	-	-	-	74		

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers

Cause of death	Virginia					Washington				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 All causes	2,009	975	479	288	267	1,054	667	75	272	40
2 Dysentery, all forms	045-048	1	-	1	-	-	-	-	-	-
3 Septicemia and pyemia	053	7	-	-	3	4	1	-	-	1
4 Whooping cough	056	2	-	-	-	2	-	-	-	-
5 Meningococcal infections	057	2	-	-	2	4	-	-	4	-
6 Tetanus	061	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic diseases	001-044,049-052,054,055,058-060,062-138	8	-	-	6	2	9	1	-	6
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	5	-	-	5	-	2	-	2	-
9 Benign neoplasms and neoplasms of unspecified nature	210-239	-	-	-	-	2	1	-	1	-
10 Diseases of thymus gland	273	1	-	-	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous	340	14	2	1	4	7	15	4	1	9
12 Other diseases of nervous system and sense organs	330-334,341-398	13	-	2	9	2	8	-	7	1
13 Acute upper respiratory infections	470-475	18	1	1	7	9	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn	480-495	143	-	-	71	72	65	-	49	16
15 Influenza	480-483	-	-	-	-	1	-	-	1	-
16 Pneumonia, except pneumonia of newborn	490-493	143	...	...	71	72	64	...	48	16
17 Bronchitis	500-502	8	-	-	3	5	7	1	-	5
18 Other diseases of respiratory system	510-522,525-527	56	2	-	20	34	17	1	14	2
19 Pulmonary congestion and hypostasis	522	-	-	-	-	2	-	-	-	-
20 Other chronic interstitial pneumonias	525	40	-	-	16	24	14	-	13	1
21 Bronchiectasis	526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity	527.2	14	-	-	4	10	-	-	-	-
23 All other diseases of respiratory system	510-521,527.1	2	2	-	-	1	1	-	-	-
24 Hernia and intestinal obstruction	560,561,570	12	4	2	3	5	4	-	1	-
25 Gastritis, appendicitis, enteritis, and colitis, except diarrhea of newborn	543,571,572	24	-	-	10	14	-	-	6	-
26 Other diseases of digestive system	530-542,544-553,573-587	7	2	2	2	1	5	3	2	-
27 Congenital malformations	750-759	260	154	35	59	32	168	103	7	54
28 Spina bifida and meningocele	751	27	14	1	10	2	8	5	-	3
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs	752,753	21	8	3	4	6	18	9	1	8
30 Congenital malformations of circulatory system	754	127	62	18	29	18	74	59	3	30
31 Other congenital malformations	750,755-759	85	50	13	16	6	68	51	3	13
32 Certain diseases of early infancy	760-776	1,226	786	408	12	10	612	540	64	7
33 Birth injuries	760,761	147	104	43	-	-	81	72	9	-
34 Without mention of immaturity (.0)		64	44	20	-	-	27	25	2	-
35 With immaturity (.5)		83	60	23	-	-	54	47	7	-
36 Intracranial and spinal injury at birth	760	49	37	12	...	...	36	29	7	...
37 Without mention of immaturity (.0)		30	25	7	...	...	14	12	2	...
38 With immaturity (.5)		19	14	5	...	...	22	17	5	...
39 Other birth injury	761	98	67	31	-	-	45	43	2	-
40 Without mention of immaturity (.0)		34	21	13	-	-	13	13	-	-
41 With immaturity (.5)		64	46	18	-	-	32	30	2	-
42 Postnatal asphyxia and atelectasis	762	287	179	101	6	1	160	144	13	3
43 Without mention of immaturity (.0)		79	49	27	3	60	53	4	3	-
44 With immaturity (.5)		208	130	74	3	1	100	91	9	-
45 Pneumonia of newborn	763	42	26	16	...	...	23	21	2	...
46 Without mention of immaturity (.0)		33	18	15	...	...	16	16	-	...
47 With immaturity (.5)		9	8	1	...	...	7	5	2	...
48 Diarrhea of newborn	764	9	1	8	-	-	4	4	-	-
49 Without mention of immaturity (.0)		6	1	5	-	-	3	3	-	-
50 With immaturity (.5)		3	-	3	-	-	1	1	-	-
51 Other infections of newborn	765-768	29	14	15	-	-	11	9	2	-
52 Without mention of immaturity (.0)		11	7	4	-	-	6	1	4	-
53 With immaturity (.5)		18	7	11	-	-	4	3	1	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy	769	15	8	5	1	1	2	2	-	-
55 Without mention of immaturity (.0-.4)		5	2	1	1	1	-	-	-	-
56 With immaturity (.5-.9)		10	6	4	-	-	2	2	-	-
57 Hemolytic disease of newborn (erythroblastosis)	770	37	30	7	-	-	19	18	1	-
58 Without mention of immaturity (.0-.2)		30	23	7	-	-	9	8	1	-
59 With immaturity (.5-.7)		7	7	-	-	-	10	10	-	-
60 Hemorrhagic disease of newborn	771	9	7	2	-	-	8	8	-	-
61 Without mention of immaturity (.0)		7	7	-	-	-	3	3	-	-
62 With immaturity (.5)		2	-	2	-	-	5	5	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment	772,773	277	193	75	3	6	166	148	14	4
64 Without mention of immaturity (.0)		85	43	14	2	6	33	28	3	2
65 With immaturity (.5)		212	150	61	1	-	133	120	11	2
66 Immaturity with mention of any other subsidiary condition	774	48	37	9	1	1	22	17	4	1
67 Immaturity, unqualified	776	326	197	127	1	1	116	97	19	-
68 Symptoms and ill-defined conditions	780-793,795	93	11	21	26	35	86	5	1	73
69 All other diseases	Residual	39	14	3	15	7	12	2	2	8
70 Accidents	E800-E862	67	6	3	30	28	29	4	-	23
71 Inhalation and ingestion of food or other object causing obstruction or suffocation	E821,E822	14	1	1	8	4	6	1	-	4
72 Accidental mechanical suffocation in bed and cradle	E824	8	1	2	3	2	5	1	-	3
73 Other accidental causes	E800-E820,E823,E825-E862	45	4	-	19	22	18	2	-	16
74 Homicide	E864,E880-E884	3	3	-	-	-	1	-	-	1

SECTION 2 - INFANT MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1967—Con.

of the Seventh Revision of the International Lists, 1955]

West Virginia					Wisconsin				Wyoming						
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
741	527	35	168	11	1,476	1,023	120	299	34	130	101	2	27	-	1
4	-	-	4	-	3	-	-	3	-	-	-	-	-	-	2
3	-	-	3	-	3	-	-	3	-	1	-	-	1	-	3
7	-	-	7	-	7	-	-	7	-	1	-	-	1	-	4
8	-	-	8	-	8	2	2	5	-	-	-	-	-	-	5
2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	6
3	-	-	3	-	3	-	-	3	-	-	-	-	-	-	7
6	1	-	6	-	7	4	1	3	-	-	-	-	-	-	8
42	-	-	37	5	106	1	-	85	20	12	-	-	12	-	9
42	...	...	37	5	104	...	...	84	20	11	...	...	11	-	10
4	-	-	4	-	8	-	-	7	1	-	-	-	-	-	11
7	1	-	5	1	10	1	1	9	-	2	-	-	2	-	12
6	-	-	6	-	3	1	1	2	-	-	-	-	-	-	13
1	1	-	1	-	4	-	-	4	-	2	-	-	2	-	14
3	2	-	1	-	13	9	2	2	-	2	2	-	-	-	15
6	-	-	5	1	17	-	-	14	3	1	-	-	1	-	16
5	2	-	1	-	1	-	-	1	-	-	-	-	-	-	17
118	77	3	36	2	254	173	8	71	2	13	11	-	2	-	18
15	8	-	6	1	12	7	-	5	-	-	-	-	-	-	19
9	5	-	4	-	18	12	-	6	-	2	2	-	-	-	20
52	29	3	19	1	122	76	3	42	1	9	8	-	1	-	21
42	35	-	7	-	102	78	5	18	1	2	1	-	1	-	22
476	432	28	13	2	918	807	105	6	-	91	86	2	3	-	23
54	52	2	-	-	165	149	16	-	-	8	8	-	-	-	24
18	16	2	-	-	51	46	5	-	-	2	2	-	-	-	25
36	36	-	-	-	114	103	11	-	-	6	6	-	-	-	26
11	10	1	-	-	30	28	2	-	-	2	2	-	-	-	27
5	4	1	...	...	16	15	1	...	...	-	-	-	-	-	28
6	6	-	...	...	14	13	1	...	...	2	2	-	-	-	29
43	42	1	-	-	135	121	14	-	-	6	6	-	-	-	30
13	12	1	-	-	35	31	4	-	-	2	2	-	-	-	31
30	30	-	-	-	100	90	10	-	-	4	4	-	-	-	32
144	131	10	3	-	200	177	22	1	-	26	25	1	-	-	33
42	37	3	2	-	50	44	5	1	-	8	8	-	-	-	34
102	94	7	1	-	150	133	17	-	-	18	17	1	-	-	35
26	24	2	...	...	30	23	7	...	...	5	5	-	-	-	36
17	17	-	...	...	24	18	6	...	...	5	5	-	-	-	37
9	7	2	...	...	6	5	1	...	...	-	-	-	-	-	38
2	2	2	-	-	2	2	-	-	-	-	-	-	-	-	39
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	40
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	41
2	2	-	-	-	7	6	1	-	-	2	2	-	-	-	42
1	1	-	-	-	2	1	1	-	-	2	2	-	-	-	43
1	1	-	-	-	5	5	-	-	-	-	-	-	-	-	44
3	3	-	-	-	14	13	1	-	-	-	-	-	-	-	45
1	1	-	-	-	8	7	1	-	-	-	-	-	-	-	46
2	2	-	-	-	6	6	-	-	-	-	-	-	-	-	47
10	10	-	-	-	37	37	-	-	-	-	-	-	-	-	48
7	7	-	-	-	22	22	-	-	-	-	-	-	-	-	49
3	3	-	-	-	15	15	-	-	-	-	-	-	-	-	50
4	4	-	-	-	6	4	2	-	-	-	-	-	-	-	51
4	4	-	-	-	3	3	1	-	-	-	-	-	-	-	52
2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	53
113	94	9	6	2	176	151	22	3	-	16	14	-	2	-	54
29	16	4	7	2	46	42	2	2	-	3	1	-	2	-	55
84	78	5	1	-	130	109	20	1	-	13	13	-	-	-	56
4	3	-	1	-	11	9	1	1	-	5	3	1	1	-	57
114	107	6	1	-	270	236	33	1	-	29	29	-	-	-	58
26	4	1	21	-	18	6	1	11	-	-	-	-	-	-	59
11	5	1	5	-	31	12	-	17	2	2	1	-	1	-	60
27	3	1	23	-	55	5	1	43	4	4	1	-	3	-	61
6	1	-	5	-	18	2	-	14	2	1	-	-	1	-	62
9	1	1	7	-	15	1	1	13	-	1	-	-	1	-	63
12	1	-	11	-	20	2	-	16	2	2	1	-	1	-	64
2	-	-	-	-	5	2	-	2	1	-	-	-	-	-	65

## *Section 3. Fetal Mortality*

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1967-----	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-67-----	3-4
3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1967-----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1967-----	3-4
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1967-----	3-5
3-6. Fetal deaths, by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1967-----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1963-67-----	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1967-----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1967-----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1967-----	3-14
3-11. Fetal deaths by age of mother and color: United States and each State, 1967-----	3-16
3-12. Fetal deaths by total-birth order and color: United States and each State, 1967-----	3-18
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1967-----	3-20
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1967-----	3-22
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1967-----	3-23
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1967-----	3-24
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1967-----	3-27

## SECTION 3 - FETAL MORTALITY

3-3

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1967

[By place of occurrence]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation <sup>1</sup>											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
United States-----	...	79,495	20,452	4,109	6,416	5,849	5,822	6,835	3,693	6,110	9,693	1,643	697	8,176
Alabama-----	Advanced to 5th month (20 weeks)	1,299	4	24	133	156	141	168	101	117	360	10	3	82
Alaska-----	20 weeks or more <sup>2</sup>	75	-	-	5	9	10	14	5	9	16	3	-	4
Arizona-----	Advanced to 20th week	367	-	2	37	44	45	54	30	46	90	12	2	7
Arkansas-----	All periods of gestation	665	<sup>3</sup> 48	48	47	51	71	76	43	58	151	8	2	80
California-----	Advanced to 20th week <sup>4</sup>	4,086	13	34	255	331	307	532	184	648	212	240	148	1,156
Colorado-----	All periods of gestation	2,111	<sup>3</sup> 1,237	240	99	84	44	59	34	56	72	20	6	160
Connecticut-----	20 weeks or more	567	-	3	84	87	68	90	42	77	94	23	2	17
Delaware-----	20 weeks or more	144	1	1	26	23	9	13	2	18	27	2	2	19
District of Columbia-----	After 5th month	441	-	7	29	28	48	49	15	48	17	18	11	171
Florida-----	20 weeks or more	1,512	-	2	160	195	204	219	146	169	585	21	10	3
Georgia-----	All periods of gestation	2,309	<sup>3</sup> 636	195	228	185	143	164	105	134	332	22	13	152
Hawaii-----	All periods of gestation	1,008	<sup>3</sup> 724	77	43	40	22	33	13	19	27	4	2	4
Idaho-----	After 20 weeks	123	-	3	13	6	11	10	7	8	15	1	1	47
Illinois-----	20 weeks or more	2,780	2	25	291	330	331	393	212	353	608	94	33	64
Indiana-----	20 weeks or more	1,258	1	13	104	108	125	144	85	119	254	32	15	258
Iowa-----	Advanced to 5th month (20 weeks)	575	-	2	65	51	55	76	36	107	124	36	12	11
Kansas-----	Weight in excess of 350 grams	459	2	11	49	39	59	58	41	67	92	28	9	4
Kentucky-----	20 weeks or more	781	-	-	53	85	85	133	69	87	239	13	6	11
Louisiana-----	After 20 weeks	1,165	3	15	97	115	162	170	131	140	288	14	4	26
Maine-----	All periods of gestation	287	<sup>3</sup> 16	13	15	19	21	21	16	31	41	8	1	85
Maryland-----	20 weeks or more <sup>5</sup>	658	6	10	72	110	96	149	41	156	39	57	32	190
Massachusetts-----	20 weeks or more	1,176	2	17	120	143	158	208	87	165	154	71	21	30
Michigan-----	Advanced through 20th week	2,209	3	16	221	266	211	304	186	261	448	64	25	184
Minnesota-----	After 20 weeks	739	-	-	-	-	-	-	-	-	-	-	-	739
Mississippi-----	All periods of gestation	2,320	<sup>3</sup> 914	199	188	151	136	112	86	55	367	9	4	99
Missouri-----	After 20 weeks	1,061	1	7	112	100	113	155	83	122	244	32	7	85
Montana-----	After 20 weeks	146	-	-	16	17	23	16	10	15	33	9	1	6
Nebraska-----	Advanced to 20th week	287	3	4	37	35	39	39	18	31	44	18	5	12
Nevada-----	After 20 weeks	118	-	2	16	15	22	12	13	13	14	2	1	8
New Hampshire-----	20 weeks or more	146	-	-	10	15	18	27	9	23	30	7	1	6
New Jersey-----	20 weeks or more	1,745	7	16	196	193	200	259	114	202	350	62	18	128
New Mexico-----	20 weeks or more	256	-	1	24	26	17	27	28	77	54	5	5	42
New York (excl. N.Y.C.)-----	20 weeks or more <sup>7</sup>	4,697	<sup>3</sup> 1,373	300	283	261	283	313	176	306	451	77	27	247
New York City-----	All periods of gestation	18,487	<sup>3</sup> 10,826	1,592	950	526	358	403	105	391	116	138	113	2,949
North Carolina-----	Advanced to 20th week	1,626	-	1	152	186	237	223	121	189	446	37	18	17
North Dakota-----	20 weeks or more	139	-	-	16	13	20	21	12	15	29	9	1	3
Ohio-----	20 weeks or more	2,561	-	5	315	320	317	352	170	368	481	85	22	126
Oklahoma-----	20 weeks or more	474	3	6	36	42	56	58	40	48	150	7	1	27
Oregon-----	All periods of gestation	1,306	<sup>3</sup> 630	127	94	59	45	54	35	52	89	11	5	135
Pennsylvania-----	After 16 weeks	3,634	3	496	683	423	393	401	229	315	550	106	33	2
Rhode Island-----	20 weeks or more <sup>2</sup>	282	35	12	27	25	21	37	22	30	36	9	5	3
South Carolina-----	After 20 weeks	894	8	14	77	98	103	97	67	77	204	10	1	58
South Dakota-----	20 weeks or more	170	3	2	14	13	19	27	20	25	31	5	6	5
Tennessee-----	20 weeks or more	1,152	-	5	136	149	168	164	92	94	332	16	2	4
Texas-----	20 weeks or more	2,936	9	31	307	296	401	364	341	322	705	79	22	59
Utah-----	After 20 weeks	244	1	4	12	22	19	28	20	41	43	10	1	43
Vermont-----	All periods of gestation	391	<sup>3</sup> 107	16	15	12	6	8	3	16	6	3	2	197
Virginia-----	All periods of gestation	6,003	<sup>3</sup> 5,824	500	260	146	160	197	116	145	255	31	17	352
Washington-----	20 weeks or more	578	1	2	50	71	74	85	42	81	116	22	5	29
West Virginia-----	Advanced to 5th month <sup>8</sup>	510	6	8	49	48	56	62	56	76	123	12	3	15
Wisconsin-----	After 20 weeks	851	-	1	98	91	114	142	62	118	162	38	13	12
Wyoming-----	After 20 weeks	79	-	-	5	9	4	15	6	19	15	3	-	3

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.<sup>2</sup>Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.<sup>3</sup>For areas which report fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	-	2	13	33
Colorado-----	12	185	618	422
Georgia-----	6	116	280	234
Hawaii-----	15	110	350	249
Idaho-----	-	-	3	13
Maine-----	12	221	418	262
Mississippi-----	484	1,730	4,995	3,617
New York City-----	8	100	313	211
Oregon-----	3	5	60	39
Virginia-----	36	844	1,933	1,011

<sup>4</sup>Further stipulates that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."<sup>5</sup>Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."<sup>6</sup>Figures exclude approximately 100 fetal deaths recorded in this State; see Technical Appendix.<sup>7</sup>Registration of fetal deaths of all periods of gestation began September 1, 1967. However, fetal deaths under 20 weeks are not tabulated for 1967.<sup>8</sup>Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-67

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Ratios are subject to sampling error; see Technical Appendix]

Year	Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite
1967	54,954	39,500	15,454	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,859	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 <sup>1</sup>	64,640	45,495	17,075	15.8	13.7	26.7
1962 <sup>1</sup>	66,421	47,326	17,128	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,613	50,911	17,702	16.2	14.2	27.3
1958	69,355	51,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.8
1956	68,659	51,865	16,794	16.5	14.6	27.2
1955	68,155	52,411	15,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,393	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.6	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,636	56,232	16,404	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.8	20.4	40.9
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	69,374	---	---	24.5	---	---
1943	71,673	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1967

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation <sup>1</sup>							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	33,688	21,007	8,594	4,087	100.0	100.0	100.0	100.0
Under 15 years	113	60	37	16	0.3	0.3	0.4	0.4
15-19 years	4,405	2,410	1,421	572	13.1	11.5	16.5	14.0
20-24 years	10,215	6,411	2,564	1,240	30.3	30.5	29.8	30.3
25-29 years	8,224	5,370	1,866	988	24.4	25.6	21.7	24.2
30-34 years	5,339	3,425	1,292	622	15.8	16.3	15.0	15.2
35-39 years	3,694	2,266	986	442	11.0	10.8	11.5	10.8
40-44 years	1,529	954	387	188	4.5	4.5	4.5	4.6
45-49 years	171	111	43	18	0.5	0.5	0.5	0.4

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Ratios are subject to sampling error; see Technical Appendix. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate <sup>1</sup>	Illegitimate	Total	Legitimate <sup>1</sup>	Illegitimate
Total	33,362	28,430	4,932	14.8	13.9	23.2
Under 15 years	151	21	130	25.5	20.6	26.5
15-19 years	5,580	3,657	1,923	14.1	12.3	19.4
20-24 years	9,751	6,373	1,378	11.6	10.8	20.8
25-29 years	6,885	6,316	569	12.6	12.0	25.7
30-34 years	5,147	4,683	464	16.6	17.6	41.0
35-39 years	3,986	3,644	342	27.4	26.3	51.5
40 years and over	1,692	1,736	126	40.3	39.5	57.6
White	23,769	22,024	1,745	12.6	12.4	19.7
Under 15 years	28	8	18	24.6	10.9	17.2
15-19 years	3,566	2,781	585	11.9	11.5	15.3
20-24 years	7,367	6,765	602	10.3	9.9	16.6
25-29 years	5,224	5,000	224	11.1	10.8	24.4
30-34 years	3,636	3,535	101	15.9	15.5	37.2
35-39 years	2,790	2,672	118	25.2	22.7	46.2
40 years and over	1,310	1,265	45	35.1	34.7	47.6
Nonwhite	9,593	6,406	3,187	24.0	23.3	25.7
Under 15 years	125	13	112	30.2	45.6	29.0
15-19 years	2,214	876	1,338	19.9	17.3	22.0
20-24 years	2,384	1,609	776	18.5	17.0	22.8
25-29 years	1,661	1,315	345	21.9	20.9	26.7
30-34 years	1,461	1,150	311	32.3	30.3	43.2
35-39 years	1,196	972	224	47.3	45.9	54.9
40 years and over	552	471	81	62.8	62.3	65.6

<sup>1</sup>Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group. Rates are subject to sampling error; see Technical Appendix]

Plurality of birth and color	Number				Rate <sup>1</sup>		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total.....	54,934	26,541	23,014	5,379	15.4	16.1	14.6
Fetal deaths in single deliveries.....	51,829	24,925	21,654	5,250	14.8	15.4	14.1
Fetal deaths in twin deliveries.....	3,036	1,572	1,336	128	42.5	45.8	39.3
Fetal deaths in other plural deliveries.....	69	44	24	1	62.8	87.2	41.2
White.....	39,500	19,120	16,902	3,478	13.3	13.8	12.9
Fetal deaths in single deliveries.....	37,208	17,944	15,681	3,583	12.8	13.2	12.4
Fetal deaths in twin deliveries.....	2,236	1,139	1,003	94	39.7	41.9	37.4
Fetal deaths in other plural deliveries.....	56	37	16	1	62.4	90.3	37.7
Nonwhite.....	15,434	7,421	6,112	1,901	25.1	27.2	23.0
Fetal deaths in single deliveries.....	14,621	6,981	5,773	1,867	24.4	26.4	22.4
Fetal deaths in twin deliveries.....	800	433	333	34	53.3	60.7	46.0
Fetal deaths in other plural deliveries.....	13	7	6	-	65.0	73.7	57.1

<sup>1</sup>Figures for sex not stated are distributed.

## SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1967

[Ratios per 1,000 live births in specified group. Ratios are subject to sampling error; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix.]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation <sup>1</sup>				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States	54,934	6,416	5,849	34,493	8,176	15.6
White	39,500	4,258	3,959	25,504	5,780	13.5
Nonwhite	15,434	2,158	1,891	8,989	2,396	25.8
Urban places	31,979	4,092	3,532	19,755	5,600	16.6
White	21,269	2,437	2,190	13,081	3,571	14.0
Nonwhite	10,710	1,655	1,352	5,674	2,029	26.1
Balance of area	22,955	2,324	2,317	15,738	2,576	14.4
White	18,231	1,821	1,778	12,425	2,209	12.9
Nonwhite	4,724	503	539	3,313	367	25.0
Metropolitan counties	35,965	4,485	3,942	21,601	5,957	15.7
White	25,377	2,871	2,598	15,975	3,933	13.5
Nonwhite	10,608	1,614	1,344	5,626	2,024	25.6
Urban places	27,553	3,595	3,043	15,849	5,066	15.9
White	17,953	2,085	1,822	10,899	3,127	14.2
Nonwhite	8,620	1,510	1,221	4,950	1,939	26.2
Balance of area	8,432	890	899	5,752	851	12.6
White	7,444	786	776	5,076	806	12.0
Nonwhite	988	104	123	676	85	21.2
Nonmetropolitan counties	18,949	1,931	1,907	12,892	2,219	15.5
White	14,123	1,367	1,360	9,529	1,947	13.6
Nonwhite	4,826	564	547	3,363	372	26.2
Urban places	4,428	497	469	2,906	534	14.9
White	3,336	352	358	2,182	444	13.1
Nonwhite	1,090	145	151	784	90	25.0
Balance of area	14,523	1,434	1,439	9,966	1,685	15.6
White	10,787	1,035	1,002	7,347	1,403	13.7
Nonwhite	3,736	399	416	2,619	282	26.3
New England <sup>2</sup>	2,600	268	283	1,709	340	13.1
White	2,390	226	248	1,585	321	12.6
Nonwhite	220	42	35	124	19	20.2
Metropolitan counties <sup>2</sup>	1,627	212	218	1,330	67	12.1
White	1,638	173	185	1,221	59	11.6
Nonwhite	169	39	33	109	8	19.0
Nonmetropolitan counties	773	56	65	379	273	16.2
White	742	53	63	364	262	15.9
Nonwhite	31	3	2	15	11	33.0
Middle Atlantic	13,329	2,117	1,399	6,486	3,327	21.7
White	9,579	1,362	861	5,089	1,987	18.2
Nonwhite	3,950	755	438	1,397	1,360	41.0
Metropolitan counties	11,544	1,894	1,211	5,239	3,210	23.2
White	7,730	1,152	790	3,925	1,853	19.0
Nonwhite	3,814	732	421	1,314	1,347	41.9
Nonmetropolitan counties	1,785	235	188	1,247	117	15.6
White	1,649	210	171	1,164	104	15.1
Nonwhite	136	23	17	83	13	25.3
East North Central	9,633	1,040	1,121	6,826	646	13.6
White	7,550	757	795	5,442	556	12.2
Nonwhite	2,083	283	326	1,384	90	21.9
Metropolitan counties	6,831	772	839	4,919	301	13.8
White	4,864	502	529	3,603	230	12.0
Nonwhite	1,967	270	310	1,316	71	21.9
Nonmetropolitan counties	2,802	268	282	1,907	345	12.7
White	2,686	255	266	1,839	326	12.5
Nonwhite	116	13	16	68	19	21.1
West North Central <sup>3</sup>	3,366	293	249	1,979	845	12.5
White	2,948	235	206	1,639	808	11.9
Nonwhite	418	58	43	280	37	20.9
Metropolitan counties	1,740	164	129	1,010	437	12.8
White	1,434	124	95	800	415	11.9
Nonwhite	306	40	34	210	22	20.1
Nonmetropolitan counties	1,626	129	120	969	408	12.3
White	1,514	111	111	899	393	11.8
Nonwhite	112	18	9	70	15	23.7
South Atlantic	9,193	1,044	1,023	6,145	981	17.1
White	5,337	573	554	3,661	549	14.0
Nonwhite	3,856	471	469	2,484	432	24.6
Metropolitan counties	4,505	547	511	2,847	600	18.1
White	2,678	307	279	1,772	320	13.4
Nonwhite	1,827	240	232	1,075	280	22.7
Nonmetropolitan counties	4,688	497	512	3,298	381	18.3
White	2,659	266	275	1,869	229	14.8
Nonwhite	2,029	231	237	1,409	152	26.6
East South Central	4,351	510	530	3,110	201	18.5
White	2,382	262	275	1,744	101	14.1
Nonwhite	1,969	248	255	1,366	100	23.6
Metropolitan counties	1,388	183	195	973	37	15.9
White	708	88	92	514	14	11.6
Nonwhite	680	95	103	459	23	26.1
Nonmetropolitan counties	2,963	327	335	2,137	184	18.9
White	1,674	174	183	1,230	87	15.5
Nonwhite	1,289	153	152	907	77	31.7

<sup>1</sup>See footnotes at end of table.

## SECTION 3 - FETAL MORTALITY

3-7

Table 3-6 Fetal Deaths, by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1967—Con.

[Ratios per 1,000 live births in specified group. Ratios are subject to sampling error; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation <sup>1</sup>				
		20-25 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central.....	5,122	492	510	3,924	186	14.3
White.....	3,340	313	322	2,584	121	12.0
Nonwhite--	1,782	179	188	1,340	75	22.8
Metropolitan counties.....	2,815	256	301	2,178	60	15.5
White.....	1,815	162	197	1,499	57	11.6
Nonwhite--	900	94	104	679	25	20.7
Nonmetropolitan counties.....	2,307	236	209	1,746	116	15.6
White.....	1,425	151	125	1,085	64	12.6
Nonwhite--	882	85	84	661	52	25.4
Mountain.....	1,958	215	220	1,190	313	12.6
White.....	1,722	191	190	1,065	276	12.6
Nonwhite--	216	24	30	125	37	15.4
Metropolitan counties.....	1,045	127	125	637	156	13.1
White.....	938	110	109	584	135	12.7
Nonwhite--	107	17	16	55	21	19.3
Nonmetropolitan counties.....	893	88	95	553	157	12.5
White.....	784	81	81	481	141	12.5
Nonwhite--	109	7	14	72	16	12.9
Pacific.....	5,402	437	514	3,124	1,327	12.1
White.....	4,462	339	407	2,635	1,081	11.6
Nonwhite--	940	98	107	489	246	15.6
Metropolitan counties.....	4,290	340	413	2,468	1,069	12.0
White.....	3,472	253	322	2,057	840	11.4
Nonwhite--	818	87	91	411	229	15.5
Nonmetropolitan counties.....	1,112	97	101	656	258	12.3
White.....	890	86	85	578	241	12.6
Nonwhite--	222	11	16	78	17	15.6

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

<sup>2</sup>Figures exclude approximately 100 fetal deaths recorded in Massachusetts, primarily to residents of Worcester County; see Technical Appendix.

<sup>3</sup>Figures by period of gestation are not available for Minnesota; therefore total figures for this State are included in the period of gestation category "Not stated."

## SECTION 3 - FETAL MORTALITY

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1963-67

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20. Ratios are subject to sampling error; see Technical Appendix]

Division and State	1967			1966			1965			1964			1963		
	Total	White	Non-white												
United States <sup>1</sup>	15.6	13.5	25.8	15.7	13.6	26.1	16.2	13.9	27.2	16.4	14.1	28.2	15.8	13.7	28.7
Geographic divisions:															
New England <sup>2</sup>	13.1	12.6	20.2	11.9	11.7	14.7	13.8	13.5	19.3	14.0	13.9	17.3	11.8	11.7	13.3
Middle Atlantic <sup>1</sup>	21.7	18.2	41.0	21.0	17.5	40.5	21.2	17.8	40.1	21.9	18.5	41.9	19.6	17.8	37.9
East North Central	13.5	12.2	21.9	13.7	12.5	22.4	14.1	12.9	23.0	14.2	12.8	25.0	14.2	12.8	24.4
West North Central	12.5	11.9	20.9	12.9	12.1	22.0	13.2	12.5	22.0	13.1	12.1	26.2	12.6	11.9	22.0
South Atlantic	17.1	14.0	24.6	17.7	14.3	25.9	17.9	14.1	26.6	18.5	14.5	28.1	18.8	15.0	27.9
East South Central	16.5	14.1	29.6	18.9	14.4	30.2	19.6	13.9	33.2	18.9	14.0	30.7	18.8	13.7	31.2
West South Central	14.3	12.0	22.8	14.9	12.8	22.2	15.4	12.7	24.4	15.7	13.0	25.5	15.1	12.4	25.1
Mountain	12.8	12.6	15.4	12.7	12.3	17.0	13.3	13.0	16.6	13.5	13.2	16.9	14.1	13.9	16.2
Pacific	12.1	11.6	18.6	12.3	11.8	15.6	13.1	12.5	17.0	12.7	12.0	17.5	12.7	12.2	16.1
New England:															
Maine <sup>3</sup>	14.1	14.1	18.1	13.5	13.6	*4.1	15.7	15.6	*28.5	15.0	15.0	*10.6	13.5	13.6	*10.6
New Hampshire	12.1	12.0	50.0	10.4	10.5	-	12.7	12.7	-	13.7	13.7	*13.9	13.5	13.4	*18.2
Vermont <sup>3</sup>	34.2	32.5	560.0	33.7	32.7	*363.6	30.6	30.5	*71.4	36.5	36.6	-	21.4	21.5	-
Massachusetts <sup>2</sup>	12.0	11.6	19.0	9.4	9.6	6.4	13.1	12.8	19.4	12.1	12.0	13.6	9.6	9.7	6.5
Rhode Island	13.7	13.4	19.8	13.7	13.1	28.2	15.2	14.9	*22.9	15.4	15.1	*21.8	15.9	15.4	28.0
Connecticut	11.4	10.7	18.7	12.3	11.5	20.3	11.8	11.1	18.3	13.6	12.9	20.3	12.2	11.6	18.0
Middle Atlantic:															
New York <sup>3</sup>	27.3	22.2	52.2	26.0	20.8	51.6	26.0	21.1	51.1	27.3	22.3	53.9	22.7	19.3	41.5
New Jersey	15.4	13.5	24.6	14.6	12.6	24.9	15.2	13.4	24.2	15.4	13.5	25.6	15.6	-	-
Pennsylvania	16.5	14.6	29.9	16.8	15.3	28.2	16.8	15.3	28.6	17.1	15.6	28.5	17.1	15.4	30.2
East North Central:															
Ohio	13.8	12.7	22.5	14.0	13.1	21.9	14.1	13.0	23.0	14.1	13.1	23.2	14.0	12.8	24.6
Indiana	13.1	12.3	21.5	13.4	12.6	22.5	12.8	11.9	23.3	13.8	12.7	25.2	13.5	12.5	24.2
Illinois	14.3	12.3	22.7	14.4	12.5	22.8	14.8	13.1	22.6	15.2	13.1	25.5	15.0	13.0	25.1
Michigan	13.4	12.1	20.8	13.7	12.2	23.2	14.7	13.4	23.6	14.1	12.5	26.8	14.2	13.0	23.9
Wisconsin	11.1	10.7	18.7	11.8	11.5	17.5	12.6	12.1	22.6	12.5	12.2	19.0	13.0	12.7	19.7
West North Central:															
Minnesota	11.5	11.3	17.2	12.4	12.4	12.8	13.3	13.1	19.5	12.2	12.1	15.5	12.2	12.0	23.8
Iowa	12.1	12.1	15.0	11.1	10.9	*21.1	11.3	11.2	*18.7	11.0	10.8	21.4	12.0	11.9	*19.8
Missouri	13.9	12.6	20.9	13.7	12.0	22.9	14.5	13.0	22.9	16.0	13.5	30.4	13.6	11.9	23.7
North Dakota	12.0	11.8	15.3	14.5	13.5	31.6	13.7	13.9	*10.1	14.7	14.2	*23.6	12.5	12.3	*18.4
South Dakota	14.3	13.3	22.8	13.9	13.2	19.5	14.0	13.6	18.0	12.6	12.0	18.8	13.7	13.2	19.8
Nebraska	11.7	10.7	29.8	12.6	12.0	23.5	13.2	12.4	28.3	12.7	12.0	24.8	11.0	10.6	16.9
Kansas	12.4	11.6	22.5	13.4	12.7	21.9	12.3	11.5	22.4	11.6	10.9	20.5	12.5	11.9	20.0
South Atlantic:															
Delaware	14.6	12.0	25.5	16.2	14.4	23.3	15.7	13.6	23.8	13.9	11.6	22.9	13.5	11.8	20.2
Maryland	15.2	13.3	21.7	14.0	12.0	21.1	15.3	12.7	24.4	14.8	12.4	23.5	15.4	13.3	23.1
District of Columbia	19.0	11.8	20.5	19.6	13.6	21.1	17.2	9.6	19.4	17.8	12.2	19.8	19.9	14.2	22.2
Virginia <sup>3</sup>	20.6	17.8	29.4	21.7	18.3	32.1	21.6	18.2	31.8	23.5	20.1	34.1	25.5	22.4	35.1
West Virginia	16.8	16.5	23.0	16.8	16.5	22.7	16.9	16.3	28.1	15.9	15.7	19.6	17.1	16.9	21.3
North Carolina	17.7	13.5	27.1	18.4	13.8	28.6	17.6	13.2	26.8	18.4	13.7	26.6	18.0	13.5	27.9
South Carolina	18.0	13.1	25.4	19.1	13.1	27.9	20.2	13.9	28.8	20.6	13.3	31.0	20.2	12.1	31.7
Georgia <sup>3</sup>	16.6	13.2	23.3	17.4	14.4	22.9	18.3	14.0	23.8	19.3	14.3	28.4	19.5	15.1	27.8
Florida	15.2	12.3	23.0	16.2	12.5	25.6	15.9	11.8	28.5	16.5	12.4	27.7	15.7	12.1	25.7
East South Central:															
Kentucky	13.7	13.2	18.2	13.5	12.7	22.3	14.9	13.8	27.1	13.4	12.6	21.4	13.0	12.2	21.8
Tennessee	15.9	13.6	23.8	17.3	15.3	24.3	17.7	14.2	29.8	16.5	14.0	25.4	17.1	13.9	28.4
Alabama	19.8	14.0	30.4	20.1	13.8	31.6	20.7	13.3	33.5	20.3	14.6	30.4	20.2	14.6	29.0
Mississippi <sup>3</sup>	26.2	17.4	34.6	26.1	17.1	34.0	26.2	14.6	36.2	25.7	15.9	35.9	26.2	15.4	35.7
West South Central:															
Arkansas <sup>3</sup>	17.4	13.9	26.6	16.2	13.7	22.1	17.8	13.6	27.6	16.4	12.9	25.2	16.4	12.6	26.0
Louisiana	15.4	9.7	24.0	15.8	10.2	24.2	16.4	10.6	25.0	17.5	10.9	27.4	17.1	11.3	26.0
Oklahoma	11.8	10.2	21.1	12.3	11.2	18.0	13.1	12.0	19.2	13.6	12.2	22.0	12.0	10.8	19.0
Texas	14.0	12.7	20.9	14.8	13.6	21.3	15.0	13.3	23.8	15.4	13.7	24.4	14.9	13.0	25.4
Mountain:															
Montana	12.0	11.7	15.1	11.1	10.8	*14.5	13.2	12.7	18.5	13.3	13.4	*12.1	12.6	12.7	*11.3
Idaho	9.8	9.8	11.0	11.3	11.3	*12.9	11.5	11.2	*21.9	12.4	12.4	*14.1	10.8	10.3	*2.9
Wyoming	14.8	14.3	26.1	12.9	12.8	*14.4	13.1	12.4	*28.2	12.6	12.7	*9.1	12.7	13.0	*6.8
Colorado <sup>3</sup>	17.2	16.6	28.2	15.7	14.7	32.8	18.0	16.0	17.0	16.3	15.8	26.8	18.6	18.2	26.1
New Mexico	12.1	11.8	13.6	12.9	12.6	15.3	13.8	13.8	13.9	13.7	13.9	12.3	13.7	13.8	12.7
Arizona	11.2	11.4	10.3	12.7	12.9	11.8	12.6	11.9	15.4	12.8	12.0	16.8	14.0	13.4	16.7
Utah	10.4	10.2	20.8	9.8	9.8	*11.8	10.2	10.2	*10.8	10.0	9.8	*18.3	10.9	10.9	*12.5
Nevada	13.7	12.5	20.3	12.4	9.7	28.5	14.8	13.0	28.8	14.9	13.8	23.0	12.3	11.1	21.7
Pacific:															
Washington	10.7	10.4	14.3	11.1	10.7	17.7	12.4	12.2	15.8	11.4	11.2	13.7	11.1	10.8	15.5
Oregon	17.1	16.7	25.8	18.5	18.3	22.9	18.8	18.4	22.7	16.1	17.8	26.4	17.7	17.4	27.0
California	11.8	11.2	16.1	11.9	11.3	16.3	12.6	11.7	17.5	12.5	11.6	18.8	12.4	11.8	16.8
Alaska	11.8	11.2	13.2	11.6	9.1	16.3	12.7	11.9	14.4	11.5	10.5	13.8	13.7	12.7	15.7
Hawaii <sup>3</sup>	14.0	16.2	73.1	11.7	13.7	11.0	14.5	13.3	15.0	13.1	11.9	13.7	12.8	13.5	12.4

<sup>1</sup>Figures by color for 1963 exclude data for residents of New Jersey; see Technical Appendix.

<sup>2</sup>Figures for 1963 and 1966 exclude approximately 300 fetal deaths recorded in Massachusetts, and figures for 1967 exclude approximately 100 fetal deaths recorded in this State. These fetal deaths were primarily to residents of Massachusetts; see Technical Appendix.

<sup>3</sup>Maine, Vermont, New York City, Virginia, Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of period of gestation. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

## SECTION 3 - FETAL MORTALITY

Table 3-B. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	All fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	Total fetal deaths to non-residents	Fetal deaths to intra-state non-residents	Fetal deaths to interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States-----	54,934	45,721	9,213	7,945	1,368	33	-	7	38	15	6	23	14	13	26	20	2	11
Alabama-----	1,271	1,063	208	183	25	...	-	-	-	-	-	-	-	-	10	4	-	-
Alaska-----	75	60	15	14	1	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona-----	365	341	24	16	8	-	-	...	-	2	-	-	-	-	-	-	-	-
Arkansas-----	567	443	124	102	22	-	-	-	...	1	-	-	-	-	-	-	-	-
California-----	3,989	3,667	302	293	9	-	-	1	-	...	-	-	-	-	-	-	1	1
Colorado-----	634	456	178	145	35	-	-	-	-	2	...	-	-	-	1	-	-	-
Connecticut-----	564	501	63	48	15	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware-----	142	129	13	4	9	-	-	-	-	-	-	1	...	-	-	-	-	-
District of Columbia-----	434	289	145	...	145	-	-	-	-	-	-	-	...	...	-	-	-	-
Florida-----	1,510	1,368	142	126	16	3	-	-	-	-	-	-	-	...	3	-	-	-
Georgia-----	1,478	1,028	450	393	57	16	-	-	-	-	-	-	-	-	5	...	-	-
Hawaii-----	207	203	4	3	1	-	-	-	-	-	-	-	-	-	-	-	...	-
Idaho-----	120	97	23	17	6	-	-	-	-	-	-	-	-	-	-	-	-	...
Illinois-----	2,753	2,461	292	260	32	-	-	-	-	-	1	-	-	-	-	-	-	-
Indiana-----	1,244	1,017	227	185	42	1	-	-	-	-	-	-	-	-	-	-	-	-
Iowa-----	573	417	156	134	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas-----	446	369	77	52	25	-	-	-	-	-	1	-	-	-	-	1	-	-
Kentucky-----	781	571	210	168	42	1	-	-	-	3	-	-	-	-	1	1	-	-
Louisiana-----	1,147	731	416	410	6	-	-	-	1	-	-	-	-	-	-	-	-	-
Maine-----	258	217	41	34	7	-	-	-	-	-	-	1	-	-	-	-	-	-
Maryland-----	942	728	214	185	29	-	-	-	-	-	-	-	5	5	-	1	-	-
Massachusetts <sup>1</sup> -----	1,157	913	244	209	35	-	-	-	-	-	-	4	-	-	1	1	-	-
Michigan-----	2,190	1,837	353	332	21	-	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota-----	739	558	181	159	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi-----	1,207	947	260	230	30	9	-	-	2	-	-	-	-	-	-	-	-	-
Missouri-----	1,053	720	333	276	57	-	-	-	2	-	-	-	-	-	-	-	-	-
Montana-----	145	119	27	22	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Nebraska-----	280	229	51	39	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada-----	116	109	7	4	3	-	-	-	-	2	-	-	-	-	-	-	-	-
New Hampshire-----	146	118	28	19	9	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,722	1,450	272	255	17	-	-	-	-	-	-	-	2	-	-	-	-	-
New Mexico-----	255	228	27	23	4	-	-	2	-	1	1	-	-	-	-	-	-	-
New York-----	8,473	7,855	618	514	104	-	-	-	-	1	2	9	-	-	1	-	-	-
North Carolina-----	1,625	1,310	315	289	26	-	-	-	-	-	-	-	-	1	-	1	-	-
North Dakota-----	139	99	40	27	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio-----	2,556	2,173	383	331	52	-	-	-	-	-	-	-	-	-	1	-	-	-
Oklahoma-----	465	393	82	76	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon-----	549	436	113	92	21	-	-	-	-	1	-	-	-	-	-	-	-	8
Pennsylvania-----	3,135	2,656	479	405	74	-	-	-	-	1	-	-	7	1	2	-	-	-
Rhode Island-----	215	175	40	28	12	-	-	-	-	-	-	5	-	-	-	-	-	-
South Carolina-----	872	755	117	102	15	-	-	-	-	-	-	-	-	-	-	1	-	-
South Dakota-----	165	100	65	58	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee-----	1,147	885	262	188	86	3	-	-	27	-	-	-	-	-	-	8	1	-
Texas-----	2,896	2,570	326	300	26	-	-	1	6	1	1	-	-	-	-	-	-	-
Utah-----	239	202	37	34	3	-	-	2	-	-	-	-	-	-	-	-	-	-
Vermont-----	268	224	44	35	9	-	-	-	-	1	-	1	-	-	-	-	-	-
Virginia-----	1,679	848	831	774	57	-	-	-	-	-	-	-	6	-	-	-	-	-
Washington-----	575	520	55	43	12	-	-	1	-	2	-	-	-	4	-	-	-	-
West Virginia-----	496	364	132	94	38	-	-	-	-	-	-	-	-	-	-	-	-	1
Wisconsin-----	850	690	160	132	28	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming-----	79	72	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the county; see Technical Appendix.

SECTION 3- FETAL MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrences	Fetal deaths to interstate nonresidents by State of residence—Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mi.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States-----	84	30	24	13	31	17	4	137	19	24	24	44	42	4	16	4	15	92	6	
Alabama-----	-	1	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Arkansas-----	-	1	-	-	-	2	-	-	-	1	-	-	6	-	-	-	-	-	-	
California-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
Colorado-----	2	-	2	1	-	1	-	-	-	2	1	-	-	-	4	1	-	-	1	
Connecticut-----	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Delaware-----	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	
District of Columbia-----	-	-	-	-	-	-	-	104	1	1	-	-	-	-	-	-	-	-	-	
Florida-----	-	1	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	1	
Georgia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Idaho-----	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	
Illinois-----	-	8	2	-	2	-	-	-	-	-	-	1	9	-	1	-	-	-	-	
Indiana-----	18	...	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iowa-----	7	-	...	-	-	-	-	-	-	-	4	-	1	-	5	-	-	-	-	
Kansas-----	1	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kentucky-----	2	8	-	...	...	-	-	-	-	-	-	-	19	-	-	-	-	-	-	
Louisiana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Maine-----	-	-	-	-	-	...	...	-	1	-	-	-	-	-	-	-	5	-	-	
Maryland-----	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-	-	-	-	-	
Massachusetts <sup>1</sup> -----	-	-	-	-	-	-	2	...	...	-	-	-	-	-	-	-	9	-	-	
Michigan-----	-	1	-	-	-	-	-	-	...	...	-	1	1	-	-	-	-	-	-	
Minnesota-----	-	-	5	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	
Mississippi-----	1	-	-	-	-	13	-	-	-	-	-	...	1	-	-	-	-	-	-	
Missouri-----	31	1	4	10	-	-	-	-	1	3	1	-	...	1	-	-	-	-	-	
Montana-----	-	-	-	-	-	-	-	-	-	1	1	-	...	...	-	-	-	-	-	
Nebraska-----	-	-	5	2	-	-	-	-	-	-	1	-	1	...	-	-	-	-	-	
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	
New Hampshire-----	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	...	...	1	-	
New Jersey-----	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	...	...	
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	
New York-----	-	-	1	-	-	-	-	2	3	1	1	-	1	-	-	-	-	-	54	
North Carolina-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
North Dakota-----	1	-	-	-	-	-	-	-	-	-	6	-	-	1	-	-	-	-	-	
Ohio-----	-	7	-	-	13	-	-	1	1	5	-	-	-	-	-	-	-	-	-	
Oklahoma-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pennsylvania-----	1	-	-	-	-	-	-	14	-	1	-	1	-	-	-	-	-	-	80	
Rhode Island-----	1	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	
South Carolina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Dakota-----	-	-	2	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	
Tennessee-----	-	1	-	-	5	-	-	-	-	-	-	32	2	-	-	-	-	-	-	
Texas-----	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-	-	-	3	
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Vermont-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Virginia-----	1	-	-	-	-	-	-	12	1	-	-	1	-	-	-	-	-	-	1	
Washington-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
West Virginia-----	1	-	-	-	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Wisconsin-----	15	-	3	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the county; see Technical Appendix.

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1967—Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence—Con.																			All fetal deaths to residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	46	38	4	54	14	10	56	14	40	8	50	38	4	4	85	24	38	23	4	54,934
Alabama-----	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1,279
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	74
Arizona-----	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	354
Arkansas-----	-	1	-	-	4	-	-	-	-	-	-	6	-	-	-	-	-	-	-	583
California-----	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3,935
Colorado-----	3	-	-	-	1	-	-	-	-	1	-	6	2	-	-	-	-	-	-	607
Connecticut-----	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	572
Delaware-----	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	147
District of Columbia-----	2	-	-	-	-	-	1	-	-	-	-	-	-	-	37	-	-	-	-	302
Florida-----	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1,520
Georgia-----	1	1	-	1	1	-	1	-	28	-	3	-	-	-	-	-	-	-	-	1,441
Hawaii-----	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	208
Idaho-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	125
Illinois-----	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	-	-	1	2,905
Indiana-----	-	-	-	12	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1,232
Iowa-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	575
Kansas-----	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	434
Kentucky-----	-	-	-	8	-	-	1	-	-	-	12	-	-	-	2	-	7	-	-	770
Louisiana-----	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1,158
Maine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	255
Maryland-----	-	-	-	-	-	-	4	1	-	-	-	-	-	-	8	-	4	-	-	1,050
Massachusetts <sup>1</sup> -----	3	-	-	1	-	-	-	11	-	-	1	2	-	-	1	-	-	-	-	1,141
Michigan-----	-	1	-	4	-	-	1	-	-	-	1	5	-	-	-	-	-	-	5	2,135
Minnesota-----	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	12	1	741
Mississippi-----	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1,221
Missouri-----	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1,088
Montana-----	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	145
Nebraska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	284
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	117
New Hampshire-----	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	152
New Jersey-----	3	-	-	-	-	-	10	-	-	-	-	-	-	-	1	-	-	-	-	1,797
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
New York-----	-	1	-	-	-	-	23	1	-	-	-	-	-	-	1	2	-	-	-	8,435
North Carolina-----	1	...	-	-	-	-	1	-	11	-	2	-	-	-	7	-	-	-	-	1,637
North Dakota-----	-	-	...	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	130
Ohio-----	-	-	-	...	-	-	5	-	-	-	1	2	-	-	1	-	15	-	-	2,558
Oklahoma-----	-	-	-	-	...	-	-	-	-	-	-	3	-	-	-	-	-	-	-	475
Oregon-----	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	11	-	-	-	538
Pennsylvania-----	9	-	-	5	-	-	...	-	-	-	-	-	-	-	-	-	1	1	-	3,117
Rhode Island-----	-	-	-	1	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	217
South Carolina-----	-	15	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	1	-	897
South Dakota-----	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	1	154
Tennessee-----	-	-	-	-	-	-	-	-	-	-	...	-	-	-	17	-	-	-	-	1,081
Texas-----	-	-	-	-	6	-	-	-	-	1	-	...	-	-	1	-	-	-	-	2,908
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	240
Vermont-----	5	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	263
Virginia-----	2	20	-	-	-	-	-	-	-	-	1	-	-	-	...	-	7	-	-	1,705
Washington-----	1	-	-	-	-	6	-	-	-	-	-	-	-	-	...	-	-	-	-	587
West Virginia-----	-	1	-	18	-	-	2	1	-	-	-	-	-	-	8	-	...	-	-	494
Wisconsin-----	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	...	-	845
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the county; see Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-9 Fetal Deaths by Month and Color: United States and Each State, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	54,934	4,672	4,112	4,602	4,383	4,681	4,587	4,887	4,771	4,782	4,751	4,490	4,236
White	39,500	3,326	2,955	3,368	3,137	3,337	3,298	3,412	3,426	3,488	3,361	3,275	3,117
Nonwhite	15,434	1,346	1,157	1,234	1,246	1,344	1,289	1,455	1,345	1,294	1,390	1,215	1,119
Alabama	1,279	108	105	94	80	106	120	119	104	119	110	112	105
White	583	50	46	39	40	53	48	46	49	57	47	56	52
Nonwhite	696	58	59	55	40	53	72	72	55	62	63	56	51
Alaska	74	4	6	4	8	6	2	7	10	10	6	2	9
White	48	4	4	3	4	5	2	4	6	7	4	2	5
Nonwhite	26	-	2	1	4	1	-	3	4	3	2	-	4
Arizona	364	28	26	37	51	30	25	37	26	39	38	29	19
White	307	18	22	31	23	26	22	32	23	35	33	27	15
Nonwhite	57	10	4	6	8	4	3	5	3	3	5	2	4
Arkansas	583	48	53	44	46	50	49	54	42	48	59	53	37
White	337	29	29	23	26	30	25	30	23	28	33	33	28
Nonwhite	246	19	24	21	20	20	24	24	19	20	26	20	9
California	3,985	314	268	322	337	315	321	341	366	362	371	346	332
White	3,301	281	229	271	275	253	271	277	292	298	315	276	293
Nonwhite	684	53	39	51	62	62	50	64	74	64	56	70	49
Colorado	607	50	45	53	48	49	47	73	45	44	69	45	39
White	555	44	43	47	43	48	46	66	44	41	57	41	35
Nonwhite	52	6	2	6	5	1	1	7	1	3	12	4	4
Connecticut	572	54	48	49	52	57	35	62	43	57	44	42	29
White	481	46	38	40	48	45	31	49	39	49	34	36	26
Nonwhite	91	8	10	9	4	12	4	13	4	8	10	6	3
Delaware	147	9	10	12	10	13	12	9	13	16	18	12	13
White	97	6	5	10	9	11	6	6	6	10	10	9	9
Nonwhite	50	3	5	2	1	2	6	3	7	6	8	3	4
District of Columbia	302	30	23	25	26	20	18	29	27	27	25	28	24
White	34	2	4	5	5	1	-	4	3	4	2	2	2
Nonwhite	268	28	19	20	21	19	18	25	24	23	23	26	22
Florida	1,520	127	116	115	114	112	131	124	126	146	136	134	139
White	898	65	62	78	77	65	90	67	75	78	74	88	89
Nonwhite	622	62	54	37	37	47	41	57	51	68	62	46	50
Georgia	1,441	141	112	123	122	149	113	132	117	110	113	105	104
White	755	70	58	69	53	78	53	70	63	68	55	59	57
Nonwhite	686	71	54	54	69	71	60	62	52	42	58	46	47
Hawaii	208	18	16	17	17	20	14	13	21	20	18	18	16
White	70	9	1	4	3	6	5	6	5	10	8	6	7
Nonwhite	138	9	15	13	14	14	9	7	16	10	10	12	9
Idaho	125	14	11	10	11	6	5	11	8	10	13	12	14
White	122	14	11	10	9	6	5	11	8	9	13	12	14
Nonwhite	3	-	-	-	2	-	-	-	-	1	-	-	-
Illinois	2,805	237	224	217	222	221	250	242	250	213	243	239	247
White	1,933	167	163	161	145	149	172	163	178	148	165	156	186
Nonwhite	872	70	61	56	77	72	78	79	72	65	78	83	61
Indiana	1,232	102	82	101	105	99	111	116	105	120	101	96	94
White	1,051	85	71	87	91	83	98	96	91	102	84	81	82
Nonwhite	181	17	11	14	14	16	13	20	14	18	17	15	12
Iowa	575	36	40	51	51	44	54	52	48	51	50	44	54
White	563	35	40	51	51	43	53	48	46	51	50	44	51
Nonwhite	12	1	-	-	-	1	1	4	2	-	-	-	3
Kansas	434	27	31	36	30	31	37	47	36	36	42	43	38
White	377	24	28	29	28	26	32	41	32	31	35	41	30
Nonwhite	57	3	3	7	2	5	5	6	4	5	7	2	8
Kentucky	770	64	68	51	66	72	59	50	71	75	90	62	40
White	680	60	59	47	59	69	49	45	63	64	78	60	37
Nonwhite	90	4	9	4	9	13	10	5	8	11	12	2	3
Louisiana	1,158	92	75	90	100	91	81	110	110	97	117	115	70
White	442	36	31	37	41	41	36	34	33	35	40	48	39
Nonwhite	716	56	44	53	59	50	45	76	77	62	77	67	40
Maine	255	20	25	21	12	17	23	25	20	24	20	15	33
White	251	20	24	20	12	17	23	25	20	24	19	14	33
Nonwhite	4	-	1	1	-	-	-	-	-	-	1	1	-
Maryland	1,050	98	72	87	72	81	96	98	96	91	83	101	77
White	713	71	50	56	54	58	61	64	67	62	51	71	50
Nonwhite	337	25	22	31	18	25	35	34	29	29	32	30	27
Massachusetts <sup>1</sup>	1,141	86	82	119	99	92	100	101	92	99	87	96	89
White	1,047	74	77	111	94	85	99	95	78	91	80	88	85
Nonwhite	94	12	5	8	5	7	11	6	14	8	7	7	4
Michigan	2,193	203	174	158	173	187	186	170	217	172	203	185	185
White	1,707	148	142	130	144	145	145	130	173	131	153	140	126
Nonwhite	486	55	32	28	29	42	41	40	44	41	50	45	59
Minnesota	741	58	51	70	45	65	65	62	86	67	62	50	62
White	711	58	49	68	43	62	61	58	84	64	58	48	58
Nonwhite	30	-	2	2	2	3	2	4	2	3	4	2	4
Mississippi	1,221	101	94	101	76	108	97	120	118	117	114	95	84
White	333	26	25	29	24	33	35	34	39	46	39	29	34
Nonwhite	828	75	69	72	52	75	62	86	79	71	75	64	50

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.

## SECTION 3 - FETAL MORTALITY

3-13

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1967--Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,039	104	71	86	78	92	79	95	89	99	77	85	83
White	795	71	55	60	57	70	65	75	81	81	53	68	65
Nonwhite	243	33	16	26	21	22	14	20	14	18	24	17	18
Montana	145	10	11	14	15	16	7	12	9	9	15	15	12
White	129	9	10	14	11	15	6	9	8	9	14	15	9
Nonwhite	16	1	1	-	4	1	1	3	1	-	1	-	3
Nebraska	284	24	17	24	22	19	20	23	24	31	29	27	22
White	247	21	15	23	19	17	18	19	23	25	26	25	16
Nonwhite	37	3	2	1	3	2	2	4	1	6	3	2	6
Nevada	117	9	3	11	9	11	16	3	15	7	14	8	11
White	91	5	2	9	7	9	15	3	10	6	7	8	10
Nonwhite	26	4	1	2	2	2	1	-	5	1	7	-	1
New Hampshire	152	15	14	10	7	18	13	7	16	10	18	13	11
White	150	15	13	10	7	18	13	7	15	10	18	13	11
Nonwhite	2	-	1	-	-	-	-	-	1	-	-	-	-
New Jersey	1,797	176	159	146	140	147	157	157	133	160	160	134	128
White	1,297	130	113	103	94	101	124	104	102	119	122	94	91
Nonwhite	500	46	46	43	46	46	33	53	31	41	38	40	37
New Mexico	257	20	22	19	17	25	23	24	23	19	19	21	25
White	214	16	21	18	15	21	21	19	18	17	11	16	21
Nonwhite	43	4	1	1	2	4	2	5	5	2	8	5	4
New York	8,415	751	633	771	690	747	749	732	654	666	711	661	650
White	5,660	504	434	517	452	485	504	463	439	448	475	476	453
Nonwhite	2,755	247	199	254	238	262	245	269	215	218	236	185	187
North Carolina	1,637	135	118	128	151	110	136	131	152	146	144	140	149
White	870	72	64	71	77	58	72	73	81	83	67	72	82
Nonwhite	767	63	52	57	74	54	64	58	71	63	77	68	66
North Dakota	130	11	9	9	4	7	13	27	18	5	13	4	10
White	120	11	8	7	4	6	11	27	17	5	13	3	8
Nonwhite	10	-	1	2	-	1	2	-	1	-	-	1	2
Ohio	2,558	240	211	199	181	229	212	227	226	230	197	204	202
White	2,093	185	167	160	153	177	178	183	191	190	161	169	170
Nonwhite	465	45	44	39	28	52	34	44	35	40	36	36	32
Oklahoma	473	43	41	29	38	39	32	32	42	44	51	40	42
White	347	34	31	23	23	30	18	28	29	35	37	30	29
Nonwhite	126	9	10	6	15	9	14	4	13	9	14	10	13
Oregon	538	46	35	56	50	57	47	50	45	49	46	51	26
White	509	44	34	55	48	53	42	46	42	47	44	29	25
Nonwhite	29	2	1	1	2	4	5	4	3	2	2	2	1
Pennsylvania	3,117	270	240	260	245	295	234	293	286	257	255	253	229
White	2,422	212	178	204	185	225	186	233	219	201	191	196	194
Nonwhite	695	58	62	56	60	72	48	60	67	56	64	57	35
Rhode Island	217	18	20	17	20	17	14	23	12	23	16	22	15
White	202	17	19	17	19	17	11	19	11	22	15	22	13
Nonwhite	15	1	1	-	1	-	-3	4	1	1	1	-	2
South Carolina	897	66	78	81	76	71	73	78	89	78	72	72	63
White	391	26	32	41	37	32	34	33	39	31	29	34	23
Nonwhite	506	40	46	40	39	39	39	45	50	47	43	38	40
South Dakota	164	7	10	14	18	15	13	14	13	12	16	15	17
White	135	6	8	10	15	10	12	12	12	12	13	10	15
Nonwhite	29	1	2	4	3	5	1	2	1	-	3	5	2
Tennessee	1,081	96	69	103	82	89	94	90	112	109	81	66	90
White	726	69	48	71	55	62	62	56	70	72	53	50	58
Nonwhite	355	27	21	32	27	27	32	34	42	37	28	16	32
Texas	2,908	234	194	242	219	244	253	229	269	287	258	268	211
White	2,214	177	149	195	161	191	178	168	199	225	194	213	164
Nonwhite	694	57	45	47	58	53	75	61	70	62	64	55	47
Utah	240	20	14	19	23	22	17	27	27	19	18	14	20
White	227	20	13	17	23	20	17	27	26	17	17	12	18
Nonwhite	13	-	1	2	-	2	-	-	1	2	1	2	2
Vermont	263	19	21	24	23	19	19	27	25	21	21	18	26
White	249	17	20	21	23	18	18	27	24	21	19	18	25
Nonwhite	14	2	1	3	-	1	1	-	1	-	2	2	1
Virginia	1,705	142	121	148	159	159	142	160	139	148	124	140	123
White	1,117	98	78	95	104	108	89	103	89	97	91	85	80
Nonwhite	588	44	43	53	55	51	53	57	50	51	33	55	43
Washington	587	40	41	65	48	59	44	48	39	60	54	47	42
White	534	35	38	59	42	55	43	39	37	56	48	45	37
Nonwhite	53	5	3	6	6	4	1	9	2	4	6	2	5
West Virginia	494	37	37	42	44	46	57	55	27	50	29	37	33
White	462	34	32	40	42	42	55	52	26	48	29	33	29
Nonwhite	32	3	5	2	2	4	2	3	1	2	-	4	4
Wisconsin	845	68	63	73	58	78	59	83	80	89	75	72	57
White	768	63	58	67	53	64	53	61	73	83	72	70	49
Nonwhite	79	5	5	6	5	14	6	12	7	6	3	2	8
Wyoming	83	4	5	5	11	11	5	5	10	5	6	7	9
White	77	3	4	5	10	11	5	5	9	5	5	7	8
Nonwhite	6	1	1	-	1	-	-	-	1	-	1	-	1

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. See Technical Appendix for a discussion of the increase from 1966 to 1967 in the total-birth order category "Not stated"]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	54,934	15,794	9,401	7,304	5,511	3,966	2,764	1,945	4,542	3,707
Under 15 years	222	190	16	2	-	-	-	-	-	14
15-19 years	8,709	5,927	1,584	405	101	35	7	1	3	646
20-24 years	16,185	6,289	4,118	2,447	1,141	568	284	97	66	1,195
25-29 years	11,817	2,052	2,130	2,288	1,737	1,128	735	431	559	759
30-34 years	8,561	782	923	1,229	1,313	1,112	832	578	1,254	538
35-39 years	6,430	417	475	677	891	779	621	568	1,622	360
40-44 years	2,724	130	140	238	299	318	273	243	321	192
45-49 years	286	7	15	18	29	26	32	27	118	14
Male	26,541	7,875	4,485	3,540	2,714	2,032	1,371	949	2,307	1,270
Under 15 years	115	94	14	-	-	-	-	-	-	7
15-19 years	4,506	3,052	737	212	49	17	4	-	2	233
20-24 years	7,724	3,093	1,988	1,177	582	284	124	48	28	410
25-29 years	5,604	967	1,016	1,099	849	572	381	206	259	255
30-34 years	4,119	379	439	593	630	570	399	284	654	181
35-39 years	3,194	215	208	336	460	416	321	269	850	119
40-44 years	1,542	73	64	127	151	159	129	130	449	60
45-49 years	137	2	7	6	13	14	13	12	65	5
Female	23,014	6,758	4,064	3,122	2,325	1,622	1,197	885	2,006	1,039
Under 15 years	81	86	1	2	-	-	-	-	-	2
15-19 years	3,697	2,548	722	160	45	15	3	1	1	202
20-24 years	6,817	2,722	1,781	1,046	485	242	117	45	31	348
25-29 years	4,915	885	904	995	736	441	298	198	263	195
30-34 years	3,605	320	380	550	578	461	371	257	544	144
35-39 years	2,656	153	215	276	348	320	270	271	703	100
40-44 years	1,119	42	55	84	117	134	125	100	417	45
45-49 years	114	2	6	9	14	9	13	11	47	3
Sex not stated	5,379	1,161	654	642	474	312	196	113	229	1,398
Under 15 years	16	10	1	-	-	-	-	-	-	5
15-19 years	706	327	125	33	7	3	-	-	-	211
20-24 years	1,644	474	339	224	94	42	23	4	7	437
25-29 years	1,298	200	210	194	152	115	56	27	36	308
30-34 years	837	83	104	96	105	81	62	37	56	215
35-39 years	580	49	52	65	85	43	30	28	69	161
40-44 years	263	15	21	27	31	25	19	13	55	67
45-49 years	35	3	2	3	2	3	6	4	6	6
White	39,500	11,765	7,090	5,587	4,192	2,903	1,865	1,245	2,325	2,510
Under 15 years	44	39	3	-	-	-	-	-	-	2
15-19 years	5,333	3,984	638	164	37	14	3	-	1	392
20-24 years	12,174	5,065	3,251	1,785	729	311	127	43	24	839
25-29 years	8,990	1,686	1,776	1,881	1,345	800	489	257	247	631
30-34 years	6,184	639	717	1,004	1,078	883	579	373	566	355
35-39 years	4,597	336	384	551	728	618	446	393	876	265
40-44 years	1,945	109	109	186	250	255	212	177	533	115
45-49 years	223	6	12	16	27	22	29	22	78	11
Male	19,120	5,981	3,387	2,693	2,082	1,480	947	617	1,150	683
Under 15 years	22	20	2	-	-	-	-	-	-	-
15-19 years	2,632	1,986	398	78	18	5	2	-	1	144
20-24 years	5,840	2,512	1,573	839	367	162	59	19	8	301
25-29 years	4,311	814	851	910	665	408	258	112	108	186
30-34 years	2,969	309	336	471	524	442	281	193	293	120
35-39 years	2,272	175	168	283	370	324	231	190	446	85
40-44 years	974	63	53	106	126	127	106	94	255	44
45-49 years	100	2	6	6	12	12	10	9	39	4
Female	16,902	5,119	3,117	2,468	1,786	1,207	815	563	1,045	772
Under 15 years	18	17	1	-	-	-	-	-	-	-
15-19 years	2,329	1,714	375	70	15	8	1	-	-	146
20-24 years	5,242	2,228	1,430	796	312	124	54	21	12	265
25-29 years	3,814	728	774	838	580	319	196	112	116	151
30-34 years	2,674	267	312	467	479	379	262	181	247	100
35-39 years	1,930	128	176	224	296	261	192	187	394	72
40-44 years	802	56	44	66	100	108	97	72	243	36
45-49 years	93	1	5	7	14	8	13	10	33	2
Sex not stated	3,478	763	586	426	314	216	123	65	130	855
Under 15 years	4	2	-	-	-	-	-	-	-	2
15-19 years	372	184	65	16	4	1	-	-	-	102
20-24 years	1,092	325	248	150	50	25	14	3	4	273
25-29 years	865	144	151	133	98	73	35	13	23	195
30-34 years	551	63	69	66	75	62	36	19	26	135
35-39 years	395	33	40	44	62	35	23	16	36	108
40-44 years	169	9	12	14	24	20	9	11	35	35
45-49 years	30	3	1	3	1	2	6	3	6	5
Nonwhite	15,434	4,031	2,311	1,717	1,319	1,063	879	700	2,217	1,197
Under 15 years	178	151	13	2	-	-	-	-	-	12
15-19 years	3,376	2,043	746	241	64	21	4	1	2	254
20-24 years	4,011	1,224	887	662	412	257	137	54	42	356
25-29 years	2,827	366	354	407	394	328	246	194	311	227
30-34 years	2,367	143	206	225	235	229	253	205	688	183
35-39 years	1,833	81	91	126	163	161	175	175	746	115
40-44 years	779	22	31	52	49	63	61	66	388	47
45-49 years	63	1	3	2	2	4	3	5	40	3

## SECTION 3 - FETAL MORTALITY

3-15

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1967-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. See Technical Appendix for a discussion of the increase from 1966 to 1967 in the total-birth order category "Not stated"]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
<b>Nonwhite—Con.</b>										
Male-----	7,421	1,994	1,086	847	632	552	424	332	1,157	387
Under 15 years-----	93	74	12	-	-	-	-	-	-	7
15-19 years-----	1,674	1,066	339	134	31	12	2	-	1	69
20-24 years-----	1,984	581	425	338	195	122	65	29	20	109
25-29 years-----	1,293	153	165	169	184	164	123	94	151	70
30-34 years-----	1,150	70	103	112	106	128	118	91	361	61
35-39 years-----	922	40	40	53	90	92	90	79	404	54
40-44 years-----	368	10	11	21	25	32	25	36	194	16
45-49 years-----	37	-	1	-	1	2	3	3	26	1
Female-----	6,112	1,639	947	654	527	415	382	320	961	267
Under 15 years-----	73	69	-	2	-	-	-	-	-	2
15-19 years-----	1,368	834	347	90	30	7	2	1	1	56
20-24 years-----	1,575	494	351	250	173	118	63	24	19	83
25-29 years-----	1,101	157	130	157	156	122	102	86	147	44
30-34 years-----	981	63	68	63	93	82	109	90	297	44
35-39 years-----	726	25	39	52	52	59	78	84	309	28
40-44 years-----	317	6	11	18	17	26	28	28	174	9
45-49 years-----	21	1	1	2	-	1	-	1	14	1
Sex not stated-----	1,901	399	268	216	160	96	73	48	99	543
Under 15 years-----	12	8	1	-	-	-	-	-	-	3
15-19 years-----	354	143	60	17	3	2	-	-	-	109
20-24 years-----	552	149	91	74	44	17	9	1	3	164
25-29 years-----	433	56	59	61	54	42	21	14	13	113
30-34 years-----	286	20	35	30	30	19	26	18	30	78
35-39 years-----	185	16	12	21	21	10	7	12	33	53
40-44 years-----	94	6	9	13	7	5	10	2	20	22
45-49 years-----	5	-	1	-	1	1	-	1	-	1

## SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States	54,934	222	8,709	16,185	11,817	8,561	6,430	2,724	286
White	39,500	44	5,335	12,174	8,990	6,194	4,597	1,945	223
Nonwhite	15,434	178	3,376	4,011	2,827	2,367	1,833	779	63
Alabama	1,279	9	282	368	188	175	173	75	9
White	583	1	106	210	95	70	74	24	3
Nonwhite	696	8	176	158	93	105	99	51	6
Alaska	74	-	8	24	24	8	6	3	1
White	48	-	3	15	18	6	4	1	-
Nonwhite	26	-	5	8	6	2	2	2	1
Arizona	364	1	44	110	88	56	40	23	2
White	307	-	39	96	71	48	35	16	2
Nonwhite	57	1	5	14	17	8	5	7	-
Arkansas	583	4	116	159	119	91	54	36	4
White	337	1	65	106	76	48	25	14	2
Nonwhite	246	3	51	53	43	43	29	22	2
California	3,995	11	620	1,198	893	638	435	190	10
White	3,501	7	501	1,002	757	522	346	156	10
Nonwhite	494	4	119	196	136	116	89	34	-
Colorado	607	4	98	186	148	78	84	26	3
White	555	1	90	173	138	68	59	23	3
Nonwhite	52	3	8	13	10	10	5	3	-
Connecticut	572	-	61	162	145	99	76	27	2
White	461	-	46	132	124	90	63	24	2
Nonwhite	91	-	15	30	21	9	13	3	-
Delaware	147	1	23	45	36	27	13	2	-
White	97	-	12	28	28	18	9	2	-
Nonwhite	50	1	11	17	8	9	4	-	-
District of Columbia	302	3	52	99	55	51	34	7	1
White	34	-	2	12	10	7	2	1	-
Nonwhite	268	3	50	87	45	44	32	6	1
Florida	1,520	11	277	449	314	241	160	64	4
White	989	1	141	286	196	139	85	36	4
Nonwhite	622	10	136	153	118	102	75	28	-
Georgia	1,441	7	300	441	289	193	161	45	5
White	755	1	134	253	180	91	73	21	2
Nonwhite	686	6	166	188	109	102	88	24	3
Hawaii	208	-	27	65	52	31	25	7	1
White	70	-	9	20	19	11	7	4	-
Nonwhite	138	-	18	45	33	20	18	3	1
Idaho	125	-	16	48	27	17	12	4	1
White	122	-	15	48	26	17	11	4	1
Nonwhite	3	-	1	-	1	-	1	-	-
Illinois	2,805	18	419	805	615	446	346	139	17
White	1,933	1	230	592	434	319	249	98	10
Nonwhite	872	17	189	213	181	127	97	41	7
Indiana	1,232	2	240	375	268	152	125	62	8
White	1,051	-	202	334	234	122	101	51	7
Nonwhite	181	2	38	41	34	30	24	11	1
Iowa	575	1	66	154	147	92	75	34	6
White	563	1	65	149	145	91	74	34	6
Nonwhite	12	-	1	5	2	1	1	-	-
Kansas	434	-	65	134	88	66	54	24	3
White	377	-	54	113	78	62	47	20	3
Nonwhite	57	-	11	21	10	4	7	4	-
Kentucky	770	3	146	244	140	111	82	42	2
White	680	2	125	223	137	87	68	36	2
Nonwhite	90	1	21	21	3	24	14	6	-
Louisiana	1,158	11	201	308	228	184	142	78	6
White	442	2	55	149	108	86	38	23	1
Nonwhite	716	9	146	159	120	118	104	55	5
Maine	255	-	34	68	52	49	39	13	1
White	251	-	34	68	50	48	37	13	1
Nonwhite	4	-	-	-	2	1	1	-	-
Maryland	1,050	6	211	310	190	171	106	52	2
White	713	1	109	219	144	118	80	40	2
Nonwhite	337	7	102	91	46	53	26	12	-
Massachusetts <sup>1</sup>	1,141	2	85	339	278	206	162	67	6
White	1,047	-	60	307	264	194	154	62	6
Nonwhite	94	2	25	32	12	12	8	5	-
Michigan	2,193	10	357	614	481	344	275	100	12
White	1,707	2	237	507	394	266	213	77	11
Nonwhite	486	8	120	107	87	78	62	23	1
Minnesota	741	-	89	226	169	98	93	62	4
White	711	-	85	218	161	95	90	60	4
Nonwhite	30	-	4	8	8	5	3	2	-
Mississippi	1,221	9	237	341	205	183	173	68	7
White	393	-	64	133	71	57	55	12	1
Nonwhite	828	9	173	208	132	126	118	56	6

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.

## SECTION 3 - FETAL MORTALITY

3-17

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1967-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Missouri	1,038	2	189	285	222	164	123	49	4
White	795	1	141	228	171	125	87	38	4
Nonwhite	243	1	48	57	51	39	36	11	-
Montana	145	-	22	42	34	24	13	9	1
White	129	-	20	40	28	19	13	8	1
Nonwhite	16	-	2	2	6	5	-	1	-
Nebraska	284	1	35	92	68	40	28	18	2
White	247	-	35	77	58	37	23	17	2
Nonwhite	37	1	2	15	10	3	5	1	-
Nevada	117	-	30	29	27	20	7	4	-
White	91	-	25	22	20	16	5	3	-
Nonwhite	26	-	5	7	7	4	2	1	-
New Hampshire	152	-	20	41	36	25	22	8	-
White	150	-	20	39	36	25	22	8	-
Nonwhite	2	-	-	2	-	-	-	-	-
New Jersey	1,797	5	216	493	403	309	268	101	2
White	1,297	5	115	369	305	219	211	76	2
Nonwhite	500	5	101	124	98	90	57	25	-
New Mexico	257	1	30	76	60	47	30	11	2
White	214	-	28	62	49	39	26	10	2
Nonwhite	43	1	4	14	11	8	4	1	-
New York	8,415	25	1,021	2,468	2,060	1,589	963	422	47
White	5,680	5	528	1,680	1,441	952	704	308	42
Nonwhite	2,735	20	493	788	619	437	279	114	5
North Carolina	1,637	8	369	468	353	216	140	74	9
White	870	2	163	295	207	120	58	22	3
Nonwhite	767	6	206	173	146	96	82	52	6
North Dakota	130	-	17	35	28	21	19	7	3
White	120	-	15	33	26	21	19	6	2
Nonwhite	10	-	4	2	2	-	-	1	1
Ohio	2,558	8	409	771	543	424	284	109	10
White	2,093	3	292	641	473	349	230	95	10
Nonwhite	465	5	117	130	70	75	54	14	-
Oklahoma	473	-	109	143	84	75	36	24	2
White	347	-	77	120	65	49	23	13	-
Nonwhite	126	-	32	23	19	26	13	11	2
Oregon	538	1	85	190	122	71	45	22	4
White	509	1	77	183	117	67	40	20	4
Nonwhite	29	-	8	7	5	4	5	2	-
Pennsylvania	3,117	13	458	936	629	503	405	149	23
White	2,422	1	271	517	419	343	243	120	20
Nonwhite	695	12	187	205	112	84	63	29	3
Rhode Island	217	-	19	75	48	26	33	14	2
White	202	-	17	71	47	24	27	14	2
Nonwhite	15	-	2	4	1	2	6	-	-
South Carolina	897	12	189	256	158	135	104	36	7
White	581	-	67	142	77	55	37	11	2
Nonwhite	506	12	122	114	81	80	67	25	5
South Dakota	164	1	23	48	34	24	20	12	2
White	135	-	22	39	29	18	15	9	2
Nonwhite	29	1	1	9	5	6	4	3	-
Tennessee	1,081	5	248	289	211	141	128	54	5
White	726	1	148	211	156	89	79	39	3
Nonwhite	355	4	100	78	55	52	49	15	2
Texas	2,908	17	513	849	580	464	356	130	19
White	2,214	6	340	667	449	372	262	102	16
Nonwhite	694	11	173	182	131	92	94	28	3
Utah	240	-	28	71	71	32	22	14	2
White	227	-	27	68	68	30	20	12	2
Nonwhite	13	-	1	3	3	2	2	2	-
Vermont	263	2	42	64	55	48	28	23	1
White	249	1	40	62	49	47	28	21	1
Nonwhite	14	1	2	2	6	1	-	2	-
Virginia	1,705	5	301	555	360	217	194	67	6
White	1,117	1	164	391	260	144	122	31	4
Nonwhite	588	4	137	164	100	73	72	36	2
Washington	587	-	80	211	125	99	44	26	2
White	534	-	71	199	110	85	42	25	2
Nonwhite	53	-	9	12	15	14	2	1	-
West Virginia	494	-	80	149	88	78	55	30	4
White	462	-	85	145	82	76	49	25	4
Nonwhite	32	-	7	6	6	2	6	5	-
Wisconsin	845	1	81	247	185	153	111	58	9
White	765	1	60	229	175	131	104	57	9
Nonwhite	79	-	21	18	10	22	7	1	-
Wyoming	85	-	13	30	18	9	9	3	1
White	77	-	12	28	17	8	8	3	1
Nonwhite	8	-	1	2	1	1	1	-	-

## SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. See Technical Appendix for a discussion of the increase from 1966 to 1967 in the total-birth order category "Not stated"]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States	54,834	15,794	9,401	7,304	5,511	3,966	2,764	1,945	4,542	3,707
White	39,500	11,763	7,090	5,587	4,192	2,903	1,865	1,245	2,325	2,510
Nonwhite	15,434	4,031	2,311	1,717	1,319	1,063	879	700	2,217	1,197
Alabama	1,279	402	213	165	89	80	65	57	194	16
White	583	216	115	89	43	41	20	20	35	6
Nonwhite	696	186	98	76	46	39	45	37	161	10
Alaska	74	20	16	11	7	5	6	1	7	1
White	48	16	11	5	6	5	5	-	-	-
Nonwhite	26	4	5	6	1	-	1	1	7	1
Arizona	364	110	54	53	43	23	16	17	43	5
White	307	95	48	51	39	17	13	12	27	5
Nonwhite	57	15	6	2	4	6	3	5	16	-
Arkansas	583	155	101	60	50	40	33	20	112	12
White	387	114	67	44	25	26	15	9	29	8
Nonwhite	246	41	34	16	25	14	18	11	83	4
California	3,995	1,385	694	554	399	282	170	134	266	111
White	3,301	1,155	576	464	340	234	137	112	201	62
Nonwhite	694	230	118	90	59	48	33	22	65	29
Colorado	607	133	104	74	46	43	20	13	33	141
White	555	126	96	69	41	42	18	10	31	122
Nonwhite	52	7	8	5	5	1	2	3	2	19
Connecticut	572	188	90	75	75	52	34	20	26	12
White	481	155	79	62	68	44	29	14	20	10
Nonwhite	91	33	11	13	7	8	5	6	6	2
Delaware	147	32	24	19	15	6	10	8	8	25
White	97	25	18	13	5	6	6	6	5	14
Nonwhite	50	7	6	6	10	-	3	2	3	11
District of Columbia	302	113	49	39	32	18	18	8	18	8
White	54	14	8	4	4	2	-	1	-	1
Nonwhite	268	99	41	34	28	16	18	7	18	7
Florida	1,520	473	278	200	162	114	81	46	158	8
White	898	305	200	129	97	70	37	18	39	3
Nonwhite	622	168	78	71	65	44	44	28	119	5
Georgia	1,441	449	260	186	141	103	63	39	180	20
White	755	256	166	109	81	56	31	19	27	10
Nonwhite	686	193	94	77	60	47	32	40	133	10
Hawaii	208	57	46	30	24	15	12	5	14	5
White	70	25	11	13	6	3	3	1	5	2
Nonwhite	138	31	35	17	18	12	9	4	9	3
Idaho	125	32	24	21	16	11	5	1	12	3
White	122	31	24	20	16	11	5	1	11	3
Nonwhite	3	1	-	1	-	-	-	-	1	-
Illinois	2,805	854	523	409	312	194	140	91	237	65
White	1,933	604	363	298	239	128	84	53	113	53
Nonwhite	672	250	160	111	73	66	56	38	124	12
Indiana	1,232	342	224	159	135	96	66	36	89	85
White	1,051	292	198	138	119	86	54	28	61	75
Nonwhite	181	50	26	21	16	10	12	8	28	10
Iowa	575	146	89	94	68	53	37	19	61	8
White	563	143	86	92	67	53	35	19	60	8
Nonwhite	12	3	3	2	1	-	2	-	1	-
Kansas	434	122	67	69	49	38	27	14	44	4
White	377	106	57	61	44	34	25	12	35	3
Nonwhite	57	16	10	8	5	4	2	2	9	1
Kentucky	770	273	140	84	67	57	36	31	67	15
White	680	248	128	81	55	50	28	27	51	12
Nonwhite	90	25	12	3	12	7	8	4	16	3
Louisiana	1,158	278	145	156	94	91	75	58	212	40
White	442	121	68	74	46	38	30	12	39	14
Nonwhite	716	157	77	82	48	53	45	46	173	35
Maine	255	54	43	26	33	24	16	14	19	26
White	251	52	43	26	33	23	16	13	19	26
Nonwhite	4	2	-	-	-	1	-	1	-	-
Maryland	1,080	342	184	147	117	70	47	49	50	44
White	713	241	134	105	86	45	32	26	21	23
Nonwhite	337	101	50	42	31	25	15	23	29	21
Massachusetts <sup>1</sup>	1,141	289	185	180	121	104	73	50	77	62
White	1,047	265	166	165	115	92	68	49	72	59
Nonwhite	94	26	19	15	8	12	5	1	5	3
Michigan	2,195	696	357	308	230	160	122	81	177	72
White	1,707	525	272	256	199	131	95	64	112	53
Nonwhite	486	161	85	52	31	29	27	17	65	19
Minnesota	741	198	111	91	63	55	31	35	68	71
White	711	197	105	86	61	54	48	31	62	67
Nonwhite	30	1	6	5	2	1	3	2	6	4
Mississippi	1,221	292	184	121	122	85	59	44	261	53
White	385	120	82	58	48	29	12	7	13	20
Nonwhite	828	172	102	63	76	56	47	37	242	33

<sup>1</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.

## SECTION 3 - FETAL MORTALITY

3-19

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1967-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. See Technical Appendix for a discussion of the increase from 1966 to 1967 in the total-birth order category "Not stated"]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,038	312	177	120	98	79	66	47	90	49
White	795	252	142	97	80	64	43	32	41	44
Nonwhite	243	60	35	23	18	15	23	15	49	5
Montana	145	58	23	25	13	9	5	8	19	5
White	129	35	22	22	12	9	4	8	13	4
Nonwhite	16	3	1	3	1	-	1	-	6	1
Nebraska	284	86	56	39	32	23	18	9	18	5
White	247	77	49	35	30	21	11	7	16	3
Nonwhite	37	9	7	6	2	2	7	2	2	-
Nevada	117	43	20	17	8	4	7	6	9	3
White	91	42	16	11	8	4	4	4	2	-
Nonwhite	26	1	4	6	-	-	3	2	7	3
New Hampshire	152	37	26	25	23	14	8	10	6	3
White	150	58	26	24	23	14	8	10	6	3
Nonwhite	2	1	-	1	-	-	-	-	-	-
New Jersey	1,797	495	340	228	196	129	92	69	96	152
White	1,297	377	254	179	145	89	60	38	46	109
Nonwhite	500	118	86	49	51	40	32	31	50	43
New Mexico	257	60	47	33	31	20	17	5	37	7
White	214	46	38	31	28	18	13	4	28	7
Nonwhite	43	14	9	2	3	2	4	1	8	-
New York	8,415	1,946	1,339	1,032	770	524	321	199	324	1,960
White	5,660	1,325	935	740	536	376	209	130	207	1,192
Nonwhite	2,755	611	404	292	234	148	112	69	117	768
North Carolina	1,637	586	295	211	160	109	86	53	147	10
White	870	343	174	129	97	49	35	13	25	7
Nonwhite	767	223	121	83	63	61	51	40	122	3
North Dakota	130	37	24	13	19	11	8	3	14	1
White	120	33	23	12	17	11	8	3	12	1
Nonwhite	10	4	1	1	2	-	-	-	2	-
Ohio	2,558	704	491	379	282	217	149	88	164	85
White	2,095	581	395	315	242	186	117	69	119	69
Nonwhite	465	123	96	63	40	31	32	19	45	16
Oklahoma	473	150	85	55	50	34	20	14	41	24
White	347	111	75	44	47	21	11	6	14	18
Nonwhite	126	39	10	11	3	13	9	8	27	6
Oregon	558	165	106	81	51	29	32	21	58	15
White	509	158	100	78	48	27	31	17	45	15
Nonwhite	29	7	6	3	3	2	1	4	3	-
Pennsylvania	3,117	939	576	425	330	253	178	125	200	71
White	2,422	729	452	338	285	195	131	96	144	54
Nonwhite	695	210	124	87	67	58	47	29	56	17
Rhode Island	217	70	33	36	20	14	16	9	18	1
White	202	66	32	34	19	12	15	8	15	1
Nonwhite	15	4	1	2	1	2	1	1	3	-
South Carolina	897	237	138	121	89	64	34	39	128	47
White	391	122	85	56	46	24	8	11	24	15
Nonwhite	506	115	53	65	43	40	26	28	104	32
South Dakota	164	49	19	18	15	16	10	15	20	2
White	135	44	16	16	15	13	8	13	9	1
Nonwhite	29	5	3	2	-	3	2	2	11	1
Tennessee	1,061	361	192	134	77	66	39	34	99	59
White	726	260	138	100	60	47	21	14	33	53
Nonwhite	355	101	54	34	17	39	18	20	66	6
Texas	2,908	941	485	420	249	205	144	118	332	16
White	2,214	727	383	342	188	146	109	82	224	15
Nonwhite	694	214	102	78	63	57	35	36	108	1
Utah	240	64	34	31	33	18	16	12	19	13
White	227	62	33	29	30	16	16	12	19	11
Nonwhite	13	2	1	2	3	3	-	-	-	2
Vermont	263	64	50	30	21	25	14	11	26	22
White	249	59	48	28	21	24	14	11	24	20
Nonwhite	14	5	2	2	-	1	-	-	2	2
Virginia	1,705	475	289	239	167	84	76	62	130	163
White	1,117	317	203	173	117	54	45	22	46	140
Nonwhite	589	158	86	66	50	30	31	40	84	43
Washington	587	175	112	81	75	49	36	18	31	10
White	534	153	101	77	65	47	33	18	25	9
Nonwhite	53	16	11	4	10	2	3	-	6	1
West Virginia	494	145	85	61	55	43	30	15	46	14
White	462	139	83	57	54	40	27	12	39	12
Nonwhite	32	7	2	4	1	3	3	3	7	2
Wisconsin	845	207	141	109	107	82	55	41	72	31
White	786	189	133	99	95	73	51	36	63	28
Nonwhite	79	19	8	10	12	9	4	5	9	3
Wyoming	85	23	13	12	10	8	7	5	5	-
White	77	22	13	12	9	7	6	5	3	-
Nonwhite	6	1	-	-	1	1	1	-	2	-

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation <sup>1</sup>			Group III—fetal deaths of 28 weeks gestation or more <sup>1</sup>				
	Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>		
		In hospital <sup>3</sup>	Not in hospital			In hospital <sup>3</sup>	Not in hospital			In hospital <sup>3</sup>	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
United States	54,934	52,744	1,272	456	12,265	11,652	426	73	34,493	33,339	535	364
White	39,500	38,625	662	35	8,216	7,939	232	2	25,504	25,140	247	51
Nonwhite	15,434	14,119	610	421	4,049	3,713	194	71	8,989	8,199	288	333
Alabama	1,279	1,077	42	122	293	244	14	30	900	768	22	67
White	583	567	3	5	124	123	1	-	423	410	2	5
Nonwhite	696	510	39	117	169	121	13	30	477	358	20	62
Alaska	74	70	2	-	14	11	1	-	57	56	1	-
White	48	48	-	-	9	9	-	-	37	37	-	-
Nonwhite	26	22	2	-	5	2	1	-	20	19	1	-
Arizona	384	362	1	1	78	77	1	-	278	277	-	1
White	307	305	1	1	68	67	1	-	233	232	-	1
Nonwhite	57	57	-	-	10	10	-	-	45	45	-	-
Arkansas	583	537	21	3	104	94	6	-	403	371	13	3
White	337	330	6	-	69	67	2	-	217	215	2	-
Nonwhite	246	207	15	3	35	27	4	-	186	156	11	3
California	3,995	3,930	42	-	590	584	6	-	2,252	2,236	12	-
White	3,301	3,250	32	-	470	465	5	-	1,811	1,808	9	-
Nonwhite	694	680	10	-	120	119	1	-	341	338	3	-
Colorado	607	584	18	-	171	158	12	-	284	282	2	-
White	555	536	16	-	156	145	11	-	267	265	2	-
Nonwhite	52	48	2	-	15	13	1	-	17	17	-	-
Connecticut	572	564	8	-	153	149	4	-	396	393	3	-
White	481	478	3	-	115	114	1	-	346	344	2	-
Nonwhite	91	86	5	-	38	35	3	-	50	49	1	-
Delaware	147	145	2	-	47	46	1	-	83	82	1	-
White	97	95	2	-	26	25	1	-	62	61	1	-
Nonwhite	50	50	-	-	21	21	-	-	21	21	-	-
District of Columbia	302	287	9	-	49	45	2	-	133	128	5	-
White	34	33	1	-	5	5	-	-	20	19	1	-
Nonwhite	268	254	8	-	44	40	2	-	113	109	2	-
Florida	1,520	1,447	34	32	355	340	12	2	1,157	1,099	22	30
White	898	883	12	1	198	193	5	-	698	698	7	1
Nonwhite	622	564	22	31	157	147	7	2	459	411	15	29
Georgia	1,441	1,333	41	10	403	383	8	-	894	821	27	8
White	755	738	10	-	202	197	3	-	485	475	6	-
Nonwhite	686	595	31	10	201	186	5	-	409	346	21	8
Hawaii	208	202	6	-	84	79	5	-	119	118	1	-
White	70	70	-	-	23	23	-	-	46	46	-	-
Nonwhite	138	132	6	-	61	56	5	-	73	72	1	-
Idaho	125	123	1	1	25	22	1	-	55	55	-	-
White	122	120	1	1	23	22	1	-	54	54	-	-
Nonwhite	3	3	-	-	-	-	-	-	1	1	-	-
Illinois	2,905	2,720	79	1	634	603	30	1	2,098	2,045	49	-
White	1,935	1,892	37	1	384	365	18	1	1,487	1,466	19	-
Nonwhite	672	628	42	-	250	238	12	-	611	579	30	-
Indiana	1,232	1,201	28	1	215	202	11	1	774	762	11	-
White	1,051	1,025	25	1	183	173	9	1	663	653	10	-
Nonwhite	181	176	3	-	32	29	2	-	111	109	1	-
Iowa	575	562	10	-	114	109	3	-	443	435	7	-
White	563	550	10	-	110	105	3	-	435	427	7	-
Nonwhite	12	12	-	-	4	4	-	-	8	8	-	-
Kansas	434	425	9	-	81	75	6	-	349	346	3	-
White	377	370	7	-	64	60	4	-	309	306	3	-
Nonwhite	57	55	2	-	17	15	2	-	40	40	-	-
Kentucky	770	747	11	8	135	129	4	-	619	605	6	7
White	680	660	8	8	112	107	3	-	553	541	4	7
Nonwhite	90	87	3	-	23	22	1	-	66	64	2	-
Louisiana	1,158	1,089	44	13	214	189	20	1	917	877	21	12
White	442	435	4	-	74	69	4	-	350	338	-	-
Nonwhite	716	654	40	13	140	120	16	1	557	519	21	12
Maine	255	252	3	-	33	33	-	-	137	135	2	-
White	251	248	3	-	32	32	-	-	134	132	2	-
Nonwhite	4	4	-	-	1	1	-	-	3	3	-	-
Maryland	1,050	1,018	29	-	195	192	3	-	624	611	11	-
White	715	694	16	-	122	121	1	-	451	439	10	-
Nonwhite	337	324	13	-	73	71	2	-	173	172	1	-
Massachusetts <sup>4</sup>	1,141	1,121	18	-	264	260	3	-	847	834	11	-
White	1,047	1,030	15	-	233	229	3	-	790	779	10	-
Nonwhite	94	91	1	-	31	31	-	-	57	55	1	-
Michigan	2,193	2,149	34	-	491	473	15	-	1,519	1,502	13	-
White	1,707	1,674	24	-	349	338	8	-	1,206	1,192	11	-
Nonwhite	486	475	10	-	142	135	7	-	313	310	2	-
Minnesota <sup>5</sup>	741	722	17	-	8	8	-	-	15	15	-	-
White	711	693	16	-	8	8	-	-	15	15	-	-
Nonwhite	30	29	1	-	-	-	-	-	-	-	-	-
Mississippi	1,221	962	47	171	347	296	13	29	780	592	29	137
White	393	382	5	3	125	124	1	-	222	215	4	3
Nonwhite	828	580	42	168	222	172	12	29	559	377	25	134

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1967-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II—fetal deaths of 20-27 weeks gestation <sup>1</sup>				Group III—fetal deaths of 28 weeks gestation or more <sup>1</sup>			
	Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>			Total	Attendant <sup>2</sup>		
		In hospital <sup>3</sup>	Not in hospital			In hospital <sup>3</sup>	Not in hospital			In hospital <sup>3</sup>	Not in hospital	
		Physician	Midwife		Physician	Midwife		Physician	Midwife		Physician	Midwife
Missouri	1,039	1,014	14	2	208	197	5	2	748	738	7	-
White	795	777	14	-	152	145	5	-	567	559	7	-
Nonwhite	243	237	-	2	56	52	-	2	181	179	-	-
Montana	149	141	2	1	33	31	2	-	107	106	-	1
White	125	125	2	1	27	25	2	-	97	96	-	1
Nonwhite	16	16	-	-	6	6	-	-	10	10	-	-
Nebraska	284	282	2	-	82	82	-	-	190	188	2	-
White	247	245	2	-	68	68	-	-	169	167	2	-
Nonwhite	37	37	-	-	16	16	-	-	21	21	-	-
Nevada	117	117	-	-	30	30	-	-	77	77	-	-
White	91	91	-	-	21	21	-	-	62	62	-	-
Nonwhite	26	26	-	-	9	9	-	-	15	15	-	-
New Hampshire	152	150	2	-	25	24	1	-	120	119	1	-
White	150	148	2	-	24	23	1	-	119	118	1	-
Nonwhite	2	2	-	-	1	1	-	-	1	1	-	-
New Jersey	1,797	1,756	20	-	419	398	11	-	1,237	1,224	7	-
White	1,297	1,281	8	-	280	271	6	-	912	909	1	-
Nonwhite	500	475	12	-	139	127	5	-	325	315	6	-
New Mexico	257	250	4	2	49	46	3	-	166	163	1	2
White	214	208	3	2	42	39	3	-	136	133	-	2
Nonwhite	43	42	1	-	7	7	-	-	30	29	1	-
New York	8,415	8,114	261	-	2,011	1,915	91	-	3,229	3,185	39	-
White	5,660	5,492	156	-	1,308	1,254	52	-	2,500	2,476	21	-
Nonwhite	2,755	2,622	125	-	703	661	39	-	729	709	18	-
North Carolina	1,637	1,604	22	9	341	336	4	1	1,270	1,245	15	8
White	870	867	3	-	161	161	-	-	693	691	2	-
Nonwhite	767	737	19	9	180	175	4	1	577	554	15	8
North Dakota	130	125	5	-	25	23	2	-	99	96	3	-
White	120	117	3	-	23	23	-	-	92	89	3	-
Nonwhite	10	8	2	-	2	-	2	-	7	7	-	-
Ohio	2,558	2,523	32	-	657	619	16	-	1,798	1,782	15	-
White	2,093	2,067	25	-	466	453	11	-	1,511	1,499	11	-
Nonwhite	465	456	9	-	171	166	5	-	287	283	4	-
Oklahoma	473	456	11	-	79	76	2	-	367	361	5	-
White	347	336	8	-	59	58	2	-	269	266	2	-
Nonwhite	126	122	3	-	20	20	-	-	98	95	3	-
Oregon	538	529	8	-	138	135	2	-	267	265	3	-
White	509	500	8	-	130	129	2	-	254	250	3	-
Nonwhite	29	29	-	-	8	8	-	-	13	13	-	-
Pennsylvania	3,117	3,059	47	-	1,086	1,051	26	-	2,020	1,998	20	-
White	2,422	2,380	36	-	735	708	22	-	1,677	1,662	14	-
Nonwhite	695	679	11	-	351	343	4	-	343	336	6	-
Rhode Island	217	211	5	-	49	45	3	-	163	161	2	-
White	202	197	4	-	45	41	3	-	152	151	1	-
Nonwhite	15	14	1	-	4	4	-	-	11	10	1	-
South Carolina	897	789	34	41	176	159	8	2	657	572	25	36
White	381	388	4	-	78	77	1	-	290	286	3	-
Nonwhite	506	403	30	41	98	82	7	2	367	286	22	36
South Dakota	184	158	4	-	24	22	1	-	135	131	3	-
White	135	133	2	-	18	17	1	-	112	111	1	-
Nonwhite	29	25	2	-	6	5	-	-	23	20	2	-
Tennessee	1,081	1,042	26	12	265	258	7	-	811	779	19	12
White	726	708	16	2	176	173	3	-	546	531	13	2
Nonwhite	355	334	10	10	89	85	4	-	265	248	6	10
Texas	2,908	2,739	55	22	605	566	16	4	2,237	2,116	37	16
White	2,214	2,114	35	8	433	409	9	-	1,738	1,664	25	8
Nonwhite	694	625	20	14	172	157	7	4	499	452	12	8
Utah	240	236	2	1	35	35	-	-	161	158	2	1
White	227	223	2	1	30	30	-	-	158	155	2	1
Nonwhite	13	13	-	-	5	5	-	-	3	3	-	-
Vermont	263	256	7	-	27	26	1	-	46	46	-	-
White	249	242	7	-	25	24	1	-	44	44	-	-
Nonwhite	14	14	-	-	2	2	-	-	2	2	-	-
Virginia	1,705	1,592	103	3	408	372	51	-	947	899	44	3
White	1,117	1,078	39	-	249	238	10	-	606	595	11	-
Nonwhite	588	514	65	3	159	134	21	-	341	304	33	3
Washington	587	575	8	-	125	122	2	-	429	422	4	-
White	534	524	7	-	114	112	2	-	387	381	3	-
Nonwhite	53	51	1	-	11	10	-	-	42	41	1	-
West Virginia	494	479	12	-	93	88	5	-	380	372	6	-
White	462	449	11	-	86	81	5	-	356	349	5	-
Nonwhite	32	31	1	-	7	7	-	-	24	23	1	-
Wisconsin	845	834	11	-	184	178	6	-	657	633	4	-
White	766	756	10	-	170	164	6	-	575	572	3	-
Nonwhite	79	78	1	-	14	14	-	-	62	61	1	-
Wyoming	83	82	1	-	16	16	-	-	62	61	1	-
White	77	76	1	-	14	14	-	-	58	57	1	-
Nonwhite	6	6	-	-	2	2	-	-	4	4	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

<sup>2</sup>Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."

<sup>3</sup>Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

<sup>4</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.

<sup>5</sup>Data shown by period of gestation are for fetal deaths that occurred in other States to residents of Minnesota.

SECTION 3 - FETAL MORTALITY

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Plurality of birth, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Total	54,934	4,800	8,542	5,828	5,332	5,581	5,126	4,887	2,907	1,143	573	370	9,045
Fetal deaths in single deliveries	51,829	4,189	7,874	5,468	4,981	5,232	4,951	4,810	2,890	1,135	570	363	9,301
Fetal deaths in twin deliveries	3,036	585	646	355	344	347	193	77	17	8	3	2	459
Fetal deaths in other plural deliveries	69	26	22	5	7	2	2	-	-	-	-	-	5
Male	26,541	2,268	4,463	2,987	2,764	2,887	2,603	2,577	1,637	729	366	222	5,030
Fetal deaths in single deliveries	24,925	1,984	4,099	2,799	2,583	2,705	2,502	2,535	1,627	725	365	221	2,802
Fetal deaths in twin deliveries	1,572	288	351	185	175	181	99	42	10	6	1	1	233
Fetal deaths in other plural deliveries	44	16	13	3	6	1	2	-	-	-	-	-	3
Female	23,014	1,837	3,906	2,754	2,505	2,659	2,498	2,288	1,259	410	204	146	2,550
Fetal deaths in single deliveries	21,654	1,569	3,611	2,589	2,339	2,495	2,402	2,254	1,252	408	202	146	2,387
Fetal deaths in twin deliveries	1,336	258	286	163	165	163	94	34	7	2	2	2	162
Fetal deaths in other plural deliveries	24	10	9	2	1	1	-	-	-	-	-	-	1
Sex not stated	5,379	695	173	87	63	35	27	22	11	4	3	2	4,257
Fetal deaths in single deliveries	5,250	656	164	80	59	32	27	21	11	4	3	1	4,192
Fetal deaths in twin deliveries	128	39	9	7	4	3	-	1	-	-	-	1	64
Fetal deaths in other plural deliveries	1	-	-	-	-	-	-	-	-	-	-	-	1
White	39,500	3,277	5,814	4,038	3,815	4,031	3,849	3,775	2,248	882	397	251	7,123
Fetal deaths in single deliveries	37,208	2,852	5,323	3,772	3,544	3,781	3,701	3,720	2,232	877	395	250	6,761
Fetal deaths in twin deliveries	2,236	401	475	262	264	249	146	55	16	5	2	1	361
Fetal deaths in other plural deliveries	56	24	16	4	7	2	2	-	-	-	-	-	1
Male	19,120	1,564	3,033	2,077	1,959	2,077	1,917	1,955	1,247	559	256	152	2,324
Fetal deaths in single deliveries	17,944	1,353	2,772	1,932	1,822	1,946	1,849	1,927	1,238	555	256	152	2,143
Fetal deaths in twin deliveries	1,139	196	250	143	131	130	67	28	9	4	-	-	181
Fetal deaths in other plural deliveries	37	15	11	2	6	1	2	-	-	-	-	-	-
Female	16,902	1,310	2,677	1,905	1,810	1,932	1,916	1,804	991	319	139	98	2,001
Fetal deaths in single deliveries	15,661	1,119	2,455	1,790	1,680	1,814	1,837	1,778	984	318	137	98	1,871
Fetal deaths in twin deliveries	1,003	182	217	113	129	117	79	26	7	1	2	-	130
Fetal deaths in other plural deliveries	18	9	5	2	1	1	-	-	-	-	-	-	-
Sex not stated	3,478	403	104	56	45	22	16	16	10	4	2	1	2,798
Fetal deaths in single deliveries	3,363	380	96	50	42	21	16	15	10	4	2	-	2,747
Fetal deaths in twin deliveries	94	23	8	6	4	1	-	1	-	-	-	1	50
Fetal deaths in other plural deliveries	1	-	-	-	-	-	-	-	-	-	-	-	1
Nonwhite	15,434	1,523	2,728	1,790	1,517	1,550	1,277	1,112	659	261	176	119	2,722
Fetal deaths in single deliveries	14,621	1,337	2,561	1,686	1,437	1,451	1,230	1,090	658	258	175	118	2,620
Fetal deaths in twin deliveries	800	184	171	93	80	99	47	22	1	3	1	1	98
Fetal deaths in other plural deliveries	13	2	6	1	-	-	-	-	-	-	-	-	4
Male	7,421	704	1,430	910	805	810	688	622	390	170	110	70	714
Fetal deaths in single deliveries	6,981	611	1,327	867	761	759	654	608	389	168	109	69	659
Fetal deaths in twin deliveries	433	92	101	42	44	51	32	14	1	2	1	1	52
Fetal deaths in other plural deliveries	7	1	2	1	-	-	-	-	-	-	-	-	3
Female	6,112	527	1,229	849	695	727	580	484	268	91	65	48	549
Fetal deaths in single deliveries	5,773	450	1,156	799	659	681	555	476	268	90	65	48	516
Fetal deaths in twin deliveries	333	76	69	50	36	46	15	8	-	1	-	-	32
Fetal deaths in other plural deliveries	6	1	4	-	-	-	-	-	-	-	-	-	1
Sex not stated	1,901	292	69	31	17	13	11	6	1	-	1	1	1,459
Fetal deaths in single deliveries	1,867	276	68	30	17	11	11	6	1	-	1	1	1,445
Fetal deaths in twin deliveries	34	16	1	1	-	2	-	-	-	-	-	-	14
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-23

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1967

Plurality of birth, color, and sex	Total	Period of gestation <sup>1</sup>								Not stated
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	
Total-----	54,934	6,416	5,849	5,822	6,835	3,693	6,110	9,693	2,340	8,176
Fetal deaths in single deliveries-----	51,829	5,887	5,391	5,435	6,452	3,489	5,740	9,291	2,280	7,864
Fetal deaths in twin deliveries-----	3,036	507	446	378	367	203	366	399	60	310
Fetal deaths in other plural deliveries-----	69	22	12	9	16	1	4	3	-	2
Male-----	26,541	3,128	2,941	2,931	3,591	1,948	3,184	5,046	1,138	2,654
Fetal deaths in single deliveries-----	24,925	2,833	2,708	2,728	3,411	1,839	2,989	4,847	1,104	2,466
Fetal deaths in twin deliveries-----	1,572	277	230	198	167	109	194	197	34	166
Fetal deaths in other plural deliveries-----	44	18	3	5	13	-	1	2	-	2
Female-----	23,014	2,296	2,488	2,654	3,094	1,710	2,851	4,595	1,182	2,164
Fetal deaths in single deliveries-----	21,654	2,101	2,278	2,479	2,909	1,616	2,696	4,401	1,136	2,048
Fetal deaths in twin deliveries-----	1,336	191	201	171	182	93	163	183	26	116
Fetal deaths in other plural deliveries-----	24	4	9	4	3	1	2	1	-	-
Sex not stated-----	5,379	992	420	257	150	35	75	52	40	5,378
Fetal deaths in single deliveries-----	5,250	953	406	228	132	34	65	43	40	5,350
Fetal deaths in twin deliveries-----	128	39	15	9	18	1	9	9	-	28
Fetal deaths in other plural deliveries-----	1	-	-	-	-	-	1	-	-	-
White-----	39,500	4,258	3,958	4,060	5,048	2,663	4,884	6,869	1,980	5,780
Fetal deaths in single deliveries-----	37,208	3,890	3,604	3,792	4,748	2,517	4,598	6,565	1,926	5,548
Fetal deaths in twin deliveries-----	2,236	348	347	260	286	145	284	281	54	231
Fetal deaths in other plural deliveries-----	56	20	7	8	14	1	2	3	-	1
Male-----	19,120	2,098	1,968	2,064	2,641	1,396	2,531	3,484	948	1,989
Fetal deaths in single deliveries-----	17,944	1,901	1,781	1,820	2,508	1,319	2,382	3,546	819	1,860
Fetal deaths in twin deliveries-----	1,139	181	176	140	124	77	148	136	29	128
Fetal deaths in other plural deliveries-----	37	15	2	4	11	-	1	2	-	1
Female-----	16,902	1,326	1,734	1,829	2,301	1,241	2,302	3,351	999	1,639
Fetal deaths in single deliveries-----	15,881	1,385	1,551	1,714	2,150	1,173	2,171	3,213	974	1,550
Fetal deaths in twin deliveries-----	1,003	137	159	111	148	67	131	137	25	89
Fetal deaths in other plural deliveries-----	18	4	5	4	3	1	-	1	-	-
Sex not stated-----	5,478	634	275	167	106	26	51	34	33	2,152
Fetal deaths in single deliveries-----	5,363	604	262	158	92	25	45	26	33	2,138
Fetal deaths in twin deliveries-----	94	30	13	9	14	1	5	8	-	14
Fetal deaths in other plural deliveries-----	1	-	-	-	-	-	1	-	-	-
Nonwhite-----	15,434	2,158	1,891	1,762	1,787	1,030	1,226	2,824	360	2,396
Fetal deaths in single deliveries-----	14,621	1,997	1,787	1,643	1,704	972	1,142	2,706	354	2,316
Fetal deaths in twin deliveries-----	800	159	99	118	81	58	82	118	6	79
Fetal deaths in other plural deliveries-----	13	2	5	1	2	-	2	-	-	1
Male-----	7,421	1,030	972	867	950	552	653	1,562	190	645
Fetal deaths in single deliveries-----	6,981	932	917	808	905	520	607	1,501	185	606
Fetal deaths in twin deliveries-----	433	96	54	58	43	32	46	61	5	38
Fetal deaths in other plural deliveries-----	7	2	1	1	2	-	-	-	-	1
Female-----	6,112	770	774	825	793	469	549	1,244	163	525
Fetal deaths in single deliveries-----	5,773	716	727	765	759	443	515	1,188	162	498
Fetal deaths in twin deliveries-----	333	54	43	60	34	28	32	56	1	27
Fetal deaths in other plural deliveries-----	6	-	4	-	-	-	2	-	-	-
Sex not stated-----	1,901	358	145	70	44	9	24	18	7	1,226
Fetal deaths in single deliveries-----	1,887	349	143	70	40	9	20	17	7	1,212
Fetal deaths in twin deliveries-----	34	9	2	-	4	-	4	1	-	14
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1967

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
United States	54,954	4,800	8,542	5,828	5,332	5,581	5,126	4,887	2,907	1,143	573	370	9,845
White	39,500	3,277	5,814	4,058	3,815	4,031	3,849	3,775	2,248	882	397	251	7,123
Nonwhite	15,454	1,523	2,728	1,790	1,517	1,580	1,277	1,112	659	261	176	119	2,722
Male	28,541	2,268	4,463	2,987	2,764	2,887	2,605	2,577	1,637	729	386	222	3,038
White	19,120	1,564	3,033	2,077	1,959	2,077	1,917	1,955	1,247	589	256	152	2,324
Nonwhite	7,421	704	1,430	910	805	810	686	622	390	170	110	70	714
Female	23,014	1,837	3,906	2,754	2,505	2,659	2,496	2,288	1,259	410	204	146	2,550
White	16,902	1,310	2,677	1,906	1,810	1,932	1,918	1,804	991	319	139	98	2,301
Nonwhite	6,112	527	1,229	848	695	727	580	484	268	91	65	48	549
Sex not stated	5,379	695	173	87	63	35	27	22	11	4	3	2	4,257
White	3,478	403	104	56	46	22	16	16	10	4	2	1	2,798
Nonwhite	1,901	292	69	31	17	13	11	6	1	-	1	1	1,459
Alabama	1,279	60	216	177	136	147	149	116	88	37	19	11	124
White	583	27	105	73	68	67	66	54	43	22	9	3	49
Nonwhite	696	33	111	104	70	80	82	62	45	15	11	8	75
Alaska	74	7	8	10	8	7	4	9	8	-	1	1	11
White	48	6	5	8	6	5	3	7	4	-	1	-	3
Nonwhite	26	1	3	2	2	2	1	2	4	-	-	1	8
Arizona	364	20	62	49	33	36	37	45	34	6	4	3	35
White	307	18	55	42	30	28	30	39	30	5	2	2	26
Nonwhite	57	2	7	7	3	8	7	6	4	1	2	1	9
Arkansas	583	48	71	62	64	56	57	57	34	17	8	5	104
White	337	34	45	37	32	22	34	33	22	7	1	1	69
Nonwhite	246	14	26	25	32	34	23	24	12	10	7	4	35
California	3,995	296	784	498	465	507	384	405	238	102	37	32	247
White	3,301	238	614	409	373	427	322	345	212	90	35	25	211
Nonwhite	694	58	170	89	92	80	62	60	26	12	2	7	36
Colorado	607	46	88	52	41	52	50	36	18	5	1	1	217
White	555	43	82	49	39	44	45	34	17	5	1	1	195
Nonwhite	52	3	6	3	2	8	5	2	1	-	-	-	22
Connecticut	572	59	123	68	68	72	54	54	26	8	5	1	34
White	481	48	98	51	59	60	50	47	24	8	5	1	30
Nonwhite	91	11	25	17	9	12	4	7	2	-	-	-	4
Delaware	147	19	29	9	6	15	8	9	7	5	5	-	35
White	97	10	18	4	2	13	6	7	7	1	4	-	25
Nonwhite	50	9	11	5	4	2	2	2	4	4	1	-	10
District of Columbia	302	24	88	49	42	23	22	22	8	2	3	2	17
White	34	3	6	7	3	5	2	4	1	-	-	-	3
Nonwhite	268	21	82	42	39	18	20	18	7	2	3	2	14
Florida	1,520	98	303	210	177	225	171	184	88	42	15	12	15
White	898	62	178	123	99	137	94	106	57	26	4	4	8
Nonwhite	622	36	125	87	78	88	77	58	31	16	11	8	7
Georgia	1,441	121	234	130	130	146	141	136	72	34	20	15	262
White	755	63	123	63	62	75	83	76	33	18	12	6	141
Nonwhite	686	58	111	67	68	71	58	60	39	16	8	9	121
Hawaii	208	27	33	25	22	19	12	15	4	2	1	-	48
White	70	7	8	10	9	6	6	6	2	2	1	-	15
Nonwhite	138	20	25	15	13	13	6	9	2	2	-	-	33
Idaho	125	7	14	4	6	7	11	8	5	5	-	-	58
White	122	7	13	4	6	7	11	8	5	5	-	-	56
Nonwhite	3	-	1	-	-	-	-	-	-	-	-	-	2
Illinois	2,805	196	535	343	325	324	332	295	183	87	31	19	134
White	1,933	133	303	210	220	224	252	225	138	67	22	16	125
Nonwhite	872	63	232	133	105	100	80	71	47	20	9	3	9
Indiana	1,232	59	179	125	117	129	135	132	84	36	14	11	210
White	1,051	46	153	111	98	110	120	112	75	31	11	11	173
Nonwhite	181	13	26	15	19	19	15	20	9	5	3	-	37
Iowa	575	47	78	54	49	75	77	73	48	24	10	7	56
White	563	46	75	52	47	74	76	72	48	24	10	7	56
Nonwhite	12	1	3	2	1	1	1	1	-	-	-	-	-
Kansas	434	33	70	46	58	50	54	57	27	16	9	4	10
White	377	23	58	37	53	43	49	52	27	15	8	3	9
Nonwhite	57	10	12	9	5	7	5	5	-	1	1	1	1
Kentucky	770	37	105	105	90	89	74	79	64	30	11	9	66
White	680	32	91	87	85	88	63	75	59	24	10	8	60
Nonwhite	90	5	14	19	7	11	11	4	5	6	1	1	6
Louisiana	1,158	44	200	155	149	159	137	118	64	31	28	14	61
White	442	21	58	60	50	53	53	66	27	15	7	4	27
Nonwhite	716	23	141	95	99	106	84	52	37	16	19	10	34
Maine	255	8	24	19	17	17	19	23	16	4	3	4	101
White	251	7	24	18	17	16	18	23	16	4	3	4	101
Nonwhite	4	1	-	1	-	1	1	-	-	-	-	-	-

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-25

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1967--Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Maryland	1,050	59	144	52	54	54	53	52	13	7	2	1	559
White	713	40	74	24	33	26	34	34	11	3	2	1	431
Nonwhite	337	19	70	28	21	28	19	18	2	4	-	-	128
Massachusetts <sup>2</sup>	1,141	104	203	143	125	115	128	109	65	18	10	4	117
White	1,047	98	180	123	119	110	120	102	55	18	10	4	110
Nonwhite	94	8	23	20	6	5	8	7	10	-	-	-	7
Michigan	2,193	147	365	247	221	229	220	232	134	47	21	18	312
White	1,707	99	279	181	167	178	177	189	111	39	17	15	259
Nonwhite	486	48	86	66	54	53	43	43	23	9	4	3	54
Minnesota	741	39	111	72	60	54	47	79	37	20	7	11	204
White	711	38	103	68	59	50	47	76	35	19	5	9	202
Nonwhite	30	1	8	4	1	4	-	3	2	1	2	2	2
Mississippi	1,221	105	166	118	95	147	108	100	71	25	12	11	283
White	393	40	46	36	24	42	25	29	19	4	3	3	122
Nonwhite	828	65	120	82	71	105	83	71	52	21	9	8	141
Missouri	1,038	71	158	109	119	110	116	118	64	24	10	3	136
White	795	45	116	76	83	83	92	89	51	22	10	2	126
Nonwhite	243	26	42	33	36	27	24	29	13	2	-	1	10
Montana	145	8	23	16	15	12	16	24	8	-	2	1	20
White	129	7	21	12	15	10	15	20	7	-	2	1	19
Nonwhite	16	1	2	4	-	2	1	4	1	-	-	-	1
Nebraska	284	27	52	43	26	34	32	27	13	8	6	2	14
White	247	23	43	41	21	31	24	24	11	8	4	1	11
Nonwhite	37	4	9	2	5	3	3	3	2	-	2	1	3
Nevada	117	7	25	18	13	14	12	9	2	1	-	-	16
White	91	7	16	13	10	12	11	7	1	1	-	-	13
Nonwhite	26	-	9	5	3	2	1	2	1	-	-	-	3
New Hampshire	152	6	26	19	19	13	15	10	7	5	2	-	30
White	150	5	26	19	19	13	15	10	6	5	2	-	30
Nonwhite	2	1	-	-	-	-	-	-	1	-	-	-	-
New Jersey	1,797	178	287	180	209	189	162	155	95	35	15	12	280
White	1,297	127	199	120	143	136	122	118	77	32	10	4	209
Nonwhite	500	51	88	60	66	53	40	37	18	3	5	8	71
New Mexico	257	9	27	24	33	31	38	25	16	5	3	1	44
White	214	7	24	20	25	28	33	17	14	4	2	1	41
Nonwhite	43	2	3	4	8	5	5	9	2	1	1	-	3
New York	8,415	1,112	894	558	451	478	450	412	235	67	43	27	3,888
White	5,660	672	602	402	351	366	348	333	190	60	33	22	2,281
Nonwhite	2,755	440	292	156	100	112	102	79	45	7	10	5	1,407
North Carolina	1,637	92	301	259	183	211	187	156	91	39	16	10	82
White	870	52	156	139	99	105	105	95	54	12	10	2	42
Nonwhite	767	40	145	120	84	108	92	60	37	27	6	8	40
North Dakota	130	13	15	15	17	10	9	17	12	4	1	4	13
White	120	13	13	15	14	8	9	14	12	4	1	4	13
Nonwhite	10	-	2	-	3	2	-	3	-	-	-	-	-
Ohio	2,558	226	436	261	278	265	275	232	146	57	26	17	341
White	2,093	163	325	208	238	212	230	188	133	48	18	16	304
Nonwhite	465	63	111	53	40	53	45	34	13	9	8	1	37
Oklahoma	473	24	65	59	49	53	57	62	33	10	9	3	49
White	347	14	58	41	36	39	47	49	20	8	5	-	33
Nonwhite	126	10	9	18	13	15	10	13	13	2	4	3	16
Oregon	538	51	60	29	35	44	41	39	18	10	3	3	205
White	509	49	56	29	32	41	38	37	17	10	3	2	196
Nonwhite	29	3	4	-	3	3	3	2	1	-	-	1	9
Pennsylvania	3,117	603	517	361	329	292	271	269	145	52	37	21	221
White	2,422	403	368	267	254	240	234	241	127	47	33	18	192
Nonwhite	695	200	151	94	75	52	37	27	18	5	4	3	29
Rhode Island	217	23	42	28	21	19	27	25	15	1	3	1	14
White	202	22	38	25	19	19	23	23	15	1	3	1	13
Nonwhite	15	1	4	1	2	-	4	2	-	-	-	-	1
South Carolina	897	45	117	99	92	114	98	105	62	21	22	6	116
White	351	22	51	40	39	62	43	43	28	12	5	-	46
Nonwhite	506	23	66	59	53	52	55	62	34	9	17	6	70
South Dakota	164	14	16	16	29	28	17	26	6	3	1	2	6
White	135	11	14	13	22	21	16	25	5	3	-	1	4
Nonwhite	29	3	2	3	7	7	1	1	-	-	1	1	2
Tennessee	1,081	74	228	127	136	131	108	96	69	26	11	6	71
White	726	57	143	74	85	89	74	62	52	23	6	4	56
Nonwhite	355	17	85	53	50	42	32	34	17	3	5	2	15
Texas	2,908	158	473	339	352	371	324	304	208	95	51	30	205
White	2,214	112	340	243	264	292	253	249	168	74	41	24	162
Nonwhite	694	46	133	96	88	89	69	55	40	19	10	6	43

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.<sup>2</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.

## SECTION 3 - FETAL MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1967-Con.

[Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated]

Area, color, and sex	Total	Birth weight <sup>1</sup>											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Utah-----	240	8	21	21	15	30	17	19	15	7	1	2	84
White-----	227	6	20	19	15	30	15	16	15	7	1	2	81
Nonwhite--	13	2	1	2	-	-	2	3	-	-	-	-	3
Vermont-----	263	47	10	6	6	8	7	3	8	3	1	1	163
White-----	249	46	10	6	5	8	7	3	8	3	1	1	151
Nonwhite--	14	1	-	-	1	-	-	-	-	-	-	-	12
Virginia-----	1,705	156	241	169	161	144	140	113	85	24	13	5	455
White-----	1,117	102	142	98	99	81	101	62	55	13	6	2	327
Nonwhite--	588	54	99	70	63	53	39	31	30	11	7	3	128
Washington-----	587	34	93	83	83	70	71	69	30	11	8	2	53
White-----	534	29	85	77	57	65	62	63	28	10	7	2	50
Nonwhite--	53	6	8	6	6	5	9	6	2	1	1	-	3
West Virginia-----	494	35	73	54	44	57	58	61	27	11	9	6	59
White-----	462	34	67	51	44	52	54	57	25	11	8	6	53
Nonwhite--	32	1	6	3	-	5	4	4	2	-	1	-	6
Wisconsin-----	845	67	97	104	72	79	77	78	58	16	5	9	183
White-----	766	62	81	93	62	73	75	72	52	15	4	7	170
Nonwhite--	79	5	16	11	10	6	2	6	6	1	1	2	13
Wyoming-----	83	2	12	10	8	12	10	7	5	-	-	-	17
White-----	77	2	11	10	8	12	10	6	3	-	-	-	15
Nonwhite--	6	-	1	-	-	-	-	1	2	-	-	-	2

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

3-27

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1967

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States	54,934	6,416	5,849	5,822	6,835	3,693	6,110	9,693	2,340	8,176
White	39,600	4,256	3,959	4,060	5,048	2,653	4,984	6,869	1,980	5,780
Nonwhite	15,434	2,158	1,891	1,762	1,787	1,030	1,226	2,824	360	2,396
Male	26,541	3,126	2,941	2,931	3,591	1,948	3,184	5,046	1,158	2,634
White	19,120	2,098	1,969	2,064	2,641	1,386	2,531	3,404	948	1,989
Nonwhite	7,421	1,030	972	867	950	562	653	1,562	190	645
Female	28,014	2,296	2,468	2,654	3,094	1,710	2,851	4,595	1,162	2,164
White	16,902	1,526	1,714	1,829	2,301	1,241	2,302	3,351	999	1,639
Nonwhite	6,112	770	774	825	793	469	549	1,244	163	525
Sex not stated	5,379	992	420	237	150	35	75	52	40	3,378
White	3,478	634	275	167	106	26	51	34	33	2,152
Nonwhite	1,901	358	145	70	44	9	24	18	7	1,226
Alabama	1,279	139	154	136	173	102	116	359	14	86
White	583	58	66	58	91	47	61	157	9	36
Nonwhite	698	81	88	78	82	55	55	202	5	50
Alaska	74	5	9	10	14	5	9	16	3	3
White	48	3	6	6	10	4	7	7	3	2
Nonwhite	26	2	3	4	4	1	2	9	-	1
Arizona	364	38	42	41	55	29	45	94	14	8
White	307	33	35	36	43	23	41	76	14	6
Nonwhite	57	5	7	5	12	6	4	18	-	2
Arkansas	583	48	56	68	82	42	43	158	10	76
White	337	34	35	36	46	16	27	85	7	51
Nonwhite	246	14	21	32	36	26	16	73	3	25
California	3,985	256	334	307	534	186	647	213	385	1,153
White	3,301	199	271	251	440	141	558	183	338	920
Nonwhite	684	57	63	56	94	25	89	30	47	233
Colorado	607	92	79	41	59	30	58	72	26	152
White	555	83	75	39	55	28	54	67	25	132
Nonwhite	52	9	6	3	4	2	2	5	1	20
Connecticut	572	82	71	66	89	42	79	94	26	23
White	481	59	56	57	76	33	71	86	23	20
Nonwhite	91	23	15	9	13	9	8	8	3	3
Delaware	147	24	23	13	13	4	19	27	7	17
White	97	10	16	9	10	3	14	19	7	9
Nonwhite	50	14	7	4	3	1	5	8	-	8
District of Columbia	302	25	24	36	32	10	24	7	24	120
White	34	2	3	2	5	3	6	1	3	9
Nonwhite	268	23	21	34	27	7	18	6	21	111
Florida	1,520	160	195	208	218	149	167	383	32	8
White	899	83	115	122	147	89	117	204	12	2
Nonwhite	622	77	80	86	71	61	50	179	20	6
Georgia	1,441	222	181	140	183	101	151	326	33	144
White	755	115	87	75	80	40	72	178	20	88
Nonwhite	686	107	94	65	83	41	59	148	13	76
Hawaii	209	44	40	21	33	13	19	27	6	5
White	70	15	8	13	11	5	6	8	3	1
Nonwhite	139	29	32	8	22	8	13	19	3	4
Idaho	125	14	9	12	11	5	9	16	2	47
White	122	14	9	12	10	5	9	16	2	45
Nonwhite	3	-	-	-	1	-	-	-	-	2
Illinois	2,805	299	335	315	598	221	355	694	115	73
White	1,933	193	191	195	262	160	281	495	94	62
Nonwhite	872	106	144	120	136	61	74	199	21	11
Indiana	1,232	105	110	129	150	78	119	251	47	243
White	1,051	85	88	106	131	67	109	207	45	205
Nonwhite	181	20	12	23	19	11	10	44	4	38
Iowa	575	64	50	56	74	37	104	123	49	18
White	563	62	48	54	73	36	102	122	48	18
Nonwhite	12	2	2	2	1	1	2	1	1	-
Kansas	434	45	36	53	60	40	66	92	36	4
White	377	30	34	43	52	35	64	85	30	4
Nonwhite	57	15	2	10	8	5	4	7	6	-
Kentucky	770	53	82	82	131	70	81	239	16	16
White	680	43	69	69	116	65	68	221	14	15
Nonwhite	90	10	13	13	15	5	13	18	2	1
Louisiana	1,158	99	115	167	171	132	140	287	20	27
White	442	32	42	57	67	44	65	115	12	8
Nonwhite	716	67	73	110	104	88	75	172	8	19
Maine	255	14	19	22	21	18	29	40	9	85
White	251	14	18	21	21	16	28	39	9	85
Nonwhite	4	-	1	1	-	-	1	1	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

## SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1967—Con.

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,050	82	113	105	155	47	172	52	95	231
White	713	53	89	67	115	29	124	40	76	140
Nonwhite	337	29	44	38	40	18	48	12	17	91
Massachusetts <sup>2</sup>	1,141	121	143	154	202	84	165	154	90	30
White	1,047	107	126	138	195	80	149	143	85	24
Nonwhite	94	14	17	16	7	4	14	11	5	6
Michigan	2,193	225	268	214	300	186	261	449	89	185
White	1,707	181	188	156	241	149	231	347	82	152
Nonwhite	486	44	78	58	59	37	50	102	7	31
Minnesota <sup>3</sup>	741	5	3	3	3	2	3	1	-	718
White	711	5	3	6	3	2	3	1	-	689
Nonwhite	30	-	-	-	-	-	-	-	-	30
Mississippi	1,221	190	157	142	116	88	56	367	11	94
White	593	71	54	45	36	22	28	86	5	46
Nonwhite	828	119	103	97	80	66	28	281	6	49
Missouri	1,058	111	97	116	151	80	121	238	42	82
White	795	81	71	79	109	63	101	178	37	76
Nonwhite	243	30	26	37	42	17	20	60	5	6
Montana	145	16	17	22	16	11	14	33	11	5
White	129	12	15	20	15	11	11	31	10	5
Nonwhite	16	4	2	2	1	1	3	2	1	-
Nebraska	284	45	39	33	40	17	32	47	21	12
White	247	36	30	31	33	15	29	41	20	12
Nonwhite	37	7	9	2	7	2	3	6	1	-
Nevada	117	15	15	24	12	12	13	14	2	10
White	91	10	11	16	10	10	11	14	1	8
Nonwhite	26	5	4	8	2	2	2	-	1	2
New Hampshire	152	10	15	20	29	10	22	30	9	7
White	150	9	15	20	29	10	22	30	8	7
Nonwhite	2	1	-	-	-	-	-	-	1	-
New Jersey	1,797	216	203	211	268	117	207	351	85	141
White	1,297	140	140	141	201	79	164	253	74	106
Nonwhite	500	76	63	70	67	38	43	98	9	36
New Mexico	257	23	26	18	27	29	27	55	10	42
White	214	22	20	16	24	22	21	45	8	36
Nonwhite	43	1	6	2	3	7	6	10	2	6
New York	8,415	1,229	782	631	705	279	697	564	353	3,175
White	5,860	775	535	468	530	224	541	459	280	1,852
Nonwhite	2,755	454	249	165	175	55	156	105	73	1,323
North Carolina	1,637	151	190	236	223	123	191	442	65	26
White	870	74	87	126	134	71	113	212	37	16
Nonwhite	767	77	103	110	89	52	78	230	19	10
North Dakota	130	14	11	17	20	11	14	27	10	6
White	120	12	11	17	19	10	14	22	10	5
Nonwhite	10	2	-	-	1	1	-	5	-	1
Ohio	2,558	317	320	312	352	172	374	482	108	123
White	2,093	232	234	259	302	141	310	404	95	116
Nonwhite	465	85	86	53	50	31	64	78	11	7
Oklahoma	473	37	42	58	58	40	50	150	10	27
White	347	25	34	42	42	28	46	103	8	19
Nonwhite	126	12	8	16	17	12	4	47	2	8
Oregon	538	61	57	41	55	33	55	67	16	133
White	509	76	54	41	51	31	52	64	15	125
Nonwhite	29	5	3	-	4	2	3	3	1	8
Pennsylvania	3,117	672	414	397	401	224	312	550	138	11
White	2,422	447	288	298	321	176	276	494	122	10
Nonwhite	695	225	126	99	80	48	36	66	14	1
Rhode Island	217	26	23	22	40	23	28	36	14	5
White	202	23	22	21	37	22	25	34	13	5
Nonwhite	15	3	1	1	3	1	3	2	1	-
South Carolina	897	61	95	105	98	69	80	293	12	64
White	391	34	44	39	49	33	47	113	9	23
Nonwhite	506	47	51	66	49	36	33	180	3	41
South Dakota	164	11	13	22	28	20	24	30	11	5
White	135	9	9	16	21	19	22	25	9	5
Nonwhite	29	2	4	6	7	1	2	5	2	-
Tennessee	1,081	128	137	158	145	75	95	321	21	5
White	726	90	86	90	94	48	74	220	20	4
Nonwhite	355	38	51	68	51	25	19	101	1	1
Texas	2,908	308	297	399	365	345	319	707	102	66
White	2,214	222	211	295	265	254	288	585	91	43
Nonwhite	694	86	86	104	100	91	51	142	11	23

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.<sup>2</sup>Figures exclude approximately 100 fetal deaths recorded in this State, primarily to residents of the State.<sup>3</sup>Data shown by period of gestation are for fetal deaths that occurred in other States to residents of Minnesota.

## SECTION 3 - FETAL MORTALITY

3-29

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1967-Con.

Area, color, and sex	Total	Period of gestation <sup>1</sup>								
		20-25 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	240	13	22	19	28	20	41	41	12	44
White-----	227	11	19	19	28	20	39	40	12	39
Nonwhite--	13	2	3	-	-	-	2	1	-	5
Vermont-----	263	15	12	5	8	3	19	6	5	190
White-----	249	14	11	5	8	3	17	6	5	180
Nonwhite--	14	1	1	-	-	-	2	-	-	10
Virginia-----	1,705	255	153	163	206	119	153	257	49	350
White-----	1,117	159	90	102	128	65	114	158	39	262
Nonwhite--	588	96	63	61	78	54	39	99	10	88
Washington-----	587	51	74	76	83	45	83	116	26	33
White-----	534	46	68	73	69	40	74	107	24	33
Nonwhite--	53	5	6	3	14	5	9	9	2	-
West Virginia-----	494	44	49	58	64	53	71	120	14	21
White-----	462	43	43	55	57	51	67	113	13	20
Nonwhite--	32	1	6	3	7	2	4	7	1	1
Wisconsin-----	845	94	90	111	140	60	116	160	50	24
White-----	766	86	84	97	122	51	112	148	45	21
Nonwhite--	79	8	6	14	18	9	4	12	5	3
Wyoming-----	83	6	10	4	15	6	19	15	3	5
White-----	77	6	8	4	14	6	19	12	3	5
Nonwhite--	6	-	2	-	1	-	-	3	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

## *Section 4. Accident Mortality*

Table	Page
4-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1967-----	4-3
4-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1967-----	4-6
4-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1967-----	4-12
4-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1967-----	4-18
4-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1967-----	4-20
4-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1967-----	4-25

## SECTION 4 - ACCIDENT MORTALITY

4-3

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1967

[Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Type of motor vehicle involved									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E825	Motor vehicle traffic accidents-----	51,759	3,746	4,724	36	197	40,149	173	510	206	14	2,004
	Male-----	37,246	3,230	3,546	28	148	28,420	115	324	129	10	1,496
	Female-----	14,513	516	1,578	8	49	11,729	58	186	77	4	508
	White-----	32,406	2,808	3,058	22	134	24,624	97	295	102	10	1,277
	Female-----	12,858	437	1,262	6	48	10,548	51	171	72	4	459
	Nonwhite-----	4,647	422	308	6	14	3,796	18	31	27	-	219
	Female-----	1,675	79	116	2	1	1,581	7	15	5	-	69
E810	Involving collision with railway train-----	1,619	256	2	-	-	1,291	-	-	9	-	61
	Male-----	1,094	232	-	-	-	792	-	-	6	-	54
	Female-----	535	24	2	-	-	499	-	-	3	-	7
	White-----	1,000	215	-	-	-	752	-	-	4	-	49
	Female-----	492	22	2	-	-	461	-	-	3	-	4
	Nonwhite-----	64	17	-	-	-	60	-	-	2	-	5
	Female-----	43	2	-	-	-	38	-	-	-	-	3
E811	Involving collision with streetcar-----	3	-	-	-	-	2	1	-	-	-	-
	Male-----	3	-	-	-	-	2	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	3	-	-	-	-	2	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian-----	8,608	937	15	-	1	7,056	1	-	135	-	465
	Male-----	5,985	651	12	-	1	4,865	1	-	86	-	339
	Female-----	2,623	286	3	-	-	2,191	-	-	47	-	126
	White-----	4,894	512	11	-	1	3,811	1	-	69	-	249
	Female-----	2,143	238	3	-	-	1,762	-	-	44	-	96
	Nonwhite-----	1,501	139	1	-	-	1,054	-	-	17	-	90
	Female-----	510	48	-	-	-	429	-	-	3	-	30
E813	To pedal cyclist-----	669	103	-	-	-	550	-	-	8	-	28
	Male-----	581	91	-	-	-	461	-	-	7	-	22
	Female-----	88	12	-	-	-	69	-	-	1	-	6
	White-----	494	80	-	-	-	398	-	-	5	-	21
	Female-----	77	10	-	-	-	61	-	-	1	-	5
	Nonwhite-----	67	11	-	-	-	73	-	-	2	-	1
	Female-----	11	2	-	-	-	8	-	-	-	-	1
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	68	-	-	-	-	68	-	-	-	-	-
	Male-----	79	-	-	-	-	79	-	-	-	-	-
	Female-----	9	-	-	-	-	9	-	-	-	-	-
	White-----	71	-	-	-	-	71	-	-	-	-	-
	Female-----	9	-	-	-	-	9	-	-	-	-	-
	Nonwhite-----	8	-	-	-	-	8	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle-----	1,216	2	238	-	-	935	8	35	-	-	-
	Male-----	1,121	2	228	-	-	851	8	32	-	-	-
	Female-----	95	-	10	-	-	82	-	3	-	-	-
	White-----	1,070	2	210	-	-	819	7	32	-	-	-
	Female-----	92	-	9	-	-	80	-	3	-	-	-
	Nonwhite-----	51	-	18	-	-	32	1	-	-	-	-
	Female-----	3	-	1	-	-	2	-	-	-	-	-
E816	Other, involving two or more motor vehicles-----	18,167	541	4,421	34	190	11,788	161	475	-	13	544
	Male-----	11,840	486	3,072	26	143	7,329	104	292	-	10	378
	Female-----	6,327	55	1,349	8	47	4,459	57	183	-	3	166
	White-----	10,810	419	2,786	21	130	6,548	87	261	-	10	348
	Female-----	5,809	44	1,235	6	47	4,106	50	168	-	3	150
	Nonwhite-----	1,230	67	288	5	13	781	17	31	-	-	30
	Female-----	518	11	114	2	-	353	7	15	-	-	16
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle-----	3	1	-	-	-	1	-	-	-	-	1
	Male-----	3	1	-	-	-	1	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	3	1	-	-	-	1	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle-----	77	20	3	-	-	49	-	-	1	-	4
	Male-----	60	20	3	-	-	33	-	-	1	-	3
	Female-----	17	-	-	-	-	16	-	-	-	-	1
	White-----	52	20	3	-	-	25	-	-	1	-	3
	Female-----	15	-	-	-	-	15	-	-	-	-	-
	Nonwhite-----	8	-	-	-	-	6	-	-	-	-	-
	Female-----	2	-	-	-	-	1	-	-	-	-	1
E819	Involving collision with fixed or unspecified object-----	1,992	150	5	-	-	1,745	-	-	3	1	88
	Male-----	1,584	137	3	-	-	1,367	-	-	1	-	76
	Female-----	408	13	2	-	-	378	-	-	2	1	12
	White-----	1,380	124	2	-	-	1,176	-	-	1	-	57
	Female-----	336	10	2	-	-	313	-	-	2	1	8
	Nonwhite-----	224	13	1	-	-	191	-	-	-	-	19
	Female-----	72	3	-	-	-	65	-	-	-	-	4





## SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E870-E888	Accidental poisoning by solid and liquid substances	2,506	1,170	14	-	11	7	54	76	37	92	1,065
	Male	1,506	595	8	-	10	6	29	61	25	81	691
	Female	1,000	575	6	-	1	1	5	15	12	11	374
	White	1,039	439	6	-	8	5	16	56	22	59	428
	Female	817	487	5	-	1	1	3	13	10	8	289
	Nonwhite	467	156	2	-	2	1	13	5	3	22	263
	Female	183	88	1	-	-	-	2	2	2	3	65
E870	Accidental poisoning by morphine and other opium derivatives	176	81	-	-	1	1	11	12	2	10	58
	Male	152	67	-	-	1	1	9	10	2	10	52
	Female	24	14	-	-	-	-	2	2	-	-	6
	White	104	44	-	-	1	1	6	9	-	9	34
	Female	11	8	-	-	-	-	-	-	-	-	3
	Nonwhite	48	23	-	-	-	-	3	1	2	1	18
	Female	13	6	-	-	-	-	2	2	-	-	3
E871	Accidental poisoning by barbituric acid and derivatives	506	326	-	-	-	2	5	19	7	10	137
	Male	218	118	-	-	-	2	4	17	2	8	65
	Female	290	208	-	-	-	-	1	2	5	2	72
	White	198	108	-	-	-	1	4	16	2	8	59
	Female	269	195	-	-	-	-	1	1	5	1	65
	Nonwhite	18	10	-	-	-	1	-	2	-	-	6
	Female	21	13	-	-	-	-	-	-	-	1	7
E872	Accidental poisoning by aspirin and salicylates	153	81	1	-	-	-	-	-	4	3	64
	Male	74	40	-	-	-	-	-	-	3	2	29
	Female	79	41	1	-	-	-	-	-	1	1	35
	White	57	30	-	-	-	-	-	-	3	1	23
	Female	64	33	1	-	-	-	-	-	1	1	28
	Nonwhite	17	10	-	-	-	-	-	-	-	1	6
	Female	15	8	-	-	-	-	-	-	-	-	7
E873	Accidental poisoning by bromides	10	1	-	-	-	-	-	-	-	-	9
	Male	5	-	-	-	-	-	-	-	-	-	5
	Female	5	1	-	-	-	-	-	-	-	-	4
	White	5	-	-	-	-	-	-	-	-	-	5
	Female	5	1	-	-	-	-	-	-	-	-	4
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	744	255	-	-	1	2	9	22	5	45	406
	Male	527	159	-	-	1	1	9	16	2	40	319
	Female	217	116	-	-	-	-	8	6	3	5	86
	White	293	83	-	-	-	1	4	15	1	23	158
	Female	172	104	-	-	-	1	6	6	3	4	54
	Nonwhite	232	46	-	-	1	-	5	1	1	17	161
	Female	45	12	-	-	-	-	-	-	-	1	32
E875	Accidental poisoning by sulfonamides	1	-	-	-	-	-	-	-	-	-	1
	Male	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	7	2	2	-	-	-	-	-	-	-	3
	Male	3	-	1	-	-	-	-	-	-	-	2
	Female	4	2	1	-	-	-	-	-	-	-	1
	White	2	-	1	-	-	-	-	-	-	-	1
	Female	4	2	1	-	-	-	-	-	-	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscyne, and atropine	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	263	122	-	-	-	-	1	5	4	2	129
	Male	113	53	-	-	-	-	-	3	4	1	52
	Female	150	69	-	-	-	-	1	2	4	1	77
	White	95	44	-	-	-	-	-	-	-	1	45
	Female	129	56	-	-	-	-	1	2	-	1	69
	Nonwhite	18	9	-	-	-	-	-	-	-	-	9
	Female	21	13	-	-	-	-	-	-	-	-	8
E879	Accidental poisoning by noxious foodstuffs	4	3	-	-	-	-	-	-	-	1	-
	Male	3	2	-	-	-	-	-	-	-	1	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	White	3	2	-	-	-	-	-	-	-	1	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	158	62	-	-	-	-	4	7	5	9	71
	Male	119	44	-	-	-	-	4	5	5	9	52
	Female	39	18	-	-	-	-	-	2	-	-	19
	White	78	29	-	-	-	-	1	4	5	6	33
	Female	27	14	-	-	-	-	-	2	-	-	11
	Nonwhite	41	15	-	-	-	-	3	1	-	3	19
	Female	12	4	-	-	-	-	-	-	-	-	8

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-7

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
Accidental poisoning by solid and liquid substances—Con.													
E881	Accidental poisoning by petroleum products-----	31	16	--	--	1	--	--	--	--	--	1	15
	Male-----	20	11	--	--	1	--	--	--	--	--	--	8
	Female-----	11	5	--	--	--	--	--	--	--	--	1	5
	White-----	8	5	--	--	1	--	--	--	--	--	--	2
	Female-----	6	3	--	--	--	--	--	--	--	--	1	2
	Nonwhite-----	12	6	--	--	--	--	--	--	--	--	--	6
Female-----	5	2	--	--	--	--	--	--	--	--	--	3	
E882	Accidental poisoning by industrial solvents-----	36	14	--	--	6	1	--	1	--	--	2	12
	Male-----	23	7	--	--	5	1	--	1	--	--	2	8
	Female-----	13	7	--	--	1	--	--	--	--	--	--	4
	White-----	20	7	--	--	4	1	--	--	--	--	2	6
	Female-----	13	7	--	--	1	--	--	1	--	--	--	4
	Nonwhite-----	3	--	--	--	1	--	--	--	--	--	--	2
Female-----	--	--	--	--	--	--	--	--	--	--	--	--	
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	51	30	1	--	--	--	--	--	3	1	--	16
	Male-----	32	17	1	--	--	--	--	--	3	--	--	11
	Female-----	19	13	--	--	--	--	--	--	--	1	--	5
	White-----	24	14	--	--	--	--	--	--	3	--	--	7
	Female-----	14	9	--	--	--	--	--	--	--	--	--	5
	Nonwhite-----	8	3	1	--	--	--	--	--	--	--	--	4
Female-----	5	4	--	--	--	--	--	--	--	1	--	--	
E884	Accidental poisoning by mercury and its compounds-----	4	2	--	--	--	--	--	--	--	1	--	1
	Male-----	3	2	--	--	--	--	--	--	--	--	--	1
	Female-----	1	--	--	--	--	--	--	--	--	1	--	--
	White-----	3	2	--	--	--	--	--	--	--	--	--	1
	Female-----	--	--	--	--	--	--	--	--	--	--	--	--
	Nonwhite-----	1	--	--	--	--	--	--	--	1	--	--	--
Female-----	--	--	--	--	--	--	--	--	--	--	--	--	
E885	Accidental poisoning by lead and its compounds-----	61	30	--	--	--	--	--	--	--	--	--	31
	Male-----	29	12	--	--	--	--	--	--	--	--	--	17
	Female-----	32	18	--	--	--	--	--	--	--	--	--	14
	White-----	12	6	--	--	--	--	--	--	--	--	--	6
	Female-----	18	5	--	--	--	--	--	--	--	--	--	7
	Nonwhite-----	17	6	--	--	--	--	--	--	--	--	--	11
Female-----	20	13	--	--	--	--	--	--	--	--	--	7	
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	31	17	1	--	--	--	--	--	--	2	--	11
	Male-----	19	10	--	--	--	--	--	--	--	2	--	7
	Female-----	12	7	1	--	--	--	--	--	--	--	--	4
	White-----	16	10	--	--	--	--	--	--	--	2	--	4
	Female-----	12	7	1	--	--	--	--	--	--	--	--	4
	Nonwhite-----	3	--	--	--	--	--	--	--	--	--	--	3
Female-----	--	--	--	--	--	--	--	--	--	--	--	--	
E887	Accidental poisoning by fluorides-----	--	--	--	--	--	--	--	--	--	--	--	--
	Female-----	--	--	--	--	--	--	--	--	--	--	--	--
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	270	128	9	--	2	1	4	10	6	6	104	
	Male-----	168	73	6	--	2	1	3	10	4	6	63	
	Female-----	102	55	3	--	--	--	1	--	2	--	41	
	White-----	119	45	5	--	2	1	1	9	4	6	46	
	Female-----	77	42	2	--	--	--	1	--	1	--	31	
	Nonwhite-----	49	28	1	--	--	--	2	1	--	--	17	
Female-----	25	13	1	--	--	--	--	--	1	--	--	10	
E890-E895	Accidental poisoning by gases and vapors-----	1,574	913	28	3	125	16	129	82	1	110	167	
	Male-----	1,168	631	24	3	114	13	103	67	1	81	131	
	Female-----	406	282	4	--	11	3	26	15	--	29	36	
	White-----	1,020	561	20	3	98	13	83	55	1	69	114	
	Female-----	341	245	2	--	8	3	22	12	--	23	26	
	Nonwhite-----	148	70	4	--	18	--	17	12	--	12	17	
Female-----	65	39	2	--	3	--	4	3	--	4	10		
E890	Accidental poisoning by utility (illuminating) gas-----	280	232	3	--	3	6	6	10	--	14	6	
	Male-----	184	143	3	--	3	5	6	6	--	12	6	
	Female-----	96	89	--	--	--	1	--	4	--	2	--	
	White-----	158	118	3	--	3	5	6	5	--	12	6	
	Female-----	79	71	--	--	--	1	--	4	--	2	--	
	Nonwhite-----	25	25	--	--	--	--	--	1	--	--	--	
Female-----	18	18	--	--	--	--	--	--	--	--	--		
E891	Accidental poisoning by motor vehicle exhaust gas-----	819	398	19	--	76	6	116	58	--	79	67	
	Male-----	632	302	15	--	65	5	90	51	--	53	51	
	Female-----	187	96	4	--	11	1	26	7	--	26	16	
	White-----	566	287	11	--	57	5	75	43	--	45	43	
	Female-----	165	92	2	--	8	1	22	6	--	23	11	
	Nonwhite-----	66	15	4	--	8	--	15	8	--	8	8	
Female-----	22	4	2	--	3	--	4	1	--	3	5		

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
Accidental poisoning by gases and vapors—Con.													
E892	Accidental poisoning by other carbon monoxide gas-----	318	218	1	3	12	3	2	2	11	-	9	59
	Male-----	211	135	1	3	12	2	2	8	-	-	40	
	Female-----	107	83	-	-	-	1	-	3	-	-	19	
	White-----	178	114	1	3	8	2	2	5	-	-	37	
	Female-----	85	63	-	-	-	1	-	3	-	-	14	
	Nonwhite-----	33	21	-	-	4	-	-	3	-	-	3	
Female-----	22	14	-	-	-	-	-	2	-	-	1	5	
E895	Accidental poisoning by cyanide gas-----	2	-	-	-	1	-	-	-	-	-	1	-
	Male-----	2	-	-	-	1	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	-	-	-	-	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	1	-	-	-	1	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E894	Accidental poisoning by other specified gases and vapors-----	142	61	4	-	29	1	4	3	1	7	32	
	Male-----	126	47	4	-	29	1	4	2	1	7	31	
	Female-----	16	14	-	-	-	-	-	1	-	-	1	
	White-----	105	39	4	-	28	1	2	2	1	5	25	
	Female-----	15	11	-	-	-	-	-	1	-	4	1	
	Nonwhite-----	21	8	-	-	3	-	2	1	-	2	6	
Female-----	3	3	-	-	-	-	-	-	-	-	-	-	
E895	Accidental poisoning by unspecified gases and vapors-----	13	4	1	-	4	-	1	-	-	-	3	
	Male-----	13	4	1	-	4	-	1	-	-	-	3	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	White-----	12	3	1	-	4	-	1	-	-	-	3	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-----	1	1	-	-	-	-	-	-	-	-	-	
Female-----	-	-	-	-	-	-	-	-	-	-	-		
E900-E904	Accidental falls-----	20,120	9,725	155	26	560	82	977	690	3,470	515	3,921	
	Male-----	9,940	4,352	144	24	550	64	789	512	1,288	424	1,793	
	Female-----	10,180	5,373	9	2	10	18	188	178	2,182	92	2,128	
	White-----	8,822	5,829	132	24	489	60	648	449	1,220	370	1,591	
	Female-----	9,587	4,988	8	2	9	15	167	170	2,132	86	2,010	
	Nonwhite-----	1,118	523	12	-	51	4	141	63	69	54	202	
Female-----	595	385	1	-	1	3	21	8	50	6	118		
E900	Fall on stairs-----	1,963	1,590	1	-	15	6	8	190	50	39	66	
	Male-----	1,205	947	1	-	10	3	7	142	23	27	43	
	Female-----	760	643	-	-	3	3	1	48	27	12	23	
	White-----	1,036	810	1	-	10	3	5	131	22	19	36	
	Female-----	698	587	-	-	3	3	1	47	25	10	21	
	Nonwhite-----	167	137	-	-	-	-	2	11	1	8	8	
Female-----	62	55	-	-	-	-	-	1	1	2	2		
E901	Fall from ladders-----	546	207	15	-	55	-	8	23	4	18	16	
	Male-----	316	177	15	-	55	-	8	23	4	18	16	
	Female-----	30	30	-	-	-	-	-	-	-	-	-	
	White-----	297	170	12	-	53	-	7	22	4	15	14	
	Female-----	27	27	-	-	-	-	-	-	-	-	-	
	Nonwhite-----	19	7	3	-	2	-	1	1	-	3	2	
Female-----	3	3	-	-	-	-	-	-	-	-	-		
E902	Other falls from one level to another-----	5,111	1,235	65	20	399	52	106	179	625	282	128	
	Male-----	2,161	741	61	18	399	39	94	152	271	257	108	
	Female-----	950	494	4	2	-	13	12	27	354	25	19	
	White-----	1,618	558	75	18	362	38	79	125	248	228	87	
	Female-----	833	402	4	-	-	-	10	11	22	344	15	
	Nonwhite-----	343	183	6	2	37	1	15	27	25	29	22	
Female-----	117	92	-	-	-	3	1	5	10	2	4		
E905	Fall on same level-----	5,167	2,661	51	-	30	15	714	154	1,373	61	108	
	Male-----	2,314	991	29	-	25	13	559	98	485	50	64	
	Female-----	2,853	1,670	2	-	5	2	155	56	888	31	44	
	White-----	2,105	924	27	-	22	11	469	88	480	47	57	
	Female-----	2,731	1,592	2	-	4	2	136	55	667	30	43	
	Nonwhite-----	209	67	2	-	3	2	90	10	25	5	7	
Female-----	122	78	-	-	-	-	19	1	21	1	1		
E904	Unspecified falls-----	9,533	4,032	21	6	63	9	141	144	1,418	96	3,603	
	Male-----	3,946	1,496	18	6	61	9	121	97	505	72	1,561	
	Female-----	5,587	2,536	3	-	2	-	20	47	913	24	2,042	
	White-----	3,568	1,367	17	6	52	8	89	83	486	61	1,388	
	Female-----	5,298	2,580	2	-	2	-	19	46	695	23	1,951	
	Nonwhite-----	380	129	1	-	9	1	33	14	19	15	153	
Female-----	289	156	1	-	-	-	1	1	18	1	111		
E910-E936	Other accidents-----	29,196	11,882	1,988	453	1,951	783	652	728	1,089	5,137	4,368	
	Male-----	21,852	7,383	1,849	433	1,921	655	763	606	658	4,528	3,066	
	Female-----	7,344	4,499	139	20	30	128	89	117	401	609	1,312	
	White-----	17,216	5,593	1,641	385	1,626	531	597	519	578	5,593	2,243	
	Female-----	5,504	3,272	116	15	23	101	61	103	366	490	967	
	Nonwhite-----	4,536	1,790	208	39	295	124	166	87	80	985	613	
Female-----	1,940	1,227	23	5	7	27	28	14	45	119	345		

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E910	Blow from falling or projected object or missile	1,435	280	130	140	469	31	72	68	1	164	60
	Male	1,388	251	127	140	468	31	68	67	1	157	58
	Female	47	29	13	1	1	—	4	1	—	7	2
	White	1,186	216	118	139	398	28	55	56	1	150	45
	Female	45	28	13	—	—	—	2	1	—	7	2
	Nonwhite	202	35	9	1	90	3	15	11	—	27	15
E911	Accident caused by vehicle	98	4	2	36	38	1	2	1	—	8	4
	Male	92	3	1	36	38	1	2	1	—	8	2
	Female	4	1	1	—	—	—	—	—	—	—	1
	White	80	3	1	32	34	—	2	—	—	7	1
	Female	4	1	1	—	—	—	—	—	—	—	2
	Nonwhite	12	—	—	4	4	1	—	1	—	1	1
E912	Accident caused by machinery	2,055	110	912	66	552	14	122	30	11	148	90
	Male	1,984	92	873	66	551	12	122	27	10	145	88
	Female	71	18	39	—	1	2	—	3	1	3	2
	White	1,789	85	816	63	485	11	105	24	9	151	65
	Female	65	17	37	—	1	—	—	2	—	5	1
	Nonwhite	195	9	57	3	68	1	17	3	2	12	23
E913	Accident caused by cutting and piercing instruments	149	89	4	1	5	1	8	8	2	12	19
	Male	119	66	4	1	5	1	6	8	1	11	16
	Female	30	23	—	—	—	—	2	—	1	1	3
	White	82	45	4	1	5	1	6	—	—	8	13
	Female	22	16	—	—	—	—	—	—	1	1	3
	Nonwhite	37	23	—	—	—	—	5	2	1	3	3
E914	Accident caused by electric current	992	312	72	14	217	19	110	55	7	154	74
	Male	916	245	69	14	216	19	109	53	6	154	70
	Female	76	66	3	—	1	—	1	—	1	—	4
	White	838	222	67	14	199	19	97	51	6	123	60
	Female	66	57	3	—	1	—	—	—	1	—	3
	Nonwhite	78	24	2	—	17	—	12	2	—	11	10
E915	Accident caused by explosion of pressure vessel	42	5	1	—	24	—	1	5	1	4	1
	Male	39	4	1	—	22	—	1	5	1	4	1
	Female	3	1	—	—	2	—	—	—	—	—	—
	White	38	3	1	—	22	—	1	5	1	4	1
	Female	2	—	—	—	2	—	—	—	—	—	—
	Nonwhite	1	1	—	—	—	—	—	—	—	—	—
E916	Accident caused by fire and explosion of combustible material	7,423	6,066	96	22	276	7	52	229	205	171	521
	Male	4,497	3,409	82	22	267	6	25	191	146	152	197
	Female	2,926	2,657	14	—	9	1	7	38	57	19	124
	White	3,339	2,423	76	21	216	6	21	176	133	133	143
	Female	2,033	1,827	9	—	6	1	6	56	53	14	81
	Nonwhite	1,159	986	6	1	51	4	4	15	13	29	54
E917	Accident caused by hot substance, corrosive liquid, and steam	576	271	1	1	55	1	—	2	26	2	17
	Male	216	151	1	1	54	1	—	2	15	2	9
	Female	160	140	—	—	1	—	—	—	11	—	8
	White	152	83	1	1	42	1	—	1	15	1	7
	Female	116	100	—	—	1	—	—	—	11	—	4
	Nonwhite	64	48	—	—	12	—	—	1	—	1	2
E918	Accident caused by radiation	—	—	—	—	—	—	—	—	—	—	—
	Male	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—
	White	—	—	—	—	—	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite	—	—	—	—	—	—	—	—	—	—	—
E919	Accident caused by firearm	2,686	1,454	220	12	50	21	144	118	7	415	455
	Male	2,462	1,160	211	12	40	19	127	108	7	392	391
	Female	434	294	9	—	10	2	17	15	—	23	64
	White	1,927	914	193	12	34	15	86	67	7	344	255
	Female	299	214	7	—	9	1	9	8	—	15	36
	Nonwhite	535	246	18	—	6	4	41	36	—	48	136
E920	Foreign body entering eye and adnexa	2	—	—	1	1	—	—	—	—	—	—
	Male	2	—	—	1	1	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—
	White	2	—	—	1	1	—	—	—	—	—	—
	Female	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite	—	—	—	—	—	—	—	—	—	—	—
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,607	625	3	—	—	10	14	100	405	31	419
	Male	978	380	3	—	—	8	12	66	250	25	254
	Female	629	245	—	—	—	2	2	34	175	6	165
	White	795	290	3	—	—	6	9	62	204	22	199
	Female	521	191	—	—	—	2	2	55	157	3	135
	Nonwhite	185	90	—	—	—	2	3	4	26	3	55
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,607	625	3	—	—	10	14	100	405	31	419
	Male	978	380	3	—	—	8	12	66	250	25	254
	Female	629	245	—	—	—	2	2	34	175	6	165
	White	795	290	3	—	—	6	9	62	204	22	199
	Female	521	191	—	—	—	2	2	55	157	3	135
	Nonwhite	185	90	—	—	—	2	3	4	26	3	55
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,607	625	3	—	—	10	14	100	405	31	419
	Male	978	380	3	—	—	8	12	66	250	25	254
	Female	629	245	—	—	—	2	2	34	175	6	165
	White	795	290	3	—	—	6	9	62	204	22	199
	Female	521	191	—	—	—	2	2	55	157	3	135
	Nonwhite	185	90	—	—	—	2	3	4	26	3	55

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E922	Inhalation and ingestion of other object causing obstruction or suffocation	373	154	--	--	1	3	4	2	80	5	144
	Male	213	88	--	--	1	3	3	2	32	1	83
	Female	160	66	--	--	--	--	1	--	28	4	61
	White	164	69	--	--	1	3	3	2	28	4	68
	Female	127	55	--	--	--	--	--	--	25	2	45
	Nonwhite	49	19	--	--	--	--	--	--	4	1	25
	Female	33	11	--	--	--	--	1	--	3	2	16
E923	Foreign body entering other orifice	1,115	211	--	--	1	8	9	12	189	14	671
	Male	674	127	--	--	1	7	8	9	119	12	391
	Female	441	84	--	--	--	1	1	3	70	2	280
	White	527	97	--	--	--	5	6	9	98	8	304
	Female	340	66	--	--	--	1	1	3	59	2	209
	Nonwhite	147	30	--	--	1	2	2	--	21	4	87
	Female	101	18	--	--	--	--	--	--	12	--	71
E924	Accidental mechanical suffocation in bed and cradle	562	501	--	--	--	--	4	2	7	7	41
	Male	327	290	--	--	--	--	4	1	1	5	26
	Female	235	211	--	--	--	--	--	1	6	2	15
	White	220	193	--	--	--	--	4	1	1	4	17
	Female	157	137	--	--	--	--	--	1	6	2	11
	Nonwhite	107	97	--	--	--	--	--	--	--	1	9
	Female	78	74	--	--	--	--	--	--	--	--	4
E925	Accidental mechanical suffocation in other and unspecified circumstances	620	283	33	22	80	4	58	11	12	72	85
	Male	465	180	32	19	80	4	56	8	7	64	53
	Female	157	103	1	3	--	--	2	3	5	8	32
	White	367	122	31	19	64	4	50	7	6	50	34
	Female	116	76	1	3	--	--	1	3	5	7	20
	Nonwhite	96	38	1	--	16	--	6	1	1	14	19
	Female	41	27	--	--	--	--	1	--	--	1	12
E926	Lack of care of infants under 1 year of age	22	14	--	--	--	--	--	--	--	--	8
	Male	15	10	--	--	--	--	--	--	--	--	5
	Female	7	4	--	--	--	--	--	--	--	--	3
	White	8	4	--	--	--	--	--	--	--	--	4
	Female	3	2	--	--	--	--	--	--	--	--	1
	Nonwhite	7	6	--	--	--	--	--	--	--	--	1
	Female	4	2	--	--	--	--	--	--	--	--	2
E927	Accidents caused by bites and stings of venomous animals and insects	44	14	5	--	--	--	3	3	1	6	12
	Male	35	12	5	--	--	--	3	2	--	6	7
	Female	9	2	--	--	--	--	--	1	1	--	5
	White	30	10	4	--	--	--	3	2	--	5	6
	Female	9	2	--	--	--	--	--	1	1	--	5
	Nonwhite	5	2	1	--	--	--	--	--	--	1	1
	Female	--	--	--	--	--	--	--	--	--	--	--
E928	Other accidents caused by animals	125	25	67	--	--	6	2	--	--	9	16
	Male	99	17	59	--	--	4	1	--	--	8	10
	Female	26	8	8	--	--	2	1	--	--	1	6
	White	92	16	57	--	--	4	1	--	--	6	9
	Female	26	8	8	--	--	2	1	--	--	1	6
	Nonwhite	7	1	2	--	--	--	1	--	--	2	1
	Female	--	--	--	--	--	--	--	--	--	--	--
E929	Accidental drowning	5,724	751	350	117	44	594	28	23	24	3,557	246
	Male	4,712	451	298	100	41	472	22	20	17	3,081	210
	Female	1,012	300	52	17	3	112	6	3	7	476	36
	White	3,623	398	199	72	31	368	10	17	13	2,371	156
	Female	843	272	40	12	1	89	3	3	6	399	28
	Nonwhite	1,089	65	99	28	10	106	12	3	4	710	54
	Female	169	28	12	5	2	23	3	--	1	87	8
E930	High and low air pressure	13	--	--	--	--	1	--	--	--	9	3
	Male	12	--	--	--	--	1	--	--	--	9	2
	Female	1	--	--	--	--	--	--	--	--	--	1
	White	10	--	--	--	--	--	--	--	--	8	2
	Female	1	--	--	--	--	--	--	--	--	--	1
	Nonwhite	2	--	--	--	--	1	--	--	--	1	--
	Female	--	--	--	--	--	--	--	--	--	--	--
E931	Excessive heat and insolation	96	12	5	--	3	1	3	2	5	20	45
	Male	79	8	5	--	3	1	3	2	2	18	37
	Female	17	4	--	--	--	--	--	--	3	2	8
	White	64	5	4	--	3	1	2	2	2	18	27
	Female	14	3	--	--	--	--	--	--	3	1	7
	Nonwhite	15	3	1	--	--	--	1	--	--	1	10
	Female	3	1	--	--	--	--	--	--	--	--	1
E932	Excessive cold	327	69	15	1	10	2	32	1	6	100	91
	Male	269	55	11	1	9	2	26	1	6	85	73
	Female	58	14	4	--	1	--	6	--	--	15	18
	White	177	36	10	1	5	2	20	--	5	55	43
	Female	37	10	3	--	1	--	2	--	--	10	11
	Nonwhite	92	19	1	--	4	--	6	1	1	30	30
	Female	21	4	1	--	--	--	4	--	--	5	7

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-11

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1967—Con.

[Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Seventh Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Other accidents—Con.												
E933	Runger, thirst, and exposure	193	14	7	-	1	2	10	-	2	63	94
	Male	144	9	7	-	1	2	8	-	-	55	62
	Female	49	5	-	-	-	-	2	-	2	8	32
	White	93	5	6	-	-	2	3	-	-	37	40
	Female	31	3	-	-	-	-	-	-	2	4	22
	Nonwhite	51	4	1	-	1	-	5	-	-	18	22
	Female	18	2	-	-	-	-	2	-	-	4	10
E934	Cataclysm	165	55	7	-	1	6	20	14	-	55	7
	Male	98	22	5	-	-	4	14	8	-	40	5
	Female	67	33	2	-	1	2	6	6	-	15	2
	White	92	21	4	-	-	4	11	8	-	39	5
	Female	59	29	2	-	1	2	4	6	-	14	1
	Nonwhite	6	1	1	-	-	-	3	-	-	1	-
	Female	8	4	-	-	-	-	2	-	-	1	1
E935	Lightning	89	15	23	-	1	12	6	4	-	22	7
	Male	76	8	22	-	1	12	4	4	-	16	7
	Female	12	5	1	-	-	-	2	-	-	4	-
	White	57	6	15	-	1	12	2	3	-	15	3
	Female	11	4	1	-	-	-	2	-	-	4	-
	Nonwhite	19	2	7	-	-	-	2	1	-	3	4
	Female	1	1	-	-	-	-	-	-	-	-	-
E936	Other and unspecified accidents	2,656	570	35	20	102	49	168	55	90	109	1,439
	Male	1,943	384	33	20	102	45	159	48	57	98	989
	Female	713	186	2	-	-	4	29	9	33	11	439
	White	1,565	339	31	19	87	41	128	40	50	84	748
	Female	561	154	1	-	-	3	26	8	27	9	335
	Nonwhite	378	45	2	1	15	4	33	6	7	14	251
	Female	152	32	1	-	-	1	3	5	6	2	104

<sup>1</sup>Including home premises and any noninstitutional place of residence.<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.













SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the

1	Place of accident, race, and sex	Total	Under	1	2	3	4	Under	5-9	10-14	15-19
			1	year	years	years	years	5	years	years	years
1	All nontransport accidents (E870-E936)-----	53,396	2,387	1,166	644	686	535	5,618	1,783	1,857	2,779
2	Male----	34,466	1,369	659	513	453	336	3,330	1,234	1,400	2,403
3	Female----	18,930	1,018	507	331	233	199	2,288	549	369	376
4	White--Male----	28,187	916	445	377	344	252	2,334	840	1,168	1,933
5	Female----	16,249	652	333	218	149	141	1,493	404	274	298
6	Negro--Male----	5,811	431	200	124	103	78	938	270	309	437
7	Female----	2,500	344	160	106	79	53	742	138	87	68
8	Other--Male----	458	22	14	12	6	6	60	24	11	33
9	Female----	161	22	14	7	5	5	53	7	8	10
10	Home <sup>1</sup> (.0)-----	23,690	1,656	895	594	490	336	3,961	839	561	601
11	Male----	12,961	936	492	339	319	195	2,297	513	421	452
12	Female----	10,729	720	393	255	171	141	1,664	325	140	149
13	White--Male----	10,422	626	323	252	224	133	1,558	364	331	372
14	Female----	8,990	455	266	147	104	92	1,064	216	110	116
15	Negro--Male----	2,339	293	161	96	81	58	699	157	67	75
16	Female----	1,647	251	118	87	64	46	566	106	28	30
17	Other--Male----	150	17	8	7	4	4	40	12	3	5
18	Female----	92	14	5	5	3	3	34	3	2	3
19	Farm <sup>2</sup> (.1)-----	2,183	-	29	36	34	30	129	116	230	225
20	Male----	2,025	-	18	26	25	22	91	96	197	216
21	Female----	158	-	11	10	9	8	38	18	33	9
22	White--Male----	1,799	-	17	26	25	22	90	86	155	173
23	Female----	131	-	8	9	9	7	33	15	26	8
24	Negro--Male----	216	-	-	-	-	-	-	11	40	42
25	Female----	24	-	2	1	-	-	3	2	7	1
26	Other--Male----	10	-	1	1	-	-	1	1	2	1
27	Female----	3	-	1	-	-	-	1	1	-	-
28	Mine and quarry (.2)-----	482	-	-	1	-	-	1	24	37	36
29	Male----	460	-	-	1	-	-	1	16	29	34
30	Female----	22	-	-	-	-	-	-	8	8	2
31	White--Male----	422	-	-	1	-	-	1	11	23	29
32	Female----	17	-	-	-	-	-	-	5	6	2
33	Negro--Male----	36	-	-	-	-	-	-	5	6	5
34	Female----	5	-	-	-	-	-	-	3	2	-
35	Other--Male----	2	-	-	-	-	-	-	-	-	-
36	Female----	-	-	-	-	-	-	-	-	-	-
37	Industrial place and premises (.3)-----	2,647	-	3	-	3	2	8	31	25	111
38	Male----	2,595	-	2	-	2	1	5	29	24	107
39	Female----	52	-	1	-	1	1	3	2	1	4
40	White--Male----	2,231	-	2	-	2	1	5	19	20	96
41	Female----	41	-	1	-	1	1	3	1	-	4
42	Negro--Male----	339	-	-	-	-	-	-	6	4	11
43	Female----	10	-	-	-	-	-	-	1	1	-
44	Other--Male----	25	-	-	-	-	-	-	4	-	1
45	Female----	1	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)-----	888	1	9	19	17	30	78	109	140	190
47	Male----	738	1	6	12	14	22	55	81	110	172
48	Female----	150	-	3	7	3	8	23	28	30	18
49	White--Male----	608	1	6	12	14	20	53	65	82	139
50	Female----	120	-	3	6	3	8	20	24	18	14
51	Negro--Male----	117	-	-	-	-	2	2	15	27	31
52	Female----	27	-	-	1	-	-	1	3	12	3
53	Other--Male----	12	-	-	-	-	-	-	1	1	2
54	Female----	3	-	-	-	-	-	-	-	-	1
55	Street and highway (.5)-----	1,992	6	9	9	5	7	26	21	44	148
56	Male----	1,684	4	8	4	5	4	25	18	34	122
57	Female----	308	2	1	5	-	3	11	3	10	26
58	White--Male----	1,347	3	3	2	5	2	15	14	27	99
59	Female----	253	1	-	4	2	2	7	2	6	17
60	Negro--Male----	309	1	4	1	-	1	9	4	7	21
61	Female----	47	1	1	2	-	1	4	1	3	9
62	Other--Male----	29	-	1	-	-	-	1	-	-	2
63	Female----	8	-	-	-	-	-	2	-	1	1
64	Public building (.6)-----	1,571	7	7	1	3	2	21	21	25	89
65	Male----	1,246	3	3	-	1	1	7	16	20	77
66	Female----	325	4	4	1	2	13	5	5	12	12
67	White--Male----	1,079	3	3	1	1	1	7	18	18	58
68	Female----	298	4	3	1	1	2	11	3	3	11
69	Negro--Male----	153	-	-	-	-	-	-	2	2	18
70	Female----	25	-	1	-	1	-	2	2	2	1
71	Other--Male----	14	-	-	-	-	-	-	-	-	1
72	Female----	4	-	-	-	-	-	-	-	-	-
73	Resident institution (.7)-----	4,567	57	7	4	6	1	75	26	23	41
74	Male----	1,972	32	2	4	4	1	39	16	14	25
75	Female----	2,595	25	5	4	2	-	36	10	9	16
76	White--Male----	1,821	20	1	-	4	1	28	14	12	20
77	Female----	2,498	19	3	4	-	-	28	9	7	13
78	Negro--Male----	128	11	1	-	-	-	12	2	1	5
79	Female----	89	5	2	-	-	2	9	1	2	3
80	Other--Male----	23	1	-	-	-	-	1	-	1	-
81	Female----	8	1	-	-	-	-	1	-	-	-
82	Other specified places (.8)-----	5,655	31	59	86	72	87	335	452	623	1,003
83	Male----	5,114	25	37	64	51	70	247	360	521	818
84	Female----	741	6	22	22	21	17	88	92	102	85
85	White--Male----	4,031	18	31	51	47	59	205	285	306	739
86	Female----	606	4	18	18	14	14	72	84	70	70
87	Negro--Male----	906	7	4	9	3	10	33	72	133	161
88	Female----	112	2	3	4	1	3	12	8	21	12
89	Other--Male----	117	-	2	3	1	2	9	3	2	19
90	Female----	20	-	1	1	2	-	4	-	3	3
91	Place not specified (.9)-----	9,521	629	158	94	56	40	977	145	149	336
92	Male----	5,671	389	91	51	32	21	563	87	118	280
93	Female----	3,850	241	67	43	24	19	414	58	31	56
94	White--Male----	4,378	245	59	33	22	15	374	66	84	210
95	Female----	3,292	189	31	13	15	15	287	45	20	43
96	Negro--Male----	1,218	119	30	17	9	6	181	18	22	68
97	Female----	516	85	33	13	11	3	145	11	9	10
98	Other--Male----	77	4	2	1	1	-	8	3	2	2
99	Female----	42	7	3	1	-	-	12	2	2	2

<sup>1</sup>Including home premises and any noninstitutional place of residence.  
<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1967

International Lists, 1966. Numbers after places of accident are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,280	1,626	1,742	2,081	2,460	2,597	2,615	2,857	2,652	2,640	3,072	3,619	4,284	3,587	1,908	516	75	52	1
1,961	1,555	1,445	1,661	1,916	1,999	2,124	2,240	1,999	1,735	1,717	1,825	1,789	1,320	611	159	18	45	2
319	295	297	420	544	599	699	717	713	907	1,355	1,994	2,515	2,267	1,297	358	55	9	3
1,558	1,172	1,065	1,253	1,462	1,604	1,784	1,874	1,666	1,506	1,535	1,673	1,655	1,258	595	148	16	30	4
231	215	205	307	417	508	588	603	619	783	1,215	1,869	2,394	2,187	1,251	337	46	7	5
366	351	342	383	410	377	371	356	244	200	170	126	87	60	15	9	2	12	6
80	76	84	102	120	86	94	107	88	118	136	116	115	75	40	19	8	2	7
37	30	38	25	24	17	19	30	29	19	12	26	17	2	3	1	1	1	8
8	5	8	11	7	5	7	7	6	4	4	9	6	5	6	2	2	2	9
600	511	512	704	889	981	1,159	1,271	1,165	1,304	1,590	1,905	2,202	1,739	908	245	30	14	10
426	352	352	459	551	613	724	787	746	746	805	849	881	609	285	69	6	13	11
174	159	156	245	338	368	435	484	419	558	785	1,056	1,321	1,130	177	22	1	1	12
340	259	260	351	412	480	567	645	622	635	710	768	807	572	271	61	8	8	13
138	122	116	180	258	319	379	395	365	477	684	966	1,235	1,079	591	185	18	1	14
94	87	92	123	134	127	132	151	110	105	90	71	65	36	15	6	5	15	15
58	55	58	57	76	46	54	85	54	77	99	85	82	48	29	11	3	16	16
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	17
100	74	60	101	113	107	153	179	171	144	132	82	42	19	6	1	1	19	19
96	68	56	97	109	101	147	176	167	158	126	80	40	17	2	1	1	20	20
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	21
74	61	48	86	90	90	133	164	160	129	121	80	39	15	5	1	1	22	22
3	5	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	23
21	7	7	11	18	11	13	11	7	9	5	1	1	2	1	1	1	1	24
1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	25
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	26
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	27
43	37	34	42	54	59	44	43	18	3	4	1	1	1	1	1	1	1	28
43	36	34	42	54	50	43	43	18	3	4	1	1	1	1	1	1	1	29
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
35	35	30	38	51	57	42	45	18	3	4	1	1	1	1	1	1	1	31
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	32
8	1	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	33
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	34
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	35
286	240	247	351	307	284	286	288	191	52	26	15	3	2	2	2	2	2	36
261	239	242	343	303	281	288	284	189	50	25	12	3	2	2	2	2	2	37
5	5	5	3	4	3	3	4	3	3	2	1	3	3	3	3	3	3	38
236	205	199	206	254	248	245	245	169	47	24	11	3	2	2	2	2	2	39
4	3	3	2	4	3	3	3	3	3	1	3	3	3	3	3	3	3	40
23	54	39	40	48	32	44	35	19	3	1	1	1	1	1	1	1	1	41
1	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	42
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	43
92	46	42	30	32	30	24	18	14	15	8	12	6	1	1	1	1	1	44
85	37	37	26	31	25	18	15	11	8	11	8	6	1	1	1	1	1	45
9	9	5	4	1	5	6	3	1	4	2	1	1	1	1	1	1	1	46
71	33	30	19	22	23	15	11	13	9	6	10	6	1	1	1	1	1	47
8	6	4	4	1	3	6	3	1	3	1	2	2	1	1	1	1	1	48
11	3	6	6	8	2	2	4	1	1	1	1	1	1	1	1	1	1	49
1	3	1	1	2	2	2	2	2	2	1	1	1	1	1	1	1	1	50
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
117	113	127	113	154	151	170	138	123	132	119	113	104	52	15	1	1	1	54
103	103	118	98	144	140	148	123	107	107	92	86	67	37	10	1	1	1	55
14	10	8	15	10	11	22	15	16	25	27	27	37	15	5	1	1	1	56
79	71	79	66	101	113	118	104	91	96	76	68	54	34	10	1	1	1	57
10	5	7	12	7	9	17	15	12	19	27	24	37	14	5	1	1	1	58
22	28	34	30	41	25	29	18	16	11	9	2	3	3	3	3	3	3	59
2	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	60
2	4	5	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	61
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	62
84	91	95	103	125	115	135	126	121	101	112	92	63	33	9	1	1	1	63
92	77	81	87	111	97	122	107	99	69	71	58	37	24	4	1	1	1	64
12	14	14	16	14	18	13	19	22	32	41	54	28	9	5	1	1	1	65
67	57	63	71	95	86	105	98	90	67	62	57	35	23	4	1	1	1	66
8	12	10	13	12	18	11	18	22	32	40	34	28	9	5	1	1	1	67
14	19	15	15	14	11	16	9	8	2	8	1	1	1	1	1	1	1	68
2	2	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	69
1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	70
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	71
52	53	47	55	72	93	89	135	189	231	389	673	886	845	480	138	15	1	72
41	26	35	37	49	63	51	91	94	137	186	272	322	275	148	48	1	1	73
11	7	12	18	23	30	38	44	75	94	202	401	564	570	332	90	12	1	74
34	25	27	29	33	52	46	82	80	126	180	258	309	270	147	48	3	1	75
8	6	11	15	22	25	34	43	69	89	190	392	549	563	328	86	12	1	76
6	1	7	6	14	10	5	9	12	9	6	9	8	5	1	1	1	1	77
1	1	1	3	1	5	4	1	6	5	11	8	14	7	2	4	1	1	78

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1967

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total Deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States-----	52,924	4,189	4,733	36	189	40,804	175	512	220	14	2,044
Male-----	38,135	3,620	3,353	29	150	28,868	115	326	141	10	1,522
Female-----	14,791	569	1,380	8	49	11,936	58	186	79	4	522
White-----	33,203	3,151	3,044	22	136	25,035	97	295	115	10	1,300
Female-----	13,081	483	1,264	6	48	10,528	51	171	73	4	453
Nonwhite-----	4,930	469	309	6	14	3,833	18	51	28	-	222
Female-----	1,710	86	116	2	1	1,408	7	15	6	-	69
Alabama-----	1,218	95	151	1	1	976	1	3	2	-	8
Male-----	875	81	91	1	1	691	-	2	2	-	6
Female-----	343	14	40	-	-	285	1	1	-	-	2
White-----	652	58	65	1	-	520	-	2	1	-	5
Female-----	268	10	33	-	-	222	1	1	-	-	1
Nonwhite-----	223	23	26	-	1	171	-	-	1	-	1
Female-----	75	4	7	-	-	63	-	-	-	-	1
Alaska-----	52	4	4	-	-	42	-	1	-	-	1
Male-----	40	3	4	-	-	31	-	1	-	-	1
Female-----	12	1	-	-	-	11	-	-	-	-	-
White-----	37	2	4	-	-	29	-	1	-	-	1
Female-----	10	1	-	-	-	9	-	-	-	-	-
Nonwhite-----	3	1	-	-	-	2	-	-	-	-	-
Female-----	2	-	-	-	-	2	-	-	-	-	-
Arizona-----	579	112	88	1	-	357	3	-	1	-	17
Male-----	424	96	60	1	-	254	2	-	1	-	10
Female-----	155	16	28	-	-	103	1	-	-	-	7
White-----	530	72	47	-	-	200	2	-	1	-	8
Female-----	127	11	18	-	-	91	1	-	-	-	6
Nonwhite-----	94	24	13	1	-	54	-	-	-	-	2
Female-----	28	5	10	-	-	12	-	-	-	-	1
Arkansas-----	638	56	46	-	1	521	-	-	-	1	13
Male-----	487	54	34	-	1	386	-	-	-	-	12
Female-----	151	2	12	-	-	135	-	-	-	1	1
White-----	410	46	32	-	1	319	-	-	-	1	12
Female-----	128	2	12	-	-	112	-	-	-	1	1
Nonwhite-----	77	8	2	-	-	67	-	-	-	-	-
Female-----	23	-	-	-	-	23	-	-	-	-	-
California-----	5,172	337	398	4	51	3,622	17	51	33	6	653
Male-----	3,662	283	284	3	37	2,498	12	33	22	6	484
Female-----	1,510	54	114	1	14	1,124	5	18	11	-	169
White-----	3,280	263	264	3	33	2,235	11	30	17	6	428
Female-----	1,388	47	104	1	13	1,033	4	17	11	-	156
Nonwhite-----	372	20	20	-	4	263	1	3	5	-	56
Female-----	124	7	10	-	1	91	1	1	-	-	13
Colorado-----	591	59	35	-	-	490	3	-	2	-	2
Male-----	421	53	24	-	-	340	1	-	1	-	2
Female-----	170	6	11	-	-	150	2	-	1	-	-
White-----	405	52	24	-	-	325	1	-	1	-	2
Female-----	165	6	10	-	-	146	2	-	1	-	-
Nonwhite-----	16	1	-	-	-	15	-	-	-	-	-
Female-----	5	-	1	-	-	4	-	-	-	-	-
Connecticut-----	518	27	25	-	-	447	3	3	5	-	8
Male-----	382	25	19	-	-	325	3	2	3	-	5
Female-----	136	2	6	-	-	122	-	1	2	-	3
White-----	347	24	18	-	-	294	3	2	1	-	5
Female-----	127	2	5	-	-	114	-	1	2	-	3
Nonwhite-----	35	1	1	-	-	31	-	2	-	-	-
Female-----	9	-	1	-	-	8	-	-	-	-	-
Delaware-----	156	7	6	-	-	120	-	2	-	-	1
Male-----	102	6	5	-	-	89	-	1	-	-	1
Female-----	34	1	1	-	-	31	-	1	-	-	-
White-----	81	5	4	-	-	70	-	1	-	-	1
Female-----	24	1	1	-	-	21	-	1	-	-	-
Nonwhite-----	21	1	1	-	-	19	-	-	-	-	-
Female-----	10	-	-	-	-	10	-	-	-	-	-
District of Columbia-----	166	5	4	-	1	120	-	4	1	-	21
Male-----	105	5	4	-	1	80	-	2	1	-	12
Female-----	51	-	-	-	-	40	-	2	-	-	9
White-----	38	1	2	-	1	28	-	2	1	-	3
Female-----	21	-	-	-	-	16	-	1	-	-	4
Nonwhite-----	67	4	2	-	-	52	-	-	-	-	9
Female-----	30	-	-	-	-	24	-	1	-	-	5
Florida-----	1,845	138	138	-	11	1,377	1	55	4	-	121
Male-----	1,261	116	97	-	9	912	-	35	2	-	90
Female-----	584	22	41	-	2	465	1	20	2	-	31
White-----	990	80	83	-	8	713	-	29	-	-	67
Female-----	489	16	38	-	2	393	1	14	2	-	23
Nonwhite-----	281	36	14	-	1	199	-	6	2	-	23
Female-----	95	6	3	-	-	72	-	6	-	-	8

## SECTION 4 - ACCIDENT MORTALITY

4-21

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1967—Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,581	132	184	1	-	1,203	8	14	5	-	14
Male-----	1,128	118	137	-	-	847	3	7	3	-	13
Female-----	435	14	47	1	-	356	5	7	2	-	1
White-----	860	87	110	-	-	643	3	7	2	-	8
Male-----	341	12	37	-	-	278	4	7	2	-	1
Female-----	268	31	27	-	-	204	-	-	1	-	5
Nonwhite-----	92	2	10	1	-	78	1	-	-	-	-
Hawaii-----	134	6	5	-	-	116	-	1	3	-	1
Male-----	91	6	3	-	-	79	-	1	1	-	1
Female-----	43	-	2	-	-	39	-	-	2	-	-
White-----	21	-	-	-	-	20	-	-	-	-	1
Male-----	9	-	-	-	-	8	-	-	1	-	-
Female-----	70	6	3	-	-	59	-	1	1	-	-
Nonwhite-----	34	-	2	-	-	31	-	2	1	-	-
Idaho-----	244	28	14	-	-	194	-	2	-	-	6
Male-----	175	26	10	-	-	133	-	1	-	-	5
Female-----	69	2	4	-	-	61	-	1	-	-	1
White-----	168	25	10	-	-	127	-	1	-	-	5
Male-----	69	2	4	-	-	61	-	1	-	-	1
Female-----	7	1	-	-	-	6	-	-	-	-	-
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Illinois-----	2,576	179	274	1	6	2,004	11	19	14	-	68
Male-----	1,803	153	195	-	6	1,371	8	12	8	-	50
Female-----	773	26	79	1	-	633	3	7	6	-	18
White-----	1,630	143	189	-	6	1,222	8	11	6	-	45
Male-----	712	24	75	-	-	584	3	6	6	-	14
Female-----	173	10	6	-	-	149	-	1	2	-	5
Nonwhite-----	61	2	4	1	-	49	-	1	-	-	4
Indiana-----	1,580	116	164	4	9	1,210	2	19	4	-	52
Male-----	1,144	105	113	4	9	858	2	11	4	-	39
Female-----	436	11	51	-	-	352	-	8	-	-	14
White-----	1,080	104	107	4	9	805	1	11	3	-	36
Male-----	413	11	51	-	-	330	-	8	-	-	13
Female-----	64	1	6	-	-	53	1	-	1	-	2
Nonwhite-----	23	-	-	-	-	22	-	-	-	-	1
Iowa-----	875	101	81	-	4	640	2	22	2	1	20
Male-----	620	92	54	-	3	439	2	13	2	-	15
Female-----	255	9	27	-	1	201	-	9	-	1	5
White-----	612	91	53	-	3	433	2	13	2	-	15
Male-----	252	9	27	-	1	200	-	9	-	1	5
Female-----	8	1	1	-	-	6	-	-	-	-	-
Nonwhite-----	1	-	-	-	-	1	-	-	-	-	-
Kansas-----	608	71	76	-	2	531	-	1	-	-	7
Male-----	484	63	44	-	2	370	-	-	-	-	5
Female-----	204	8	32	-	-	161	-	1	-	-	2
White-----	458	62	40	-	2	349	-	-	-	-	5
Male-----	190	8	30	-	-	149	-	1	-	-	2
Female-----	26	1	4	-	-	21	-	-	-	-	-
Nonwhite-----	14	-	2	-	-	12	-	-	-	-	-
Kentucky-----	1,007	101	101	-	2	777	3	5	4	-	14
Male-----	762	69	82	-	2	571	3	3	3	-	9
Female-----	245	12	19	-	-	206	-	2	1	-	5
White-----	711	87	82	-	2	523	3	3	3	-	8
Male-----	223	9	18	-	-	188	-	2	1	-	5
Female-----	51	2	-	-	-	48	-	-	-	-	1
Nonwhite-----	22	3	1	-	-	18	-	-	-	-	-
Louisiana-----	1,211	84	75	1	10	949	7	24	1	-	53
Male-----	801	60	51	1	7	698	4	18	1	-	41
Female-----	310	14	22	-	3	250	3	6	-	-	12
White-----	648	56	43	-	6	497	3	10	1	-	32
Male-----	217	11	19	-	3	172	3	4	-	-	5
Female-----	253	24	8	1	1	201	1	8	-	-	9
Nonwhite-----	93	3	3	-	-	76	-	2	-	-	7
Maine-----	267	20	12	-	1	228	-	-	-	-	6
Male-----	193	16	11	-	-	160	-	-	-	-	6
Female-----	74	4	1	-	1	68	-	-	-	-	-
White-----	193	16	11	-	-	160	-	-	-	-	6
Male-----	72	4	1	-	1	66	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	2	-	-	-	-	2	-	-	-	-	-
Maryland-----	785	38	55	1	5	633	2	20	7	-	24
Male-----	565	28	39	1	4	463	-	10	2	-	18
Female-----	220	10	16	-	1	170	2	10	5	-	6
White-----	449	25	34	1	4	380	-	10	2	-	13
Male-----	175	8	10	-	1	136	2	9	5	-	4
Female-----	116	3	5	-	-	103	-	1	-	-	5
Nonwhite-----	45	2	6	-	-	34	-	-	-	-	2



## SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1967<sup>1</sup>-Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York-----	3,092	195	133	5	14	2,391	12	44	39	3	256
Male-----	2,212	155	95	4	13	1,703	9	31	23	1	188
Female-----	880	40	48	1	1	688	3	13	16	2	68
White-----	1,973	135	80	3	11	1,509	9	29	19	1	177
Female-----	791	34	45	1	1	618	3	12	13	2	62
Nonwhite-----	239	20	5	1	2	194	-	2	4	-	11
Female-----	89	6	3	-	-	70	-	1	3	-	6
North Carolina-----	1,756	165	182	3	3	1,375	9	1	6	-	12
Male-----	1,515	147	125	2	1	1,021	6	1	2	-	10
Female-----	441	18	57	1	2	354	3	-	4	-	2
White-----	962	108	104	1	1	756	2	-	2	-	8
Female-----	329	8	49	1	2	263	3	-	3	-	-
Nonwhite-----	353	39	21	1	-	285	4	1	-	-	2
Female-----	112	10	8	-	-	91	-	-	1	-	2
North Dakota-----	209	28	22	-	-	153	1	2	1	-	2
Male-----	150	24	17	-	-	105	-	1	1	-	2
Female-----	59	4	5	-	-	48	1	1	-	-	-
White-----	142	24	16	-	-	99	-	1	1	-	1
Female-----	54	4	5	-	-	44	-	1	-	-	-
Nonwhite-----	8	-	1	-	-	6	-	-	-	-	1
Female-----	5	-	-	-	-	4	1	-	-	-	-
Ohio-----	2,490	130	216	2	19	1,995	3	31	8	1	95
Male-----	1,797	122	150	1	16	1,418	3	18	5	1	63
Female-----	693	8	66	1	3	577	-	13	3	-	22
White-----	1,656	116	145	1	15	1,278	2	17	4	1	57
Female-----	645	6	62	1	3	536	-	13	3	-	19
Nonwhite-----	161	6	5	1	1	140	1	1	1	-	6
Female-----	48	-	4	-	-	41	-	-	-	-	3
Oklahoma-----	890	61	109	-	9	701	3	1	2	-	4
Male-----	612	52	73	-	4	475	3	1	1	-	3
Female-----	278	9	36	-	5	226	-	-	1	-	1
White-----	543	47	67	-	4	417	3	1	1	-	3
Female-----	258	9	38	-	5	187	-	-	1	-	-
Nonwhite-----	69	5	8	-	-	58	-	-	-	-	-
Female-----	40	-	-	-	-	39	-	-	-	-	1
Oregon-----	705	62	59	1	-	559	-	1	1	-	22
Male-----	507	57	43	1	-	389	-	-	-	-	17
Female-----	198	5	16	-	-	170	-	1	1	-	5
White-----	501	56	42	1	-	385	-	-	-	-	17
Female-----	192	5	16	-	-	164	-	1	1	-	5
Nonwhite-----	6	1	1	-	-	4	-	-	-	-	-
Female-----	6	-	-	-	-	6	-	-	-	-	-
Pennsylvania-----	2,569	199	211	-	13	2,012	13	33	17	1	90
Male-----	1,913	175	147	-	9	1,474	8	19	11	1	69
Female-----	676	24	64	-	4	538	5	14	6	-	21
White-----	1,771	159	138	-	9	1,368	6	18	9	1	63
Female-----	616	24	60	-	4	487	2	13	6	-	20
Nonwhite-----	142	16	9	-	-	106	2	1	2	-	6
Female-----	60	-	4	-	-	51	3	1	-	-	1
Rhode Island-----	109	8	4	-	-	86	-	3	-	-	8
Male-----	76	7	2	-	-	62	-	-	-	-	5
Female-----	33	1	2	-	-	24	-	3	-	-	3
White-----	69	7	2	-	-	57	-	-	-	-	3
Female-----	31	1	2	-	-	22	-	3	-	-	3
Nonwhite-----	7	-	-	-	-	5	-	-	-	-	2
Female-----	2	-	-	-	-	2	-	-	-	-	-
South Carolina-----	813	58	49	1	2	683	4	1	-	-	15
Male-----	621	47	37	1	2	520	3	-	-	-	11
Female-----	192	11	12	-	-	163	1	1	-	-	4
White-----	409	30	25	-	-	347	3	-	-	-	4
Female-----	130	8	5	-	-	111	1	1	-	-	4
Nonwhite-----	212	17	12	1	2	173	-	-	-	-	7
Female-----	62	3	7	-	-	52	-	-	-	-	-
South Dakota-----	228	33	30	-	1	159	1	2	-	-	2
Male-----	147	27	22	-	1	94	-	2	-	-	1
Female-----	81	6	8	-	-	65	1	-	-	-	1
White-----	116	21	20	-	1	73	-	1	-	-	-
Female-----	64	5	6	-	-	52	1	-	-	-	-
Nonwhite-----	31	6	2	-	-	21	-	1	-	-	1
Female-----	17	1	2	-	-	13	-	-	-	-	1
Tennessee-----	1,284	124	175	4	-	963	6	2	-	-	10
Male-----	854	105	129	3	-	704	5	1	-	-	7
Female-----	330	19	46	1	-	259	1	1	-	-	3
White-----	818	93	119	3	-	592	4	1	-	-	6
Female-----	286	15	46	1	-	220	1	1	-	-	2
Nonwhite-----	136	12	10	-	-	112	1	-	-	-	1
Female-----	44	4	-	-	-	39	-	-	-	-	1

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1967-Con.

[Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Type of motor vehicle involved									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas	3,388	394	467	1	4	2,464	11	3	8	-	33
Male	2,449	347	334	1	4	1,724	6	1	6	-	26
Female	936	47	133	-	-	740	5	2	2	-	7
White	2,126	303	301	1	3	1,490	5	-	5	-	18
Female	828	41	120	-	-	652	5	2	2	-	6
Nonwhite	323	44	33	-	1	234	1	1	1	-	9
Female	108	6	13	-	-	88	-	-	-	-	1
Utah	286	25	33	-	-	225	1	1	-	-	3
Male	188	20	23	-	-	140	1	1	-	-	3
Female	98	5	10	-	-	83	-	-	-	-	-
White	162	16	23	-	-	136	1	1	-	-	3
Female	97	4	10	-	-	83	-	-	-	-	-
Nonwhite	6	2	-	-	-	4	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-
Vermont	117	6	3	-	-	97	-	1	1	-	9
Male	62	5	3	-	-	67	-	-	1	-	6
Female	35	1	-	-	-	30	-	1	-	-	3
White	62	5	3	-	-	67	-	-	1	-	6
Female	34	1	-	-	-	29	-	1	-	-	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
Virginia	1,186	72	61	-	4	953	5	9	4	1	77
Male	894	60	40	-	2	721	2	7	3	1	58
Female	292	12	21	-	2	232	3	2	1	-	19
White	675	46	32	-	2	539	2	7	2	1	44
Female	233	9	20	-	2	186	2	2	-	-	12
Nonwhite	219	14	8	-	-	182	-	-	1	-	14
Female	59	3	1	-	-	46	1	-	1	-	7
Washington	935	60	65	-	5	757	2	24	1	-	21
Male	648	51	45	-	2	515	2	13	1	-	19
Female	287	9	20	-	3	242	-	11	-	-	2
White	607	48	40	-	2	484	2	13	1	-	17
Female	273	9	19	-	3	229	-	11	-	-	2
Nonwhite	41	3	5	-	-	31	-	-	-	-	2
Female	14	-	1	-	-	13	-	-	-	-	-
West Virginia	555	48	31	1	1	441	1	3	2	-	27
Male	422	41	23	-	1	339	-	2	1	-	15
Female	133	7	8	1	-	102	1	1	1	-	12
White	405	41	22	-	1	324	-	2	-	-	15
Female	130	7	7	1	-	100	1	1	1	-	12
Nonwhite	17	-	1	-	-	15	-	-	1	-	-
Female	3	-	1	-	-	2	-	-	-	-	-
Wisconsin	1,122	80	105	-	-	915	6	-	2	-	14
Male	822	65	74	-	-	689	5	-	1	-	8
Female	300	15	31	-	-	246	1	-	1	-	6
White	794	63	74	-	-	646	5	-	1	-	5
Female	291	14	31	-	-	238	1	-	1	-	6
Nonwhite	28	2	-	-	-	23	-	-	-	-	3
Female	9	1	-	-	-	6	-	-	-	-	-
Wyoming	118	19	16	-	-	80	-	-	-	-	3
Male	69	17	15	-	-	54	-	-	-	-	3
Female	29	2	1	-	-	26	-	-	-	-	-
White	64	17	12	-	-	52	-	-	-	-	3
Female	27	2	1	-	-	24	-	-	-	-	-
Nonwhite	5	-	3	-	-	2	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-

## SECTION 4 - ACCIDENT MORTALITY

4-25

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1967

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States-----	53,396	23,690	2,183	482	2,647	888	1,992	1,571	4,567	5,855	9,521
Male-----	34,466	12,961	2,025	460	2,595	738	1,684	1,246	1,972	5,114	5,671
Female-----	18,930	10,729	158	22	52	150	308	325	2,595	741	3,850
White-----	28,197	10,422	1,799	422	2,231	608	1,547	1,079	1,621	4,091	4,376
Female-----	16,249	6,990	131	17	41	120	253	298	2,498	609	3,292
Nonwhite-----	6,269	2,539	226	38	364	129	337	167	151	1,023	1,295
Female-----	2,681	1,739	27	5	11	30	55	27	97	132	358
Alabama-----	1,123	414	44	12	68	11	37	38	26	109	364
Male-----	785	247	41	10	68	11	34	25	17	98	234
Female-----	338	167	3	2	-	-	3	13	9	11	130
White-----	504	181	28	7	46	8	24	16	14	62	148
Female-----	216	92	2	-	-	-	2	11	7	10	92
Nonwhite-----	261	96	13	3	22	3	10	9	3	36	86
Female-----	122	75	1	2	-	-	1	2	2	1	58
Alaska-----	137	50	-	3	8	1	3	4	2	38	30
Male-----	96	33	-	3	8	1	1	4	2	31	15
Female-----	41	17	-	-	-	-	2	-	-	7	15
White-----	59	23	-	2	5	-	1	2	2	17	7
Female-----	24	12	-	-	-	-	1	-	-	4	7
Nonwhite-----	37	10	-	1	1	1	-	2	-	14	8
Female-----	17	5	-	-	-	-	1	-	-	3	8
Arizona-----	487	223	11	4	18	8	16	20	20	85	72
Male-----	358	152	9	4	17	5	15	17	8	81	60
Female-----	129	71	2	-	1	3	1	3	12	14	22
White-----	290	125	9	4	16	5	15	14	8	61	53
Female-----	105	60	1	-	1	2	1	1	12	10	17
Nonwhite-----	68	27	-	-	1	-	-	3	-	20	17
Female-----	24	11	1	-	-	1	-	2	-	4	5
Arkansas-----	609	228	41	-	36	2	14	10	33	72	175
Male-----	393	130	39	-	35	1	13	9	15	61	90
Female-----	216	96	2	-	1	1	1	1	18	11	85
White-----	289	93	33	-	21	1	13	8	13	53	54
Female-----	154	56	1	-	1	1	1	1	17	9	68
Nonwhite-----	104	37	6	-	14	-	-	1	2	8	36
Female-----	62	40	1	-	-	-	1	-	1	2	17
California-----	4,799	2,381	75	16	226	74	304	192	622	602	437
Male-----	3,019	1,277	72	14	224	56	147	146	259	531	283
Female-----	1,780	1,104	3	2	2	18	37	36	363	71	144
White-----	2,709	1,121	71	14	208	52	128	132	239	485	261
Female-----	1,662	1,029	3	1	2	16	32	34	355	59	151
Nonwhite-----	310	156	1	-	16	4	19	14	20	48	32
Female-----	118	75	-	1	-	2	5	2	8	12	13
Colorado-----	578	212	28	11	45	15	25	23	69	59	92
Male-----	380	116	25	11	45	11	19	19	24	53	57
Female-----	198	96	3	-	-	4	6	4	44	6	35
White-----	371	113	25	11	43	11	19	18	24	52	55
Female-----	182	81	3	-	-	4	6	4	43	6	35
Nonwhite-----	9	3	-	-	2	-	-	1	1	1	2
Female-----	6	5	-	-	-	-	-	-	1	-	-
Connecticut-----	657	329	4	2	30	6	26	22	65	79	94
Male-----	432	197	4	2	29	4	22	14	32	70	58
Female-----	225	132	-	-	1	2	4	8	33	9	36
White-----	382	181	4	2	25	2	20	12	29	59	48
Female-----	208	122	-	-	1	1	3	7	33	8	33
Nonwhite-----	50	16	-	-	4	2	2	2	3	11	10
Female-----	17	10	-	-	1	1	1	1	-	1	3
Delaware-----	142	47	1	-	3	4	2	5	6	31	43
Male-----	102	35	1	-	3	4	2	4	2	28	23
Female-----	40	12	-	-	-	-	-	1	4	3	20
White-----	66	22	1	-	2	4	-	4	1	17	15
Female-----	34	10	-	-	-	-	-	1	4	1	18
Nonwhite-----	36	13	-	-	1	-	2	-	1	11	8
Female-----	6	2	-	-	-	-	-	-	-	2	2
District of Columbia-----	277	104	-	-	3	7	12	6	15	25	105
Male-----	174	58	-	-	3	6	11	4	5	22	85
Female-----	103	46	-	-	-	1	1	2	10	3	40
White-----	39	16	-	-	-	2	2	2	3	2	12
Female-----	44	20	-	-	-	1	2	2	7	1	13
Nonwhite-----	135	42	-	-	3	4	9	2	2	20	53
Female-----	53	26	-	-	-	1	-	-	3	2	27
Florida-----	1,781	853	37	20	63	74	50	52	92	293	247
Male-----	1,175	474	36	19	62	58	45	38	41	246	158
Female-----	606	379	1	1	1	16	5	16	51	47	89
White-----	827	342	17	8	46	43	38	34	54	159	106
Female-----	484	300	-	1	1	10	4	15	51	35	67
Nonwhite-----	348	132	19	11	16	15	7	2	7	87	52
Female-----	122	79	1	-	-	6	1	1	-	12	22

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1967—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia	1,261	636	74	3	67	12	48	28	80	146	167
Male	859	361	70	5	65	11	42	24	38	136	108
Female	402	275	4	-	2	1	6	4	41	10	58
White	559	236	44	1	44	7	24	17	31	87	68
Male	269	174	-	-	2	1	3	3	39	6	41
Female	300	125	26	2	21	4	18	7	8	49	40
Nonwhite	133	101	4	-	-	-	3	1	2	4	18
Hawaii	145	64	1	-	4	14	2	4	5	37	14
Male	107	44	1	-	4	12	2	4	2	32	6
Female	38	20	-	-	-	2	-	-	3	5	8
White	56	16	1	-	-	5	-	3	-	11	-
Male	13	8	-	-	-	-	-	-	-	2	2
Female	71	28	-	-	4	7	2	1	2	21	6
Nonwhite	25	12	-	-	-	2	-	-	2	3	6
Idaho	243	59	24	6	22	1	8	5	12	46	60
Male	191	41	24	6	22	1	6	5	8	40	38
Female	52	18	-	-	-	-	2	-	4	6	22
White	191	41	24	6	22	1	6	5	8	40	38
Male	44	17	-	-	-	-	2	-	4	4	17
Female	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	8	1	-	-	-	-	-	-	-	2	5
Illinois	2,799	1,184	102	28	187	50	126	136	181	307	499
Male	1,859	654	95	28	178	42	109	110	89	270	284
Female	940	530	7	-	9	8	17	26	92	37	214
White	1,532	506	95	26	158	34	85	93	81	227	247
Male	782	412	7	-	6	7	12	25	88	33	192
Female	307	148	-	2	20	8	24	17	8	43	37
Nonwhite	158	118	-	-	3	1	5	1	4	4	22
Indiana	1,345	521	71	19	62	16	54	23	94	122	363
Male	862	298	67	16	62	14	43	20	52	102	188
Female	483	223	4	3	-	2	11	3	42	20	175
White	790	265	67	15	58	12	36	19	48	90	180
Male	450	198	4	3	-	2	10	3	41	19	170
Female	72	33	-	1	4	2	7	1	4	12	8
Nonwhite	33	25	-	-	-	-	1	-	1	1	5
Iowa	777	325	110	3	36	9	27	27	78	53	109
Male	462	145	106	3	31	7	24	20	31	39	56
Female	315	180	4	-	5	2	3	7	47	14	53
White	455	142	106	3	31	7	24	20	30	39	53
Male	308	177	4	-	5	2	3	7	47	12	51
Female	7	3	-	-	-	-	-	-	1	-	3
Nonwhite	7	3	-	-	-	-	-	-	-	2	2
Kansas	612	244	58	6	39	9	13	21	78	33	111
Male	384	130	55	5	38	6	11	17	30	26	65
Female	228	114	3	1	-	3	2	4	48	7	46
White	366	127	54	5	37	6	8	17	29	24	59
Male	217	107	3	1	3	1	4	4	48	6	44
Female	18	3	1	-	2	-	3	-	1	2	6
Nonwhite	11	7	-	-	-	-	1	-	-	1	2
Kentucky	1,021	485	57	53	45	8	30	25	80	109	129
Male	667	264	52	52	44	7	23	19	29	101	73
Female	354	221	2	1	1	1	7	6	51	8	56
White	594	233	51	49	41	7	19	15	26	90	63
Male	321	201	2	1	1	1	7	6	48	7	47
Female	73	31	4	3	3	-	4	4	3	11	10
Nonwhite	33	20	-	-	-	-	-	-	3	1	9
Louisiana	1,152	473	36	4	101	18	23	24	50	150	273
Male	760	244	34	3	100	16	19	20	29	132	163
Female	392	229	2	1	1	2	4	4	21	18	110
White	478	157	24	2	81	11	10	15	22	75	101
Male	237	129	-	1	1	1	2	2	18	12	71
Female	242	107	10	1	19	5	9	7	57	62	62
Nonwhite	155	100	2	-	-	1	2	2	3	6	39
Maine	302	136	5	2	17	5	7	3	9	44	74
Male	199	82	5	1	17	5	6	2	5	40	36
Female	103	54	-	1	-	-	1	1	4	4	38
White	195	79	5	1	17	5	6	2	5	33	36
Male	100	51	-	1	-	-	1	1	4	4	38
Female	4	3	-	-	-	-	-	-	-	-	-
Nonwhite	3	3	-	-	-	-	-	-	-	-	-
Maryland	900	446	17	4	39	18	45	34	69	89	140
Male	565	240	17	4	39	15	36	27	26	76	85
Female	335	206	-	-	-	3	9	7	42	13	55
White	399	171	16	4	29	13	17	21	25	50	54
Male	256	152	-	-	-	3	6	7	38	10	40
Female	166	69	1	-	10	3	19	6	1	26	31
Nonwhite	79	54	-	-	-	-	3	-	4	3	15

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-27

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1967—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Homes <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts-----	1,612	735	5	3	38	21	67	41	280	127	297
Male-----	900	377	5	3	36	19	55	34	107	109	155
Female-----	712	358	-	-	2	2	12	7	173	18	142
White-----	861	360	5	3	36	18	55	32	103	103	146
Female-----	705	350	-	-	2	2	12	7	173	18	139
Nonwhite-----	39	17	-	-	-	1	-	2	4	6	9
Female-----	9	6	-	-	-	-	-	-	-	-	3
Michigan-----	1,985	895	64	18	72	33	77	55	111	237	423
Male-----	1,298	539	60	18	71	28	73	42	49	208	211
Female-----	687	357	4	-	1	5	4	13	62	29	212
White-----	1,105	448	58	17	60	25	57	35	44	169	192
Female-----	617	310	4	-	-	3	4	13	57	24	202
Nonwhite-----	193	90	2	1	11	3	16	7	5	39	19
Female-----	70	47	-	-	1	2	-	-	5	5	10
Minnesota-----	997	428	93	7	35	15	36	28	134	108	113
Male-----	660	254	88	7	33	10	29	19	59	87	74
Female-----	337	174	5	-	2	5	7	9	75	21	39
White-----	642	245	88	7	31	10	28	19	55	85	72
Female-----	354	171	5	-	2	5	7	9	75	21	39
Nonwhite-----	18	9	-	-	2	1	1	-	2	2	2
Female-----	3	3	-	-	-	-	-	-	-	-	-
Mississippi-----	911	377	59	4	47	7	28	14	39	87	251
Male-----	634	209	56	4	46	6	22	13	26	77	175
Female-----	277	168	3	-	1	1	4	1	13	10	76
White-----	339	107	28	2	31	2	11	10	21	34	93
Female-----	150	83	3	-	1	1	1	1	13	5	42
Nonwhite-----	295	102	28	2	15	4	11	3	5	43	82
Female-----	127	65	-	-	-	-	3	-	-	5	34
Missouri-----	1,367	688	94	6	38	15	52	41	133	97	203
Male-----	824	354	85	6	38	12	45	25	55	84	120
Female-----	543	334	9	-	-	3	7	16	78	13	83
White-----	711	290	83	6	33	9	34	21	54	76	105
Female-----	484	289	9	-	-	2	6	16	75	13	74
Nonwhite-----	113	64	2	-	5	3	11	4	1	0	15
Female-----	59	45	-	-	-	1	1	-	3	-	9
Montana-----	256	99	15	8	21	5	8	9	17	39	35
Male-----	194	63	12	8	20	5	8	9	6	37	26
Female-----	62	36	3	-	1	-	-	-	11	2	9
White-----	174	58	11	8	18	4	5	9	6	35	20
Female-----	57	34	3	-	-	-	-	-	11	2	7
Nonwhite-----	20	5	1	-	2	1	3	-	-	2	6
Female-----	5	2	-	-	1	-	-	-	-	-	2
Nebraska-----	433	180	56	3	14	4	12	12	67	44	21
Male-----	271	92	51	3	14	4	11	9	36	36	15
Female-----	162	88	5	-	-	-	1	3	51	8	6
White-----	258	86	50	3	13	4	11	9	36	31	15
Female-----	157	84	5	-	-	-	1	3	50	8	6
Nonwhite-----	13	6	1	-	1	-	-	-	-	5	-
Female-----	5	4	-	-	-	-	-	-	1	-	-
Nevada-----	133	65	5	4	3	8	5	4	5	12	22
Male-----	85	32	5	4	3	7	4	3	3	11	13
Female-----	48	33	-	-	-	1	1	1	2	1	9
White-----	75	27	4	4	3	6	3	2	3	10	11
Female-----	42	30	1	-	-	1	1	1	2	1	6
Nonwhite-----	12	5	1	-	-	1	1	1	-	1	2
Female-----	6	3	-	-	-	-	-	-	-	-	3
New Hampshire-----	179	100	3	-	14	4	1	1	14	23	19
Male-----	104	51	2	-	14	2	1	1	3	19	11
Female-----	75	49	1	-	-	2	-	-	11	4	8
White-----	104	51	2	-	14	2	1	1	3	19	11
Female-----	75	49	1	-	-	2	-	-	11	4	8
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,537	771	8	2	92	22	66	40	138	144	252
Male-----	929	391	6	2	92	22	53	30	58	128	147
Female-----	608	380	2	-	-	-	15	10	80	16	105
White-----	727	303	5	2	72	15	40	28	52	99	111
Female-----	527	316	2	-	-	-	14	10	79	15	91
Nonwhite-----	202	88	1	-	20	7	13	2	6	29	36
Female-----	81	64	-	-	-	-	1	-	1	1	14
New Mexico-----	370	159	23	7	22	4	16	3	16	58	62
Male-----	274	103	16	7	22	3	15	3	12	50	43
Female-----	96	56	7	-	-	1	1	-	4	8	19
White-----	222	87	10	7	20	3	12	2	10	32	34
Female-----	82	49	5	-	-	1	-	-	4	5	18
Nonwhite-----	52	16	1	-	2	-	3	1	2	18	9
Female-----	14	7	2	-	-	-	1	-	3	3	1

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1967—Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit sub-category numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York	4,676	2,002	57	6	128	72	249	164	514	406	1,078
Male	2,876	1,025	54	6	124	59	203	125	195	356	729
Female	1,800	977	3	-	4	13	46	39	319	50	349
White	2,242	802	51	6	106	45	161	103	185	294	489
Male	1,561	648	3	-	2	6	39	35	305	41	282
Female	654	223	3	-	18	14	42	22	10	62	240
Nonwhite	239	129	-	-	2	7	7	4	14	9	67
Male											
Female											
North Carolina	1,447	625	120	8	68	27	29	39	81	146	305
Male	1,000	365	107	6	67	25	25	36	39	127	203
Female	447	260	13	2	1	2	4	2	42	19	102
White	627	216	75	2	47	21	16	27	35	73	115
Male	305	170	4	-	-	1	1	1	40	14	72
Female	373	149	32	4	20	4	9	9	4	54	88
Nonwhite	144	90	9	2	1	1	3	1	2	5	30
Male											
Female											
North Dakota	175	63	35	2	8	1	12	5	19	21	9
Male	128	58	30	2	8	1	11	5	9	19	5
Female	47	25	5	-	-	-	1	-	10	2	4
White	124	36	30	2	8	1	11	5	9	17	5
Male	46	25	5	-	-	-	-	-	10	2	4
Female	4	-	-	-	-	-	-	-	-	2	-
Nonwhite	1	-	-	-	-	-	1	-	-	-	-
Male											
Female											
Ohio	2,662	1,305	85	20	119	45	111	74	303	201	398
Male	1,545	651	80	19	119	39	92	65	114	174	202
Female	1,117	654	6	1	-	6	19	19	169	27	196
White	1,389	566	77	19	109	35	77	52	107	145	172
Male	1,014	577	5	1	-	6	16	19	183	22	185
Female	186	85	3	-	10	4	15	3	7	29	30
Nonwhite	103	77	1	-	-	-	3	-	6	5	11
Male											
Female											
Oklahoma	736	357	50	3	36	12	17	26	68	58	109
Male	465	182	48	3	35	11	17	21	33	52	63
Female	271	175	2	-	1	1	-	5	35	6	46
White	422	163	45	3	34	11	15	20	31	43	57
Male	240	155	2	-	1	-	-	3	34	5	40
Female	45	19	3	-	1	-	2	1	9	2	17
Nonwhite	31	20	-	-	-	1	-	2	1	1	6
Male											
Female											
Oregon	612	234	31	1	72	15	15	15	64	114	51
Male	426	128	29	-	71	13	14	13	30	97	31
Female	186	106	2	1	1	2	1	2	34	17	20
White	409	119	26	-	70	13	14	12	29	95	29
Male	182	103	2	1	1	2	1	2	34	17	19
Female	17	9	1	-	1	-	-	1	1	2	2
Nonwhite	4	3	-	-	-	-	-	-	-	-	1
Male											
Female											
Pennsylvania	2,759	1,234	91	42	184	47	113	61	177	241	588
Male	1,754	677	84	42	182	42	95	48	80	213	311
Female	1,004	557	7	-	2	5	18	13	97	28	277
White	1,505	562	84	42	141	38	83	45	74	178	258
Male	902	489	7	-	2	5	17	12	88	23	259
Female	249	115	-	-	21	4	12	3	6	35	53
Nonwhite	102	68	-	-	-	-	1	1	9	5	18
Male											
Female											
Rhode Island	247	134	1	-	9	5	10	5	38	23	24
Male	126	58	-	-	8	1	10	3	18	20	8
Female	121	76	1	-	1	4	-	2	18	3	16
White	120	54	-	-	8	1	10	3	18	19	7
Male	117	74	1	-	1	4	-	2	18	2	15
Female	6	4	-	-	-	-	-	-	-	1	1
Nonwhite	4	2	-	-	-	-	-	-	-	-	1
Male											
Female											
South Carolina	865	300	42	4	36	10	38	24	20	106	285
Male	609	165	40	4	35	10	32	19	10	94	250
Female	256	135	2	-	1	-	6	5	10	12	85
White	324	89	19	1	19	4	18	12	8	45	109
Male	151	73	-	-	-	-	5	3	7	4	59
Female	285	76	21	3	16	6	14	7	2	49	91
Nonwhite	105	62	2	-	1	-	1	2	3	8	26
Male											
Female											
South Dakota	230	85	38	-	11	1	11	3	17	21	43
Male	148	44	33	-	11	1	8	3	7	15	26
Female	82	41	5	-	-	-	3	-	10	8	17
White	131	39	32	-	10	1	4	3	7	12	24
Male	67	36	5	-	-	-	-	-	9	5	12
Female	17	6	1	-	1	-	4	-	-	3	2
Nonwhite	15	5	-	-	-	-	3	-	1	1	5
Male											
Female											
Tennessee	1,045	498	77	9	63	9	35	23	50	130	151
Male	742	306	71	8	62	8	28	23	23	113	100
Female	303	192	6	1	1	1	7	-	27	17	51
White	590	234	61	8	54	6	17	19	22	91	78
Male	254	162	6	1	1	1	4	-	26	12	41
Female	152	72	10	-	8	2	11	4	1	22	22
Nonwhite	49	30	-	-	-	-	3	-	1	5	10
Male											
Female											

See footnotes at end of table.

## SECTION 4 - ACCIDENT MORTALITY

4-29

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1967--Con.

[Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Place of accident									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas-----	2,789	1,219	128	12	200	72	76	88	215	333	421
Male-----	1,860	697	113	11	194	55	67	73	105	290	255
Female-----	899	522	10	1	6	17	9	15	110	43	166
White-----	1,542	554	93	10	166	44	56	63	95	234	227
Male-----	743	415	8	1	4	14	7	11	104	35	144
Female-----	318	143	20	1	28	11	11	10	10	56	28
Nonwhite-----	156	107	2	-	2	3	2	4	6	8	22
Utah-----	259	111	13	4	22	8	8	5	30	37	21
Male-----	175	64	12	4	22	7	7	5	12	30	12
Female-----	84	47	1	-	-	1	1	-	18	7	9
White-----	170	62	12	4	22	7	7	5	11	29	11
Male-----	79	44	1	-	-	1	1	-	18	7	7
Female-----	5	2	-	-	-	-	-	-	1	1	1
Nonwhite-----	5	3	-	-	-	-	-	-	-	-	2
Vermont-----	115	53	5	-	3	3	5	3	12	19	12
Male-----	73	28	5	-	3	2	4	2	6	18	5
Female-----	42	25	-	-	-	1	1	1	6	1	7
White-----	73	28	5	-	3	2	4	2	6	18	5
Male-----	42	25	-	-	-	1	1	1	6	1	7
Female-----	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	1,268	597	61	39	45	19	40	29	117	132	191
Male-----	811	320	58	39	42	17	37	22	45	117	116
Female-----	457	277	3	-	1	2	3	7	74	15	75
White-----	565	205	46	39	32	12	18	18	37	77	81
Male-----	351	198	2	-	1	2	3	7	65	13	60
Female-----	246	115	12	-	10	5	19	4	6	40	35
Nonwhite-----	106	79	1	-	-	-	-	-	9	2	15
Washington-----	890	356	30	2	62	14	43	37	80	184	102
Male-----	612	169	27	2	61	13	36	32	43	171	56
Female-----	278	187	3	-	1	1	7	5	37	13	44
White-----	566	154	25	2	58	13	33	28	41	158	54
Male-----	265	158	3	-	1	1	7	4	37	12	42
Female-----	46	15	2	-	3	-	3	4	2	13	4
Nonwhite-----	15	9	-	-	-	-	-	1	-	1	2
West Virginia-----	605	219	15	59	29	4	13	5	27	64	170
Male-----	422	134	15	59	29	3	13	5	10	61	93
Female-----	183	85	-	-	-	1	-	-	17	3	77
White-----	404	126	15	56	29	2	13	5	10	57	91
Male-----	173	78	-	-	-	1	-	-	17	3	74
Female-----	18	8	-	3	-	1	-	-	-	4	2
Nonwhite-----	10	7	-	-	-	-	-	-	-	-	3
Wisconsin-----	1,005	373	77	11	52	23	42	23	74	93	247
Male-----	615	202	68	8	51	19	35	19	34	69	110
Female-----	390	171	9	3	1	4	7	4	40	14	137
White-----	584	191	68	8	45	13	34	17	33	62	107
Male-----	376	161	9	3	1	4	7	4	39	14	154
Female-----	51	11	-	-	6	-	1	2	1	7	3
Nonwhite-----	14	10	-	-	-	-	-	-	1	-	3
Wyoming-----	115	38	10	2	8	1	5	3	5	21	21
Male-----	77	22	9	1	8	1	4	3	2	17	9
Female-----	36	16	1	1	-	-	1	-	3	4	12
White-----	73	21	9	1	9	1	4	3	2	14	9
Male-----	35	16	1	1	-	-	1	-	3	3	10
Female-----	4	1	-	-	-	-	-	-	-	3	-
Nonwhite-----	3	-	-	-	-	-	-	-	-	1	2

<sup>1</sup>Including home premises and any noninstitutional place of residence.<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

## Section 5. Life Tables

	Page
Explanation of the columns of the table-----	5-2
 <b>Table</b>	
5-1. Abridged life tables for total, male, and female population: United States, 1967-----	5-3
5-2. Abridged life tables by color and sex: United States, 1967-----	5-4
5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1967-----	5-5
5-4. Expectation of life at single years of age, by color and sex: United States, 1967-----	5-6
5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1967-----	5-7
5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-67-----	5-8

### Explanation of the Columns of the Life Table

**Column 1—Age interval ( $x$  to  $x+n$ ).**—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

**Column 2—Proportion dying ( ${}_nq_x$ ).**—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0100—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 10 will die before reaching their 25th birthday. In other words, the  ${}_nq_x$  values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

**Column 3—Number surviving ( $l_x$ ).**—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The  $l_x$  values are computed from the  ${}_nq_x$  values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 97,486 will complete the first year of life and enter the second; 97,113 will begin the sixth year; 95,923 will reach age 20; and 13,596 will live to age 85.

**Column 4—Number dying ( ${}_nd_x$ ).**—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,514 die in the first year of life, 373 in the succeeding 4 years, 958 in the 5-year period between exact ages 20 and 25, and 13,596 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

**Columns 5 and 6—Stationary population ( ${}_nL_x$  and  $T_x$ ).**—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birth-

day which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 477,250. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 477,250 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,758,560 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,695,679.

**Column 7—Average remaining lifetime ( $e_x$ ).**—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 477,250 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,923 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,758,560) in column 6 is the total number of years lived after attaining age 20 by the 95,923 reaching that age. This number of years divided by the number of persons (4,758,560 divided by 95,923) gives 49.6 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing in table 5-2 that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among nonwhite; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1967

Age interval  Period of life between two exact ages stated in years  (1)	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
$x$ to $x+n$	$nq_x$	$l_x$	$nd_x$	$nL_x$	$T_x$	$e_x$
<b>TOTAL</b>						
0-1	0.0224	100,000	2,239	98,015	7,045,137	70.5
1-5	.0034	97,761	337	390,237	6,940,124	71.1
5-10	.0021	97,424	205	486,567	6,557,687	67.3
10-15	.0020	97,218	198	465,648	6,071,320	62.4
15-20	.0051	97,021	497	483,965	5,585,672	57.6
20-25	.0067	96,524	645	481,037	5,101,707	52.9
25-30	.0068	95,879	654	477,783	4,620,670	48.2
30-35	.0085	95,225	805	474,206	4,142,687	45.5
35-40	.0123	94,420	1,158	469,397	3,668,681	38.9
40-45	.0184	93,262	1,712	462,336	3,199,284	34.3
45-50	.0285	91,550	2,610	451,700	2,736,948	29.9
50-55	.0440	88,940	3,914	435,493	2,285,248	25.7
55-60	.0666	85,026	5,663	411,753	1,849,755	21.8
60-65	.0968	79,363	7,680	378,539	1,438,002	18.1
65-70	.1430	71,683	10,251	333,759	1,059,463	14.8
70-75	.2071	61,432	12,721	276,276	725,704	11.8
75-80	.2847	48,711	13,870	209,469	449,428	9.2
80-85	.4031	34,841	14,043	136,386	239,959	6.9
85 and over	1.0000	20,798	20,798	101,573	101,573	4.9
<b>MALE</b>						
0-1	0.0251	100,000	2,514	97,756	6,695,679	67.0
1-5	.0038	97,486	373	399,055	6,597,923	67.7
5-10	.0024	97,113	257	484,932	6,208,888	63.9
10-15	.0026	96,876	248	483,836	5,723,936	59.1
15-20	.0073	96,628	705	481,540	5,240,100	54.2
20-25	.0100	95,923	958	477,250	4,758,560	49.5
25-30	.0095	94,965	903	472,562	4,281,310	45.1
30-35	.0109	94,062	1,029	467,842	3,806,748	40.5
35-40	.0155	93,033	1,459	461,809	3,340,908	35.9
40-45	.0233	91,594	2,138	453,021	2,879,097	31.4
45-50	.0368	89,456	3,289	439,685	2,426,076	27.1
50-55	.0584	86,187	5,029	419,018	1,986,391	23.1
55-60	.0901	81,138	7,307	388,369	1,567,373	19.3
60-65	.1314	73,831	9,702	345,908	1,179,004	16.0
65-70	.1883	64,129	12,077	291,202	833,096	13.0
70-75	.2682	52,052	13,962	225,742	541,894	10.4
75-80	.3458	39,090	13,173	157,437	316,152	8.3
80-85	.4544	24,917	11,321	95,188	158,715	6.4
85 and over	1.0000	13,598	13,598	63,527	63,527	4.7
<b>FEMALE</b>						
0-1	0.0195	100,000	1,950	98,283	7,417,473	74.2
1-5	.0031	98,050	299	391,476	7,319,190	74.6
5-10	.0018	97,751	172	488,283	6,927,714	70.9
10-15	.0015	97,579	145	487,551	6,439,431	66.0
15-20	.0029	97,434	284	486,505	5,951,880	61.1
20-25	.0036	97,150	348	484,909	5,465,378	56.3
25-30	.0042	96,808	408	483,035	4,980,466	51.5
30-35	.0061	96,394	584	480,591	4,497,431	46.7
35-40	.0092	95,810	883	476,986	4,016,840	41.9
40-45	.0136	94,927	1,294	471,614	3,539,854	37.3
45-50	.0207	93,633	1,938	463,636	3,068,240	32.8
50-55	.0305	91,693	2,783	451,908	2,604,604	28.4
55-60	.0445	88,912	3,952	435,279	2,152,702	24.2
60-65	.0647	84,960	5,499	411,848	1,717,423	20.2
65-70	.1034	79,461	8,214	377,904	1,305,575	16.4
70-75	.1574	71,247	11,217	329,602	927,671	13.0
75-80	.2374	60,030	14,254	265,862	598,069	10.0
80-85	.3658	45,776	16,744	188,858	332,207	7.3
85 and over	1.0000	29,032	29,032	145,349	145,349	5.0

SECTION 5 - LIFE TABLES

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1967

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime	Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval	Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+n$	$nq_x$	$l_x$	$nd_x$	$nL_x$	$T_x$	$e_x$	$x$ to $x+n$	$nq_x$	$l_x$	$nd_x$	$nL_x$	$T_x$	$e_x$
<b>TOTAL WHITE</b>							<b>TOTAL NONWHITE</b>						
0-1	0.0196	100,000	1,964	98,232	7,132,108	71.3	0-1	0.0358	100,000	3,583	96,943	6,460,223	64.6
1-5	.0031	98,036	299	391,437	7,033,876	71.7	1-5	.0055	96,417	526	384,356	6,363,280	66.0
5-10	.0020	97,737	193	488,166	6,642,439	68.0	5-10	.0028	95,891	271	478,713	5,978,824	62.4
10-15	.0019	97,544	188	487,297	6,154,273	63.1	10-15	.0027	95,620	255	477,521	5,500,211	57.5
15-20	.0049	97,356	476	485,683	5,666,978	58.2	15-20	.0067	95,365	635	475,401	5,022,690	52.7
20-25	.0060	96,880	585	482,951	5,181,293	53.5	20-25	.0114	94,750	1,078	471,098	4,547,289	48.0
25-30	.0057	96,295	551	480,106	4,699,342	48.8	25-30	.0149	93,852	1,393	464,223	4,076,191	43.5
30-35	.0068	95,744	651	477,169	4,218,236	44.1	30-35	.0205	92,259	1,894	456,793	3,611,268	39.1
35-40	.0102	95,093	974	473,202	3,741,067	39.3	35-40	.0276	90,365	2,495	448,946	3,154,475	34.8
40-45	.0159	94,119	1,500	467,137	3,267,965	34.7	40-45	.0383	87,870	3,362	431,347	2,700,529	30.8
45-50	.0258	92,619	2,391	457,576	2,800,728	30.2	45-50	.0523	84,508	4,418	412,118	2,277,182	26.9
50-55	.0407	90,228	3,673	442,318	2,348,152	26.0	50-55	.0741	80,090	5,933	388,566	1,865,064	23.3
55-60	.0627	86,555	5,423	420,011	1,900,634	22.0	55-60	.1046	74,157	7,756	352,085	1,478,698	19.9
60-65	.0925	81,132	7,504	387,879	1,480,625	18.2	60-65	.1391	66,401	9,237	309,400	1,128,813	17.0
65-70	.1360	75,628	10,015	344,145	1,092,744	14.8	65-70	.2198	57,164	12,567	254,704	817,213	14.3
70-75	.2027	63,615	12,894	286,881	748,599	11.8	70-75	.2597	44,597	11,581	193,786	562,609	12.6
75-80	.2857	50,719	14,492	218,043	461,718	9.1	75-80	.2723	33,016	8,989	142,373	369,723	11.2
80-85	.4100	36,227	14,856	143,246	243,675	6.7	80-85	.3154	24,027	7,531	100,865	226,350	9.4
85 and over	1.0000	21,374	21,374	100,429	100,429	4.7	85 and over	1.0000	16,496	16,496	125,485	125,485	7.6
<b>WHITE MALE</b>							<b>NONWHITE MALE</b>						
0-1	0.0223	100,000	2,232	97,983	6,779,932	67.8	0-1	0.0392	100,000	3,920	96,626	6,114,160	61.1
1-5	.0034	97,768	332	390,298	6,681,949	68.3	1-5	.0061	96,080	582	382,964	6,017,534	62.6
5-10	.0023	97,438	223	488,588	6,291,653	64.6	5-10	.0033	95,498	314	476,645	5,534,870	59.0
10-15	.0024	97,213	237	485,548	5,805,067	59.7	10-15	.0033	95,184	314	478,219	5,156,025	54.2
15-20	.0070	96,976	678	483,337	5,319,519	54.9	15-20	.0094	94,670	888	472,371	4,682,806	49.4
20-25	.0091	96,298	877	479,308	4,836,182	50.2	20-25	.0165	93,982	1,550	466,226	4,210,435	44.8
25-30	.0080	95,421	765	475,173	4,358,874	45.7	25-30	.0209	92,432	1,933	457,467	3,744,209	40.5
30-35	.0089	94,658	844	471,258	3,881,701	41.0	30-35	.0267	90,498	2,419	448,690	3,286,742	36.3
35-40	.0131	93,812	1,229	466,207	3,410,445	36.4	35-40	.0348	88,080	3,067	433,150	2,840,052	32.2
40-45	.0204	92,583	1,891	458,587	2,944,236	31.8	40-45	.0486	85,013	4,132	418,228	2,406,302	28.3
45-50	.0337	90,692	3,060	446,425	2,485,669	27.4	45-50	.0644	80,882	5,207	392,100	1,991,677	24.6
50-55	.0548	87,632	4,801	426,306	2,039,244	23.3	50-55	.0919	75,675	6,953	361,806	1,599,577	21.1
55-60	.0862	82,831	7,139	397,286	1,612,338	19.5	55-60	.1276	68,720	8,789	322,368	1,237,772	18.0
60-65	.1282	75,692	9,702	355,268	1,215,052	16.1	60-65	.1830	59,951	9,771	275,917	915,404	15.3
65-70	.1823	65,990	12,028	300,700	859,784	13.0	65-70	.2519	50,180	12,641	219,454	639,487	12.7
70-75	.2640	53,962	14,246	234,701	559,084	10.4	70-75	.3179	37,539	11,934	157,212	420,033	11.2
75-80	.3478	39,716	13,812	164,002	324,383	8.2	75-80	.3225	25,605	8,257	106,961	262,821	10.3
80-85	.4636	25,904	12,008	98,316	180,381	6.2	80-85	.3461	17,348	6,004	71,246	158,860	9.0
85 and over	1.0000	13,896	13,896	62,065	62,065	4.5	85 and over	1.0000	11,544	11,544	84,614	84,614	7.5
<b>WHITE FEMALE</b>							<b>NONWHITE FEMALE</b>						
0-1	0.0168	100,000	1,682	98,494	7,505,705	75.1	0-1	0.0324	100,000	3,239	97,267	6,821,230	68.2
1-5	.0027	98,318	265	392,638	7,407,211	75.3	1-5	.0049	96,761	470	385,876	6,775,963	69.5
5-10	.0017	98,053	162	489,823	7,014,573	71.5	5-10	.0024	96,291	229	480,815	6,338,087	65.8
10-15	.0014	97,891	137	489,130	6,524,750	68.7	10-15	.0020	96,062	195	479,883	5,857,212	61.0
15-20	.0027	97,754	266	488,137	6,035,620	61.7	15-20	.0040	95,867	382	476,475	5,377,419	56.1
20-25	.0032	97,486	307	486,680	5,547,483	56.9	20-25	.0067	95,486	637	475,933	4,898,944	51.3
25-30	.0035	97,179	338	485,082	5,060,603	52.1	25-30	.0085	94,848	898	472,134	4,423,011	46.6
30-35	.0047	96,841	459	483,123	4,575,721	47.2	30-35	.0152	93,950	1,425	466,299	3,950,877	42.1
35-40	.0075	96,382	720	480,238	4,092,598	42.5	35-40	.0216	92,825	1,996	457,935	3,484,478	37.7
40-45	.0116	95,662	1,112	475,731	3,612,353	37.8	40-45	.0293	90,529	2,650	446,335	3,026,543	33.4
45-50	.0183	94,550	1,728	469,724	3,138,632	33.2	45-50	.0414	87,879	3,640	430,818	2,580,268	29.4
50-55	.0272	92,822	2,529	459,144	2,667,908	28.7	50-55	.0579	84,239	4,880	409,853	2,149,390	25.5
55-60	.0404	90,293	3,646	442,946	2,209,764	24.5	55-60	.0832	79,359	6,603	380,951	1,739,737	21.9
60-65	.0586	86,647	5,161	421,777	1,766,818	20.4	60-65	.1168	72,756	8,501	342,896	1,358,786	18.7
65-70	.0858	81,486	7,804	389,115	1,345,641	16.5	65-70	.1894	64,255	12,168	291,288	1,015,890	15.8
70-75	.1531	73,682	11,279	341,768	956,526	13.0	70-75	.2115	52,087	11,018	233,024	724,602	13.9
75-80	.2380	62,403	14,848	276,385	614,759	9.9	75-80	.2307	41,069	9,474	181,664	491,578	12.0
80-85	.3715	47,554	17,668	193,443	339,373	7.1	80-85	.2888	31,595	9,030	135,064	309,914	9.8
85 and over	1.0000	29,886	29,886	144,930	144,930	4.8	85 and over	1.0000	22,565	22,565	174,850	174,850	7.7

SECTION 5 - LIFE TABLES

Table 5-3. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1967

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,761	97,486	98,050	98,056	97,768	98,318	96,417	96,080	96,761
2	97,629	97,343	97,929	97,923	97,646	98,215	96,192	95,836	96,554
3	97,544	97,249	97,853	97,847	97,563	98,147	96,059	95,689	96,437
4	97,479	97,175	97,789	97,788	97,494	98,097	95,968	95,584	96,360
5	97,424	97,113	97,751	97,757	97,436	98,053	95,891	95,498	96,291
6	97,366	97,058	97,707	97,692	97,367	98,012	95,810	95,395	96,250
7	97,318	96,982	97,669	97,637	97,313	97,976	95,747	95,319	96,178
8	97,279	96,939	97,635	97,600	97,272	97,944	95,697	95,264	96,134
9	97,247	96,905	97,605	97,570	97,240	97,916	95,656	95,221	96,096
10	97,219	96,876	97,579	97,544	97,213	97,891	95,620	95,184	96,062
11	97,192	96,847	97,555	97,519	97,186	97,868	95,584	95,146	96,029
12	97,163	96,813	97,530	97,491	97,154	97,845	95,544	95,101	95,995
13	97,127	96,768	97,503	97,457	97,112	97,820	95,497	95,043	95,958
14	97,081	96,708	97,472	97,413	97,054	97,790	95,438	94,967	95,916
15	97,021	96,628	97,434	97,358	96,976	97,754	95,365	94,870	95,867
16	96,946	96,525	97,389	97,284	96,876	97,711	95,275	94,748	95,810
17	96,856	96,399	97,336	97,197	96,754	97,660	95,167	94,599	95,743
18	96,753	96,254	97,277	97,098	96,613	97,604	95,040	94,421	95,667
19	96,641	96,094	97,214	96,991	96,460	97,545	94,894	94,215	95,581
20	96,524	95,923	97,150	96,880	96,298	97,486	94,730	93,982	95,485
21	96,401	95,742	97,084	96,766	96,128	97,426	94,547	93,719	95,378
22	96,273	95,550	97,016	96,648	95,950	97,365	94,345	93,427	95,260
23	96,142	95,353	96,946	96,529	95,768	97,304	94,126	93,111	95,131
24	96,010	95,157	96,875	96,411	95,581	97,242	93,894	92,778	94,993
25	95,879	94,955	96,802	96,295	95,421	97,179	93,652	92,432	94,848
26	95,750	94,780	96,728	96,183	95,259	97,116	93,401	92,075	94,695
27	95,622	94,600	96,651	96,073	95,104	97,051	93,139	91,705	94,533
28	95,493	94,423	96,571	95,965	94,954	96,985	92,864	91,321	94,358
29	95,362	94,245	96,486	95,856	94,806	96,915	92,572	90,920	94,165
30	95,225	94,062	96,394	95,744	94,656	96,841	92,259	90,499	93,950
31	95,082	93,874	96,295	95,628	94,502	96,763	91,924	90,058	93,711
32	94,932	93,680	96,188	95,507	94,344	96,679	91,567	89,596	93,448
33	94,773	93,477	96,073	95,379	94,178	96,589	91,188	89,112	93,162
34	94,603	93,262	95,947	95,242	94,002	96,490	90,787	88,607	92,854
35	94,420	93,033	95,810	95,093	93,812	96,382	90,365	88,080	92,525
36	94,223	92,787	95,661	94,951	93,605	96,263	89,921	87,530	92,173
37	94,009	92,522	95,498	94,783	93,380	96,132	89,452	86,954	91,797
38	93,778	92,236	95,322	94,559	93,135	95,988	88,956	86,347	91,398
39	93,530	91,927	95,132	94,348	92,870	95,832	88,430	85,702	90,975
40	93,262	91,594	94,927	94,119	92,583	95,662	87,870	85,013	90,529
41	92,973	91,235	94,707	93,871	92,271	95,477	87,273	84,275	90,059
42	92,660	90,845	94,470	93,600	91,930	95,276	86,638	83,488	89,563
43	92,321	90,421	94,214	93,304	91,557	95,056	85,966	82,657	89,038
44	91,959	89,959	93,936	92,978	91,146	94,815	85,256	81,787	88,478
45	91,550	89,456	93,633	92,619	90,692	94,550	84,508	80,882	87,879
46	91,112	88,908	93,304	92,224	90,191	94,260	83,721	79,942	87,239
47	90,635	88,310	92,946	91,790	89,639	93,943	82,881	78,962	86,556
48	90,117	87,658	92,559	91,315	89,052	93,588	82,013	77,932	85,828
49	89,553	86,945	92,142	90,795	88,365	93,225	81,081	76,840	85,056
50	88,940	86,167	91,695	90,228	87,632	92,822	80,090	75,675	84,239
51	88,276	85,320	91,215	89,610	86,831	92,389	79,038	74,435	83,376
52	87,557	84,399	90,699	88,939	85,957	91,922	77,924	73,122	82,462
53	86,779	83,389	90,146	88,209	85,003	91,419	76,742	71,733	81,493
54	85,937	82,314	89,551	87,416	83,963	90,877	75,488	70,266	80,460
55	85,028	81,158	88,912	86,555	82,831	90,293	74,157	68,720	79,359
56	84,043	79,868	88,224	85,623	81,603	89,663	72,742	67,088	78,181
57	82,985	78,502	87,485	84,616	80,278	88,983	71,244	65,373	76,925
58	81,852	77,040	86,694	83,533	78,652	88,254	69,676	63,595	75,596
59	80,645	75,483	85,853	82,372	77,324	87,476	68,058	61,782	74,205
60	79,363	73,831	84,960	81,132	75,692	86,647	66,401	59,951	72,756
61	78,005	72,084	84,014	79,810	73,954	85,764	64,722	58,120	71,264
62	76,566	70,242	83,008	78,403	72,111	84,820	63,011	56,278	69,718
63	75,039	68,303	81,926	76,908	70,166	83,802	61,220	54,379	68,073
64	73,414	66,266	80,749	75,316	68,124	82,695	59,285	52,360	66,265
65	71,693	64,129	79,461	73,628	65,990	81,486	57,184	50,180	64,255
66	69,846	61,900	78,063	71,843	63,770	80,169	54,944	47,829	62,026
67	67,905	59,582	76,532	69,959	61,472	78,739	52,356	45,337	59,610
68	65,857	57,171	74,888	67,967	59,079	77,187	49,764	42,750	57,063
69	63,699	54,661	73,126	65,854	56,578	75,504	47,153	40,133	54,549
70	61,432	52,052	71,247	63,613	53,982	73,682	44,597	37,539	52,087
71	59,056	49,345	69,249	61,245	51,232	71,718	42,111	34,982	49,723
72	56,579	46,560	67,131	58,762	48,405	69,610	39,695	32,488	47,446
73	54,016	43,727	64,890	56,154	45,515	67,355	37,366	30,039	45,254
74	51,398	40,892	62,523	53,471	42,607	64,953	35,137	27,740	43,132
75	48,711	38,090	60,050	50,719	39,716	62,403	33,016	25,605	41,069
76	45,995	35,341	57,413	47,911	36,862	59,707	31,008	23,647	39,050
77	43,247	32,651	54,674	45,053	34,054	56,868	29,112	21,862	37,107
78	40,470	30,018	51,818	42,149	31,291	53,892	27,325	20,233	35,213
79	37,666	27,440	48,850	39,205	28,573	50,785	25,633	18,736	33,378
80	34,841	24,917	45,776	36,227	25,904	47,554	24,027	17,348	31,593
81	32,003	22,436	42,602	33,227	23,283	44,208	22,488	16,046	29,849
82	29,163	20,069	39,335	30,220	20,757	40,757	20,994	14,811	28,113
83	26,336	17,777	35,980	27,226	18,323	37,212	19,519	13,625	26,352
84	23,541	15,608	32,544	24,268	16,022	33,584	18,051	12,475	24,521
85	20,799	13,596	29,032	21,374	13,886	29,886	16,496	11,344	22,565

## SECTION 5 - LIFE TABLES

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1967

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
1	71.1	67.7	74.6	71.7	68.3	75.3	66.0	62.6	69.5
2	70.2	66.8	73.7	70.8	67.4	74.4	65.2	61.8	68.6
3	69.2	65.8	72.8	69.9	66.5	73.5	64.2	60.9	67.7
4	68.3	64.9	71.8	68.9	65.5	72.5	63.3	59.9	66.8
5	67.3	63.9	70.9	68.0	64.6	71.6	62.4	59.0	65.8
6	66.4	63.0	69.9	67.0	63.6	70.6	61.4	58.1	64.8
7	65.4	62.0	68.9	66.0	62.7	69.6	60.4	57.1	63.9
8	64.4	61.0	68.0	65.1	61.7	68.6	59.5	56.1	62.9
9	63.4	60.1	67.0	64.1	60.7	67.6	58.5	55.2	62.0
10	62.4	59.1	66.0	63.1	59.7	66.7	57.5	54.2	61.0
11	61.5	58.1	65.0	62.1	58.7	65.7	56.5	53.2	60.0
12	60.5	57.1	64.0	61.1	57.8	64.7	55.6	52.2	59.0
13	59.5	56.1	63.0	60.1	56.8	63.7	54.6	51.3	58.0
14	58.5	55.2	62.1	59.2	55.8	62.7	53.6	50.3	57.1
15	57.6	54.2	61.1	58.2	54.9	61.7	52.7	49.4	56.1
16	56.6	53.3	60.1	57.3	53.9	60.8	51.7	48.4	55.1
17	55.7	52.4	59.1	56.3	53.0	59.8	50.8	47.5	54.2
18	54.7	51.4	58.2	55.4	52.1	58.8	49.8	46.6	53.2
19	53.8	50.5	57.2	54.4	51.1	57.9	48.9	45.7	52.3
20	52.9	49.6	56.3	53.5	50.2	56.9	48.0	44.8	51.3
21	51.9	48.7	55.3	52.5	49.3	55.9	47.1	43.9	50.4
22	51.0	47.8	54.3	51.6	48.4	55.0	46.2	43.1	49.4
23	50.1	46.9	53.4	50.7	47.5	54.0	45.3	42.2	48.5
24	49.1	46.0	52.4	49.7	46.6	53.0	44.4	41.4	47.6
25	48.2	45.1	51.5	48.8	45.7	52.1	43.5	40.5	46.6
26	47.3	44.2	50.5	47.8	44.7	51.1	42.6	39.7	45.7
27	46.3	43.3	49.5	46.9	43.8	50.1	41.8	38.8	44.8
28	45.4	42.3	48.6	46.0	42.9	49.2	40.9	38.0	43.9
29	44.4	41.4	47.6	45.0	41.9	48.2	40.0	37.1	43.0
30	43.5	40.5	46.7	44.1	41.0	47.2	39.1	36.3	42.1
31	42.6	39.6	45.7	43.1	40.1	46.3	38.3	35.5	41.2
32	41.6	38.7	44.8	42.2	39.1	45.3	37.4	34.7	40.3
33	40.7	37.7	43.8	41.2	38.2	44.4	36.6	33.9	39.4
34	39.8	36.8	42.9	40.3	37.3	43.4	35.7	33.0	38.5
35	38.9	35.9	41.9	39.3	36.4	42.5	34.9	32.2	37.7
36	37.9	35.0	41.0	38.4	35.4	41.5	34.1	31.4	36.8
37	37.0	34.1	40.1	37.5	34.5	40.6	33.3	30.6	36.0
38	36.1	33.2	39.1	36.6	33.6	39.6	32.4	29.9	35.1
39	35.2	32.3	38.2	35.6	32.7	38.7	31.6	29.1	34.3
40	34.3	31.4	37.3	34.7	31.8	37.8	30.8	28.3	33.4
41	33.4	30.6	36.4	33.8	30.9	36.8	30.0	27.6	32.6
42	32.5	29.7	35.5	32.9	30.0	35.9	29.2	26.8	31.8
43	31.6	28.8	34.6	32.0	29.1	35.0	28.5	26.1	31.0
44	30.8	28.0	33.7	31.1	28.3	34.1	27.7	25.3	30.2
45	29.9	27.1	32.8	30.2	27.4	33.2	26.9	24.6	29.4
46	29.0	26.3	31.9	29.4	26.6	32.3	26.2	23.9	28.6
47	28.2	25.5	31.0	28.5	25.7	31.4	25.5	23.2	27.8
48	27.3	24.6	30.1	27.6	24.9	30.5	24.7	22.5	27.0
49	26.5	23.8	29.3	26.8	24.1	29.6	24.0	21.8	26.3
50	25.7	23.1	28.4	26.0	23.5	28.7	23.3	21.1	25.5
51	24.9	22.3	27.6	25.1	22.5	27.9	22.6	20.5	24.8
52	24.1	21.5	26.7	24.3	21.7	27.0	21.9	19.8	24.0
53	23.3	20.8	25.9	23.5	20.9	26.2	21.2	19.2	23.3
54	22.5	20.0	25.0	22.7	20.2	25.3	20.5	18.6	22.6
55	21.8	19.3	24.2	22.0	19.5	24.5	19.9	18.0	21.9
56	21.0	18.6	23.4	21.2	18.8	23.6	19.3	17.4	21.2
57	20.3	17.9	22.6	20.4	18.1	22.8	18.7	16.9	20.6
58	19.5	17.3	21.8	19.7	17.4	22.0	18.1	16.3	19.9
59	18.8	16.6	21.0	19.0	16.7	21.2	17.5	15.8	19.3
60	18.1	16.0	20.2	18.2	16.1	20.4	17.0	15.3	18.7
61	17.4	15.3	19.4	17.5	15.4	19.6	16.4	14.7	18.1
62	16.7	14.7	18.7	16.8	14.8	18.8	15.8	14.2	17.5
63	16.1	14.1	17.9	16.2	14.2	18.0	15.3	13.7	16.9
64	15.4	13.6	17.2	15.5	13.6	17.3	14.8	13.2	16.3
65	14.8	13.0	16.4	14.8	13.0	16.5	14.3	12.7	15.8
66	14.2	12.4	15.7	14.2	12.5	15.8	13.9	12.3	15.4
67	13.5	11.9	15.0	13.6	11.9	15.1	13.5	12.0	15.0
68	13.0	11.4	14.3	13.0	11.4	14.3	13.2	11.7	14.6
69	12.4	10.9	13.7	12.4	10.9	13.7	12.9	11.4	14.3
70	11.8	10.4	13.0	11.8	10.4	13.0	12.6	11.2	13.9
71	11.3	10.0	12.4	11.2	9.9	12.3	12.3	11.0	13.5
72	10.7	9.5	11.8	10.7	9.4	11.7	12.0	10.8	13.2
73	10.2	9.1	11.1	10.1	9.0	11.1	11.6	10.6	12.8
74	9.7	8.7	10.5	9.6	8.5	10.4	11.5	10.4	12.4
75	9.2	8.3	10.0	9.1	8.2	9.9	11.2	10.3	12.0
76	8.7	7.9	9.4	8.6	7.8	9.3	10.9	10.1	11.6
77	8.3	7.5	8.8	8.1	7.4	8.7	10.5	9.8	11.1
78	7.8	7.1	8.3	7.6	7.0	8.2	10.2	9.6	10.7
79	7.3	6.7	7.8	7.2	6.6	7.6	9.8	9.3	10.3
80	6.9	6.4	7.3	6.7	6.2	7.1	9.4	9.0	9.8
81	6.5	6.0	6.8	6.3	5.8	6.6	9.0	8.7	9.4
82	6.0	5.7	6.3	5.9	5.5	6.1	8.6	8.4	8.9
83	5.6	5.3	5.8	5.5	5.1	5.7	8.3	8.0	8.5
84	5.3	5.0	5.4	5.1	4.8	5.3	7.9	7.7	8.1
85	4.9	4.7	5.0	4.7	4.5	4.8	7.6	7.5	7.7

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1967

[Alaska and Hawaii included for 1959 and 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia, 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhite cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population]

Age, color, and sex	Number of survivors out of 100,000 born alive ( $l_x$ )									Average number of years of life remaining ( $e_x$ )								
	1967	1966	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1967	1966	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
<b>WHITE MALE</b>																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.8	67.6	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1	97,768	97,664	97,408	96,931	95,188	93,758	91,975	87,674	86,655	68.3	68.2	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5	97,436	97,315	97,015	96,403	94,150	91,738	88,842	82,972	80,664	64.6	64.4	64.61	63.77	61.69	59.38	58.31	55.37	54.43
10	97,213	97,083	96,758	96,069	93,601	90,810	87,530	81,519	79,109	59.7	59.6	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15	96,976	96,846	96,503	95,728	93,089	90,074	86,546	80,549	78,037	54.9	54.7	54.93	54.18	52.35	50.39	49.74	46.91	46.25
20	96,298	96,170	95,908	95,104	92,293	88,904	84,997	79,116	76,376	50.2	50.1	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25	95,421	95,294	95,106	94,294	91,241	87,371	83,061	77,047	75,907	45.7	45.5	45.65	44.93	43.28	41.76	41.60	38.79	38.52
30	94,656	94,531	94,401	93,489	90,092	85,707	80,988	74,810	71,219	41.0	40.8	40.97	40.29	38.80	37.54	37.65	34.87	34.68
35	93,812	93,682	93,589	92,543	88,713	83,812	78,441	72,108	68,245	36.4	36.2	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40	92,583	92,473	92,427	91,173	86,880	81,457	75,733	68,848	64,954	31.8	31.6	31.73	31.17	30.03	29.22	29.86	27.45	27.74
45	90,692	90,571	90,533	89,002	84,285	78,345	72,686	65,115	61,369	27.4	27.2	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50	87,632	87,503	87,424	85,601	80,521	74,288	69,107	60,741	57,274	23.3	23.1	23.22	22.85	21.96	21.51	22.22	20.39	20.76
55	82,831	82,601	82,463	80,496	75,156	68,981	64,574	55,622	52,491	19.5	19.3	19.45	19.11	18.34	17.97	18.59	17.05	17.42
60	75,692	75,333	75,485	73,172	67,787	61,833	58,498	48,997	46,452	16.1	15.9	16.01	15.76	15.05	14.72	15.25	13.93	14.35
65	65,990	65,639	65,634	63,341	58,305	52,964	50,683	40,862	38,243	13.0	12.9	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70	53,962	53,516	53,825	51,735	46,739	41,880	40,873	31,527	30,640	10.4	10.3	10.29	10.07	9.42	9.20	9.51	8.63	9.03
75	39,716	39,245	40,207	38,104	33,404	29,471	29,205	21,585	21,387	8.2	8.0	7.92	7.77	7.17	7.02	7.30	6.75	6.94
80	25,904	25,415	25,993	24,005	19,860	17,221	17,655	12,160	12,266	6.2	6.1	5.99	5.88	5.38	5.26	5.47	5.09	5.10
85	13,896	13,310	13,065	12,015	9,013	7,572	8,154	5,145	5,252	4.5	4.4	4.34	4.35	4.02	3.99	4.06	3.88	3.81
<b>NONWHITE MALE</b>																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.1	60.7	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1	96,080	95,778	95,301	94,811	91,696	89,268	89,489	78,065	74,674	62.6	62.4	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5	95,494	95,150	94,570	93,921	89,220	88,412	85,195	68,589	64,385	58.0	58.8	59.98	57.69	55.13	48.69	50.18	44.25	45.06
10	95,188	94,823	94,234	93,455	89,211	87,311	83,768	66,377	61,750	54.2	54.0	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15	94,870	94,493	93,874	92,965	88,417	86,152	82,332	64,479	59,667	49.4	49.2	50.39	48.23	43.95	39.83	41.78	36.77	38.26
20	93,882	93,641	93,108	91,941	86,770	83,621	79,057	61,426	56,733	44.8	44.6	45.78	43.73	39.74	35.95	38.38	33.46	35.11
25	92,439	92,178	91,825	90,285	84,055	79,516	74,540	57,736	53,265	40.5	40.3	41.39	39.49	35.94	32.67	35.54	30.44	32.21
30	90,499	90,344	90,270	88,327	80,885	75,085	70,344	54,075	49,867	36.3	36.0	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35	88,080	88,018	88,331	85,940	77,185	70,049	65,873	49,855	46,541	32.2	31.9	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40	85,013	84,999	85,744	82,832	72,850	64,710	61,353	45,414	42,989	28.3	28.0	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45	80,882	80,874	82,075	78,886	67,514	58,432	56,589	40,563	39,230	24.6	24.2	24.89	23.59	22.04	20.59	23.55	18.95	20.09
50	75,675	75,462	77,239	72,891	60,766	51,749	51,080	35,427	34,766	21.1	20.8	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55	68,720	68,572	70,351	65,122	52,667	44,436	46,581	29,754	29,967	18.0	17.6	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60	59,951	59,607	61,669	55,535	44,370	36,790	40,506	23,750	24,194	15.3	14.9	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65	50,180	49,644	51,392	45,198	35,912	29,314	34,042	17,806	19,015	12.7	12.4	12.84	12.75	12.18	10.87	12.07	9.74	10.39
70	37,539	36,252	39,914	35,018	27,688	21,741	26,923	12,295	15,829	11.2	11.0	10.81	10.74	10.06	8.78	9.58	6.00	6.33
75	25,600	25,064	29,064	25,472	19,765	14,419	18,954	7,494	9,992	9.0	8.9	8.93	8.93	8.09	6.89	7.61	4.88	5.12
80	17,348	16,841	19,994	16,904	12,352	8,239	11,615	5,394	6,851	10.3	9.6	6.87	7.07	6.46	5.42	5.83	3.53	3.81
85	11,344	10,819	11,620	9,898	6,492	3,660	5,605	1,747	2,030	7.5	6.7	5.08	5.38	5.09	4.30	4.53	4.48	4.04
<b>WHITE FEMALE</b>																		
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	75.1	74.7	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	98,318	98,242	98,036	97,645	95,211	93,037	90,608	89,774	88,939	75.3	75.1	74.68	72.77	68.93	64.93	61.51	56.69	56.39
5	98,053	97,954	97,709	97,199	95,309	93,216	90,721	85,349	83,426	71.5	71.3	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10	97,891	97,787	97,525	96,960	94,890	92,466	89,564	83,979	81,723	66.7	66.4	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15	97,554	97,447	97,175	96,558	94,534	91,894	88,712	83,093	80,680	61.7	61.5	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20	97,486	97,376	97,135	96,454	93,984	90,939	87,281	81,760	78,978	56.7	56.5	56.29	54.56	51.38	48.52	46.46	44.58	43.77
25	97,179	97,072	96,844	96,072	93,228	89,524	85,163	79,865	76,588	52.1	51.8	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30	96,841	96,719	96,499	95,605	92,320	87,972	82,740	77,678	73,887	47.2	47.0	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35	96,382	96,230	96,026	94,977	91,211	86,248	80,206	75,200	70,971	42.5	42.2	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40	95,662	95,523	95,326	94,080	89,805	84,256	77,624	72,425	67,935	37.8	37.5	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45	94,550	94,398	94,228	92,725	87,920	81,780	74,871	69,341	64,677	33.2	32.9	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50	92,822	92,667	92,522	90,685	85,267	78,572	71,547	65,629	61,005	28.5	28.5	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55	90,293	90,104	89,967	87,689	81,520	74,321	67,323	61,053	56,509	24.5	24.2	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60	86,647	86,429	86,339	83,278	76,200	68,462	61,704	54,900	50,752	20.4	20.2	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65	81,486	81,239	80,739	76,773	68,701	60,499	54,299	47,086	43,806	16.5	16.3	15.98	15.00	13.56	12.81	12.75	11.97	12.23
70	73,662	73,265	72,507	67,545	58,363	49,932	44,638	37,482	35,206	13.0	12.8	12.38	11.69	10.50	9.98	9.94	9.38	9.59
75	62,403	61,771	60,461	54,397	44,685	37,024	32,777	26,589	25,382	9.9	9.6	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80	47,554	46,622	44,676	38,026	28,882	23,053	20,492	15,929	15,349	7.1	6.9	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85	29,886	28,656	26,046	21,348	14,487	10,937	9,909	7,152	7,149	4.8	4.7	4.66	4.83	4.34	4.24	4.24	4.06	4.10

## SECTION 5 - LIFE TABLES

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-67

[Estimates based on life table values shown in table 5-5]

Area and year	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1967	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 <sup>1</sup>	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 <sup>1</sup>	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.5
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.8	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.5	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.5	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.8
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.8	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	49.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	59.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	38.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	39.9	37.8	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	35.3
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	35.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.5	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

<sup>1</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

## *Section 6. Technical Appendix*

	Page		Page
Sources of data-----	6-3	Quality of data -----	6-13
Death and fetal-death statistics-----	6-3	Completeness of registration-----	6-13
Standard certificates -----	6-3	Massachusetts data -----	6-13
History-----	6-3	Quality control procedures-----	6-13
		Sampling error-----	6-13
Classification of data -----	6-6		
Classification by occurrence and residence -----	6-6	Computation of rates-----	6-15
Geographic classification -----	6-6	Population bases-----	6-15
Age -----	6-7	Age-adjusted death rates -----	6-16
Race and color -----	6-7		
Fetal deaths-----	6-8	Symbols used in tables -----	6-16
Cause of death-----	6-10		
Maternal deaths -----	6-13		
<b>Figure</b>			
6-A. Standard Certificate of Death-----			6-4
6-B. Standard Certificate of Fetal Death-----			6-5
<b>Text table</b>			
6-A. Relative standard errors in percent for rates and ratios having live births as the denominator: United States and each State, 1967-----			6-14
<b>Population table</b>			
6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1967-----			6-17
6-2. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1967-----			6-18
6-3. Provisional estimates of the total resident population of the United States, each division and State: July 1, 1967-----			6-18
6-4. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1967-----			6-19

## SECTION 6. TECHNICAL APPENDIX

### SOURCES OF DATA

#### Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, and the District of Columbia. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960.

Tabulations for Puerto Rico and the Virgin Islands are not presented in this report as they have been in previous years. However, a summary of the 1967 data for these areas is shown below. Death rates are per 1,000 population; fetal-death ratios are per 1,000 live births. Fetal deaths are those with gestation of 20 weeks or more or gestation not stated.

Area	Deaths		Fetal deaths	
	Number	Rate	Number	Ratio
Puerto Rico-----	16,677	6.2	1,606	22.8
Virgin Islands-----	373	6.7	47	20.8

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians or members of the Armed Forces which occur outside the United States.

#### Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the cer-

tificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

Statistics for 1967 are based on State certificates which conform closely to the revision of the Standard Certificate of Death which was recommended to the States for adoption as of January 1, 1956. It was made in close collaboration with the Public Health Conference on Records and Statistics. A major revision of the certificate of fetal death occurred in 1954, and it was recommended for adoption as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death. The standard certificates of death and fetal death in effect through December 1967 are shown in figures 6-A and 6-B.

### HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing

laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population cover-

FIGURE 6-A

BIRTH NO.		STATE OF		STATE FILE NO.		Form approved, Budget Bureau No. 65-2276.2.	
<b>1. PLACE OF DEATH</b> a. COUNTY				<b>2. USUAL RESIDENCE</b> (Where deceased lived. If institution: Residence before admission) a. STATE			
b. CITY, TOWN, OR LOCATION				c. LENGTH OF STAY IN 10		b. COUNTY	
d. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)				d. STREET ADDRESS			
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>				e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>	
<b>3. NAME OF DECEASED</b> (Type or print) First Middle Last				<b>4. DATE OF DEATH</b> Month Day Year			
5. SEX	6. COLOR OR RACE	7. MARRIED <input type="checkbox"/> NEVER MARRIED <input type="checkbox"/>	8. DATE OF BIRTH		9. AGE (In years last birthday)		IF UNDER 1 YEAR Months Days Hours Min.
10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)		10b. KIND OF BUSINESS OR INDUSTRY		11. BIRTHPLACE (State or foreign country)		12. CITIZEN OF WHAT COUNTRY?	
13. FATHER'S NAME				14. MOTHER'S MAIDEN NAME			
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (Yes, no, or unknown) (If yes, give war or dates of service)		16. SOCIAL SECURITY NO.		17. INFORMANT Address			
<b>18. CAUSE OF DEATH</b> [Enter only one cause per line for (a), (b), and (c).] PART I. DEATH WAS CAUSED BY: IMMEDIATE CAUSE (a) _____ Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. DUE TO (b) _____ DUE TO (c) _____ PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)							INTERVAL BETWEEN ONSET AND DEATH
20a. ACCIDENT <input type="checkbox"/>	SUICIDE <input type="checkbox"/>	HOMICIDE <input type="checkbox"/>	20b. DESCRIBE HOW INJURY OCCURRED. (Enter nature of injury in Part I or Part II of item 18.)				
20c. TIME OF INJURY Hour a. m. Month, Day, Year p. m.							
20d. INJURY OCCURRED WHILE AT WORK <input type="checkbox"/> NOT WHILE AT WORK <input type="checkbox"/>		20e. PLACE OF INJURY (e. g., in or about home, farm, factory, street, office bldg., etc.)		20f. CITY, TOWN, OR LOCATION		COUNTY	STATE
21. I attended the deceased from _____, to _____ and last saw her/him alive on _____ Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.							
22a. SIGNATURE (Degree or title)				22b. ADDRESS		22c. DATE SIGNED	
23a. BURIAL, CREMATION, REMOVAL (Specify)		23b. DATE	23c. NAME OF CEMETERY OR CREMATORY		23d. LOCATION (City, town, or county) (State)		
24. FUNERAL DIRECTOR ADDRESS			25. DATE RECD. BY LOCAL REG.	26. REGISTRAR'S SIGNATURE			

1956 REVISION OF STANDARD CERTIFICATE  
 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE  
 MEDICAL CERTIFICATION  
 PHS-796 REV. 11/54

age of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the

estimated midyear population of the States included in the registration system. The registration area included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the

FIGURE 6-B

CERTIFICATE OF FETAL DEATH <sup>1</sup>										Form approved, Budget Bureau No.		
STATE OF					STATE FILE NO.							
<b>1. PLACE OF DELIVERY</b> a. COUNTY					<b>2. USUAL RESIDENCE OF MOTHER</b> (Where does mother live?) a. STATE							
b. CITY, TOWN, OR LOCATION					b. COUNTY							
c. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)					c. CITY, TOWN, OR LOCATION							
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>					d. STREET ADDRESS							
					e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>			f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>				
<b>3. NAME OF FETUS</b> (If given)					<b>4. SEX OF FETUS</b> MALE <input type="checkbox"/> FEMALE <input type="checkbox"/> UNDETERMINED <input type="checkbox"/>							
5a. THIS DELIVERY SINGLE <input type="checkbox"/> TWIN <input type="checkbox"/> TRIPLET <input type="checkbox"/>			5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST <input type="checkbox"/> 2D <input type="checkbox"/> 3D <input type="checkbox"/>			6. DATE OF DELIVERY (Month) (Day) (Year)						
<b>7. NAME</b> First Middle Last					<b>8. COLOR OR RACE</b>							
<b>FATHER</b>					<b>9. AGE</b> (At time of delivery) YEARS					<b>10. BIRTHPLACE</b> (State or foreign country)		
					<b>11a. USUAL OCCUPATION</b>					<b>11b. KIND OF BUSINESS OR INDUSTRY</b>		
<b>MOTHER</b>					<b>12. MAIDEN NAME</b> First Middle Last					<b>13. COLOR OR RACE</b>		
					<b>14. AGE</b> (At time of delivery) YEARS			<b>15. BIRTHPLACE</b> (State or foreign country)			<b>16. PREVIOUS DELIVERIES TO MOTHER</b> (Do NOT include this fetus) a. How many children are now living? b. How many children were born alive but are now dead? c. How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)?	
<b>17. INFORMANT</b>												
<b>18a. LENGTH OF PREGNANCY</b> COMPLETED WEEKS			<b>18b. WEIGHT OF FETUS</b> LB. OZ.		<b>19. LEGITIMATE</b> YES <input type="checkbox"/> NO <input type="checkbox"/>		<b>20. WHEN DID FETUS DIE?</b> BEFORE LABOR <input type="checkbox"/> DURING LABOR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>			<b>21. WAS AUTOPSY PERFORMED?</b> YES <input type="checkbox"/> NO <input type="checkbox"/>		
<b>22. CAUSE OF FETAL DEATH</b>					PART I. FETAL DEATH WAS CAUSED BY: <i>Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).</i> <i>Fetal and/or maternal conditions, if any, giving rise to the above cause (a) stating THE UNDERLYING CAUSE LAST.</i> IMMEDIATE CAUSE (a) _____ DUE TO (b) _____ DUE TO (c) _____ PART II. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have CONTRIBUTED to fetal death, but, in so far as is known, were not related to cause given in PART I (a).							
I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.					<b>23a. ATTENDANT'S SIGNATURE</b> (Specify if M. D., D. O., midwife, or other)					<b>23b. DATE SIGNED</b>		
					<b>23c. ATTENDANT'S ADDRESS</b>					If not attended by physician		
<b>25a. BURIAL, CREMATION, REMOVAL</b> (Specify)			<b>25b. DATE</b>		<b>25c. NAME OF CEMETERY OR CREMATORY</b>			<b>25d. LOCATION</b> (City, town, or county) (State)				
<b>26. FUNERAL DIRECTOR</b> ADDRESS					DATE REC'D BY LOCAL REG.			REGISTRAR'S SIGNATURE				

<sup>1</sup> Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

1965 REVISION OF STANDARD CERTIFICATE (Amended)  
DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE  
16-72175-1 U. S. GOVERNMENT PRINTING OFFICE

registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

### CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 4, "Deaths Occurring in 1966, Coding and Punching Instructions," and Part 3, "Live Births and Fetal Deaths Occurring in 1966, Coding and Punching Instructions," which were revised for the 1967 data. The classification of certain important items is discussed on the following pages.

#### Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

Tabulations by place of occurrence include all deaths occurring in a given county. For residence tabulations, all deaths occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to the usual place of residence of the decedent as reported on the death certificate with the following exception. For nonresident aliens and residents of Puerto Rico and the Virgin Islands, the place of residence is considered to be the same as the place of occurrence.

Except for the years 1964 and 1965, deaths of nonresident aliens have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965, deaths of nonresident aliens and residents of Puerto Rico and the Virgin Islands occurring in the 50 States and the District of Columbia were allocated as deaths to residents of the balance of the county in which they occurred.

*Residence error.*—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.<sup>1</sup>

A comparison of the results of this study of deaths with those for a previous matched record study of births<sup>2</sup> shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the Census Bureau classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

*Maryland.*—Residence data shown in tables 7-1 and 7-9 (Part B) are overstated for the city of Baltimore and understated for Baltimore County. This error resulted from coding procedures whereby some events occurring to residents of Baltimore County were misclassified as events occurring to residents of the city of Baltimore. A comparison of residence figures published in this report with those published by the Maryland State Health Department indicates that approximately 1,800 deaths (including 120 infant deaths) and 65 fetal deaths were misclassified. Deaths by place of occurrence were not affected.

#### Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1967 is given in an instruction manual entitled "Geographic Codes, 1964," which has been used for classifying deaths for each year since 1964.

*Standard metropolitan statistical areas.*—The standard metropolitan statistical areas (SMSA's) used in this report are those established by the U.S. Bureau of the Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a

<sup>1</sup>National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2. Public Health Service. In publication.

<sup>2</sup>National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950. *Vital Statistics-Special Reports*, Vol. 47, No. 12. Public Health Service, Washington, D.C., Mar. 1962.

combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.<sup>3</sup>

In New England the Bureau of the Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.<sup>4</sup>

*Standard consolidated areas.*—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.<sup>5</sup>

*Metropolitan and nonmetropolitan counties.*—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

*Population-size groups (formerly "urban" and "rural" areas).*—Vital statistics data for cities and certain other urban places in 1967 are classified according to the population enumerated in the 1960 Census of Population. In this report population-size groups refer to two groups, "Urban places" and "Balance of area." "Urban places" consist of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

<sup>3</sup>For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961.

<sup>4</sup>For discussion of MSEA's see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

<sup>5</sup>See footnote 3.

Before 1964 each incorporated city and other urban place of 10,000 or more inhabitants was identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." Beginning with 1964, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural."

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be identified from the vital records. The differences between the urban and rural distribution of the population according to the Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

## Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

## Race and color

Deaths in the United States for 1967 are classified for vital statistics as follows: "white"; Negro; American Indian, Aleut, and Eskimo; Chinese; Japanese; Hawaiian and Part-Hawaiian; and "other nonwhite." The category "white" includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with any other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other nonwhite.

*Race not stated.*—For 1967 the number of death records for which the race was not stated was 2,508, or 0.1 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment was made to white; if the code was other than white, the assignment was made to Negro. For years prior to 1964 all records with race not stated were assigned to white except for records of residents of New Jersey for 1962-64.

*New Jersey, 1962-64.*—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8

percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned randomly within each local area to white or Negro on the assumption the distribution of not stated events by race was the same as that of those with race stated.

### Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."<sup>6</sup> The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a still-birth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.<sup>7</sup>

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in groups I, II, and III-----	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a

<sup>6</sup>National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

<sup>7</sup>For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

*Comparability and completeness of data.*—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.<sup>8</sup>

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

So that the data will be more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestations of 20 weeks or more. These tables also include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal death.

*Massachusetts.*—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city of Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, by about 23 percent for 1966, and by about 21 percent for 1963.

*Period of gestation.*—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn

<sup>8</sup>Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at gestations of 36 weeks is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size. Such errors in reporting are minimized in areas where the gestation period item on the fetal-death certificate requests the first day of the last normal menstrual period. Areas using this wording of the item are California, the District of Columbia, Maryland (including Baltimore), and New York City. Vermont specifies "date of menses, or if unknown, weeks of gestation."

Gestation information is not available for fetal deaths that occurred in Minnesota during 1967. Data by period of gestation shown for this State are for fetal deaths that occurred in other States to residents of Minnesota.

**Birth weight.**—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

- 500 grams or less = 1 lb. 1 oz. or less
- 501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
- 1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
- 1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
- 2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
- 2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
- 3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
- 3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
- 4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
- 4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
- 5,001 grams or more = 11 lb. 1 oz. or more

**Race.**—The race of the fetus is classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When the parental combination is

white-nonwhite, the race of the fetus is classified as non-white. (2) When the parental combination is of two nonwhite races, the race of the fetus is assigned to that of the father with two exceptions—if the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is classified as Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the section on race and color.

**Total-birth order.**—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death in use during all or part of 1967:

Arkansas	Louisiana	Oklahoma
Colorado	Maine	Oregon
Connecticut	Minnesota	Rhode Island
Delaware	Mississippi	South Carolina
Florida	Missouri	Utah
Georgia	Montana	Vermont
Hawaii	Nevada	Virginia
Indiana	New York City	Washington
Iowa	North Carolina	West Virginia
Kansas	Ohio	Wyoming

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and fetal-death certificates are as follows:

Alabama	New Jersey
Arizona	New Mexico
California	New York (excluding New York City)
District of Columbia	North Dakota
Idaho	Tennessee
Illinois	Texas
Kentucky	Wisconsin
Maryland (including Baltimore)	

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

<i>Live-birth certificate</i>	<i>Fetal-death certificate</i>
Alaska How many children were stillborn (born dead)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Massachusetts <i>Item not on certificate</i>	How many previous fetal deaths of any gestation age?
Michigan How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetuses born dead at any time after conception?
Nebraska How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
New Hampshire How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths?
Pennsylvania How many were delivered dead after sixteen weeks pregnancy?	How many previous fetal deaths of any gestation age?
South Dakota How many children were born dead?	How many previous fetal deaths of any gestation age?

An error in the coding procedure used for the total-birth order item on 1967 certificates resulted in an overstatement of the number of fetal deaths in the "not stated" category for total-birth order. Based on the proportion of fetal deaths with total-birth order not stated in 1965 and 1966, it is estimated that about 2,700 records for 1967 were incorrectly coded to this category.

*Legitimacy status.*—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1967. These States are as follows:

Alabama	Maine	Rhode Island
Alaska	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Hawaii	Nevada	Utah
Illinois	New Jersey	Washington
Indiana	North Carolina	West Virginia
Iowa	North Dakota	Wisconsin
Kansas	Ohio	Wyoming
Kentucky	Oregon	
Louisiana	Pennsylvania	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Under-registration may be greater in the illegitimate group than in the legitimate.

*Age of mother.*—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

### Cause of death

Beginning with 1958 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955). The Seventh Revision is described in the Manual of the International Statistical Classification.<sup>9</sup>

In addition to specifying the classification, the manual includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality.

These lists have been adapted for use in the National Center for Health Statistics. The Each-Cause List includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by combining titles. The List of 60 Selected Causes of Death is an extension of List B; however, certain

<sup>9</sup> World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Vol. 1, Geneva, Switzerland, 1957.

causes of low frequency in the United States are not shown separately—Typhoid fever, Cholera, Plague, Smallpox, Typhus and other rickettsial diseases, and Malaria. The list of 55 Selected Causes of Infant Death was taken from the Each-Cause List. The lists used in NCHS for 1967 are the same as those used for the 1966 data.

*Effect of decennial list revisions.*—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions the continuity in the mortality trends is not considered a problem of great concern. Van Buren<sup>10</sup> described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley<sup>11</sup> measured the change in mortality statistics by cause due to the Fifth Revision. This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

*Sixth Revision.*—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selec-

tion of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

*Comparability between the Sixth and Fifth Revisions.*—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.<sup>12,13</sup>

*Seventh Revision.*—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum<sup>14</sup> were integrated into the manual.<sup>15</sup> Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another.

<sup>12</sup>National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

<sup>13</sup>National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics-Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

<sup>14</sup>World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death; Addendum 1, Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva, Switzerland, 1953.

<sup>15</sup>See footnote 9.

<sup>10</sup>U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics-Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

<sup>11</sup>U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics-Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

*Comparability between the Seventh and Sixth Revisions.*—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."<sup>16</sup>

*Coding in 1967.*—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures. However, no changes in coding procedures were made in the manual for the 1966 data, and that manual was also used for coding the 1967 data.<sup>17</sup>

*Medical certification.*—The use of a standard classification list, although essential for State, regional, and inter-

national comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.<sup>18</sup>

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."<sup>19</sup>

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care

<sup>16</sup>National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman, *Vital Statistics-Special Reports*, Vol. 51, No. 4. Public Health Service, Washington, D.C., Mar. 1965.

<sup>17</sup>National Center for Health Statistics: Cause-of-death coding for deaths occurring in 1966, Part 2, *Vital Statistics Instruction Manual*. Public Health Service, Washington, D.C., 1965.

<sup>18</sup>For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am.J.Pub.Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

<sup>19</sup>Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1967, 1.2 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 7.2 percent.

*Ranking causes of death.*—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular-renal diseases and Diseases of the cardiovascular system, and the title Symptoms, senility, and ill-defined conditions are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

### Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689).

## QUALITY OF DATA

### Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.<sup>20</sup> A similar situation may exist in other States.

<sup>20</sup>Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

### Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

### Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 47.4 percent of the records the initial cause-of-death codes were assigned in the registration areas; for the remaining 52.6 percent of the records the original coding was done in NCHS. Of the code assignments in the registration area and in NCHS, 58.5 percent were verified on a 100-percent basis, and the remaining 41.5 percent were verified by inspecting a 10-percent systematic sample.

The coding of all other death data was done simultaneously with card punching from microfilm images of the original certificates. Approximately 63 percent of all cards punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. For cause-of-death coding this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverifying randomly selected lots from each operator's work.

The coding and punching of fetal deaths are verified completely because of their relatively small number.

After completing coding and punching, card counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

### Sampling error

Counts of the number of live births, which form the denominators of some of the rates shown in this volume, for years prior to 1951 and for 1955 are based on the

Table 6-A. Relative standard errors in percent for rates and ratios having live births as the denominator: United States and each State, 1967  
[By place of residence]

Area	Estimated number of live births in denominator													
	5	10	20	50	100	200	500	1,000	2,500	5,000	10,000	20,000	50,000	100,000
United States--	67.0	47.4	33.5	21.2	15.0	10.6	6.7	4.7	3.0	2.1	1.5	1.1	0.7	0.5
Alabama-----	46.0	32.5	23.0	14.5	10.3	7.3	4.6	3.2	2.0	1.4	0.9	0.6	0.2	-
Alaska-----	69.6	49.2	34.8	21.9	15.5	10.8	6.7	4.5	2.4	1.0	-	-	-	-
Arizona-----	46.7	33.0	23.4	14.8	10.4	7.4	4.6	3.3	2.0	1.4	0.9	0.5	-	-
Arkansas-----	46.3	32.8	23.2	14.6	10.3	7.3	4.6	3.2	2.0	1.4	0.9	0.5	-	-
California-----	46.4	32.8	23.2	14.7	10.4	7.3	4.6	3.3	2.1	1.5	1.0	0.7	0.4	0.3
Colorado-----	50.2	35.5	25.1	15.9	11.2	7.9	5.0	3.5	2.2	1.5	1.0	0.5	-	-
Connecticut-----	44.9	31.7	22.4	14.2	10.0	7.1	4.5	3.1	2.0	1.3	0.9	0.5	-	-
Delaware-----	80.5	56.9	40.2	25.4	17.9	12.6	7.9	5.4	3.1	1.8	-	-	-	-
District of Columbia-----	44.7	31.6	22.4	14.1	10.0	7.0	4.4	3.1	1.9	1.3	0.8	0.4	-	-
Florida-----	44.7	31.6	22.4	14.1	10.0	7.1	4.5	3.1	2.0	1.4	0.9	0.6	0.3	-
Georgia-----	49.3	34.9	24.7	15.6	11.0	7.8	4.9	3.5	2.2	1.5	1.0	0.7	0.3	-
Hawaii-----	64.5	45.6	32.2	20.4	14.4	10.1	6.3	4.4	2.6	1.7	0.8	-	-	-
Idaho-----	45.2	32.0	22.6	14.3	10.1	7.1	4.4	3.1	1.8	1.1	0.4	-	-	-
Illinois-----	66.7	47.1	33.3	21.1	14.9	10.5	6.7	4.7	3.0	2.1	1.5	1.0	0.6	0.3
Indiana-----	72.2	51.1	36.1	22.8	16.1	11.4	7.2	5.1	3.2	2.2	1.5	1.0	0.5	-
Iowa-----	45.0	31.8	22.5	14.2	10.0	7.1	4.5	3.1	2.0	1.3	0.9	0.5	-	-
Kansas-----	45.1	31.9	22.6	14.3	10.1	7.1	4.5	3.1	1.9	1.3	0.8	0.5	-	-
Kentucky-----	47.6	33.7	23.8	15.1	10.6	7.5	4.7	3.3	2.1	1.4	1.0	0.6	0.2	-
Louisiana-----	61.1	43.2	30.6	19.3	13.7	9.7	6.1	4.3	2.7	1.9	1.3	0.8	0.4	-
Maine-----	74.6	52.8	37.3	23.6	16.6	11.7	7.4	5.1	3.1	2.0	1.1	-	-	-
Maryland-----	77.7	55.0	38.9	24.6	17.4	12.3	7.7	5.5	3.4	2.4	1.6	1.0	0.3	-
Massachusetts-----	79.0	55.9	39.5	25.0	17.7	12.5	7.9	5.6	3.5	2.4	1.7	1.1	0.6	-
Michigan-----	71.9	50.8	35.9	22.7	16.1	11.4	7.2	5.1	3.2	2.2	1.6	1.1	0.6	0.3
Minnesota-----	71.7	50.7	35.8	22.7	16.0	11.3	7.1	5.0	3.1	2.2	1.5	0.9	0.3	-
Mississippi-----	72.2	51.0	36.1	22.8	16.1	11.4	7.2	5.0	3.1	2.2	1.4	0.9	-	-
Missouri-----	72.6	51.4	36.3	23.0	16.2	11.5	7.2	5.1	3.2	2.2	1.5	1.0	0.4	-
Montana-----	71.0	50.2	35.5	22.4	15.8	11.1	7.0	4.8	2.8	1.7	0.7	-	-	-
Nebraska-----	71.4	50.5	35.7	22.6	15.9	11.2	7.1	4.9	3.0	2.0	1.2	0.5	-	-
Nevada-----	89.4	63.2	44.7	28.2	19.9	14.0	8.7	6.0	3.4	1.9	-	-	-	-
New Hampshire-----	71.0	50.2	35.5	22.4	15.8	11.1	7.0	4.8	2.8	1.7	0.6	-	-	-
New Jersey-----	71.1	50.3	35.5	22.5	15.9	11.2	7.1	5.0	3.1	2.2	1.5	1.0	0.5	0.2
New Mexico-----	72.3	51.1	36.1	22.8	16.1	11.4	7.1	5.0	3.0	2.0	1.2	0.2	-	-
New York-----	80.2	56.7	40.1	25.4	17.9	12.7	8.0	5.7	3.6	2.5	1.8	1.2	0.7	0.5
North Carolina-----	71.9	50.9	36.0	22.7	16.1	11.4	7.2	5.1	3.2	2.2	1.5	1.0	0.5	-
North Dakota-----	74.4	52.6	37.2	23.5	16.6	11.7	7.3	5.0	2.9	1.8	0.6	-	-	-
Ohio-----	71.9	50.8	35.9	22.7	16.1	11.4	7.2	5.1	3.2	2.2	1.6	1.1	0.6	0.3
Oklahoma-----	72.8	51.5	36.4	23.0	16.3	11.5	7.2	5.1	3.2	2.2	1.4	0.8	-	-
Oregon-----	71.1	50.2	35.5	22.5	15.9	11.2	7.1	4.9	3.1	2.1	1.3	0.7	-	-
Pennsylvania-----	71.2	50.3	35.6	22.5	15.9	11.2	7.1	5.0	3.2	2.2	1.5	1.1	0.6	0.3
Rhode Island-----	70.9	50.1	35.4	22.4	15.8	11.1	7.0	4.9	2.9	1.9	1.0	-	-	-
South Carolina-----	73.4	51.9	36.7	23.2	16.4	11.6	7.3	5.1	3.2	2.2	1.5	0.9	-	-
South Dakota-----	72.3	51.1	36.1	22.8	16.1	11.3	7.1	4.9	2.9	1.7	0.5	-	-	-
Tennessee-----	72.0	50.9	36.0	22.8	16.1	11.4	7.2	5.1	3.2	2.2	1.5	1.0	0.4	-
Texas-----	72.8	51.5	36.4	23.0	16.3	11.5	7.3	5.1	3.2	2.3	1.6	1.1	0.6	0.4
Utah-----	76.5	54.1	38.2	24.2	17.1	12.0	7.6	5.3	3.2	2.1	1.3	0.5	-	-
Vermont-----	74.5	52.7	37.2	23.5	16.6	11.6	7.2	4.9	2.7	1.4	-	-	-	-
Virginia-----	71.8	50.7	35.9	22.7	16.0	11.3	7.2	5.0	3.2	2.2	1.5	1.0	0.4	-
Washington-----	72.0	50.9	36.0	22.8	16.1	11.4	7.2	5.0	3.1	2.2	1.5	0.9	0.2	-
West Virginia-----	72.6	51.4	36.3	23.0	16.2	11.4	7.2	5.1	3.1	2.1	1.3	0.7	-	-
Wisconsin-----	71.7	50.7	35.8	22.7	16.0	11.3	7.1	5.0	3.2	2.2	1.5	1.0	0.4	-
Wyoming-----	71.4	50.5	35.7	22.5	15.8	11.1	6.8	4.6	2.3	0.6	-	-	-	-

total file of birth records. Statistics for 1951-54 and 1956-66 are based on 50-percent samples consisting of even-numbered birth records. During the course of processing the 1967 birth data, the sampling rate was reduced from 50 percent to 20 percent. The proportion of births sampled at the 50-percent and 20-percent rates for 1967 varies by State on account of differences in time of receipt and processing of birth records in the National Center for Health Statistics.

Because the 1967 birth data were processed this way, there are sampling errors in the total numbers of births tabulated by place of residence. There are also sampling errors in the numbers of births by specified characteristics such as color, race, sex, age of mother, legitimacy, and plurality. Therefore rates and ratios in this volume which use live births as the denominator (i.e. maternal mortality rates, infant and neonatal mortality rates, and fetal-death rates and ratios) are also subject to sampling error. (See discussion on sampling errors in the Technical Appendix of Volume I of *Vital Statistics of the United States, 1967*.)

The probability is approximately 0.68 that an estimated rate or ratio lies within one standard error of the true value. The probability is about 0.95 that an estimated rate or ratio lies within two standard errors of the true value and about 0.99 that it lies within 2½ standard errors.

The approximate relative standard errors in percent for estimated rates and ratios in 1967 are presented in table 6-A. To determine the standard error of a rate or ratio, table 6-A must be entered using the appropriate row which shows the area to which the rate or ratio applies and the appropriate column which indicates the number of live births used in the denominator of the particular rate or ratio. This determines the relative standard error in percent. (For geographic areas within a State use the value shown for the appropriate State; for the geographic divisions of the United States use the value shown for the United States.) The standard error is calculated by dividing the relative standard error in percent by 100 and multiplying that result by the rate or ratio in question.

The number of live births which comprise the denominator of a specified rate or ratio may be obtained by reference to the appropriate table in Volume I of this report, or it may be approximated with sufficient accuracy by solving a simple equation of the following type:

$$b = \frac{d}{R} \times k$$

where  $b$  = the number of live births used in the denominator of the rate or ratio in question  
 $d$  = the number of deaths used in the numerator of the rate or ratio  
 $R$  = the rate or ratio  
 $k$  = a constant used to express the rate or ratio, usually 1,000 or 100,000.

For example, the mortality rate for white infants in Alaska is 19.1 infant deaths per 1,000 live births (see table 2-6 in Section 2 of this volume). To find the standard error for this rate, first find the number of live births in the denominator. Table 1-37 in Section 1 of Volume I shows the number of live births to white infants in Alaska to be

4,303. Another way to find the number of live births is to use the equation  $b = \frac{d}{R} \times k$ . Table 2-8 in Section 2 of this volume shows the number of deaths,  $d$ , to white infants in Alaska to be 82. Therefore the estimated number of live births is  $b = \frac{82}{19.1} \times 1,000 = 4,293$ . Either value may be used as the estimated number of live births with sufficient accuracy.

Next, in table 6-A find the relative standard error in percent, using Alaska as the geographic area and, say, 4,303 as the estimated number of live births in the denominator of the rate. However, 4,303 falls between the values 2,500 and 5,000 in the table, which implies the relative standard error in percent falls between 2.4 and 1.0. Therefore linear interpolation may be used to compute the relative standard error in percent ( $rse$ )

$$\text{(i.e. } rse = 2.4 - \left( \frac{4,303 - 2,500}{5,000 - 2,500} \right) (2.4 - 1.0) = 1.4).$$

Since the standard error of the rate is equal to the relative standard error in percent ( $rse$ ) divided by 100 and that result multiplied by the rate,  $R$ , then for this example the standard error equals

$$\left( \frac{rse}{100} \right) \times R = \left( \frac{1.4}{100} \right) \times 19.1 = 0.3.$$

Therefore the probability is 0.68 that the actual mortality rate for white infants in Alaska lies between 18.8 and 19.4 and about 0.95 that the actual rate is between 18.5 and 19.7.

For the estimated rates and ratios by area with specified characteristics, the relative standard errors in percent in table 6-A are slight overstatements in most cases. This implies that the standard errors are also slight overstatements.

## COMPUTATION OF RATES

### Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

*Population estimates for 1967.*—Preliminary estimates of the total resident population of the United States by age, color, and sex in 1967 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 385, and are shown in table 6-2.

Provisional estimates of the total resident population of each State are published in Series P-25, Number 380, (table 6-3). Estimated populations for States by broad age groups shown in table 6-4 were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

*New Jersey.*—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health

Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

**Age-adjusted death rates**

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was

**SYMBOLS USED IN TABLES**

Data not available -----	---
Category not applicable -----	...
Quantity zero -----	-
Quantity more than 0 but less than 0.05 -----	0.0
Figure does not meet standards of reliability or precision -----	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1967

[Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years]

Year	United States <sup>1</sup>		Year	United States <sup>1</sup>		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States <sup>2</sup>	Population residing in area	Number of States <sup>2</sup>	Population residing in area
1967	199,118,000	197,863,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1966	196,842,000	195,857,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1965	194,583,000	193,818,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1964	192,119,000	191,371,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1963	189,417,000	188,658,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1962	186,656,000	185,890,000	1927	---	119,039,062	40	104,320,830	42	107,084,532
1961	183,756,000	183,057,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1960	180,007,000	179,323,175	1925	---	115,831,963	33	88,284,564	40	102,031,555
1959	177,264,000	176,513,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1958	174,141,000	173,320,000	1923	---	111,949,945	30	81,072,123	38	95,788,137
1957	171,274,000	170,371,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1956	168,221,000	167,306,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1955	165,275,000	164,308,000	1920	---	106,466,420	23	63,587,307	34	86,079,263
1954	162,391,000	161,164,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1953	159,585,000	158,242,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1952	156,954,000	155,687,000	1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1951	154,287,000	153,310,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1950	151,132,000	150,697,361	1915	---	100,549,013	10	31,096,697	24	61,894,847
1949	149,188,000	148,665,000	1914	---	99,117,567	---	---	24	60,963,308
1948	146,631,000	146,093,000	1913	---	97,226,834	---	---	23	59,156,740
1947	144,126,000	143,446,000	1912	---	95,331,300	---	---	22	54,847,700
1946	141,389,000	140,054,000	1911	---	93,867,814	---	---	22	53,929,644
1945	139,928,000	138,481,000	1910	---	92,406,538	---	---	20	47,470,437
1944	138,397,000	132,885,000	1909	---	90,491,525	---	---	18	44,223,513
1943	136,739,000	134,245,000	1908	---	88,708,976	---	---	17	39,634,759
1942	134,860,000	133,920,000	1907	---	87,000,271	---	---	15	34,552,637
1941	133,402,000	133,121,000	1906	---	85,436,556	---	---	15	33,782,288
1940	131,820,000	131,669,275	1905	---	83,819,666	---	---	10	21,767,980
1939	131,028,000	130,879,718	1904	---	82,164,974	---	---	10	21,532,076
1938	129,989,000	129,824,939	1903	---	80,632,152	---	---	10	20,945,222
1937	128,961,000	128,824,929	1902	---	79,160,136	---	---	10	20,582,907
1936	128,181,000	128,053,160	1901	---	77,565,128	---	---	10	20,237,453
1935	127,362,000	127,250,232	1900	---	76,094,134	---	---	10	19,965,446
1934	126,485,000	126,373,773							
1933	125,630,000	125,578,763							

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.<sup>2</sup>The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: Vital Statistics Rates in the United States, 1900-1940; Historical Statistics in the United States, Colonial Times to 1957; Statistical Abstract of the United States, 1967; Current Population Reports, Series P-25, Nos. 98, 265, 276, 293, 321, 352, 365, and 385.

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1967

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All ages	197,865,000	96,694,000	101,169,000	175,920,000	85,127,000	88,793,000	23,942,000	11,567,000	12,376,000
Under 1 year	3,539,000	1,806,000	1,733,000	2,955,000	1,501,000	1,452,000	607,000	306,000	301,000
1-4 years	15,652,000	7,989,000	7,664,000	13,084,000	6,695,000	6,390,000	2,567,000	1,293,000	1,274,000
5-9 years	20,910,000	10,642,000	10,268,000	17,771,000	9,071,000	8,700,000	3,139,000	1,571,000	1,569,000
10-14 years	19,865,000	10,101,000	9,764,000	17,074,000	8,686,000	8,378,000	2,811,000	1,405,000	1,406,000
15-19 years	17,685,000	8,909,000	8,784,000	15,325,000	7,732,000	7,592,000	2,368,000	1,176,000	1,192,000
20-24 years	14,572,000	7,042,000	7,530,000	12,617,000	6,202,000	6,416,000	1,754,000	840,000	914,000
25-29 years	11,958,000	5,875,000	6,083,000	10,531,000	5,202,000	5,329,000	1,427,000	675,000	752,000
30-34 years	10,860,000	5,323,000	5,538,000	9,561,000	4,721,000	4,839,000	1,300,000	600,000	699,000
35-39 years	11,506,000	5,809,000	5,697,000	10,173,000	5,002,000	5,172,000	1,333,000	607,000	726,000
40-44 years	12,332,000	5,992,000	6,340,000	11,005,000	5,579,000	5,427,000	1,327,000	614,000	713,000
45-49 years	11,616,000	5,719,000	5,896,000	10,625,000	5,161,000	5,464,000	1,190,000	559,000	631,000
50-54 years	10,772,000	5,217,000	5,556,000	9,724,000	4,723,000	5,001,000	1,049,000	494,000	555,000
55-59 years	9,524,000	4,572,000	4,951,000	8,642,000	4,153,000	4,489,000	881,000	413,000	468,000
60-64 years	8,048,000	3,798,000	4,250,000	7,327,000	3,452,000	3,875,000	721,000	346,000	374,000
65-69 years	6,501,000	2,958,000	3,543,000	5,983,000	2,714,000	3,269,000	516,000	245,000	271,000
70-74 years	5,177,000	2,256,000	2,921,000	4,793,000	2,067,000	2,726,000	394,000	169,000	224,000
75-79 years	3,785,000	1,587,000	2,198,000	3,500,000	1,462,000	2,038,000	285,000	125,000	160,000
80-84 years	2,160,000	874,000	1,286,000	1,995,000	800,000	1,195,000	165,000	74,000	91,000
85 years and over	1,174,000	446,000	727,000	1,057,000	396,000	661,000	116,000	50,000	66,000

NOTE: Figures consistent with U.S. Bureau of the Census publication "Estimates of the Population of the United States, by Age, Color, and Sex, July 1, 1967," Current Population Reports, Series P-25, No. 385.

Table 6-3. Provisional Estimates of the Total Resident Population of the United States, Each Division and State: July 1, 1967

[Figures include Armed Forces stationed in each area and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Area	Population	Area	Population	Area	Population
United States	197,865,000	East North Central—Con.		East South Central—Con.	
Geographic divisions:		Illinois	10,893,000	Alabama	3,540,000
New England	11,321,000	Michigan	8,584,000	Mississippi	2,348,000
Middle Atlantic	36,968,000	Wisconsin	4,189,000		
East North Central	39,123,000	West North Central:		West South Central:	
West North Central	15,961,000	Minnesota	3,582,000	Arkansas	1,068,000
South Atlantic	29,480,000	Iowa	2,755,000	Louisiana	3,662,000
East South Central	12,970,000	Missouri	4,603,000	Oklahoma	2,435,000
West South Central	18,993,000	North Dakota	639,000	Texas	10,867,000
Mountain	7,796,000	South Dakota	674,000		
Pacific	25,249,000	Nebraska	1,435,000	Mountain:	
New England:		Kansas	2,275,000	Montana	701,000
Maine	973,000	South Atlantic:		Idaho	632,000
New Hampshire	686,000	Delaware	523,000	Wyoming	315,000
Vermont	417,000	Maryland	3,682,000	Colorado	1,975,000
Massachusetts	5,421,000	District of Columbia	809,000	New Mexico	1,003,000
Rhode Island	900,000	Virginia	4,536,000	Arizona	1,234,000
Connecticut	2,925,000	West Virginia	1,798,000	Utah	1,024,000
Middle Atlantic:		North Carolina	5,029,000	Nevada	444,000
New York	18,336,000	South Carolina	2,599,000		
New Jersey	7,003,000	Georgia	4,509,000	Pacific:	
Pennsylvania	11,629,000	Florida	5,995,000	Washington	3,087,000
East North Central:		East South Central:		Oregon	1,950,000
Ohio	10,458,000	Kentucky	3,189,000	California	19,153,000
Indiana	5,000,000	Tennessee	3,892,000	Alaska	272,000
				Hawaii	73,000

Source: U.S. Bureau of the Census: Estimates of the population of States, July 1, 1966, with provisional estimates for July 1, 1967; Current Population Reports, Series P-25, No. 380.

Table 6-4. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State:

July 1, 1967

[Figures include Armed Forces stationed in each area and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	197,863,000	19,191,000	58,489,000	61,250,000	40,156,000	18,793,000
<b>Geographic divisions:</b>						
New England	11,321,000	1,081,000	3,192,000	5,415,000	2,430,000	1,226,000
Middle Atlantic	38,968,000	3,336,000	10,019,000	11,205,000	8,540,000	3,775,000
East North Central	39,123,000	3,816,000	11,791,000	11,844,000	8,066,000	3,671,000
West North Central	15,861,000	1,512,000	4,777,000	4,605,000	3,260,000	1,853,000
South Atlantic	29,480,000	2,956,000	8,911,000	9,571,000	5,581,000	2,564,000
East South Central	12,970,000	1,297,000	3,999,000	4,042,000	2,482,000	1,195,000
West South Central	18,893,000	1,951,000	5,865,000	5,925,000	3,587,000	1,682,000
Mountain	7,796,000	840,000	2,522,000	2,418,000	1,419,000	626,000
Pacific	28,249,000	2,402,000	7,413,000	8,205,000	4,991,000	2,201,000
<b>New England:</b>						
Maine	973,000	99,000	290,000	281,000	197,000	115,000
New Hampshire	886,000	64,000	198,000	211,000	139,000	77,000
Vermont	417,000	41,000	124,000	125,000	83,000	47,000
Massachusetts	5,421,000	515,000	1,510,000	1,615,000	1,178,000	616,000
Rhode Island	900,000	85,000	247,000	275,000	196,000	99,000
Connecticut	2,925,000	274,000	823,000	910,000	639,000	272,000
<b>Middle Atlantic:</b>						
New York	18,336,000	1,673,000	4,822,000	5,500,000	4,127,000	1,900,000
New Jersey	7,005,000	639,000	1,943,000	2,200,000	1,546,000	653,000
Pennsylvania	11,629,000	1,024,000	3,254,000	3,505,000	2,667,000	1,222,000
<b>East North Central:</b>						
Ohio	10,458,000	996,000	3,172,000	3,215,000	2,144,000	959,000
Indiana	5,000,000	499,000	1,509,000	1,531,000	999,000	474,000
Illinois	10,893,000	1,033,000	3,143,000	3,290,000	2,351,000	1,060,000
Michigan	8,584,000	850,000	2,691,000	2,621,000	1,720,000	726,000
Wisconsin	4,189,000	418,000	1,277,000	1,196,000	852,000	452,000
<b>West North Central:</b>						
Minnesota	3,582,000	359,000	1,127,000	1,029,000	714,000	395,000
Iowa	2,753,000	259,000	821,000	775,000	573,000	344,000
Missouri	4,605,000	417,000	1,305,000	1,362,000	966,000	537,000
North Dakota	639,000	65,000	202,000	177,000	124,000	64,000
South Dakota	674,000	70,000	211,000	177,000	131,000	78,000
Nebraska	1,435,000	141,000	429,000	405,000	292,000	177,000
Kansas	2,275,000	202,000	662,000	680,000	460,000	259,000
<b>South Atlantic:</b>						
Delaware	823,000	54,000	161,000	168,000	101,000	42,000
Maryland	3,582,000	377,000	1,115,000	1,200,000	720,000	267,000
District of Columbia	809,000	91,000	212,000	257,000	179,000	69,000
Virginia	4,556,000	454,000	1,373,000	1,525,000	854,000	336,000
West Virginia	1,796,000	161,000	533,000	534,000	389,000	190,000
North Carolina	5,029,000	501,000	1,857,000	1,699,000	934,000	379,000
South Carolina	2,599,000	279,000	862,000	666,000	452,000	176,000
Georgia	4,509,000	480,000	1,594,000	1,455,000	819,000	338,000
Florida	5,995,000	559,000	1,700,000	1,877,000	1,133,000	767,000
<b>East South Central:</b>						
Kentucky	3,189,000	312,000	968,000	992,000	617,000	324,000
Tennessee	3,692,000	374,000	1,157,000	1,270,000	777,000	358,000
Alabama	3,540,000	355,000	1,103,000	1,105,000	671,000	302,000
Mississippi	2,548,000	256,000	773,000	697,000	417,000	211,000
<b>West South Central:</b>						
Arkansas	1,968,000	201,000	581,000	590,000	389,000	222,000
Louisiana	3,662,000	406,000	1,195,000	1,124,000	659,000	282,000
Oklahoma	2,495,000	224,000	714,000	789,000	512,000	279,000
Texas	10,869,000	1,120,000	3,377,000	3,433,000	2,028,000	900,000
<b>Mountain:</b>						
Montana	701,000	69,000	223,000	201,000	139,000	67,000
Idaho	699,000	69,000	226,000	204,000	139,000	64,000
Wyoming	515,000	52,000	101,000	90,000	67,000	29,000
Colorado	1,975,000	194,000	620,000	644,000	376,000	177,000
New Mexico	1,002,000	125,000	351,000	292,000	170,000	64,000
Arizona	1,634,000	185,000	523,000	521,000	291,000	129,000
Utah	1,024,000	117,000	351,000	316,000	169,000	70,000
Nevada	444,000	52,000	127,000	150,000	80,000	26,000
<b>Pacific:</b>						
Washington	3,087,000	284,000	963,000	1,004,000	653,000	303,000
Oregon	1,999,000	169,000	576,000	606,000	420,000	209,000
California	19,153,000	1,831,000	5,326,000	6,239,000	3,732,000	1,844,000
Alaska	272,000	36,000	98,000	94,000	39,000	6,000
Hawaii	739,000	82,000	250,000	262,000	127,000	39,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 380, and official records.