

DEPARTMENT OF COMMERCE

BUREAU OF THE CENSUS

SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER
AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA
OF THE UNITED STATES

1914



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

CONTENTS.

TEXT.

	Page.
INTRODUCTION.....	7-12
Classification according to location.....	7
Proportion of transcripts which contained needed information.....	7
Circular letter to physicians.....	7
Classification as to diagnosis.....	8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this report, together with inclusions under each title.....	9
THE REGISTRATION AREA.....	12, 13
Growth of the registration area: 1880 to 1914.....	12
Extent of the registration area in 1914.....	13
Population of registration states, by age and sex, in 1914.....	13
SUMMARY AND ANALYSIS OF THE STATISTICS.....	13-18
Color, nativity, parent nativity, age, and sex of decedent.....	13
Deaths and crude death rates.....	14
High and low rates for states.....	14
High and low rates for cities.....	14
Crude rates for different localities noncomparable.....	15
Deaths and death rates in seven titles of International Classification: 1900-1914.....	15
Deaths, death rates, and per cent distribution, by location of disease: 1914.....	15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors, according to the part of the body affected, for the registration states: 1914.....	16
Death rates in foreign countries: 1900-1914.....	18

SUMMARY AND RATE TABLES.

TABLE I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registration area and its subdivisions: 1914.....	21
TABLE II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914....	35

GENERAL TABLES.

TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914..	44
TABLE 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914.....	88
TABLE 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex, color, general nativity, and parent nativity of decedent: 1914.....	182
TABLE 4.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, in the registration states, by age, sex, color, general nativity, and parent nativity of decedent: 1914.....	184
TABLE 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of decedent: 1914.....	210

MAPS AND DIAGRAM.

Growth of the registration area for deaths: 1880-1914 (maps).....	11
Percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram).....	12

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., August 21, 1916.

SIR:

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfoxy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.

This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES: 1914.

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resolution, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63-66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths,¹ classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (a) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (b) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

¹The term "cancer," as used throughout this monograph, includes "other malignant tumors."

PROPORTION OF TRANSCRIPTS WHICH CONTAINED NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8,500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

MORTALITY FROM CANCER.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
WASHINGTON.

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malignant tumors:

(a) Statistics of deaths in which the diagnoses were based on clinical findings.

(b) Statistics of deaths in which the diagnoses were confirmed by autopsies, or in which surgical operations were performed.

Will you kindly examine the accompanying transcript of a medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on *clinical findings* or *autopsy*; also whether there was *surgical intervention*? In either case the *seat of the disease* should also be stated. Any further data which you care to give may be written on the reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appreciated, as we are now compiling these returns.

Very respectfully,

SAM. L. ROGERS, *Director*.

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesies shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants, but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records, nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. The bureau in classifying such a case was therefore confronted with this situation: (a) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (b) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (c) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain

class' regardless of any strength of assertion by the physician that the diagnosis was correct."

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was cancer, than to tabulate under the head of cancer of any given organ deaths which were declared by the society to be *uncertain as to cause* by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement, would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

- (a) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified).
- (b) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified).
- (c) All cases in which diagnosis was confirmed by surgical intervention (including exploratory operations).
- (d) All cases in which diagnosis was confirmed by microscopic findings.
- (e) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsies.

The following cases were compiled under "Diagnosis uncertain":

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no post-mortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer.

Under "Diagnosis unknown" were compiled—

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.

39.—CANCER AND OTHER MALIGNANT TUMORS OF THE BUCCAL CAVITY.

- 39A.—*Cancer of the lip:*
Cancer of lip.
Smokers' cancer.
- 39B.—*Cancer of the tongue:*
Cancer of tongue.
Carcinoma linguae.
Lingual cancer.
- 39C.—*Cancer of the mouth (without further qualification):*
Cancer of mouth.
- 39D.—*Cancer of the jaw:*
Cancer of jaw.
Cancer of maxilla.
- 39X.—*Other cancers of this class:*
Cancer of buccal cavity (without further qualification).
Cancer of cheek.
Cancer of gum.
Cancer of palate.
Cancer of soft palate.
Cancer of tonsil.

40.—CANCER AND OTHER MALIGNANT TUMORS OF THE STOMACH, LIVER.

- 40A.—*Cancer of the pharynx:*
Cancer of pharynx.
- 40B.—*Cancer of the esophagus:*
Cancer of esophagus.
- 40C.—*Cancer of the stomach:*
Cancer of cardia.
cardiac orifice of stomach.
pylorus.
stomach.
Carcinoma ventriculi.
Gastric tumor.
Gastrocarcinoma.
Tumor of stomach.
- 40D.—*Cancer of the liver and gall bladder:*
Cancer of bile duct.
gall bladder.
duct.
liver.
Hepatic cancer.
Melanosis of liver.

41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, INTESTINES, RECTUM.

- 41A.—*Cancer of the mesentery and peritoneum:*
Cancer of mesentery.
omentum.
peritoneum.
retroperitoneal gland.
Cancerous peritonitis.
Lymphosarcoma of peritoneum.
Malignant peritonitis.
Retroperitoneal cancer.
- 41B.—*Cancer of the intestines (except rectum):*
Cancer of appendix.
cecum.
caput coli.
colon.
duodenum.
ileum.

41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, INTESTINES, RECTUM—Continued.

- 41B.—*Cancer of the intestines (except rectum)—Continued.*
Cancer of intestinal gland.
intestine.
sigmoid flexure.
Carcinoma entericum.
Malignant stricture of intestine.
ulceration of intestine.
- 41C.—*Cancer of the rectum and anus:*
Cancer of anus.
rectum.
- 41X.—*Other cancers of this class:*
Cancer of abdominal viscera.
Malignant internal stricture.

42.—CANCER AND OTHER MALIGNANT TUMORS OF THE FEMALE GENITAL ORGANS.

- 42A.—*Cancer of the ovary and fallopian tube:*
Cancer of fallopian tube.
ovary.
- 42B.—*Cancer of the uterus:*
Cancer of cervix.
uterus.
womb.
Cervical cancer.
Neoplasm of uterus.
- 42C.—*Cancer of the vagina and vulva:*
Cancer of vagina.
vulva.
- 42X.—*Other cancers of this class:*
Cancer of broad ligament.
female genital organ (unspecified).
uterine ligament.
Chorioepithelioma.
Deciduoma malignum.
Hydatid mole.
Hydatidiform mole.
Syncytioma.

43.—CANCER AND OTHER MALIGNANT TUMORS OF THE BREAST.

- Cancer of breast.
mammary gland.
nipple.
Cancer en cuirasse.
Neoplasm of breast.

44.—CANCER AND OTHER MALIGNANT TUMORS OF THE SKIN.

- Cancer of auricle (of ear).
chin.
connective tissue.
ear.
face.
head.
nose.
scalp.
skin.
umbilicus.
Cancroid (unqualified).
Cervicofacial cancer.
Columnar epithelioma.
Epithelial tumor (location not indicated).
Epithelioma (location not indicated).
Noli me tangere.
Rodent dermatitis.
ulcer.





[This title does not include *Esthiomene* (34) or *Lupus* (34).]

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—Continued.

<p>45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED.</p> <p>45A.—<i>Cancer of the larynx:</i> Cancer of larynx.</p> <p>45B.—<i>Cancer of the lung and pleura:</i> Cancer of anterior mediastinum. lung. mediastinal gland. mediastinum. pleura. Pulmonary cancer.</p> <p>45C.—<i>Cancer of the pancreas:</i> Cancer of pancreas.</p> <p>45D.—<i>Cancer of the kidneys and suprarenals:</i> Cancer of adrenal. kidney. suprarenal. Renal cancer. Rhabdomyosarcoma of kidney.</p> <p>45E.—<i>Cancer of the prostate:</i> Cancer of prostate. Malignant prostatitis.</p> <p>45F.—<i>Cancer of the bladder:</i> Cancer of bladder.</p> <p>45G.—<i>Cancer of the brain:</i> Cancer of brain. membrane of brain.</p> <p>45H.—<i>Cancer of the bones (except jaw):</i> Cancer of bone. joint. sacrum. scapula. spine. sternum. vertebra. zygoma. Osteosarcoma.</p> <p>45K.—<i>Cancer of the testes:</i> Cancer of testicle. Sarcocele.</p> <p>45X.—<i>Other cancers of this class:</i> Cancer of abdomen (without further qualification): accessory sinus. antrum. arm. artery. axilla. back. body. bronchi. cervical gland. chest. choroid. conjunctiva. cord. cornea. extremity. eye. fauces. ganglia. genital organ (male). gland. glandular system. groin. hand. heart. hip.</p>	<p>45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—Continued.</p> <p>45X.—<i>Other cancers of this class</i>—Continued. Cancer of iliac region. inguinal gland. region. iris. lacrimal apparatus. leg. lower extremity. lymph gland. node. lymphatic gland. vessel. membrane of spinal cord. meninges. muscle. nates. neck. nerve orbit. parotid gland. pectoral region. pelvic viscera. pelvis. penis. pericardium. perineum. posterior nares. prepuce. salivary gland. scrotum. shoulder. spinal cord. spleen. temporal region. thorax. throat. thymus gland. thyroid gland. trachea. upper extremity. ureter. urethra. viscera. Cancerous cachexia. goiter. humor. neuritis. toxemia. Carcinomatous septicemia. Chimney sweeps' cancer. Disseminated cancer. General carcinomatosis. sarcomatosis. Intra-abdominal cancer. Lobstein's cancer. Malignant disease (undefined) fistula. Miliary carcinosis. Multiple cancer. melanosarcomata. Pelvic cancer. Retropharyngeal cancer. Sarcomatosis (unqualified). Sarcomatous phlebitis. Thyrosarcoma.</p>
---	--

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.



MORTALITY FROM CANCER.

THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.


The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
	Population.	Land area (square miles).	Population.		Land area.	
			Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1914.....	98,781,324	2,973,890	65,989,295	66.8	1,228,644	41.3
Calendar year 1913.....	97,163,330	2,973,890	63,298,718	65.1	1,147,039	38.6
Calendar year 1912.....	95,545,236	2,973,890	60,427,247	63.2	1,106,777	37.2
Calendar year 1911.....	93,927,342	2,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910.....	92,309,348	2,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909.....	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908.....	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1907.....	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906.....	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905.....	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904.....	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903.....	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1902.....	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901.....	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1900.....	73,994,575	2,974,159	30,765,618	40.5	212,621	7.1
Census year 1900 ²	62,622,250	2,973,965	28,807,269	37.9	176,878	5.9
Census year 1890 ²	50,155,783	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1880 ²	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

¹ Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
² Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND THE LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

California.	Minnesota.	Ohio.
Colorado.	Missouri.	Pennsylvania.
Connecticut.	Montana.	Rhode Island.
Indiana.	New Hampshire.	Utah.
Kansas.	New Jersey.	Vermont.
Kentucky.	New York.	Virginia.
Maine.	North Carolina (municipalities of 1,000 population and over in 1910).	Washington.
Maryland.		Wisconsin.
Massachusetts.		
Michigan.		

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Alabama:	Illinois:	South Carolina:
Birmingham.	Aurora.	Charleston.
Mobile.	Bellefonte.	Tennessee:
Montgomery.	Chicago.	Chattanooga.
Delaware:	Decatur.	Jackson.
Wilmington.	Evanston.	Knoxville.
Florida:	Jacksonville.	Memphis.
Jacksonville.	Quincy.	Nashville.
Key West.	Springfield.	Texas:
Pensacola.	Louisiana:	El Paso.
Georgia:	New Orleans.	Galveston.
Atlanta.	Nebraska:	San Antonio.
Augusta.	Lincoln.	West Virginia:
Savannah.	Omaha.	Wheeling.
Oregon:	Portland.	

POPULATION OF REGISTRATION STATES, BY AGE AND SEX, IN 1914.

The following table shows the estimated midyear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.	ESTIMATED POPULATION OF REGISTRATION STATES, ¹ JULY 1, 1914.		
	Both sexes.	Male.	Female.
All ages ²	60,641,905	31,186,024	29,455,881
Under 1 year.....	1,341,242	679,463	661,779
1 year.....	1,202,228	608,543	593,685
2 years.....	1,310,794	664,205	646,589
3 years.....	1,295,311	652,795	642,516
4 years.....	1,262,416	639,508	622,908
Under 5 years.....	6,411,991	3,244,514	3,167,477
5 to 9 years.....	5,873,325	2,963,133	2,910,192
10 to 14 years.....	5,600,632	2,823,196	2,777,436
15 to 19 years.....	5,755,656	2,880,666	2,874,990
20 to 24 years.....	5,946,734	3,028,437	2,918,297
25 to 29 years.....	5,521,323	2,888,261	2,633,062
30 to 34 years.....	4,820,255	2,534,500	2,285,755
35 to 39 years.....	4,459,617	2,249,591	2,116,326
40 to 44 years.....	3,731,174	2,001,707	1,729,467
45 to 49 years.....	3,212,589	1,699,274	1,513,315
50 to 54 years.....	2,756,487	1,466,599	1,289,888
55 to 59 years.....	2,984,772	1,641,288	1,343,484
60 to 64 years.....	1,612,750	828,184	784,566
65 to 69 years.....	1,225,094	621,895	603,199
70 to 74 years.....	825,713	412,363	413,350
75 to 79 years.....	495,855	242,626	253,229
80 to 84 years.....	288,537	112,773	125,764
85 to 89 years.....	90,880	41,133	49,747
90 to 94 years.....	22,946	9,826	13,120
95 to 99 years.....	4,284	1,697	2,587
100 years and over.....	1,011	361	650

¹ Exclusive of North Carolina.

² "Age unknown," distributed.

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or

96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

Further comparisons of these groups may be made from the table on the following page.

MORTALITY FROM CANCER.

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000 of aggregate.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate.....	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
White.....	50,515	20,717	29,798	963.7	973.5	957.0
Native.....	31,288	11,586	19,702	596.9	544.4	632.7
Both parents native.....	17,648	6,342	11,306	336.7	298.0	363.1
One or both parents foreign born.....	8,509	3,144	5,365	162.3	147.7	172.3
Parentage unknown.....	5,131	2,100	3,031	97.9	98.7	97.3
Foreign born.....	18,775	8,871	9,904	358.2	416.8	318.1
Nativity unknown.....	452	260	192	8.6	12.2	6.2
Colored.....	1,905	565	1,340	36.3	26.5	43.0
Negro.....	1,824	507	1,317	34.8	23.8	42.3
Chinese.....	40	37	3	0.8	1.7	0.1
Japanese.....	17	12	5	0.3	0.6	0.2
Indian.....	22	7	15	0.4	0.3	0.5
Other colored.....	2	2	(¹)	0.1

¹ Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000 of number at all ages.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages.....	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
Under 1 year.....	49	21	28	0.9	1.0	0.9
1 year.....	42	20	22	0.8	0.9	0.7
2 years.....	61	33	28	1.2	1.6	0.9
3 years.....	43	27	16	0.8	1.3	0.5
4 years.....	42	17	25	0.8	0.8	0.8
Under 5 years.....	237	118	119	4.5	5.6	3.8
5 to 9 years.....	122	70	52	2.3	3.3	1.7
10 to 14 years.....	92	54	38	1.8	2.5	1.2
15 to 19 years.....	174	86	88	3.3	4.0	2.8
20 to 24 years.....	294	147	147	5.6	6.9	4.7
25 to 29 years.....	587	222	365	11.2	10.4	11.7
30 to 34 years.....	1,064	323	741	20.3	15.2	23.8
35 to 39 years.....	2,119	566	1,553	40.4	26.6	49.9
40 to 44 years.....	3,325	967	2,358	63.4	45.4	75.7
45 to 49 years.....	4,632	1,502	3,130	88.4	70.6	100.5
50 to 54 years.....	6,131	2,323	3,808	117.0	109.2	122.3
55 to 59 years.....	6,663	2,741	3,922	127.1	128.8	126.0
60 to 64 years.....	6,909	3,071	3,838	131.8	144.3	123.3
65 to 69 years.....	6,780	3,134	3,646	129.4	147.3	117.1
70 to 74 years.....	5,893	2,754	3,139	112.4	129.4	100.8
75 to 79 years.....	4,033	1,757	2,276	76.9	82.6	73.1
80 to 84 years.....	2,213	966	1,247	42.2	45.4	40.1
85 to 89 years.....	828	352	476	15.8	16.5	15.3
90 to 94 years.....	225	94	131	4.3	4.4	4.2
95 to 99 years.....	34	9	25	0.6	0.4	0.8
100 years and over.....	8	4	4	0.2	0.2	0.1
Unknown.....	57	22	35	1.1	1.0	1.1

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates

per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.		YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.	
	Number.	Rate per 100,000 population.		Number.	Rate per 100,000 population.
1914.....	52,420	79.4	1905.....	24,330	71.4
1913.....	49,928	78.9	1904.....	23,395	70.2
1912.....	46,531	77.0	1903.....	22,325	68.3
1911.....	44,024	74.3	1902.....	20,847	65.1
1910.....	41,039	76.2	1901.....	20,171	64.3
1909.....	37,562	73.3	1900 ¹	19,331	63.0
1908.....	33,465	71.5	1900 ¹	17,296	60.0
1907.....	30,514	70.9	1890 ¹	9,657	47.9
1906.....	29,020	69.1	1880 ¹	3,651	42.8

¹ Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration states, taken as a whole, in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

Crude rates for different localities noncomparable.—The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of non-residents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less suscepti-

ble to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900-1914.—The following table presents, for the registration area, for each of the years 1900-1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

CALENDAR YEAR.	REGISTRATION AREA.																	
	Estimated population, July 1,	Percent population of area formed of total population of the United States.	Deaths from cancer and other malignant tumors.	Deaths from cancer and other malignant tumors of the—						Death rate per 100,000 population from cancer and other malignant tumors.	Death rate per 100,000 population from cancer and other malignant tumors of the—							
				Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.		Other organs or of organs not specified.	Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.
1914.....	65,989,295	66.8	52,420	2,270	19,889	6,745	8,152	5,423	1,957	7,984	79.4	3.4	30.1	10.2	12.4	8.2	3.0	12.1
1913.....	63,298,718	65.1	49,928	1,966	19,767	6,625	7,706	4,592	1,725	7,547	78.9	3.1	31.2	10.5	12.2	7.3	2.7	11.9
1912.....	60,427,247	63.2	46,531	1,838	18,517	5,923	7,089	4,431	1,743	6,990	77.0	3.0	30.6	9.8	11.7	7.3	2.9	11.6
1911.....	59,275,977	63.1	44,024	1,727	17,365	5,824	6,707	4,264	1,619	6,518	74.3	2.9	29.3	9.8	11.3	7.2	2.7	11.0
1910.....	53,843,896	58.3	41,039	1,576	16,475	5,258	6,147	3,730	1,459	6,394	76.2	2.9	30.6	9.8	11.4	6.9	2.7	11.9
1909.....	50,870,518	56.1	37,562	1,427	14,915	4,676	5,714	3,585	1,492	5,753	73.8	2.8	29.3	9.2	11.2	7.0	2.9	11.3
1908.....	48,789,913	52.5	33,465	1,148	13,044	3,968	5,250	3,023	1,282	5,755	71.5	2.5	27.9	8.5	11.2	6.5	2.7	12.3
1907.....	43,016,990	49.2	30,514	968	11,596	3,570	4,388	2,590	1,121	6,281	70.9	2.3	27.0	8.3	10.2	6.0	2.6	14.6
1906.....	41,983,419	48.9	29,090	941	10,946	3,273	4,090	2,421	984	6,365	69.1	2.2	26.1	7.8	9.7	5.3	2.3	15.2
1905.....	34,052,201	40.4	24,330	792	8,989	2,732	3,637	2,010	818	5,402	71.4	2.3	26.3	8.0	10.7	5.9	2.4	15.9
1904.....	33,345,163	40.4	23,395	737	8,744	2,399	3,436	2,030	753	5,291	70.2	2.2	26.2	7.2	10.3	6.1	2.3	15.9
1903.....	32,701,083	40.4	22,325	661	8,193	2,134	3,289	1,787	752	5,509	68.3	2.0	25.1	6.5	10.1	5.5	2.3	16.8
1902.....	32,020,815	40.4	20,847	583	7,483	2,239	3,033	1,750	688	5,071	65.1	1.8	23.4	7.0	9.5	5.5	2.1	15.8
1901.....	31,370,952	40.3	20,171	612	7,095	2,157	2,919	1,647	683	5,058	64.3	2.0	22.6	6.9	9.3	5.3	2.2	16.1
1900.....	30,765,618	40.5	19,381	495	6,918	1,760	2,696	1,433	602	5,477	63.0	1.6	22.5	5.7	8.8	4.7	2.0	17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: 1914.			SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: 1914.		
	Number.	Rate per 100,000 population.	Per cent.		Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate).....	52,420	79.4	100.0	Cancer of the female genital organs (total).....	8,152	12.4	15.6
Cancer of the buccal cavity (total).....	2,270	3.4	4.3	Cancer of the—			
Cancer of the—				Ovary and fallopian tube.....	451	0.7	0.9
Lip.....	376	0.6	0.7	Uterus.....	7,470	11.3	14.3
Tongue.....	614	0.9	1.2	Vagina and vulva.....	184	0.3	0.4
Mouth.....	230	0.3	0.4	Others of this class.....	47	0.1	0.1
Jaw.....	851	1.3	1.6	Cancer of the breast.....	5,423	8.2	10.3
Others of this class.....	199	0.3	0.4	Cancer of the skin.....	1,957	3.0	3.7
Cancer of the stomach, liver (total).....	19,889	30.1	37.9	Cancer of other organs or of organs not specified (total).....	7,984	12.1	15.2
Cancer of the—				Cancer of the—			
Pharynx.....	58	0.1	0.1	Larynx.....	341	0.5	0.7
Esophagus.....	605	0.9	1.2	Lung and pleura.....	371	0.6	0.7
Stomach.....	12,768	19.3	24.4	Pancreas.....	686	1.0	1.3
Liver and gall bladder.....	6,458	9.8	12.3	Kidneys and suprarenals.....	538	0.8	1.0
Cancer of the peritoneum, intestines, rectum (total).....	6,745	10.2	12.9	Prostate.....	784	1.2	1.5
Cancer of the—				Bladder.....	1,014	1.5	1.9
Mesentery and peritoneum.....	485	0.7	0.9	Brain.....	141	0.2	0.3
Intestines (except rectum).....	4,055	6.1	7.7	Bones (except jaw).....	497	0.8	0.9
Rectum and anus.....	2,171	3.3	4.1	Testes.....	121	0.2	0.2
Others of this class.....	34	0.1	0.1	Others of this class.....	3,491	5.3	6.7

MORTALITY FROM CANCER.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given

in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES:¹ 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

SEAT OF DISEASE.	DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.													
	All ages. ²	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
BOTH SEXES.														
Cancer and other malignant tumors (aggregate).....	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	889.6	875.6
Cancer of the buccal cavity (total).....	3.4	0.1	0.3	0.9	2.3	3.9	7.0	11.9	16.9	25.1	36.2	46.0	65.0	66.3
Cancer of the—														
Lip.....	0.6	(³)	(³)	0.1	0.2	0.3	0.9	1.3	2.7	3.9	5.7	9.7	23.9	25.2
Tongue.....	0.9	(³)	0.1	0.4	0.6	1.4	2.2	3.8	4.9	6.6	8.6	10.1	10.1	10.1
Mouth.....	0.4	(³)	(³)	(³)	0.2	0.3	0.5	1.3	1.9	2.9	4.2	5.2	7.5	6.7
Jaw.....	1.3	0.1	0.1	0.4	1.0	1.5	2.8	4.6	5.7	9.9	13.9	16.7	18.4	19.3
Others of this class.....	0.3	(³)	0.1	0.1	0.2	0.4	0.6	0.9	1.6	1.8	3.8	4.2	5.0	5.0
Cancer of the stomach, liver (total).....	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	329.3	344.6	239.3
Cancer of the—														
Pharynx.....	0.1	(³)	(³)	(³)	0.1	0.1	0.2	0.7	0.3	0.4	0.6	0.8	0.4	0.8
Esophagus.....	0.9	(³)	(³)	0.3	0.6	1.4	2.8	3.8	5.1	6.4	7.6	8.1	8.8	8.4
Stomach.....	19.3	0.1	2.0	7.2	13.6	25.8	47.7	77.9	110.4	147.8	192.4	214.0	228.1	151.9
Liver and gall bladder.....	9.8	0.2	1.1	3.4	7.0	13.6	24.1	40.2	55.3	75.8	95.4	106.5	107.3	78.1
Cancer of the peritoneum, intestines, rectum (total).....	10.3	0.4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96.8	108.1	104.4	90.7
Cancer of the—														
Mesentery and peritoneum.....	0.7	0.1	0.3	0.4	0.7	0.8	1.8	3.3	3.4	3.5	5.2	8.5	5.0	4.2
Intestines (except rectum).....	6.2	0.2	1.3	3.0	5.3	9.4	13.3	23.2	33.5	43.6	57.2	67.8	68.3	53.7
Rectum and anus.....	3.3	0.1	0.8	1.4	2.8	4.7	7.7	12.6	17.0	22.6	34.2	31.5	31.0	32.7
Others of this class.....	(³)	(³)	(³)	0.1	(³)	0.1	0.1	0.1	0.3	0.4	0.2	0.4	(³)	(³)
Cancer of the female genital organs (total).....	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the—														
Ovary and fallopian tube.....	0.7	0.1	0.3	0.8	1.5	1.4	2.2	2.5	3.3	2.0	1.7	2.0	1.7	1.7
Uterus.....	10.9	0.1	3.3	11.6	20.7	23.5	36.6	46.7	45.0	46.1	48.6	49.2	49.0	43.7
Vagina and vulva.....	0.3	(³)	0.1	0.1	0.2	0.4	0.5	0.9	1.0	2.0	2.9	3.0	5.4	8.4
Others of this class.....	0.1	(³)	(³)	(³)	0.1	0.2	0.1	0.3	0.4	0.2	0.4	1.0	(³)	0.8
Cancer of the breast.....	8.3	(³)	1.4	6.7	12.2	20.1	24.4	33.2	34.2	43.3	52.7	62.7	86.8	102.4
Cancer of the skin.....	3.0	0.1	0.2	0.3	0.8	2.2	4.5	6.4	11.1	18.2	33.3	55.5	101.9	194.8
Cancer of other organs or of organs not specified (total).....	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	109.7	130.8	127.6
Cancer of the—														
Larynx.....	0.5	(³)	(³)	0.2	0.4	0.7	1.6	2.2	3.4	4.2	3.5	4.2	3.4	5.0
Lung and pleura.....	0.5	0.1	0.2	0.4	0.6	1.0	1.6	2.5	2.9	2.2	2.9	1.8	1.3	1.7
Pancreas.....	1.0	(³)	0.2	0.6	1.1	1.6	2.8	4.7	6.0	6.9	8.2	8.9	3.8	5.0
Kidneys and suprarenals.....	0.8	0.3	0.2	0.5	0.7	1.1	1.6	2.8	2.4	4.0	4.6	5.6	5.0	4.2
Prostate.....	1.2	(³)	(³)	0.1	0.3	0.5	1.0	3.7	6.8	12.9	18.0	20.8	17.6	13.4
Bladder.....	1.5	(³)	0.2	0.5	1.0	1.6	3.8	5.1	8.7	11.3	16.3	19.6	18.4	20.1
Brain.....	0.2	0.1	0.2	0.3	0.3	0.5	0.6	0.7	0.3	0.7	0.4	(³)	(³)	(³)
Bones (except jaw).....	0.7	0.3	0.4	0.3	0.9	0.9	1.7	2.1	2.5	3.8	4.8	3.4	3.4	2.5
Testes.....	0.2	0.1	0.2	0.3	0.3	0.4	0.2	0.3	0.4	0.6	0.8	0.8	1.3	(³)
Others of this class.....	5.3	0.8	1.2	2.4	5.1	7.3	12.0	18.3	22.5	32.0	44.0	44.6	76.7	75.6

¹ Exclusive of North Carolina.

² "Age unknown," distributed.

³ Less than one-tenth of 1 per 100,000 population.

MORTALITY FROM CANCER.

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines,

and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900-1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table.

The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

COUNTRY.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS.														
	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900
United States (registration area).....	79.4	78.9	77.0	74.3	76.2	73.8 ¹	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.0
Australian Commonwealth.....	74.7	75.0	76.1	74.0	73.3	72.3	69.6	71.3	64.2	63.5	60.1	61.5	64.1	63.3	62.6
Austria.....	(1)	(1)	81.4	82.3	77.9	78.7	78.0	77.4	77.9	76.2	74.9	73.7	74.2	72.9	70.9
Belgium.....	(1)	(1)	71.0	68.6	63.3	64.2	63.8	60.1	58.5	58.7	56.1	58.5	(1)	(1)	(1)
Chile.....	36.3	33.1	32.2	29.8	31.8	40.9	43.5	38.5	37.8	30.2	38.4	29.2	(1)	(1)	(1)
France.....	(1)	(1)	(1)	80.2	79.2	77.7	76.5	74.6	69.5	(1)	(1)	(1)	(1)	(1)	(1)
German Empire ²	(1)	(1)	90.1	88.9	87.9	84.5	83.6	83.1	82.0	(1)	(1)	(1)	(1)	(1)	(1)
Prussia.....	(1)	³ 82.7	81.5	80.6	78.5	74.8	73.6	73.4	70.4	69.4	68.6	65.2	61.9	61.7	59.6
Hungary.....	(1)	(1)	47.2	46.4	45.6	44.5	44.1	42.7	40.9	40.8	40.9	39.4	38.2	35.9	36.7
Italy.....	(1)	66.7	64.7	66.8	65.6	64.2	64.5	61.7	62.0	58.3	57.1	54.1	53.9	52.8	52.2
Jamaica.....	18.1	17.7	17.4	17.9	20.8	18.3	16.1	15.1	17.0	18.8	15.9	15.7	14.0	15.5	16.5
Japan.....	(1)	(1)	(1)	65.5	64.2	64.8	61.4	58.3	57.8	55.9	55.0	54.7	53.4	48.7	45.4
Netherlands.....	106.8	109.5	109.4	108.6	106.4	102.6	102.8	101.8	100.7	101.2	97.9	98.9	95.0	93.7	92.1
New Zealand.....	82.9	80.1	78.2	79.7	74.7	73.2	69.5	73.3	69.6	65.1	67.6	71.0	67.2	66.2	56.3
Norway ⁴	(1)	97.3	104.8	96.7	92.9	95.2	97.1	100.3	97.6	98.4	95.9	93.2	87.1	95.1	91.2
Ontario.....	69.6	67.4	68.8	63.5	70.9	71.5	60.5	59.9	63.7	55.4	56.9	52.6	47.5	50.1	45.4
Serbia.....	(1)	(1)	(1)	13.5	12.8	13.1	12.6	13.3	10.6	10.4	10.3	9.1	9.6	9.1	9.4
Spain.....	⁵ 55.7	⁵ 55.0	⁵ 55.7	⁵ 51.4	⁵ 51.7	⁵ 51.0	⁵ 51.4	47.7	47.6	45.8	46.6	44.1	43.3	42.4	39.3
Switzerland ⁶	(1)	126.7	127.2	123.6	123.5	126.7	128.0	122.5	129.0	129.5	128.6	129.7	125.8	127.8	129.9
United Kingdom.....	105.7	105.1	101.6	98.0	96.0	95.1	92.1	90.6	[*] 91.5	87.6	86.0	85.1	82.2	82.0	80.0
England and Wales.....	106.9	106.4	102.6	99.2	96.7	96.1	93.3	91.5	92.2	88.9	88.2	87.4	84.6	84.3	82.9
Scotland.....	113.5	110.2	109.6	104.1	102.6	101.5	98.5	97.9	97.6	90.0	85.9	83.7	82.3	81.8	79.0
Ireland.....	86.9	89.1	85.2	81.7	83.5	79.8	75.6	76.1	79.2	74.8	69.3	69.0	64.5	65.1	60.8

¹ Figures not available.

² The rates for the years shown relate to the deaths for 24 of the 26 states of the Empire, representing 98.9 per cent of the total population in 1912.

³ Figures are provisional.

⁴ The figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 83 per cent in 1910, and 84 per cent in 1913.

⁵ The deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
SUMMARY.				REGISTRATION STATES—Continued.				REGISTRATION CITIES—Continued.			
The registration area (total).....	65,989,295	52,420	79.4	Minnesota (total).....	2,213,919	1,701	76.8	ALABAMA³—continued.			
White.....	62,631,568	50,515	80.7	White.....	2,196,341	1,696	77.2	Montgomery (total).....	41,777	30	71.8
Colored.....	3,357,729	1,905	56.7	Colored.....	17,578	5	28.4	White.....	20,597	18	87.4
Registration states ¹ (total).....	61,114,200	48,259	79.0	Missouri (total).....	3,372,886	2,326	69.0	Colored.....	21,180	12	56.7
White.....	58,408,039	46,739	80.0	White.....	3,210,657	2,233	69.5	CALIFORNIA.			
Colored.....	2,706,161	1,520	56.2	Colored.....	162,229	93	57.3	Registration cities (total).....	1,546,725	1,754	113.4
Cities in registration states ¹ (total).....	30,287,640	26,795	88.5	Montana (total).....	432,614	223	51.5	White.....	1,478,749	1,720	116.3
White.....	29,029,647	25,893	89.2	White.....	414,814	218	52.6	Colored.....	67,977	34	50.0
Colored.....	1,257,993	902	71.7	Colored.....	17,800	5	28.1	Alameda.....	26,330	19	72.2
Rural part of registration states (total).....	30,826,560	21,464	69.6	New Hampshire (total).....	438,662	442	100.8	Bakersfield.....	15,538	20	128.7
White.....	29,378,392	20,846	71.0	White.....	437,983	440	100.5	Berkeley.....	52,105	46	88.3
Colored.....	1,448,168	618	42.7	Colored.....	679	2	294.6	Emery.....	13,768	30	217.9
Registration states, ¹ exclusive of North Carolina (total).....	60,641,905	47,986	79.1	New Jersey (total).....	2,815,663	2,223	79.0	Fresno.....	28,809	28	93.9
White.....	58,998,403	46,549	80.1	White.....	2,714,371	2,163	79.7	Long Beach.....	24,437	39	159.6
Colored.....	2,543,502	1,437	56.5	Colored.....	101,292	60	59.2	Los Angeles (total).....	438,914	443	100.9
Registration cities in other states (total).....	4,875,095	4,161	85.4	New York (total).....	9,899,761	8,907	90.0	White.....	419,813	436	103.9
White.....	4,223,527	3,776	89.4	White.....	9,740,332	8,791	90.3	Colored.....	19,101	7	36.6
Colored.....	651,568	385	59.1	Colored.....	159,429	116	72.8	Oakland.....	183,062	170	92.9
All registration cities ¹ (total).....	35,162,735	30,956	88.0	North Carolina ² (total).....	472,295	273	57.8	Pasadena.....	40,880	53	129.6
White.....	33,253,174	29,669	89.2	White.....	309,636	190	61.4	Pomona.....	12,202	10	82.0
Colored.....	1,909,561	1,287	67.4	Colored.....	162,659	83	51.0	Redlands.....	12,856	8	62.2
REGISTRATION STATES.				Ohio (total).....	5,026,898	4,176	83.1	Riverside (total).....	18,297	15	82.0
California (total).....	2,757,895	2,701	97.9	White.....	4,908,559	4,080	83.1	White.....	16,245	15	92.3
White.....	2,621,151	2,649	101.1	Colored.....	118,339	96	81.1	Colored.....	2,052
Colored.....	136,734	52	38.0	Pennsylvania (total).....	8,245,967	5,997	72.7	Sacramento.....	62,717	65	103.6
Colorado (total).....	909,537	530	58.3	White.....	8,033,610	5,807	72.3	San Bernardino.....	15,603	25	160.2
White.....	891,789	517	58.0	Colored.....	212,357	190	89.5	San Diego.....	48,900	85	173.8
Colored.....	17,768	13	73.2	Rhode Island (total).....	591,215	539	91.2	San Francisco (total).....	448,502	576	128.4
Connecticut (total).....	1,202,688	1,040	86.5	White.....	580,191	530	91.3	White.....	430,324	563	130.8
White.....	1,185,578	1,022	86.2	Colored.....	11,024	9	81.6	Colored.....	18,178	13	71.5
Colored.....	17,110	18	105.2	Utah (total).....	414,518	190	45.8	San Jose.....	37,086	41	110.6
Indiana (total).....	2,779,467	2,199	79.1	White.....	407,004	185	45.5	Santa Barbara.....	13,818	20	144.7
White.....	2,716,779	2,162	79.6	Colored.....	7,514	5	66.5	Santa Cruz.....	13,482	22	163.2
Colored.....	62,688	37	59.0	Vermont (total).....	361,205	397	109.9	Stockton*.....	25,702	28	108.9
Kansas (total).....	1,784,897	1,095	61.3	White.....	359,523	396	110.1	Vallejo.....	12,777	11	86.1
White.....	1,725,156	1,064	61.7	Colored.....	1,682	1	59.5	COLORADO.			
Colored.....	59,741	31	51.9	Virginia (total).....	2,150,009	1,051	48.9	Registration cities (total).....	341,257	293	85.9
Kentucky (total).....	2,350,731	1,081	46.0	White.....	1,449,401	767	52.9	White.....	330,537	281	85.0
White.....	2,081,819	959	46.1	Colored.....	700,608	284	40.5	Colored.....	10,720	12	111.9
Colored.....	268,912	122	45.4	Washington (total).....	1,407,865	871	61.9	Colorado Springs.....	31,717	30	94.6
Maine (total).....	762,787	821	107.6	White.....	1,367,331	865	63.3	Denver.....	245,323	222	90.4
White.....	760,346	819	107.7	Colored.....	40,534	6	14.8	Pueblo.....	51,218	37	72.2
Colored.....	2,441	2	81.9	Wisconsin.....	2,446,716	1,985	81.1	Trinidad.....	12,799	4	31.3
Maryland (total).....	1,341,075	1,092	81.4	White.....	2,432,768	1,976	81.2	CONNECTICUT.			
White.....	1,100,153	947	86.1	Colored.....	13,948	9	64.5	Registration cities (total).....	825,290	717	86.9
Colored.....	240,922	145	60.2	REGISTRATION CITIES.				White.....	812,646	699	86.0
Massachusetts (total).....	3,605,522	3,649	101.2	ALABAMA.³				Colored.....	12,644	18	142.4
White.....	3,561,085	3,613	101.5	Registration cities (total).....	263,504	159	60.3	Ansonia.....	16,204	3	18.5
Colored.....	44,437	36	81.0	White.....	152,236	115	75.5	Bridgeport.....	115,289	97	84.1
Michigan (total).....	2,976,030	2,395	80.5	Colored.....	111,268	44	39.5	Bristol.....	15,145	11	72.6
White.....	2,949,633	2,379	80.7	Birmingham (total).....	166,154	77	46.3	Danbury town.....	25,219	21	83.3
Colored.....	26,397	16	60.6	White.....	100,642	56	55.6	Greenwich town.....	18,290	14	76.5
				Colored.....	65,512	21	32.1	Hartford.....	107,038	132	123.3
				Mobile (total).....	55,573	52	93.6	Manchester town.....	14,935	12	80.3
				White.....	30,997	41	132.3	Meriden town.....	33,501	35	104.5
				Colored.....	24,576	11	44.8	Middletown town.....	22,138	18	81.3
								Naugatuck.....	13,651	3	22.0
								New Britain.....	50,612	26	51.4
								New Haven.....	144,505	164	113.5
								New London.....	20,557	21	102.2

¹ Includes District of Columbia.

² Includes only municipalities having a population of 1,000 or over in 1910.

³ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.			
CONNECTICUT—continued.				INDIANA—continued.				KENTUCKY—continued.			
Norwalk.....	26,033	29	111.4	Fort Wayne.....	72,423	69	95.3	Louisville (total).....	235,114	187	79.5
Norwich town.....	29,032	17	58.6	Gary.....	(²)	8	(²)	White.....	192,551	168	87.2
Orange town.....	13,094	7	53.5	Hammond.....	24,481	12	49.0	Colored.....	42,563	19	44.6
Stamford town.....	33,095	23	69.5	Huntington.....	20,479	13	124.1	Newport (total).....	31,517	17	53.9
Torrington town.....	18,709	8	42.8	Indianapolis (total).....	259,820	265	102.0	White.....	30,925	16	51.7
Wallingford town.....	12,072	9	74.6	White.....	235,500	250	106.2	Colored.....	592	1	188.9
Waterbury.....	82,517	57	69.1	Colored.....	24,320	15	61.7	Owensboro (total).....	17,212	11	63.9
Windham town.....	13,654	10	73.2	Jeffersonville (total).....	10,260	7	68.2	White.....	13,862	9	64.9
DELAWARE. ¹				White.....	8,744	4	45.7	Colored.....	3,350	2	59.7
Wilmington (total).....	92,057	81	88.0	Colored.....	1,516	3	197.9	Paducah (total).....	24,170	10	41.4
White.....	82,471	75	90.9	Kokomo.....	19,694	20	101.6	White.....	17,745	9	50.7
Colored.....	9,586	6	62.6	Lafayette.....	20,896	29	138.8	Colored.....	6,425	1	15.6
DISTRICT OF COLUMBIA.				Laporte.....	12,533	9	71.8	LOUISIANA. ¹			
Washington (total).....	353,378	355	100.5	Logansport.....	20,262	22	108.6	New Orleans (total).....	361,221	358	99.1
White.....	252,039	271	107.5	Marion.....	19,656	18	91.6	White.....	265,692	257	96.7
Colored.....	101,339	84	82.9	Michigan City.....	20,710	18	86.9	Colored.....	95,529	101	105.7
FLORIDA. ¹				Mishawaka.....	14,579	9	61.7	MAINE.			
Registration cities (total).....	116,535	72	61.8	Muncie.....	24,969	19	76.1	Registration cities (total).....	175,127	212	121.0
White.....	63,729	58	91.0	New Albany.....	20,629	20	97.0	White.....	174,404	212	121.6
Colored.....	52,806	14	26.5	Peru.....	12,201	9	73.8	Colored.....	723
Jacksonville (total).....	70,173	47	67.0	Richmond.....	23,932	12	50.1	Auburn.....	15,965	23	144.1
White.....	34,453	38	110.3	South Bend.....	65,114	34	52.2	Augusta *.....	13,560	16	115.4
Colored.....	35,720	9	25.2	Terre Haute.....	63,529	52	81.9	Bangor *.....	26,061	42	161.2
Key West (total).....	21,150	18	85.1	Vincennes.....	16,759	16	95.5	Biddeford.....	17,475	12	68.7
White.....	15,280	16	104.7	KANSAS.				Lewiston.....	27,305	42	153.8
Colored.....	5,870	2	34.1	Registration cities (total).....	345,260	282	81.7	Portland.....	62,161	65	104.6
Pensacola (total).....	25,212	7	27.8	White.....	312,516	263	84.2	Waterville.....	12,300	12	97.6
White.....	13,996	4	28.6	Colored.....	32,744	19	58.0	MARYLAND.			
Colored.....	11,216	3	26.7	Atchison (total).....	16,635	18	108.2	Registration cities (total).....	640,317	653	102.0
GEORGIA. ¹				White.....	13,984	15	107.3	White.....	547,542	567	103.6
Registration cities (total).....	296,660	186	62.7	Colored.....	2,651	3	113.2	Colored.....	92,775	86	92.7
White.....	179,573	139	77.4	Coffeyville (total).....	15,982	8	50.1	Baltimore (total).....	579,590	589	101.6
Colored.....	117,087	47	40.1	White.....	14,181	8	56.4	White.....	491,276	510	103.8
Atlanta (total).....	179,292	106	59.1	Colored.....	1,801	Colored.....	88,314	79	89.5
White.....	119,105	82	68.8	Fort Scott (total).....	10,522	14	133.1	Cumberland (total).....	25,054	25	99.8
Colored.....	60,187	24	39.9	White.....	9,469	13	137.3	White.....	23,930	24	100.7
Augusta (total).....	49,451	37	74.8	Colored.....	1,053	1	95.0	Colored.....	1,224	1	81.7
White.....	27,290	24	87.9	Hutchinson.....	19,339	15	77.6	Frederick (total).....	10,886	16	147.0
Colored.....	22,161	13	58.7	Independence.....	13,296	6	45.1	White.....	9,349	14	149.7
Savannah (total).....	67,917	43	63.3	Kansas City (total).....	94,271	61	64.7	Colored.....	1,537	2	130.1
White.....	33,178	33	99.5	White.....	83,582	55	65.8	Hagerstown (total).....	24,787	4	42.8
Colored.....	34,739	10	28.8	Colored.....	10,689	6	56.1	White.....	23,087	4	42.3
ILLINOIS. ¹				Lawrence (total).....	13,018	18	138.3	Colored.....	1,700	4	235.3
Registration cities (total).....	2,627,143	2,338	89.0	White.....	10,457	16	153.0	MASSACHUSETTS.			
White.....	2,567,385	2,278	88.7	Colored.....	2,561	2	78.1	Registration cities (total).....	2,314,238	2,781	98.8
Colored.....	59,758	60	100.4	Leavenworth (total).....	18,778	19	101.2	White.....	2,776,966	2,749	99.0
Aurora.....	33,022	33	99.9	White.....	16,371	17	103.8	Colored.....	37,272	32	85.9
Belleville.....	21,129	16	75.7	Colored.....	2,407	2	83.1	Adams town.....	13,830	7	50.6
Chicago (total).....	2,397,600	2,107	87.9	Parsons.....	14,500	10	69.0	Arlington town.....	12,287	9	73.2
White.....	2,346,883	2,059	87.7	Pittsburg.....	16,845	11	65.3	Attleborough town.....	18,294	23	125.7
Colored.....	50,717	48	94.6	Topeka (total) *.....	47,102	52	110.4	Beverly.....	20,679	31	149.9
Decatur.....	37,525	38	101.3	White.....	42,198	49	116.1	Boston (total).....	733,802	871	118.7
Evanston.....	27,724	25	90.2	Colored.....	4,904	3	61.2	White.....	717,767	854	119.0
Jacksonville *.....	15,431	20	129.6	Wichita.....	64,972	50	77.0	Colored.....	16,035	17	106.0
Quincy.....	36,730	37	100.7	KENTUCKY.				Brocton.....	64,043	55	85.9
Springfield.....	57,972	62	106.9	Registration cities (total).....	425,563	328	77.1	Brookline town.....	31,138	45	144.5
INDIANA.				White.....	351,273	291	82.8	Cambridge.....	110,357	111	100.6
Registration cities (total).....	901,437	765	84.9	Colored.....	74,290	37	49.8	Chelsea.....	31,765	45	141.7
White.....	856,953	739	86.2	Covington (total).....	55,896	38	68.0	Chicopee.....	28,057	15	53.5
Colored.....	44,484	26	58.4	White.....	52,840	35	66.2	Clinton town.....	12,762	11	86.2
Anderson.....	23,528	13	55.3	Colored.....	3,056	3	98.2	Everett.....	37,381	28	74.9
East Chicago.....	25,658	10	39.0	Frankfort (total).....	10,882	6	55.1	Fall River.....	125,443	70	55.8
Elkhart.....	21,028	32	152.2	White.....	7,917	4	50.5	Fitchburg.....	40,507	38	93.8
Elwood.....	10,211	3	29.4	Colored.....	2,965	2	67.5	Framingham town.....	13,648	17	124.6
Evansville.....	71,284	46	64.5	Henderson (total).....	11,953	18	150.6	Gardner town.....	16,353	11	67.3
				White.....	8,805	17	193.1	Gloucester.....	23,666	32	135.2
				Colored.....	3,148	1	31.8	Greenfield town.....	11,492	13	113.1
				Lexington (total) *.....	38,819	41	105.6	Haverhill.....	47,071	42	89.2
				White.....	26,628	33	123.9	Holyoke.....	62,852	42	66.8
				Colored.....	12,191	8	65.6	Lawrence.....	95,834	60	62.6
								Leominster town.....	19,789	19	96.0

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Incorporated in 1906; population not estimated.³ Colored population less than 10 per cent of the total in 1910.⁴ Probably does not include deaths in territory annexed in April, 1914.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.	
REGISTRATION CITIES—Continued.			REGISTRATION CITIES—Continued.			REGISTRATION CITIES—Continued.			REGISTRATION CITIES—Continued.			
MASSACHUSETTS—contd.			MISSOURI.			NEW JERSEY—continued.			NEW JERSEY—continued.			
Lowell.....	111,004	98	88.3	Registration cities (total)	1,232,741	1,171	95.0	Irvington.....	14,697	15	102.1	
Lynn.....	98,207	91	92.7	White.....	1,144,160	1,121	98.0	Jersey City.....	293,921	217	73.8	
Malden.....	48,979	44	89.8	Colored.....	88,581	50	56.4	Kearny.....	21,967	10	45.5	
Marlborough.....	14,991	18	120.1	Hannibal (total).....	20,710	15	72.4	Long Branch.....	14,719	15	101.9	
Medford.....	25,240	23	91.1	White.....	18,622	14	75.2	Millville.....	13,246	13	98.1	
Melrose.....	16,887	20	118.4	Colored.....	2,088	1	47.9	Montclair (total).....	24,782	21	84.7	
Methuen town.....	13,123	12	91.4	Jefferson City (total).....	13,031	9	69.1	White.....	21,902	19	86.8	
Millford town.....	13,770	12	87.1	White.....	10,915	9	82.5	Colored.....	2,880	2	69.4	
New Bedford.....	111,230	93	83.6	Colored.....	2,116	Morristown.....	13,033	23	176.5	
Newburyport.....	15,147	29	191.5	Joplin.....	32,848	33	100.5	New Brunswick.....	24,827	22	88.6	
Newton.....	42,455	41	96.6	Kansas City (total).....	281,911	254	90.1	Newark.....	389,106	340	87.4	
North Adams.....	21,090	26	123.3	White.....	255,007	240	94.1	Orange.....	31,968	40	125.1	
Northampton*.....	19,766	26	131.5	Colored.....	26,904	14	52.0	Passaic.....	66,276	29	43.8	
Peabody town.....	17,510	7	40.0	Moberly.....	12,162	10	82.2	Paterson.....	134,305	124	92.3	
Pittsfield.....	36,531	41	112.2	St. Joseph*.....	182,712	97	117.3	Perth Amboy.....	38,265	19	49.7	
Plymouth town.....	13,227	13	98.3	St. Louis (total).....	734,687	701	95.4	Phillipsburg.....	15,057	6	39.8	
Quincy.....	36,366	36	99.0	White.....	637,023	671	97.7	Plainfield.....	22,755	27	118.7	
Revere town.....	21,552	6	27.8	Colored.....	47,664	30	63.0	Trenton*.....	106,831	98	91.7	
Salem.....	46,994	44	93.6	Sedalia (total).....	13,925	17	89.3	Union.....	23,588	10	42.4	
Somerville.....	83,881	71	84.6	White.....	16,938	15	88.6	West Hoboken.....	40,647	19	46.7	
Southbridge town.....	13,685	6	43.8	Colored.....	1,987	2	100.7	West New York.....	17,093	10	58.5	
Springfield.....	100,490	92	91.6	Springfield.....	38,685	29	75.0	West Orange.....	12,722	6	47.2	
Taunton*.....	35,631	46	129.1	Webb City.....	13,299	6	45.1					
Wakefield town.....	12,305	8	65.0									
Waltham.....	29,688	35	117.9	MONTANA.			NEW YORK.			NEW YORK.		
Watertown town.....	14,225	12	84.4	Registration cities (total)	109,011	82	75.2	Registration cities (total)	7,520,670	6,621	88.0	
Webster town.....	12,662	5	39.5	White.....	106,608	81	76.0	White.....	7,388,358	6,528	88.4	
Westfield town.....	17,635	22	124.8	Colored.....	2,403	1	41.6	Colored.....	132,312	93	70.3	
Weymouth town.....	13,564	13	95.8	Anaconda.....	10,424	6	57.6	Albany.....	102,961	151	146.7	
Winthrop town.....	11,866	9	75.8	Billings.....	13,020	8	61.4	Amsterdam.....	35,223	20	56.8	
Woburn.....	15,755	11	69.8	Butte.....	42,286	28	66.2	Auburn.....	36,509	36	98.6	
Worcester.....	157,732	176	111.6	Great Falls.....	13,531	19	140.4	Batavia.....	12,614	12	95.1	
				Helena.....	13,253	6	45.3	Binghamton*.....	52,191	46	88.1	
				Missoula.....	16,492	15	91.0	Buffalo.....	454,112	435	95.8	
MICHIGAN.			NEBRASKA.²			NEBRASKA.²			NEBRASKA.²			
Registration cities (total)	1,169,668	997	85.2	Registration cities (total)	178,917	187	104.5	Cohoes.....	25,049	24	95.8	
White.....	1,157,410	988	85.4	White.....	173,287	185	106.8	Corning.....	14,866	7	47.1	
Colored.....	12,258	9	73.4	Colored.....	5,630	2	35.5	Cortland.....	12,565	11	87.5	
Adrian.....	11,234	11	97.9	Lincoln.....	45,643	47	103.0	Dunkirk.....	19,607	7	35.7	
Alpena.....	13,089	4	30.6	Omaha.....	133,274	140	105.0	Elmira.....	37,816	42	111.1	
Ann Arbor.....	14,948	38	254.2					Fulton.....	11,448	6	52.4	
Battle Creek.....	28,122	38	135.1	NEW HAMPSHIRE.			NEW HAMPSHIRE.			NEW HAMPSHIRE.		
Bay City.....	47,047	29	61.6	Registration cities (total)	184,187	173	93.9	Geneva.....	13,303	11	82.7	
Detroit.....	537,650	424	78.9	White.....	183,849	172	93.6	Glens Falls.....	16,362	21	128.3	
Escanaba.....	14,747	9	61.0	Colored.....	338	1	295.9	Gloversville.....	21,618	19	87.9	
Flint.....	49,546	25	50.5	Berlin.....	13,013	9	69.2	Hornell.....	14,341	18	125.5	
Grand Rapids.....	123,227	120	97.4	Concord*.....	22,291	29	130.1	Hudson.....	12,221	16	130.9	
Holland.....	11,639	11	94.5	Dover.....	13,294	21	158.3	Ithaca.....	15,310	19	122.5	
Ironwood.....	14,147	6	42.4	Keene.....	10,451	6	57.4	Jamestown.....	34,878	48	137.6	
Ishpeming.....	12,106	7	57.8	Laconia.....	11,094	7	63.1	Johnstown.....	10,582	12	113.4	
Jackson.....	34,097	35	102.6	Manchester.....	75,635	56	74.0	Kingston.....	26,493	45	169.9	
Kalamazoo*.....	45,842	49	106.9	Nashua.....	26,901	21	78.1	Lackawanna.....	19,012	4	21.0	
Lansing.....	37,512	20	53.3	Portsmouth.....	11,538	24	208.0	Little Falls.....	13,077	11	84.1	
Manistee.....	11,581	9	77.7	NEW JERSEY.			NEW JERSEY.			NEW JERSEY.		
Marquette.....	12,117	17	140.3	Registration cities (total)	1,828,462	1,426	78.0	Lockport.....	19,581	20	102.1	
Menominee.....	9,522	4	42.0	White.....	1,765,930	1,384	78.4	Middletown*.....	15,650	27	172.5	
Muskegon.....	25,442	33	129.7	Colored.....	62,532	42	67.2	Mount Vernon.....	35,047	31	88.5	
Pontiac*.....	16,560	23	138.9	Asbury Park (total)	12,763	12	94.0	New Rochelle.....	34,893	28	80.2	
Port Huron.....	18,738	15	80.1	White.....	10,322	11	106.6	New York (total).....	5,333,539	4,552	83.5	
Saginaw.....	53,938	50	92.6	Colored.....	2,441	1	41.0	Bronx Borough.....	529,198	516	97.5	
Sault Ste. Marie.....	13,499	6	44.4	Atlantic City (total)	53,952	39	72.3	Brooklyn Borough.....	1,833,696	1,439	78.5	
Traverse City*.....	13,268	14	105.5	White.....	42,356	36	85.0	Manhattan Borough.....	2,536,718	2,124	83.7	
				Colored.....	11,596	3	25.9	Queens Borough.....	339,386	277	81.5	
MINNESOTA.			MINNESOTA.			MINNESOTA.			MINNESOTA.			
Registration cities (total)	732,326	605	82.6	Bayonne.....	65,271	28	42.9	Richmond Borough.....	94,043	96	102.1	
White.....	724,979	604	83.3	Bloomfield.....	17,372	13	74.8	White.....	5,224,202	4,369	83.6	
Colored.....	7,347	1	13.6	Bridgeton.....	14,335	20	139.5	Bronx Borough.....	523,788	511	97.6	
Duluth.....	89,331	68	76.1	Camden.....	102,465	74	72.2	Brooklyn Borough.....	1,806,496	1,410	78.1	
Mankato.....	10,268	11	107.1	East Orange.....	39,852	17	42.7	Manhattan Borough.....	2,465,456	2,079	84.3	
Minneapolis.....	343,466	313	91.1	Elizabeth.....	82,411	76	92.2	Queens Borough.....	335,798	276	82.2	
St. Cloud.....	11,425	13	113.8	Garfield.....	13,071	6	45.9	Richmond Borough.....	92,694	93	100.3	
St. Paul.....	236,766	166	70.1	Hackensack.....	16,011	16	99.9	Colored.....	109,337	83	75.9	
Stillwater.....	9,296	7	75.3	Harrison.....	16,160	12	74.3	Bronx Borough.....	5,440	5	91.9	
Virginia.....	13,671	4	29.3	Hoboken.....	74,994	49	65.3	Brooklyn Borough.....	27,200	29	106.6	
Winona.....	18,103	23	127.1					Manhattan Borough.....	71,260	45	63.1	
								Queens Borough.....	4,088	1	24.5	
								Richmond Borough.....	1,349	3	222.4	

¹ Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

² Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.			
NEW YORK—continued.				OHIO—continued.				PENNSYLVANIA—contd.			
Newburgh.....	29,023	37	127.5	East Liverpool.....	21,877	13	59.4	Johnstown.....	64,642	36	55.7
Niagara Falls.....	35,127	26	74.0	Ellyria.....	17,396	19	109.2	Lancaster.....	49,685	55	110.7
North Tonawanda.....	13,184	9	68.3	Findlay.....	13,684	19	138.8	Lebanon.....	19,926	20	100.4
Ogdensburg*.....	16,464	17	103.3	Hamilton.....	38,814	31	79.9	McKees Rocks.....	18,258	3	16.4
Olean.....	16,018	14	87.4	Ironton.....	13,690	14	102.3	McKeesport.....	45,965	26	56.6
Ossining.....	12,987	15	115.5	Lakewood.....	20,219	11	54.4	Mahanoy City.....	16,971	5	29.5
Oswego.....	23,865	30	125.7	Lancaster.....	14,840	11	74.1	Meadville.....	13,472	19	141.0
Peekskill.....	17,327	13	75.0	Lima.....	33,904	40	118.0	Monessen.....	18,752	1	5.3
Plattsburg.....	12,289	8	65.1	Lorain.....	34,360	20	58.2	Mount Carmel.....	19,386	4	20.6
Port Chester.....	15,095	11	72.9	Mansfield.....	22,100	15	67.9	Nanticoke.....	21,756	6	27.8
Poughkeepsie.....	29,598	31	104.7	Marietta.....	14,742	15	101.8	New Castle.....	39,569	25	63.2
Rensselaer.....	11,027	13	117.9	Marion.....	22,032	22	99.9	Norristown*.....	30,265	26	85.9
Rochester.....	245,077	261	106.5	Massillon.....	14,912	7	46.9	North Braddock.....	14,076	2	14.2
Rome.....	22,693	25	110.2	Middletown.....	14,827	5	33.7	Oil City.....	18,645	11	59.0
Saratoga Springs.....	12,813	18	140.5	Newark.....	28,271	17	60.1	Old Forge.....	13,748	4	29.1
Schenectady.....	91,012	36	39.6	Norwood.....	20,320	16	78.7	Philadelphia (total).....	1,657,810	1,541	93.0
Syracuse.....	149,353	126	84.4	Piqua.....	13,906	16	115.1	White.....	1,566,158	1,455	92.9
Troy.....	77,560	136	175.3	Portsmouth.....	27,511	17	61.8	Colored.....	91,652	86	93.8
Utica*.....	82,060	82	99.9	Sandusky.....	20,127	23	114.3	Phoenixville.....	11,400	8	70.2
Watertown.....	28,874	33	114.3	Springfield (total).....	50,055	37	73.9	Pittsburgh (total).....	564,878	481	85.2
Watervliet.....	15,394	17	110.4	White.....	44,782	33	73.7	White.....	537,479	460	85.6
White Plains.....	19,379	19	98.0	Colored.....	5,278	4	75.8	Colored.....	27,399	21	76.6
Yonkers.....	93,383	65	69.6	Stuebenville.....	25,817	19	73.6	Pittston.....	17,847	11	61.6
NORTH CAROLINA.				Tiffin.....				Plymouth.....			
Registration cities (total).....				Toledo.....				Pottstown.....			
White.....				Warren.....				Pottsville.....			
Colored.....				Youngstown.....				Reading.....			
Asheville (total).....				Zanesville.....				Scranton.....			
White.....				OREGON. ¹				Shamokin.....			
Colored.....				Portland (total).....				Sharon.....			
Charlotte (total).....				White.....				Shenandoah.....			
White.....				Colored. ²				South Bethlehem.....			
Colored.....				PENNSYLVANIA.				Steelton.....			
Durham (total).....				Registration cities (total).....				Sunbury.....			
White.....				White.....				Uniontown.....			
Colored.....				Colored.....				Warren.....			
Greensboro (total).....				Allentown.....				Washington.....			
White.....				Altoona.....				West Chester (total).....			
Colored.....				Beaver Falls.....				White.....			
Raleigh (total)*.....				Bethlehem.....				Colored.....			
White.....				Bradnock.....				Wilkes-Barre.....			
Colored.....				Bradford.....				Wilkinsburg.....			
Wilmington (total).....				Butler.....				Williamsport.....			
White.....				Carbondale.....				York.....			
Colored.....				Carlisle (total).....				RHODE ISLAND.			
Winston-Salem (total).....				White.....				Registration cities (total).....			
White.....				Colored.....				White.....			
Colored.....				Carnegie.....				Colored.....			
OHIO.				Chambersburg.....				Central Falls.....			
Registration cities (total).....				Cheston (total).....				Cranston ⁴			
White.....				White.....				Cumberland town.....			
Colored.....				Colored.....				East Providence town.....			
Akron.....				Coatesville (total).....				Newport.....			
Alliance.....				White.....				Pawtucket.....			
Ashtabula.....				Colored.....				Providence.....			
Bellaire.....				Columbia.....				Warwick town ⁵			
Cambridge.....				Connellsville.....				Woonsocket.....			
Canton.....				Dubois.....				SOUTH CAROLINA. ¹			
Chillicothe.....				Dunmore.....				Charleston (total).....			
Cincinnati (total).....				Duquesne.....				White.....			
White.....				Easton.....				Colored.....			
Colored.....				Erie.....							
Cleveland.....				Farrell.....							
Columbus (total).....				Greensburg.....							
White.....				Harrisburg.....							
Colored.....				Hazleton.....							
Dayton.....				Homestead.....							

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

³ Population not estimated, name changed from South Sharon (incorporated in 1901) in 1912.

⁴ Includes state institutions.

⁵ Includes West Warwick town, organized Nov. 1, 1913.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				RURAL PART OF REGISTRATION STATES ² —Con.			
TENNESSEE. ¹				VIRGINIA—continued.				CALIFORNIA—continued.			
Registration cities (total)	370,662	289	78.0	Portsmouth (total)	37,569	18	47.9	Glenn County	8,033	4	49.8
White	237,961	209	87.8	White	24,405	11	45.1	Humboldt County	22,967	13	56.6
Colored	132,701	80	60.3	Colored	13,164	7	53.2	Imperial County	16,633	5	30.0
Chattanooga (total)	57,077	40	70.1	Richmond (total)	134,917	127	94.1	Inyo County	8,032	2	24.7
White	34,115	32	93.8	White	85,498	89	104.1	Kern County	31,226	4	12.8
Colored	22,962	8	34.8	Colored	49,419	38	76.9	Kings County	18,940	12	63.4
Jackson (total)	17,531	8	45.6	Roanoke (total)	40,574	20	49.3	Lake County	5,320	5	94.0
White	11,170	4	35.8	White	31,949	15	47.8	Lassen County	4,925	4	81.2
Colored	6,361	4	62.9	Colored	9,225	5	54.2	Los Angeles County	129,965	161	123.9
Knoxville (total)	37,924	29	76.5	Stamton (total)*	11,616	6	53.0	Madera County	9,222	5	54.2
White	29,952	19	63.4	White	8,667	5	57.7	Marin County	29,126	14	48.1
Colored	7,972	10	125.4	Colored	2,649	1	37.8	Mariposa County	3,633	1	27.5
Memphis (total)	143,231	114	79.6	WASHINGTON.				Mendocino County*	25,405	10	39.4
White	85,859	86	100.2	Registration cities (total)	674,321	499	74.0	Merced County	17,676	11	62.2
Colored	57,372	28	48.8	White	655,896	497	75.8	Modoc County	6,667	2	30.0
Nashville (total)	114,899	98	85.3	Colored	18,425	2	10.9	Mono County	1,992	1	61.1
White	76,865	68	88.5	WEST VIRGINIA. ¹				Monterey County	26,176	16	150.7
Colored	38,034	30	78.9	Aberdeen	18,220	10	54.9	Napa County*	21,228	32	101.8
TEXAS. ¹				Bellingham	29,937	21	70.1	Nevada County	13,748	14	95.8
Registration cities (total)	204,857	181	88.4	Everett	32,948	19	59.3	Orange County	40,716	39	67.4
White	181,036	170	93.9	North Yakima	18,737	20	106.7	Placer County	19,281	13	18.1
Colored	23,821	11	46.2	Seattle	313,029	221	70.6	Plumas County	5,516	1	29.7
El Paso (total)	49,505	48	97.0	Spokane	135,657	102	75.2	Riverside County	23,557	7	34.7
White	47,371	48	101.3	Tacoma	103,418	84	81.2	Sacramento County	14,416	5	104.2
Colored ²	2,134	—	—	Walla Walla	23,275	22	94.5	San Benito County	8,639	9	33.9
Galveston (total)	40,289	52	129.1	WISCONSIN.				San Bernardino County*	40,510	34	89.6
White	31,480	45	142.9	Wheeling (total)	42,817	46	107.4	San Diego County	26,789	24	59.6
Colored	8,809	7	79.5	White	41,575	45	108.2	San Joaquin County	31,639	32	101.5
San Antonio (total)	115,063	81	70.4	Colored ²	1,242	1	80.5	San Luis Obispo County	20,553	14	68.1
White	102,185	77	75.4	REGISTRATION CITIES (TOTAL)				San Mateo County	32,759	23	70.2
Colored	12,878	4	31.1	White	833,974	712	85.4	Santa Barbara County	17,670	5	28.3
UTAH.				Colored	831,317	710	85.4	Santa Clara County*	56,391	78	138.3
Registration cities (total)	139,264	93	66.8	Appleton	17,492	21	120.1	Santa Cruz County	14,628	9	61.5
White	136,968	88	64.2	Ashland	10,964	10	91.2	Shasta County	19,602	13	66.3
Colored	2,296	5	217.8	Beloit	17,122	15	87.6	Sierra County	4,132	2	48.4
Ogden	29,528	22	74.5	Eau Claire	18,647	25	134.1	Siskiyou County	19,584	8	40.8
Salt Lake City	109,736	71	64.7	Fond du Lac	20,367	26	127.7	Solano County	16,233	9	55.4
VERMONT.				Green Bay	28,026	36	128.5	Sonoma County	52,618	63	119.7
Registration cities (total)	47,370	73	154.1	Janesville	14,195	20	140.9	Stanislaus County	28,048	19	67.7
White	47,221	72	152.5	Kenosha	29,062	16	55.1	Sutter County	6,515	5	76.7
Colored	149	1	671.1	La Crosse	31,367	36	114.8	Tehama County	11,574	10	86.4
Barre	11,706	5	42.7	Madison	29,469	29	98.4	Trinity County	2,842	2	70.4
Burlington	21,247	35	164.7	Manitowoc	13,553	17	125.4	Tulare County	42,712	23	53.8
Rutland	14,417	33	228.9	Marinette	18,937	11	78.9	Tuolumne County	9,474	5	52.8
VIRGINIA.				Milwaukee	419,589	291	69.4	Ventura County	20,043	14	69.8
Registration cities (total)	423,671	304	71.8	Oshkosh	35,097	38	108.3	Yolo County	14,057	12	85.4
White	277,249	216	77.9	Racine	44,528	44	98.8	Yuba County	10,648	10	93.9
Colored	146,422	88	60.1	Sheboygan	27,883	35	125.6	COLORADO.			
Alexandria (total)	15,670	16	102.1	Superior	44,344	26	58.6	Total	568,280	237	41.7
White	11,380	14	123.0	Wausau	18,352	16	87.2	White	561,232	236	42.1
Colored	4,290	2	46.6	RURAL PART OF REGISTRATION STATES. ³				Colored	7,048	1	14.2
Danville (total)	19,697	19	96.5	CALIFORNIA.				Adams County	10,652	3	28.2
White	13,267	14	105.5	Total	1,211,170	947	78.2	Arapahoe County	12,295	4	32.5
Colored	6,430	5	77.8	White	1,142,413	929	81.3	Archuleta County	3,808	—	—
Lynchburg (total)	31,630	27	84.8	Colored	68,757	18	26.2	Baca County	3,266	—	—
White	21,609	20	92.6	Alameda County	34,101	39	114.4	Bent County	5,894	2	33.9
Colored	10,221	7	68.5	Alpine County	226	—	—	Boulder County	34,073	25	73.4
Newport News (total)	20,446	5	24.5	Amador County	8,224	7	85.1	Chaffee County	7,850	6	76.4
White	13,039	4	30.6	Butte County	31,641	23	72.7	Cheyenne County	5,044	1	19.8
Colored	7,357	1	13.6	Calaveras County	8,309	2	24.1	Clear Creek County	4,117	1	24.3
Norfolk (total)	86,540	46	53.2	Colusa County	7,889	3	38.0	Conejos County ⁴	18,213	3	16.5
White	54,338	33	60.7	Contra Costa County	37,483	18	48.0	Custer County	1,527	1	65.5
Colored	32,202	13	40.4	Del Norte County	2,421	2	82.6	Delta County	17,182	4	23.3
Petersburg (total)	25,112	20	79.6	Eldorado County	6,857	10	145.3	Dolores County	435	—	—
White	13,647	11	80.6	Fresno County	61,954	40	64.6	Douglas County	3,223	3	93.1
Colored	11,465	9	78.5	REGISTRATION CITIES (TOTAL)				Eagle County	2,978	1	33.6

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

³ Exclusive of municipalities having a population of 10,000 or over in 1910.

⁴ Includes Alamosa and Costilla Counties; separate estimated populations not available.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES ¹ —Con. COLOREADO—continued.				RURAL PART OF REGISTRATION STATES ¹ —Con. INDIANA—continued.				RURAL PART OF REGISTRATION STATES ¹ —Con. INDIANA—continued.			
El Paso County.....	16,597	5	30.1	Clay County.....	31,790	24	75.5	Union County.....	6,054	8	132.1
Elbert County.....	6,281	1	15.9	Clinton County.....	26,026	32	123.0	Vanderburg County*.....	8,570	10	116.7
Fremont County.....	19,266	7	36.3	Crawford County.....	11,455	3	26.2	Vermilion County.....	20,404	15	73.5
Garfield County.....	11,980	4	33.4	Daviess County.....	26,825	17	63.4	Vigo County.....	35,435	19	53.6
Gilpin County.....	3,042	1	32.9	Dearborn County.....	21,057	18	85.5	Wabash County.....	26,370	20	75.8
Grand County.....	2,339	Decatur County.....	18,486	18	97.4	Warren County.....	10,699	4	37.4
Gunnison County.....	6,138	Dekalb County.....	24,776	23	92.8	Warrick County.....	21,734	11	50.6
Hinsdale County.....	(2)	2	(2)	Delaware County.....	27,206	19	69.8	Washington County.....	16,610	8	48.2
Huerfano County.....	15,418	5	32.4	Dubuois County.....	19,624	6	22.1	Wayne County*.....	21,864	29	132.6
Jackson County.....	1,246	Elkhart County.....	29,662	42	141.6	Wells County.....	21,980	9	40.9
Jefferson County.....	16,329	7	42.9	Fayette County.....	14,805	19	128.3	White County.....	16,950	16	94.4
Kiowa County.....	3,834	Floyd County.....	9,738	9	92.4	Whitley County.....	16,707	11	65.8
Kit Carson County.....	9,993	2	20.0	Fountain County.....	20,010	16	80.0	KANSAS. Total..... 1,439,637 813 56.5 White..... 1,412,640 801 56.7 Colored..... 26,997 12 44.4			
La Plata County.....	12,429	6	48.3	Franklin County.....	14,888	10	67.2				
Lake County.....	(3)	4	(3)	Fulton County.....	16,635	13	87.3	Allen County.....	31,105	19	61.1
Larimer County.....	31,053	18	58.0	Gibson County.....	30,151	16	53.1	Anderson County.....	13,784	9	65.3
Las Animas County.....	25,874	10	38.6	Grant County.....	30,379	35	115.2	Atchison County.....	11,262	2	17.8
Lincoln County.....	8,043	Greene County.....	40,427	16	39.6	Barber County.....	11,831	5	44.1
Logan County.....	12,213	1	8.2	Hamilton County.....	25,797	19	73.7	Barton County.....	19,619	11	56.0
Mesa County.....	27,706	14	50.5	Hancock County.....	18,968	18	94.9	Bourbon County.....	13,187	10	75.8
Mineral County.....	953	2	209.9	Harrison County.....	19,606	15	76.5	Brown County.....	20,867	10	47.9
Montezuma County.....	5,867	3	52.8	Hendricks County.....	20,649	10	48.4	Butler County.....	22,932	18	78.5
Montrose County.....	12,742	5	39.2	Henry County.....	31,747	14	44.1	Chase County.....	7,223	3	41.5
Morgan County.....	12,265	6	48.9	Howard County.....	15,443	10	64.8	Chautauqua County.....	11,271	6	53.2
Otero County.....	23,899	11	46.0	Huntington County.....	18,537	11	59.3	Cherokee County.....	36,232	18	49.7
Ouray County.....	2,996	1	33.4	Jackson County.....	23,915	13	54.4	Cheyenne County.....	4,933	2	40.5
Park County.....	2,277	1	43.9	Jasper County.....	12,514	15	119.9	Clark County.....	5,112	2	39.1
Phillips County.....	3,857	2	51.9	Jay County.....	24,170	13	74.5	Clay County.....	15,005	9	60.0
Pitkin County.....	3,522	3	85.2	Jefferson County*.....	19,448	31	159.4	Cloud County.....	18,524	13	70.2
Prowers County.....	11,970	7	58.5	Jennings County.....	13,542	12	88.6	Coffey County.....	14,595	5	34.3
Pueblo County*.....	8,580	13	151.5	Johnson County.....	20,465	14	68.4	Comanche County.....	3,989	1	25.1
Rio Blanco County.....	2,606	Knox County.....	25,165	9	35.8	Cowley County.....	32,485	25	77.0
Rio Grande County.....	7,619	Kosciusko County.....	27,437	25	91.1	Crawford County.....	39,603	20	50.5
Routt County ⁴	9,222	2	21.7	Lagrange County.....	15,092	11	72.9	Decatur County.....	8,868	3	33.8
Saguache County.....	4,290	1	23.3	Lake County.....	35,087	25	71.3	Dickinson County.....	25,446	12	47.2
San Juan County.....	3,370	Laporte County.....	15,709	13	82.8	Doniphan County.....	14,145	9	63.6
San Miguel County.....	4,412	3	68.0	Lawrence County.....	32,709	15	45.9	Douglas County.....	11,550	7	60.6
Sedgewick County.....	3,950	2	50.6	Madison County.....	29,250	20	68.4	Edwards County.....	8,461	5	59.1
Summit County.....	1,687	1	59.3	Marion County*.....	32,150	26	80.9	Elk County.....	9,569	10	104.5
Teller County.....	8,109	8	98.7	Marshall County.....	23,775	25	105.2	Ellis County.....	13,681	9	65.8
Washingon County.....	7,190	1	13.9	Martin County.....	12,201	4	32.8	Ellsworth County.....	10,792	7	64.9
Weld County.....	48,709	19	39.0	Miami County.....	17,576	14	79.7	Finney County.....	8,374	1	11.9
Yuma County.....	10,180	5	49.1	Monroe County.....	24,511	22	89.8	Ford County.....	13,906	8	57.5
CONNECTICUT.				Montgomery County.....	29,258	27	92.3	Franklin County.....	20,687	14	67.7
Total.....	377,398	323	85.6	Morgan County.....	21,488	11	51.2	Geary County.....	13,507	9	66.6
White.....	372,932	323	86.6	Newton County.....	10,524	12	114.0	Gove County.....	7,580	1	13.2
Colored.....	4,466	Noble County.....	24,210	18	74.3	Graham County.....	10,203	3	29.4
Fairfield County.....	53,443	43	80.5	Ohio County.....	4,161	Grant County.....	1,370
Hartford County.....	85,763	76	88.6	Oke County.....	17,334	6	34.6	Gray County.....	3,913	1	25.6
Litchfield County.....	54,359	41	75.4	Orange County.....	17,386	Greeley County.....	1,694
Middlesex County.....	25,150	21	83.5	Owen County.....	13,584	11	81.0	Greenwood County.....	16,004	12	75.0
New Haven County.....	50,768	48	94.5	Parke County.....	21,881	14	64.0	Hamilton County.....	4,184	1	23.9
New London County*.....	45,284	46	101.6	Perry County.....	17,780	8	45.0	Harper County.....	16,639	8	48.1
Tolland County.....	27,285	19	69.6	Pike County.....	19,343	12	62.0	Harvey County.....	19,887	18	90.5
Windham County.....	35,346	29	82.0	Porter County.....	21,120	23	108.9	Haskell County.....	1,221
INDIANA.				Posey County.....	21,388	5	23.4	Hodgeman County.....	3,214
Total.....	1,878,080	1,434	76.4	Pulaski County.....	13,005	14	107.7	Jackson County.....	16,754	14	83.6
White.....	1,859,826	1,423	76.5	Putnam County.....	20,112	24	119.3	Jefferson County.....	15,100	12	79.5
Colored.....	18,204	11	60.4	Randolph County.....	29,144	23	78.9	Jewell County.....	17,608	13	73.8
Adams County.....	21,675	17	78.4	Ripley County.....	19,271	21	109.0	Johnson County.....	18,365	17	92.6
Allen County.....	27,830	21	75.5	Rush County.....	19,009	15	78.9	Kearny County.....	4,099	1	24.4
Bartholomew County.....	24,905	25	100.4	St. Joseph County.....	15,455	18	116.5	Kingman County.....	14,546	7	48.1
Benton County.....	12,503	5	40.0	Scott County.....	8,323	12	144.1	Kiowa County.....	7,796	1	12.8
Blackford County.....	15,227	15	98.5	Shelby County.....	26,933	18	66.8	Labette County.....	18,642	13	69.7
Boone County.....	23,971	11	45.9	Spencer County.....	19,939	15	75.2
Brown County.....	7,230	3	41.5	Starke County.....	10,624	12	113.0
Carroll County.....	17,126	12	70.1	Steuben County.....	13,874	14	100.9
Cass County*.....	16,879	9	53.3	Sullivan County.....	35,179	19	54.0
Clark County.....	19,331	14	72.4	Switzerland County.....	9,093	12	132.0
.....	Tippecanoe County.....	19,765	21	106.2
.....	Tipton County.....	16,754	12	71.6

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Population not estimated, decrease since 1900.

³ Includes Crowley County; separate estimated populations not available.

⁴ Includes Moffat County; separate estimated populations not available.

⁵ Includes National Military Home.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con. KANSAS—continued.				RURAL PART OF REGISTRATION STATES—Con. KENTUCKY—continued.				RURAL PART OF REGISTRATION STATES—Con. KENTUCKY—continued.			
Lane County.....	3,046	1	32.8	Barren County (total).....	26,186	9	34.4	Cumberland County (total).....	10,222	1	9.8
Leavenworth County.....	22,544	16	71.0	White.....	22,442	9	40.1	White.....	9,151	1	10.9
Lincoln County.....	10,251	2	19.5	Colored.....	3,744	4	29.3	Colored.....	1,071	4	16.1
Linn County.....	13,903	23	165.4	Bath County (total).....	13,673	4	29.3	Daviess County (total).....	24,811	4	17.5
Logan County.....	5,208	2	38.4	White.....	12,358	4	32.4	White.....	22,824	4	17.5
Lyon County.....	24,865	21	84.5	Colored.....	1,315	5	60.7	Colored.....	1,987	5	18.8
McPherson County.....	21,563	18	83.5	Bell County (total).....	33,878	6	17.7	Edmonson County (total).....	10,634	2	19.6
Marion County.....	23,156	10	43.2	White.....	30,376	5	16.5	White.....	10,185	2	20.9
Marshall County.....	23,678	10	42.2	Colored.....	3,502	1	28.6	Colored.....	9,566	2	16.0
Meade County.....	6,534	2	30.6	Boone County (total).....	8,676	5	57.6	Elliott County (total).....	9,571	2	20.9
Miami County.....	19,344	12	62.0	White.....	8,223	5	60.7	White.....	9,566	2	20.9
Mitchell County.....	13,853	8	57.7	Colored.....	443	15	87.2	Colored.....	5	2	16.0
Montgomery County.....	28,903	13	45.0	Bourbon County (total).....	17,206	15	87.2	White.....	12,531	2	16.1
Morris County.....	12,573	3	23.9	White.....	11,606	9	77.5	Colored.....	1,109	4	35.4
Morton County.....	1,771	1	56.5	Colored.....	5,600	6	107.1	Fayette County (total).....	11,300	4	51.1
Nemaha County.....	18,516	7	37.8	Boyd County (total).....	25,408	10	39.4	White.....	7,822	4	51.1
Neosho County.....	25,669	18	70.1	White.....	24,496	10	40.8	Colored.....	3,478	11	70.3
Ness County.....	6,465	1	15.5	Colored.....	912	7	46.6	White.....	14,630	11	75.2
Newton County.....	11,736	8	68.2	Boyle County (total).....	15,031	4	37.2	Colored.....	1,007	2	10.0
Osage County.....	18,306	13	71.0	White.....	10,744	3	70.0	Floyd County (total).....	19,932	2	10.1
Osborne County.....	13,244	12	90.6	Colored.....	4,287	7	76.0	White.....	19,776	2	10.1
Ottawa County.....	12,077	7	58.0	Bracken County (total).....	9,530	7	73.5	Colored.....	156	6	57.8
Pawnee County.....	10,467	6	57.3	White.....	9,215	7	76.0	White.....	9,564	5	52.3
Phillips County.....	14,028	2	14.3	Colored.....	315	11	51.8	Colored.....	1,808	1	123.8
Pottawatomie County.....	17,118	9	52.6	Breathitt County (total).....	18,912	1	5.3	Fulton County (total).....	15,208	6	39.5
Pratt County.....	12,890	1	7.8	White.....	18,629	1	5.4	White.....	11,566	6	51.9
Rawlins County.....	6,864	3	43.7	Colored.....	283	2	124.2	Colored.....	3,642	2	44.5
Reno County.....	22,274	11	49.4	Breckinridge County (total).....	21,246	11	51.8	Gallatin County (total).....	4,499	2	47.2
Republic County.....	17,106	16	93.5	White.....	19,636	9	45.8	White.....	4,235	2	47.2
Rice County.....	15,258	5	32.8	Colored.....	1,610	7	44.4	Colored.....	264	5	42.3
Riley County.....	16,616	12	72.2	Butler County (total).....	15,788	7	44.4	Garrard County (total).....	11,831	4	41.9
Rooks County.....	12,696	5	39.4	White.....	15,204	7	46.0	White.....	9,543	4	41.9
Rush County.....	5,548	2	23.4	Colored.....	564	2	14.4	Colored.....	2,288	1	43.7
Russell County.....	11,785	10	84.9	Caldwell County (total).....	13,875	2	14.4	Grant County (total).....	9,449	2	21.2
Saline County.....	21,727	11	50.6	White.....	11,371	1	8.8	White.....	9,186	2	21.8
Scott County.....	3,876	1	25.8	Colored.....	2,504	1	39.9	Colored.....	288	11	32.7
Sedgwick County.....	20,504	5	24.4	Calloway County (total).....	20,319	9	43.2	White.....	30,748	10	32.5
Seward County.....	5,484	12	65.8	White.....	19,691	9	45.7	Colored.....	2,934	1	34.1
Shawnee County.....	18,244	2	31.1	Colored.....	1,128	24	79.9	Grayson County (total).....	19,992	8	40.0
Sheridan County.....	6,430	3	59.3	Campbell County (total).....	30,046	24	80.4	White.....	19,656	8	40.7
Sherman County.....	5,062	7	46.9	White.....	29,867	24	80.4	Colored.....	336	6	51.2
Smith County.....	14,931	4	29.3	Colored.....	179	1	11.7	Green County (total).....	11,708	6	51.2
Stafford County.....	13,651	4	29.3	Carlisle County (total).....	8,561	1	12.2	White.....	10,373	5	48.2
Stanton County.....	1,333	9	71.0	White.....	8,186	1	12.2	Colored.....	1,335	1	74.9
Stevens County.....	3,232	3	87.4	Colored.....	375	7	94.8	Greenup County (total).....	19,771	9	45.5
Sumner County.....	32,793	17	51.8	Carroll County (total).....	7,383	6	87.0	White.....	19,433	9	46.2
Thomas County.....	6,027	1	16.6	White.....	6,897	6	87.0	Colored.....	288	2	24.0
Trego County.....	6,538	7	46.7	Colored.....	486	1	205.8	Hancock County (total).....	8,343	2	25.7
Wabaunsee County.....	12,683	9	71.0	Carter County (total).....	22,708	4	17.6	White.....	7,784	2	25.7
Wallace County.....	3,432	3	87.4	White.....	22,593	4	17.7	Colored.....	559	9	39.8
Washington County.....	19,492	8	41.0	Colored.....	115	4	26.6	Hardin County (total).....	22,595	6	28.9
Wichita County.....	2,351	16	74.1	Casey County (total).....	15,623	4	25.6	White.....	20,764	3	163.8
Wilson County.....	21,594	4	43.4	White.....	15,340	4	26.1	Colored.....	1,831	2	18.4
Woodson County.....	9,206	4	43.4	Colored.....	283	26	66.3	Harlan County (total).....	10,874	2	19.4
Wyandotte County.....	17,235	16	92.8	Christian County (total).....	39,221	17	73.9	White.....	10,290	2	19.4
KENTUCKY.				White.....	22,993	9	55.5	Colored.....	584	10	61.9
Adair County (total).....	17,190	4	23.3	Colored.....	16,228	16	86.3	Harrison County (total).....	16,151	9	62.2
White.....	15,643	4	25.6	Clark County (total).....	18,538	14	100.7	White.....	14,463	1	59.2
Colored.....	1,547	7	46.7	White.....	13,000	2	43.1	Colored.....	1,688	3	16.6
Allen County (total).....	14,978	6	42.7	Colored.....	4,638	8	42.5	Hart County (total).....	18,050	3	18.7
White.....	14,055	6	42.7	Clay County (total).....	18,821	7	38.3	White.....	16,085	3	18.7
Colored.....	923	1	108.3	White.....	18,294	7	38.3	Colored.....	1,995	9	56.7
Anderson County (total).....	10,185	1	9.8	Colored.....	527	1	189.8	Henderson County (total).....	15,884	7	55.8
White.....	9,443	1	10.6	Clinton County (total).....	8,272	8	176.8	White.....	12,542	2	59.8
Colored.....	742	2	14.8	White.....	8,176	2	16.0	Colored.....	3,342	10	75.0
Ballard County (total).....	13,512	2	16.9	Colored.....	96	2	16.8	Henry County (total).....	13,333	7	60.5
White.....	11,812	2	16.9	Crittenden County (total).....	12,490	2	16.8	White.....	11,578	3	170.9
Colored.....	1,700	2	16.9	White.....	11,934	2	16.8	Colored.....	1,755	7	170.9

* Exclusive of municipalities having a population of 10,000 or over in 1910.

* Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
KENTUCKY—continued.				KENTUCKY—continued.				KENTUCKY—continued.			
Hickman County (total)...	11,750	6	51.1	Marion County (total)....	16,347	14	85.6	Rockcastle County (total)...	15,348	5	32.6
White.....	9,971	5	50.1	White.....	14,063	12	85.3	White.....	15,214	5	32.9
Colored.....	1,779	1	56.2	Colored.....	2,284	2	87.6	Colored ²	134	2	20.1
Hopkins County (total)...	35,694	20	56.0	Marshall County (total)....	16,655	2	12.0	Rowan County (total).....	9,931	2	20.3
White.....	28,802	13	45.1	White.....	16,511	2	12.1	White.....	9,869	2	20.3
Colored.....	6,892	7	101.6	Colored ²	144			Colored ²	62		
Jackson County (total)....	10,806	3	27.8	Martin County (total)....	7,935			Russell County (total)....	11,358	4	35.2
White.....	10,784	3	27.8	White.....	7,931			White.....	11,140	4	35.9
Colored ²	22			Colored ²	4			Colored ²	218		
Jefferson County (total)*	40,747	11	27.0	Mason County (total)....	17,829	9	50.5	Scott County (total)....	16,480	8	48.5
White.....	35,204	11	31.2	White.....	15,060	8	53.1	White.....	12,522	7	55.9
Colored.....	5,543			Colored.....	2,769	1	36.1	Colored.....	3,958	1	25.3
Jessamine County (total)...	12,905	10	77.5	Meade County (total)....	9,463	6	63.4	Shelby County (total)....	17,915	8	44.7
White.....	9,851	8	81.2	White.....	8,824	6	68.0	White.....	13,923	8	57.5
Colored.....	3,054	2	65.5	Colored ²	639			Colored.....	3,992		
Johnson County (total)...	19,080	5	26.2	Menifee County (total)....	5,871	1	17.0	Simpson County (total)...	11,393	5	43.9
White.....	19,029	5	26.3	White.....	5,833	1	17.1	White.....	9,225	5	54.2
Colored ²	51			Colored ²	38			Colored.....	2,168		
Kenton County (total)....	17,342	10	57.7	Mercer County (total)....	13,910	6	43.1	Spencer County (total)...	7,684	4	52.4
White.....	17,021	10	58.8	White.....	11,747	5	42.6	White.....	6,853	4	58.3
Colored ²	321			Colored.....	2,163	1	46.2	Colored.....	771		
Knott County (total)....	11,679	2	17.1	Metcalfe County (total)....	10,651	7	65.7	Taylor County (total)....	12,338	5	40.5
White.....	11,506	2	17.4	White.....	9,836	5	50.8	White.....	10,853	5	46.1
Colored ²	173			Colored ²	815	2	245.4	Colored.....	1,485		
Knox County (total)....	24,136	9	37.3	Monroe County (total)....	13,922	4	28.7	Todd County (total)....	16,113	12	74.5
White.....	22,965	9	39.2	White.....	13,178	4	30.4	White.....	10,854	8	73.7
Colored ²	1,171			Colored ²	744			Colored.....	5,259	4	76.1
Larue County (total)....	10,676	6	56.2	Montgomery County (total)	12,831	9	69.9	Trigg County (total)....	14,737	6	40.7
White.....	9,887	6	60.7	White.....	9,661	6	62.1	White.....	11,846	6	52.9
Colored ²	789			Colored.....	3,220	3	93.2	Colored.....	3,391		
Laurel County (total)....	20,843	5	24.0	Morgan County (total)....	17,736	6	33.8	Trimble County (total)...	6,189		
White.....	20,144	4	19.9	White.....	17,699	6	33.9	White.....	6,053		
Colored ²	699	1	143.1	Colored ²	37			Colored ²	136		
Lawrence County (total)...	20,261	5	24.7	Muhlenberg County (total)...	31,944	13	40.7	Union County (total)....	19,274	9	46.7
White.....	20,095	5	24.9	White.....	28,668	11	38.4	White.....	16,917	7	41.4
Colored ²	166			Colored.....	3,276	2	61.1	Colored.....	2,357	2	84.9
Lee County (total)....	10,188	1	9.8	Nelson County (total)....	16,931	16	94.5	Warren County (total)...	30,837	20	64.9
White.....	9,936	1	10.1	White.....	13,957	13	93.1	White.....	24,627	18	73.1
Colored ²	252			Colored.....	2,974	3	100.9	Colored.....	6,210	2	32.2
Leslie County (total)....	9,923	1	10.1	Nicholas County (total)...	10,028	7	69.8	Washington County (total)	13,839	5	36.1
White.....	9,776	1	10.2	White.....	9,173	7	76.3	White.....	12,060	4	33.2
Colored ²	147			Colored ²	853			Colored.....	1,779	1	56.2
Letcher County (total)...	11,241	1	8.9	Ohio County (total)....	27,794	11	39.6	Webster County (total)...	21,347	6	28.1
White.....	11,223	1	8.9	White.....	26,490	11	41.5	White.....	18,638	6	32.2
Colored ²	18			Colored ²	1,304			Colored.....	2,709		
Lewis County (total)....	16,470	8	48.6	Oldham County (total)....	7,320	2	27.3	Wolfe County (total)....	10,331	1	9.7
White.....	16,331	8	49.0	White.....	6,223	2	32.1	White.....	10,272	1	9.7
Colored ²	139			Colored.....	1,097			Colored ²	59		
Lincoln County (total)...	18,253	9	49.3	Owen County (total)....	12,841	6	46.7	Woodford County (total)...	12,331	6	48.7
White.....	15,217	8	52.6	White.....	11,985	6	50.1	White.....	8,652	3	34.7
Colored.....	3,036	1	32.9	Colored ²	856			Colored.....	3,679	3	81.5
Livingston County (total)...	10,319	3	29.1	Owsley County (total)....	8,448	3	35.5	MAINE.			
White.....	9,663	3	31.0	White.....	8,368	3	35.9	Total.....	587,660	609	103.6
Colored ²	656			Colored ²	80			White.....	585,942	607	103.6
Logan County (total)....	24,544	14	57.0	Pendleton County (total)...	10,722	6	56.0	Colored.....	1,718	2	116.4
White.....	19,245	11	57.2	White.....	10,487	6	57.2	Androscoggin County.....	18,931	24	126.8
Colored.....	5,299	3	56.6	Colored ²	235			Aroostook County.....	80,595	46	57.1
Lyon County (total)....	9,465	2	21.1	Perry County (total)....	12,523	1	8.0	Cumberland County.....	54,679	60	109.7
White.....	7,644	1	13.1	White.....	12,283	1	8.1	Franklin County.....	19,406	20	103.1
Colored.....	1,821	1	54.9	Colored ²	240			Hancock County.....	34,717	37	106.6
McCracken County (total)...	13,592	5	36.8	Pike County (total)....	35,510	3	8.4	Kennebec County ⁴	38,298	55	143.6
White.....	11,454	5	43.7	White.....	35,135	3	8.5	Knox County.....	28,526	32	112.2
Colored.....	2,138			Colored ²	375			Lincoln County.....	17,597	40	227.3
McLean County (total)....	13,578	2	14.7	Powell County (total)....	6,194			Oxford County.....	37,968	29	76.4
White.....	12,803	2	15.6	White.....	5,859			Penobscot County.....	63,075	54	85.6
Colored ²	775			Colored ²	335			Piscataquis County.....	21,137	17	80.4
Madison County (total)...	27,523	13	47.2	Pulaski County ³ (total)...	91,570	34	37.1	Sagadahoc County.....	17,827	19	106.6
White.....	21,657	12	55.4	White.....	88,280	33	37.4	Somerset County.....	37,345	44	117.8
Colored.....	5,866	1	17.0	Colored ²	3,290	1	30.4	Waldo County.....	23,042	18	78.1
Magoffin County (total)...	14,356	2	13.9	Robertson County (total)...	3,791	1	26.4	Washington County.....	41,915	54	128.8
White.....	14,201	2	14.1	White.....	3,727	1	26.8	York County.....	52,602	60	114.1
Colored ²	155			Colored ²	64						

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Colored population less than 10 per cent of the total in 1910.
³ Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.
⁴ Includes National Military Home.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES¹—CON.				RURAL PART OF REGISTRATION STATES¹—CON.				MICHIGAN—continued.			
MARYLAND.				MARYLAND—continued.				MICHIGAN—continued.			
Total.....	700,758	439	62.6	Worcester County (total).....	22,257	22	98.8	Lenawee County.....	36,462	39	107.0
White.....	552,611	380	68.8	White.....	14,979	15	100.1	Livingston County.....	16,915	21	124.2
Colored.....	148,147	59	39.8	Colored.....	7,278	7	96.2	Luce County *.....	4,438	5	112.7
Allegany County (total).....	41,071	23	56.0	MASSACHUSETTS.				Mackinac County.....	2,906	2	20.2
White.....	40,681	23	56.5	Total.....	791,284	868	109.7	Macomb County.....	32,337	34	105.1
Colored ²	390			White.....	784,119	864	110.2	Manistee County.....	14,610	9	61.6
Anne Arundel County (total).....	39,527	34	86.0	Colored.....	7,165	4	55.8	Marquette County.....	24,859	8	32.2
White.....	25,149	29	115.3	Barnstable County.....	27,423	37	134.9	Mason County.....	23,086	12	52.0
Colored.....	14,378	5	34.8	Berkshire County.....	37,895	42	110.8	Mecosta County.....	18,944	25	132.0
Baltimore County (total)*.....	135,813	111	81.7	Bristol County.....	56,332	56	99.4	Menominee County.....	15,532	6	38.6
White.....	121,581	104	85.5	Dukes County.....	4,482	9	200.8	Midland County.....	13,821	7	50.6
Colored.....	14,232	7	49.2	Essex County *.....	92,103	105	114.0	Missaukee County.....	11,157	7	62.7
Calvert County (total).....	10,368	2	19.3	Franklin County.....	33,127	33	99.6	Monroe County.....	32,984	28	84.9
White.....	5,218	1	19.2	Hampden County.....	46,101	35	75.9	Montcalm County.....	31,779	35	110.1
Colored.....	5,150	1	19.4	Hampshire County.....	45,481	33	72.6	Montmorency County.....	3,976	2	50.3
Caroline County (total).....	20,480	8	39.1	Hampshire County.....	125,247	173	138.1	Muskegon County.....	16,642	15	90.1
White.....	15,293	6	39.2	Nantucket County.....	2,946	9	305.5	Newaygo County.....	19,577	9	45.3
Colored.....	5,187	2	38.6	Norfolk County *.....	105,294	99	94.0	Oakland County.....	35,053	25	71.3
Carroll County (total).....	33,965	20	58.9	Plymouth County *.....	80,200	99	123.8	Oceana County.....	19,117	11	57.5
White.....	31,917	19	59.5	Worcester County *.....	134,853	138	102.3	Ogemaw County.....	9,892	9	95.8
Colored.....	2,048	1	48.8	MICHIGAN.				Ontonagon County.....	9,694	5	51.6
Cecil County (total).....	23,377	18	77.0	Total.....	1,806,362	1,398	77.4	Osceola County.....	17,902	12	67.0
White.....	20,044	14	69.8	White.....	1,792,223	1,391	77.6	Oscoda County.....	2,263	2	88.4
Colored.....	3,333	4	120.0	Colored.....	14,139	7	49.5	Otsego County.....	6,712	3	44.7
Charles County (total).....	15,843	4	25.2	Alcona County.....	5,708	1	17.5	Ottawa County.....	36,061	22	61.0
White.....	7,419	2	27.0	Alger County.....	8,446	2	23.6	Presque Isle County.....	12,283	5	40.7
Colored.....	8,424	2	23.7	Allegan County.....	40,249	30	74.5	Rosecommon County.....	2,480	1	40.2
Dorchester County (total).....	28,968	16	55.2	Alpena County.....	7,605	9	118.3	Saginaw County.....	38,740	21	54.2
White.....	19,292	12	62.2	Antrim County.....	15,322	13	84.8	St. Clair County.....	32,374	30	92.7
Colored.....	9,676	4	41.3	Arenac County.....	9,565	4	41.8	St. Joseph County.....	26,185	25	95.5
Frederick County (total).....	42,107	24	57.0	Baraga County.....	6,898	3	43.5	Sanilac County.....	33,451	29	86.7
White.....	38,147	20	52.4	Barry County.....	22,685	24	105.8	Schoolcraft County.....	9,018	9	99.8
Colored.....	3,960	4	101.0	Bay County.....	23,688	14	59.1	Shiawassee County.....	32,983	32	97.0
Garrett County (total).....	21,128	10	47.3	Benzie County.....	11,043	8	72.4	Tuscola County.....	34,497	29	84.1
White.....	21,015	10	47.6	Berrien County.....	55,521	58	104.5	Van Buren County.....	33,147	43	129.7
Colored ²	113			Branch County.....	24,667	23	93.2	Washtenaw County.....	28,470	24	84.3
Harford County (total).....	27,837	13	46.7	Calhoun County.....	31,636	35	110.6	Wayne County.....	71,842	63	87.7
White.....	22,661	13	57.4	Cass County.....	20,520	29	141.3	Wexford County.....	22,440	15	66.8
Colored.....	5,176			Charlevoix County.....	21,373	13	60.8	MINNESOTA.			
Howard County (total).....	15,848	8	50.5	Cheboygan County.....	18,875	10	53.0	Total.....	1,481,593	1,096	74.0
White.....	12,074	7	58.0	Chippewa County.....	12,308	7	56.9	White.....	1,471,362	1,092	74.2
Colored.....	3,774	1	26.5	Clare County.....	9,616	3	31.2	Colored.....	10,231	4	39.1
Kent County (total).....	16,178	8	49.4	Clinton County.....	22,276	18	80.8	Aitkin County.....	11,917	7	53.7
White.....	10,203	4	39.2	Crawford County.....	4,356	5	114.8	Anoka County *.....	12,995	8	61.6
Colored.....	5,975	4	66.9	Delta County.....	18,013	4	22.2	Becker County.....	20,097	10	49.8
Montgomery County (total).....	32,786	11	33.6	Dickinson County.....	21,647	14	64.7	Beltrami County.....	24,010	9	37.5
White.....	23,188	10	43.1	Eaton County.....	30,003	25	83.3	Benton County.....	11,045	6	54.3
Colored.....	9,598	1	10.4	Emmet County.....	19,681	15	76.2	Big Stone County.....	9,637	8	83.0
Prince Georges County (total).....	38,809	18	46.4	Genesee County.....	24,705	24	97.1	Blue Earth County.....	17,824	17	95.4
White.....	26,256	16	60.9	Gladwin County.....	9,201	3	32.6	Brown County.....	20,282	20	98.6
Colored.....	12,553	2	15.9	Gogebic County.....	11,996	2	16.7	Carlton County.....	20,773	10	48.1
Queen Annes County (total).....	16,191	9	55.6	Grand Traverse County.....	11,924	4	33.5	Carver County.....	17,418	10	57.4
White.....	10,508	8	76.1	Gratiot County.....	28,366	21	74.0	Cass County.....	13,258	13	98.1
Colored.....	5,683	1	17.6	Hillsdale County.....	29,594	28	94.6	Chippewa County.....	13,896	15	108.2
St. Marys County (total).....	16,987	5	29.5	Houghton County.....	97,488	45	46.2	Chisago County.....	13,660	14	102.5
White.....	9,571	5	52.2	Huron County.....	35,011	28	80.0	Clay County.....	20,365	11	54.0
Colored.....	7,396			Ingham County.....	21,547	31	143.9	Clearwater County.....	8,531	2	23.4
Somerset County (total).....	26,681	26	97.4	Ionia County *.....	33,220	14	42.1	Cook County.....	1,560	1	64.1
White.....	16,967	19	112.0	Iosco County.....	9,544	7	73.3	Cottonwood County.....	12,899	8	62.0
Colored.....	9,714	7	72.1	Iron County.....	17,794	3	16.9	Crow Wing County.....	17,972	17	94.6
Talbot County (total).....	19,313	17	88.0	Isabella County.....	23,132	7	30.3	Dakota County *.....	26,636	14	52.6
White.....	12,631	12	95.8	Jackson County.....	21,547	25	116.0	Dodge County.....	11,564	15	129.7
Colored.....	6,782	5	73.7	Kalamazoo County.....	21,453	17	79.2	Douglas County.....	17,544	23	131.1
Washington County (total).....	26,741	22	82.3	Kalkaska County.....	8,506	9	105.8	Faribault County.....	19,053	8	42.0
White.....	26,231	22	83.9	Kent County.....	48,459	50	103.2	Fillmore County.....	24,590	25	101.7
Colored ²	510			Keweenaw County.....	8,834	3	34.0	Freeborn County.....	22,471	28	124.6
Wicomico County (total).....	28,503	10	35.1	Lake County.....	4,933	1	20.3	Goodhue County.....	31,848	31	97.3
White.....	21,686	9	41.5	Lapeer County.....	25,349	18	71.0	Grant County.....	9,190	9	97.9
Colored.....	6,817	1	14.7	Leelanau County.....	10,629	12	112.9	Hennepin County.....	34,820	20	57.4
								Houston County.....	13,829	13	94.0
								Hubbard County.....	11,216	2	17.8
								Isanti County.....	13,015	13	99.9

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
MINNESOTA—continued.				MISSOURI—continued.				MISSOURI—continued.			
Hasca County	23,121	9	38.9	Barton County	16,106	5	31.0	Morgan County	13,155	2	15.2
Jackson County	14,365	10	69.6	Bates County	24,050	13	54.1	New Madrid County	22,985	4	17.4
Kanabec County	7,248	3	41.4	Benton County	14,168	8	56.5	Newton County	27,192	7	25.7
Kandiyohi County	19,205	14	72.9	Bollinger County	14,545	3	20.6	Nodaway County	27,085	18	66.5
Kittson County	10,427	8	76.7	Boone County	31,336	15	47.9	Oregon County	15,009	8	53.3
Koochiching County	8,641	4	46.3	Buchanan County	21,160	8	52.8	Osage County	14,363	8	55.7
Lac qui Parle County	15,923	9	56.5	Butler County	22,264	7	31.4	Ozark County	11,833	2	16.9
Lake County	9,442	4	42.4	Caldwell County	13,732	20	145.6	Pemiscot County	22,730	2	8.8
Le Sueur County	17,919	8	44.6	Callaway County*	23,726	10	42.1	Perry County	14,798	10	67.6
Lincoln County	10,260	5	48.7	Camden County	10,929	6	54.9	Pettis County	15,615	9	57.6
Lyon County	16,202	14	86.4	Cape Girardeau County	29,028	10	34.4	Phelps County	16,478	6	36.4
McLeod County	18,308	14	76.5	Carroll County	21,666	17	78.5	Pike County	21,199	12	56.6
Mahnomen County	3,249	3	92.3	Carter County	4,993	2	40.1	Platte County	13,679	6	43.9
Marshall County	16,610	13	78.3	Cass County	22,690	9	39.7	Polk County	11	52.8	
Martin County	17,765	14	78.8	Cedar County	15,721	15	95.4	Pulaski County	11,881	6	50.5
Meeker County	16,711	18	107.7	Chariton County	22,088	11	49.8	Putnam County	13,294	3	22.6
Mille Lacs County	11,829	8	67.6	Christian County	15,360	6	39.1	Ralls County	13,178	8	22.8
Morrison County	24,547	19	77.4	Clark County	11,716	11	93.9	Randolph County	14,761	13	88.1
Mower County	22,768	6	26.4	Clay County	20,897	16	76.6	Ray County	20,024	11	54.9
Murray County	11,690	10	85.5	Clinton County	14,417	12	83.2	Reynolds County	10,202	1	9.8
Nicollet County*	13,849	20	144.4	Cole County	9,512	9	94.6	Ripley County	13,063	-----	-----
Nobles County	15,328	6	39.1	Cooper County	19,365	20	103.3	St. Charles County	24,778	20	80.7
Norman County	13,446	10	74.4	Crawford County	13,837	7	50.6	St. Clair County	15,776	8	50.7
Olmsted County*	22,232	99	445.3	Dade County	14,544	10	68.8	St. Francois County*	40,717	15	36.8
Otter Tail County*	46,318	43	92.8	Dallas County	12,874	3	23.3	St. Louis County	96,212	49	50.9
Pennington County	10,314	6	58.2	Daviess County	16,022	14	87.4	Ste. Genevieve County	10,712	3	28.0
Pine County	17,722	9	50.8	Dekalb County	11,727	10	85.3	Saline County	27,635	22	79.6
Pipestone County	9,675	6	62.0	Dent County	13,354	2	15.0	Schuyler County	8,304	8	96.3
Polk County	36,245	24	66.2	Douglas County	16,606	6	36.1	Scotland County	11,288	6	53.2
Pope County	12,818	4	31.2	Dunklin County	34,002	8	23.5	Scott County	26,325	6	22.8
Ramsey County	9,546	6	62.9	Franklin County	29,510	22	74.6	Shannon County	11,525	1	8.7
Red Lake County	7,221	1	13.8	Gasconade County	13,079	3	22.9	Shelby County	14,308	10	69.9
Redwood County	18,920	5	26.4	Gentry County	15,229	8	52.5	Stoddard County	29,143	11	37.7
Renville County	22,882	14	42.6	Greene County	29,883	14	46.8	Stone County	12,268	1	8.2
Rice County	25,839	28	108.4	Grundy County	16,281	6	36.9	Sullivan County	17,882	17	95.1
Rock County	10,458	11	105.2	Harrison County	18,791	12	63.9	Taney County	8,713	4	45.9
Roseau County	13,189	4	30.3	Henry County	26,897	12	44.6	Texas County	21,147	6	28.4
St. Louis County	94,510	32	33.9	Hickory County	8,211	5	60.9	Vernon County*	27,639	25	90.5
Scott County	14,779	8	55.3	Holt County	13,457	12	89.2	Warren County	8,786	3	34.1
Sherburne County	7,521	7	93.1	Howard County	14,510	15	103.4	Washington County	13,003	12	92.3
Sibley County	14,977	12	80.1	Howell County	20,738	9	43.4	Wayne County	15,126	9	59.5
Stearns County	39,973	17	42.5	Iron County	8,500	7	82.4	Webster County	17,689	9	50.9
Steele County	15,986	10	62.6	Jackson County	39,251	24	61.1	Worth County	7,230	4	35.3
Stevens County	8,112	5	61.6	Jasper County	45,933	15	32.7	Wright County	18,652	4	21.4
Swift County	12,713	6	47.2	Jefferson County	28,800	11	38.2				
Todd County	23,914	8	33.5	Johnson County	25,640	27	105.3	MONTANA.			
Traverse County	8,251	1	12.1	Knox County	11,944	8	67.0	Total	323,608	141	43.6
Wabasha County	18,398	25	135.9	Laclede County	17,721	4	22.6	White	308,206	137	44.5
Wadena County	8,963	8	89.3	Lafayette County	29,506	34	115.2	Colored	15,397	4	26.0
Waseca County	12,915	11	85.2	Lawrence County	24,420	11	45.0	Beaverhead County	6,801	2	29.4
Washington County	15,953	8	50.1	Lewis County	15,000	6	38.9	Broadwater County	3,854	3	77.8
Watsonwan County	11,336	6	52.9	Lincoln County	16,473	10	60.7	Cascade County	16,603	9	54.2
Wilkin County	9,480	3	31.6	Linn County	25,148	12	47.7	Chouteau County ³	31,291	17	54.3
Winona County	14,322	15	104.7	Livingston County	18,241	17	93.2	Custer County ⁴	34,557	23	66.6
Wright County	27,625	28	101.4	McDonald County	13,526	3	22.2	Deer Lodge County*	3,004	1	33.3
Yellow Medicine County	15,747	10	63.5	Madison County	29,954	22	73.4	Fergus County ⁵	74,505	17	22.8
				Madison County	11,824	4	33.8	Flathead County	23,443	14	59.7
				Marion County	10,288	8	77.8	Gallatin County	16,007	4	25.0
				Marion County	11,667	12	102.9	Granite County	2,354	1	42.5
				Mercer County	11,325	6	53.0	Jefferson County	5,716	-----	-----
				Miller County	17,368	5	28.8	Lewis and Clark County	9,737	3	30.8
Adair County	23,112	13	56.2	Mississippi County	15,714	3	19.1	Lincoln County	4,541	1	22.0
Andrew County	14,410	17	118.0	Moniteau County	13,714	8	58.3	Madison County	7,082	2	28.4
Atchison County	12,370	2	16.2	Monroe County	17,702	14	79.1	Missoula County ⁶	12,018	4	33.3
Audrain County	21,909	21	95.9	Montgomery County	15,193	17	111.9	Park County	12,176	8	65.7
Barry County	23,161	8	34.5				Powell County	6,104	4	65.5	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

³ Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not available.

⁴ Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

⁵ Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.

⁶ Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
MONTANA—continued.				NEW YORK—continued.				OHIO—continued.			
Ravalli County.....	13,304	9	67.6	Herkimer County.....	45,540	43	94.4	Fulton County.....	24,386	25	102.5
Sanders County.....	4,486	1	22.3	Jefferson County.....	53,053	42	79.2	Gallia County.....	24,819	14	56.4
Silver Bow County.....	18,488	13	70.3	Lewis County.....	23,752	22	92.6	Geauga County.....	14,640	8	54.6
Valley County ²	17,582	5	28.4	Livingston County.....	38,455	32	83.2	Greene County.....	28,933	22	76.0
NEW HAMPSHIRE.				Madison County.....	38,755	48	123.9	Guernsey County.....	33,403	25	74.8
Total.....	254,475	269	105.7	Monroe County.....	65,987	50	75.8	Hamilton County.....	60,078	54	89.9
White.....	254,134	268	105.5	Montgomery County.....	26,638	27	101.4	Hancock County.....	22,417	16	71.4
Colored.....	341	1	293.3	Nassau County.....	96,068	78	81.2	Hardin County.....	30,075	27	89.8
Bellnap County.....	10,974	14	127.6	Niagara County.....	31,421	30	95.5	Harrison County.....	18,476	18	97.4
Carroll County.....	16,072	24	149.3	Oneida County.....	58,506	74	126.5	Henry County.....	24,197	15	62.0
Cheshire County.....	19,927	23	115.4	Onondaga County.....	64,396	62	96.3	Highland County.....	27,744	25	90.1
Cococ County.....	18,288	19	103.9	Ontario County.....	40,125	56	139.6	Hocking County.....	23,333	14	60.0
Grafton County.....	41,996	43	102.4	Orange County.....	76,501	55	71.9	Holmes County.....	17,227	9	52.2
Hillsborough County.....	29,260	26	88.9	Orleans County.....	32,784	31	94.6	Huron County.....	35,006	34	97.1
Merrimack County.....	31,429	30	95.5	Oswego County.....	36,634	39	106.3	Jackson County.....	29,318	30	102.3
Rockingham County.....	41,105	51	124.1	Otsego County.....	46,484	49	105.4	Jefferson County.....	48,582	31	63.8
Strafford County.....	25,523	19	74.4	Putnam County.....	15,039	11	73.1	Knox County.....	31,208	25	80.1
Sullivan County.....	19,901	20	100.5	Rensselaer County.....	33,934	25	73.7	Lake County.....	23,457	28	119.4
NEW JERSEY.				Rockland County.....	50,526	51	100.9	Lawrence County.....	25,780	14	54.3
Total.....	937,201	797	80.7	St. Lawrence County.....	72,508	50	69.0	Licking County.....	30,949	19	61.4
White.....	948,441	779	82.1	Saratoga County.....	49,546	39	78.9	Logan County.....	29,941	29	96.9
Colored.....	38,760	18	46.4	Schenectady County.....	14,856	10	67.3	Lorain County.....	33,306	31	93.1
Atlantic County.....	28,806	21	72.9	Schoharie County.....	22,579	10	45.2	Lucas County.....	25,292	15	59.3
Bergen County.....	134,303	101	75.2	Schuyler County.....	13,234	21	158.7	Madison County.....	19,610	16	81.6
Burlington County.....	70,114	60	85.6	Seneca County*.....	26,487	33	124.6	Mahoning County.....	35,169	24	68.2
Camden County.....	54,218	33	60.9	Steuben County.....	54,383	69	126.9	Marion County.....	14,195	11	77.5
Cape May County.....	22,532	20	88.8	Suffolk County*.....	104,045	92	88.4	Medina County.....	24,297	24	98.8
Cumberland County.....	29,261	34	116.2	Sullivan County.....	34,448	26	75.5	Meigs County.....	24,306	19	78.2
Essex County.....	47,945	36	75.1	Tioga County.....	24,634	28	113.7	Mercer County.....	27,300	14	51.2
Gloucester County.....	39,696	38	95.7	Tompkins County.....	18,061	21	116.3	Miami County.....	31,967	26	81.3
Hudson County.....	48,018	36	75.0	Ulster County.....	66,702	45	67.5	Monroe County.....	23,057	16	69.4
Hunterdon County.....	33,170	37	111.5	Warren County.....	16,832	19	112.9	Montgomery County ⁴	54,294	45	82.9
Mercer County.....	31,734	17	53.6	Washington County.....	48,695	35	71.9	Morgan County.....	15,327	11	71.8
Middlesex County.....	66,106	38	57.5	Wayne County.....	50,825	59	116.1	Morrow County.....	20,363	20	122.2
Monmouth County.....	72,654	86	118.4	Westchester County.....	97,047	106	109.2	Muskingum County.....	29,371	30	102.1
Morris County*.....	65,739	50	76.1	Wyoming County.....	32,503	37	113.3	Noble County.....	18,235	11	60.3
Ocean County.....	21,988	14	63.7	Yates County.....	17,930	22	122.7	Ottawa County.....	22,422	16	71.4
Passaic County.....	41,190	21	51.0	NORTH CAROLINA. ³				Faulding County.....	20,686	15	72.5
Salem County.....	27,625	31	112.2	Total.....	296,285	149	50.3	Ferry County.....	36,911	19	51.5
Somerset County.....	41,321	37	89.5	White.....	200,032	114	57.0	Pickaway County.....	25,793	13	50.4
Sussex County.....	27,910	16	57.3	Colored.....	96,253	35	36.4	Pike County.....	14,679	7	47.7
Union County.....	52,438	48	91.5	OHIO.				Portage County.....	30,757	36	117.0
Warren County.....	30,433	23	75.6	Total.....	2,616,691	2,072	79.2	Preble County.....	23,885	25	104.7
NEW YORK.				White.....	2,573,066	2,039	79.2	Putnam County.....	28,886	16	55.4
Total.....	2,379,091	2,286	96.1	Colored.....	43,625	33	75.6	Richland County.....	27,006	32	118.5
White.....	2,351,974	2,263	96.2	Adams County.....	24,087	6	24.9	Ross County.....	24,539	19	77.4
Colored.....	27,117	23	84.8	Allen County.....	26,343	13	49.3	Sandusky County.....	35,537	29	81.6
Albany County.....	33,711	28	83.1	Ashland County.....	23,738	26	109.5	Scioto County.....	24,139	15	62.1
Allegany County.....	41,375	42	101.5	Ashtabula County.....	42,521	39	91.7	Seneca County.....	30,678	22	71.7
Broome County.....	30,735	34	110.6	Athens County*.....	51,662	32	61.9	Shelby County.....	24,678	25	101.3
Cattaraugus County.....	50,020	53	106.0	Auglaize County.....	31,268	26	83.2	Stark County*.....	44,964	38	84.5
Cayuga County.....	30,968	38	122.7	Belmont County.....	69,770	48	68.3	Summit County.....	43,533	36	82.7
Chautauqua County.....	57,805	58	100.3	Brown County.....	23,883	19	81.3	Trumbull County.....	43,322	30	69.2
Chemung County.....	17,100	23	134.5	Butler County.....	22,342	18	80.6	Tuscarawas County.....	58,432	56	95.8
Chenango County.....	35,155	24	68.3	Carroll County.....	15,316	14	91.4	Union County.....	21,673	12	55.4
Clinton County*.....	36,283	17	46.9	Champaign County.....	26,230	21	80.1	Van Wert County.....	28,576	20	70.0
Columbia County.....	31,627	23	72.7	Clark County.....	19,572	16	81.7	Vinton County.....	12,145	2	16.5
Cortland County.....	17,396	18	103.5	Clermont County.....	28,677	30	104.6	Warren County.....	24,034	18	74.9
Delaware County.....	45,220	60	132.7	Clinton County.....	23,459	29	123.6	Washington County.....	29,478	17	57.7
Dutchess County*.....	60,615	63	103.9	Columbiana County.....	58,163	46	79.1	Wayne County.....	38,138	33	86.5
Erle County*.....	96,473	71	73.6	Coshocton County.....	30,454	23	75.5	Williams County.....	25,301	29	114.6
Essex County.....	34,629	39	112.6	Crawford County.....	34,087	31	90.9	Wood County.....	44,104	33	74.8
Franklin County.....	46,938	49	104.4	Cuyahoga County.....	62,233	49	78.7	Wyandot County.....	20,604	14	67.9
Fulton County.....	13,055	14	107.2	Darke County.....	43,101	45	104.4	PENNSYLVANIA.			
Genesee County.....	26,302	32	121.7	Defiance County.....	23,694	14	59.1	Total.....	4,288,288	2,752	64.2
Greene County.....	29,676	27	91.0	Delaware County.....	27,514	20	72.7	White.....	4,232,798	2,703	63.9
Hamilton County.....	4,130	2	48.4	Delaware County.....	18,486	23	124.4	Colored.....	55,490	49	88.3
				Fairfield County.....	26,465	9	34.0	Adams County.....	34,245	36	105.1
				Franklin County.....	21,751	17	78.2	Allegheny County.....	385,396	223	57.9
					41,337	36	87.1	Armstrong County.....	74,412	38	51.1
								Beaver County.....	74,595	45	60.3
								Bedford County.....	38,632	21	54.4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Includes Sheridan County; separate estimated populations not available.

³ Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

⁴ Includes National Military Home.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.			
PENNSYLVANIA—contd.				UTAH.				VIRGINIA—continued.			
Berks County *	89,920	66	73.4	Total	275,254	97	35.2	Appomattox County (total)	8,583	3	35.0
Blair County	62,431	44	70.5	White	270,036	97	35.9	White	5,579	3	53.8
Bradford County	52,449	68	129.6	Colored	5,218			Colored	3,004		
Bucks County	78,806	76	96.4	Beaver County	5,187	3	57.8	Augusta County (total)	33,178	17	51.2
Butler County	53,847	33	61.3	Box Elder County	15,549	5	32.2	White	28,503	16	58.1
Cambria County	127,611	46	36.0	Cache County	25,159	10	39.7	Colored	4,675	1	21.4
Cameron County	7,898	4	50.6	Carbon County	10,165	6	59.0	Bath County (total)	6,939	4	57.6
Carbon County	56,399	38	67.4	Davis County	11,126	4	36.0	White	5,680	4	70.4
Center County	43,648	31	71.0	Emery County	7,642			Colored	1,259		
Chester County	77,484	65	83.9	Garfield County	3,770	1	26.5	Bedford County (total)	29,208	11	37.7
Clarion County	37,641	24	63.8	Grand County	1,785			White	20,779	7	33.7
Clearfield County	85,368	50	58.6	Iron County	4,098			Colored	8,429	4	47.5
Clinton County	32,545	40	122.9	Juab County	10,966			Bland County (total)	5,011	1	20.0
Columbia County	52,121	30	57.6	Kane County	1,586	1	63.1	White	4,881	1	20.5
Crawford County	47,210	48	101.7	Millard County	6,304	4	63.5	Colored ²	130		
Cumberland County	45,651	33	72.3	Morgan County	2,646			Botetourt County (total)	17,968	6	33.4
Dauphin County *	60,784	39	64.2	Piute County	1,642			White	14,395	5	34.7
Delaware County	87,294	74	84.8	Rich County	1,859			Colored	3,573	1	28.0
Elk County	37,135	21	56.6	Salt Lake County	44,576	22	49.4	Bristol (city) (total)	6,958	5	71.9
Erie County	50,381	67	133.0	San Juan County	2,955			White	5,684	3	52.8
Fayette County	158,002	67	42.4	Sanpete County	16,869	5	29.6	Colored	1,274	2	157.0
Forest County	8,754	7	80.0	Sevier County	10,340	5	48.4	Brunswick County (total)	19,683	11	55.9
Franklin County	49,659	31	62.4	Summit County	7,675	1	13.0	White	7,968	4	50.3
Fulton County	9,611	7	72.8	Tooele County	8,165	4	54.8	Colored	11,725	7	59.7
Greene County	29,138	18	61.8	Uinta County	7,304	4	47.2	Buchanan County (total)	13,459		
Huntingdon County	39,862	30	75.3	Utah County *	40,279	19	47.2	White	13,455		
Indiana County	76,290	31	40.6	Wasatch County	10,701	1	9.3	Colored ²	4		
Jefferson County	64,784	51	78.7	Washington County	5,339	2	37.5	Buckingham County (total)	15,180	5	32.9
Juniata County	14,572	5	34.3	Wayne County	1,682			White	7,557	2	26.5
Lackawanna County	94,198	33	35.0	Weber County	9,885	4	40.5	Colored	7,623	3	39.4
Lancaster County	109,605	90	82.1	VERMONT.				Buena Vista (city) (total)	3,609		
Lawrence County	35,997	21	58.3	Total	313,835	324	103.2	White	3,146		
Lebanon County	42,084	15	35.6	White	312,302	324	103.7	Colored	463		
Lehigh County	64,280	45	70.0	Colored	1,533			Campbell County (total)	25,135	5	19.9
Luzerne County	220,666	99	44.9	Addison County	19,201	19	99.0	White	15,232	5	32.8
Lycoming County	49,825	35	70.2	Bennington County	21,239	18	84.7	Colored	9,903		
McKean County	31,551	19	60.2	Caledonia County	26,734	25	93.5	Caroline County (total)	16,551	6	36.3
Mercer County	58,427	47	80.4	Chittenden County	22,412	22	98.2	White	7,750	2	25.8
Mifflin County	29,755	15	50.4	Essex County	7,098	5	70.4	Colored	8,801	4	45.4
Monroe County	23,699	20	84.4	Franklin County	29,727	32	107.6	Carroll County (total)	21,887	6	27.4
Montgomery County	135,954	95	69.9	Grand Isle County	3,462	1	28.9	White	21,602	6	27.8
Montour County *	14,590	17	116.5	Lamoille County	12,711	17	133.7	Colored ²	285		
Northampton County	78,047	54	69.2	Orange County	18,444	32	173.5	Charles City County (total)	5,343	1	18.7
Northumberland County	64,474	35	54.3	Orleans County	28,897	33	138.1	White	1,365	1	73.3
Perry County	23,231	17	73.2	Rutland County	35,396	26	73.5	Colored	3,978		
Pike County	7,722	5	64.8	Washington County *	32,168	33	102.6	Charlotte County (total)	15,973	5	31.3
Potter County	29,350	20	68.1	Windham County	27,046	25	92.4	White	7,467	2	26.8
Schuylkill County	156,044	89	57.0	Windsor County	34,300	36	105.0	Colored	8,506	3	35.3
Snyder County	16,585	16	96.5	VIRGINIA.				Charlottesville (city) (total)	6,900	5	72.5
Somerset County	75,495	32	42.4	Total	1,726,338	747	43.3	White	4,321	5	115.7
Sullivan County	10,935	7	64.0	White	1,172,152	551	47.0	Colored	2,579		
Susquehanna County	36,770	23	62.6	Colored	554,186	196	35.4	Chesterfield County (total)	22,361	12	53.7
Tioga County	40,165	39	97.1	Aceomac County (total)	38,389	22	57.3	White	14,390	12	83.4
Union County	15,677	17	108.4	White	24,366	13	53.4	Colored	7,971		
Venango County	40,572	34	83.8	Colored	14,023	9	64.2	Clarke County (total)	7,275	6	82.5
Warren County *	25,793	19	73.7	Albemarle County (total)	30,466	19	62.4	White	5,408	3	55.5
Washington County	144,924	75	51.8	White	20,515	13	63.4	Colored	1,867	3	100.7
Wayne County	28,839	23	79.8	Colored	9,951	6	60.3	Clifton Forge (city) (total)	6,670	1	15.0
Westmoreland County	228,177	110	48.2	Alexandria County (total)	11,852	6	50.6	White	5,401	1	18.5
Wyoming County	14,810	15	101.3	White	8,762	6	68.5	Colored	1,269		
York County	95,493	64	67.0	Colored	3,090			Craig County (total)	4,889	2	40.9
RHODE ISLAND.				Alleghany County (total)	14,780	9	60.9	White	4,672	2	42.8
Total	111,728	113	101.1	White	11,681	8	68.5	Colored ²	217		
White	110,022	111	100.9	Colored	3,099	1	32.3	Culpeper County (total)	13,196	10	75.8
Colored	1,706	2	117.2	Amelia County (total)	8,586	7	81.5	White	7,988	7	57.5
Bristol County	19,501	26	133.3	White	8,134	4	127.6	Colored	5,198	3	57.7
Kent County	10,213	12	117.5	Colored	5,452	3	55.0	Cumberland County (total)	9,280	2	21.6
Newport County	13,052	8	61.2	Amherst County (total)	19,388	4	20.6	White	3,119	1	32.1
Providence County	43,684	30	68.7	White	11,670	1	8.6	Colored	6,161	1	16.2
Washington County	25,278	37	146.4	Colored	7,718	3	38.9	Dickinson County (total)	9,819	1	10.2
								White	9,812	1	10.2
								Colored ²	7		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.² Colored population less than 10 per cent of the total in 1910.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.			
VIRGINIA—continued.				VIRGINIA—continued.				VIRGINIA—continued.			
Dinwiddie County (total)*	15,470	4	25.9	King and Queen County (total)	9,708	5	51.5	Patrick County (total)	17,957	1	5.6
White	6,004	3	50.0	White	4,214	3	71.2	White	16,253	1	6.2
Colored	9,466	1	10.6	Colored	5,494	2	36.4	Colored ²	1,704		
Elizabeth City County ² (total)	21,976	24	109.2	King George County (total)	6,151	3	48.8	Pittsylvania County (total)	52,721	13	24.7
White	13,624	20	146.8	White	3,318	1	30.1	White	31,571	6	19.0
Colored	8,352	4	47.9	Colored	2,833	2	70.6	Colored	21,150	7	33.1
Essex County (total)	8,853	1	11.3	King William County (total)	8,619	3	34.8	Powhatan County (total)	5,792	1	17.3
White	3,641			White	3,498			White	2,312		
Colored	5,212	1	19.2	Colored	5,121	3	58.6	Colored	3,480	1	28.7
Fairfax County (total)	21,370	9	42.1	Lancaster County (total)	10,094	2	19.8	Prince Edward County (total)	13,936	4	28.7
White	16,264	7	43.0	White	4,729	2	42.3	White	5,603	1	17.8
Colored	5,106	2	39.2	Colored	5,365			Colored	8,333	3	36.0
Fauquier County (total)	22,166	13	58.6	Lee County (total)	25,536	6	23.5	Prince George County (total)	7,887	3	38.0
White	14,734	8	54.3	White	24,439	6	24.6	White	3,274	1	30.5
Colored	7,432	5	67.3	Colored ²	1,097			Colored	4,613	2	43.4
Floyd County (total)	13,542	9	66.5	Loudoun County (total)	20,835	14	67.2	Prince William County (total)	12,413	12	96.7
White	12,731	9	70.7	White	15,652	9	57.5	White	9,471	10	105.6
Colored ²	811			Colored	5,183	5	96.5	Colored	2,942	2	68.0
Fluvanna County (total)	8,016	7	87.3	Louisiana County (total)	16,603	13	78.3	Princess Anne County ⁴ (total)	11,667	5	42.9
White	4,738	6	126.6	White	8,640	9	104.2	White	5,727		
Colored	3,278	1	30.5	Colored	7,963	4	50.2	Colored	5,940	5	84.2
Franklin County (total)	26,704	12	44.9	Lunenburg County (total)	13,237	7	52.9	Pulaski County (total)	18,370	3	16.3
White	21,176	10	47.2	White	6,121	6	98.0	White	15,222	3	19.7
Colored	5,528	2	36.2	Colored	7,116	1	14.1	Colored	3,148		
Frederick County (total)	12,597	6	47.6	Madison County (total)	9,988	12	120.1	Radford (city) (total)	4,567	3	65.7
White	11,907	6	50.4	White	6,718	10	148.9	White	3,843	3	78.1
Colored ²	690			Colored	3,270	2	61.2	Colored	724		
Fredericksburg (city) (total)	6,215	4	64.4	Mathews County (total)	9,212	6	65.1	Rappahannock County (total)	7,704	4	51.9
White	4,646	4	86.1	White	6,595	6	91.0	White	5,629	2	35.5
Colored	1,569			Colored	2,617			Colored	2,075	2	96.4
Giles County (total)	11,978	8	66.8	Mecklenburg County (total)	23,979	14	46.7	Richmond County (total)	7,554	2	26.5
White	11,193	7	62.5	White	12,860	6	46.7	White	4,398	1	22.7
Colored ²	785	1	127.4	Colored	17,119	8	46.7	Colored	3,156	1	31.7
Gloucester County (total)	12,326	3	24.3	Middlesex County (total)	9,121	5	54.8	Roanoke County (total)	21,235	10	47.1
White	6,440	1	15.5	White	4,303	2	46.5	White	17,886	7	40.3
Colored	5,886	2	34.0	Colored	4,818	3	62.3	Colored	3,349	3	77.9
Goochland County (total)	9,120	5	54.8	Montgomery County (total)	17,870	7	39.2	Rockbridge County (total)	20,906	13	62.2
White	3,912	2	51.1	White	15,445	7	45.3	White	17,391	13	74.8
Colored	5,208	3	57.6	Colored	2,425			Colored	3,515		
Grayson County (total)	21,136	8	37.9	Nansemond County (total)	23,507	11	38.6	Rockingham County (total)	35,488	34	95.8
White	20,127	8	39.7	White	11,892	7	58.9	White	33,093	31	93.7
Colored ²	1,009			Colored	16,615	4	24.1	Colored ²	2,395	3	125.3
Greene County (total)	7,245	1	13.8	Nelson County (total)	17,137	7	40.8	Russell County (total)	25,793	6	23.3
White	5,835	1	17.1	White	11,729	5	42.6	White	24,656	6	24.3
Colored	1,410			Colored	5,408	2	37.0	Colored ²	1,137		
Greensville County (total)	12,799	1	7.8	New Kent County (total)	4,606	3	65.1	Scott County (total)	24,290	8	32.9
White	4,773			White	1,726	1	57.9	White	23,773	8	33.7
Colored	8,026	1	12.5	Colored	2,880	2	69.4	Colored ²	517		
Halifax County (total)	41,257	23	55.7	Norfolk County (total)	45,706	10	21.9	Shenandoah County (total)	21,234	10	47.1
White	20,461	10	48.9	White	17,885	6	33.5	White	20,729	10	48.2
Colored	20,796	13	62.5	Colored	27,821	4	14.4	Colored ²	505		
Hanover County (total)	17,024	6	35.2	Northampton County (total)	17,908	8	44.7	Smyth County (total)*	21,690	9	41.5
White	9,996	1	10.0	White	7,815	7	89.6	White	20,634	8	38.8
Colored	7,028	5	71.1	Colored	10,093	1	9.9	Colored ²	1,056	1	94.7
Henrico County (total)	27,331	11	40.2	Northumberland County (total)	11,173	9	80.6	Southampton County (total)	27,773	5	18.0
White	19,290	9	46.7	White	6,711	9	134.1	White	10,635	1	9.4
Colored	8,041	2	24.9	Colored	4,462			Colored	17,138	4	23.3
Henry County (total)	18,119	9	49.7	Nottoway County (total)	13,929	8	57.4	Spotsylvania County (total)	10,230		
White	10,731	7	65.2	White	6,262	5	79.8	White	6,493		
Colored	7,388	2	27.1	Colored	7,667	3	39.1	Colored	3,732		
Highland County (total)	5,179	2	38.6	Orange County (total)	13,873	7	50.5	Stafford County (total)	8,059	5	62.0
White	4,924	2	40.6	White	8,138	2	24.6	White	6,326	4	63.2
Colored ²	255			Colored	5,735	5	87.2	Colored	1,733	1	57.7
Isle of Wight County (total)	15,709	2	12.7	Page County (total)	14,296	7	49.0	Surry County (total)	10,245	3	29.3
White	7,735	2	25.9	White	13,108	7	53.4	White	3,853	3	77.8
Colored	7,974			Colored ²	1,188			Colored	6,387		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Includes National Military Home.

³ Colored population less than 10 per cent of the total in 1910.
⁴ Includes Norfolk City Almshouse.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.				RURAL PART OF REGISTRATION STATES ¹ —Con.			
VIRGINIA—continued.				WASHINGTON—continued.				WISCONSIN—continued.			
Sussex County (total).....	14,387	2	13.9	Jefferson County.....	9,455	2	21.2	Green County.....	21,183	28	132.2
White.....	4,853	2	41.2	King County.....	46,009	27	58.7	Green Lake County.....	15,362	24	156.2
Colored.....	9,484			Kitsap County.....	22,283	17	76.3	Iowa County.....	22,237	16	72.0
Tazewell County (total)....	25,611	6	23.4	Kittitas County.....	22,336	10	44.8	Iron County.....	9,027	4	44.3
White.....	22,691	5	22.0	Klickitat County.....	13,078	7	53.5	Jackson County.....	16,912	13	76.9
Colored.....	2,920	1	34.2	Lewis County.....	39,358	17	43.2	Jefferson County.....	34,101	46	134.9
Warren County (total).....	8,484	4	47.1	Lincoln County.....	19,914	8	40.2	Juneau County.....	19,120	24	125.5
White.....	7,356	4	54.4	Mason County.....	5,729	2	34.9	Kenosha County.....	8,649	7	80.9
Colored.....	1,128			Okanogan County.....	16,381	2	12.2	Kewaunee County.....	16,604	21	126.5
Warwick County (total)....	6,531	2	30.6	Pacific County.....	15,323	10	65.3	La Crosse County.....	13,055	14	107.2
White.....	1,805	1	55.4	Pierce County*.....	45,221	30	66.3	Lafayette County.....	19,701	10	50.8
Colored.....	4,726	1	21.2	San Juan County.....	3,890	2	51.4	Langlade County.....	18,952	13	68.5
Washington County (total)	34,463	14	40.6	Skagit County.....	35,620	32	89.8	Lincoln County.....	20,256	15	74.1
White.....	32,006	12	37.5	Skamania County.....	3,397	1	29.4	Manitowoc County.....	32,582	17	52.2
Colored ²	2,457	2	81.4	Snohomish County.....	42,186	20	47.4	Marathon County.....	41,728	30	71.9
Westmoreland County				Spokane County*.....	38,633	29	75.1	Marinette County.....	21,148	8	37.8
(total).....	9,342	3	32.1	Sevens County ³	31,585	10	31.7	Marquette County.....	10,838	6	55.4
White.....	4,619	2	43.3	Thurston County.....	20,843	12	57.6	Milwaukee County ⁴	57,563	59	102.5
Colored.....	4,723	1	21.2	Wahkiakum County.....	3,484			Monroe County.....	29,211	21	71.9
Winchester (city) (total)...	6,163	5	81.1	Walla Walla County.....	14,303	6	41.9	Oconto County.....	27,694	22	79.4
White.....	5,072	5	98.6	Whatcom County.....	30,395	19	62.5	Oneida County.....	12,523	5	39.9
Colored.....	1,091			Whitman County.....	36,656	14	38.2	Outagamie County.....	32,826	20	60.9
Wise County (total).....	40,344	13	32.2	Yakima County.....	34,844	12	34.4	Ozaukee County.....	17,446	14	80.2
White.....	36,936	11	29.8	WISCONSIN.				Pepin County.....	7,438	6	80.7
Colored ²	3,408	2	58.7	Total.....	1,612,742	1,273	78.9	Pierce County.....	21,286	13	61.1
Wythe County (total).....	20,347	10	49.1	White.....	1,601,451	1,266	79.1	Polk County.....	22,886	16	69.9
White.....	18,142	7	38.6	Colored.....	11,291	7	62.0	Portage County.....	31,568	21	68.5
Colored.....	2,205	3	136.1	Adams County.....	8,378	10	119.4	Price County.....	15,792	11	69.7
York County (total).....	7,873	3	38.1	Ashland County.....	11,764	2	17.0	Racine County.....	17,916	19	106.1
White.....	4,020	2	49.8	Barron County.....	31,430	22	70.0	Richland County.....	18,523	15	81.0
Colored.....	3,853	1	26.0	Bayfield County.....	16,666	6	36.0	Rock County.....	26,068	18	69.1
WASHINGTON.				Brown County.....	29,369	11	37.5	Rusk County.....	12,284	6	48.8
Total.....	733,544	372	50.7	Buffalo County.....	15,684	12	76.5	St. Croix County.....	25,519	16	62.7
White.....	711,435	368	51.7	Burnett County.....	9,685	5	51.6	Sauk County.....	32,811	28	85.3
Colored.....	22,109	4	18.1	Calumet County.....	16,542	11	66.5	Sawyer County.....	7,349	4	54.4
Adams County.....	13,511	3	22.2	Chippewa County.....	35,336	25	70.7	Shawano County.....	33,761	20	59.2
Asotin County.....	6,881	5	72.7	Clark County.....	31,875	24	75.3	Sheboygan County.....	28,961	21	72.5
Benton County.....	10,198	4	39.2	Columbia County.....	31,132	33	106.0	Taylor County.....	14,655	11	75.1
Chehalis County.....	26,092	13	49.8	Crawford County.....	15,864	13	81.9	Trempealeau County.....	22,850	15	65.6
Chelan County.....	19,866	7	35.2	Dane County*.....	51,376	42	81.8	Vernon County.....	28,017	10	35.7
Clallam County.....	7,245	3	41.4	Dodge County.....	47,778	45	94.2	Vilas County.....	6,482	1	15.4
Clarke County.....	31,526	17	53.9	Door County.....	19,192	9	46.9	Walworth County.....	29,766	35	117.6
Columbia County.....	7,007	6	85.6	Douglas County.....	7,802	5	64.1	Washburn County.....	9,334	8	85.7
Cowlitz County.....	14,557	6	41.2	Dunn County.....	25,354	18	71.0	Washington County.....	23,866	17	71.2
Douglas County.....	12,079	2	16.6	Eau Claire County.....	14,513	10	68.9	Waukesha County.....	37,895	34	89.7
Ferry County.....	4,902	3	61.2	Florence County.....	3,458	2	57.8	Waupaca County.....	33,279	36	108.2
Franklin County.....	7,140	1	14.0	Fond du Lac County.....	32,957	44	133.5	Waushara County.....	20,127	10	49.7
Garfield County.....	4,318	3	69.5	Forest County.....	9,077	4	44.1	Winnebago County*.....	28,677	30	104.6
Grant County.....	11,386	5	43.9	Grant County.....	39,060	32	81.9	Wood County.....	32,592	30	92.0
Island County.....	5,913	5	84.6								

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Colored population less than 10 per cent of the total in 1910.
³ Includes Pend Oreille County; separate estimated populations not available.
⁴ Includes National Military Home.

SUMMARY AND RATE TABLES.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
SUMMARY.																
The registration area (total).....	65,989,295	79.4	0.9	1.3	0.9	19.3	9.8	6.1	3.3	11.3	8.2	3.0	1.0	1.2	1.5	11.5
White.....	62,631,566	80.7	1.0	1.3	0.9	19.7	10.0	6.3	3.4	11.0	8.3	3.1	1.1	1.2	1.5	11.7
Colored.....	3,357,729	56.7	0.4	0.9	0.5	11.9	5.4	2.7	1.8	17.4	6.0	1.0	0.8	0.6	0.6	6.9
Registration states ¹ (total).....	61,114,200	79.0	0.9	1.3	0.9	19.3	9.8	6.2	3.3	11.0	8.3	3.0	1.0	1.2	1.5	11.3
White.....	58,408,039	80.0	0.9	1.3	0.9	19.6	10.0	6.3	3.3	10.7	8.4	3.1	1.0	1.2	1.5	11.5
Colored.....	2,706,161	56.2	0.4	0.8	0.6	12.2	5.6	2.8	1.7	16.5	6.0	0.8	0.7	0.6	0.7	6.9
Cities in registration states ¹ (total).....	30,287,640	88.5	1.2	1.3	1.3	20.4	10.3	7.6	3.9	13.3	9.3	2.2	1.3	1.4	2.0	13.0
White.....	29,029,647	89.2	1.2	1.3	1.3	20.6	10.5	7.8	3.9	12.9	9.4	2.3	1.3	1.4	2.0	13.2
Colored.....	1,257,993	71.7	0.7	0.9	1.1	15.7	6.6	3.5	2.3	21.5	7.2	1.0	1.1	0.9	0.8	8.4
Rural part of registration states (total).....	30,826,560	69.6	0.6	1.3	0.5	18.2	9.3	4.8	2.7	8.7	7.3	3.8	0.7	1.0	1.0	9.7
White.....	29,378,392	71.0	0.6	1.3	0.5	18.6	9.5	4.9	2.8	8.5	7.4	4.0	0.7	1.0	1.1	9.9
Colored.....	1,448,168	42.7	0.1	0.8	0.1	9.2	4.7	2.1	1.1	12.2	4.9	0.8	0.3	0.3	0.6	5.6
Registration states, ¹ exclusive of North Carolina (total).....	60,641,905	79.1	0.9	1.3	0.9	19.3	9.8	6.2	3.3	10.9	8.3	3.0	1.0	1.2	1.5	11.4
White.....	58,098,403	80.1	0.9	1.3	0.9	19.7	10.0	6.4	3.4	10.7	8.4	3.1	1.0	1.2	1.5	11.6
Colored.....	2,543,502	56.5	0.4	0.9	0.6	12.4	5.7	2.9	1.7	16.1	6.1	0.9	0.7	0.6	0.7	6.8
Registration cities in other states (total).....	4,875,095	85.4	1.4	1.3	1.4	20.2	9.3	5.6	3.5	15.6	7.1	2.2	1.4	1.4	1.9	12.9
White.....	4,223,527	89.4	1.5	1.4	1.6	21.7	10.1	6.1	3.6	14.8	7.3	2.3	1.4	1.5	2.2	13.9
Colored.....	651,568	59.1	0.3	0.9	0.2	10.9	4.5	2.5	2.5	20.9	5.8	1.4	1.2	0.8	0.3	7.1
All registration cities ¹ (total).....	35,162,735	88.0	1.2	1.3	1.3	20.4	10.2	7.3	3.8	13.6	9.0	2.2	1.3	1.4	2.0	13.0
White.....	33,253,174	89.2	1.3	1.3	1.4	20.7	10.5	7.6	3.9	13.2	9.2	2.3	1.4	1.4	2.0	13.3
Colored.....	1,909,561	67.4	0.6	0.9	0.8	14.0	5.9	3.1	2.4	21.3	6.8	1.1	1.2	0.8	0.6	8.0
REGISTRATION STATES.																
California (total).....	2,757,895	97.9	1.5	2.0	1.3	25.3	11.1	7.1	4.6	12.1	10.8	3.6	1.5	1.6	1.6	13.7
White.....	2,621,161	101.1	1.6	2.1	1.3	26.0	11.3	7.4	4.8	12.5	11.3	3.8	1.5	1.7	1.7	14.1
Colored.....	136,734	38.0	0.7	0.7	1.5	11.7	8.0	1.5	1.5	4.4	2.9	0.7	0.7	0.7	0.7	6.6
Colorado.....	909,537	58.3	0.5	1.3	0.4	13.0	8.2	3.2	2.7	8.1	5.8	1.5	0.5	0.7	0.3	6.7
Connecticut.....	1,202,633	86.5	1.4	1.5	0.7	17.3	9.1	9.3	3.2	12.1	10.1	2.7	1.3	1.9	2.7	12.7
Indiana.....	2,779,467	79.1	0.6	1.4	0.4	18.5	12.2	5.0	2.6	11.9	8.2	5.0	1.4	0.7	1.5	9.8
Kansas.....	1,784,897	61.3	0.4	1.1	0.3	15.4	9.1	4.6	1.4	7.2	6.2	2.6	0.8	1.1	0.8	10.5
Kentucky (total).....	2,350,731	46.0	0.5	0.5	(*)	8.9	6.6	2.7	1.4	8.3	4.9	2.5	0.5	0.3	0.6	8.2
White.....	2,081,819	46.1	0.5	0.5	(*)	9.0	6.7	2.8	1.5	7.5	5.1	2.6	0.5	0.3	0.6	8.3
Colored.....	268,912	45.4	0.4	0.4	7.8	6.3	2.2	0.7	14.9	3.7	1.5	0.4	7.1
Maine.....	762,787	107.6	0.9	1.4	0.7	23.6	14.9	11.3	4.9	18.1	12.2	3.7	1.0	0.8	1.7	12.5
Maryland (total).....	1,341,075	81.4	1.1	1.0	0.7	16.8	11.4	5.7	3.2	12.8	9.8	2.6	1.3	0.9	1.9	12.1
White.....	1,100,153	86.1	1.2	1.1	0.6	18.2	12.3	6.3	3.8	11.3	10.3	3.0	1.3	1.1	2.3	13.5
Colored.....	240,922	60.2	0.8	0.8	1.2	10.4	7.5	3.3	0.4	19.5	7.9	0.8	1.2	0.4	5.8
Massachusetts.....	3,605,522	101.2	1.4	1.3	1.4	20.0	10.4	12.8	4.8	14.4	12.1	2.6	1.0	1.9	1.9	15.3
Michigan.....	2,976,030	80.5	0.7	1.7	0.6	21.4	10.6	5.5	2.7	11.5	7.2	3.8	1.1	1.3	1.2	11.0
Minnesota.....	2,213,919	76.8	0.6	1.4	0.9	27.6	7.8	5.7	3.3	7.9	5.4	2.6	0.8	1.1	1.3	10.4
Missouri (total).....	3,372,886	69.0	0.9	1.1	0.8	16.6	8.6	3.8	2.5	10.3	6.6	4.6	0.7	0.9	1.3	10.1
White.....	3,210,657	69.5	1.0	1.1	0.8	16.9	8.8	3.8	2.5	10.0	6.6	4.8	0.8	1.0	1.3	10.2
Colored.....	162,229	57.3	0.7	1.2	0.6	11.7	4.3	3.7	1.2	17.3	6.2	1.2	0.6	1.2	8.0
Montana.....	432,614	51.5	0.7	1.6	0.7	15.0	5.8	3.7	2.1	6.0	4.2	1.6	1.4	0.9	0.2	7.6
New Hampshire.....	438,662	100.8	0.9	1.6	0.2	15.3	14.6	14.4	4.8	18.0	12.3	3.9	1.1	1.4	2.1	10.3
New Jersey (total).....	2,815,663	79.0	1.1	0.8	0.7	19.5	9.8	7.1	3.8	10.3	8.2	2.3	0.8	1.2	1.5	11.7
White.....	2,714,371	79.7	1.1	0.8	0.7	19.8	10.1	7.2	3.8	9.9	8.4	2.4	0.8	1.3	1.5	11.9
Colored.....	101,292	59.2	11.8	3.9	4.9	4.9	18.8	4.9	2.0	7.9
New York (total).....	9,899,761	90.0	1.3	1.1	1.6	20.7	10.3	7.7	4.3	11.3	10.5	2.5	1.1	1.3	2.3	14.1
White.....	9,740,332	90.3	1.3	1.1	1.6	20.2	10.4	7.8	4.3	11.2	10.5	2.5	1.1	1.3	2.3	14.2
Colored.....	159,429	72.8	0.6	1.3	1.3	15.7	6.3	6.3	2.5	18.2	10.0	0.6	1.3	1.3	7.5
North Carolina ² (total).....	472,295	57.8	0.2	0.4	0.4	10.2	7.4	3.0	1.9	17.2	4.9	2.5	0.2	0.8	8.7
White.....	309,636	61.4	0.3	0.6	0.6	11.0	9.0	4.5	2.3	13.9	5.2	3.6	0.3	1.0	9.0
Colored.....	162,659	51.0	8.6	4.3	1.2	23.4	4.3	0.6	0.6	8.0
Ohio (total).....	5,026,898	83.1	0.8	1.5	0.9	19.9	11.7	5.3	3.6	11.6	8.6	4.0	1.1	1.3	1.4	11.5
White.....	4,908,559	83.1	0.8	1.5	0.9	19.8	11.8	5.4	3.6	11.3	8.6	4.1	1.1	1.3	1.4	11.5
Colored.....	118,339	81.1	0.8	0.8	20.3	7.6	1.7	2.5	24.5	8.5	0.8	0.8	12.7
Pennsylvania (total).....	8,245,967	72.7	0.7	1.5	0.7	17.8	9.8	5.0	2.8	10.7	7.9	2.7	1.0	1.0	1.3	9.7
White.....	8,033,610	72.3	0.7	1.5	0.7	17.7	9.9	5.0	2.8	10.4	7.8	2.7	1.0	1.0	1.3	9.8
Colored.....	212,357	89.5	0.9	1.9	1.4	22.6	8.0	5.2	4.2	21.7	10.4	0.9	0.5	1.4	2.4	8.0
Rhode Island.....	591,215	91.2	0.8	1.9	0.7	17.9	8.6	9.5	4.4	14.7	12.2	2.5	1.5	1.4	2.0	13.0
Utah.....	414,518	45.8	0.2	0.5	0.5	19.5	4.3	1.7	1.4	6.0	3.1	1.2	0.7	0.7	0.2	5.5
Vermont.....	361,205	109.9	0.8	0.6	0.3	24.4	11.6	8.0	7.2	17.4	8.3	4.4	2.5	2.8	1.4	20.2
Virginia (total).....	2,150,009	48.9	0.4	0.8	0.2	10.0	5.0	2.3	1.3	11.1	4.9	3.0	0.7	0.7	0.9	7.5
White.....	1,449,401	52.9	0.6	1.0	0.3	10.8	6.3	2.5	1.7	9.0	5.2	3.9	0.8	0.9	1.0	9.0
Colored.....	700,608	40.5	0.6	8.3	2.4	1.9	0.4	15.4	4.1	1.1	0.7	0.3	0.7	4.6
Washington.....	1,407,865	61.9	0.6	0.6	0.4	20.8	6.3	4.3	2.3	7.1	5.2	1.9	0.9	1.3	1.3	8.9
Wisconsin.....	2,446,716	81.1	0.7	1.4	1.3	27.7	10.7	6.0	3.1	7.6	6.6	2.9	0.7	1.4	1.1	9.7

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000 population.

³ Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													Other organs or of organs not specified.
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	
REGISTRATION CITIES.																
ALABAMA. ¹																
Registration cities.....	263,504	60.3	0.8	0.4	9.1	4.2	4.6	1.5	18.6	3.4	3.8	1.9	0.8	0.8	10.6
Birmingham.....	166,154	46.3	0.6	0.6	7.2	3.6	3.0	1.8	16.2	1.8	1.2	0.6	0.6	0.6	8.4
Mobile.....	55,573	93.6	1.8	16.2	3.6	10.8	1.8	25.2	3.6	3.6	1.8	1.8	1.8	21.6
Montgomery ²	41,777	71.8	7.2	7.2	2.4	19.1	9.6	14.4	7.2	4.8
CALIFORNIA.																
Registration cities.....	1,546,725	113.4	2.0	1.7	1.7	27.3	13.6	8.2	5.5	14.7	12.9	3.3	1.9	1.9	2.0	16.7
Los Angeles.....	438,914	100.9	1.4	2.5	1.1	21.4	12.5	8.2	4.1	14.1	12.1	1.8	1.8	1.4	0.9	17.5
Oakland.....	183,002	92.9	0.5	1.6	0.5	23.0	11.5	7.1	4.9	11.5	13.1	6.0	0.5	1.1	0.5	10.9
Pasadena.....	40,880	129.6	2.4	2.4	41.6	4.9	9.8	7.3	12.2	17.1	7.3	7.3	2.4	14.7
Sacramento.....	62,717	103.6	1.6	1.6	1.6	31.9	11.2	3.2	4.8	19.1	8.0	1.6	1.6	1.6	15.9
San Diego.....	48,900	173.8	6.1	2.0	40.9	18.4	10.2	10.2	10.2	30.7	6.1	2.0	4.1	2.0	30.7
San Francisco.....	448,502	128.4	3.6	1.3	2.9	30.5	13.2	8.2	6.9	16.1	13.6	2.9	3.3	1.6	2.7	21.6
Other cities.....	323,810	111.8	1.2	1.5	1.2	28.4	17.6	9.3	4.9	15.4	10.8	3.7	1.2	2.5	3.4	10.5
COLORADO.																
Registration cities.....	341,257	85.9	1.2	2.9	1.2	24.0	8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.8
Denver.....	245,523	90.4	1.6	3.7	0.8	27.3	7.7	4.9	3.7	13.8	11.4	2.4	0.8	0.4	1.2	10.6
Other cities.....	95,734	74.2	1.0	2.1	15.7	11.5	4.2	5.2	13.6	6.3	2.1	1.0	11.5
CONNECTICUT.																
Registration cities.....	825,290	86.9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13.2	8.8	2.5	1.6	1.9	2.9	12.8
Bridgeport.....	115,289	84.1	1.7	1.7	2.6	15.6	8.7	13.9	1.7	6.9	6.9	2.6	1.7	0.9	3.5	15.6
Hartford.....	107,038	123.3	2.8	2.8	0.9	28.0	7.5	13.1	4.7	20.6	7.5	3.7	1.9	2.8	1.9	25.2
New Haven.....	144,505	113.5	2.1	0.7	0.7	24.2	12.5	6.2	3.5	18.0	13.1	4.2	2.1	5.5	4.8	15.9
Waterbury.....	82,517	69.1	1.2	13.3	9.7	12.1	2.4	15.8	2.4	1.2	1.2	7.3
Other cities.....	375,941	71.0	0.8	0.5	0.3	15.7	7.7	6.9	3.7	10.6	9.6	2.1	1.3	0.5	2.7	8.5
DELAWARE. ¹																
Wilmington.....	92,057	88.0	1.1	2.2	1.1	20.6	9.8	9.8	5.4	17.4	7.6	3.3	3.3	6.5
DISTRICT OF COLUMBIA.																
Washington (total).....	353,378	100.5	1.7	2.0	0.8	17.8	13.0	8.5	3.7	14.7	10.2	2.5	2.3	3.4	3.7	16.1
White.....	252,039	107.5	2.4	1.2	1.2	17.1	13.1	10.7	3.2	12.7	11.5	3.6	2.8	3.6	5.2	19.4
Colored.....	101,339	82.9	3.9	19.7	12.8	3.0	4.9	19.7	6.9	1.0	3.0	7.9
FLORIDA. ³																
Registration cities.....	116,535	61.8	1.7	0.9	9.4	3.4	1.7	1.7	17.2	10.3	1.7	1.7	2.6	9.4
GEORGIA. ¹																
Registration cities.....	296,660	62.7	1.0	1.0	0.3	8.4	6.4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.1
Atlanta.....	179,292	59.1	1.1	8.9	5.6	5.0	1.1	17.3	6.1	2.8	0.6	1.1	0.6	8.9
Other cities ⁴	117,368	68.2	0.9	2.6	0.9	7.7	7.7	2.6	3.4	15.3	3.4	2.6	1.7	0.9	1.7	17.0
ILLINOIS. ¹																
Registration cities (total).....	2,627,143	89.0	1.6	1.3	2.2	25.0	10.1	5.7	3.6	12.7	7.3	1.7	1.1	1.5	2.4	12.7
White.....	2,567,385	88.7	1.6	1.4	2.3	24.9	10.2	5.8	3.6	12.4	7.3	1.8	1.1	1.5	2.4	12.7
Colored.....	59,758	100.4	1.7	30.1	6.7	5.0	5.0	26.8	8.4	1.7	15.1
Chicago.....	2,397,600	87.9	1.8	1.2	2.4	25.0	9.9	5.4	3.6	12.2	7.2	1.5	1.0	1.5	2.4	12.7
Springfield.....	57,972	106.9	3.4	29.3	12.1	8.6	5.2	19.0	6.9	5.2	1.7	1.7	13.8
Other cities ⁵	171,571	98.5	0.6	2.3	0.6	22.7	11.7	9.3	3.5	18.1	9.3	2.9	1.7	0.6	2.3	12.8
INDIANA.																
Registration cities.....	901,437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	3.0	15.6	9.3	2.9	2.4	1.0	1.7	10.5
Fort Wayne.....	72,423	95.3	1.4	22.1	11.0	8.3	8.3	11.0	4.1	2.8	1.4	4.1	20.7
Indianapolis.....	259,820	102.0	0.4	1.9	0.8	18.1	11.5	9.6	1.2	20.4	12.3	3.8	3.5	0.4	2.7	15.4
Terre Haute.....	63,529	81.9	1.6	26.8	4.7	4.7	1.6	17.3	14.2	1.6	1.6	7.9
Other cities.....	505,665	75.0	1.2	0.8	0.8	16.2	11.9	4.9	3.4	13.6	7.9	2.8	2.2	0.8	1.6	6.9
KANSAS.																
Registration cities.....	345,260	81.7	0.6	0.9	0.3	17.7	12.2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11.9
Kansas City.....	94,271	64.7	1.1	19.1	8.5	4.2	4.2	7.4	3.2	1.1	4.2	2.1	9.5
Topeka*.....	47,102	110.4	2.1	23.4	8.5	10.6	2.1	23.4	8.5	4.2	2.1	2.1	23.4
Wichita.....	64,972	77.0	13.9	10.8	6.2	1.5	13.9	6.2	4.6	1.5	4.6	10.8
Other cities.....	138,915	85.7	2.2	0.7	16.6	16.6	9.4	2.2	11.5	10.1	2.9	2.2	0.7	0.7	10.1
KENTUCKY.																
Registration cities.....	425,563	77.1	1.4	0.7	0.2	13.4	14.3	4.9	2.1	15.7	8.0	2.8	0.9	0.5	1.4	10.6
Louisville.....	235,114	79.5	1.3	1.3	16.2	14.9	7.2	1.3	15.7	6.0	1.7	1.3	0.9	1.3	10.6
Other cities.....	190,449	74.0	1.6	0.5	10.0	13.7	2.1	3.2	15.8	10.5	4.2	0.5	1.6	10.5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; less than 50 deaths from cancer were reported.

³ Nonregistration state; the registration cities are Jacksonville, Key West, and Pensacola.

⁴ Includes Augusta and Savannah.

⁵ Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

SUMMARY AND RATE TABLES.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
SOUTH CAROLINA. ¹																
Charleston.....	60,121	58.2				5.0	5.0		3.3	20.0	13.3	1.7		3.3		6.7
TENNESSEE. ²																
Registration cities (total).....	370,662	78.0	0.3	1.3		12.9	7.6	4.0	3.5	25.4	5.7	2.7	2.7	0.5		11.3
White.....	237,961	87.8	0.4	1.3		14.7	10.1	5.5	2.9	24.8	5.0	3.4	2.8	0.8		15.1
Colored.....	132,701	60.3		1.5		9.8	3.0	1.5	4.5	26.4	6.8	1.5	0.8			4.5
Memphis.....	143,231	79.6		2.8		16.1	9.1	4.2	3.5	25.1	5.6	1.4	2.1			9.8
Nashville.....	114,899	85.3	0.9			10.4	7.8	6.1	3.5	22.6	7.0	5.2	2.6	0.9		18.3
Other cities ³	112,532	68.4		0.9		11.6	5.3	1.8	3.6	28.4	4.4	1.8	3.6	0.9		6.2
TEXAS. ²																
Registration cities.....	204,857	88.4	0.5	2.0	0.5	14.2	10.7	4.4	4.4	18.1	6.3	2.9	2.0	2.0	2.0	18.5
Galveston.....	40,289	129.1		2.5	2.5	12.4	22.3		7.4	14.9	12.4	7.4	2.5	5.0	2.5	37.2
San Antonio.....	115,063	70.4		2.6		13.9	6.1	3.5	3.5	14.8	4.3	1.7	2.6	0.9	1.7	14.8
El Paso.....	49,505	97.0	2.0			16.2	12.1	10.1	4.0	28.3	6.1	2.0		2.0	2.0	12.1
UTAH.																
Registration cities.....	139,264	66.8		1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7		0.7	8.6
Salt Lake City.....	109,736	64.7		1.8		23.7	4.6	3.6	2.7	10.9	3.6	3.6			0.9	9.1
Ogden.....	29,528	74.5			3.4	44.0			3.4	6.8	3.4	3.4	3.4			6.8
VERMONT.																
Registration cities.....	47,370	154.1				48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
VIRGINIA.																
Registration cities (total).....	423,671	71.8	0.5	0.5	0.5	11.1	6.8	5.0	1.9	20.3	6.6	2.1	1.9	1.7	1.4	11.6
White.....	277,249	77.9	0.7	0.7	0.7	12.6	8.7	6.1	2.5	15.9	7.2	2.2	1.8	2.2	1.4	15.1
Colored.....	146,422	60.1				8.2	3.4	2.7	0.7	28.7	5.5	2.0	2.0	0.7	1.4	4.8
Richmond.....	134,917	94.1	0.7	0.7		16.3	9.6	6.7	3.0	18.5	10.4	3.7	2.2	3.7	1.5	17.0
Other cities (total).....	288,754	61.3	0.3	0.3	0.7	8.7	5.5	4.2	1.4	21.1	4.8	1.4	1.7	0.7	1.4	9.0
White.....	191,751	66.2	0.5	0.5	1.0	9.9	7.3	5.7	1.6	17.7	4.2	1.6	2.1	1.0	1.6	11.5
Colored.....	97,003	51.5				6.2	2.1	1.0	1.0	27.8	6.2	1.0	1.0		1.0	4.1
WASHINGTON.																
Registration cities.....	674,321	74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.4
Seattle.....	313,029	70.6	1.3	1.3	0.6	21.4	6.7	4.8	3.2	8.3	6.7	1.3	1.3	0.6	2.6	10.5
Spokane.....	135,657	75.2		0.7	1.5	24.3	6.6	5.2	1.5	11.8	6.6	1.5	0.7	3.7	2.9	8.1
Tacoma.....	103,418	81.2				30.0	5.8	9.7	3.9	2.9	7.7	1.0	1.0	1.9		17.4
Other cities.....	122,217	75.3			0.8	25.4	7.4	5.7	3.3	11.5	3.3	3.3		0.8	1.6	12.3
WEST VIRGINIA. ¹																
Wheeling.....	42,817	107.4		2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4.7		14.0
WISCONSIN.																
Registration cities.....	833,974	85.4	1.1	1.3	1.4	24.7	12.4	7.3	3.4	10.0	7.2	1.8	0.7	1.3	1.9	10.9
Milwaukee.....	419,589	69.4	1.2	0.7	1.2	19.1	12.2	5.0	3.3	6.9	7.1	1.0	0.5	0.7	1.9	8.6
Other cities.....	414,385	101.6	1.0	1.9	1.7	30.4	12.5	9.7	3.4	13.0	7.2	2.7	1.0	1.9	1.9	13.3
RURAL PART OF REGISTRATION STATES. ⁶																
CALIFORNIA.																
Total.....	1,211,170	78.2	0.9	2.4	0.7	22.8	8.0	5.6	3.5	8.8	8.2	4.0	0.9	1.3	1.1	9.9
Los Angeles County.....	129,965	123.9	1.5	5.4	2.3	31.5	18.5	9.2	4.6	14.6	13.8	3.1		3.8	2.3	13.1
Santa Clara County*.....	56,391	138.3	3.5	5.3	5.3	30.1	16.0	12.4	3.5	16.0	12.4	1.8		3.5	1.8	23.1
Sonoma County.....	52,618	119.7		1.9		39.9	13.3	9.5	1.9	17.1	22.8	1.9				11.4
Other rural districts.....	972,196	66.3	0.7	1.9	0.3	20.3	5.9	4.6	3.4	7.1	6.4	4.4	0.9	0.9	0.9	8.6
COLORADO.																
Total.....	568,280	41.7	0.2	0.4		14.4	7.9	2.3	1.9	4.8	3.3	1.1	0.5	0.7		4.2
CONNECTICUT.																
Total.....	377,398	85.6	1.6	2.4	0.5	16.2	9.5	9.8	2.9	9.5	12.7	3.2	0.8	1.9	2.1	12.5
Hartford County.....	85,763	88.6	1.2	4.7	1.2	16.3	12.8	10.5	2.3	5.8	15.2	4.7	1.2	1.2	1.2	10.5
Other rural districts.....	291,635	84.7	1.7	1.7	0.3	16.1	8.6	9.6	3.1	10.6	12.0	2.7	0.7	2.1	2.4	13.0
INDIANA.																
Total.....	1,878,030	76.4	0.4	1.7	0.2	18.7	12.6	4.2	2.4	10.1	7.7	6.0	0.9	0.6	1.4	9.5

¹ Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported.

² Nonregistration state; cities shown below only those with effective local ordinances.

³ Includes, Chattanooga, Jackson, and Knoxville.

⁴ The only other registration unit; less than 50 deaths from cancer were reported.

⁵ The only other city of 10,000 inhabitants or over in 1910; less than 50 deaths from cancer were reported.

⁶ Exclusive of municipalities having a population of 10,000 or over in 1910.

SUMMARY AND RATE TABLES.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES 1—Continued.																
NEW YORK—continued.																
Monroe County.....	65,987	75.8	1.5	7.6	12.1	1.5	4.5	9.1	10.6	3.0	3.0	3.0	1.5	18.2
Nassau County.....	96,068	81.2	2.1	21.9	13.5	9.4	5.2	5.2	8.3	3.1	3.1	1.0	1.0	7.3
Oneida County.....	58,506	126.5	3.4	1.7	1.7	23.9	18.8	6.8	6.8	22.2	17.1	6.8	1.7	1.7	1.7	12.0
Onondaga County.....	64,396	96.3	1.6	3.1	29.5	7.8	1.6	1.6	6.2	20.2	4.7	1.6	1.6	17.1
Ontario County.....	40,125	139.6	44.9	10.0	10.0	10.0	7.5	24.9	10.0	5.0	5.0	12.5
Orange County.....	76,501	71.9	18.3	9.2	5.2	2.6	7.8	5.2	2.6	1.3	3.9	15.7
Rockland County.....	50,526	100.9	2.0	25.7	9.9	4.0	5.9	11.9	7.9	4.0	2.0	7.9	19.8
St. Lawrence County.....	72,508	69.0	2.8	16.5	8.3	2.8	6.9	6.9	6.9	2.8	1.4	13.8
Stauben County.....	54,383	126.9	1.8	1.8	1.8	27.6	20.2	7.4	3.7	20.2	1.8	16.5	1.8	22.1
Suffolk County*.....	104,045	88.4	1.0	1.0	1.0	25.0	7.7	11.5	3.8	11.5	12.5	1.0	1.0	1.0	10.6
Wayne County.....	50,526	116.1	2.0	2.0	27.5	15.7	7.9	5.9	19.7	11.8	2.0	2.0	19.7
Westchester County.....	97,047	109.2	4.1	5.2	18.5	10.3	4.1	7.2	11.3	10.3	11.3	1.0	3.1	22.7
Other rural districts.....	1,238,041	95.2	0.8	1.2	1.0	22.2	11.6	6.0	4.0	11.6	14.4	5.3	0.7	1.5	1.2	13.9
NORTH CAROLINA. ²																
Total.....	296,285	50.3	0.7	0.3	9.8	6.1	3.4	2.0	14.9	4.4	1.7	1.0	6.1
OHIO.																
Total.....	2,616,691	79.2	0.7	1.5	0.5	19.9	11.5	4.9	3.2	9.1	8.6	5.1	1.1	1.3	1.3	10.7
Hamilton County.....	60,078	89.9	1.7	26.6	10.0	6.7	5.0	10.0	10.0	5.0	3.3	3.3	8.3
Tuscarawas County.....	58,432	95.8	29.1	15.4	8.6	6.8	10.3	5.1	6.8	3.4	10.3
Other rural districts.....	2,498,181	78.5	0.7	1.6	0.5	19.5	11.4	4.7	3.0	9.0	8.6	5.0	1.2	1.3	1.2	10.7
PENNSYLVANIA.																
Total.....	4,288,288	64.2	0.4	1.4	0.4	16.4	9.8	4.2	2.5	8.3	6.5	3.3	0.6	0.8	0.9	8.6
Allegheny County.....	385,396	57.9	1.0	0.8	16.3	9.9	3.6	1.6	9.6	6.2	2.9	1.0	4.0
Berks County*.....	89,920	73.4	1.1	3.3	1.1	17.8	8.9	4.4	1.1	7.8	10.0	4.4	1.1	3.3	3.3	5.6
Bradford County.....	52,449	129.6	3.8	15.3	15.3	13.3	5.7	26.7	13.3	11.4	1.9	1.9	5.7	15.3
Bucks County.....	78,805	96.4	1.3	1.3	1.3	16.5	19.0	8.9	1.3	14.0	12.7	5.1	1.3	2.5	11.4
Chester County.....	77,484	83.9	3.9	1.3	20.6	9.0	1.3	1.3	9.0	7.7	2.6	1.3	3.9	14.2
Clearfield County.....	85,368	58.6	1.2	1.2	17.6	10.5	7.0	1.2	8.2	1.2	3.5	1.2	5.9
Delaware County.....	87,294	84.8	1.1	21.8	14.9	1.1	4.6	10.3	18.3	2.3	1.1	9.2
Eric County.....	50,381	133.0	4.0	21.8	11.9	2.0	7.9	15.9	23.8	6.0	4.0	2.0	2.0	31.8
Fayette County.....	158,002	42.4	0.6	0.6	12.7	6.3	3.2	1.3	5.1	2.5	1.9	0.6	0.6	0.6	7.0
Jefferson County.....	64,784	78.7	4.6	23.2	12.3	3.1	1.5	6.2	3.1	3.1	3.1	3.1	1.5	13.9
Lancaster County.....	109,605	82.1	2.7	21.0	12.8	7.3	2.7	8.2	10.9	4.6	2.7	9.1
Luzerne County.....	220,666	44.9	0.5	0.9	16.3	5.9	3.6	1.8	2.3	4.1	3.2	0.5	5.9
Montgomery County.....	135,954	69.9	0.7	0.7	0.7	16.2	11.0	3.7	5.9	5.1	8.1	5.1	0.7	2.9	0.7	8.1
Northampton County.....	78,047	69.2	2.6	20.5	14.1	9.0	5.1	1.3	1.3	3.8	2.6	9.0
Schuylkill County.....	156,044	57.0	1.9	0.6	14.1	9.0	2.6	3.8	6.4	5.1	3.2	0.6	9.6
Washington County.....	144,924	51.8	0.7	20.0	8.3	1.4	5.5	4.1	2.1	1.4	0.7	7.6
Westmoreland County.....	228,177	48.2	1.3	1.3	0.4	9.2	10.1	3.1	2.2	7.9	3.9	0.9	0.4	7.5
York County.....	95,493	67.0	3.1	9.4	11.5	4.2	3.1	10.5	10.5	2.1	1.0	11.5
Other rural districts.....	1,989,495	63.8	0.6	1.2	0.3	16.5	9.3	4.4	2.8	8.4	6.0	3.5	0.8	0.7	0.6	8.7
RHODE ISLAND.																
Total.....	111,728	101.1	2.7	0.9	23.3	8.1	10.7	7.2	12.5	16.1	2.7	3.6	1.8	11.6
UTAH.																
Total.....	275,254	35.2	0.4	0.4	15.3	4.7	1.1	0.7	4.0	2.9	0.7	1.1	4.0
VERMONT.																
Total.....	313,835	103.2	1.0	0.6	0.3	20.7	11.8	7.3	6.4	17.5	7.3	4.8	2.2	2.9	1.3	19.1
VIRGINIA.																
Total.....	1,726,338	43.3	0.4	0.9	0.1	9.7	4.6	1.6	1.1	8.9	4.5	3.2	0.5	0.5	0.8	6.5
White.....	1,172,152	47.0	0.6	1.0	0.2	10.3	5.7	1.6	1.5	7.4	4.8	4.4	0.5	0.6	0.9	7.5
Colored.....	554,186	35.4	0.7	8.3	2.2	1.6	0.4	11.9	3.8	0.9	0.4	0.2	0.5	4.5
WASHINGTON.																
Total.....	733,544	50.7	0.5	0.5	17.9	5.9	3.0	1.8	5.6	4.2	2.2	1.0	1.1	0.5	6.5
WISCONSIN.																
Total.....	1,612,742	78.9	0.6	1.5	1.3	29.3	9.8	5.3	3.0	6.3	6.3	3.5	0.7	1.5	0.7	9.1
Milwaukee County ³	57,563	102.5	3.5	3.5	33.0	15.6	3.5	5.2	6.9	3.5	3.5	24.3
Other rural districts.....	1,555,179	78.1	0.6	1.4	1.2	29.1	9.6	5.4	2.9	6.3	6.6	3.5	0.8	1.4	0.7	8.6

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

³ Includes National Military Home.

GENERAL TABLES

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 4.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—												Deaths at un- known age.		
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.		85 to 89 years.	90 years and over.
REGISTRATION STATES—Contd.																
COLORADO.....	530	6	20	23	51	51	73	70	63	60	53	33	20	5	2
Males.....	232	2	3	8	20	16	25	32	40	30	28	12	13	2	1
Females.....	298	4	17	15	31	35	48	38	23	30	25	21	7	3	1
Diagnosis reasonably certain. (M.....)	133	2	3	8	12	12	12	23	13	17	16	7	5	2	1
(F.....)	199	2	9	13	25	27	34	27	14	18	17	9	2	2	
White.....	517	6	20	22	49	49	72	69	60	58	53	32	20	5	2
Males.....	230	2	3	8	20	16	24	32	39	30	28	12	13	2	1
Females.....	287	4	17	14	29	33	48	37	21	28	25	20	7	3	1
Diagnosis reasonably certain. (M.....)	133	2	3	8	12	12	12	23	13	17	16	7	5	2	1
(F.....)	194	2	9	12	24	26	34	26	14	17	17	9	2	2	
Colored.....	13	1	2	2	1	1	3	2	1	
Males.....	2	1	1	
Females.....	11	1	2	2	1	2	1	
Diagnosis reasonably certain. (M.....)	5	1	1	1	1	1	
(F.....)	
CONNECTICUT.....	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	3
Males.....	394	6	12	12	14	39	31	55	56	53	56	30	19	10	1
Females.....	646	7	17	15	42	56	80	95	85	71	71	68	21	9	6	3
Diagnosis reasonably certain. (M.....)	199	3	8	8	9	23	20	27	25	29	21	18	3	4	1
(F.....)	412	6	12	15	32	43	58	62	50	37	32	43	10	7	4	1
White.....	1,022	12	28	26	53	93	108	149	138	124	127	96	40	18	7	3
Males.....	390	6	12	11	13	39	31	55	54	53	56	30	19	10	1
Females.....	632	6	16	15	40	54	77	94	84	71	71	66	21	8	6	3
Diagnosis reasonably certain. (M.....)	198	3	8	8	9	23	20	27	24	29	21	18	3	4	1
(F.....)	400	5	11	15	30	41	55	61	49	37	32	42	10	7	4	1
Colored.....	18	1	1	1	3	2	3	1	3	2	1	
Males.....	4	1	1	2	
Females.....	14	1	1	2	2	3	1	1	2	1	
Diagnosis reasonably certain. (M.....)	1	
(F.....)	12	1	1	2	2	3	1	1	1	
INDIANA.....	2,199	29	64	79	118	180	219	282	268	313	275	202	116	44	8	2
Males.....	821	9	19	16	35	46	75	97	106	131	131	75	57	20	3	1
Females.....	1,378	20	45	63	83	134	144	185	162	182	144	127	59	24	5	1
Diagnosis reasonably certain. (M.....)	439	5	12	12	20	30	40	54	52	64	54	41	33	12	3	1
(F.....)	847	18	33	51	71	106	98	131	89	78	60	60	28	14	4	1
White.....	2,162	29	62	75	118	175	212	277	265	309	271	201	115	44	7	2
Males.....	812	9	18	16	35	45	73	95	105	131	130	75	56	20	3	1
Females.....	1,350	20	44	59	83	130	139	152	160	178	141	126	59	24	4	1
Diagnosis reasonably certain. (M.....)	429	5	11	12	20	30	40	53	52	64	53	41	32	12	3	1
(F.....)	830	18	38	48	71	103	95	130	87	76	59	59	28	14	3	1
Colored.....	37	2	4	5	7	5	3	4	4	1	1	1
Males.....	9	1	1	2	2	2	1	1	
Females.....	28	1	4	4	5	3	2	4	3	1	1
Diagnosis reasonably certain. (M.....)	4	1	1	1	
(F.....)	17	3	3	3	1	2	2	1	1	1
KANSAS.....	1,095	22	27	30	52	73	101	132	161	170	146	93	65	17	6
Males.....	504	10	9	11	15	26	28	53	68	94	92	53	27	9	4
Females.....	591	12	18	19	37	47	73	74	93	76	54	40	38	8	2
Diagnosis reasonably certain. (M.....)	257	8	5	7	7	13	19	32	27	45	40	26	18	6	4
(F.....)	364	8	11	17	31	32	55	49	54	35	21	24	20	5	2
White.....	1,064	22	22	28	50	71	101	127	157	168	142	90	63	17	6
Males.....	496	10	8	10	14	25	28	57	68	93	90	53	27	9	4
Females.....	568	12	14	18	36	46	73	70	89	75	52	37	36	8	2
Diagnosis reasonably certain. (M.....)	254	8	5	7	6	13	19	31	27	45	39	26	18	6	4
(F.....)	349	8	8	16	30	32	55	47	51	34	21	21	19	5	2
Colored.....	31	5	2	2	2	5	4	2	4	3	2	
Males.....	8	1	1	1	1	1	1	2	
Females.....	23	4	1	1	1	4	4	1	2	2	
Diagnosis reasonably certain. (M.....)	3	1	1	1	
(F.....)	15	3	1	2	3	1	3	1	
KENTUCKY.....	1,081	26	43	59	79	85	105	118	146	146	107	79	54	14	3	17
Males.....	388	10	7	11	18	21	38	40	55	66	51	30	23	10	1	7
Females.....	693	16	36	48	61	64	67	78	91	80	56	49	31	4	2	10
Diagnosis reasonably certain. (M.....)	162	6	5	4	8	10	17	20	14	24	23	9	12	6	1	3
(F.....)	446	7	24	33	45	51	43	60	50	46	28	26	22	3	2	6
White.....	959	22	35	44	67	72	91	104	129	138	101	71	52	14	3	16
Males.....	356	8	7	8	17	19	32	36	50	62	49	28	22	10	1	7
Females.....	603	14	28	36	50	53	59	68	79	76	52	43	30	4	2	9
Diagnosis reasonably certain. (M.....)	155	5	5	4	8	8	15	19	14	24	22	9	12	6	1	3
(F.....)	382	7	16	22	36	43	37	53	43	42	27	24	21	3	2	6

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un- known age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 year. and over.		
REGISTRATION STATES—Contd.																	
RHODE ISLAND.....	539	10	11	19	33	50	72	73	74	71	54	45	19	7	1		
Males.....	196	2	4	3	11	20	28	28	27	31	23	12	4	2	1		
Females.....	343	8	7	16	22	30	44	45	47	40	31	33	15	5	1		
Diagnosis reasonably certain. (M).....	102	1	2	3	8	11	12	17	9	19	11	5	2	2	1		
..... (F).....	220	7	5	15	20	22	29	32	25	19	18	13	11	4	1		
White.....	530	9	10	19	32	48	71	72	73	70	54	45	19	7	1		
Males.....	194	1	4	3	10	20	28	28	27	31	23	12	4	2	1		
Females.....	336	8	6	16	22	28	43	44	46	39	31	33	15	5	1		
Diagnosis reasonably certain. (M).....	101	1	2	3	8	11	12	17	9	19	11	5	2	2	1		
..... (F).....	218	7	5	15	20	21	28	32	25	19	18	13	11	4	1		
Colored.....	9	1	1		1	2	1	1	1	1							
Males.....	7	1			1												
Females.....	2																
Diagnosis reasonably certain. (M).....	1	1				1											
..... (F).....	2																
UTAH.....	190	7	4	9	11	20	27	29	26	21	18	11	7				
Males.....	94	5	1	3	3	8	13	12	18	9	13	5	4				
Females.....	96	2	3	6	8	12	14	17	8	12	5	6	3				
Diagnosis reasonably certain. (M).....	41	3	1	3	2	4	8	5	4	4	4	4	3				
..... (F).....	61	2	3	5	6	7	9	12	5	4	3	2	3				
White.....	185	7	4	9	11	16	27	28	26	21	18	11	7				
Males.....	91	5	1	3	3	5	13	12	18	9	13	5	4				
Females.....	94	2	3	6	8	11	14	16	8	12	5	6	3				
Diagnosis reasonably certain. (M).....	40	3	1	3	2	3	8	5	4	4	4	4	3				
..... (F).....	61	2	3	5	6	7	9	12	5	4	3	2	3				
Colored.....	5					4		1									
Males.....	3					3											
Females.....	2					1		1									
Diagnosis reasonably certain. (M).....	1					1											
..... (F).....	1																
VERMONT.....	397	9	8	10	11	12	28	53	41	51	67	45	38	18	4	2	
Males.....	159	4	1	3	3	3	6	24	15	24	31	18	17	7	2	1	
Females.....	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1	
Diagnosis reasonably certain. (M).....	88	3	1	1	2	2	2	10	6	16	20	7	12	3	2	1	
..... (F).....	145	5	4	6	7	7	17	19	16	16	16	15	11	4	2	1	
White.....	396	9	8	10	11	12	28	53	41	51	66	45	38	18	4	2	
Males.....	158	4	1	3	3	3	6	24	15	24	30	18	17	7	2	1	
Females.....	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1	
Diagnosis reasonably certain. (M).....	87	3	1	1	2	2	2	10	6	16	19	7	12	3	2	1	
..... (F).....	145	5	4	6	7	7	17	19	16	16	16	15	11	4	2	1	
Colored.....	1										1						
Males.....	1										1						
Females.....																	
Diagnosis reasonably certain. (M).....	1										1						
..... (F).....																	
VIRGINIA.....	1,051	24	36	50	77	81	108	121	137	126	128	84	43	27	8	1	
Males.....	390	12	6	16	17	16	37	46	58	46	66	37	18	12	3		
Females.....	661	12	30	34	60	65	71	75	79	80	62	47	25	15	5	1	
Diagnosis reasonably certain. (M).....	189	7	5	7	14	7	24	13	28	19	22	20	10	11	2		
..... (F).....	440	7	23	28	49	43	53	49	53	50	30	22	18	10	5		
White.....	767	15	16	26	42	49	70	87	101	102	110	76	41	24	8		
Males.....	324	9	5	10	12	12	28	37	47	38	59	35	17	12	3		
Females.....	443	6	11	16	30	37	42	50	54	64	51	41	24	12	5		
Diagnosis reasonably certain. (M).....	165	5	4	5	10	5	19	12	25	17	21	20	9	11	2		
..... (F).....	286	3	9	14	23	23	32	33	37	41	22	19	17	8	5		
Colored.....	284	9	20	24	35	32	38	34	36	24	18	8	2	3		1	
Males.....	66	3	1	6	5	4	9	9	11	8	7	2	1				
Females.....	218	6	19	18	30	28	29	25	25	16	11	6	1	3		1	
Diagnosis reasonably certain. (M).....	24	2	1	2	4	2	5	1	3	2	1	1	1				
..... (F).....	154	4	14	14	26	20	21	16	16	9	8	3	1	2			
WASHINGTON.....	871	18	25	36	51	82	119	120	120	104	84	59	42	7	1	3	
Males.....	446	12	10	17	18	26	57	59	72	66	42	32	27	6		2	
Females.....	425	6	15	19	33	56	62	61	48	38	42	27	15	1	1	1	
Diagnosis reasonably certain. (M).....	242	8	9	13	9	14	34	35	39	31	17	15	14	2		2	
..... (F).....	300	6	13	17	30	46	47	43	33	21	24	12	7	1			
White.....	865	18	25	36	50	82	117	119	120	104	84	58	41	7	1	3	
Males.....	442	12	10	17	17	26	56	59	72	66	42	31	26	6		2	
Females.....	423	6	15	19	33	56	61	60	48	38	42	27	15	1	1	1	
Diagnosis reasonably certain. (M).....	240	8	9	13	9	14	33	35	39	31	17	15	13	2		2	
..... (F).....	298	6	13	17	30	46	46	42	33	21	24	12	7	1			

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
WASHINGTON—Continued.																
Colored.....	6				1		2	1					1	1		
Males.....	4				1		1						1	1		
Females.....	2							1								
Diagnosis reasonably certain. (M. F.)	2						1		1				1			
White.....	1,985	35	37	52	86	130	209	263	247	301	259	187	117	49	12	
Males.....	948	20	12	19	30	47	91	124	132	150	130	105	66	19	2	
Females.....	1,037	15	25	33	56	83	118	139	115	151	129	82	51	30	10	
Diagnosis reasonably certain. (M. F.)	394	14	6	11	13	28	41	51	52	59	48	38	22	9	2	
Females.....	596	12	20	24	43	70	83	83	66	67	52	32	22	16	6	
Colored.....	9			1				1	2	2		1	1	1		
Males.....	1							1	1							
Females.....	8			1				1	2			1	1	1		
Diagnosis reasonably certain. (M. F.)	6								1	2		1	1	1		
REGISTRATION CITIES.																
ALABAMA.¹																
Registration cities.....	159	6	16	11	14	20	20	15	15	16	6	13	4	2	1	
Males.....	53	1	5	2	2	8	10	4	7	6	3	3		1	1	
Females.....	106	5	11	9	12	12	10	11	8	10	3	10	4	1		
Diagnosis reasonably certain. (M. F.)	41		4	2		7	6	4	6	6	2	2	2	1	1	
Females.....	81	3	9	7	11	9	9	6	7	9	3	6	1	1		
White.....	115	3	11	6	10	10	15	12	12	14	4	12	3	2	1	
Males.....	44	1	3	1	1	5	9	4	6	6	3	3		1	1	
Females.....	71	2	8	5	9	5	6	8	6	8	1	9	3	1		
Diagnosis reasonably certain. (M. F.)	34		2	1		4	6	4	5	6	2	2		1	1	
Females.....	55	2	8	4	8	5	5	4	5	7	1	5		1		
Colored.....	44	3	5	5	4	10	5	3	3	2	2	1	1			
Males.....	9		2	1	1	3	1		1							
Females.....	35	3	3	4	3	7	4	3	2	2	2	1	1			
Diagnosis reasonably certain. (M. F.)	7		2	1		3		1	1							
Females.....	26	1	1	3	3	4	4	2	2	2	2	1	1			
Birmingham.....	77	2	9	5	9	9	12	8	9	5	2	3	2	1	1	
Males.....	26	1	1		1	5	6	1	4	3	2	2			1	
Females.....	51	1	8	5	8	4	6	7	5	2	2	1	2	1		
Diagnosis reasonably certain. (M. F.)	19		1			5	3	1	3	3	1	1			1	
Females.....	40	1	7	3	8	3	5	4	5	2		1		1		
White.....	56	2	6	2	6	4	10	7	7	4	2	2	2	1	1	
Males.....	20	1				2	6	1	3	3	2	1			1	
Females.....	36	1	6	2	6	2	4	6	4	1	1	1	2	1		
Diagnosis reasonably certain. (M. F.)	14					2	3	1	2	3	1	1			1	
Females.....	28	1	6	1	6	2	3	3	4	1				1		
Colored.....	21		3	3	3	5	2	1	2	1		1				
Males.....	6		1		1	3			1							
Females.....	15		2	3	2	2	2	1	1	1		1				
Diagnosis reasonably certain. (M. F.)	5		1			3			1							
Females.....	12		1	2	2	1	2	1	1	1		1				
Mobile.....	52	3	5	5	2	6	5	2	4	9	3	7	1			
Males.....	21		2	2	1	3	3	1	3	3	1	2				
Females.....	31	3	3	2	1	3	2	1	1	6	2	5	1			
Diagnosis reasonably certain. (M. F.)	18		2	2		2	3		3	3	1	1				
Females.....	23	1	2	3	1	2	2		1	5	2	4				
White.....	41	1	4	3	2	5	4	2	3	8	1	7	1			
Males.....	20		2	1	1	3	3	1	3	3	1	2				
Females.....	21	1	2	2	1	2	1	1	3	5	1	5	1			
Diagnosis reasonably certain. (M. F.)	17		2	1		2	3		3	3	1	1				
Females.....	17	1	2	2	1	2	1		3	4		4				
Colored.....	11	2	1	2		1	1		1	1	2					
Males.....	1			1												
Females.....	10	2	1	1		1	1		1	1	2					
Diagnosis reasonably certain. (M. F.)	1			1					1	1						
Females.....	6					1	1		1	1	2					

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
ALABAMA ¹ —continued.																
Montgomery ²	30	1	2	1	3	5	3	5	2	2	1	3	1	1		
Males.....	6		2				1	2						1		
Females.....	24	1		1	3	5	2	3	2	2	1	3	1			
Diagnosis reasonably certain.....	4		1		2	4	2	2	1	2	1	1	1			
White.....	18		1	1	2	1	1	3	2	2	1	3		1		
Males.....	4		1					2						1		
Females.....	14			1	2	1	1	1	2	2	1	3				
Diagnosis reasonably certain.....	3			1	1	1	1	1	1	2	1	1		1		
Colored.....	12	1	1		1	4	2	2					1			
Males.....	2		1			1										
Females.....	10	1			1	4	1	2					1			
Diagnosis reasonably certain.....	1		1		1	3	1	1					1			
CALIFORNIA.																
Registration cities.....	1,754	18	69	81	119	179	232	220	227	222	193	121	52	15	6	
Males.....	782	8	31	24	46	65	97	95	125	108	87	58	29	7	2	
Females.....	972	10	38	57	73	114	135	125	102	114	106	63	23	8	4	
Diagnosis reasonably certain.....	464	3	25	19	30	41	61	58	75	62	41	30	15	3	1	
White.....	1,720	17	66	77	115	178	222	219	219	220	193	121	52	15	6	
Males.....	761	7	31	23	43	65	91	94	118	106	87	58	29	7	2	
Females.....	959	10	35	54	72	113	131	125	101	114	106	63	23	8	4	
Diagnosis reasonably certain.....	456	3	25	18	28	41	61	58	70	62	41	30	15	3	1	
Colored.....	674	9	31	41	58	93	101	96	67	69	56	35	10	6	2	
Males.....	34	1	3	4	4	1	10	1	8	2						
Females.....	21	1		1	3		6	1	7	2						
Diagnosis reasonably certain.....	13		3	3	1	1	4		1							
Los Angeles.....	8			1	2		5		5							
Diagnosis reasonably certain.....	10		2	2	1	1	3		1							
Los Angeles.....	443	4	21	20	33	38	69	61	48	65	51	21	7	4	1	
Males.....	172	3	10	4	10	11	25	26	22	26	18	9	5	2	1	
Females.....	271	1	11	16	23	27	44	35	26	39	33	12	2	2		
Diagnosis reasonably certain.....	109		8	3	7	8	19	16	10	18	11	6	3			
White.....	180	1	8	10	19	23	33	25	13	23	19	4	1	1		
Males.....	436	3	20	20	32	38	67	61	46	65	51	21	7	4	1	
Females.....	167	2	10	4	9	11	24	26	20	26	18	9	5	2	1	
Diagnosis reasonably certain.....	269	1	10	16	23	27	43	35	26	39	33	12	2	2		
Colored.....	106		8	3	6	8	19	16	8	18	11	6	3			
Diagnosis reasonably certain.....	178	1	7	10	19	23	32	25	13	23	19	4	1	1		
Oakland.....	7	1	1		1		2		2							
Males.....	5	1			1		1		2							
Females.....	2		1				1									
Diagnosis reasonably certain.....	3				1				2							
Pasadena.....	2		1				1									
Oakland.....	170	2	4	8	11	15	19	21	21	17	23	18	9	1	1	
Males.....	61	1	2	2	2	3	3	10	7	10	9	8	4			
Females.....	109	1	2	6	9	12	16	11	14	7	14	10	5	1	1	
Diagnosis reasonably certain.....	39	1	1	2	1	1	2	8	3	8	5	6	3			
Pasadena.....	75		2	6	6	9	10	8	11	6	7	6	1		1	
Pasadena.....	53	1		1	3	2	4	7	5	9	8	5	4	2	2	
Males.....	17				1				1	3	5	3	1	2	1	
Females.....	36	1		1	3	1	4	7	4	6	3	2	3		1	
Diagnosis reasonably certain.....	10				1		1	1	1	2	3	3	2		1	
Sacramento.....	24	1		1	2	1	2	6	3	4	3		1			
Sacramento.....	65		5		3	7	6	8	13	6	6	7	4			
Males.....	32		2		2	1	4	4	6	5	2	4	2			
Females.....	33		3		1	6	2	4	7	1	4	3	2			
Diagnosis reasonably certain.....	20		1		1	1	2	4	4	3	3	3	1			
San Diego.....	23		3		1	5	1	4	4	1	2	2				
San Diego.....	85		3	1	5	6	11	8	13	15	9	6	8			
Males.....	39				3	1	3	3	10	6	7	2	4			
Females.....	46		3	1	2	5	8	5	3	9	2	4	4			
Diagnosis reasonably certain.....	17				3	1	1	1	6	2	2	1	2			
Montgomery.....	35		3	1	2	5	7	4	3	7		1	2			

¹ Nonregistration state; cities shown below only those with effective local ordinances. ² The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown ages.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
CONNECTICUT—continued.																
Hartford.....	132			4	11	15	21	18	17	12	11	12	4	1		
Males.....	56	2		1	5	8	7	8	7	5	4	5	3	1		
Females.....	76	1	3	3	6	7	14	10	10	7	7	7	1			
Diagnosis reasonably certain. {M. F.}	37 57	2 1		1 3	5 5	6 5	5 10	5 6	4 7	2 6	3 5	3 6				
New Haven.....	164	2	4	4	11	22	15	24	23	17	23	10	4	5		
Males.....	57	1	2	1	1	7	3	6	13	9	8	2	2	2		
Females.....	107	1	2	3	10	15	12	18	10	8	15	8	2	3		
Diagnosis reasonably certain. {M. F.}	30 73	1 1	1 2	1 3	9 9	4 13	3 10	3 12	3 8	6 5	2 5	1 3	1 2	1 2		
Waterbury.....	57	1	3	3	2	6	7	12	8	3	2	4	5	1		
Males.....	22	1	1	2		1	1	7	5		2		1	1		
Females.....	35		2	1	2	5	6	5	3	3		4	4			
Diagnosis reasonably certain. {M. F.}	8 21		2 2	1 1	2 2	1 4	1 5	2 3	1 1	1 1						
Other cities.....	267	3	9	4	13	20	29	36	38	35	34	28	11	6	1	
Males.....	96		1	2	1	11	10	14	13	14	14	8	6	2		
Females.....	171	3	8	2	12	9	19	22	25	21	20	20	5	4	1	
Diagnosis reasonably certain. {M. F.}	42 112	1 3	1 5	2 2	9 9	6 8	6 14	6 17	3 14	9 11	5 12	6 11	2 2	3 3	1 1	
DELAWARE. ¹																
Wilmington.....	81			4	3	9	13	10	12	7	12	9		2		
Males.....	33			2	2	4	4	3	2	3	8	4		1		
Females.....	48			2	1	5	9	7	10	4	4	5		1		
Diagnosis reasonably certain. {M. F.}	8 38			1 1	1 1	2 5	1 8	1 4	2 8	2 4	2 3	1 4		1 1		
White.....	75			4	2	8	11	10	11	7	11	9		2		
Males.....	31			2	1	3	4	3	2	3	8	4		1		
Females.....	44			2	1	5	7	7	9	4	3	5		1		
Diagnosis reasonably certain. {M. F.}	7 36			1 1	1 1	1 5	1 7	1 4	1 8	2 4	2 2	1 4		1 1		
Colored.....	6				1	1	2		1		1					
Males.....	2				1	1										
Females.....	4						2		1		1					
Diagnosis reasonably certain. {M. F.}	1 2					1 1					1 1					
DISTRICT OF COLUMBIA.																
Washington.....	355	7	19	15	29	31	42	38	33	55	37	34	14	1		
Males.....	144	4	5	6	9	8	14	14	16	30	19	13	5	1		
Females.....	211	3	14	9	20	23	28	24	17	25	18	21	9			
Diagnosis reasonably certain. {M. F.}	73 137	3 2	3 9	4 8	5 16	4 14	7 18	7 15	8 10	14 17	9 11	7 12	2 5			
White.....	271	7	12	7	19	22	25	25	27	46	35	31	14	1		
Males.....	112	4	4	2	8	6	7	8	11	26	18	12	5	1		
Females.....	159	3	8	5	11	16	18	17	16	20	17	19	9			
Diagnosis reasonably certain. {M. F.}	61 104	3 2	3 5	2 5	4 10	3 10	3 12	6 11	7 10	13 13	8 10	7 11	2 5			
Colored.....	84		7	8	10	9	17	13	6	9	2	3				
Males.....	32		1	4	1	2	7	6	5	4	1	1				
Females.....	52		6	4	9	7	10	7	1	5	1	2				
Diagnosis reasonably certain. {M. F.}	12 33			2 3	1 6	1 4	4 6	1 4	1 4	1 4	1 1	1 1				
FLORIDA. ²																
Registration cities.....	72	2	1	5	7	15	9	8	8	4	8	3	2			
Males.....	26	2		2	2	4	1	5	4	1	2	2	1			
Females.....	46		1	3	5	11	8	3	4	3	6	1	1			
Diagnosis reasonably certain. {M. F.}	16 38		1 1	1 3	1 5	4 11	1 6	2 2	3 4	2 2	2 3	2 1				
White.....	58		1	3	4	14	8	8	6	4	5	3	2			
Males.....	23			2	1	4	1	5	4	1	2	2	1			
Females.....	35		1	1	3	10	7	3	2	3	3	1	1			
Diagnosis reasonably certain. {M. F.}	16 29		1 1	1 3	1 3	4 10	1 5	2 2	3 2	2 2	2 2	2 1				
Colored.....	14	2		2	3	1	1		2		3					
Males.....	3	2														
Females.....	11			2	2	1	1		2		3					
Diagnosis reasonably certain. {M. F.}	9			2	2	1	1		2		1					

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Nonregistration state; includes Jacksonville, Key West, and Pensacola.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
REGISTRATION CITIES—Contd.															
GEORGIA. ¹															
Registration cities.....	186	6	15	15	13	21	23	25	17	25	13	8	4	1	
Males.....	66	2	6	1	6	8	13	7	12	6	3	2	2	1	
Females.....	120	4	9	14	13	15	15	12	10	13	5	2	2	1	
Diagnosis reasonably certain. {M. F.}	41 85	1 4	3 8	3 13	9 9	5 10	6 9	8 9	3 8	3 7	3 4	1 3	1 1	1 1	
White.....	139	3	7	8	9	14	15	19	16	25	12	7	4	1	
Males.....	52	2	2	8	9	5	6	9	7	12	5	2	2	1	
Females.....	87	1	5	8	9	9	9	10	9	13	7	5	2	1	
Diagnosis reasonably certain. {M. F.}	31 58	1 1	5 5	7 7	6 6	4 7	5 3	4 7	3 7	3 7	3 4	2 2	1 1	1 1	
Colored.....	47	3	8	7	4	7	8	6	1	1	1	1	1	1	
Males.....	14	3	4	1	1	2	4	4	1	1	1	1	1	1	
Females.....	33	3	4	6	4	6	6	2	1	1	1	1	1	1	
Diagnosis reasonably certain. {M. F.}	10 27	3 3	3 3	6 6	3 3	1 3	1 6	2 2	1 1	1 1	1 1	1 1	1 1	1 1	
Atlanta.....	106	4	11	9	7	11	12	15	10	12	9	3	3	1	
Males.....	36	2	5	9	7	3	5	6	2	6	5	1	1	1	
Females.....	70	2	6	9	7	8	7	9	8	6	4	2	2	1	
Diagnosis reasonably certain. {M. F.}	22 54	1 2	3 6	3 8	2 5	2 4	4 5	4 7	1 7	1 4	3 3	1 2	1 1	1 1	
White.....	82	2	5	6	5	7	7	13	10	12	9	3	3	1	
Males.....	29	2	1	6	5	3	3	5	2	6	5	1	1	1	
Females.....	53	4	4	6	5	4	4	8	8	6	4	2	2	1	
Diagnosis reasonably certain. {M. F.}	17 40	1 4	1 4	5 5	2 4	2 2	3 6	3 7	1 1	3 4	3 3	1 2	1 1	1 1	
Colored.....	24	2	6	3	2	4	5	2	1	1	1	1	1	1	
Males.....	7	2	4	3	2	4	3	1	1	1	1	1	1	1	
Females.....	17	2	2	3	2	4	3	1	1	1	1	1	1	1	
Diagnosis reasonably certain. {M. F.}	5 14	2 2	3 2	3 3	1 1	2 2	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
Other cities ²	80	2	4	6	6	10	11	10	7	13	4	5	1	1	
Males.....	30	1	1	5	6	3	3	7	5	6	1	2	1	1	
Females.....	50	2	3	5	6	7	8	3	2	7	3	3	2	1	
Diagnosis reasonably certain. {M. F.}	19 31	2 2	2 2	5 5	4 4	3 6	2 4	2 2	1 1	5 3	1 1	2 1	1 1	1 1	
White.....	57	1	2	2	4	7	8	6	6	13	3	4	1	1	
Males.....	23	1	1	2	4	2	3	4	5	6	1	1	1	1	
Females.....	34	1	1	2	4	5	5	2	1	7	3	3	2	1	
Diagnosis reasonably certain. {M. F.}	14 18	1 1	1 1	2 2	2 2	2 5	2 1	2 1	2 3	5 1	1 1	1 1	1 1	1 1	
Colored.....	23	1	2	4	2	3	3	4	1	1	1	1	1	1	
Males.....	7	1	2	1	2	1	3	3	1	1	1	1	1	1	
Females.....	16	1	1	3	2	2	3	1	1	1	1	1	1	1	
Diagnosis reasonably certain. {M. F.}	5 13	1 1	1 1	3 3	2 2	1 1	3 3	2 1	1 1	1 1	1 1	1 1	1 1	1 1	
ILLINOIS. ¹															
Registration cities.....	2,338	42	90	101	132	270	334	327	322	257	207	127	49	23	6
Males.....	1,033	25	31	28	69	97	147	155	159	138	103	50	15	10	5
Females.....	1,305	17	59	73	113	173	187	172	163	119	104	77	34	13	1
Diagnosis reasonably certain. {M. F.}	497 826	16 7	21 45	14 59	38 84	54 125	87 138	69 114	68 90	62 61	38 42	19 36	4 18	4 7	1 1
White.....	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6
Males.....	1,009	25	31	28	65	93	141	150	156	136	103	50	15	10	5
Females.....	1,269	16	58	70	109	167	179	167	161	114	104	77	34	13	1
Diagnosis reasonably certain. {M. F.}	479 799	16 7	21 44	14 57	34 81	50 120	81 133	68 110	67 88	60 57	38 42	19 36	4 18	4 6	2 1
Colored.....	60	1	1	3	8	10	14	10	5	7	1	1	1	1	1
Males.....	24	1	1	3	4	4	6	5	3	2	2	2	2	1	1
Females.....	36	1	1	3	4	6	8	5	2	5	5	5	5	1	1
Diagnosis reasonably certain. {M. F.}	18 27	1 1	1 1	2 2	4 3	4 5	6 5	1 4	1 2	1 4	1 4	1 4	1 4	1 1	1 1
Chicago.....	2,107	41	82	90	167	250	305	292	292	231	178	107	47	19	6
Males.....	948	24	27	26	66	93	135	142	147	127	91	43	15	7	5
Females.....	1,159	17	55	64	101	157	170	150	145	104	87	64	32	12	1
Diagnosis reasonably certain. {M. F.}	452 724	15 7	19 42	12 50	36 76	51 114	80 124	64 95	60 79	56 53	34 33	16 29	4 16	3 6	2 1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Augusta and Savannah.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
REGISTRATION CITIES—Contd.															
ILLINOIS ¹ —continued.															
Chicago—Continued.															
White.....	2,059	40	81	87	161	240	294	284	288	227	178	107	47	19	6
Males.....	926	24	27	26	62	89	129	133	144	126	91	43	15	7	5
Females.....	1,133	16	54	61	99	151	165	146	144	101	87	64	32	12	1
Diagnosis reasonably certain. (M.)	435	15	19	12	32	47	74	63	59	55	34	16	4	3	2
Diagnosis reasonably certain. (F.)	704	7	41	48	74	109	122	91	78	50	33	29	16	6	
Colored.....	48	1	1	3	6	10	11	8	4	4					
Males.....	22				4	4	6	4	3	1					
Females.....	26	1	1	3	2	6	5	4	1	3					
Diagnosis reasonably certain. (M.)	17				4	4	6	1	1	1					
Diagnosis reasonably certain. (F.)	20		1	2	2	5	2	4	1	3					
Springfield.....	62	1	5	4	2	5	4	10	11	10	4	4	1	1	
Males.....	20	1	3	1			2	3	3	5		1		1	
Females.....	42	2	2	3	2	5	2	7	8	5	4	3	1		
Diagnosis reasonably certain. (M.)	10	1	1	1			1	1	2	3		2			
Diagnosis reasonably certain. (F.)	26		1	3	1	4		6	6	2	2	1			
Other cities ²	169		3	7	13	15	25	25	19	16	25	16	1	3	1
Males.....	65		1	1	3	4	10	10	9	6	12	6		2	1
Females.....	104		2	6	10	11	15	15	10	10	13	10	1	1	
Diagnosis reasonably certain. (M.)	35		1	1	2	3	6	4	6	3	4	3		1	1
Diagnosis reasonably certain. (F.)	76		2	6	7	7	14	13	5	8	7	5	1	1	
INDIANA.															
Registration cities.....	765	13	28	39	40	74	102	101	96	104	66	60	29	11	1
Males.....	243	2	7	9	12	20	32	33	38	34	26	15	13	2	
Females.....	522	11	21	30	28	54	70	68	58	70	40	45	16	9	1
Diagnosis reasonably certain. (M.)	130	1	5	7	7	15	16	19	21	14	11	7	6	1	
Diagnosis reasonably certain. (F.)	330	9	16	22	24	43	47	48	26	34	23	21	9	7	
White.....	739	13	27	36	40	72	97	96	94	100	64	59	28	11	1
Males.....	238	2	7	9	12	20	31	37	34	26	15	12	2		
Females.....	501	11	20	27	28	52	66	65	57	66	38	44	16	9	1
Diagnosis reasonably certain. (M.)	128	1	5	7	7	15	16	18	21	14	11	7	5	1	
Diagnosis reasonably certain. (F.)	319	9	16	20	24	42	45	47	25	32	22	20	9	7	1
Colored.....	26		1	3		2	5	5	2	4	2	1	1		
Males.....	5						1	2	1				1		
Females.....	21		1	3		2	4	3	1	4	2	1			
Diagnosis reasonably certain. (M.)	2						1	1					1		
Diagnosis reasonably certain. (F.)	11			2		1	2	1	1	2	1	1			
Fort Wayne.....	69	3	2	2	6	6	7	13	8	11	7	2		2	
Males.....	25		2		1	1	4	7	1	6	3				
Females.....	44	3		2	5	5	3	6	7	5	4	2		2	
Diagnosis reasonably certain. (M.)	16		2		1	1	1	4		5	2				
Diagnosis reasonably certain. (F.)	21	2		1	4	2	2	3	3	2	2			2	
Indianapolis.....	265	3	9	17	15	24	40	33	36	37	17	20	10	3	1
Males.....	84	1	2	3	6	9	9	10	19	7	9	4	5		
Females.....	181	2	7	14	9	15	31	23	17	30	8	16	5	3	1
Diagnosis reasonably certain. (M.)	53		1	3	4	7	6	7	12	2	5	3	3		
Diagnosis reasonably certain. (F.)	120	2	6	10	9	12	21	16	6	16	5	10	5	2	
White.....	250	3	9	16	15	23	37	30	36	34	15	19	9	3	1
Males.....	81	1	2	3	6	9	9	8	19	7	9	4	4		
Females.....	169	2	7	13	9	14	28	22	17	27	6	15	5	3	1
Diagnosis reasonably certain. (M.)	51		1	3	4	7	6	6	12	2	5	3	2		
Diagnosis reasonably certain. (F.)	114	2	6	9	9	12	20	16	6	14	4	9	5	2	
Colored.....	15			1		1	3	3		3	2	1	1		
Males.....	3							2					1		
Females.....	12			1		1	3	1		3	2	1			
Diagnosis reasonably certain. (M.)	2						1	1					1		
Diagnosis reasonably certain. (F.)	6			1		1				2	1	1			
Terre Haute.....	52	1	3	1	5	7	8	6	9	4	2	5		1	
Males.....	14		2		1	2	2	1	2	1	1	1			
Females.....	38	1	1	1	4	5	6	5	7	3	1	4			
Diagnosis reasonably certain. (M.)	5		1		1	2	2	1	1						
Diagnosis reasonably certain. (F.)	25	1	1		4	5	3	5	4		1	1			
Other cities.....	379	6	14	19	14	37	47	49	43	52	40	33	19	5	1
Males.....	120	1	1	6	4	8	17	15	16	20	13	10	8	1	
Females.....	259	5	13	13	10	29	30	34	27	32	27	23	11	4	1
Diagnosis reasonably certain. (M.)	56	1	1	4	1	5	9	8	8	7	4	4	3	1	
Diagnosis reasonably certain. (F.)	164	4	9	11	7	24	21	24	13	18	15	10	4	3	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
KANSAS.																
Registration cities.....	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3
Males.....	111	2	4	2	4	7	4	20	12	20	14	13	5	2	2
Females.....	171	2	11	6	18	17	19	23	28	19	9	6	10	2	1
Diagnosis reasonably certain. {M.....	62	2	2	2	3	5	2	11	4	13	5	7	3	1	2
{F.....	116	2	6	6	15	14	14	15	20	10	4	3	4	2	1
White.....	263	4	13	7	20	22	23	39	37	38	21	18	14	4	3
Males.....	108	2	4	2	3	6	4	20	12	20	13	13	5	2	2
Females.....	155	2	9	5	17	16	19	19	25	18	8	5	9	2	1
Diagnosis reasonably certain. {M.....	61	2	2	2	2	5	2	11	4	13	5	7	3	1	2
{F.....	107	2	5	5	14	14	14	13	18	9	4	2	4	2	1
Colored.....	19		2	1	2	2		4	3	1	2	1	1		
Males.....	3				1	1					1				
Females.....	16		2	1	1	1		4	3	1	1	1	1		
Diagnosis reasonably certain. {M.....	1				1										
{F.....	9		1	1	1			2	2	1		1			
Kansas City.....	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1
Males.....	28	1			1	2	2	8	3	5	1	3		1	1
Females.....	33		4	1	4	1	7	6	4	1		2	3		
Diagnosis reasonably certain. {M.....	17	1			1	1	1	5	1	4		3			1
{F.....	21		2	1	4	1	4	3	3			1			
White.....	55	1	3	1	4	2	9	13	7	6		4	3	1	1
Males.....	28	1			1	1	2	8	3	5		3		1	1
Females.....	29		3	1	3	1	7	5	4	1		1	3		
Diagnosis reasonably certain. {M.....	17	1			1	1	1	5	1	4		3			1
{F.....	17		1	1	3	1	4	4	3					1	
Colored.....	6		1		1	1		1			1	1			
Males.....	2														
Females.....	4		1		1			1			1	1			
Diagnosis reasonably certain. {M.....															
{F.....	4		1		1			1				1			
Topeka.....	52	1	3	2	1	9	4	4	7	7	4	5	4		1
Males.....	21	1	2			3	1	2	1	4	3	2	2		
Females.....	31		1	2	1	6	3	2	6	3	1	3	2		1
Diagnosis reasonably certain. {M.....	12	1				2		1		3	2	2	1		
{F.....	24		1	2		6	2	1	6	2	1	1	1		1
White.....	49	1	3	1	1	9	4	3	7	7	4	5	3		1
Males.....	21	1	2			3	1	2	1	4	3	2	2		
Females.....	28		1	1	1	6	3	1	6	3	1	3	1		1
Diagnosis reasonably certain. {M.....	12	1				2		1		3	2	2	1		
{F.....	23		1	1		6	2	1	6	2	1	1	1		1
Colored.....	3			1				1					1		
Males.....															
Females.....	3			1				1					1		
Diagnosis reasonably certain. {M.....															
{F.....	1			1											
Wichita.....	50	1	3	1	6	3	2	7	7	9	6	2		2	1
Males.....	25		1	1	1		1	4	3	6	5	2			1
Females.....	25	1	2		5	3	1	3	4	3	1			2	
Diagnosis reasonably certain. {M.....	16	1	1	1	1		1	1	2	4	2	2			1
{F.....	21	1	1		3	3	1	3	4	2	1		2		
Other cities.....	119	1	5	4	10	9	8	18	19	17	12	7	8	1	
Males.....	37		1	1	2	2		6	5	5	5	6	3	1	
Females.....	82	1	4	3	8	7	8	12	14	12	7	1	5		
Diagnosis reasonably certain. {M.....	17		1	1	2	2		4	1	2	1	2	1		
{F.....	50	1	2	3	8	4	7	6	7	6	2	1	3		
KENTUCKY.																
Registration cities.....	323	2	13	27	32	35	40	40	42	36	24	25	10	1		1
Males.....	109		3	7	7	9	18	16	17	15	7	7	1	1		1
Females.....	219	2	10	20	25	26	22	24	25	21	17	18	9			
Diagnosis reasonably certain. {M.....	39		2	3	2	5	9	10	4	1	1	1		1		
{F.....	152	2	7	14	19	23	16	20	15	12	7	12	5			
White.....	291	2	13	16	28	27	37	35	39	34	24	24	10	1		1
Males.....	96		3	4	7	7	16	14	14	14	7	7	1	1		1
Females.....	195	2	10	12	21	20	21	21	25	20	17	17	9			
Diagnosis reasonably certain. {M.....	36		2	3	2	3	9	9	4	1	1	1		1		
{F.....	133	2	7	7	17	18	15	17	15	11	7	12	5			

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
KENTUCKY—continued.																
Registration cities—Continued.																
Colored.....	37			11	4	8	3	5	3	2		1				
Males.....	13			3		2	2	2	3	1						
Females.....	24			8	4	6	1	3		1		1				
Diagnosis reasonably certain. (M).....	3					2		1								
Diagnosis reasonably certain. (F).....	19			7	2	5	1	3		1						
Louisville.....	187	2	5	18	19	23	26	23	24	20	11	12	4			
Males.....	64			6	5	5	13	9	10	10	2	4				
Females.....	123	2	5	12	14	18	13	14	14	10	9	8	4			
Diagnosis reasonably certain. (M).....	19			3	1	2	6	5	2							
Diagnosis reasonably certain. (F).....	83	2	4	7	11	16	9	11	8	6	2	5	2			
White.....	168	2	5	12	16	18	26	21	22	20	11	11	4			
Males.....	59			4	5	4	13	9	8	10	2	4				
Females.....	109	2	5	8	11	14	13	12	14	10	9	7	4			
Diagnosis reasonably certain. (M).....	18			3	1	1	6	5	2							
Diagnosis reasonably certain. (F).....	73	2	4	4	9	13	9	9	8	6	2	5	2			
Colored.....	19			6	3	5		2	2			1				
Males.....	5			2		1			2							
Females.....	14			4	3	4		2				1				
Diagnosis reasonably certain. (M).....	1					1										
Diagnosis reasonably certain. (F).....	10			3	2	3		2								
Other cities.....	141		8	9	13	12	14	17	18	16	13	13	6	1	1	
Males.....	45		3	1	2	4	5	7	7	5	5	3	1	1	1	
Females.....	96		5	8	11	8	9	10	11	11	8	10	5	1		
Diagnosis reasonably certain. (M).....	20		2		1	3	3	5	2	1	1	1		1		
Diagnosis reasonably certain. (F).....	69		3	7	8	7	7	9	7	6	5	7	3			
White.....	123		8	4	12	9	11	14	17	14	13	13	6	1	1	
Males.....	37		3		2	3	3	5	6	4	5	3	1	1	1	
Females.....	86		5	4	10	6	8	9	11	10	8	10	5			
Diagnosis reasonably certain. (M).....	18		2		1	2	3	4	2	1	1	1		1		
Diagnosis reasonably certain. (F).....	60		3	3	8	5	6	8	7	5	5	7	3			
Colored.....	18			5	1	3	3	3	1	2						
Males.....	8			1		1	2	2	1	1						
Females.....	10			4	1	2	1	1		1						
Diagnosis reasonably certain. (M).....	2					1		1								
Diagnosis reasonably certain. (F).....	9			4		2	1	1		1						
LOUISIANA.¹																
New Orleans.....	358	4	22	25	31	32	63	59	41	36	25	15	4	1		
Males.....	154	2	7	9	10	11	31	27	21	16	12	5	3			
Females.....	204	2	15	16	21	21	32	32	20	20	13	10	1	1		
Diagnosis reasonably certain. (M).....	88	1	4	5	7	6	15	20	12	8	6	2	2			
Diagnosis reasonably certain. (F).....	145	1	13	12	18	14	28	21	15	10	7	7		1		
White.....	257	4	14	15	19	21	46	41	31	29	20	13	3	1		
Males.....	114	2	4	6	4	8	23	22	17	12	10	4	2			
Females.....	143	2	10	9	15	13	23	19	14	17	10	9	1	1		
Diagnosis reasonably certain. (M).....	67	1	2	3	3	4	12	18	10	6	5	2	1			
Diagnosis reasonably certain. (F).....	96	1	10	6	14	7	17	11	10	8	5	6		1		
Colored.....	101		8	10	12	11	17	18	10	7	5	2	1			
Males.....	40		3	3	6	3	8	5	4	4	2	1	1			
Females.....	61		5	7	6	8	9	13	6	3	3	1				
Diagnosis reasonably certain. (M).....	21		2	2	4	2	3	2	2	2	2		1			
Diagnosis reasonably certain. (F).....	49		3	6	4	7	9	10	5	2	2	1				
MAINE.																
Registration cities.....	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	
Males.....	65	2	1	1	3	9	9	8	9	6	7	7	1	1	1	
Females.....	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	
Diagnosis reasonably certain. (M).....	26	2	1		1	4	3	2	6	3	1	1		1	1	
Diagnosis reasonably certain. (F).....	96	1	4	7	9	11	16	16	10	10	4	3	4	1		
White.....	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	
Males.....	65	2	1	1	3	9	9	8	9	6	7	7	1	1	1	
Females.....	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	
Diagnosis reasonably certain. (M).....	26	2	1		1	4	3	2	6	3	1	1		1	1	
Diagnosis reasonably certain. (F).....	96	1	4	7	9	11	16	16	10	10	4	3	4	1		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MAINE—continued.																
Portland.....	65	1	1	4	8	6	9	5	7	10	7	5	1	1		
Males.....	22	1		1	1	3	3	3	3	3	2	2				
Females.....	43		1	3	7	3	6	2	4	7	5	3	1	1		
Diagnosis reasonably certain. (M. (F.))	9 (32)	1	1	2	5	3	6	1	2	4	2	3	1	1		
Other cities.....	147	2	5	7	8	14	18	25	18	17	12	11	4	4	1	
Males.....	43	1	1		2	6	6	5	6	3	5	5	1	1	1	
Females.....	104	1	4	7	6	8	12	20	12	14	7	6	3	3	1	
Diagnosis reasonably certain. (M. (F.))	17 (64)	1	1	5	1	3	2	1	4	1	1		3	1	1	
MARYLAND.																
Registration cities.....	653	8	25	33	46	77	87	84	111	77	43	35	16	9	2	
Males.....	241	3	12	8	17	25	27	36	52	25	19	9	3	4	1	
Females.....	412	5	13	25	29	52	60	48	59	52	24	26	13	5	1	
Diagnosis reasonably certain. (M. (F.))	138 (271)	3	9	7	10	17	12	23	29	9	11	5		2	1	
White.....	567	7	21	26	33	64	72	75	99	72	41	33	13	9	2	
Males.....	219	3	12	8	13	23	22	32	48	24	17	9	3	4	1	
Females.....	348	4	9	18	20	41	50	43	51	48	24	24	10	5	1	
Diagnosis reasonably certain. (M. (F.))	127 (224)	3	9	7	9	16	10	20	27	9	9	5		2	1	
Colored.....	86	1	4	7	13	13	13	9	12	5	2	2	3			
Males.....	22				4	2	5	4	4	1	2					
Females.....	64	1	4	7	9	11	10	5	8	4		2	3			
Diagnosis reasonably certain. (M. (F.))	11 (47)	1	4	7	1	1	2	3	2		2		1			
Baltimore.....	589	7	24	29	38	72	78	71	103	73	38	30	16	9	1	
Males.....	220	2	12	8	15	25	24	32	47	24	15	8	3	4	1	
Females.....	369	5	12	21	23	47	54	39	56	49	23	22	13	5	1	
Diagnosis reasonably certain. (M. (F.))	126 (245)	2	9	7	9	17	11	20	26	9	9	4		2	1	
White.....	510	6	20	22	26	59	64	64	93	68	37	28	13	9	1	
Males.....	201	2	12	8	11	23	19	29	44	23	14	8	3	4	1	
Females.....	309	4	8	14	15	36	45	35	49	45	23	20	10	5	1	
Diagnosis reasonably certain. (M. (F.))	118 (200)	2	8	7	8	16	9	13	25	9	8	4		2	1	
Colored.....	79	1	4	7	12	13	14	7	10	5	1	2	3			
Males.....	19				4	2	5	3	3	1	1					
Females.....	60	1	4	7	8	11	9	4	7	4		2	3			
Diagnosis reasonably certain. (M. (F.))	8 (45)	1	4	7	1	1	2	2	1		1		1			
Other cities.....	64	1	1	4	8	5	9	13	8	4	5	5			1	
Males.....	21	1			2		3	4	5	1	4	1				
Females.....	43		1	4	6	5	6	9	3	3	1	4			1	
Diagnosis reasonably certain. (M. (F.))	12 (26)	1	1	3	1	4	1	3	3	2	2				1	
White.....	57	1	1	4	7	5	8	11	6	4	4	5			1	
Males.....	18	1			2		3	3	4	1	3	1				
Females.....	39		1	4	5	5	5	8	2	3	1	4			1	
Diagnosis reasonably certain. (M. (F.))	9 (24)	1	1	3	1	4	1	2	2		1	1			1	
Colored.....	7				1		1	2	2		1					
Males.....	3							1	1		1					
Females.....	4				1		1	1	1							
Diagnosis reasonably certain. (M. (F.))	3 (2)							1	1		1					
MASSACHUSETTS.																
Registration cities.....	2,781	45	79	103	171	255	321	354	394	367	316	209	110	43	14	
Males.....	1,006	25	26	20	54	72	106	137	152	143	136	75	42	12	6	
Females.....	1,775	20	53	83	117	183	215	217	242	224	180	134	68	31	8	
Diagnosis reasonably certain. (M. (F.))	535 (1,144)	19	18	14	34	45	60	82	79	63	70	22	19	4	6	
White.....	2,749	45	78	99	170	250	318	349	390	363	314	209	100	41	14	
Males.....	994	25	26	19	53	69	105	136	151	140	136	75	42	11	6	
Females.....	1,755	20	52	80	117	181	213	213	239	223	178	134	67	30	8	
Diagnosis reasonably certain. (M. (F.))	531 (1,128)	19	18	14	34	43	60	81	79	62	70	22	19	4	6	

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
REGISTRATION CITIES—Contd.															
MASSACHUSETTS—continued.															
Registration cities—Continued.															
Colored.....	32		1	4	1	5	3	5	4	4	2		1	2	
Males.....	12			1	1	3	1	1	1	3				1	
Females.....	20		1	3		2	2	4	3	1	2		1	1	
Diagnosis reasonably certain. (M. F.)	4 16		1 1	3 3		2 1	1 1	4 4	3 3	1 1	1 1		1 1	1 1	
Boston.....	871	16	23	31	54	84	113	122	123	104	90	60	24	9	8
Males.....	347	9	13	6	19	27	42	55	56	36	42	28	9	1	4
Females.....	524	7	15	25	35	57	71	67	72	68	48	32	15	8	4
Diagnosis reasonably certain. (M. F.)	196 377	5 6	9 15	4 18	15 28	19 49	28 61	32 46	31 53	15 40	21 33	10 13	7 7	5 5	4 3
White.....	854	16	27	28	54	79	111	120	127	103	90	60	24	7	8
Males.....	340	9	13	6	19	24	41	54	56	35	42	28	9		4
Females.....	514	7	14	22	35	55	70	66	71	68	48	32	15	7	4
Diagnosis reasonably certain. (M. F.)	193 368	5 6	9 14	4 15	15 28	17 48	28 60	31 45	31 52	15 40	21 33	10 13	3 7	4 4	3 3
Colored.....	17		1	3		5	2	2	1	1				2	
Males.....	7					3	1	1		1				1	
Females.....	10		1	3		2	1	1	1					1	
Diagnosis reasonably certain. (M. F.)	3 9		1 1	3 3		2 1	1 1	1 1	1 1					1 1	
Brockton.....	55	2	2	1	1	2	5	4	10	8	8	4	5	3	
Males.....	15	1	1			1	2	1	3	2	1		2	1	
Females.....	40	1	1	1	1	1	3	3	7	6	7	4	3	2	
Diagnosis reasonably certain. (M. F.)	9 19	1 1	1 1	1 1	1 1	1 2	2 1	1 1	1 2	1 2	1 6	1 1	1 2	2 2	
Cambridge.....	111		1	7	9	9	16	8	16	18	11	5	8	3	
Males.....	39		1	2	5	1	7	5	5	6	3		3	1	
Females.....	72			5	4	8	9	3	11	12	8	5	5	2	
Diagnosis reasonably certain. (M. F.)	27 46			1 4	4 4	1 7	5 7	5 2	3 4	2 8	2 6	2 2	1 1	1 1	
Fall River.....	70	1	6	2	3	8	11	11	5	11	5	4	2	1	
Males.....	19	1	1			3	1	4	1	4	3		1		
Females.....	51		5	2	3	5	10	7	4	7	2	4	1	1	
Diagnosis reasonably certain. (M. F.)	11 36	1 3	1 3	2 2	3 3	2 3	7 5	1 5	4 4	1 3	2 2	2 2	1 1	1 1	
Lawrence.....	60		2	6	3	8	7	6	10	7	8	3			
Males.....	17				1	1	2	2	2	3	4	2			
Females.....	43		2	6	2	7	5	4	8	4	4	1			
Diagnosis reasonably certain. (M. F.)	7 24		2 2	2 2	1 1	6 6	4 4	2 2	6 6		1 1				
Lowell.....	98	2	4	5	7	6	17	8	18	10	10	6	5		
Males.....	34	1	1		2	2	7	2	9	7	2	1			
Females.....	64	1	3	5	5	4	10	6	9	3	8	5			
Diagnosis reasonably certain. (M. F.)	11 34	1 1	1 3	3 3	2 2	3 3	4 4	3 3	4 4	3 3	6 6	1 1	4 4		
Lynn.....	91	2	1	3	7	7	11	9	16	12	14	8		1	
Males.....	28	2	1		2	3	2	3	5	2	4	4			
Females.....	63			3	5	4	9	6	11	10	10	4		1	
Diagnosis reasonably certain. (M. F.)	13 40	1 1	1 1	1 1	1 5	2 4	7 7	1 6	3 3	1 4	1 7	2 3			
New Bedford.....	93	1	1	4	13	13	9	9	13	11	7	6	4	2	
Males.....	26	1	1		2	2	3	3	7	4	1		1	1	
Females.....	67			4	11	11	6	6	6	7	6	6	3	1	
Diagnosis reasonably certain. (M. F.)	15 40	1 1	1 1	3 3	8 8	9 9	2 2	2 2	5 5	4 4	2 2	2 2	2 2	1 1	
Somerville.....	71		1	5	1	3	4	7	9	9	14	10	6	2	
Males.....	21			2	1	1	1	1	2	3	5	3	1	1	
Females.....	50		1	3	3	2	3	6	7	6	9	7	5	1	
Diagnosis reasonably certain. (M. F.)	8 27		1 1	2 2	1 1	1 1	2 2	5 5	6 6	2 2	3 3	2 2	2 2	1 1	
Springfield.....	92			3	6	6	10	13	16	9	15	7	7		
Males.....	39				3	4	5	6	5	5	6	3	2		
Females.....	53			3	3	2	5	7	11	4	9	4	5		
Diagnosis reasonably certain. (M. F.)	24 24			3 3	3 2	2 2	3 3	4 3	3 2	1 3	5 4	2 2	1 1		

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.																
Worcester.....	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1
Males.....	59	3	2	6	2	4	9	6	6	13	3	3	1	1
Females.....	117	3	3	6	8	11	15	15	18	13	8	15	1	1
Diagnosis reasonably certain.....	30	1	2	3	2	6	4	1	8	1	1	1
{M.....	76	3	2	5	7	7	10	10	6	6	4	8	1	1
{F.....	993	18	27	28	53	96	99	133	129	149	113	78	45	20	5
Other cities.....	362	10	4	8	13	25	30	46	51	65	52	31	20	6	1
Males.....	631	8	23	20	40	71	69	87	78	84	61	47	25	14	4
Females.....	184	9	3	5	6	14	15	26	26	32	26	7	12	2	2
Diagnosis reasonably certain.....	401	5	18	16	31	52	51	57	53	47	30	21	8	9	3
{M.....	MICHIGAN.															
{F.....	Registration cities.....															
Registration cities.....	907	15	39	47	69	102	131	129	132	131	109	54	25	8	6
Males.....	413	10	15	15	23	29	51	53	65	61	50	22	11	4	4
Females.....	584	5	24	32	46	73	80	76	67	70	59	32	14	4	2
Diagnosis reasonably certain.....	211	7	10	12	13	18	29	27	30	24	22	7	8	2	2
{M.....	366	4	19	22	36	48	55	49	42	35	34	11	7	3	1
{F.....	White.....															
White.....	988	14	38	45	68	100	130	129	132	130	109	54	25	8	6
Males.....	411	9	15	15	23	29	51	53	65	60	50	22	11	4	4
Females.....	577	5	23	30	45	71	79	76	67	70	59	32	14	4	2
Diagnosis reasonably certain.....	209	6	10	12	13	18	29	27	30	23	22	7	8	2	2
{M.....	364	4	18	22	36	47	55	49	42	35	34	11	7	3	1
{F.....	Colored.....															
Colored.....	9	1	1	2	1	2	1	1
Males.....	2	1
Females.....	7	1	2	1	1	1
Diagnosis reasonably certain.....	2	1	1
{M.....	Detroit.....															
{F.....	424	11	23	25	36	44	58	60	56	52	33	14	8	3	1
Males.....	178	8	9	8	12	11	20	27	31	25	16	6	3	1	1
Females.....	246	3	14	17	24	33	38	33	25	27	17	8	5	2
Diagnosis reasonably certain.....	91	6	5	7	5	8	11	14	12	9	9	2	2	1
{M.....	148	2	11	12	18	24	24	17	14	12	9	2	1	2
{F.....	Grand Rapids.....															
Grand Rapids.....	120	3	2	5	4	13	22	14	14	15	13	11	2	1	1
Males.....	43	1	1	2	5	8	4	2	8	6	3	1
Females.....	77	2	4	2	8	14	10	12	7	7	8	2	1
Diagnosis reasonably certain.....	19	1	1	3	4	5	3	3	1	1
{M.....	46	2	3	1	4	11	7	7	2	4	3	1	1
{F.....	Saginaw.....															
Saginaw.....	50	5	2	3	8	10	8	6	4	4
Males.....	27	1	2	1	7	4	4	4	2	2
Females.....	23	4	2	1	6	4	2	2	2
Diagnosis reasonably certain.....	14	1	1	3	3	3	3	2	1	1
{M.....	17	3	2	1	6	3	3	1	1	1
{F.....	Other cities.....															
Other cities.....	408	1	9	17	27	42	43	45	54	58	59	25	15	4	4
Males.....	165	1	3	6	7	12	16	18	28	24	26	11	8	2	3
Females.....	238	6	11	20	30	27	27	26	34	33	14	7	2	1
Diagnosis reasonably certain.....	87	3	5	6	7	11	10	15	8	9	4	6	1	1
{M.....	155	5	7	17	18	19	19	18	21	20	5	5	1
{F.....	MINNESOTA.															
Registration cities.....	605	14	22	25	36	53	88	73	100	69	58	41	20	4	2
Males.....	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2
Females.....	343	5	14	17	29	32	55	38	51	34	39	18	9	2
Diagnosis reasonably certain.....	150	4	8	7	4	13	20	18	31	19	8	10	6	1	1
{M.....	232	4	12	14	25	27	43	26	33	25	14	5	3	1
{F.....	White.....															
White.....	604	14	22	25	36	53	88	73	99	69	58	41	20	4	2
Males.....	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2
Females.....	342	5	14	17	29	32	55	38	50	34	39	18	9	2
Diagnosis reasonably certain.....	150	4	8	7	4	13	20	18	31	19	8	10	6	1	1
{M.....	232	4	12	14	25	27	43	26	33	25	14	5	3	1
{F.....	Colored.....															
Colored.....	1	1
Males.....
Females.....	1	1
Diagnosis reasonably certain.....
{M.....	Duluth.....															
{F.....	68	3	5	5	6	12	7	12	7	7	3	1
Males.....	31	2	2	2	7	5	5	4	2	1	1
Females.....	37	3	3	3	4	5	2	7	3	5	2
Diagnosis reasonably certain.....	18	2	1	1	5	2	2	2	2	1	1
{M.....	24	3	2	2	2	3	2	5	1	3	1
{F.....																

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un- known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
REGISTRATION CITIES—Contd.															
MISSOURI—continued.															
Other cities.....	119	3	4	4	15	7	18	12	14	17	8	7	9	1
Males.....	40	2	2	1	4	7	7	6	9	3	2	3	1	
Females.....	79	1	2	3	11	7	11	12	8	5	5	6		
Diagnosis reasonably certain.....	17	1	2	9	7	3	3	4	2	2	2		
.....	57	1	1	3	7	10	8	3	6	2	5		
MONTANA.															
Registration cities.....	82	4	2	5	7	10	11	12	10	7	7	3	2	2	
Males.....	39	2	1	2	1	3	3	3	5	5	4	3	1	1	
Females.....	43	2	1	3	6	7	8	4	2	2	3	1	1	
Diagnosis reasonably certain.....	22	2	1	2	3	3	5	1	3	1	2	1	
.....	26	1	1	3	3	7	7	1	1	1	1	1	1	
White.....	81	4	2	5	7	10	10	12	10	7	7	3	2	2	
Males.....	39	2	1	2	1	3	3	3	5	5	4	3	1	1	
Females.....	42	2	1	3	6	7	7	4	5	2	3	1	1	
Diagnosis reasonably certain.....	22	2	1	2	3	3	5	1	3	1	2	1	
.....	25	1	1	3	3	7	6	1	1	1	1	1	
Colored.....	1	1	
Males.....	1	1	
Females.....	1	
Diagnosis reasonably certain.....	1	1	
NEBRASKA.¹															
Registration cities.....	187	4	5	13	14	16	25	27	29	20	17	13	1	2	1
Males.....	81	2	3	3	5	4	10	12	11	9	11	9	1	1
Females.....	106	2	2	10	9	12	15	15	18	11	6	4	1	1
Diagnosis reasonably certain.....	51	2	2	1	5	2	5	10	6	9	4	3	1	1
.....	75	2	2	9	9	11	11	13	7	5	2	3	1
White.....	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1
Males.....	80	2	3	3	5	4	9	12	11	9	11	9	1	1
Females.....	105	1	2	10	9	12	15	15	18	11	6	4	1	1
Diagnosis reasonably certain.....	51	2	2	1	5	2	5	10	6	9	4	3	1	1
.....	74	1	2	9	9	11	11	13	7	5	2	3	1
Colored.....	2	1	1	
Males.....	1	1	
Females.....	1	1	
Diagnosis reasonably certain.....	1	1	
Omaha.....	140	4	4	8	11	15	22	19	21	12	10	12	1	1
Males.....	62	2	2	2	4	4	9	8	8	7	6	8	1	1
Females.....	78	2	2	6	7	11	13	11	13	5	4	4	
Diagnosis reasonably certain.....	38	2	1	1	4	2	5	6	4	7	2	2	1	1
.....	60	2	2	6	7	10	11	10	5	2	2	3	
Lincoln ²	47	1	5	3	1	3	8	8	8	7	1	1
Males.....	19	1	1	1	1	4	3	2	5	1	
Females.....	28	4	2	1	2	4	5	6	2	1
Diagnosis reasonably certain.....	13	1	1	1	1	4	2	2	2	1	
.....	15	3	2	1	3	2	3	1
NEW HAMPSHIRE.															
Registration cities.....	173	2	2	5	10	18	24	17	20	23	19	22	6	3	1
Males.....	54	1	5	5	5	10	8	5	7	5	2	1
Females.....	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1
Diagnosis reasonably certain.....	27	1	3	3	3	7	3	5	2	2	1
.....	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1
White.....	172	2	2	5	10	18	24	17	20	23	19	22	6	3	1
Males.....	53	1	5	5	5	10	8	5	7	5	2
Females.....	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1
Diagnosis reasonably certain.....	26	1	3	3	3	7	3	5	2	2
.....	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1
Colored.....	1	1
Males.....	1	1
Females.....	1	1
Diagnosis reasonably certain.....	1	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; shown in order to complete the state.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW HAMPSHIRE—continued.																
Manchester.....	56	1	2	2	11	11	7	4	5	5	8	
Males.....	13	3	3	3	1	1	2	
Females.....	43	1	2	2	8	8	4	3	5	4	6	
Diagnosis reasonably certain. (M. F.)	7	1	3	1	1	1	1	
.....	30	1	2	2	6	5	3	3	4	2	
Other cities.....	117	1	5	8	7	13	10	16	18	14	14	6	3	1	
Males.....	41	1	5	2	2	7	7	5	6	3	2	1	
Females.....	76	1	4	3	5	11	3	9	13	8	11	4	3	1	
Diagnosis reasonably certain. (M. F.)	20	1	2	6	2	5	2	
.....	52	1	4	2	4	9	3	5	8	6	4	3	2	1	
NEW JERSEY.																
Registration cities.....	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6	
Males.....	545	15	11	16	31	41	67	82	82	84	57	30	20	5	4	
Females.....	881	11	29	48	77	108	125	109	121	95	84	41	23	8	2	
Diagnosis reasonably certain. (M. F.)	243	9	5	10	14	23	32	39	35	30	24	11	8	2	1	
.....	529	5	24	36	55	83	82	66	55	48	40	20	9	5	1	
White.....	1,384	26	37	60	106	139	185	186	199	173	140	71	43	13	6	
Males.....	537	15	11	16	30	40	65	80	82	82	57	30	20	5	4	
Females.....	847	11	26	44	76	99	120	106	117	91	83	41	23	8	2	
Diagnosis reasonably certain. (M. F.)	241	9	5	10	14	22	32	38	35	30	24	11	8	2	1	
.....	502	5	21	32	54	75	78	63	53	46	40	20	9	5	1	
Colored.....	42	3	4	2	10	7	5	4	6	1	
Males.....	8	1	1	2	2	
Females.....	34	3	4	1	9	5	2	4	4	1	
Diagnosis reasonably certain. (M. F.)	2	1	1	
.....	27	3	4	1	8	4	3	2	2	
Camden.....	74	2	2	6	8	6	8	13	17	1	6	2	2	1	
Males.....	27	2	1	4	1	3	5	4	1	3	1	1	1	
Females.....	47	2	5	4	5	8	8	13	3	1	1	1	
Diagnosis reasonably certain. (M. F.)	17	2	2	2	2	2	3	3	1	2	1	1	
.....	30	2	3	4	4	4	3	8	
Elizabeth.....	76	4	1	3	2	8	13	13	10	7	8	4	2	1	
Males.....	36	1	1	5	5	7	6	4	4	3	
Females.....	40	3	1	3	1	3	8	6	4	3	4	1	2	1	
Diagnosis reasonably certain. (M. F.)	12	1	2	1	3	2	2	2	1	1	
.....	19	2	1	1	1	3	3	3	1	1	2	1	
Jersey City.....	217	3	11	10	15	19	24	29	40	24	21	10	9	2	
Males.....	82	2	2	3	4	4	6	12	20	16	5	2	5	1	
Females.....	135	1	9	7	11	15	18	17	20	8	16	8	4	1	
Diagnosis reasonably certain. (M. F.)	37	2	3	1	3	4	5	9	4	2	4	4	
.....	72	1	7	6	4	10	8	9	3	8	5	1	1	
Newark.....	340	9	11	13	26	32	52	44	46	46	35	17	6	1	2	
Males.....	132	4	3	5	5	13	22	19	14	21	15	6	3	2	
Females.....	208	5	8	8	21	19	30	25	32	25	20	11	3	1	
Diagnosis reasonably certain. (M. F.)	54	1	1	4	1	6	9	8	6	10	6	1	
.....	129	1	7	7	17	14	22	17	12	13	12	6	1	
Paterson.....	124	1	2	4	7	16	21	19	18	16	9	7	4	
Males.....	50	1	1	2	2	2	20	9	7	8	3	3	2	
Females.....	74	1	2	5	14	11	10	11	8	6	4	2	
Diagnosis reasonably certain. (M. F.)	18	2	1	1	5	4	1	1	1	
.....	45	1	2	3	11	8	6	6	3	3	2	
Trenton.....	98	2	4	4	10	9	14	20	10	12	5	3	1	4	
Males.....	42	1	1	3	4	7	8	5	5	4	2	
Females.....	56	1	3	4	7	5	7	12	5	7	1	1	1	2	
Diagnosis reasonably certain. (M. F.)	26	1	1	2	4	4	5	3	2	2	1	1	1	
.....	34	2	3	4	5	5	5	3	3	1	1	2	
Other cities.....	497	5	11	28	42	57	62	58	66	57	62	24	19	4	2	
Males.....	176	4	4	6	15	9	16	24	25	26	25	11	9	1	1	
Females.....	321	1	7	22	27	48	46	34	41	31	37	13	10	3	1	
Diagnosis reasonably certain. (M. F.)	79	2	2	1	9	5	9	12	12	8	12	5	2	
.....	200	1	6	15	22	37	32	22	22	18	16	4	4	
NEW YORK.																
Registration cities.....	6,621	141	252	332	498	738	884	938	859	790	601	346	174	55	13	
Males.....	2,685	82	99	90	151	250	371	415	379	348	264	150	62	20	4	
Females.....	3,936	59	153	242	347	488	513	523	480	442	337	196	112	35	9	
Diagnosis reasonably certain. (M. F.)	1,425	59	66	56	103	143	220	210	193	164	104	71	21	11	4	
.....	2,489	41	130	202	268	354	346	320	256	227	171	82	63	22	7	

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

Table with columns: AREA AND BASIS OF DIAGNOSIS, All ages, Under 25 years, 25 to 34 years, 35 to 39 years, 40 to 44 years, 45 to 49 years, 50 to 54 years, 55 to 59 years, 60 to 64 years, 65 to 69 years, 70 to 74 years, 75 to 79 years, 80 to 84 years, 85 to 89 years, 90 years and over, Deaths at unknown age. Rows include Registration Cities—Contd., NEW YORK—continued, and various sub-categories like White, Colored, Males, Females, and Diagnosis reasonably certain.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													90 years and over.	Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Manhattan Borough.....	2,124	55	94	117	183	261	307	234	262	258	154	86	36	13	4
Males.....	955	33	42	37	68	102	151	152	124	117	68	41	15	5
Females.....	1,169	22	52	80	115	159	156	142	138	141	86	45	21	8	4
Diagnosis reasonably certain. (M).....	506	20	27	22	46	56	84	83	69	52	23	18	5	1
Diagnosis reasonably certain. (F).....	722	15	46	66	86	105	106	88	89	76	40	15	11	6	3
White.....	2,079	54	87	106	181	256	303	289	261	253	152	85	35	13	4
Males.....	944	33	40	36	67	100	151	149	124	115	68	41	15	5
Females.....	1,135	21	47	70	114	156	152	140	137	138	84	44	20	8	4
Diagnosis reasonably certain. (M).....	500	20	26	21	46	55	84	82	69	50	23	18	5	1
Diagnosis reasonably certain. (F).....	693	14	41	57	85	102	102	86	89	75	38	15	10	6	3
Colored.....	45	1	7	11	2	5	4	5	1	5	2	1	1	
Males.....	11	2	1	1	2	3	2	2
Females.....	34	1	5	10	1	3	4	2	1	3	2	1	1
Diagnosis reasonably certain. (M).....	6	1	1	1	1	2
Diagnosis reasonably certain. (F).....	29	1	5	9	1	3	4	2	1	2	1
Queens Borough.....	277	7	5	15	19	44	37	32	43	25	29	13	6	2
Males.....	115	4	4	6	3	12	14	14	21	12	14	7	3	1
Females.....	162	3	1	9	16	32	23	18	22	13	15	6	3	1
Diagnosis reasonably certain. (M).....	60	3	4	6	3	7	4	8	16	2	3	2	1	1
Diagnosis reasonably certain. (F).....	89	2	9	10	22	12	10	11	6	5	2
White.....	276	7	5	15	19	44	37	32	43	25	29	12	6	2
Males.....	115	4	4	6	3	12	14	14	21	12	14	7	3	1
Females.....	161	3	1	9	16	32	23	18	22	13	15	5	3	1
Diagnosis reasonably certain. (M).....	60	3	4	6	3	7	4	8	16	2	3	2	1	1
Diagnosis reasonably certain. (F).....	88	2	9	10	22	12	10	11	6	5	1
Colored.....	1	1
Males.....	1
Females.....	1	1
Diagnosis reasonably certain. (M).....	1
Diagnosis reasonably certain. (F).....	1
Richmond Borough.....	96	2	2	4	4	12	11	11	15	14	8	10	1	2
Males.....	46	2	1	1	3	2	8	11	8	5	2	1	2
Females.....	50	2	3	3	9	9	3	4	6	3	8
Diagnosis reasonably certain. (M).....	24	2	1	1	3	2	2	6	5	1	1
Diagnosis reasonably certain. (F).....	24	2	2	2	4	4	2	3	1	2	2
White.....	93	2	2	3	4	11	11	11	15	14	8	9	1	2
Males.....	45	2	1	1	3	2	8	11	8	5	1	1	2
Females.....	48	2	2	3	8	9	3	4	6	3	8
Diagnosis reasonably certain. (M).....	24	2	1	1	3	2	2	6	5	1	1
Diagnosis reasonably certain. (F).....	23	2	2	2	3	4	2	3	1	2	2
Colored.....	3	1	1	1
Males.....	1
Females.....	2	1	1
Diagnosis reasonably certain. (M).....	1	1
Diagnosis reasonably certain. (F).....	1
Rochester.....	261	7	5	8	15	34	31	29	33	40	32	15	7	3	2
Males.....	95	5	2	3	4	8	11	5	12	25	13	5	2
Females.....	166	2	3	5	11	26	20	24	21	15	19	10	5	3	2
Diagnosis reasonably certain. (M).....	70	4	2	3	3	5	8	4	10	16	9	5	1
Diagnosis reasonably certain. (F).....	118	1	3	4	10	21	16	18	16	6	12	5	3	2	1
Syracuse.....	126	1	2	9	6	9	20	14	19	21	12	9	3	1
Males.....	38	1	2	1	4	5	7	4	8	4	2
Females.....	88	8	6	5	15	7	15	13	8	7	3	1
Diagnosis reasonably certain. (M).....	20	1	1	1	3	2	4	1	4	3
Diagnosis reasonably certain. (F).....	64	8	6	5	10	4	12	5	5	5	3	1
Troy.....	136	5	7	8	13	20	17	19	20	15	4	7	1
Males.....	52	1	1	1	6	8	9	4	10	8	2	2
Females.....	84	4	6	7	7	12	8	15	10	7	2	2	5	1
Diagnosis reasonably certain. (M).....	25	1	3	8	2	1	6	2	1	1
Diagnosis reasonably certain. (F).....	59	4	5	5	7	7	7	10	6	6	2
Utica.....	82	2	4	4	4	5	12	14	12	9	5	3	5	3
Males.....	25	1	2	1	2	3	2	4	5	1	2	1	1
Females.....	57	1	2	4	3	3	9	12	8	4	4	1	4	2
Diagnosis reasonably certain. (M).....	11	1	1	2	2	1	1	1	1	1	1	1
Diagnosis reasonably certain. (F).....	37	1	2	4	3	3	6	6	6	2	3	1

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Yonkers.....	65	1	5	2	7	6	11	9	4	6	6	4	4			
Males.....	29		1		2	3	4	4	1	4	5	2	3			
Females.....	36	1	4	2	5	3	7	5	3	2	1	2	1			
Diagnosis reasonably certain. {M.	9				1	2	2	2			1	1	1			
{F.	20	1	2	1	5	3	2	3			1	1	1			
Other cities.....	913	12	25	47	65	81	104	122	120	121	100	64	35	12	5	
Males.....	298	5	7	10	15	14	39	44	41	39	35	32	10	4	3	
Females.....	615	7	18	37	50	67	65	78	79	82	65	32	25	8	2	
Diagnosis reasonably certain. {M.	169	4	5	5	9	10	26	21	22	21	15	20	4	4	3	
{F.	416	5	17	30	42	51	45	58	49	45	34	16	17	5	2	
NORTH CAROLINA.																
Registration cities.....	124	3	8	8	14	19	17	9	17	16	2	6	3	2		
Males.....	34	1	3	1	2	2	4	2	8	6		3	1	1		
Females.....	90	2	5	7	12	17	13	7	9	10	2	3	2	1		
Diagnosis reasonably certain. {M.	16		2	1	1		2	1	3	1		3	1	1		
{F.	69	2	4	7	11	11	10	6	6	7	2	1	1	1		
White.....	76	2	3	2	9	6	7	6	16	13	2	5	3	2		
Males.....	26	1	2		1	2	2	7	6			2	1	1		
Females.....	50	1	1	2	8	5	5	4	9	7	2	3	2	1		
Diagnosis reasonably certain. {M.	10		1			1	1	1	2	1		2	1	1		
{F.	36	1	1	2	7	2	3	3	6	6	2	1	1	1		
Colored.....	48	1	5	6	5	13	10	3	1	3		1				
Males.....	8		1	1	1	2			1			1				
Females.....	40	1	4	5	4	12	8	3		3						
Diagnosis reasonably certain. {M.	6		1	1	1	1			1			1				
{F.	33	1	3	5	4	9	7	3		1						
OHIO.																
Registration cities.....	2,104	39	73	102	165	202	275	294	267	258	213	114	68	29	5	
Males.....	789	22	20	26	44	67	105	102	126	110	90	42	22	11	2	
Females.....	1,315	17	53	76	121	135	170	192	141	148	123	72	46	18	3	
Diagnosis reasonably certain. {M.	393	13	10	17	24	31	63	56	63	50	33	17	10	6		
{F.	882	13	42	61	98	109	126	136	87	80	66	31	23	9	1	
White.....	2,041	38	70	93	156	190	268	291	260	251	210	113	68	28	5	
Males.....	772	22	20	23	42	65	105	102	123	106	88	41	22	11	2	
Females.....	1,269	16	50	70	114	125	163	189	137	145	122	72	46	17	3	
Diagnosis reasonably certain. {M.	389	13	10	17	24	29	63	56	63	49	33	16	10	6		
{F.	849	13	39	57	92	102	119	133	86	79	65	31	23	9	1	
Colored.....	63	1	3	9	9	12	7	3	7	7	3	1		1		
Males.....	17			3	2	2			3	4	2	1				
Females.....	46	1	3	6	7	10	7	3	4	3	1			1		
Diagnosis reasonably certain. {M.	4				2				1			1				
{F.	33		3	4	6	7	7	3	1	1	1					
Akron.....	62	1	2	1	3	10	10	12	9	5	7	2				
Males.....	20	1	1			4	4	4	4			2				
Females.....	42			1	3	6	6	8	5	5	7					
Diagnosis reasonably certain. {M.	7					1	2	1	1			1				
{F.	28		1		3	4	3	6	5	2	4					
Cincinnati.....	419	6	18	21	32	34	52	61	51	55	44	25	13	4	3	
Males.....	153	5	5	6	10	9	24	17	20	26	16	7	5	2	1	
Females.....	266	1	13	15	22	25	28	44	31	29	28	18	8	2	2	
Diagnosis reasonably certain. {M.	76	5	2	4	7	2	14	9	11	10	6	3	1	2		
{F.	169		9	13	15	22	22	33	15	15	14	8	2		1	
White.....	400	5	17	18	29	29	50	61	49	53	44	25	13	4	3	
Males.....	150	5	5	5	9	9	24	17	20	25	16	7	5	2	1	
Females.....	250		12	13	20	20	26	44	29	28	28	18	8	2	2	
Diagnosis reasonably certain. {M.	76	5	2	4	7	2	14	9	11	10	6	3	1	2		
{F.	159		8	11	14	19	20	33	14	15	14	8	2		1	
Colored.....	19	1	1	3	3	5	2		2	2						
Males.....	3			1	1					1						
Females.....	16	1	1	2	2	5	2		2	1						
Diagnosis reasonably certain. {M.																
{F.	10		1	2	1	3	2		1							
Cleveland.....	483	12	19	21	38	63	57	73	60	62	38	17	17	6		
Males.....	214	6	6	8	16	24	28	26	36	28	19	7	8	2		
Females.....	269	6	13	13	22	39	29	47	24	34	19	10	9	4		
Diagnosis reasonably certain. {M.	105	4	3	6	10	13	12	13	19	13	6	2	4	2		
{F.	183	5	10	11	17	32	20	34	17	19	8	4	4	2		

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un-known age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
REGISTRATION CITIES—Contd.																
OHIO—continued.																
Columbus.....	220	1	4	17	22	17	36	30	36	21	20	7	7	2		
Males.....	78		2	3	3	6	15	10	18	9	7	2	1	2		
Females.....	142	1	2	14	19	11	21	20	18	12	13	5	6			
Diagnosis reasonably certain.....	44		1	2	2	5	11	6	9	4	3		1			
M.....	110	1	2	13	16	11	20	14	12	6	10	3	2			
F.....	208	1	4	15	21	14	35	29	35	20	18	7	7	2		
White.....	74		2	2	3	5	15	10	17	9	6	2	1	2		
Males.....	134	1	2	13	18	9	20	19	18	11	12	5	6			
Females.....	43		1	2	2	4	11	6	9	4	3		1			
Diagnosis reasonably certain.....	103	1	2	12	15	9	19	13	12	6	9	3	2			
M.....	12			2	1	3	1	1	1	1	2					
F.....	4			1		1		1		1	1					
Diagnosis reasonably certain.....	8			1	1	2	1	1		1	1					
M.....	7			1	1	1	1	1		1						
F.....	133		5	5	12	9	15	16	16	19	16	9	9	1	1	
Dayton.....	43		1	1	3	1	3	6	5	8	7	3	2		1	
Males.....	90		4	4	9	8	12	10	11	11	7	6	7	1		
Females.....	17		1	1	1	1	2	5	3	3	1	1	1			
Diagnosis reasonably certain.....	62		4	2	8	8	7	8	6	9	4	4	2			
M.....	184	3	2	7	12	21	33	19	20	23	19	18	7			
F.....	77	1			4	10	13	8	10	9	9	11	2			
Males.....	107	2	2	7	8	11	20	11	10	14	10	7	5			
Females.....	40		2	6	6	4	9	4	6	7	3	5	2			
Diagnosis reasonably certain.....	67	2	2	6	6	10	14	6	6	5	6	1	3			
M.....	66	3	2	6	5	4	10	10	4	8	8	2	1	3		
F.....	24	2		2	2	1	2	3	3	4	3		2			
Males.....	42	1	2	4	3	3	8	7	1	4	5	2	1	1		
Females.....	10	1		1	1	1	2	1	2	2			1	1		
Diagnosis reasonably certain.....	27	1	1	3	3	1	4	4	1	2	3	2	1	1		
M.....	537	13	21	24	41	44	62	73	71	65	61	34	14	13	1	
F.....	180	7	5	6	6	12	16	28	30	26	27	10	4	3		
Males.....	357	6	16	18	35	32	46	45	41	39	34	24	10	10	1	
Females.....	94	3	2	4	3	5	11	17	12	13	14	5	3	2		
Diagnosis reasonably certain.....	236	4	13	13	30	21	36	31	25	22	17	9	9	6		
M.....	OREGON. ¹															
F.....	229	10	13	12	14	20	32	28	27	26	19	14	8	5	1	
Portland.....	107	5	6	3	4	8	18	10	8	16	13	9	6	1	1	
Males.....	122	5	7	9	10	12	14	18	19	10	6	5	2	4		
Females.....	63	4	5	2	2	7	12	3	6	8	4	3	1	1		
Diagnosis reasonably certain.....	87	3	3	7	10	10	12	17	12	4	1	3	1	3	1	
M.....	222	10	13	11	14	19	30	26	27	26	18	14	8	5	1	
F.....	101	5	6	2	4	7	17	8	8	16	12	9	6	1		
Males.....	121	5	7	9	10	12	13	18	19	10	6	5	2	4	1	
Females.....	58	4	5	1	2	6	11	2	6	6	7	4	3	1		
Diagnosis reasonably certain.....	86	3	3	7	10	10	11	17	12	4	1	3	1	3	1	
M.....	7			1		1	2	2			1					
F.....	6			1		1	1	2			1					
Males.....	1					1	1									
Females.....	5			1		1	1	1		1						
Diagnosis reasonably certain.....	1					1	1									
M.....	PENNSYLVANIA.															
F.....	3,245	64	127	167	252	341	412	439	389	377	310	218	89	45	13	2
Registration cities.....	1,204	33	30	42	70	113	154	162	163	176	140	77	28	13	3	
Males.....	2,041	31	97	125	182	228	258	277	226	201	170	141	61	32	10	2
Females.....	610	25	20	25	43	64	76	84	81	80	60	29	15	6	2	
Diagnosis reasonably certain.....	1,343	22	79	105	142	160	188	184	144	111	94	61	22	23	7	1
M.....	3,104	56	123	158	237	308	392	424	383	366	302	213	85	43	12	2
F.....	1,158	31	29	39	63	104	149	154	162	174	135	75	27	13	3	
Males.....	1,946	25	94	119	174	204	243	270	221	192	167	138	58	30	9	2
Females.....	592	24	20	22	40	60	76	81	81	79	58	29	14	6	2	
Diagnosis reasonably certain.....	1,278	17	77	101	136	143	177	179	141	105	92	60	22	21	6	1
M.....	141	8	4	9	15	33	20	15	6	11	8	5	4	2	1	
F.....	46	2	1	3	7	9	5	8	1	2	5	2	1			
Males.....	95	6	3	6	8	24	15	7	5	9	3	3	3	2	1	
Females.....	18	1		3	3	4		3		1	2		1			
Diagnosis reasonably certain.....	65	5	2	4	6	17	11	5	3	6	2	1	2	1		
M.....																
F.....																

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown ages.
		Under 25 years.	25 to 34 years.	35 to 44 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
TENNESSEE ¹ —continued.																
Memphis.....	114	1	10	7	13	12	13	18	16	7	1	8	5	1	2	
Males.....	37	1	1	3	1	4	8	8	4	1	4	2	1	2		
Females.....	77	1	9	7	10	11	9	10	8	3	4	3	1	2		
Diagnosis reasonably certain.....	10															
M.....	60		9	4	10	9	8	5	7	2		3	2	1	1	
F.....	37		2	2	6	3	6	5	7			3	1			
White.....	86	1	2	4	9	6	9	17	16	7	1	8	4	1	1	
Males.....	34				3	1	3	7	8	4	1	4	2	1		
Females.....	52	1		4	6	5	6	10	8	3		4	2		1	
Diagnosis reasonably certain.....	9															
M.....	37		2	2	6	3	6	5	7	2		3	1	1		
F.....	28		3	3	4	6	4	1					1			
Colored.....	28															
Males.....	3		1				1	1								
Females.....	25		7	3	4	6	3						1		1	
Diagnosis reasonably certain.....	1							1								
M.....	23		7	2	4	6	2						1		1	
F.....	98	4	4	7	9	15	12	12	10	12	7	2	3		1	
Nashville.....	98	4	4	7	9	15	12	12	10	12	7	2	3		1	
Males.....	30	2	3	1		1	4	4	5	6	3		1			
Females.....	68	2	1	6	9	14	8	8	5	6	4	2	2		1	
Diagnosis reasonably certain.....	18	2	1			3	2	3	3	3	3		1			
M.....	55	2	1	5	8	12	8	7	2	3	3	1	2		1	
F.....	68	4	2	2	4	8	4	10	10	12	7	2	3			
White.....	68	4	2	2	4	8	4	10	10	12	7	2	3			
Males.....	22	2	1					4	5	6	3		1			
Females.....	46	2	1	2	4	8	4	6	5	6	4	2	2			
Diagnosis reasonably certain.....	14	2						2	3	3	3		1			
M.....	34	2	1	1	4	6	4	5	2	3	3	1	2			
F.....	30		2	5	5	7	8	2							1	
Colored.....	30		2	5	5	7	8	2								
Males.....	8		2	1		1	4								1	
Females.....	22			4	5	6	4	2								
Diagnosis reasonably certain.....	4		1			3	3									
M.....	21			4	4	6	4	2							1	
F.....	77		8	12	4	8	13	11	7	5	6	2			1	
Other cities ²	77		8	12	4	8	13	11	7	5	6	2			1	
Males.....	18		2			3	3	5	2	2					1	
Females.....	59		6	12	4	5	10	6	5	3	6	2			1	
Diagnosis reasonably certain.....	9		1			1	2	2	1	1						
M.....	45		5	11	4	4	7	3	2	3	4	2			1	
F.....	55		5	8	3	6	8	10	4	5	4	1			1	
White.....	55		5	8	3	6	8	10	4	5	4	1			1	
Males.....	16		2			2	3	4	2	2					1	
Females.....	39		3	8	3	4	5	6	2	3	4	1			1	
Diagnosis reasonably certain.....	9		1			1	2	2	1	1						
M.....	31		3	8	3	3	4	3	1	3	2	1			1	
F.....	22		3	4	1	2	5	1	3		2	1				
Colored.....	22		3	4	1	2	5	1	3		2	1				
Males.....	2					1		1								
Females.....	20		3	4	1	1	5		3		2	1				
Diagnosis reasonably certain.....	14		2	3	1	1	3		1		2	1				
M.....	14		2	3	1	1	3		1		2	1				
F.....	14		2	3	1	1	3		1		2	1				
TEXAS. ¹																
Registration cities.....	181	8	13	18	17	24	21	22	19	14	11	7	5	2		
Males.....	74	5	3	9	4	10	7	9	11	7	5	1	2	1		
Females.....	107	3	10	9	13	14	14	13	8	7	6	6	3	1		
Diagnosis reasonably certain.....	46	3	1	5	1	6	5	8	8	3	4	1	1	1		
M.....	74	2	8	7	11	11	8	9	4	4	4	4	1	1		
F.....	170	6	12	17	13	23	20	22	18	14	11	7	5	2		
White.....	170	6	12	17	13	23	20	22	18	14	11	7	5	2		
Males.....	70	4	2	8	4	10	7	9	10	7	5	1	2	1		
Females.....	100	2	10	9	9	13	13	13	8	7	6	6	3	1		
Diagnosis reasonably certain.....	44	2	1	5	1	6	5	8	7	3	4	4	1	1		
M.....	68	1	8	7	7	10	8	9	4	4	4	4	1	1		
F.....	11	2	1	1	4	1	1		1							
Colored.....	11	2	1	1	4	1	1		1							
Males.....	4	1	1	1					1							
Females.....	7	1			4	1	1									
Diagnosis reasonably certain.....	2	1							1							
M.....	6	1			4	1										
F.....	6	1														
Galveston.....	52	5	4	4	4	7	4	5	5	6	4	2	1	1		
Males.....	28	4	3	2		5	1	2	4	3	3			1		
Females.....	24	1	1	2	4	2	3	3	1	3	1	2	1			
Diagnosis reasonably certain.....	17	3	1			2	1	2	4	1	2			1		
M.....	17	1	1	1	3	2	3	2	2	2	1	1				
F.....	17	1	1	1	3	2	3	2	2	2	1	1				

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Chattanooga, Jackson, and Knoxville.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Continued.																
WASHINGTON—continued.																
Seattle.....	221	6	4	13	11	18	27	39	31	26	21	11	10	3	1	
Males.....	115	3	8	4	6	14	18	19	16	15	4	5	3	
Females.....	106	3	4	5	7	12	13	21	12	10	6	7	5	1	
Diagnosis reasonably certain. (M.....)	74	2	6	3	6	9	11	13	10	7	2	4	1	
..... (F.....)	78	3	2	5	6	11	11	18	10	5	3	2	2	
Spokane.....	102	2	3	4	5	8	21	13	15	12	6	9	4	
Males.....	43	2	1	2	2	6	7	7	9	9	4	5	
Females.....	59	3	3	3	6	15	6	8	3	2	4	1	
Diagnosis reasonably certain. (M.....)	24	1	1	1	4	6	3	5	3	1	2	
..... (F.....)	49	3	3	3	6	13	5	7	3	3	2	1	
Tacoma.....	84	1	5	2	9	10	6	8	9	14	12	5	3	
Males.....	45	1	5	2	3	2	5	1	5	7	8	5	1	
Females.....	39	6	8	1	7	4	7	4	
Diagnosis reasonably certain. (M.....)	23	1	5	2	1	1	1	3	4	2	3	1	
..... (F.....)	23	4	5	2	4	2	5	1	
Other cities.....	92	5	8	4	12	10	12	12	10	10	6	3	
Males.....	48	2	3	1	4	7	5	8	8	5	3	2	
Females.....	44	3	5	3	3	3	7	4	2	5	3	1	
Diagnosis reasonably certain. (M.....)	27	2	2	2	5	4	3	3	2	1	1	
..... (F.....)	33	3	4	3	6	1	4	4	1	5	2	
WEST VIRGINIA. ¹																
Wheeling ²	46	1	2	2	5	4	7	5	6	7	4	3	
Males.....	14	1	1	1	1	2	2	2	2	
Females.....	32	2	2	4	3	6	3	4	5	2	
Diagnosis reasonably certain. (M.....)	9	1	1	1	1	1	1	1	1	
..... (F.....)	23	2	2	3	3	5	3	1	2	2	
White.....	45	1	2	2	5	4	6	5	6	7	4	3	
Males.....	14	1	1	1	1	2	2	2	2	
Females.....	31	2	2	4	3	5	3	4	5	2	
Diagnosis reasonably certain. (M.....)	9	1	1	1	1	1	1	1	1	
..... (F.....)	22	2	2	3	3	4	3	1	2	2	
Colored ³	1	1	
Males.....	1	
Females.....	1	1	
Diagnosis reasonably certain. (M.....)	1	1	
..... (F.....)	1	
WISCONSIN.																
Registration cities.....	712	14	20	27	32	58	81	116	91	105	68	53	28	16	3	
Males.....	315	8	5	13	9	21	29	50	50	46	32	28	13	10	1	
Females.....	397	6	15	14	23	37	52	66	41	59	36	25	15	6	2	
Diagnosis reasonably certain. (M.....)	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1	
..... (F.....)	244	6	13	11	21	33	35	39	21	29	16	10	7	2	1	
White.....	710	14	20	26	32	58	81	116	91	105	68	53	27	16	3	
Males.....	315	8	5	13	9	21	29	50	50	46	32	28	13	10	1	
Females.....	395	6	15	13	23	37	52	66	41	59	36	25	14	6	2	
Diagnosis reasonably certain. (M.....)	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1	
..... (F.....)	243	6	13	11	21	33	35	39	21	29	16	10	6	2	1	
Colored.....	2	1	1	
Males.....	
Females.....	2	1	
Diagnosis reasonably certain. (M.....)	
..... (F.....)	1	1	
Milwaukee.....	291	7	6	13	14	25	30	46	42	36	35	20	9	7	1	
Males.....	133	4	1	7	4	9	13	21	21	18	14	12	5	4	
Females.....	158	3	5	6	10	16	17	25	21	18	21	8	4	3	1	
Diagnosis reasonably certain. (M.....)	55	4	1	5	3	3	3	9	8	6	5	6	
..... (F.....)	96	3	5	4	9	13	11	13	11	11	9	3	3	
Other cities.....	421	7	14	14	18	33	51	70	49	69	33	33	19	9	2	
Males.....	182	4	4	6	5	12	16	29	29	23	18	16	8	6	1	
Females.....	239	3	10	8	13	21	35	41	20	41	15	17	11	3	1	
Diagnosis reasonably certain. (M.....)	96	1	1	4	2	10	12	16	17	11	9	7	2	3	1	
..... (F.....)	148	3	8	7	12	20	24	26	10	18	7	7	4	2	

¹ Nonregistration state; cities shown below only those with effective local ordinances.
² The only registration unit in the state.
³ Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

Table with columns for 'AREA AND BASIS OF DIAGNOSIS', 'All ages', and 'DEATHS FROM CANCER (ALL FORMS) AT AGE OF--' followed by age groups (Under 25, 25 to 34, etc.) and a final column for 'Deaths at unknown age'. Rows include California (Total, White, Colored) and Connecticut (Total, White, Hartford County).

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un-known age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
RURAL PART OF REGISTRATION STATES—Continued.																
CONNECTICUT—continued.																
Other rural districts.....	247	1	2	5	8	18	24	34	28	38	37	29	11	4	5	3
Males.....	96	1	2	3	3	5	5	12	9	18	18	11	5	3	1	1
Females.....	151			2	5	13	19	22	19	20	19	18	6	1	4	3
Diagnosis reasonably certain. (M).....	47	1	2	3	2	4	1	5	4	9	7	6		2	1	1
(F).....	91			2	4	9	13	13	12	11	6	13	4	1	2	1
INDIANA.																
Total.....	1,434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	1
Males.....	578	7	12	7	23	26	43	64	68	97	105	60	44	18	3	1
Females.....	856	9	24	33	55	80	74	117	104	112	104	82	43	15	4	1
Diagnosis reasonably certain. (M).....	303	4	7	5	13	15	24	35	31	50	43	34	27	11	3	1
(F).....	517	9	22	29	47	63	51	83	63	44	37	39	19	7	4	1
White.....	1,423	16	35	39	78	103	115	181	171	209	207	142	87	33	6	1
Males.....	574	7	11	7	23	25	42	64	68	97	104	60	44	18	3	1
Females.....	849	9	24	32	55	78	73	117	103	112	103	82	43	15	3	1
Diagnosis reasonably certain. (M).....	301	4	6	5	13	15	24	35	31	50	42	34	27	11	3	1
(F).....	511	9	22	28	47	61	50	83	62	44	37	39	19	7	3	1
Colored.....	11		1	1		3	2		1		2				1	
Males.....	4		1			1	1				1					
Females.....	7			1		2	1		1						1	
Diagnosis reasonably certain. (M).....	2		1						1		1					
(F).....	6			1		2	1		1						1	
KANSAS.																
Total.....	813	18	12	22	30	49	78	89	121	131	123	74	50	13	3	
Males.....	393	8	5	9	11	19	24	38	56	74	78	40	22	7	2	
Females.....	420	10	7	13	19	30	54	65	65	57	45	34	28	6	1	
Diagnosis reasonably certain. (M).....	195	6	3	5	4	8	17	21	23	32	35	19	15	5	2	
(F).....	248	6	5	11	16	18	41	34	34	25	17	21	16	3	1	
White.....	801	18	9	21	30	49	78	88	120	130	121	72	49	13	3	
Males.....	388	8	4	8	11	19	24	37	56	73	77	40	22	7	2	
Females.....	413	10	5	13	19	30	54	51	64	57	44	32	27	6	1	
Diagnosis reasonably certain. (M).....	193	6	3	5	4	8	17	20	23	32	34	19	15	5	2	
(F).....	242	6	3	11	16	18	41	34	33	25	17	19	15	3	1	
Colored.....	12		3	1				1	1	1	2	2	1			
Males.....	5		1	1				1		1	1					
Females.....	7		2						1		1	2	1			
Diagnosis reasonably certain. (M).....	2							1		1		2	1			
(F).....	6		2						1							
KENTUCKY.																
Total.....	753	24	30	32	47	50	65	78	104	110	83	54	44	13	3	16
Males.....	279	10	4	4	11	12	20	24	38	51	44	23	22	9	1	6
Females.....	474	14	26	28	36	38	45	54	66	59	39	31	22	4	2	10
Diagnosis reasonably certain. (M).....	123	6	3	1	6	5	8	10	10	23	22	8	12	5	1	3
(F).....	294	5	17	19	26	28	27	40	35	34	21	14	17	3	2	6
White.....	668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	15
Males.....	260	8	4	4	10	12	16	22	36	48	42	21	21	9	1	6
Females.....	408	12	18	24	29	33	38	47	54	56	35	26	21	4	2	9
Diagnosis reasonably certain. (M).....	119	5	3	1	6	5	6	10	10	23	21	8	12	5	1	3
(F).....	249	5	9	15	19	25	22	36	28	31	20	12	16	3	2	6
Colored.....	85	4	8	4	8	5	11	9	14	6	6	7	2			1
Males.....	19	2			1		4	2	2	3	2	2	1			
Females.....	66	2	8	4	7	5	7	7	12	3	4	5	1			1
Diagnosis reasonably certain. (M).....	4	1			7		2		7	3	1	2	1			
(F).....	45		8	4		3	5	4								
MAINE.																
Total.....	609	6	6	20	23	43	46	57	78	98	86	74	45	20	6	1
Males.....	228	2		4	3	7	10	18	34	40	38	37	23	11	1	
Females.....	381	4	6	16	20	36	36	44	58	58	48	37	22	9	5	1
Diagnosis reasonably certain. (M).....	96			1	2	4	6	7	15	16	12	13	10	9	1	
(F).....	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3	
White.....	607	6	6	20	23	43	46	57	78	97	85	74	45	20	6	1
Males.....	227	2		4	3	7	10	18	34	39	38	37	23	11	1	
Females.....	380	4	6	16	20	36	36	39	44	58	47	37	22	9	5	1
Diagnosis reasonably certain. (M).....	96			1	2	4	6	7	15	16	12	13	10	9	1	
(F).....	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3	

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
RURAL PART OF REGISTRATION STATES—Continued.																
MAINE—continued.																
Total—Continued.	2									1	1					
Colored.....																
Males.....	1									1						
Females.....	1										1					
Diagnosis reasonably certain. {M. / F.}																
Cumberland County.....	60		1		2	3	3	5	12	12	8	10	3	1		
Males.....	25															
Females.....	35		1		2	3	2	3	4	9	3	4	3	1		
Diagnosis reasonably certain. {M. / F.}	11 / 20															
Kennebec County ¹	55		1	1	3	2	1	3	10	6	10	10	4	4		
Males.....	29					1				5	3	6	4	4		
Females.....	26		1	1	3	1	1	3	5	3	4	4	1	4		
Diagnosis reasonably certain. {M. / F.}	17 / 14															
Penobscot County.....	54		2	2		2	8	4	6	9	7	7	3	3	1	
Males.....	17															
Females.....	37		2	2		2	1	1	3	3	2	7	6	7	2	
Diagnosis reasonably certain. {M. / F.}	6 / 23															
Washington County.....	54	1		3	2	7	5	4	1	12	6	4	5	4		
Males.....	19					3	2	2		4	2	2	2	2		
Females.....	35	1		3	2	4	3	2		8	4	2	3	2		
Diagnosis reasonably certain. {M. / F.}	7 / 23															
York County.....	60			2	3	4	6	7	6	10	11	8	3			
Males.....	21			1		1	1	2	3	3	4	3				
Females.....	39			1	3	3	5	5	3	7	7	5	3			
Diagnosis reasonably certain. {M. / F.}	10 / 22															
Other rural districts.....	326	5	2	12	13	25	23	34	43	49	44	35	27	8	5	1
Males.....	117	2		3	3	2	4	10	19	19	22	15	14	3	1	
Females.....	209	3	2	9	10	23	19	24	30	30	22	20	13	5	4	1
Diagnosis reasonably certain. {M. / F.}	45 / 110															
MARYLAND.																
Total.....	439	9	5	18	23	28	50	54	56	62	60	39	24	5	5	1
Males.....	160	3	1	4	5	5	11	18	28	26	27	19	6	4	3	
Females.....	279	6	4	14	18	23	39	36	28	36	33	20	18	1	2	1
Diagnosis reasonably certain. {M. / F.}	77 / 186															
White.....	380	8	2	13	19	24	36	51	50	54	53	37	24	4	4	1
Males.....	146	3		4	5	5	10	16	25	22	25	18	6	4	3	
Females.....	234	5	2	9	14	19	26	35	25	32	28	19	18	1	1	1
Diagnosis reasonably certain. {M. / F.}	72 / 154															
Colored.....	59	1	3	5	4	4	14	3	6	8	7	2		1	1	
Males.....	14		1					2	3	4	2	1				
Females.....	45	1	2	5	4	4	13	1	3	4	5	1		1	1	
Diagnosis reasonably certain. {M. / F.}	5 / 32															
Baltimore County.....	111	2	1	6	7	8	11	20	16	15	10	9	5		1	
Males.....	38			1	1	1	3	8	9	4	5	4	1		1	
Females.....	73	2	1	5	6	7	8	12	7	11	5	5	4			
Diagnosis reasonably certain. {M. / F.}	22 / 53															
White.....	104	2	1	4	6	8	9	19	16	14	10	9	5		1	
Males.....	37			1	1	1	3	7	9	4	5	4	1		1	
Females.....	67	2	1	3	5	7	6	12	7	10	5	5	4			
Diagnosis reasonably certain. {M. / F.}	22 / 47															
Colored.....	7			2	1		2	1								
Males.....	1							1								
Females.....	6			2	1		2				1					
Diagnosis reasonably certain. {M. / F.}	6															

¹ Includes National Military Home.

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths of unknown age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
RURAL PART OF REGISTRATION STATES—Continued.																
MARYLAND—continued.																
Other rural districts.....	328	7	4	12	16	20	39	34	40	47	50	30	19	5	4	1
Males.....	122	3	1	3	4	4	8	10	19	22	22	15	5	4	2	1
Females.....	206	4	3	9	12	16	31	24	21	25	28	15	14	1	2	1
Diagnosis reasonably certain. (M. F.)	55	2	1	2	2	2	5	4	7	8	10	5	2	3	2	1
.....	133	2	3	6	10	13	23	18	8	16	18	7	7	1	1	1
White.....	276	6	1	9	13	16	27	32	34	40	43	28	19	4	3	1
Males.....	109	3	1	3	4	4	7	9	16	18	20	14	5	4	2	1
Females.....	167	3	1	6	9	12	20	23	18	22	23	14	14	1	1	1
Diagnosis reasonably certain. (M. F.)	50	2	1	2	2	2	5	3	6	6	10	5	2	3	2	1
.....	107	2	1	5	7	10	15	17	7	14	15	6	7	1	1	1
Colored.....	52	1	3	3	3	4	12	2	6	7	7	2	1	1	1	1
Males.....	13	1	1	1	1	1	1	1	3	4	2	1	1	1	1	1
Females.....	39	1	2	3	3	4	11	1	3	3	5	1	1	1	1	1
Diagnosis reasonably certain. (M. F.)	5	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
.....	26	1	2	1	3	3	8	1	1	2	3	1	1	1	1	1
MASSACHUSETTS.																
Total.....	868	7	11	18	51	62	99	103	89	124	108	86	65	28	17	1
Males.....	318	4	4	7	9	14	34	32	44	47	47	36	25	8	7	1
Females.....	550	3	7	11	42	48	65	71	45	77	61	50	40	20	10	1
Diagnosis reasonably certain. (M. F.)	148	4	4	5	2	12	16	12	23	25	18	11	11	5	5	1
.....	331	1	6	8	34	37	44	45	25	45	23	24	21	9	9	1
White.....	864	7	10	18	50	62	99	101	89	124	108	86	65	28	17	1
Males.....	316	4	3	7	8	14	34	32	44	47	47	36	25	8	7	1
Females.....	548	3	7	11	42	48	65	69	45	77	61	50	40	20	10	1
Diagnosis reasonably certain. (M. F.)	147	4	3	5	2	12	16	12	23	25	18	11	11	5	5	1
.....	329	1	6	8	34	37	44	43	25	45	23	24	21	9	9	1
Colored.....	4	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1
Males.....	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1
Females.....	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1
Diagnosis reasonably certain. (M. F.)	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1
.....	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1
Bristol County.....	56	1	1	3	3	6	7	7	11	9	6	1	1	1	1	1
Males.....	21	1	1	1	1	3	2	4	5	5	1	1	1	1	1	1
Females.....	35	1	1	3	2	3	5	3	6	4	5	1	1	1	1	1
Diagnosis reasonably certain. (M. F.)	11	1	1	3	2	2	2	2	3	2	1	1	1	1	1	1
.....	20	1	1	3	2	2	2	2	3	1	1	1	1	1	1	1
Essex County.....	105	1	3	8	6	10	6	12	17	15	11	9	4	3	1	1
Males.....	41	1	3	7	5	4	2	9	5	6	7	3	1	2	1	1
Females.....	64	1	3	7	1	6	4	3	12	9	4	6	3	1	1	1
Diagnosis reasonably certain. (M. F.)	10	1	2	6	3	4	1	5	5	1	1	1	1	1	1	1
.....	35	1	2	6	3	4	3	2	5	4	1	2	2	1	1	1
Middlesex County.....	173	1	2	3	10	17	21	25	18	24	21	12	14	3	2	1
Males.....	68	1	2	1	3	4	10	11	10	10	6	3	6	1	2	1
Females.....	105	1	2	2	7	13	11	14	8	14	15	9	8	2	2	1
Diagnosis reasonably certain. (M. F.)	32	1	2	2	2	4	4	3	3	6	3	1	2	1	1	1
.....	68	1	2	2	5	10	9	9	4	9	8	4	6	1	1	1
Norfolk County.....	99	1	2	2	4	15	11	10	9	14	14	7	9	1	1	1
Males.....	35	1	2	1	1	3	4	1	6	5	10	2	2	1	1	1
Females.....	64	1	2	1	3	12	7	9	3	9	4	5	7	1	1	1
Diagnosis reasonably certain. (M. F.)	18	1	1	1	3	3	3	1	5	3	1	1	1	1	1	1
.....	32	1	1	1	3	8	2	5	4	2	1	3	3	1	1	1
Plymouth County.....	99	1	3	8	3	9	10	9	12	11	14	11	3	5	1	1
Males.....	44	1	3	2	2	3	5	4	8	4	6	5	1	2	1	1
Females.....	55	1	3	8	1	6	5	5	4	7	8	6	2	3	1	1
Diagnosis reasonably certain. (M. F.)	20	1	2	7	2	1	1	1	3	2	1	4	3	1	1	1
.....	37	1	2	7	1	6	3	3	4	2	4	3	1	3	1	1
Worcester County.....	138	3	3	2	8	4	15	16	17	22	18	19	3	6	2	1
Males.....	53	2	3	1	3	3	3	4	7	8	12	9	1	2	2	1
Females.....	85	1	3	1	5	4	12	12	10	14	6	10	2	5	1	1
Diagnosis reasonably certain. (M. F.)	25	2	3	1	5	4	7	2	3	6	6	4	4	2	2	1
.....	55	1	3	1	5	4	7	7	6	9	2	9	2	2	2	1
Other rural districts.....	198	1	2	4	10	14	27	29	17	24	20	17	19	10	4	1
Males.....	56	1	1	1	1	3	7	7	4	6	4	8	8	4	1	1
Females.....	142	1	1	3	9	11	20	22	13	18	16	9	11	6	3	1
Diagnosis reasonably certain. (M. F.)	32	1	1	1	2	2	5	4	1	3	3	3	4	4	3	1
.....	84	1	1	1	5	9	14	16	7	11	4	4	7	2	3	1

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un- knowledge.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
RURAL PART OF REGISTRATION STATES—Continued.															
MISSOURI—continued.															
Total—Continued.															
White.....	1,112	29	32	30	57	57	116	120	140	153	170	112	70	15	10
Males.....	473	8	11	6	12	22	50	49	53	80	85	57	30	6	3
Females.....	639	21	21	24	45	35	66	71	87	73	85	55	40	9	7
Diagnosis reasonably certain (M).....	232	1	11	3	10	17	28	32	21	30	31	28	16	2	2
Diagnosis reasonably certain (F).....	360	12	13	18	33	27	50	38	55	33	37	18	17	5	4
Colored.....	43	1	3	1	2	5	5	6	4	4	5	4	3		
Males.....	16	1	2			1	2	1	2	2	3	2			
Females.....	27	1	1	2	4	3	5	2	2	2	2	2	3		
Diagnosis reasonably certain (M).....	7	1	1			1	1	1	1	1	1	1			
Diagnosis reasonably certain (F).....	19		1	1	2	3	2	3	1	1	1	1	3		
MONTANA.															
Total.....	141	2	7	8	9	15	15	15	27	9	13	12	7	1	1
Males.....	68	1	3	3	4	7	8	8	14	6	6	5	3		
Females.....	73	1	4	5	5	8	7	7	13	3	7	7	4	1	1
Diagnosis reasonably certain (M).....	45	1	3	1	2	5	3	5	9	3	5	5	3		
Diagnosis reasonably certain (F).....	48		4	5	4	7	6	4	7	1	4	2	2	1	1
White.....	137	2	7	8	9	15	15	14	26	8	13	11	7	1	1
Males.....	67	1	3	3	4	7	8	8	13	6	6	5	3		
Females.....	70	1	4	5	5	8	7	6	13	2	7	6	4	1	1
Diagnosis reasonably certain (M).....	44	1	3	1	2	5	3	5	8	3	5	5	3		
Diagnosis reasonably certain (F).....	47		4	5	4	7	6	3	7	1	4	2	2	1	1
Colored.....	4							1	1	1		1			
Males.....	1														
Females.....	3							1	1						
Diagnosis reasonably certain (M).....	1								1						
Diagnosis reasonably certain (F).....	1							1							
NEW HAMPSHIRE.															
Total.....	269	1	5	11	8	20	30	30	35	24	40	30	22	9	3
Males.....	88	1		4	1	4	6	9	12	8	15	16	8	3	1
Females.....	181		5	7	7	16	24	21	23	16	25	14	14	6	2
Diagnosis reasonably certain (M).....	37	1		1	1	3	2	2	6	4	4	6	4	2	1
Diagnosis reasonably certain (F).....	105		3	6	5	12	19	13	14	6	11	5	5	4	1
White.....	268	1	5	11	8	20	30	30	35	24	40	30	21	9	3
Males.....	88	1		4	1	4	6	9	12	8	15	16	8	3	1
Females.....	180		5	7	7	16	24	21	23	16	25	14	13	6	2
Diagnosis reasonably certain (M).....	37	1		1	1	3	2	2	6	4	4	6	4	2	1
Diagnosis reasonably certain (F).....	105		3	6	5	12	19	13	14	6	11	5	5	4	1
Colored.....	1												1		
Males.....															
Females.....	1												1		
Diagnosis reasonably certain (M).....															
Diagnosis reasonably certain (F).....															
Rockingham County.....															
Total.....	51			2	2	3	5	5	6	3	8	12	2	1	2
Males.....	10								1		4	5			
Females.....	41			2	2	3	5	5	5	3	4	7	2	1	2
Diagnosis reasonably certain (M).....	4					1	4	3	3	1	2	2	1		1
Diagnosis reasonably certain (F).....	23			2	2						3	3			
Other rural districts.....															
Total.....	218	1	5	9	6	17	25	25	29	21	32	18	20	8	1
Males.....	78	1		4	1	4	6	9	11	8	11	11	8	3	1
Females.....	140		5	5	5	13	19	16	18	13	21	7	12	5	1
Diagnosis reasonably certain (M).....	33	1		1	1	3	2	2	6	4	2	4	4	2	1
Diagnosis reasonably certain (F).....	82		3	4	3	11	15	10	11	5	9	2	4	4	1
NEW JERSEY.															
Total.....	797	11	12	19	31	61	83	96	120	115	110	68	50	17	4
Males.....	314	8	3	4	10	16	27	34	58	51	48	29	19	6	1
Females.....	483	3	9	15	21	45	56	62	62	64	62	39	31	11	3
Diagnosis reasonably certain (M).....	127	3	2	1	7	6	15	13	28	14	20	8	6	4	
Diagnosis reasonably certain (F).....	279	2	7	13	13	34	39	36	32	34	31	22	10	5	1
White.....	779	11	12	17	31	60	82	94	116	114	105	67	49	17	4
Males.....	308	8	3	3	10	16	26	33	57	50	47	29	19	6	1
Females.....	471	3	9	14	21	44	56	61	59	64	58	38	30	11	3
Diagnosis reasonably certain (M).....	125	3	2	1	7	6	15	13	28	13	19	8	6	4	
Diagnosis reasonably certain (F).....	272	2	7	12	13	34	39	36	30	34	29	21	9	5	1

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW JERSEY—continued.																
Total—Continued.																
Colored.....	18			2		1	1	2	4	1	5	1	1			
Males.....	6			1			1	1	1	1	1					
Females.....	12			1		1		1	3		4	1	1			
Diagnosis reasonably certain.....	7			1					2		1	1				
Bergen County.....	101	2	2	2	1	12	13	14	13	16	8	1	2	1		
Males.....	39				1	4	3	3	7	8	6	5	1	1		
Females.....	62	2	2	2		8	10	11	7	5	10	3	1	1		
Diagnosis reasonably certain.....	16					3	2	1	5	2	1			1		
Burlington County.....	60		2	5	4	4	4	2	7	7	11	8	4	2		
Males.....	23		1	1	1	2	3	1	4	1	5	2	2			
Females.....	37		1	4	3	2	1	1	3	6	6	6	2	2		
Diagnosis reasonably certain.....	11				1	1	3		2		3		1			
Monmouth County.....	86		2	2	4	6	6	6	14	13	16	10	4	2	1	
Males.....	30				1	1	1	3	3	6	7	9	2			
Females.....	56		2	2	3	5	5	3	11	7	9	4	2	2	1	
Diagnosis reasonably certain.....	11						1	2	3	2	2	1				
Morris County.....	50	1		1	3	2	7	7	8	8	4	4	1	3	1	
Males.....	22	1		1	1		3	4	5	3		1		2	1	
Females.....	28				2	2	4	3	3	5	4	3	1	1		
Diagnosis reasonably certain.....	8				1		2	1	2	1				2		
Other rural districts.....	500	8	6	9	19	37	53	67	77	74	63	38	40	8	1	
Males.....	200	7	2	2	6	9	17	23	39	33	30	15	14	3		
Females.....	300	1	4	7	13	28	36	44	38	41	33	23	26	5	1	
Diagnosis reasonably certain.....	81	3	2	1	5	2	8	10	17	9	14	5	4	1		
NEW YORK.																
Total.....	2,286	27	47	53	82	135	206	249	311	318	345	276	149	58	25	
Males.....	883	8	16	10	21	39	58	94	122	144	155	114	63	29	9	
Females.....	1,403	19	31	43	61	96	148	155	189	174	190	162	86	29	16	
Diagnosis reasonably certain.....	438	6	7	8	13	25	40	45	53	67	69	48	31	17	9	
White.....	2,263	27	46	53	81	135	203	244	310	314	342	272	149	58	25	
Males.....	873	8	15	10	21	39	56	92	122	143	154	112	63	29	9	
Females.....	1,390	19	31	43	60	96	147	152	188	171	183	160	86	29	16	
Diagnosis reasonably certain.....	436	6	7	8	13	25	40	44	53	66	69	48	31	17	9	
Colored.....	23		1		1		3	5	1	4	3	4			1	
Males.....	10		1				2	2		1	1	2				
Females.....	13				1		1	3	1	3	2	2			1	
Diagnosis reasonably certain.....	2						1	1		1						
Cattaraugus County.....	53		1	1		3	8	3	3	9	9	7	6	3		
Males.....	15					1	2	3		2	3		2	2		
Females.....	38		1	1		2	6	3	3	7	6	7	4	1		
Diagnosis reasonably certain.....	9					1	2	2		1	1		1	2		
Chautauqua County.....	58	1	1	2	1		4	6	12	10	9	7	4		1	
Males.....	18							2	3	3	5	2	2		1	
Females.....	40	1	1	2	1		4	4	9	7	4	5	2			
Diagnosis reasonably certain.....	8						2	2	1		2	1	1		1	
Delaware County.....	60		3	1	1	6	5	7	9	6	12	6	3	1		
Males.....	19						2	4	3	2	4	1	2	1		
Females.....	41		3	1	1	6	3	3	6	4	8	5	1	1		
Diagnosis reasonably certain.....	8						2	1	1		2		1	1		
Dutchess County.....	63		2	3	3	3	6	5	9	7	7	9	3	6		
Males.....	26		2				1	1	4	4	5	4	1	3		
Females.....	37			3	3	3	5	4	5	3	2	5	2	3		
Diagnosis reasonably certain.....	12		1		2	3	3	3	2	2	3	3	1	3		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un-known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued.																
Erie County.....	71		1	3		3	5	11	15	9	9	4	6	4	1	
Males.....	32		1	1		1	4	3	8	6	2	1	3	2		
Females.....	39			2		2	1	8	7	3	7	3	3	2	1	
Diagnosis reasonably certain. (M).....	15			1		1	2	1	2	3	2	2	2	1		
Diagnosis reasonably certain. (F).....	22			2		2		6	4	2	3		2		1	
Monroe County.....	50		1	3	4	1	4	5	6	8	6	5	4	2	1	
Males.....	14			1				3	1	3	1	2	1	2		
Females.....	36		1	2	4	1	4	2	5	5	5	3	3		1	
Diagnosis reasonably certain. (M).....	7			1				3		1	1	1		1		
Diagnosis reasonably certain. (F).....	26			2	4	1	4	1	4	3	3	2	1		1	
Nassau County.....	78	2		3	3	7	4	10	13	13	10	10	1	1	1	
Males.....	39	1		1		5	1	5	6	10	4	3	1	1	1	
Females.....	39	1		2	3	2	3	5	7	3	6	7				
Diagnosis reasonably certain. (M).....	15			1		3	1	2	1	3	1	1		1	1	
Diagnosis reasonably certain. (F).....	20	1		2	2	1	2	3	4	2	3					
Oneida County.....	74	1	1	2	2	5	7	7	7	8	10	14	9		1	
Males.....	25					1	1	2	4	3	1	7	5		1	
Females.....	49	1	1	2	2	4	6	5	3	5	9	7	4			
Diagnosis reasonably certain. (M).....	10					1	1	1	1	1	1	2	3		1	
Diagnosis reasonably certain. (F).....	32	1	1	2	2	2	5	3	2	3	6	4	1		1	
Onondaga County.....	62	1		2	2		4	6	10	9	11	8	8	1		
Males.....	26	1			1			4	4	3	6	2	5			
Females.....	36			2	1		4	2	6	6	5	6	3	1		
Diagnosis reasonably certain. (M).....	13	1			1			4	1	2	2	1	3			
Diagnosis reasonably certain. (F).....	22			2	1		2	1	4	2	4	3	2	1		
Ontario County.....	56	1			5	3	3	4	9	8	14	1	5	1	2	
Males.....	29				3	1	2	1	3	6	10	1	2			
Females.....	27	1			2	2	1	3	6	2	4		3	1	2	
Diagnosis reasonably certain. (M).....	13				3		1	1	3	3	6					
Diagnosis reasonably certain. (F).....	16				1	2	1	3	2	1	2		2		2	
Orange County.....	55	5			6	5	5	7	5	2	7	9	2	1		1
Males.....	22	1			2	3	1	4	1	1	5	2	1			1
Females.....	33	4			4	2	4	3	4	1	2	7	1	1		
Diagnosis reasonably certain. (M).....	9	1			1	2		1			3	1				
Diagnosis reasonably certain. (F).....	17	3			3	1	3	1	1		2	3				
Rockland County.....	51	1	1		3	5	6	5	5	12	4	4	5			
Males.....	28				2	2	2	1	4	7	3	3	4			
Females.....	23	1	1		1	3	4	4	1	5	1	1	1			
Diagnosis reasonably certain. (M).....	19				2	2	2	1	3	4	1	1	3			
Diagnosis reasonably certain. (F).....	16		1		1	3	3	3	1	2	1		1			
St. Lawrence County.....	50		1		2	2	9	4	4	7	12	4	1	2	2	
Males.....	21				1	1	2	3	2	2	7	1	1	1		
Females.....	29		1		1	1	7	1	2	5	5	3		1	2	
Diagnosis reasonably certain. (M).....	11				1	1	1	3	1	1	3		1			
Diagnosis reasonably certain. (F).....	17		1		1	1	6			2	2	1		1	2	
Steuben County.....	69			2	1	3	3	11	7	14	12	9	4	1	2	
Males.....	36						1	8	2	9	6	6	2	1	1	
Females.....	33			2	1	3	2	3	5	5	6	3	2		1	
Diagnosis reasonably certain. (M).....	20							5	2	7	1	3	1		1	
Diagnosis reasonably certain. (F).....	20			2	1	2		3	2	3	2	2	2		1	
Suffolk County.....	92	1	4	1	6	6	11	10	16	10	11	9	4	2		1
Males.....	26		2		2		1	3	4	3	6	4	1			
Females.....	66	1	2	1	4	6	10	7	12	7	5	5	3	2		1
Diagnosis reasonably certain. (M).....	8				4	6	1	1	3	2			1			
Diagnosis reasonably certain. (F).....	42	1	2	1	4	6	8	2	6	5	2	2	1	1		1
Wayne County.....	59		2	2	3	4	5	6	11	5	9	7	2	2	1	
Males.....	13							2	5	1	3	2				
Females.....	46		2	2	3	4	5	4	6	4	6	5	2	2	1	
Diagnosis reasonably certain. (M).....	8				2	4	4	3	4	1	3					
Diagnosis reasonably certain. (F).....	27		1	2	2	4	4	3	3	4	1		2		1	
Westchester County.....	106	2	6	5	2	12	9	12	17	14	12	7	5	2	1	
Males.....	49		4	2		4	6	7	7	10	2	5		1	1	
Females.....	57	2	2	3	2	8	3	5	10	4	10	2	5	1	1	
Diagnosis reasonably certain. (M).....	32		3	2		3	5	4	4	7	1	1		1	1	
Diagnosis reasonably certain. (F).....	43	2	2	2	1	8	3	5	5	2	7	2	3	1		

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un-known age.	
		Under 25 years.	25 to 34 years.	35 to 44 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
RURAL PART OF REGISTRATION STATES—Continued																
NEW YORK—continued.																
Other rural districts.....	1,179	12	23	23	38	67	108	130	153	167	181	156	77	29	12	3
Males.....	445	5	7	5	10	20	32	38	61	68	83	67	30	15	4	3
Females.....	734	7	16	18	28	47	76	92	92	99	89	37	14	8	8	3
Diagnosis reasonably certain. (M. F.)	221 460	4 3	3 13	3 11	5 24	13 40	22 59	15 63	27 61	33 58	36 47	33 43	14 23	9 9	4 4	2 2
NORTH CAROLINA. ¹																
Total.....	149	5	6	5	13	12	23	21	29	17	7	4	4	2	1
Males.....	38	2	1	2	2	1	4	8	7	7	2	1	1
Females.....	111	3	5	3	11	11	19	13	22	10	5	3	3	2	1
Diagnosis reasonably certain. (M. F.)	19 76	2 1	1 5	1 3	1 9	1 7	1 17	6 12	4 9	2 5	2 3	1 2	1 1	1 1	1 1
White.....	114	4	6	3	7	9	15	17	24	15	5	3	3	2	1
Males.....	27	2	1	1	1	1	1	6	4	6	2	1	1
Females.....	87	2	5	2	6	8	14	11	20	9	3	2	2	2	1
Diagnosis reasonably certain. (M. F.)	15 54	2 5	1 5	1 2	1 4	1 4	2 12	2 10	2 8	2 4	1 1	1 1	1 1	1 1	1 1
Colored.....	35	1	2	6	3	8	4	5	2	2	1	1
Males.....	11	1	1	3	2	3	1
Females.....	24	1	1	5	3	5	2	2	1	2	1	1
Diagnosis reasonably certain. (M. F.)	4 22 1	1 1	5 3	1 5	1 2	1 1	1 1	2 1
OHIO.																
Total.....	2,072	24	40	65	102	112	179	222	269	306	310	221	136	66	20
Males.....	871	18	17	14	30	34	59	92	110	151	152	94	62	31	7
Females.....	1,201	6	23	51	72	78	120	130	159	155	158	127	74	35	13
Diagnosis reasonably certain. (M. F.)	420 721	12 2	9 17	7 38	15 55	22 63	31 84	46 88	49 92	69 80	62 75	43 59	32 44	20 16	3 8
White.....	2,039	24	40	62	100	112	173	219	263	302	307	217	135	66	19
Males.....	860	18	17	13	29	34	51	92	110	148	151	92	61	31	7
Females.....	1,179	6	23	49	71	78	116	127	153	154	156	125	74	35	12
Diagnosis reasonably certain. (M. F.)	417 706	12 2	9 17	6 36	15 54	22 63	31 80	46 85	49 89	68 79	62 74	42 59	32 44	20 16	3 8
Colored.....	33	3	2	6	3	6	4	3	4	1	1
Males.....	11	1	1	2	3	1	2	1
Females.....	22	2	1	4	3	6	1	2	2	1
Diagnosis reasonably certain. (M. F.)	3 15	1 2	1 1 4 3 3 1 1
Hamilton County.....	54	1	4	4	3	5	8	4	4	10	4	5	2
Males.....	23	1	3	2	2	4	1	1	6	1	2
Females.....	31	1	2	1	5	4	3	3	4	3	3	2
Diagnosis reasonably certain. (M. F.)	13 18 1	1 2	1 1 5 3 1 2 3 1 2 1
Tuscarawas County.....	56	1	1	6	4	7	5	3	11	9	5	2	1	1
Males.....	26	1	2	1	4	2	1	5	4	2	2	1
Females.....	30	1	4	3	3	3	2	6	5	3	1
Diagnosis reasonably certain. (M. F.)	10 16 1 1 4 3 2 1 1 3 1
Other rural districts.....	1,962	22	36	64	92	105	167	209	262	291	291	212	129	63	19
Males.....	822	16	14	14	26	31	55	86	108	145	142	90	58	30	7
Females.....	1,140	6	22	50	66	74	112	123	154	146	149	122	71	33	12
Diagnosis reasonably certain. (M. F.)	397 687	11 2	8 17	7 37	13 49	21 59	29 77	41 84	43 90	66 77	58 73	43 58	30 42	19 15	3 7
PENNSYLVANIA.																
Total.....	2,752	47	67	99	147	205	271	321	397	404	346	245	129	53	18	3
Males.....	1,100	25	20	28	32	76	109	129	172	176	144	107	54	16	10	2
Females.....	1,652	22	47	71	115	129	162	192	225	228	202	138	75	37	8	1
Diagnosis reasonably certain. (M. F.)	521 982	16 17	14 35	15 49	17 90	42 92	49 111	72 124	72 125	76 114	70 88	56 65	37 46	36 22	12 3	8 1
White.....	2,703	47	66	93	143	197	265	316	388	400	343	243	129	53	17	3
Males.....	1,083	25	20	27	32	72	107	128	167	174	143	107	54	16	9	2
Females.....	1,620	22	46	66	111	125	158	188	221	226	200	136	75	37	8	1
Diagnosis reasonably certain. (M. F.)	516 955	16 17	14 34	15 46	17 86	41 90	47 108	71 120	75 121	70 112	56 86	37 63	36 46	12 22	8 3	1 1
Colored.....	49	1	6	4	8	6	5	9	4	3	2	1
Males.....	17	1	4	2	1	5	2	1	1
Females.....	32	1	5	4	4	4	4	4	2	2
Diagnosis reasonably certain. (M. F.)	5 27 1 3 4 2 3 4 4 2 2

¹ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at un-known age.	
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.		90 years and over.
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued.																
Northampton County.....	54	1	1	2	6	6	3	4	5	9	6	6	2	3	
Males.....	24	1	2	2	1	2	2	1	4	3	4	1	1	
Females.....	30	1	4	5	1	2	4	5	3	2	1	2	
Diagnosis reasonably certain. (M. F.)	4 17	1	1 2	4	3	2	1	1	1	
Schuylkill County.....	89	5	8	5	2	8	14	10	10	9	8	5	4	1	
Males.....	35	1	3	1	1	4	8	3	5	4	3	2	
Females.....	54	4	5	4	1	4	6	7	5	5	5	5	2	1	
Diagnosis reasonably certain. (M. F.)	22 33	3 4	1 4	3 1	4 4	4 1	4 1	2 2	2 2	3 1	1 1	
Washington County.....	75	2	1	5	1	4	6	15	16	8	9	4	1	2	1	
Males.....	34	1	2	2	4	8	4	3	5	3	1	1	
Females.....	41	1	1	3	1	2	2	7	12	5	4	1	2	
Diagnosis reasonably certain. (M. F.)	17 21	1	1 2	1 2	2 2	5 5	3 5	1 2	1 2	1	1	
Westmoreland County.....	110	1	4	5	9	13	9	12	15	19	12	5	4	1	1	
Males.....	45	1	2	3	7	6	3	6	10	3	1	2	1	
Females.....	65	1	3	3	6	6	3	9	9	9	4	2	1	
Diagnosis reasonably certain. (M. F.)	28 37	1 3	1 2	2 5	4 4	4 2	5 6	5 3	5 2	1 1	1 1	1	
York County.....	64	4	1	1	2	8	8	7	7	9	10	6	1	
Males.....	22	2	2	2	4	2	2	5	2	1	
Females.....	42	2	1	1	2	6	6	3	5	7	5	4	
Diagnosis reasonably certain. (M. F.)	12 29	2 1	2 5	3 5	2 1	2 4	3 4	3 2	1	
Other rural districts.....	1,269	19	27	41	68	91	110	143	190	192	161	118	77	19	12	1
Males.....	495	10	11	10	13	34	37	57	82	81	67	51	32	5	5
Females.....	774	9	16	31	55	57	73	86	108	111	94	67	45	14	7	1
Diagnosis reasonably certain. (M. F.)	228 462	7 7	6 13	7 21	6 45	22 36	16 50	27 57	32 70	32 54	22 44	18 28	24 26	4 8	5 2	1 1
RHODE ISLAND.																
Total.....	113	1	2	3	8	5	19	13	15	20	13	5	7	2	
Males.....	41	2	1	2	2	7	5	6	6	7	1	1	1	
Females.....	72	1	2	6	3	12	8	9	14	6	4	6	1	
Diagnosis reasonably certain. (M. F.)	16 45	1	1 2	2 5	2 7	1 5	2 5	3 6	2 3	1 3	1 4	1 1	
White.....	111	1	2	3	8	5	19	13	14	19	13	5	7	2	
Males.....	41	2	1	2	2	7	5	6	6	7	1	1	1	
Females.....	70	1	2	6	3	12	8	8	13	6	4	6	1	
Diagnosis reasonably certain. (M. F.)	16 45	1	1 2	2 5	2 7	1 5	2 5	3 6	2 3	1 3	1 4	1 1	
Colored.....	2	1	1	
Males.....	
Females.....	2	1	1	
Diagnosis reasonably certain. (M. F.)	
UTAH.																
Total.....	97	4	3	4	3	7	14	16	14	13	8	8	3		
Males.....	49	2	1	2	1	2	8	6	11	3	7	4	2		
Females.....	48	2	2	2	2	5	6	10	3	10	1	4	1		
Diagnosis reasonably certain. (M. F.)	12 29	1 2	2 2	1 2	4 4	1 7	1 2	3 3	1 1	2 1		
White.....	97	4	3	4	3	7	14	16	14	13	8	8	3		
Males.....	49	2	1	2	1	2	8	6	11	3	7	4	2		
Females.....	48	2	2	2	2	5	6	10	3	10	1	4	1		
Diagnosis reasonably certain. (M. F.)	12 29	1 2	2 2	1 2	4 4	1 7	1 2	3 3	1 1	2 1		
VERMONT.																
Total.....	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
Males.....	130	2	3	1	2	3	15	14	22	27	15	16	7	2	1
Females.....	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1
Diagnosis reasonably certain. (M. F.)	89 120	2 4 2	1 4 5	1 6	1 14	5 18	5 14	14 12	17 12	6 14	11 10	3 3	2 2

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
VERMONT—continued.																
Total—Continued.																
White.....	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
Males.....	130	2	3	3	1	2	3	15	14	22	27	15	16	7	2	1
Females.....	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1
Diagnosis reasonably certain. {M.....	69	2	1	1	1	1	5	5	5	14	17	6	11	3	2	1
{F.....	120	4	2	4	5	6	14	18	14	12	12	14	10	3	2
Total.....	747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	1
Males.....	289	9	4	10	9	11	20	31	42	40	51	36	16	7	3
Females.....	458	10	20	23	35	39	37	48	51	62	50	42	22	14	7	1
Diagnosis reasonably certain. {M.....	127	4	3	4	7	4	10	6	18	16	17	20	9	7	2
{F.....	297	7	16	20	28	27	26	28	36	37	21	20	17	10	4
White.....	551	11	11	20	26	29	35	58	68	78	84	70	36	18	7
Males.....	238	7	3	8	4	7	14	26	33	32	45	34	15	7	3
Females.....	313	4	8	12	22	22	21	32	35	46	39	36	21	11	4
Diagnosis reasonably certain. {M.....	112	3	2	4	3	2	8	6	16	14	17	20	8	7	2
{F.....	196	3	7	11	17	14	15	19	24	28	13	17	16	8	4
Colored.....	196	8	13	13	18	21	22	21	25	24	17	8	2	3	1
Males.....	51	2	1	2	5	4	6	5	9	8	6	2	1
Females.....	145	6	12	11	13	17	16	16	16	11	6	1	3	1
Diagnosis reasonably certain. {M.....	15	1	1	4	2	2	2	2	1
{F.....	101	4	9	9	11	13	11	9	12	9	8	3	1	2
Total.....	372	9	8	9	22	34	55	48	53	42	35	28	22	4	3
Males.....	195	6	3	3	8	12	25	28	33	26	12	16	18	3	2
Females.....	177	3	5	6	14	22	30	20	20	16	23	12	4	1	1
Diagnosis reasonably certain. {M.....	94	5	2	2	4	5	15	14	17	7	5	7	8	1	2
{F.....	117	3	5	5	14	18	21	12	10	7	12	6	3	1
White.....	368	9	8	9	22	34	53	47	53	42	35	27	22	4	3
Males.....	193	6	3	3	8	12	24	28	33	26	12	15	18	3	2
Females.....	175	3	5	6	14	22	29	19	20	16	23	12	4	1	1
Diagnosis reasonably certain. {M.....	93	5	2	2	4	5	14	14	17	7	5	7	8	1	2
{F.....	115	3	5	5	14	18	20	11	10	7	12	6	3	1
Colored.....	4	2	1	1
Males.....	2	1	1
Females.....	2	1	1
Diagnosis reasonably certain. {M.....	1	1
{F.....	2	1	1
Total.....	1,273	21	17	25	54	72	128	147	156	196	191	134	89	33	9	1
Males.....	633	12	7	6	21	26	62	74	82	104	98	77	53	9	1	1
Females.....	640	9	10	19	33	46	66	73	74	92	93	57	36	24	8
Diagnosis reasonably certain. {M.....	243	9	4	2	8	15	26	26	27	42	34	25	20	4	1
{F.....	352	6	7	13	22	37	48	44	45	38	36	22	15	14	5
White.....	1,266	21	17	25	54	72	128	146	154	194	191	133	89	32	9	1
Males.....	632	12	7	6	21	26	62	74	81	104	98	77	53	9	1	1
Females.....	634	9	10	19	33	46	66	72	73	90	93	56	36	23	8
Diagnosis reasonably certain. {M.....	243	9	4	2	8	15	26	26	27	42	34	25	20	4	1
{F.....	347	6	7	13	22	37	48	44	44	36	36	21	15	13	5
Colored.....	7	1	2	2	1	1
Males.....	1	1	1
Females.....	6	1	1	2	1	1
Diagnosis reasonably certain. {M.....	5	1	2	1	1
{F.....
Milwaukee County ¹	59	1	4	5	7	9	2	11	7	6	5	2
Males.....	41	1	2	4	3	6	2	9	6	4	4
Females.....	18	2	1	4	3	2	1	2	1	2
Diagnosis reasonably certain. {M.....	26	1	2	2	2	1	1	8	5	2	2	1
{F.....	11	2	1	2	3	1	1	1
Other rural districts.....	1,214	20	17	25	50	67	121	138	154	185	184	128	84	31	9	1
Males.....	592	11	7	6	19	22	59	68	80	95	92	73	49	9	1	1
Females.....	622	9	10	19	31	45	62	70	74	90	92	55	35	22	8
Diagnosis reasonably certain. {M.....	217	8	2	2	6	13	24	25	26	34	29	23	18	4	1
{F.....	341	6	7	13	20	36	46	41	45	37	36	22	14	13	5

¹ Includes National Military Home.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

Table with columns: AREA AND BASIS OF DIAGNOSIS, Aggregate, DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF— (Buccal cavity, Stomach and liver, Peritoneum, intestines, and rectum), and rows for SUMMARY, The registration area, Males, Females, Diagnosis reasonably certain, Diagnosis uncertain, and Diagnosis unknown, categorized by White, Colored, and Registration States.

1 Includes District of Columbia.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggre-gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-ynx.	Esoph-agus.	Stomach.	Liver and gall bladder.	Total.	Perito-neum and mesen-tery.	Intes-tines.
SUMMARY—Continued.																
Cities in registration states—Contd.																
White—Continued.																
1	Diagnosis reasonably certain.	(M. 5,461 F. 10,196)	877	110	311	82	302	72	1,385	14	122	961	288	1,010	54	421
2	Diagnosis uncertain.	(M. 3,074 F. 3,513)	160	8	41	17	77	17	989	2	22	524	441	1,230	80	544
3	Diagnosis unknown.	(M. 1,712 F. 1,937)	1				1		2,504	9	126	1,487	626	319	26	287
4	Colored.	902	22		9		11	2	1,105	8	60	737	300	561	60	494
5	Males.	258	17		6		10	1	1,210	3	13	706	488	351	36	310
6	Females.	644	5		3		1	1	298	4	14	197	83	81	6	44
7	Diagnosis reasonably certain.	(M. 105 F. 456)	17		6		10	1	141	4	8	91	38	27	3	11
8	Diagnosis uncertain.	(M. 84 F. 103)	5		3		1	1	157		6	106	45	54	3	33
9	Diagnosis unknown.	(M. 69 F. 85)							25	1		15	9	14		3
10	Rural part of registration states.	21,464	1,030	237	187	117	396	93	41	21	2	11	8	28	1	11
11	Males.	9,041	832	219	149	89	306	69	67	1		15	9	14		3
12	Females.	12,423	198	18	38	28	90	24	21		2	11	8	28	1	5
13	Diagnosis reasonably certain.	(M. 4,279 F. 7,503)	832	219	149	89	306	69	80	1	6	61	16	15	1	12
14	Diagnosis uncertain.	(M. 3,380 F. 3,422)	198	18	38	28	90	24	49	2	3	32	13.	7	2	3
15	Diagnosis unknown.	(M. 1,382 F. 1,498)							56		1	34	21	11	1	10
16	White.	20,846	1,010	234	186	116	384	90	8,631	10	141	5,610	2,870	2,486	171	1,480
17	Males.	8,853	820	217	148	89	299	67	4,394	6	98	3,149	1,141	1,119	68	615
18	Females.	11,993	190	17	38	27	85	23	4,237	4	43	2,461	1,729	1,367	103	865
19	Diagnosis reasonably certain.	(M. 4,216 F. 7,200)	820	217	148	89	299	67	846	2	20	628	196	634	30	172
20	Diagnosis uncertain.	(M. 3,299 F. 3,348)	190	17	38	27	85	23	610	2	10	303	295	662	40	223
21	Diagnosis unknown.	(M. 1,338 F. 1,445)							2,589	3	62	1,853	671	342	27	311
22	Colored.	618	20	3	1	1	12	3	2,608	2	24	1,580	1,002	492	39	452
23	Males.	188	12	2	1		7	2	959	1	16	668	274	143	11	132
24	Females.	430	8				5	1	1,019		9	578	432	213	24	185
25	Diagnosis reasonably certain.	(M. 63 F. 303)	12	2	1		7	2	8,429	10	140	5,477	2,802	2,439	171	1,449
26	Diagnosis uncertain.	(M. 81 F. 74)	8	1			5	1	4,290	6	97	3,077	1,110	1,104	68	605
27	Diagnosis unknown.	(M. 44 F. 53)							4,139	4	43	2,400	1,692	1,335	103	844
28	Registration states, ¹ exclusive of North Carolina.	47,986	2,086	354	547	216	785	184	833	2	19	619	193	627	30	170
29	Males.	19,474	1,724	328	465	171	618	142	601	2	10	298	291	649	40	226
30	Females.	28,512	362	26	82	45	167	42	2,532	3	62	1,810	657	336	27	305
31	Diagnosis reasonably certain.	(M. 9,810 F. 18,010)	1,724	328	465	171	618	142	2,552	2	24	1,548	978	481	39	441
32	Diagnosis uncertain.	(M. 6,517 F. 7,006)	361	26	82	45	166	42	925	1	16	648	260	141	11	130
33	Diagnosis unknown.	(M. 3,147 F. 3,496)	1				1		986		9	554	423	205	24	177
34	White.	46,549	2,045	352	537	215	762	179	202		1	133	68	47		81
35	Males.	19,047	1,696	327	458	171	601	139	104		1	72	31	15		10
36	Females.	27,502	349	25	79	44	161	40	98			61	37	32		21
37	Diagnosis reasonably certain.	(M. 9,652 F. 17,306)	1,696	327	458	171	601	139	13		1	9	3	7		2
38	Diagnosis uncertain.	(M. 6,357 F. 6,834)	348	25	79	44	160	40	9			5	4	13		2
39	Diagnosis unknown.	(M. 3,038 F. 3,362)							57			43	14	6		6
40	Colored.	1,437	41	2	10	1	23	5	56			32	24	11		11
41	Males.	427	28	1	7		17	3	34			20	14	2		2
42	Females.	1,010	13	1	3		6	2	24			14	12	40		13
43	Diagnosis reasonably certain.	(M. 158 F. 704)	28	1	7		17	3	119	1	1	21	11	20		5
44	Diagnosis uncertain.	(M. 180 F. 172)	13	1	3		6	2	132			84	28	12		11
45	Diagnosis unknown.	(M. 109 F. 134)							79	2	2	51	24	19		5

¹ Includes District of Columbia.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys. and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
		6		6			4		6	2		1				1		2	1	
		6		6			4		5	1		1				1		2	2	
		6		6			4		4	1		1				1		1	3	
		6		6			4		1	1		1						1	4	
25		81	4	74	3		53	14	57	3	6	5	7	6	3	2	1	1	23	5
12							2	10	36	3	2	5	2	6	1	1	1	1	14	6
13							51	4	21		4	5	2	2	1	1	1	1	9	7
12							2	10	30	3	4	3	5	5	1	1		1	14	5
12							51	4	10		1	2		1	1			1	14	5
25							50	13	55	3	6	4	6	6	3	2	1	1	23	9
12							2	10	35	3	2	4	2	6	1	1	1	1	14	10
13							48	3	20		4	4	4	2	2	1	1	1	9	11
12							2	10	30	3	4	3	5	5	1	1		1	9	10
12							48	3	10		1	3	1	5	1	1		1	14	5
							3	1	2		1	1	2	1	1			1	13	12
							3	1	1			1							14	11
							3	1	1			1							15	10
							3	1	1										16	9
39		158	7	145	5	1	121	33	191	11	5	16	7	23	32	2	11	1	83	17
18							1	19	106	8	1	5	4	23	21		3	1	40	18
21							120	14	85	3	4	11	3	11	2	2	8	1	43	19
18							1	19	62	8	1	5	1	5	9		1	1	31	20
21							120	14	38	3	2	4	3	3	1	2	2	2	23	21
37							118	32	191	11	5	16	7	23	32	2	11	1	83	21
18							1	19	106	8	1	5	4	23	21		3	1	40	22
19							117	13	85	3	4	11	3	11	2	2	8	1	43	23
18							1	19	62	8	1	5	1	5	9		1	1	31	24
19							117	13	38	3	2	4		3	1	2	2	23	21	
2							3	1											25	25
2							3	1											26	26
2							3	1											27	27
72	1	355	15	331	6	3	229	138	289	8	7	39	24	20	41	2	14	4	130	29
43							3	94	166	6	3	18	8	20	25	1	8	4	73	30
29	1	355	15	331	6	3	226	44	123	2	4	21	16	16	1	6	4	57	31	
43							3	94	104	6	2	9	4	11	7	3	4	55	32	
29	1	350	11	331	6	2	226	44	67	2	2	9	6	4	4	2	2	42	33	
69	1	346	15	322	6	3	226	137	280	8	7	37	23	20	40	2	12	4	127	33
43							3	94	158	6	3	17	7	20	24	1	6	4	70	34
26	1	346	15	322	6	3	223	43	122	2	4	20	16	16	1	6	4	57	35	
43							3	94	101	6	2	9	3	11	7	2	2	4	57	36
26	1	341	11	322	6	2	223	43	66	2	2	8	6	4	4	2	2	42	37	37
3							3	1	9			2	1		1		2		3	37
3							3	1	8			1	1			2		3	38	38
3							3	1	3			1	1			1		1	39	39
3							3	1	1			1	1					1	40	40
25		142	10	129	3		110	46	179	1	1	14	6	19	15	3	13	3	104	41
13							2	36	113	1	1	7	3	19	11	2	10	3	56	42
12							103	10	66			7	3	3	4	1	3	3	48	43
13							2	36	69	1	1	6	2	8	7	1	3	3	37	44
12							108	10	28			3	2	2	2	1	2	2	18	44
24							107	45	175	1	1	13	6	19	15	3	13	3	101	45
13							2	36	111	1	1	7	3	19	11	2	10	3	56	46
11							105	9	64			6	3	4	1	3	3	47	47	
13							2	36	68	1	1	6	2	8	7	1	3	3	36	48
11							105	9	28			3	2	2	2	1	2	18	48	
1							3	1	4			1						3	49	49
1							2	1	2									2	50	50
1							2	1	1			1						1	51	51
1							3	1	1									1	52	52

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION STATES—Con.																	
1	KENTUCKY.....	1,081	58	10	11	21	12	4	366		1	209	156	101	3	64	
2	Males.....	388	46	9	8	15	10	4	183		1	105	77	42		24	
3	Females.....	693	12	1	3	6	2		183			104	79	59	3	40	
4	Diagnosis reasonably certain. {M. 162 46 9 8 15 10 4 F. 446 12 1 3 6 2 2}											12 14 18 27		1	10		
5	White.....	959	55	10	10	20	11	4	328		1	188	139	93	3	58	
6	Males.....	356	45	9	8	15	9	4	165		1	94	70	40		22	
7	Females.....	603	10	1	2	5	2		163			94	69	53	3	36	
8	Diagnosis reasonably certain. {M. 155 45 9 8 15 9 4 F. 382 10 1 2 5 2 2}											11 14 10 11		1	10		
9	Colored.....	122	3		1	1	1		38			21	17	8		6	
10	Males.....	32	1				1		18			11	7	2		2	
11	Females.....	90	2		1	1			20			10	10	6		4	
12	Diagnosis reasonably certain. {M. 7 1 1 1 1 F. 64 2 1 1 1 2}											1 2		2			
13	MAINE.....	821	33	11	7	3	11	1	300	1	5	180	114	129	6	86	
14	Males.....	293	25	11	6	1	6	1	132	1	4	79	48	57	2	37	
15	Females.....	528	8		1	2	5		168		1	101	66	72	4	49	
16	Diagnosis reasonably certain. {M. 122 25 11 6 1 6 1 F. 308 8 1 2 5 5 1}										1 14 5 9		24 30		6 10		
17	White.....	819	33	11	7	3	11	1	299	1	5	179	114	128	6	85	
18	Males.....	292	25	11	6	1	6	1	131	1	4	78	48	57	2	37	
19	Females.....	527	8		1	2	5		168		1	101	66	71	4	48	
20	Diagnosis reasonably certain. {M. 122 25 11 6 1 6 1 F. 308 8 1 2 5 5 1}										1 14 5 9		24 30		6 10		
21	Colored.....	2							1			1		1		1	
22	Males.....	1							1			1					
23	Females.....	1												1		1	
24	Diagnosis reasonably certain. {M. 1 F. 1}																
25	MARYLAND.....	1,092	44	7	15	3	14	5	389	1	10	225	153	129	9	77	
26	Males.....	401	35	7	14	2	9	3	185	1	8	125	51	55	4	29	
27	Females.....	691	9		1	1	5	2	204		2	100	102	74	5	48	
28	Diagnosis reasonably certain. {M. 215 35 7 14 2 9 3 F. 457 9 1 1 5 2 2}									1 3 3 1 14 24		35 12 43		33 43		11 19	
29	White.....	947	40	7	13	3	12	5	342		7	200	135	120	9	69	
30	Males.....	365	31	7	12	2	7	3	163		6	111	46	53	4	28	
31	Females.....	582	9		1	1	5	2	179		1	89	89	67	5	41	
32	Diagnosis reasonably certain. {M. 199 31 7 12 2 7 3 F. 378 9 1 1 5 2 2}									3 3 1 12 21		33 11 41		32 2 3		11 17	
33	Colored.....	145	4		2		2		47	1	3	25	18	9		8	
34	Males.....	36	4		2		2		22	1	2	14	5	2		1	
35	Females.....	109							25		1	11	13	7		7	
36	Diagnosis reasonably certain. {M. 16 4 F. 79 2}									1 2 2 3		1 1 2		1 2		2	
37	MASSACHUSETTS.....	3,649	150	24	52	15	48	11	1,151	4	50	722	375	666	32	460	
38	Males.....	1,324	127	22	46	11	37	11	542	3	33	365	141	240	8	160	
39	Females.....	2,325	23	2	6	4	11		609	1	17	357	234	426	24	300	
40	Diagnosis reasonably certain. {M. 683 127 22 46 11 37 11 F. 1,475 23 2 6 4 11 106}									2 17 17 4 52		91 26 49		139 3 6		64 107	
41	White.....	3,613	148	24	50	15	48	11	1,138	4	49	714	371	663	32	458	
42	Males.....	1,310	126	22	45	11	37	11	533	3	32	358	140	239	8	159	
43	Females.....	2,303	22	2	5	4	11		605	1	17	356	231	424	24	299	
44	Diagnosis reasonably certain. {M. 678 126 22 45 11 37 11 F. 1,457 22 2 5 4 11 105}									2 17 8 52		89 26 48		138 3 6		63 106	
45	Colored.....	36	2		2				13		1	8	4	3		2	
46	Males.....	14	1		1				9		1	7	1	1		1	
47	Females.....	22	1		1				4			1	3	2		1	
48	Diagnosis reasonably certain. {M. 5 1 F. 18 1}											2 1		1 2		1 1	
49	MICHIGAN.....	2,395	118	23	22	10	51	12	974	1	19	638	316	272	27	165	
50	Males.....	1,015	89	22	15	8	35	9	509		15	369	125	128	11	71	
51	Females.....	1,380	29	1	7	2	16	3	465	1	4	269	191	144	16	94	
52	Diagnosis reasonably certain. {M. 498 89 22 15 8 35 9 F. 854 29 1 7 2 16 3}										3 43		91 34 39		79 6 25		27 106

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
MICHIGAN—Continued.																
1	White	2,379	118	23	22	10	51	12	968	1	19	634	314	269	27	162
2	Males	1,010	89	22	15	8	35	9	507		15	368	124	128	11	71
3	Females	1,369	29	1	7	2	16	3	461	1	4	266	190	141	16	91
4	Diagnosis reasonably certain	495	89	22	15	8	35	9	127		3	90	34	79	6	27
		850	29	1	7	2	16	3	82	1		42	39	69	10	25
5	Colored	16							6			4	2	3		3
6	Males	5							2			1	1			
7	Females	11							4			3	1	3		3
8	Diagnosis reasonably certain	3							1			1				
		4							1			1				
9	MINNESOTA	1,701	70	16	14	3	31	6	804		20	611	173	213	13	127
10	Males	829	59	14	12	3	26	4	452		17	376	59	107	7	62
11	Females	872	11	2	2		5	2	352		3	235	114	106	6	65
12	Diagnosis reasonably certain	406	59	14	12	3	26	4	125		6	108	11	70	4	28
		519	11	2	2		5	2	71			44	27	69	2	32
13	White	1,696	70	16	14	3	31	6	801		20	610	171	213	13	127
14	Males	828	59	14	12	3	26	4	452		17	376	59	107	7	62
15	Females	868	11	2	2		5	2	349		3	234	112	106	6	65
16	Diagnosis reasonably certain	406	59	14	12	3	26	4	125		6	108	11	70	4	28
		519	11	2	2		5	2	71			44	27	69	2	32
17	Colored	5							3			1	2			
18	Males	1														
19	Females	4							3			1	2			
20	Diagnosis reasonably certain															
21	MISSOURI	2,326	120	25	32	16	37	10	882	3	27	561	291	228	15	129
22	Males	978	104	25	27	13	32	7	438	3	19	301	115	102	11	48
23	Females	1,348	16		5	3	5	3	444		8	260	176	126	4	81
24	Diagnosis reasonably certain	534	104	25	27	13	32	7	101	1	5	68	27	69	4	22
		870	16		5	3	5	3	75			42	33	73	4	30
25	White	2,233	116	24	32	16	35	9	855	3	26	542	284	219	14	123
26	Males	945	101	24	27	13	30	7	421	3	19	288	111	99	10	47
27	Females	1,288	15		5	3	5	2	434		7	254	173	120	4	76
28	Diagnosis reasonably certain	518	101	24	27	13	30	7	98	1	5	66	26	67	4	21
		827	15		5	3	5	2	74			41	33	72	4	30
29	Colored	93	4	1			2	1	27		1	19	7	9	1	6
30	Males	33	3	1			2		17			13	4	3	1	1
31	Females	60	1				1		10		1	6	3	6		5
32	Diagnosis reasonably certain	16	3	1			2		3			2	1	2		1
		43	1				1		1			1		1		
33	MONTANA	223	14	3	3		7	1	93		3	65	25	28	3	16
34	Males	107	13	3	3		6	1	52		1	41	10	17	2	10
35	Females	116	1				1		41		2	24	15	11	1	6
36	Diagnosis reasonably certain	67	13	3	3		6	1	19			15	4	16	2	9
		74	1				1		6		1	3	2	8	1	3
37	White	218	14	3	3		7	1	91		3	64	24	26	3	16
38	Males	106	13	3	3		6	1	52		1	41	10	16	2	10
39	Females	112	1				1		39		2	23	14	10	1	6
40	Diagnosis reasonably certain	66	13	3	3		6	1	19			15	4	15	2	9
		72	1				1		6		1	3	2	7	1	3
41	Colored	5							2			1	1	2		
42	Males	1												1		
43	Females	4							2			1	1	1		
44	Diagnosis reasonably certain	1												1		
		2												1		
45	NEW HAMPSHIRE	442	13	2	4		7		132		1	67	64	86	2	63
46	Males	142	12	2	4		6		60		1	32	27	29	1	21
47	Females	300	1				1		72			35	37	57	1	42
48	Diagnosis reasonably certain	64	12	2	4		6		11			6	5	11		4
		187	1				1		6			3	3	27	1	12
49	White	440	13	2	4		7		130		1	66	63	86	2	63
50	Males	141	12	2	4		6		59		1	32	26	29	1	21
51	Females	299	1				1		71			34	37	57	1	42
52	Diagnosis reasonably certain	63	12	2	4		6		10			6	4	11		4
		187	1				1		6			3	3	27	1	12

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																						
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.			
80		358	14	339	3	2	213	114	339	9	10	34	13	38	36	5	24	4	166	1		
46		358	14	339	3	2	209	75	207	5	7	16	9	38	26	3	12	4	87	2		
34							209	39	132	4	3	18	4		10	2	12		79	3		
46							4	75	121	5	3	8	2	18	12	1	4	4	64	4		
34		354	10	339	3	2	209	39	68	4		8	3		4	6		43				
		2		2			1		4										4	5		
		2		2			1		3										3	6		
		2		2			1		1										1	7		
		2		2			1		2										2	8		
73		193	16	174	3		119	57	245	9	15	18	23	25	29	6	22	5	93	9		
33							4	43	164	8	8	11	15	25	23	3	16	5	50	10		
35		193	16	174	3		115	14	81	1	7	7	8		6	6		43				
38							4	43	105	8	3	8	8	8	2	2	9	5	38	11		
35		191	14	174	3		115	14	48	1	1	3	4		3	2	2	34		12		
73		193	16	174	3		119	57	243	9	15	18	23	24	29	6	22	5	92	13		
38							4	43	163	8	8	11	15	24	23	3	16	5	50	14		
35		193	16	174	3		115	14	80	1	7	7	8		6	6		42		15		
38							4	43	105	8	3	8	8	8	2	2	9	5	38			
35		191	14	174	3		115	14	48	1	1	3	4		3	2	2	34		16		
									2					1					1	17		
									1											18		
									1					1					1	19		
																				20		
83	1	378	18	348	9	3	221	156	341	10	8	25	31	32	43	12	15	4	161	21		
43							11	101	222	8	6	20	15	32	35	6	7	4	89	22		
40		378	18	348	9	3	210	55	119	2	2	5	16		8	6	8		72	23		
43							11	101	148	8	3	11	9	14	18	3	3	4	75			
39		372	12	348	9	3	210	55	69	2	1	3	8		4	2	4	45		24		
81	1	350	18	320	9	3	211	154	328	10	8	25	30	31	41	12	14	4	153	25		
42							11	100	213	8	6	20	14	31	33	6	7	4	84	26		
39	1	350	18	320	9	3	200	54	115	2	2	5	16		8	6	7		69	27		
42							11	100	141	8	3	11	8	13	17	3	3	4	71		28	
38		344	12	320	9	3	200	54	68	2	1	3	8		4	2	4	44		28		
2		28		28			10	2	13				1	1	2		1		8		29	
1								1	9				1	1	2				5		30	
1		28		28			10	1	4										3		31	
1								1	7				1	1	1				4		32	
1		28		28			10	1	1										1			
9		31	2	26	2	1	18	7	32		1	6	1	4	1	1	2	4	12		33	
5							1	4	20			3							7		34	
4		31	2	26	2	1	17	3	12			3	1	4	1	1	4	7		35		
5							1	4	14			3						5				
4		30	2	26	2		17	3	9			1		4		1	4	4			36	
7		31	2	26	2	1	18	7	31		1	6	1	4	1	1	2	4	11		37	
4							1	4	20			3			1				7		38	
3		31	2	26	2	1	17	3	11			3	1	4	1	1	4	4	4		39	
4							1	4	14			1		4					4			
3		30	2	26	2		17	3	8			2	1					4			40	
2									1													
1																						41
1									1													42
1																						43
1									1													44
21		83	1	79	1	2	54	17	57	2	2	5	2	6	9		1	1	29		45	
7							1	13	27	2	2	3		6	4		1	1	8		46	
14		83	1	79	1	2	53	4	30			2	2	5				21			47	
7							1	13	16	2	1	3					1	1	8		48	
14		82		79	1	2	53	4	14			1	1					12				
21		83	1	79	1	2	54	17	57	2	2	5	2	6	9		1	1	29		49	
7							1	13	27			3			4				8		50	
14		83	1	79	1	2	53	4	30	2	2	2	2	6	5		1	1	21		51	
7							1	13	16			3							8			52
14		82		79	1	2	53	4	14	2	1	3	1				1	1	21		52	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.															
NEW HAMPSHIRE—Continued.															
1 Colored.....	2							2			1	1			
2 Males.....	1							1				1			
3 Females.....	1							1			1				
4 Diagnosis reasonably certain. (M.F.)	1							1				1			
5 NEW JERSEY.....	2, 223	80	12	31	12	23	2	849	4	19	549	277	335	26	201
6 Males.....	859	65	11	27	9	16	2	405	3	16	283	103	134	5	80
7 Females.....	1, 364	15	1	4	3	7		444	1	3	266	174	201	21	121
8 Diagnosis reasonably certain. (M.F.)	370	65	11	27	9	16	2	73		3	53	17	69	3	17
	808	15	1	4	3	7		67		1	42	24	102	9	34
9 White.....	2, 163	80	12	31	12	23	2	832	3	19	537	273	325	26	196
10 Males.....	845	65	11	27	9	16	2	398	2	16	278	102	132	5	79
11 Females.....	1, 318	15	1	4	3	7		434	1	3	259	171	193	21	117
12 Diagnosis reasonably certain. (M.F.)	366	65	11	27	9	16	2	73		3	53	17	68	3	17
	774	15	1	4	3	7		66		1	41	24	97	9	33
13 Colored.....	60							17	1		12	4	10		5
14 Males.....	14							7			5	1	2		1
15 Females.....	46							10	1		7	3	3		4
16 Diagnosis reasonably certain. (M.F.)	4							1			1		1		1
	34												5		
17 NEW YORK.....	8, 907	339	37	124	34	113	31	3, 250	19	159	2, 051	1, 021	1, 319	115	765
18 Males.....	3, 568	283	33	109	31	85	25	1, 618	17	117	1, 077	407	572	39	321
19 Females.....	5, 339	56	4	15	3	28	6	1, 632	2	42	974	614	747	76	444
20 Diagnosis reasonably certain. (M.F.)	1, 863	283	33	109	31	85	25	414	8	51	275	80	386	22	187
	3, 359	56	4	15	3	28	6	268	1	11	138	118	421	27	176
21 White.....	8, 791	336	37	123	34	111	31	3, 212	18	157	2, 026	1, 011	1, 305	115	755
22 Males.....	3, 536	281	33	109	31	83	25	1, 602	16	115	1, 067	404	567	39	317
23 Females.....	5, 255	55	4	14	3	28	6	1, 610	2	42	959	607	738	76	438
24 Diagnosis reasonably certain. (M.F.)	1, 853	281	33	109	31	83	25	413	8	51	274	80	384	22	156
	3, 298	55	4	14	3	28	6	265	1	11	136	117	415	27	172
25 Colored.....	116	3		1		2		38	1	2	25	10	14		10
26 Males.....	32	2				2		16	1	2	10	3	5		4
27 Females.....	84	1		1				22			15	7	9		6
28 Diagnosis reasonably certain. (M.F.)	10	2				2		1			1		2		1
	61	1		1				3			2	1	6		4
29 NORTH CAROLINA ¹	273	4	1	1		2		85		2	48	35	27	4	14
30 Males.....	72	2	1	1				37		1	20	16	8	1	3
31 Females.....	201	2				2		48		1	28	19	19	3	11
32 Diagnosis reasonably certain. (M.F.)	35	2	1	1				10			7	3	6	1	1
	145	2				2		12			5	7	8	1	2
33 White.....	190	3		1		2		64		2	34	28	25	4	14
34 Males.....	53	1		1				24		1	13	10	7	1	3
35 Females.....	137	2				2		40			21	18	18	3	11
36 Diagnosis reasonably certain. (M.F.)	25	1		1				6			4	2	5	1	1
	90	2				2		10			3	7	7	1	2
37 Colored.....	83	1	1					21			14	7	2		
38 Males.....	19	1	1					13			7	6	1		
39 Females.....	64							8			7	1	1		
40 Diagnosis reasonably certain. (M.F.)	10	1	1					4			3	1	1		
	55							2			2		1		
41 OHIO.....	4, 176	174	26	38	22	75	13	1, 635	3	46	998	588	487	86	268
42 Males.....	1, 660	143	24	30	17	62	10	800	3	39	530	228	207	16	112
43 Females.....	2, 516	31	2	8	5	13	3	835		7	468	360	280	20	156
44 Diagnosis reasonably certain. (M.F.)	813	143	24	30	17	62	10	185	1	16	124	44	122	6	39
	1, 603	31	2	8	5	13	3	173		3	90	80	156	4	50
45 White.....	4, 080	172	26	38	22	74	12	1, 601	3	45	974	579	481	36	266
46 Males.....	1, 632	142	24	30	17	61	10	783	3	39	519	222	205	16	111
47 Females.....	2, 448	30	2	8	5	13	2	818		6	455	357	276	20	155
48 Diagnosis reasonably certain. (M.F.)	806	142	24	30	17	61	10	183	1	16	122	44	121	6	39
	1, 555	30	2	8	5	13	2	170		2	89	79	154	4	50
49 Colored.....	96	2				1	1	34		1	24	9	6		2
50 Males.....	28	1				1		17			11	6	2		1
51 Females.....	68	1					1	17		1	13	3	4		1
52 Diagnosis reasonably certain. (M.F.)	7	1				1		2			2		1		
	48	1					1	3		1	1	1	2		

¹Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
1	VIRGINIA—Continued.															
	White.....	707	35	5	9	4	14	3	251		4	156	91	62	2	36
2	Males.....	324	26	5	7	3	8	3	133		1	86	46	31	1	17
3	Females.....	443	9		2	1	6		118		3	70	45	31	1	19
4	Diagnosis reasonably certain. {M. 163 26 5 7 3 8 3 F. 286 9 2 1 3 6															
5	Colored.....	284	5	1			4		75			58	17	16		13
6	Males.....	66	1				1		33			26	7			4
7	Females.....	215	4	1			3		42			32	10	11		9
8	Diagnosis reasonably certain. {M. 24 1 1 1 1 1 F. 154 4 1 1 3 1															
9	WASHINGTON.....	871	33	10	8	5	9	1	386		5	293	88	100	6	61
10	Males.....	446	26	9	7	2	8		251		4	200	47	51	2	31
11	Females.....	425	7	1	1	3	1	1	135		1	93	41	49	4	30
12	Diagnosis reasonably certain. {M. 242 26 9 7 3 8 8 F. 300 7 1 1 3 1 1															
13	White.....	865	32	10	7	5	9	1	384		5	291	88	100	6	61
14	Males.....	442	25	9	6	2	8		249		4	198	47	51	2	31
15	Females.....	423	7	1	1	3	1	1	135		1	93	41	49	4	30
16	Diagnosis reasonably certain. {M. 240 25 9 6 2 8 8 F. 298 7 1 1 3 1 1															
17	Colored.....	6	1		1				2			2				
18	Males.....	4	1		1				2			2				
19	Females.....	2														
20	Diagnosis reasonably certain. {M. 2 2 F. 2 2															
21	WISCONSIN.....	1,985	80	20	18	3	35	4	973	1	33	678	261	234	11	147
22	Males.....	948	69	18	17	2	28	4	550		28	420	102	119	6	65
23	Females.....	1,037	11	2	1	1	7		423	1	5	258	159	115	5	82
24	Diagnosis reasonably certain. {M. 394 69 18 17 2 28 4 F. 596 11 2 1 1 7 7															
25	White.....	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147
26	Males.....	947	69	18	17	2	28	4	549		28	420	101	119	6	65
27	Females.....	1,029	10	2	1	1	6		422	1	5	258	158	115	5	82
28	Diagnosis reasonably certain. {M. 394 69 18 17 2 28 4 F. 590 10 2 1 1 6 6															
29	Colored.....	9	1				1		2			2				
30	Males.....	1							1			1				
31	Females.....	8	1				1		1			1				
32	Diagnosis reasonably certain. {M. 1 1 F. 6 1															
REGISTRATION CITIES.																
ALABAMA. ¹																
33	Registration cities.....	159	4	2	2				36		1	24	11	16		12
34	Males.....	53	3	1	2				13		1	8	4	10		6
35	Females.....	106	1	1					23			16	7	6		6
36	Diagnosis reasonably certain. {M. 41 3 1 2 F. 81 1 1 1															
37	White.....	115	4	2	2				28		1	18	9	12		8
38	Males.....	44	3	3	2				11		1	7	3	8		4
39	Females.....	71	1	1					17			11	6	4		4
40	Diagnosis reasonably certain. {M. 34 3 1 2 F. 55 1 1 1															
41	Colored.....	44							8			6	2	4		4
42	Males.....	9							2			1	1	2		2
43	Females.....	35							6			5	1	2		2
44	Diagnosis reasonably certain. {M. 7 1 F. 26 1															
45	Birmingham.....	77	3	2	1				19		1	12	6	8		5
46	Males.....	26	2	1	1				8		1	5	2	6		3
47	Females.....	51	1	1					11			7	4	2		2
48	Diagnosis reasonably certain. {M. 19 2 1 1 F. 40 1 1 1															

¹ Nonreg istration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA,
WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.								Other organs or of organs not specified.									
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx.	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
24		139	4	131	3	1	76	57	147	5	4	11	7	13	15	2	4	2	84
13		139	4	131	3	1	76	37	97	3	3	7	3	13	10	2	1	2	53
11		139	4	131	3	1	76	20	50	2	1	4	4	5	5		3		31
13		137	3	130	3	1	76	37	60	3		3	1	5	1	1	1	2	44
11		137	3	130	3	1	76	20	20	2		1	1	1					14
3		110	1	108	1		29	8	41	2	1	5	4	2	5	1	2		19
1		110	1	108	1		29	4	23	2		2	4	2	4	1	1		7
2		110	1	108	1		29	4	18		1	3		1	1	1			12
1		109		108	1		29	4	16	2		1	3	1	3				6
2		109		108	1		29	4	5										5
33		111	11	100			73	27	141	6	5	13	11	18	18	2	9	1	58
18		111	11	100			72	20	97	4	5	10	8	18	11	1	4	1	35
15		111	11	100			72	7	44	2		3	3	7	1	5			23
18		110	10	100			72	20	65	4	2	10	1	9	6	1	2	1	29
15		110	10	100			72	7	27	2		1	2	5	1	2			14
33		109	11	98			73	27	140	6	5	13	11	18	18	2	8	1	58
18		109	11	98			72	20	96	4	5	10	8	18	11	1	3	1	35
15		109	11	98			72	7	44	2		3	3	7	1	5			23
18		108	10	98			72	20	65	4	2	10	1	9	6	1	2	1	29
15		108	10	98			72	7	27	2		1	2	5	1	2			14
		2		2					1								1		17
		2		2					1								1		18
		2		2															19
		2		2															20
76		219	20	185	12	2	162	72	245	6	10	18	24	35	27	3	15	6	101
48		219	20	185	12	2	161	40	169	6	7	12	13	35	20	1	12	6	57
28		219	20	185	12	2	161	32	76		3	6	11	7	2	3	3		44
48		212	14	185	12	1	160	40	104	6	1	7	7	14	10	4	6		49
28		212	14	185	12	1	160	32	45			3	5	4		2			31
76		217	20	183	12	2	159	72	244	6	9	18	24	35	27	3	15	6	101
48		217	20	183	12	2	158	40	169	6	7	12	13	35	20	1	12	6	57
28		217	20	183	12	2	158	32	75		2	6	11	7	2	3	3		26
48		210	14	183	12	1	157	40	104	6	1	7	7	14	10	4	6		44
28		210	14	183	12	1	157	32	45			3	5	4		2			49
		2		2			3		1		1								31
		2		2			3		1		1								29
		2		2			3		1		1								30
		2		2			3		1										31
		2		2			3		1										32
4		53	3	49	1		9	10	31			5	4	2	2		2		16
4		53	3	49	1		9	6	21			3	2	2	2		2		10
4		53	3	49	1		9	4	10			2	2	2					6
4		53	3	49	1		9	4	16			2	2	2		1			9
4		34	3	30	1		5	8	5			1	1						3
4		34	3	30	1		5	8	24			2	4	2	2		2		12
4		34	3	30	1		5	3	17			1	2	2	2		2		8
4		34	3	30	1		5	3	7			1	2	2					4
4		34	3	30	1		5	3	13			1	2	2		1			7
		19		19			4	2	4				1	1					3
		19		19			4	1	7			3							4
		19		19			4	1	4			2							2
		19		19			4	1	3			1							2
		19		19			4	1	3			1							2
		19		19			4	1	1			1							2
3		30	2	27	1		3	2	12			1	3	1	1				6
3		30	2	27	1		3	2	8			1	2	1	1				3
3		30	2	27	1		3	2	4			1	1	1					3
3		30	2	27	1		3	2	6			1	2	1					2
		30	2	27	1		3	2	1			1	2	1					1

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
ALABAMA ¹ —continued.																
Birmingham—Continued.																
1	White.....	56	3	2	1			16		1	10	5	6		3	
2	Males.....	20	2	1	1			7		1	5	1	4		1	
3	Females.....	36	1	1				9			5	4	2		2	
4	Diagnosis reasonably certain. (M. F.)	14 28	2 1	1 1	1			4 4		1	2 1	1 3	3 1		1	
5	Colored.....	21						3			2	1	2		2	
6	Males.....	6						1				1	2		2	
7	Females.....	15						2			2					
8	Diagnosis reasonably certain. (M. F.)	5 12											2		2	
9	Mobile.....	52	1		1			11			9	2	7		6	
10	Males.....	21	1		1			4			3	1	4		3	
11	Females.....	31						7			6	1	3		3	
12	Diagnosis reasonably certain. (M. F.)	18 23	1		1			3 2			2 1	1 1	4 1		3 1	
13	White.....	41	1		1			8			6	2	6		5	
14	Males.....	20	1		1			3			2	1	4		3	
15	Females.....	21						5			4	1	2		2	
16	Diagnosis reasonably certain. (M. F.)	17 17	1		1			2 2			1 1	1 1	4 1		3 1	
17	Colored.....	11						3			3		1		1	
18	Males.....	1						1								
19	Females.....	10						2			2		1		1	
20	Diagnosis reasonably certain. (M. F.)	1 6						1			1					
21	Montgomery ²	30						6			3	3	1		1	
22	Males.....	6						1				1				
23	Females.....	24						5			3	2	1		1	
24	Diagnosis reasonably certain. (M. F.)	4 18						1			1					
25	White.....	18						4			2	2				
26	Males.....	4						1				1				
27	Females.....	14						3			2	1				
28	Diagnosis reasonably certain. (M. F.)	3 10														
29	Colored.....	12						2			1	1	1		1	
30	Males.....	2														
31	Females.....	10						2			1	1	1		1	
32	Diagnosis reasonably certain. (M. F.)	1 8						1			1					
CALIFORNIA.																
33	Registration cities.....	1,754	77	11	31	1	27	7	660	2	26	422	210	226	14	127
34	Males.....	782	67	10	27	1	23	6	384	2	25	260	97	99	5	53
35	Females.....	972	10	1	4		4	1	276		1	162	113	127	9	74
36	Diagnosis reasonably certain. (M. F.)	464 684	67 10	10 1	27 4	1	23 4	6 1	148 63	2	7 1	103 34	36 28	70 82	2 5	27 33
37	White.....	1,720	75	11	31	1	26	6	644	2	25	414	203	222	12	125
38	Males.....	761	65	10	27	1	22	5	371	2	24	254	91	96	3	52
39	Females.....	959	10	1	4		4	1	273		1	160	112	126	9	73
40	Diagnosis reasonably certain. (M. F.)	456 674	65 10	10 1	27 4	1	22 4	5 1	144 63	2	7 1	102 34	33 28	70 81	2 5	27 32
41	Colored.....	34	2				1	1	16		1	8	7	4	2	2
42	Males.....	21	2				1	1	13		1	6	6	3	2	1
43	Females.....	13							3			2	1	1		1
44	Diagnosis reasonably certain. (M. F.)	8 10	2				1	1	4			1	3			1
45	Los Angeles.....	443	20	3	6		11		154		5	94	55	58	4	36
46	Males.....	172	18	3	5		10		77			53	19	22	1	14
47	Females.....	271	2		1		1		77			41	36	36	3	22
48	Diagnosis reasonably certain. (M. F.)	109 180	18 2	3	5		10 1		32 16		3	25 6	4 10	15 20		8 7

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallo-pian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
3		19	2	16	1		2	1	9				3	1	1			4	1	
3		19	2	16	1		2	1	6				2	1	1			2	2	
3		19	2	16	1		2	1	3				1	1				1	3	
		19	2	16	1		2		4				2	1				1	4	
		11		11			1	1	1									2	5	
		11		11			1	1	2				1					1	6	
		11		11			1	1	1				1					1	7	
		11		11			1	1	2				1					1	8	
1		14		14			2	2	15				1	1		2		9	9	
1		14		14			2	1	11				1	1		2		6	10	
1		14		14			2	1	4				1	1		1		3	11	
1		14		14			2	1	9				1	1		1		6	12	
1		9		9			1	2	3				1	1		2		2	13	
1		9		9			1	1	14				1	1		2		8	14	
1		9		9			1	1	3				1	1		1		2	15	
1		9		9			1	1	9				1	1		1		6	16	
		5		5			1		3				1					2	17	
		5		5			1		1									1	18	
		5		5			1		1									1	19	
		9	1	8			4	6	1									1	20	
		9	1	8			4	3	4									1	21	
		9	1	8			4	3	2									1	22	
		9	1	8			4	3	2									1	23	
		6	1	5			2	5	1										24	
		6	1	5			2	3	1										25	
		6	1	5			2	2	1										26	
		6	1	5			2	3	1										27	
		6	1	5			2	2	1										28	
		3		3			2	1	3									1	29	
		3		3			2	1	2									1	30	
		3		3			2	1	1									1	31	
		3		3			2	1	1									1	32	
85		252	18	227	4	3	200	51	288	13	20	29	18	29	31	13	14	9	112	33
41		252	18	227	4	3	198	33	197	9	10	20	11	29	24	9	7	9	69	34
44		252	18	227	4	3	198	18	91	4	10	9	7	7	4	4	7	9	43	35
41		245	12	227	4	2	198	33	144	9	7	15	8	15	14	3	5	9	59	36
44		245	12	227	4	2	198	18	68	4	3	9	6	4	3	3	3		36	
85		246	18	221	4	3	198	51	284	12	20	29	18	29	31	13	13	9	110	37
41		246	18	221	4	3	196	33	194	9	10	20	11	29	24	9	6	9	67	38
44		246	18	221	4	3	196	18	90	3	10	9	7	7	4	4	7	9	43	39
41		239	12	221	4	2	196	33	142	9	7	15	8	15	14	3	4	9	58	40
44		239	12	221	4	2	196	18	67	3	3	9	6	4	3	3	3		36	
		6		6			2		4		1						1		2	41
		6		6			2		3								1		2	42
		6		6			2		1		1						1		1	43
		6		6			2		2		1						1		1	44
18		70	7	62		1	53	8	80	4	8	8	3	6	4	1	9	3	34	45
7		70	7	62		1	53	7	48	1	4	5	1	6	2	1	5	3	20	46
11		70	7	62		1	53	1	32	3	4	3	2	2	1	4	4	3	14	47
7		67	4	62		1	53	7	37	1	2	3	1	4	1	4	4	3	18	48
11		67	4	62		1	53	1	21	3	1	3	1	1	1	2	2	3	11	49

* The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggre- gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
REGISTRATION CITIES—Con. CALIFORNIA—continued.																
1	Los Angeles—Continued.															
	White.....	436	19	3	6		10		152		5	93	54	57	3	36
2	Males.....	167	17	3	5		9		75		5	52	18	21		14
3	Females.....	269	2		1				77			41	36	36	3	22
4	Diagnosis reasonably certain.....	106 178	17 2	3	5 1		9 1		31 16		3	25 6	3 10	15 20	2	8 7
5	Colored.....	7	1				1		2			1	1	1	1	
6	Males.....	5	1				1		2			1	1	1	1	
7	Females.....	2														
8	Diagnosis reasonably certain.....	3 2	1				1		1			1				
9	Oakland.....	170	5	1	1		3		64		1	42	21	24	2	13
10	Males.....	61	4	1	1		2		25		1	19	5	12	1	5
11	Females.....	109	1				1		39			23	16	12	1	8
12	Diagnosis reasonably certain.....	39 75	4 1	1	1		2 1		9 20		1	7 9	1 2	9 7	1	3 3
13	Pasadena.....	53	1				1		10		1	17	2	7		4
14	Males.....	17	1				1		8		1	6	1	2		1
15	Females.....	36							12			11	1	5		3
16	Diagnosis reasonably certain.....	10 24	1				1		3 2			2 1	1 1	1 5		3
17	Sacramento.....	65	4	1	1		1	1	28		1	20	7	6	1	2
18	Males.....	32	4	1	1		1	1	17		1	12	4	3	1	2
19	Females.....	33							11			8	3	3		
20	Diagnosis reasonably certain.....	20 23	4 1	1	1		1 1	1	10 1		1	6 1	3 1	1 3		1
21	San Diego.....	85	3		3				30		1	20	9	13	3	5
22	Males.....	39	3		3				20		1	13	6	4		3
23	Females.....	46							10			7	3	9	3	2
24	Diagnosis reasonably certain.....	17 35	3		3				5 2			4 1	1 1	2 6	2	1 1
25	San Francisco.....	576	33	5	16	1	6	5	211	2	13	137	59	72	4	37
26	Males.....	292	28	4	13	1	6	4	139	2	13	90	34	39	2	15
27	Females.....	284	5	1	3		1	1	72			47	25	33	2	22
28	Diagnosis reasonably certain.....	186 208	28 5	4 1	13 3	1	6 1	4 1	56 17	2	1	39 8	14 9	34 19	2	10 9
29	White.....	563	32	5	16	1	6	4	206	2	12	136	56	72	4	37
30	Males.....	286	27	4	13	1	6	3	136	2	12	90	32	39	2	15
31	Females.....	277	5	1	3		1	1	70			46	24	33	2	22
32	Diagnosis reasonably certain.....	183 203	27 5	4 1	13 3	1	6 1	3 1	55 17	2	1	39 8	13 9	34 19	2	10 9
33	Colored.....	13	1						5		1	1	3			
34	Males.....	6	1						3		1		2			
35	Females.....	7							2			1	1			
36	Diagnosis reasonably certain.....	3 5	1						1 1				1			
37	Other cities.....	362	11	1	4		5	1	153		4	92	57	46		30
38	Males.....	169	9	1	4		3	1	98		3	67	28	17		13
39	Females.....	193	2				2		55		1	25	29	29		17
40	Diagnosis reasonably certain.....	83 139	9 2	1	4		3 2	1	33 15		1	20 8	12 6	8 22		4 10
COLORADO.																
41	Registration cities.....	293	17	1	4	2	10		118	2	4	82	30	32	2	16
42	Males.....	123	17	1	4	2	10		66	2	4	50	10	12		5
43	Females.....	170							52			32	20	20	2	11
44	Diagnosis reasonably certain.....	76 121	17	1	4	2	10		26 17		1	21 7	4 10	9 14		2 6
45	White.....	281	17	1	4	2	10		112	1	4	78	29	32	2	16
46	Males.....	121	17	1	4	2	10		65	1	4	50	10	12		5
47	Females.....	160							47			28	19	20	2	11
48	Diagnosis reasonably certain.....	76 117	17	1	4	2	10		26 17		1	21 7	4 10	9 14		2 6

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
18		69	7	61		1	53	8	78	3	8	8	3	6	4	1	8	3	34	1
7		69	7	61		1	53	7	47	1	4	5	1	6	2	1	4	3	20	2
11		66	4	61		1	53	7	31	2	4	3	2	2	4	4	3	14	3	
7								1	36	1	2	3	1	4	1	3	3	18		4
11								1	20	2		3	1	1	2	2		11		
		1		1					2	1						1			5	
		1		1					1	1						1			6	
		1		1					1	1						1			7	
		1		1					1	1						1			8	
9		22		21		1	24	11	20		1	1	2	2	1			1	12	9
6		22		21		1	23	6	13			1	2	1			1	6	10	
3		22		21		1	23	6	7			1	2	1			1	6	11	
6		22		21		1	23	5	10			1	1	1			1	5	12	
3		8	2	5	1		7	3	7		1		3	1				1	13	
1		8	2	5	1		7	2	4				3	1					14	
2		8	2	5	1		7	1	3		1		2	1				1	15	
1		8	2	5	1		7	1	3				2	1					16	
2		8	2	5	1		7	1	1			1								
3		12		12			5	1	9				1	1					7	17
		12		12			5	1	8				1	1					6	18
3		12		12			5	1	1				1					1	19	
3		12		12			5	1	1				1					4	20	
5		6	1	5			15	3	15			1	1	2	1				10	21
		6	1	5			15	2	10			1	1	2	1				5	22
1		6	1	5			15	2	5										5	23
4		6	1	5			15	1	5					1					3	24
1		6	1	5			15	1	5										3	24
4		6	1	5			15	1	5										5	24
31		78	6	72			61	13	108	7	7	15	7	7	12	12	5	2	34	25
22		78	6	72			61	7	78	7	4	12	5	7	8	8	2	2	23	26
9		78	6	72			60	6	30	4	3	3	2	4	4	4	3	2	11	27
22		76	4	72			60	7	60	7	3	10	5	3	4	3	1	2	22	28
9		76	4	72			60	6	25	2	2	3	2	3	3	3	1	1	11	28
31		73	6	67			61	13	106	7	7	15	7	7	12	12	5	2	32	29
22		73	6	67			60	7	78	7	4	12	5	7	8	8	2	2	21	30
9		73	6	67			60	6	30	7	3	3	2	4	4	4	3	2	11	31
22		71	4	67			60	7	59	7	3	10	5	3	4	3	1	2	21	31
9		71	4	67			60	6	25		2	3	2	3	3	3	1	1	11	32
22		71	4	67			60	6	25		2	3	2	3	3	3	1	1	11	32
9		5		5					2										2	33
		5		5					2										2	34
		5		5					1										1	35
		5		5					1										1	36
16		56	2	50	2	2	35	12	49	2	3	4	4	8	11			3	14	37
4		56	2	50	2	2	35	9	36	1	2	1	2	8	10			3	9	38
12		56	2	50	2	2	35	3	13	1	1	3	2	8	10			3	5	38
4		54	1	50	2	1	35	9	24	1	2		1	4	6			3	7	39
12		54	1	50	2	1	35	3	8	1		3	2					3	2	40
		51	4	47			34	8	33	2	4	2	6	2	3	2			12	41
7		51	4	47			33	6	21	2	2	2	2	2	1	1			9	42
7		51	4	47			33	2	12	2	2	2	4	2	2	1			3	43
7		50	3	47			33	6	17	2	1	1	1	1	1	1			3	43
6		50	3	47			33	2	5			1	1	1	1			2	9	44
14		50	4	46			31	8	31	2	4	1	5	2	3	2			12	45
		50	4	46			30	6	20	2	2	1	2	2	1	1			9	46
7		50	4	46			30	2	11	2	2	1	2	2	2	1			3	47
7		49	3	46			30	6	17	2	1	1	1	1	1	1			3	47
7		49	3	46			30	2	17	2	1	1	1	1	1	1			3	47
6		49	3	46			30	2	5			1	1	1	1	1			2	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.
REGISTRATION CITIES—Con.															
COLORADO—continued.															
Registration cities—Continued.															
1	Colored.....	12						6	1		4	1			
2	Males.....	2						1	1						
3	Females.....	10						5			4	1			
4	Diagnosis reasonably certain. {M..... F.....	4													
5	Denver.....	222	16	1	4	2	9	90	2	2	67	19	22	1	12
6	Males.....	94	16	1	4	2	9	51	2	2	41	6	8		4
7	Females.....	128						39			26	13	14	1	8
8	Diagnosis reasonably certain. {M..... F.....	55 92	16	1	4	2	9	18 13			14 6	4 7	6 10	1	2 5
9	Other cities.....	71	1				1	28		2	15	11	10	1	4
10	Males.....	29	1				1	15		2	9	4	4		1
11	Females.....	42						13			6	7	6	1	3
12	Diagnosis reasonably certain. {M..... F.....	21 29	1				1	8 4		1	7 1	3	3 4	1	1
CONNECTICUT.															
13	Registration cities.....	717	31	4	11	4	9	232		6	153	73	107	4	75
14	Males.....	271	28	3	10	4	8	120		5	85	30	42	2	29
15	Females.....	446	3	1	1		1	112		1	68	43	65	1	46
16	Diagnosis reasonably certain. {M..... F.....	136 290	28 3	3 1	10 1	4	8	38 32		3	28 18	7 14	21 28	1	11
17	White.....	699	31	4	11	4	9	227		6	148	73	104	4	74
18	Males.....	267	28	3	10	4	8	116		5	81	30	42	2	29
19	Females.....	432	3	1	1		1	111		1	67	43	62	2	45
20	Diagnosis reasonably certain. {M..... F.....	135 278	28 3	3 1	10 1	4	8	37 32		3	27 18	7 14	21 26	1	11
21	Colored.....	18						5			5		3		1
22	Males.....	4						4			4				
23	Females.....	14						1			1		3		1
24	Diagnosis reasonably certain. {M..... F.....	1 12						1 12			1 1		2		
25	Bridgeport.....	97	4		2		2	31			3	18	10	1	16
26	Males.....	40	4		2		2	15		2	10	3	8		7
27	Females.....	57						16		1	8	7	11	1	9
28	Diagnosis reasonably certain. {M..... F.....	19 27	4		2		2	3 3			2	1	2		1
29	Hartford.....	132	9	1	3	1	3	39		1	30	8	19		14
30	Males.....	56	9	1	3	1	3	22		1	18	3	8		6
31	Females.....	76						17			12	5	11		8
32	Diagnosis reasonably certain. {M..... F.....	37 57	9	1	3	1	3	12 12		1	10 10	1 2	4 6		2 3
33	New Haven.....	164	7	2	3		1	54		1	35	18	17	3	9
34	Males.....	57	5	1	2		1	29		1	20	8	4	2	1
35	Females.....	107	2	1	1		1	25			15	10	13	1	8
36	Diagnosis reasonably certain. {M..... F.....	30 73	5 2	1 1	2 1		1	12 9		1	8 3	3 6	3 5		1 1
37	Waterbury.....	57	2			1	1	19			11	8	12		10
38	Males.....	22	1			1		9			6	3	6		4
39	Females.....	35	1			1	1	10			5	5	6		6
40	Diagnosis reasonably certain. {M..... F.....	8 21	1 1			1	1	1 1			1 1		4 1		2 1
41	Other cities.....	267	9	1	3	2	2	89		1	59	29	40		26
42	Males.....	96	9	1	3	2	2	45		1	31	13	16		11
43	Females.....	171						44			28	16	24		15
44	Diagnosis reasonably certain. {M..... F.....	42 112	9	1	3	2	2	10 7		1	7 3	2 4	8 14		3 5
DELAWARE. ¹															
45	Wilmington.....	81	4	1	1		2	29		1	19	9	14		9
46	Males.....	33	4	1	1		2	10		1	12	3	8		5
47	Females.....	48						13			7	6	6		4
48	Diagnosis reasonably certain. {M..... F.....	8 33	4	1	1		2	7			3	4	4		3

¹ Nonregistration state; c cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																
DELAWARE ¹ —continued.																
1	Wilmington—Continued.	75	4	1	1	2	27		1	17	9	13		8		
2	Males.....	31	4	1	1	2	13		1	11	3	8		5		
3	Females.....	44					12			6	6	5		3		
4	Diagnosis reasonably certain.	7	4	1	1	2	7			3	4	4		3		
5	Colored.....	6					2			2		1		1		
6	Males.....	2					1			1						
7	Females.....	4					1			1		1		1		
8	Diagnosis reasonably certain.	1														
	F.....	2														
DISTRICT OF COLUMBIA.																
9	Washington.....	355	18	2	6	1	7	2	112		3	63	46	48	5	30
10	Males.....	144	14	2	4	1	6	1	60		3	30	27	14	1	7
11	Females.....	211	4		2	1	1	1	52			33	19	34	4	23
12	Diagnosis reasonably certain.	73	14	2	4	1	6	1	16		1	8	7	6	1	2
	M.....	137	4		2	1	1	1	5			4	1	19	3	10
	F.....															
13	White.....	271	14	2	6	1	3	2	79		3	43	33	39	4	27
14	Males.....	112	11	2	4	1	3	1	43		3	20	20	9	1	6
15	Females.....	159	3		2			1	36			23	13	30	3	21
16	Diagnosis reasonably certain.	61	11	2	4	1	3	1	13		1	7	5	4	1	2
	M.....	104	3		2			1	3			3		18	3	10
	F.....															
17	Colored.....	84	4				4		33			20	13	9	1	3
18	Males.....	32	3				3		17			10	7	5		1
19	Females.....	52	1				1		16			10	6	4	1	2
20	Diagnosis reasonably certain.	12	3				3		3			1	2	2		
	M.....	33	1				1		2			1	1	1		
	F.....															
FLORIDA. ²																
21	Registration cities.....	72	4		2		1	1	15			11	4	4		2
22	Males.....	26	3		2		1		8			6	2	2		1
23	Females.....	46	1				1	1	7			5	2	2		1
24	Diagnosis reasonably certain.	16	3		2		1	1	3			3		1		1
	M.....	38	1					1						2		
	F.....															
25	White.....	58	4		2		1	1	12			8	4	3		1
26	Males.....	21	3		2		1		7			5	2	1		
27	Females.....	35	1				1	1	5			3	2	2		1
28	Diagnosis reasonably certain.	16	3		2		1	1	3			3		1		1
	M.....	29	1					1						2		
	F.....															
29	Colored.....	14							3			3		1		1
30	Males.....	3							1			1		1		1
31	Females.....	11							2			2				
32	Diagnosis reasonably certain.	3														
	M.....	9														
	F.....															
GEORGIA. ¹																
33	Registration cities.....	186	9	2	3	1	3		45		1	25	19	18		12
34	Males.....	66	8	1	3	1	3		21		1	12	8	7		6
35	Females.....	120	1	1					24			13	11	11		6
36	Diagnosis reasonably certain.	41	8	1	3	1	3		6		1	2	3	4		3
	M.....	85	1	1					1			1	1	8		3
	F.....															
37	White.....	139	7	2	3	1	1		37		1	19	17	13		11
38	Males.....	52	6	1	3	1	1		17		1	9	7	6		6
39	Females.....	87	1	1					20			10	10	7		5
40	Diagnosis reasonably certain.	31	6	1	3	1	1		4		1	1	2	3		3
	M.....	58	1	1					1			1	1	5		3
	F.....															
41	Colored.....	47	2				2		8			6	2	5		1
42	Males.....	14	2				2		4			3	1	1		
43	Females.....	33							4			3	1	4		1
44	Diagnosis reasonably certain.	10	2				2		2			1	1	1		
	M.....	27												3		
	F.....															
45	Atlanta.....	106	4	2	2				26			16	10	11		9
46	Males.....	36	3	1	2				15			11	4	5		4
47	Females.....	70	1	1					11			5	6	6		5
48	Diagnosis reasonably certain.	22	3	1	2				4			2	2	4		3
	M.....	54	1	1					1			1	3	3		2
	F.....															

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—

Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.		
5		16		15	1		7	2	6								3	3			
3								1	3					1				2			
2		16		15	1		7	1	3				2				1	1			
1		16		15	1		7	1	1								1	1			
1		1		1				1	1									1			
																		1			
		1		1				1	1									1			
		1		1					1									1			
13		54	2	52			36	9	78	5	2	8	6	12	13	1	6	25			
6							1	6	49	5	2	3	4	12	9	1	3	10			
7		54	2	52			35	3	29					4	3		3	15			
3							1	6	30	5	1	3	2	4	5	1	1	8			
6		54	2	52			35	3	17			2	2	2	2		1	10			
8		34	2	32			29	9	67	4	2	7	5	9	13	1	6	20			
2		34	2	32			1	6	42	4	2	3	3	9	9	1	3	8			
6							28	3	25			4	2		4		3	12			
1		34	2	32			1	6	26	4	1	3	2	3	5	1	1	6			
5		34	2	32			28	3	15			1	2		2		1	9			
5		20		20			7		11	1		1	1	3				5			
4		20		20			7		7	1			1	3				2			
1									4									3			
2		20		20			7		4	1				1				3			
1									2			1						2			
2		21		20	1		12	2	14			2				2		7			
1		21		20	1		12	1	12			2				2		5			
1									2					1				2			
1		21		20	1		12	1	1									5			
2		15		14	1		9	2	13			2			3	1		7			
1		15		14	1		9	1	11			2				1		5			
1									2									2			
1		15		14	1		9	1	8			2			1			5			
1									1									1			
		6		6			3		1												
		6		6			3		1												
		6		6			3											1			
6		53	3	49	1		15	8	38		1	3	6	3	3		4	18			
1								7	23			2	4	3	2		3	9			
5		53	3	49	1		15	1	15		1	1	2	1	1		1	9			
1								7	16			1	2	3	2			8			
5		51	1	49	1		15	1	8			1	1					6			
2		36	1	35			10	7	29		1	3	5	2	3		3	12			
								6	17			2	3	2	2		2	6			
2		36	1	35			10	1	12		1	1	1	2	2		1	6			
								6	12			1	1	2	2			6			
2		35		35			10	1	5			1	1					6			
4		17	2	14	1		5	1	9				1	1			1	6			
1								1	6				1	1			1	3			
3		17	2	14	1		5		3									3			
1								1	4				1	1				2			
3		16	1	14	1		5		3									3			
2		33	1	31	1		11	5	16		1	1	2	2	1		1	8			
1								4	9				2	2	1		1	3			
1		33	1	31	1		11	1	7		1	1	2	2	1		1	5			
1								4	7				2	2	1		1	3			
1		32		31	1		11	1	5			1	2	1				3			

* Nonregistration state; includes Jacksonville, Key West, and Pensacola.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Table with 15 main columns: AREA AND BASIS OF DIAGNOSIS, Aggregate, Buccal cavity (Total, Lip, Tongue, Mouth, Jaw, Others of this class), Stomach and liver (Total, Pharynx, Esophagus, Stomach, Liver and gall bladder), Peritoneum, intestines, and rectum (Total, Peritoneum and mesentery, Intestines). Rows include Georgia cities (Atlanta, Other cities), Illinois cities (Chicago, Springfield), and registration cities.

1 Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
		26	1	25			7	5	12		1	1	1	2	1		5	1		
		26	1	25			7	4	7				2	1		1	2	2		
		25		25			7	4	5				2	1			3	2		
		25		25			7	4	5				2	1			3	2		
2		7		6	1		4	1	3								3	4		
1																				
1		7		6	1		4		2			1					1	6		
1									2								2	7		
1		7		6	1		4		4			1					1	7		
1									2								2	8		
4		20	2	18			4	3	22		2	4	1	2		3	10	9		
4		20	2	18			4	3	14			2	1	1		2	6	10		
4		19	1	18			4	3	8			2	1	1		1	4	11		
4									9			1	1				5	12		
2		10		10			3	2	3			1					2	12		
									17		2	4		2		2	7	13		
2		10		10			3	2	10								4	14		
									7								3	15		
2		10		10			3	2	7								3	15		
2									7								4	16		
2		10	2	8			1	1	2								1	16		
									5				1				3	17		
2		10	2	8			1	1	4								2	18		
2		9	1	8			1	1	1								1	19		
2									2								1	19		
2									1								1	20		
									1								1	20		
95	7	362	23	334	2	3	192	45	382	16	25	23	38	39	63	6	26	7	134	21
45	3								3											
50	4	362	23	334	2	3	189	23	254	14	13	20	22	39	44	3	15	7	77	22
45									128	2	12	8	16		19	3	11		57	23
50	1	356	18	333	2	3	189	23	143	14	3	10	10	15	22	1	9	7	52	23
92	7	346	23	318	2	3	189	23	57	2	5	3	5		7	1	4		30	24
44	3								187	15	24	23	38	39	62	6	26	7	127	25
48	4	346	23	318	2	3	184	23	246	13	12	20	22	39	43	3	15	7	72	26
44									126	2	12	8	16		19	3	11		55	27
48	1	340	18	317	2	3	184	23	135	13	2	10	10	15	21	1	9	7	47	28
3		16		16			5		57	2	5	3	5		7	1	4		30	28
									10	1	1								7	29
1									8											
2		16		16			5		2	1	1			1					5	30
1									8										2	31
2		16		16			5		8	1	1			1					5	32
									8	1	1									
									5											
86	6	318	21	292	2	3	172	37	347	16	24	25	36	37	58	6	22	6	117	33
39	3								3											
47	3	318	21	292	2	3	169	18	234	14	13	18	21	37	41	3	12	6	69	34
39									113	2	11	7	15		17	3	10		48	35
47		312	16	291	2	3	169	18	130	14	3	9	9	15	21	1	6	6	46	36
									52	2	5	3	5		7	1	3		26	36
84	6	306	21	280	2	3	169	37	339	15	23	25	36	37	57	6	22	6	112	37
39	3								3											
45	3	306	21	280	2	3	166	18	226	13	12	18	21	37	40	3	12	6	64	38
39									113	2	11	7	15		17	3	10		48	39
45		300	16	279	2	3	166	18	122	13	2	9	9	15	20	1	6	6	41	40
									52	2	5	3	5		7	1	3		26	40
2		12		12			3		8	1	1				1				5	41
									8											
2		12		12			3		8	1	1			1					5	42
									8											
2		12		12			3		8	1	1			1					5	43
									8	1	1									
3		11		11			4	3	10				1	1	1		2		5	44
3									4										1	46
3		11		11			4	3	6					1	1		2		4	47
									3										1	47
									1								2		1	48
		11		11			4	3	1								2		1	48

* Includes Augusta and Savannah.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.			DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Aggregate.	Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
				Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-ynx.	Esoph-agus.	Stomach.	Liver and gall bladder.	Total.	Perito-neum and mesen-tery.	Intes-tines.
REGISTRATION CITIES—Con.																	
ILLINOIS ¹ —continued.																	
1	Other cities ²	169	6	1	4	1	60	1	39	20	24	1	16
2	Males.....	65	5	1	3	1	32	1	25	6	9	6
3	Females.....	104	1	1	28	14	14	15	1	10
4	Diagnosis reasonably certain.....	35	5	1	3	1	11	9	2	6	3
 (M-F)	76	1	1	11	5	6	9	5
INDIANA.																	
5	Registration cities.....	765	24	3	8	4	9	270	7	162	101	94	8	59	
6	Males.....	243	19	3	6	2	8	112	6	77	29	34	1	21	
7	Females.....	522	5	2	2	153	1	85	72	60	7	33		
8	Diagnosis reasonably certain.....	130	19	3	6	2	8	30	1	21	8	24	1	11	
 (M-F)	330	5	2	2	1	25	12	13	29	2	12	
9	White.....	739	23	3	7	4	9	261	7	157	97	92	7	59	
10	Males.....	238	18	3	5	2	8	112	6	77	29	34	1	21	
11	Females.....	501	5	2	2	149	1	80	68	58	6	33		
12	Diagnosis reasonably certain.....	128	18	3	5	2	8	30	1	21	8	24	1	11	
 (M-F)	319	5	2	2	1	25	12	13	28	2	12	
13	Colored.....	26	1	1	9	5	4	2	1	
14	Males.....	5	1	1	
15	Females.....	21	9	5	4	2	1	
16	Diagnosis reasonably certain.....	11	1	1	1	
 (M-F)		
17	Fort Wayne.....	69	1	1	24	16	8	13	1	6	
18	Males.....	25	1	1	12	7	5	5	1	5	
19	Females.....	44	12	9	3	8	1	
20	Diagnosis reasonably certain.....	16	1	1	4	3	1	5	1	1	
 (M-F)	21	1	1	3	
21	Indianapolis.....	265	8	1	1	1	5	79	2	47	30	32	4	25	
22	Males.....	84	6	1	1	4	31	1	22	8	12	10	
23	Females.....	181	2	1	48	11	1	25	22	20	4	15	
24	Diagnosis reasonably certain.....	53	6	1	1	4	11	8	3	8	6	
 (M-F)	120	2	1	1	9	5	4	8	2	5	
25	White.....	250	7	1	1	5	73	2	45	26	31	4	25	
26	Males.....	81	5	1	4	31	1	22	8	12	10	
27	Females.....	189	2	1	42	11	1	23	18	19	4	6	
28	Diagnosis reasonably certain.....	51	5	1	4	11	8	3	8	5	
 (M-F)	114	2	1	1	9	5	4	7	2	5	
29	Colored.....	15	1	1	6	2	4	1	
30	Males.....	3	1	1	
31	Females.....	12	6	2	4	1	
32	Diagnosis reasonably certain.....	2	1	1	
 (M-F)	6	
33	Terre Haute.....	52	21	1	17	3	6	2	3	
34	Males.....	14	10	1	8	1	3	2	
35	Females.....	38	11	9	2	3	2	1	
36	Diagnosis reasonably certain.....	5	3	2	1	2	1	
 (M-F)	25	2	2	
37	Other cities.....	379	15	2	6	3	4	146	4	82	60	43	1	25	
38	Males.....	120	12	2	4	2	4	59	4	40	15	14	8	
39	Females.....	259	3	2	1	87	12	1	42	45	29	1	17	
40	Diagnosis reasonably certain.....	56	12	2	4	2	4	12	8	3	9	3	
 (M-F)	164	3	2	1	13	4	9	18	7	
KANSAS.																	
41	Registration cities.....	282	9	2	2	3	2	104	1	61	42	39	4	26	
42	Males.....	111	8	2	2	3	1	51	34	17	14	3	8	
43	Females.....	171	1	1	53	1	27	25	25	1	18	
44	Diagnosis reasonably certain.....	62	8	2	2	3	1	16	10	6	8	3	2	
 (M-F)	116	1	1	21	10	11	15	1	8	
45	White.....	263	8	2	2	2	2	98	1	58	39	37	4	25	
46	Males.....	108	7	2	2	2	1	50	33	17	14	3	8	
47	Females.....	155	1	1	48	1	25	22	23	1	17	
48	Diagnosis reasonably certain.....	61	7	2	2	2	1	16	10	6	8	3	2	
 (M-F)	107	1	1	20	9	11	14	1	8	

¹ Nonregistration state; cities shown below only those with effective ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OFC—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and suprarenals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.
1		5		5			1	1	3									2
1		5		5			1	1	2									1
1		5		5			1	1										1
4		7		7			3	1	14			4	2		1			7
2		7		7			3	1	8			2	2					4
2		7		7			3	1	6			2		1				3
2		7		7			3	1	5			2	2		1			1
2		7		7			3	1	2									1
3		5		5			3	1	13			4	2		1			6
2		5		5			3	1	7			2	2					3
1		5		5			3	1	6			2		1				3
2		5		5			3	1	5			2	2		1			1
1		5		5			3	1	2			2						1
1		2		2					1									1
1		2		2					1									1
1		2		2					1									1
1		12	1	11			4	2	10			1	1					8
1		12	1	11			4	1	8			1	1					7
1		12	1	11			4	1	2			1						1
1		12	1	11			4	1	6			1						6
1		12	1	11			4	1	1			1	1					7
1		12	1	11			4	1	9			1	1					7
1		12	1	11			4	1	8			1	1					7
1		12	1	11			4	1	1			1						6
								1	1									1
								1	1									1
1		10	1	9			4	3	10	1		1	3	2		1		2
1		10	1	9			4	3	8	1		1	3	2		1		2
1		9		9			4	3	2	1		1	3	2		1		2
3		18	1	16	1		14	4	7			1	1	1				8
3		18	1	16	1		14	2	7			1	1	1				5
3		17		16	1		14	2	7			1	1	1				2
3		17		16	1		14	2	5			1	1	1				2
3		17		16	1		14	2	3			1	1	1				2
9		73	5	67	1		34	12	46	1	3	4	3	2	6	2	2	23
3		73	5	67	1		34	3	22	1	1	4	3	2	3	1	2	12
6		73	5	67	1		34	9	24	1	2	4	3	3	1	2	2	11
3		73	5	67	1		34	3	10	1	4	2	3	1	1	2	2	5
6		73	5	67	1		34	9	8			2	2	1	1	2	2	4
9		60	5	54	1		30	10	42		2	4	3	2	6	2	2	21
3		60	5	54	1		30	2	18			2	2	3	1	2	10	42
6		60	5	54	1		30	8	24		2	4	3	3	1	2	11	43
3		60	5	54	1		30	2	9			2	2	1	1	2	5	44
6		60	5	54	1		30	8	8			2	2	1	1	2	4	44
		13		13			4	2	4	1	1							2
		13		13			4	1	4	1	1							2
		13		13			4	1	1	1	1							4
		13		13			4	1	1	1	1							4

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
KENTUCKY—continued.																	
1	Louisville.....	187	7		3	1	3				38	35	21	1	17		
2	Males.....	64	6		2	1	3				24	17	7		7		
3	Females.....	123	1		1						14	18	14	1	10		
4	Diagnosis reasonably certain. {M. 19 {F. 83		6		2	1	3				6	2	1	1	5		
5	White.....	168	5		2	1	2				32	34	21	1	17		
6	Males.....	59	5		2	1	2				22	16	7		7		
7	Females.....	109									10	18	14	1	10		
8	Diagnosis reasonably certain. {M. 18 {F. 73		5		2	1	2				6	2	1	1	5		
9	Colored.....	19	2		1		1				6	1					
10	Males.....	5	1				1				2	1					
11	Females.....	14	1		1						4						
12	Diagnosis reasonably certain. {M. 1 {F. 10		1		1		1										
13	Other cities.....	141	6		3	3					1	19	26	10	4		
14	Males.....	45	3		2	1						8	15	3			
15	Females.....	96	3		1	2					1	11	7		4		
16	Diagnosis reasonably certain. {M. 20 {F. 69		3		2	1						5	3		1		
17	White.....	123	6		3	3					1	17	23	10	4		
18	Males.....	37	3		2	1						6	13	3			
19	Females.....	86	3		1	2					1	11	10		4		
20	Diagnosis reasonably certain. {M. 18 {F. 60		3		2	1						2	5	3	1		
21	Colored.....	18			1	2						2	3	4			
22	Males.....	8										2	2				
23	Females.....	10										2	1				
24	Diagnosis reasonably certain. {M. 2 {F. 9												1				
LOUISIANA. ¹																	
25	New Orleans.....	358	24	1	9	5	7	2			2	4	65	41	37	4	21
26	Males.....	154	19	1	8	5	5					4	42	22	11	3	5
27	Females.....	204	5		1	2	2	2			2		23	19	26	1	16
28	Diagnosis reasonably certain. {M. 88 {F. 145		19	1	8	5	5	2			1		18	4	7	3	1
29	White.....	257	20	1	8	4	6	1			2	3	47	28	31	4	18
30	Males.....	114	17	1	8	4	4					3	28	14	10	3	5
31	Females.....	143	3		2	2	1				2		19	14	21	1	13
32	Diagnosis reasonably certain. {M. 67 {F. 96		17	1	8	4	4	1			1		12	2	6	3	1
33	Colored.....	101	4		1	1	1	1			1		18	13	6		3
34	Males.....	40	2			1	1					1	14	8	1		3
35	Females.....	61	2		1	1	1	1					4	5	5		
36	Diagnosis reasonably certain. {M. 21 {F. 49		2			1	1	1					6	2	1		1
MAINE.																	
37	Registration cities.....	212	4		1		3				2	46	27	33	2	20	
38	Males.....	65	1									1	25	7	14		8
39	Females.....	147	3		1		3				1		21	20	19	2	12
40	Diagnosis reasonably certain. {M. 26 {F. 96		1		1		3						5	3	7	1	1
41	White.....	212	4		1		3				2	46	27	33	2	20	
42	Males.....	65	1		1							1	25	7	14		8
43	Females.....	147	3				3				1		21	20	19	2	12
44	Diagnosis reasonably certain. {M. 26 {F. 96		1		1		3						5	3	7	1	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
MAINE—continued.																
1	Portland.....	65	1	1			18		1	9	8	11	1	5		
2	Males.....	22	1	1			8			6	2	7		3		
3	Females.....	43					10		1	3	6	4	1	2		
4	Diagnosis reasonably certain {M. 9	9	1	1								4				
	{F. 32	32					3		1		2	1				
5	Other cities.....	147	3			3	57		1	37	19	22	1	15		
6	Males.....	43					25		1	19	5	7		5		
7	Females.....	104	3			3	32			18	14	15	1	10		
8	Diagnosis reasonably certain {M. 17	17					8			5	3	3		1		
	{F. 64	64	3			3	5			3	2	7	1	2		
MARYLAND.																
9	Registration cities.....	653	23	5	11	1	4	2	233	1	9	133	95	78	7	44
10	Males.....	241	22	5	10	1	4	2	109	1	7	75	26	34	3	17
11	Females.....	412	1		1				129		2	53	69	44	4	27
12	Diagnosis reasonably certain {M. 138	138	22	5	10	1	4	2	33	1	2	25	10	20	1	7
	{F. 271	271	1		1				26		1	8	17	29	2	14
13	White.....	567	21	5	10	1	3	2	210		6	117	87	71	7	38
14	Males.....	219	20	5	9	1	3	2	94		5	85	24	33	3	17
15	Females.....	348	1		1				116		1	52	63	38	4	21
16	Diagnosis reasonably certain {M. 127	127	20	5	9	1	3	2	34		2	23	9	19	1	7
	{F. 224	224	1		1				22		1	6	15	28	2	13
17	Colored.....	86	2		1		1		28	1	3	16	8	7		6
18	Males.....	22	2		1		1		15	1	2	10	2	1		
19	Females.....	64							13		1	6	6	6		6
20	Diagnosis reasonably certain {M. 11	11	2		1		1		4	1		2	1	1		1
	{F. 47	47							4			2	1	2		1
21	Baltimore.....	589	17	3	9	1	2	2	213	1	9	121	82	76	7	43
22	Males.....	220	17	3	9	1	2	2	99	1	7	69	22	32	3	16
23	Females.....	369							114		2	52	60	44	4	27
24	Diagnosis reasonably certain {M. 126	126	17	3	9	1	2	2	35	1	2	22	10	19	1	7
	{F. 245	245							24		1	8	15	29	2	14
25	White.....	510	17	3	9	1	2	2	185		6	105	74	70	7	37
26	Males.....	201	17	3	9	1	2	2	84		5	59	20	32	3	16
27	Females.....	309							101		1	46	54	38	4	21
28	Diagnosis reasonably certain {M. 118	118	17	3	9	1	2	2	31		2	20	9	19	1	7
	{F. 200	200							20		1	6	13	28	2	13
29	Colored.....	79							28	1	3	16	8	6		6
30	Males.....	19							15	1	2	10	2			
31	Females.....	60							13		1	6	6	6		6
32	Diagnosis reasonably certain {M. 8	8							4	1		2	1			
	{F. 45	45							4			2	2	1		1
33	Other cities.....	64	6	2	2		2		25			12	13	2		1
34	Males.....	21	5	2	1		2		10			6	4	2		1
35	Females.....	43	1		1				15			6	9			
36	Diagnosis reasonably certain {M. 12	12	5	2	1		2		3			3		1		
	{F. 26	26	1		1				2				2			
37	White.....	57	4	2	1		1		25			12	13	1		1
38	Males.....	18	3	2			1		10			6	4	1		1
39	Females.....	39	1		1				15			6	9			
40	Diagnosis reasonably certain {M. 9	9	3	2			1		3			3				
	{F. 24	24	1		1				2				2			
41	Colored.....	7	2		1		1							1		
42	Males.....	3	2		1		1							1		
43	Females.....	4														
44	Diagnosis reasonably certain {M. 3	3	2		1		1							1		
	{F. 2	2														
MASSACHUSETTS.																
45	Registration cities.....	2,781	116	19	36	12	41	8	862	4	39	536	283	518	24	364
46	Males.....	1,006	94	17	31	8	30	8	400	3	26	264	107	198	6	134
47	Females.....	1,775	22	2	5	4	11		462	1	13	272	176	320	18	230
48	Diagnosis reasonably certain {M. 535	535	94	7	31	8	30	8	110	2	14	75	19	117	3	56
	{F. 1,144	1,144	22	2	5	4	11		90	1	2	43	44	164	5	89

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallo-pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
5		14		14			14	1	6		1	1			1	1		2	1	
4								1	5						1	1		2	2	
1		14		14			14	1	1		1							2	3	
4								1	3									2	4	
1		14		14			14													
6		35	1	33	1		11	3	16	1	1	1	1	2			1	8	5	
2								2	9	1	1							2	6	
4		35	1	33	1		11	1	7	1	1	1	2				1	7	7	
2								2	4	1								1	6	
2		35	1	33	1		11	1	2									1	8	
4																			2	
27		117	10	105	1	1	72	11	114	10	4	15	6	9	21	3	7	39	9	
14								6	70	8	1	7	4	9	16	2	5	18	10	
13		117	10	105	1	1	72	5	44	2	3	8	2	5	5	2	2	21	11	
12								6	52	8	1	7	4	6	8	4	4	14	12	
13		113	6	105	1	1	72	5	25	2	1	6	2	3	3	1	1	11		
26		88	9	78		1	61	9	107	9	4	12	6	9	20	3	7	37	13	
13								5	67	7	1	5	4	9	16	2	5	18	14	
13		88	9	78		1	61	4	40	2	3	7	2	4	4	1	2	19	15	
11								5	49	7	1	5	4	6	8	4	4	14		
13		85	6	78		1	61	4	23	2	1	5	2	2	2	1	1	11	16	
1		29	1	27	1		11	2	7	1		3			1			2	17	
1								1	3	1		2							18	
1		29	1	27	1		11	1	4	1		1		1				2	19	
1								1	3	1		2							20	
1		28		27	1		11	1	2			1		1						
26		104	10	92	1	1	65	10	104	10	4	15	6	9	20	3	7	30	21	
13								6	66	8	1	7	4	9	15	2	5	15	22	
13		104	10	92	1	1	65	4	33	2	3	8	2	5	5	1	2	15	23	
11								6	49	8	1	7	4	6	8	4	4	11		
13		100	6	92	1	1	65	4	23	2	2	6	2	3	3	1	1	9	24	
26		76	9	66		1	55	8	99	9	4	12	6	9	19	3	7	30	25	
13								5	63	7	1	5	4	9	15	2	5	15	26	
13		76	9	66		1	55	3	36	2	3	7	2	4	4	1	2	15	27	
11								5	46	7	1	5	4	6	8	2	4	11	28	
13		73	6	66		1	55	3	21	2	2	5	2	2	2	1	1	9	28	
		28	1	26	1		10	2	5	1		3		1					29	
								1	3	1		2							30	
		28	1	26	1		10	1	2		1			1					31	
								1	3	1		2			1				32	
		27		26	1		10	1	2			1								
1		13		13			7	1	10						1			9	33	
1								1	4										34	
1		13		13			7	1	6					1				3	34	
								1	3									6	35	
								1	3									3	35	
		13		13			7	1	2									3	36	
								1	2									2	36	
		12		12			6	1	8					1				7	37	
								1	4										3	38
		12		12			6	1	4					1				4	39	
								1	3									3	39	
		12		12			6	1	2									3	40	
								1	2									2	40	
1		1		1			1		2									2	41	
1																			2	42
1		1		1			1		2									2	43	
																				44
		1		1			1												2	44
129	1	450	33	401	14	2	328	60	447	23	21	35	24	57	50	5	37	7	188	45
58							3	38	273	20	7	15	10	57	36	4	17	7	100	46
71	1	450	33	401	14	2	325	22	174	3	14	20	14	14	14	1	20	7	88	47
58							3	38	173	20	3	11	7	22	15	2	3	7	83	48
69	1	439	22	401	14	2	325	22	82	3	2	10	4		4	9		50		48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con. MASSACHUSETTS—continued.																	
Registration cities—Continued. White.....		2,749	114	19	34	12	41	8	850	4	38	529	279	515	24	362	
1	Males.....	994	93	17	30	8	30	8	392	3	25	258	106	197	6	133	
2	Females.....	1,755	21	2	4	4	11	8	458	1	13	271	173	318	18	229	
3	Diagnosis reasonably certain.....	531	93	17	30	8	30	8	108	2	14	73	19	116	3	55	
4	Diagnosis reasonably certain. (M/F.....	1,128	21	2	4	4	11	8	89	1	2	43	43	162	5	88	
5	Colored.....	32	2		2				12		1	7	4	3		2	
6	Males.....	12	1		1				8		1	6	1	1		1	
7	Females.....	20	1		1				4		1	1	3	2		1	
8	Diagnosis reasonably certain. (M/F.....	4	1		1				2		2		1	1		1	
8	Diagnosis reasonably certain. (M/F.....	16	1		1				1			1	2	2		1	
9	Boston.....	871	33	3	10	3	12	5	255	1	15	149	90	169	7	120	
10	Males.....	347	30	2	10	3	10	5	136	1	11	84	40	71	1	53	
11	Females.....	524	3	1			2		119		4	65	50	98	6	67	
12	Diagnosis reasonably certain. (M/F.....	196	30	2	10	3	10	5	48	1	9	27	11	38		21	
12	Diagnosis reasonably certain. (M/F.....	377	3	1			2		32		1	15	16	61	3	35	
13	White.....	854	33	3	10	3	12	5	250	1	14	145	90	167	7	118	
14	Males.....	340	30	2	10	3	10	5	131	1	10	80	40	70	1	52	
15	Females.....	514	3	1			2		119		4	65	50	97	6	66	
16	Diagnosis reasonably certain. (M/F.....	193	30	2	10	3	10	5	46	1	9	25	11	37		20	
16	Diagnosis reasonably certain. (M/F.....	368	3	1			2		32		1	15	16	60	3	34	
17	Colored.....	17							5		1	4		2		2	
18	Males.....	7							5		1	4		1		1	
19	Females.....	10												1		1	
20	Diagnosis reasonably certain. (M/F.....	3							2			2		1		1	
20	Diagnosis reasonably certain. (M/F.....	9												1		1	
21	Brockton.....	55	1			1			19		1	13	5	12		6	
22	Males.....	15	1			1			4			3	1	5		2	
23	Females.....	40							15		1	10	4	7		4	
24	Diagnosis reasonably certain. (M/F.....	9	1			1			1			1	1	5		2	
24	Diagnosis reasonably certain. (M/F.....	19							2			1	1	3			
25	Cambridge.....	111	4		1		3		34		2	25	7	17	1	10	
26	Males.....	39	3		1		2		16		1	13	2	5		4	
27	Females.....	72	1						18		1	12	5	12	1	6	
28	Diagnosis reasonably certain. (M/F.....	27	3		1		2		7		1	5	1	3		2	
28	Diagnosis reasonably certain. (M/F.....	46	1				1		1			1		7		2	
29	Fall River.....	70	2			1		1	16			10	6	15	1	10	
30	Males.....	19	1					1	5			2	3	3		1	
31	Females.....	51	1			1			11			8	3	12	1	9	
32	Diagnosis reasonably certain. (M/F.....	11	1					1	2			2		2			
32	Diagnosis reasonably certain. (M/F.....	36	1			1			2			2		8		6	
33	Lawrence.....	60	6	1	2		2	1	27		2	17	8	12	1	7	
34	Males.....	17	4	1	2			1	11			10	1	2		1	
35	Females.....	43	2				2		16		2	7	7	10	1	6	
36	Diagnosis reasonably certain. (M/F.....	7	4	1	2			1	2			2	2	1			
36	Diagnosis reasonably certain. (M/F.....	24	2				2		4			2	2	4		1	
37	Lowell.....	98	2	1	1				43		2	23	18	12	1	6	
38	Males.....	34	2	1	1				19		1	11	7	5	1	2	
39	Females.....	64							24		1	12	11	7		4	
40	Diagnosis reasonably certain. (M/F.....	11	2	1	1				1		1	1		3	1		
40	Diagnosis reasonably certain. (M/F.....	34							1				1	4		1	
41	Lynn.....	91	7	2		2	2	1	29		2	20	7	10		9	
42	Males.....	28	5	2			2	1	13		2	10	1	2		2	
43	Females.....	63	2						16			10	6	8		7	
44	Diagnosis reasonably certain. (M/F.....	13		2			2	1	4		1	3		1		1	
44	Diagnosis reasonably certain. (M/F.....	40	2			2			1			1		2		1	
45	New Bedford.....	93	4		2		2		29			19	10	20	3	15	
46	Males.....	26	3		1		2		9			5	4	8	2	6	
47	Females.....	67	1		1				20			14	6	12	1	9	
48	Diagnosis reasonably certain. (M/F.....	15	3		1		2		1			3	1	6	1	5	
48	Diagnosis reasonably certain. (M/F.....	40	1		1				4			3	1	5	1	2	
49	Somerville.....	71	1				1		21			18	3	17	2	11	
50	Males.....	21	1				1		5			5		5		3	
51	Females.....	50							16			13	3	12	2	8	
52	Diagnosis reasonably certain. (M/F.....	8	1				1		2			2		2		3	
52	Diagnosis reasonably certain. (M/F.....	27												5		3	

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and suprarenals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
128	1	443	33	396	12	2	32	60	443	23	21	35	24	56	50	5	37	7	185
58							3	38	271	20	7	15	10	56	36				
70	1	443	33	396	12	2	321	22	172	3	14	20	14	14	14	1	17	7	99
58							3	38	173	20	3	11	14	22	15		3	7	86
68	1	432	22	396	12	2	321	22	81	3	2	10	7	4	4		9		83
																			49
1		7		5	2		4		4					1					3
1		7		5	2		4		2					1					1
									2										2
1		7		5	2		4		1										1
42		144	14	127	3		108	14	148	12	9	12	8	19	15	2	7		64
17							108	10	100	11	4	6	5	19	12		3		38
25		144	14	127	3		108	4	48	1	5	6	3	3	3		4		26
17							108	10	70	11	1	6	3	8	6		1		33
23		141	11	127	3		108	4	28	1	1	4	1	1	1		1		19
42		139	14	123	2		106	14	145	12	9	12	8	18	15	2	7		62
17							106	10	99	11	4	6	5	18	12		3		38
25		139	14	123	2		106	4	46	1	5	6	3	3	3		4		24
17							106	10	70	11	1	6	3	8	6		1		33
23		136	11	123	2		106	4	27	1	1	4	1	1	1		1		18
		5		4	1		2		3					1					2
		5		4	1		2		1					1					2
		5		4	1		2		1										2
6		4		3	1		8		11			1		2	2		2	1	3
3							8		5			1		2	1		2	1	1
3							8		6										2
3							8		2								1	1	1
5	1	13	2	10		1	19	4	20		1	1	1	2	1		1		13
1							19	3	12		1			2					9
4	1	13	2	10		1	19	3	8		1	1	1				1		4
1							19	3	11			1		2					4
4	1	13	2	10		1	19	1	4			1					1		8
4		12	1	10	1		7	1	17	1	1	2	2		4				7
2							7	1	9		1	1	2						3
2		12	1	10	1		7	1	8		1	1	2		2				5
2		12	1	10	1		7	1	7		1	1	2		1				5
4		9		9			4		2			1					1		3
1							4		2			1					1		3
3							4		1								1		5
3							4		1								1		5
5	1	13	2	11			13	4	11					1	1		4		5
2							13	1	7					1	1		4		1
3		13	2	11			13	3	4										4
2							13	3	4					1			2		1
3		12	1	11			13	3	1										1
1		19	1	18			9	2	15	1		1		1	2		2		8
1		19	1	18			9	2	8	1		1		1	2		2		1
1		19	1	18			9	2	3	1				1					7
2		17	2	14	1		11	3	9	1		3	1	1		1			5
2		17	2	14	1		11	2	4	1			3	1	1		1		1
2		17	2	14	1		11	2	5	1				1	1		1		1
4		10	1	8	1		9		13	1	2			1	2		2		4
2							9		10	1		1	1	2		2		3	5
2		10	1	8	1		9		3	1			1	2					1
2							9		5	1		1	1	1					1
2		10	1	8	1		9		1	1			1	1					1

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Table with columns for Area and Basis of Diagnosis, Aggregate, Buccal cavity (Total, Lip, Tongue, Mouth, Jaw, Others of this class), Stomach and liver (Total, Pharynx, Esophagus, Stomach, Liver and gall bladder), and Peritoneum, intestines, and rectum (Total, Peritoneum and mesentery, Intestines). Rows include Massachusetts (Springfield, Worcester, Other cities), Michigan (Registration cities, White, Colored, Detroit, Grand Rapids, Saginaw, Other cities), and Minnesota (Registration cities, White).

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
2		11	3	7	1		6	1	18	1		2	1		2			10	1	
1		11	3	7	1		6	1	11	1		2			2			5	2	
1		10	2	7	1		6	1	7	1		2			1			5	3	
1		10	2	7	1		6	1	9	1		2			1			5	4	
1		10	2	7	1		6	1	3						1			5	4	
8		27	2	23	2		20	4	28	3	1	3	1	7	4	1		6	5	
3		27	2	23	2		20	2	18	1		1		7	3	1		3	6	
5		27	2	23	2		20	2	10	2		1		3	1			3	7	
3		25		23	2		20	2	12	1		1		2	2			3	8	
5		25		23	2		20	2	7	2		2		1	1			3	8	
46		171	5	161	4	1	114	27	155	3	7	13	6	23	16	2	15	4	66	9
26		171	5	161	4	1	111	3	89	3	1	4	2	23	10	1	5	4	36	10
20		171	5	161	4	1	111	3	66		6	9	4	6	6	1	10	4	30	11
26		167	1	161	4	1	111	9	46	3		2	1	6	3		4	4	27	11
20		167	1	161	4	1	111	9	23		3	1	1	1	1		4	4	27	12
32		166	5	160	1		84	30	147	4	4	18	6	19	12	4	10	2	68	13
22		166	5	160	1		84	19	90	3	2	8	4	19	6	3	3	2	40	14
10		166	5	160	1		84	11	57	1	2	10	2	2	6	1	7	2	28	15
22		166	5	160	1		84	19	59	3		4	1	12	2		2	2	32	16
10		166	5	160	1		84	11	30	1		5	2	2	2		3	2	17	16
32		165	5	159	1		84	30	144	4	4	18	6	19	12	4	10	2	65	17
22		165	5	159	1		84	19	88	3	2	8	4	19	6	3	3	2	38	18
10		165	5	159	1		84	11	56	1	2	10	2	2	6	1	7	2	27	19
22		165	5	159	1		84	19	57	3		4	2	12	2		2	2	30	19
10		165	5	159	1		84	11	30	1		5	1	2	2		3	2	30	20
		1		1					3										3	21
		1		1					2										2	22
		1		1					1										1	23
		1		1					2										2	23
		1		1					2										2	24
16		78	2	75	1		30	6	57	1	2	4		8	5	1	5	1	30	25
10		78	2	75	1		30	4	34	1	1	2		8	1		1	1	19	26
6		78	2	75	1		30	2	23		1	2		4	4		4	1	11	27
10		78	2	75	1		30	4	23	1		2		4	1		1	1	14	28
6		78	2	75	1		30	2	9			2		1	2		2		6	28
5		15		15			14	5	12		1	1	2	1		2			5	29
3		15		15			14	3	10		1	1	2	1		2			3	30
2		15		15			14	2	2										2	31
3		15		15			14	3	4			1		1					2	31
2		15		15			14	2	2										2	32
		8		8			2	2	7	1		1		2	1				2	33
		8		8			2	2	5	1				2	1				1	34
		8		8			2	2	2	1				2					1	35
		8		8			2	2	4	1				2					1	35
		8		8			2	2	2			1							1	36
11		65	3	62			38	17	71	2	1	12	4	8	6	1	5	1	31	37
9		65	3	62			38	10	41	1		5	2	8	4	1	2	1	17	38
2		65	3	62			38	7	30	1	1	7	2	2	2	1	3	1	14	39
9		65	3	62			38	10	28	1		1	1	5	2	1	1	1	15	40
2		65	3	62			38	7	17	1		4	2	1	1		1	1	8	40
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32	41
10		89	6	82	1		53	10	57	2	3	6	5	9	9	1	4	1	17	42
16		89	6	82	1		52	5	30	1		4	3	3	3	1	3	1	15	43
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14	43
16		88	5	82	1		52	5	18	1		1	1		2		1	1	12	44
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32	45
10		89	6	82	1		52	10	57	2	3	6	5	9	9	1	4	1	17	46
16		89	6	82	1		52	5	30	1		4	3	3	3	1	3	1	15	47
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14	47
16		88	5	82	1		52	5	18	1		1	1		2		1	1	12	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
MINNESOTA—continued.																
1	Registration cities—Continued.	1														
2	Colored.															
3	Males.....															
4	Females.....	1														
5	Diagnosis reasonably certain. {M. F.}															
6	Duluth.....	68	2								27	11	9	2	4	
7	Males.....	31	1								16	6	3	1	1	
8	Females.....	37	1								11	5	6	1	3	
9	Diagnosis reasonably certain. {M. F.}	18	1								7	3	3	1	2	
10	Males.....	24	1								3	2	5	1	1	
11	Females.....	313	15		4	2	7	2	116		3	88	25	48	6	30
12	Diagnosis reasonably certain. {M. F.}	138	13		3	2	6	2	68		2	58	8	18	2	12
13	Males.....	175	2		1		1		48		1	30	17	30	4	18
14	Females.....	76	13		3	2	6	2	22		2	19	1	13	1	8
15	Diagnosis reasonably certain. {M. F.}	121	2		1		1		15			8	7	18	1	9
16	St. Paul.....	106	10	2	5		3		75		5	51	19	17		7
17	Males.....	69	9	2	5		2		33		5	25	3	7		3
18	Females.....	97	1				1		42			26	16	10		4
19	Diagnosis reasonably certain. {M. F.}	46	9		5		2		15		3	12	7	7		3
20	Males.....	63	1				1		14			10	4	6		4
21	Other cities.....	58	5	2			3		21			13	8	5		4
22	Males.....	24	5	2			3		13			10	3	2		1
23	Females.....	34							8			3	5	3		3
24	Diagnosis reasonably certain. {M. F.}	10	5	2			3		1			1	2	2		1
25	Males.....	24							1			1	1	1		1
26	MISSOURI.															
27	Registration cities.....	1,171	62	8	25	6	18	5	402	3	21	264	114	132	10	67
28	Males.....	489	56	8	22	6	16	4	217	3	17	151	46	60	7	27
29	Females.....	632	6		3		2	1	185		4	113	68	72	3	40
30	Diagnosis reasonably certain. {M. F.}	295	56	8	22	6	16	4	74	1	5	53	15	44	2	16
31	Males.....	491	6		3		2	1	39			23	16	51	3	21
32	Females.....	1,121	60	8	25	6	17	4	387	3	20	251	113	127	9	63
33	White.....	472	55	8	22	6	15	4	208	3	17	142	46	58	6	26
34	Males.....	649	5		3		2		179		3	109	67	69	3	37
35	Females.....	286	55	8	22	6	15	4	72	1	5	51	15	43	2	15
36	Diagnosis reasonably certain. {M. F.}	467	5		3		2		39			23	16	51	3	21
37	Colored.....	50	2				1	1	15		1	13	1	5	1	4
38	Males.....	17	1				1		9			9		2	1	1
39	Females.....	33	1					1	6		1	4	1	3		3
40	Diagnosis reasonably certain. {M. F.}	9	1				1		2			2		1		1
41	Males.....	24	1					1								
42	Kansas City.....	254	20	5	9	3	3		72		2	51	19	31	1	16
43	Males.....	110	19	5	9	3	2		42		2	31	9	14	1	4
44	Females.....	144	1				1		30			20	10	17		12
45	Diagnosis reasonably certain. {M. F.}	78	19	5	9	3	2		15			13	2	14	1	4
46	Males.....	115	1				1		10			6	4	10		5
47	Females.....	240	20	5	9	3	3		65		2	45	18	30	1	15
48	White.....	105	19	5	9	3	2		38		2	27	9	13	1	3
49	Males.....	135	1				1		27			18	9	17		12
50	Females.....	77	19	5	9	3	2		15			13	2	13	1	3
51	Diagnosis reasonably certain. {M. F.}	109	1				1		10			6	4	10		5
52	Colored.....	14							7			6	1	1		1
53	Males.....	5							4			4		1		1
54	Females.....	9							3			2	1			
55	Diagnosis reasonably certain. {M. F.}	1												1		1
56	Males.....	6														
57	Females.....	97	3		1	1	1		32			23	9	13	1	7
58	Diagnosis reasonably certain. {M. F.}	37	3		1	1	1		19			15	4	6		3
59	Males.....	60							13			8	5	7	1	4
60	Females.....	21	3		1	1	1		4			4		5		2
61	Diagnosis reasonably certain. {M. F.}	45							2			2		5	1	2

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—

Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
																		1	
																		2	
																		3	
																		4	
	3		7	1	6		4	3										5	
	1																	6	
	2		7	1	6		4	2										7	
	1																	8	
	2		7	1	6		4	1										8	
	12		47	2	45		31	6										9	
	4																	10	
	4		47	2	45		30	4										10	
	4																	11	
	8		47	2	45		30	4										11	
	10		25	1	24		10	5										12	
	4																	13	
	6		25	1	24		10	4										13	
	4																	14	
	6		24		24		10	1										14	
	6																	15	
	1		10	2	7	1	8	1										15	
	1																	16	
	1		10	2	7	1	8	1										16	
	1																	17	
	54	1	238	14	219	5	109	45										17	
	26																	18	
	28	1	238	14	219	5	108	30										18	
	26																	19	
	27		233	9	219	5	103	15										19	
	54	1	219	14	200	5	106	45										20	
	26																	21	
	28	1	219	14	200	5	100	30										21	
	26																	22	
	27		214	9	200	5	100	15										22	
	54																	23	
			19		19		3											23	
																		24	
			19		19		3											24	
			19		19		3											25	
																		26	
	14		51	2	48	1	29	17										26	
	9																	27	
	5		51	2	48	1	28	5										27	
	9																	28	
	5		51	2	48	1	28	5										28	
	14		46	2	43	1	28	17										29	
	9																	30	
	5		46	2	43	1	27	1										30	
	9																	31	
	5		46	2	43	1	27	1										31	
																		32	
			5		5		1											32	
																		33	
			5		5		1											33	
																		34	
	5		20	1	19		16	2										34	
	3																	35	
	2		20	1	19		15	2										35	
	3																	36	
	2		19		19		15											36	
																		37	
																		38	
																		39	
																		40	
																		41	
																		42	
																		43	
																		44	
																		45	
	3																	46	
	2																	47	
	3		20		19		15											47	
	2																	48	
																		48	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggre- gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
REGISTRATION CITIES—Con. MISSOURI—continued.																
1	St. Louis.....	701	33	1	14	2	12	4	262	3	18	168	73	80	6	40
2	Males.....	302	28	1	11	2	11	3	141	3	14	95	29	37	5	19
3	Females.....	399	5		3		1	1	121		4	73	44	43	1	21
4	Diagnosis reasonably certain. {M. {F.	179 274	28 5	1	11 3	2	11 1	3 1	53 25	1	5	35 13	12 12	24 32	1 1	10 12
5	White.....	671	31	1	14	2	11	3	255	3	17	162	73	76	5	37
6	Males.....	291	27	1	11	2	10	3	137	3	14	91	29	36	4	19
7	Females.....	380	4		3		1		118		3	71	44	40	1	18
8	Diagnosis reasonably certain. {M. {F.	171 261	27 4	1	11 3	2	10 1	3 1	51 25	1	5	33 13	12 12	24 32	1 1	10 12
9	Colored.....	30	2				1	1	7		1	6		4	1	3
10	Males.....	11	1				1		4			4		1		
11	Females.....	19	1					1	3			2		3		3
12	Diagnosis reasonably certain. {M. {F.	8 13	1 1				1 1		2 2			2 2				
13	Other cities.....	119	6	2	1		2	1	36		1	22	13	8	2	4
14	Males.....	40	6	2	1		2	1	15		1	10	4	3	1	1
15	Females.....	79							21			12	9	5	1	3
16	Diagnosis reasonably certain. {M. {F.	17 57	6 1		1		2 1	1	2 2			1 2	1	1 4	1	2
MONTANA.																
17	Registration cities.....	82	5		3		2		32		1	25	6	11	3	5
18	Males.....	39	5		3		2		17			15	2	7	2	3
19	Females.....	43							15		1	10	4	4	1	2
20	Diagnosis reasonably certain. {M. {F.	22 26	5 1		3		2		5 1			5 1	4	6 4	2 1	2 2
21	White.....	81	5		3		2		32		1	25	6	11	3	5
22	Males.....	39	5		3		2		17			15	2	7	2	3
23	Females.....	42							15		1	10	4	4	1	2
24	Diagnosis reasonably certain. {M. {F.	22 25	5 1		3		2		5 1			5 1	4	6 4	2 1	2 2
25	Colored.....	1														
26	Males.....															
27	Females.....	1														
28	Diagnosis reasonably certain. {M. {F.	1														
NEBRASKA. ¹																
29	Registration cities.....	187	3	1	1		1		66			44	22	23	3	16
30	Males.....	81	3	1	1		1		38			29	9	13	3	7
31	Females.....	106							28			15	13	10		9
32	Diagnosis reasonably certain. {M. {F.	51 75	3 8	1	1		1		18 8			15 3	3 5	8 5	3 5	2 4
33	White.....	185	3	1	1		1		66			44	22	22	3	15
34	Males.....	80	3	1	1		1		38			29	9	12	3	6
35	Females.....	105							28			15	13	10		9
36	Diagnosis reasonably certain. {M. {F.	51 74	3 8	1	1		1		18 8			15 3	3 5	8 5	3 5	2 4
37	Colored.....	2												1		1
38	Males.....	1												1		1
39	Females.....	1														
40	Diagnosis reasonably certain. {M. {F.	1														
41	Omaha.....	140	1	1					46			32	14	14	3	7
42	Males.....	62	1	1					30			23	7	8	3	2
43	Females.....	78							16			9	7	6		5
44	Diagnosis reasonably certain. {M. {F.	38 60	1 4	1					12 4			10 1	2 3	7 5	3 5	1 4
45	Lincoln ²	47	2		1		1		20			12	8	9		9
46	Males.....	19	2		1		1		8			6	2	5		5
47	Females.....	28							12			6	6	4		4
48	Diagnosis reasonably certain. {M. {F.	13 15	2 4		1		1		6 4			5 2	1 2	1 2		1 1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
33	1	130	7	120	3	54	23	119	4	2	14	13	12	20	8	3	2	41	1
13		130	7	120	3	4	15	77	4	1	11	7	12	15	3	1	2	21	2
20	1	130	7	120	3	50	8	42	1	3	6	5	5	2	2	20	3
13		128	5	120	3	4	15	55	4	1	7	5	8	7	2	19	4
19		128	5	120	3	50	8	26	1	2	4	3	2	2	12	4
33	1	120	7	110	3	53	23	113	4	2	14	12	11	20	8	3	2	37	5
13		120	7	110	3	4	15	72	4	1	11	6	11	15	3	1	2	18	6
20	1	120	7	110	3	49	8	41	1	3	6	5	5	2	19	7
13		118	5	110	3	4	15	50	4	1	7	4	7	7	2	16	8
19		118	5	110	3	49	8	25	1	2	4	3	2	2	11	8
.....		10	10	1	6	1	1	4	9
.....		10	10	1	5	1	1	3	10
.....		10	10	1	1	1	1	1	11
.....		10	10	1	5	1	1	3	12
2		37	4	32	1	10	3	19	2	2	3	1	11	13
1		37	4	32	1	10	1	15	2	2	3	1	7	14
1		37	4	32	1	10	2	4	4	15
1		35	2	32	1	10	2	4	1	1	5	16
3		13	12	1	5	1	15	1	3	1	1	2	1	6	17
2		13	12	1	5	1	9	1	1	1	1	1	4	18
1		13	12	1	5	1	6	1	2	1	1	1	1	2	19
2		12	12	5	5	1	1	1	2	20
1		12	12	5	4	1	1	1	2	20
3		13	12	1	5	1	14	1	3	1	1	2	1	5	21
2		13	12	1	5	1	9	1	1	1	1	1	4	22
1		13	12	5	5	1	2	1	1	1	1	23
2		12	12	5	3	1	1	1	1	1	2	24
1		12	12	5	5	1	1	1	1	1	24
.....		1	1	25
.....		1	1	26
.....		1	1	27
.....		1	1	28
4		38	3	34	1	18	5	34	4	2	1	1	5	2	1	18	29
3		38	3	34	1	18	5	22	3	1	1	1	4	1	11	30
1		38	3	34	1	18	12	1	1	1	1	2	1	7	31
3		37	2	34	1	18	17	1	1	1	1	2	1	10	32
1		37	2	34	1	18	7	5	32
4		38	3	34	1	18	5	33	4	2	1	1	5	2	1	17	33
3		38	3	34	1	18	5	22	3	1	1	1	4	1	11	34
1		38	3	34	1	18	11	1	1	1	1	2	1	6	35
3		37	2	34	1	18	17	1	1	1	1	2	1	10	36
1		37	2	34	1	18	6	4	36
.....		1	1	37
.....		1	1	38
.....		1	1	39
.....		1	1	40
4		33	3	29	1	13	5	28	4	2	1	1	4	1	15	41
3		38	3	29	1	13	5	18	3	1	1	1	3	9	42
1		38	3	29	1	13	10	1	1	1	1	1	6	43
3		32	2	29	1	13	5	13	1	1	1	1	1	8	44
1		32	2	29	1	13	6	4	44
.....		5	5	5	6	1	1	1	3	45
.....		5	5	5	4	1	2	46
.....		5	5	5	2	1	1	1	1	47
.....		5	5	5	4	1	2	48
.....		5	5	5	1	1	1	48

*The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.															
NEW HAMPSHIRE.															
1 Registration cities.....	173	2				2		48		1	29	18	38		27
2 Males.....	54	2				2		27		1	17	9	13		8
3 Females.....	119							21			12	9	25		19
4 Diagnosis reasonably certain. {M.....	27	2				2		8			5	3	8		3
5 F.....	82							2				2	14		8
5 White.....	172	2				2		47		1	29	17	38		27
6 Males.....	53	2				2		26		1	17	8	13		8
7 Females.....	119							21			12	9	25		19
8 Diagnosis reasonably certain. {M.....	26	2				2		7			5	2	8		3
9 F.....	82							2				2	14		8
9 Colored.....	1							1				1			
10 Males.....	1							1				1			
11 Females.....	1														
12 Diagnosis reasonably certain. {M.....	1							1				1			
13 F.....															
13 Manchester.....	56	2				2		12			10	2	13		10
14 Males.....	13	2				2		4			3	1	4		3
15 Females.....	43							8			7	1	9		7
16 Diagnosis reasonably certain. {M.....	7	2				2		1				1	1		5
17 F.....	30												7		
17 Other cities.....	117							36		1	19	16	25		17
18 Males.....	41							23		1	14	8	9		5
19 Females.....	76							13			5	8	16		12
20 Diagnosis reasonably certain. {M.....	20							7			5	2	7		3
21 F.....	52							2				2	7		3
NEW JERSEY.															
21 Registration cities.....	1,426	52	8	21	8	14	1	547	4	14	353	176	218	20	128
22 Males.....	545	42	7	19	5	10	1	255	3	13	177	62	85	4	50
23 Females.....	881	10	1	2	3	4		292	1	1	176	114	133	16	78
24 Diagnosis reasonably certain. {M.....	243	42	7	19	5	10	1	53		3	39	11	45	2	12
25 F.....	529	10	1	2	3	4		51		1	31	19	74	8	27
25 White.....	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26 Males.....	537	42	7	19	5	10	1	249	2	13	172	62	84	4	50
27 Females.....	847	10	1	2	3	4		285	1	1	170	113	128	16	76
28 Diagnosis reasonably certain. {M.....	241	42	7	19	5	10	1	53		3	39	11	44	2	12
29 F.....	502	10	1	2	3	4		50		1	30	19	70	8	26
29 Colored.....	42							13	1		11	1	6		2
30 Males.....	8							6	1		5		1		
31 Females.....	34							7			6	1	5		2
32 Diagnosis reasonably certain. {M.....	2												1		
33 F.....	27							1			1		4		1
33 Camden.....	74	1				1		26		1	20	5	12	1	3
34 Males.....	27							11		1	9	1	4	1	
35 Females.....	47	1				1		15			11	4	8		3
36 Diagnosis reasonably certain. {M.....	17							4			3	1	4	1	
37 F.....	30	1				1		2			1	1	6		1
37 Elizabeth.....	76	4		2	1	1		33		1	21	11	8	2	4
38 Males.....	36	3		1	1	1		15		1	10	4	5	1	2
39 Females.....	40	1		1	1	1		18			11	7	3	1	2
40 Diagnosis reasonably certain. {M.....	12	3		1	1	1		1		1	1	1	2		
41 F.....	19	1		1				2			1	1	1		1
41 Jersey City.....	217	7	2	2	1	2		97		1	63	33	28	3	19
42 Males.....	82	5	1	2	1	1		43		1	33	9	12		10
43 Females.....	135	2	1			1		54			30	24	16	3	9
44 Diagnosis reasonably certain. {M.....	37	5	1	2	1	1		8			7	1	6		4
45 F.....	72	2	1			1		5			2	3	9	2	3
45 Newark.....	340	12	2	6		4		135	2	8	85	40	54	5	29
46 Males.....	132	10	2	6		2		68	1	8	45	14	25	1	13
47 Females.....	208	2				2		67	1		40	26	29	4	16
48 Diagnosis reasonably certain. {M.....	54	10	2	6		2		15		3	10	2	13		2
49 F.....	129	2				2		16			10	6	18	4	5

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
11		33		32		1	26	5	21	1		1	2	3	2		1	11	1	
5		33		32		1	25	3	8	1		1	3				1	2	2	
6		33		32		1	25	2	13			2	2					9	3	
5		33		32		1	25	3	5	1		1					1	5	4	
6		33		32		1	25	2	6			1						2		
11		33		32		1	26	5	21	1		1	2	3	2		1	11	5	
5		33		32		1	25	3	8	1		1	3				1	2	6	
6		33		32		1	25	2	13			2	2					9	7	
5		33		32		1	25	3	5	1		1					1	2		
6		33		32		1	25	2	6			1						5	8	
																			9	
																			10	
																			11	
																			12	
3		13		13			8	3	5	1								4	13	
1		13		13			8	2	1	1									14	
2		13		13			8	1	4									4	15	
1		13		13			8	2	1	1									16	
2		13		13			8	1	1									1	16	
8		20		19		1	18	2	16			1	2	3	2		1	7	17	
4		20		19		1	17	1	7			1	3				1	2	18	
4		20		19		1	17	1	9			2	2					5	19	
4		20		19		1	17	1	4			1					1	2	19	
4		20		19		1	17	1	5			1						2	20	
70		214	12	197	5		136	31	228	14	17	18	17	17	27	3	17	2	96	21
31		214	12	197	5		134	21	140	12	9	11	6	17	17	1	8	2	57	22
39		214	12	197	5		134	10	88	2	8	7	11	10	2		9	2	39	23
31		207	6	196	5		134	21	80	12	2	4	1	7			2	2	44	24
39		207	6	196	5		134	10	43	2	1	3	4	5			3	2	25	24
66		199	12	183	4		131	31	225	14	17	18	17	17	26	3	17	2	94	25
30		199	12	183	4		129	21	139	12	9	11	6	17	17	1	8	2	56	26
36		199	12	183	4		129	10	86	2	8	7	11	9	2		9	2	38	27
30		192	6	182	4		129	21	79	12	2	4	1	7			2	2	45	28
36		192	6	182	4		129	10	41	2	1	3	4	4			3	2	24	28
4		15		14	1		5		3					1					2	29
1		15		14	1		5		1										1	30
3		15		14	1		5		2					1					1	31
1		15		14	1		5		1										1	31
3		15		14	1		5		2					1					1	32
8		12		12			5	5	13	1		1	1	2	4				4	33
3		12		12			5	4	8			1	1	2	3				3	34
3		12		12			5	1	5	1		1	1	1					1	35
5		12		12			5	4	5			1	1	1				3		36
2		7		7			5	1	3	1		1		1						36
2		7		7			5	1	18	2	1	1	2	2	2		2		8	37
2		7		7			5		13	2	1			2						38
2		7		7			5	1	5			1	2				1		7	38
									6	2									1	39
6		28	2	25	1		18	5	2			1	2						4	40
2		28	2	25	1		18	5	2			1	2				1		1	41
4		28	2	25	1		18	3	34	1	2	2	1	2	2				23	41
2		28	2	25	1		18	2	20	1		1	1	2	2				14	42
4		28	2	25	1		18	3	14			1	1				1		9	43
4		28	2	25	1		18	2	16	1				1					14	44
20		54	7	46	1		31	9	7										7	44
11		54	7	46	1		31	9	45	3	6	4	5	7	3	3			14	45
9		49	3	45	1		31	7	22	3	4	3	2	3	3	1			5	46
11		49	3	45	1		31	2	23		2	1	3	4	2				9	47
9		49	3	45	1		31	2	9	3		2	2	1	2				3	48

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA,
WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.		
2		21	1	20			12		19	1	1	2	3	2	3	1	6	1			
2		21	1	20			12		13	1	1	2	1	2	1	1	4	2			
2		20		20			12		6	1	1	1	2	1	1	3	3	4			
5		9		9			11	2	9		1	1	1	1		1	1	1			
2							1	2	10	2	1	1	2		1	1	3	6			
3		9		9			10	1	7	2	1	1			1	1	2	7			
2							1	2	8		1	1	1		1		2	8			
3		9		9			10		8		1		1		1		2	2			
27		83	2	78	3		54	9	3	4	5	6	5	9	9	7	2	35	9		
11							1	6	54	3	3	4	3	9	5	4	2	21	10		
16		83	2	78	3		53	3	28	1	2	2	2	4	3	3	14	11	11		
11							1	6	27	3	1			3	2	1	2	15	11		
16		82	1	78	3		53	3	14	1			1	1	2		9	12	12		
318	13	961	82	851	25	3	725	121	1,121	65	84	86	75	93	184	9	70	16	439	13	
153	5						15	75	720	58	53	40	45	93	123	3	34	16	255	14	
165	8	961	82	851	25	3	710	46	401	7	31	46	30	61	6	36	16	184	15	15	
152	1						15	75	467	58	23	15	24	39	68	2	16	16	206	16	
163	4	932	56	848	25	3	708	46	210	7	9	17	18	22	4	10	13	123	16	16	
314	13	930	79	824	24	3	711	121	1,112	65	84	85	73	91	183	9	70	16	436	17	
152	5						15	75	713	58	53	39	44	91	122	3	34	16	253	18	
162	8	930	79	824	24	3	696	46	399	7	31	46	29	61	6	36	16	183	19	19	
151	1						15	75	462	58	23	15	23	38	67	2	16	16	204	20	
161	4	901	53	821	24	3	694	46	209	7	9	17	17	22	4	10	13	123	20	20	
4		31	3	27	1		14		9			1	2	2	1			3	21	21	
1									7			1	1	2	1			2	22	22	
3		31	3	27	1		14		2			1	1	1			1	1	23	23	
1									5					1				2	24	24	
2		31	3	27	1		14		1			1	1						24	24	
4	1	31	3	27		1	20	2	30		2		1	7	6		2		12	25	
2								2	22				1	7	5		1		8	26	
2	1	31	3	27		1	20	2	8		2			1	1		1		4	27	
2									12					2	3				7	28	
2		30	3	26		1	20		4					1			1		2	28	
18		64	6	56	2		46	8	83	4	6	5	2	16	12		3	2	33	29	
10							1	4	62	4	3	3	2	16	6		2	2	24	30	
8		64	6	56	2		45	4	21		3	2		6		1		9	31	31	
10							1	4	39	4	1	2	1	8	3		2	18	32	32	
8		61	3	56	2		44	4	12		1	1		3			7		7	32	
221	7	587	49	517	20	1	449	68	742	47	71	55	53	41	125	8	50	10	282	33	
111	2						10	41	489	43	47	26	34	41	86	3	26	10	173	34	
110	5	587	49	517	20	1	439	27	253	4	24	29	19	39	5	24	10	109	35	35	
110	1						10	41	319	43	20	9	19	14	47	2	13	10	142	36	
109	3	572	36	515	20	1	439	27	122	4	8	9	11	10	4	6		70		36	
217	7	553	46	491	20	1	436	68	733	47	71	54	51	39	124	8	50	10	279	37	
110	2						10	41	482	43	47	25	35	39	85	3	26	10	171	38	
107	5	553	46	491	20	1	426	27	251	4	24	29	18	39	5	24	10	108	39	39	
109	1						10	41	314	43	20	9	18	13	46	2	13	10	140	40	
107	3	543	33	489	20	1	426	27	121	4	8	9	10	10	4	6		70		40	
4		29	3	26			13		9			1	2	2	1			3	41	41	
1									7			1	1	2	1			2	42	42	
3		29	3	26			13		2			1	1	1				1	43	43	
1									5			1	1	1				2	44	44	
2		29	3	26			13		1			1	1						2	44	44
32	1	64	4	57	3		55	8	79	1	7	4	3	8	14		8	1	33	45	
13							2	3	53	1	4	1	2	8	9		6	1	21	46	
19	1	64	4	57	3		53	5	26		3	3	1	5		2	1	12	47	47	
13							2	3	33	1				3	7		3	1	18	48	
19		61	2	56	3		53	3	11		1			1				9	48	48	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
NEW YORK—continued.																
Bronx Borough—Continued.																
1	White	511	19	1	9	3	2	4	186	1	10	123	52	104	8	63
2	Males	207	17	1	8	3	2	3	91	1	9	61	20	42	5	24
3	Females	304	2		1			1	95		1	62	32	62	3	39
4	Diagnosis reasonably certain	110	17	1	8	3	2	3	22		3	18	1	33	5	15
		190	2		1			1	24		1	16	7	37	1	17
5	Colored	5							1			1				
6	Males	2							1			1				
7	Females	3														
8	Diagnosis reasonably certain	3														
9	Brooklyn Borough	1,439	53	2	24	6	19	2	570	4	29	364	173	223	16	136
10	Males	583	42	2	22	6	10	2	290	4	24	188	78	100	6	55
11	Females	856	11		2		9		280		5	178	97	123	10	81
12	Diagnosis reasonably certain	304	42	2	22	6	10	2	85	2	14	53	16	72	3	31
		530	11		2		9		49		1	27	21	69	3	34
13	White	1,410	53	2	24	6	19	2	561	4	29	360	168	218	16	131
14	Males	578	42	2	22	6	10	2	288	4	24	185	75	98	6	53
15	Females	832	11		2		9		273		5	175	93	120	10	78
16	Diagnosis reasonably certain	302	42	2	22	6	10	2	85	2	14	53	16	71	3	30
		514	11		2		9		48		1	27	20	67	3	32
17	Colored	29							9			4	5	5		5
18	Males	5							2			1	1	2		2
19	Females	24							7			3	4	3		3
20	Diagnosis reasonably certain	2												1		1
		16							1			1	2	2		2
21	Manhattan Borough	2,124	77	4	34	7	23	9	826	6	67	519	234	328	34	191
22	Males	955	68	4	30	7	20	7	455	5	53	297	100	148	12	88
23	Females	1,169	9		4		3	2	371	1	14	222	134	180	22	103
24	Diagnosis reasonably certain	506	68	4	30	7	20	7	139	4	24	88	23	104	6	50
		722	9		4		3	2	73	1	5	41	26	101	9	38
25	White	2,079	76	4	33	7	23	9	815	6	66	513	230	324	34	191
26	Males	944	68	4	30	7	20	7	449	5	52	294	98	147	12	88
27	Females	1,135	8		3		3	2	366	1	14	219	132	177	22	103
28	Diagnosis reasonably certain	500	68	4	30	7	20	7	138	4	24	87	23	103	6	50
		693	8		3		3	2	72	1	5	40	26	99	9	38
29	Colored	45	1		1				11		1	6	4	4		
30	Males	11							6		1	3	2	1		
31	Females	34	1		1				5			3	2	3		
32	Diagnosis reasonably certain	6							1			1		1		
		29	1		1				1			1		2		
33	Queens Borough	277	12		3	2	4	3	111	1	9	69	32	41	3	19
34	Males	115	11		3	2	4	2	51	1	7	35	8	23		11
35	Females	162	1				1		60		2	34	24	18	3	8
36	Diagnosis reasonably certain	60	11		3	2	4	2	10		2	8		18		7
		89	1				1		6			2	4	12	2	4
37	White	276	12		3	2	4	3	111	1	9	69	32	41	3	19
38	Males	115	11		3	2	4	2	51	1	7	35	8	23		11
39	Females	161	1				1		60		2	34	24	18	3	8
40	Diagnosis reasonably certain	60	11		3	2	4	2	10		2	8		18		7
		88	1				1		6			2	4	12	2	4
41	Colored	1														
42	Males															
43	Females	1														
44	Diagnosis reasonably certain	1														
45	Richmond Borough	96	5				3	2	41		2	24	15	9	1	6
46	Males	46	4				2	2	20		2	14	4	5	1	3
47	Females	50	1				1		21			10	11	4	3	3
48	Diagnosis reasonably certain	24	4				2	2	5		1	3	1	4	3	1
		24	1				1		1			1	1	2		1
49	White	93	5				3	2	40		2	24	14	9	1	6
50	Males	45	4				2	2	20		2	14	4	5	1	3
51	Females	48	1				1		20			10	10	4	3	3
52	Diagnosis reasonably certain	24	4				2	2	5		1	3	1	4	3	3
		23	1				1		1			1	1	2	2	1

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—

Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
32	1	61	4	54	3	55	8	78	1	7	3	3	8	14	8	1	33	1	
13	2	3	52	1	4	2	8	9	6	1	21	2
19	1	61	4	54	3	53	5	26	3	1	2	12	3	
13	2	3	33	1	7	3	1	18	4	
19	58	2	53	3	53	5	11	1	1	9	
.....	3	3	1	1	5
.....	3	3	1	1	6
.....	3	3	7
.....	3	3	8
68	3	197	11	177	9	154	30	212	13	16	14	11	8	37	2	12	2	97	9
38	1	20	131	13	11	6	8	8	22	2	5	2	54	10
30	2	197	11	177	9	154	10	81	5	8	3	15	7	2	43	11
38	20	85	13	5	1	3	8	1	7	2	2	47	12
30	2	195	9	177	9	154	10	42	2	3	2	4	2	29
68	3	190	9	172	9	148	30	210	13	16	14	11	7	37	2	12	2	96	13
38	1	20	130	13	11	6	8	7	22	2	5	2	54	14
30	2	190	9	172	9	148	10	80	5	8	3	15	7	2	42	15
38	20	84	13	5	1	3	8	1	7	2	2	47
30	2	188	7	172	9	148	10	42	2	3	2	4	2	29	16
.....	7	2	5	6	2	1	1	17
.....	7	2	5	6	1	1	1	18
.....	7	2	5	6	1	1	1	19
.....	7	2	5	6	1	1	1	20
101	2	281	33	241	6	1	203	26	383	27	41	33	37	23	59	6	26	6	125	21
47	1	8	15	261	24	27	17	22	23	45	1	13	6	83	22
54	1	281	33	241	6	1	195	11	122	14	16	15	14	5	13	42	23
47	1	8	15	172	24	11	8	14	7	28	1	7	6	68
53	1	272	25	240	6	1	195	11	61	5	6	9	4	4	4	4	26	24
.....
97	2	263	32	224	6	1	197	26	378	27	41	33	35	23	58	6	26	6	123	25
46	1	8	15	257	24	27	17	21	23	44	1	13	6	81	26
51	1	263	32	224	6	1	189	11	121	14	16	14	14	14	5	13	42
46	1	8	15	168	24	11	8	13	7	27	1	7	6	64	27
51	1	254	24	223	6	1	189	11	60	5	6	8	4	4	4	4	26
.....	18	1	17	6	5	2	1	2	29
1	4	1
3	18	1	17	6	1	1	2	30
1	4
2	18	1	17	6	1	1
.....	4
18	1	32	1	29	2	32	4	45	4	7	2	2	1	12	1	16	33
12	3	27	3	5	1	2	1	8	7	34
6	1	32	1	29	2	32	1	18	1	2	1	2	4	1	9
11	3	18	3	4	3	5	35
6	31	29	2	32	1	6	1	2	1	5	36
.....
18	1	32	1	29	2	31	4	45	4	7	2	2	1	12	1	16	37
12	3	27	3	5	1	2	1	8	7	38
6	1	32	1	29	2	31	1	18	1	2	1	2	4	1	9	39
11	3	18	3	4	3	5
6	31	29	2	31	1	6	1	2	1	5	40
.....
.....	1	41
.....
.....	1	42
.....
.....	1	43
.....	1	44
2	13	13	5	23	2	2	1	3	3	1	11	45
1	17	2	1	1	2	2	1	8	46
1	13	13	5	6	1	2	1	3
1	11	2	1	1	1	6
1	13	13	5	2	1	1	48
2	12	12	5	22	2	2	3	3	1	11	49
1	16	2	1	2	1	8	50
1	12	12	5	6	1	1	1	3	51
1	11	2	1	1	1	6
1	12	12	5	2	1	1	1	6	52

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—															
		Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.				
		Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.		
REGISTRATION CITIES—Con.																	
NEW YORK—continued.																	
1	Richmond Borough—Continued.	3															
	Colored.....	3															
2	Males.....	1															
3	Females.....	2															
4	Diagnosis reasonably certain. {M. {F.	1															
5	Rochester.....	261	10		5	2	2	1		3	44	32	51	8	28		
6	Males.....	95	8		5	2		1		1	19	10	23	5	10		
7	Females.....	166	2				2			2	25	22	28	3	18		
8	Diagnosis reasonably certain. {M. {F.	70 118	3 2		5 2	2		1		15 16	11 6	4 10	18 20	4 1	6 12		
9	Syracuse.....	126	3	1			2			33	1	17	14	11	6		
10	Males.....	38	1	1						17	1	7	8	3	2		
11	Females.....	88	2				2			16		10	6	8	4		
12	Diagnosis reasonably certain. {M. {F.	20 64	1 2	1				2		7 2	1	3 2	3 5	1	1		
13	Troy.....	136	9	2	3	1	3			41	1	27	12	16	9		
14	Males.....	52	8	2	3	3				24	1	13	9	6	4		
15	Females.....	84	1		1					17		14	3	10	5		
16	Diagnosis reasonably certain. {M. {F.	25 59	8 1	2	3	1	3			5 3		3 3	2 5	3 5	2 1		
17	Utica.....	82	2	2						30		20	10	17	8		
18	Males.....	25	1	1						14		9	5	6	2		
19	Females.....	57	1	1						16		11	5	11	6		
20	Diagnosis reasonably certain. {M. {F.	11 37	1 1	1 1						3 2		1 2	2 8	4 8	3		
21	Yonkers.....	65	2		2					26	1	17	8	11	8		
22	Males.....	29	2		2					15	1	10	4	7	6		
23	Females.....	36								11		7	4	4	2		
24	Diagnosis reasonably certain. {M. {F.	9 20	2		2					1 1		1 1	3	1	2		
25	Other cities.....	913	32	3	10	3	14	2		266		169	90	146	8	96	
26	Males.....	298	23	3	6	2	11	1		118		4	82	32	52	2	33
27	Females.....	615	9		4	1	3	1		148		3	87	58	94	6	63
28	Diagnosis reasonably certain. {M. {F.	169 416	23 9	3	6	2	11	1		34 23		2	22	10	38	1	22
					4	1	3	1				9	14	52	2	26	
NORTH CAROLINA.																	
29	Registration cities.....	124	1		1					37		1	19	17	9	2	4
30	Males.....	34	1		1					16			9	7	2		1
31	Females.....	90								21		1	10	10	7	2	3
32	Diagnosis reasonably certain. {M. {F.	16 69	1		1					4 6			3	1	4	1	1
33	White.....	76	1		1					27		1	12	14	8	2	4
34	Males.....	26	1		1					11			6	5	2		1
35	Females.....	50								16		1	6	9	6	2	3
36	Diagnosis reasonably certain. {M. {F.	10 36	1		1					1 6			1	5	3	1	1
37	Colored.....	48								10			7	3	1		
38	Males.....	8								5			3	2			
39	Females.....	40								5			4	1	1		
40	Diagnosis reasonably certain. {M. {F.	6 33								3 3			2	1			
OHIO.																	
41	Registration cities.....	2,104	76	3	20	10	35	8		802	3	34	478	287	260	20	141
42	Males.....	789	65	3	18	7	30	7		386	3	29	240	114	106	8	60
43	Females.....	1,315	11		2	3	5	1		416		5	238	173	154	12	81
44	Diagnosis reasonably certain. {M. {F.	393 882	65 11	3	18	7	30	7		107 104	1	14	69	23	62	3	22
					2	3	5	1				3	56	45	97	3	35
45	White.....	2,041	76	3	20	10	35	8		780	3	33	464	280	256	20	140
46	Males.....	722	65	3	18	7	30	7		376	3	29	235	109	104	8	59
47	Females.....	1,269	11		2	3	5	1		404		4	229	171	152	12	81
48	Diagnosis reasonably certain. {M. {F.	389 849	65 11	3	18	7	30	7		106 101	1	14	68	23	61	3	22
					2	3	5	1				2	55	44	96	3	35

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
OHIO—continued.																
Registration cities—Continued.																
1	Colored	63						22		1	14	7	4		1	
2	Males	17						10			5	5	2		1	
3	Female	46						12		1	9	2	2			
4	Diagnosis reasonably certain.	4						1			1		1			
		M.F.						3		1	1	1	1			
5	Akron	62						25	1		15	9	7		5	
6	Males	20						10	1		4	5	3		3	
7	Females	42						15			11	4	4		2	
8	Diagnosis reasonably certain.	7						3			3	3	2			
		M.F.						5			3	2	2			
9	Cincinnati	419	16	2	5	2	6	1	166	1	7	91	67	36	2	14
10	Males	153	15	2	4	2	6	1	73	1	5	40	27	10		5
11	Females	266	1		1				93		2	51	40	26	2	9
12	Diagnosis reasonably certain.	76	15	2	4	2	6	1	18	1	2	12	3	7		2
		M.F.							21		2	10	9	16		1
13	White	400	16	2	5	2	6	1	159	1	6	87	65	36	2	14
14	Males	150	15	2	4	2	6	1	72	1	5	40	26	10		5
15	Females	250	1		1				87		1	47	39	26	2	9
16	Diagnosis reasonably certain.	76	15	2	4	2	6	1	18	1	2	12	3	7		2
		M.F.							19		1	10	8	16		1
17	Colored	19							7		1	4	2			
18	Males	3							1				1			
19	Female	16							6			4	1			
20	Diagnosis reasonably certain.	10							2			1				
		M.F.														
21	Cleveland	483	16	1	4	1	8	2	207		12	139	56	66	5	37
22	Males	214	15	1	4	1	8	1	120		11	87	22	31	3	17
23	Females	269	1						87		1	52	34	35	2	20
24	Diagnosis reasonably certain.	105	15	1	4	1	8	1	39		6	27	6	18	1	6
		M.F.							26			14	12	26	1	12
25	Columbus	220	6		2		4		73	1	2	38	32	20	2	13
26	Males	78	6		2		4		37	1	2	22	12	11	2	7
27	Females	142							36			16	20	9		6
28	Diagnosis reasonably certain.	44	6		2		4		15		1	12	2	5	1	2
		M.F.							13			5	8	6		3
29	White	208	6		2		4		69	1	2	34	32	18	2	12
30	Males	74	6		2		4		34	1	2	19	12	10	2	6
31	Females	134							35			15	20	8		6
32	Diagnosis reasonably certain.	43	6		2		4		14		1	11	2	5	1	2
		M.F.							13			5	8	5		3
33	Colored	12							4			4		2		1
34	Males	4							3			3		1		1
35	Female	8							1			1		1		
36	Diagnosis reasonably certain.	1							1			1				
		M.F.														
37	Dayton	133	5		2		1	2	43		3	23	17	18	1	8
38	Males	43	4		2			2	23		3	15	5	6		1
39	Females	90	1				1		20			8	12	12	1	7
40	Diagnosis reasonably certain.	17	4		2			2	4		1	3		5		2
		M.F.							3			2	1	7		3
41	Toledo	184	6		1			5	76		5	52	19	20	1	10
42	Males	77	5		1			4	33		4	25	4	12		8
43	Females	107					1		43		1	27	15	8	1	2
44	Diagnosis reasonably certain.	40	5		1			4	9		2	5	2	6		2
		M.F.							9			6	3	7		1
45	Youngstown	66	2			1	1		23		1	12	10	12	2	5
46	Males	24	1						12		1	5	6	1		1
47	Females	42	1			1	1		11			7	4	11	2	4
48	Diagnosis reasonably certain.	10	1				1		2			1				
		M.F.							1			1		6		2
49	Other cities	537	25		6	6	10	3	189		4	108	77	81	7	49
50	Males	180	19		5	4	7	3	78		3	42	33	32	3	18
51	Females	357	6		1	2	3		111		1	66	44	49	4	31
52	Diagnosis reasonably certain.	94	19		5	4	7	3	17		1	9	7	21	1	10
		M.F.							26		1	15	10	27	1	13

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

Table with columns: Peritoneum, intestines, and rectum—Con.; Female genital organs (Total, Ovary and fallopian tube, Uterus, Vagina and vulva, Others of this class); Breast; Skin; Other organs or of organs not specified (Total, Larynx, Lung and pleura, Pancreas, Kidneys and suprarenals, Prostate, Bladder, Brain, Bones (except jaw), Testes, Others of this class). Rows are numbered 1-52.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
OREGON. ¹																
1	Portland.....	229	12	3	3	5	1	84	2	56	26	39	2	20
2	Males.....	107	9	3	2	3	1	56	2	43	11	14	5
3	Females.....	122	3	1	2	28	13	15	25	2	15
4	Diagnosis reasonably certain. (M. F.)	63 87	9 3	3	2 1	3 2	1	23 9	17 4	6 5	10 15	2 6
5	White.....	222	11	3	3	4	1	79	2	53	24	39	2	20
6	Males.....	101	8	3	2	2	1	51	2	40	9	14	5
7	Females.....	121	3	1	2	28	13	15	25	2	15
8	Diagnosis reasonably certain. (M. F.)	58 86	8 3	3	2 1	2 1	19 9	15 4	4 5	10 15	2 6
9	Colored. ²	7	1	1	5	3	2
10	Males.....	6	1	1	5	3	2
11	Females.....	1
12	Diagnosis reasonably certain. (M. F.)	5 1	1	1	4	2	2
PENNSYLVANIA.																
13	Registration cities.....	3,245	139	8	38	13	65	15	1,204	4	43	767	390	392	35	231
14	Males.....	1,204	113	8	34	12	49	10	558	3	34	362	159	165	13	94
15	Females.....	2,041	26	4	1	16	5	646	1	9	405	231	227	22	137
16	Diagnosis reasonably certain. (M. F.)	610 1,343	113 25	8	34 4	12 1	49 15	10 5	125 134	1	5	87 75	28 54	97 137	5 12	34 57
17	White.....	3,104	135	8	36	13	63	15	1,152	4	40	729	379	375	34	222
18	Males.....	1,158	109	8	32	12	47	10	536	3	33	347	153	158	13	92
19	Females.....	1,946	26	4	1	16	5	616	1	7	382	226	217	21	130
20	Diagnosis reasonably certain. (M. F.)	592 1,278	109 25	8	32 4	12 1	47 15	10 5	124 129	1	4	86 72	28 53	92 130	5 11	34 53
21	Colored.....	141	4	2	2	52	3	38	11	17	1	9
22	Males.....	46	4	2	2	22	1	15	6	7	2
23	Females.....	95	30	2	23	5	10	1	7
24	Diagnosis reasonably certain. (M. F.)	18 65	4	2	2	1 5	1	3	1	5 7	1	4
25	Allentown.....	59	14	1	11	2	9	1	7
26	Males.....	13	6	5	1	2	2
27	Females.....	46	8	1	6	1	7	1	5
28	Diagnosis reasonably certain. (M. F.)	8 32	3 1	2 1	1	1
29	Erie.....	55	3	1	1	1	20	14	6	8	2	4
30	Males.....	22	3	1	1	1	11	9	2	2	1
31	Females.....	33	9	5	4	6	2	3
32	Diagnosis reasonably certain. (M. F.)	11 21	3	1	1	1	1 2	1	2	2 3	1	1
33	Harrisburg.....	57	2	2	12	5	7	11	1	8
34	Males.....	16	2	2	4	2	2	4	1	3
35	Females.....	41	8	3	5	7
36	Diagnosis reasonably certain. (M. F.)	7 32	2	2	2	3	5	2 5	3
37	Lancaster.....	55	2	2	20	1	12	7	7	2
38	Males.....	23	2	2	12	9	2	3	1
39	Females.....	32	8	1	3	2	4	1
40	Diagnosis reasonably certain. (M. F.)	10 20	2	2	2 2	1 2	1	3 3	1
41	Philadelphia.....	1,541	76	2	25	11	30	8	547	3	25	349	170	170	15	105
42	Males.....	591	62	2	22	11	23	4	256	2	22	163	69	71	5	42
43	Females.....	950	14	3	7	4	291	1	3	186	101	99	10	63
44	Diagnosis reasonably certain. (M. F.)	323 631	62 14	2	22 3	11 3	23 7	4 4	64 62	1	6	47 33	10 28	48 56	5 6	19 24
45	White.....	1,455	74	2	24	11	29	8	514	3	22	325	164	159	14	100
46	Males.....	564	60	2	21	11	22	4	243	2	21	154	66	68	5	42
47	Females.....	891	14	3	7	4	271	1	1	171	98	91	9	58
48	Diagnosis reasonably certain. (M. F.)	311 591	60 14	2	21 3	11 3	22 7	4 4	63 59	1	6	46 32	10 27	45 50	5 5	19 21

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA,
WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast. Skin.		Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and suprarenals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
17		35	3	31	1			17	4	38		3	5	3	3	6	4	3	11	1
9		35	3	31	1			17	3	25		3	3	2	3	4	2	1	7	2
8		35	3	31	1			17	3	25		3	3	2	3	4	2	1	7	2
8		34	2	31	1			17	3	18		3	1	2	3	3	1	1	6	3
8		34	2	31	1			17	3	18		3	1	2	3	3	1	1	6	4
17		34	3	30	1			17	4	38		3	5	3	3	6	4	3	11	5
9		34	3	30	1			17	3	25		3	3	2	3	4	2	1	7	6
8		34	3	30	1			17	3	25		3	3	2	3	4	2	1	7	7
8		33	2	30	1			17	3	18		3	2	1	3	2	2	2	4	6
8		33	2	30	1			17	3	18		3	2	1	3	3	1	1	6	8
		1		1						8		1	1	1	1	1	1		3	
																				9
																				10
																				11
																				12
125	1	572	32	527	12	1	369	80	489	26	20	57	34	47	73	14	33	4	181	13
58		572	32	527	12	1	8	47	318	24	7	24	14	47	58	7	21	4	107	14
67	1	572	32	527	12	1	361	33	176	2	13	33	20	15	12	12			74	15
58		561	21	527	12	1	8	47	220	24	3	14	11	20	41	4	9	4	90	16
67	1	561	21	527	12	1	361	33	92	2	3	10	10	8	2	7			50	
119		539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173	17
53		539	32	494	12	1	8	47	300	24	7	23	14	45	54	7	19	4	103	18
66		539	32	494	12	1	348	31	169	2	12	33	19	15	11	11			70	19
53		528	21	494	12	1	8	47	212	24	3	13	11	19	38	4	9	4	87	20
66		528	21	494	12	1	348	31	87	2	3	10	10	8	2	6			46	
6	1	33		33			13	2	20		1	1	1	2	4		3		8	21
5		33		33			13	2	13		1	1	1	2	4		2		4	22
1	1	33		33			13	2	8		1	1	1	1	3		1		4	23
5		33		33			13	2	5		1	1	1	1	3		1		3	24
1		13		13			11	3	9		1	2	2	2					4	25
1		13		13			11	3	5		1	2	2	2					3	26
1		13		13			11	3	5		1	2	2	2					1	27
1		13		13			11	3	3		1	1	1	2					3	28
2		6		6			7	2	9			2	1	2					4	29
1		6		6			1	6	4			1	1						2	30
1		6		6			1	6	5			1	1						2	31
1		6		6			1	6	3			1	1						2	32
2		14	1	13			8	4	6					1	1		2		2	33
2		14	1	13			8	2	4					1	1				2	34
2		14	1	13			8	2	2								2		2	35
2		14	1	13			8	2	1								1		1	36
5		6	1	5			8	1	11			3		1	2				5	37
2		6	1	5			8	1	5					1	1				3	38
3		6	1	5			8	1	6			3		1	1				2	39
2		6	1	5			8	1	2					1	1				1	40
3		6	1	5			8	1	2					1	1				1	41
49	1	268	13	247	7	1	186	33	261	13	12	37	17	20	40	9	17	2	94	41
24		268	13	247	7	1	5	20	177	12	5	20	9	20	31	6	12	2	60	42
25		268	13	247	7	1	181	13	84	1	7	17	8	9	3	5			34	43
24		264	9	247	7	1	5	20	124	12	3	11	8	8	3	5	2		50	44
25	1	264	9	247	7	1	181	13	41	1	1	8	3	3					23	
45		248	13	227	7	1	178	33	249	13	12	36	17	20	37	9	15	2	88	45
21		248	13	227	7	1	5	20	168	12	5	19	9	20	28	6	10	2	57	46
24		248	13	227	7	1	173	13	81	1	7	17	8	9	3	5			31	47
21		244	9	227	7	1	5	20	113	12	3	10	8	8	3	5	2		48	
24		244	9	227	7	1	173	13	38	1	1	8	3	3					20	48

² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
PENNSYLVANIA—continued.																
Philadelphia—Continued.																
1	Colored.....	86	2		1		1		33		3	24	6	11	1	5
2	Males.....	27	2		1		1		13		1	9	3	3		
3	Females.....	59							20		2	15	3	8	1	5
4	Diagnosis reasonably certain. (M.....)	12	2		1		1		1			1	1	3		
 (F.....)	40							3		1	1	1	6	1	3
5	Pittsburgh.....	481	20	2	6		9	3	198	1	6	129	62	51	6	25
6	Males.....	177	18	2	5		8	3	81	1	4	53	23	26	2	15
7	Females.....	304	2		1		1		117		2	76	39	25	4	10
8	Diagnosis reasonably certain. (M.....)	95	18	2	5		8	3	21		1	16	4	13		4
 (F.....)	194	2		1		1		26		2	17	7	18	3	4
9	White.....	460	19	2	6		8	3	190	1	6	122	61	51	6	25
10	Males.....	173	17	2	5		7	3	79	1	4	51	23	26	2	15
11	Females.....	287	2		1		1		111		2	71	38	25	4	10
12	Diagnosis reasonably certain. (M.....)	93	17	2	5		7	3	21		1	16	4	13		4
 (F.....)	183	2		1		1		25		2	16	7	18	3	4
13	Colored.....	21	1				1		8			7	1			
14	Males.....	4	1				1		2			2				
15	Females.....	17							6			5	1			
16	Diagnosis reasonably certain. (M.....)	2	1				1		1			1				
 (F.....)	11														
17	Reading.....	86	4		2	1	1		30		3	16	11	14	3	7
18	Males.....	36	3		2		1		20		3	8	9	7	1	3
19	Females.....	50	1			1			10			8	2	7	2	4
20	Diagnosis reasonably certain. (M.....)	11	3		2		1		1			1	4	1		1
 (F.....)	33	1			1			1			1	4	4	2	1
21	Scranton.....	85	5	1			2	2	28			23	5	16	1	14
22	Males.....	35	4	1			1	2	15			11	4	9		8
23	Females.....	50	1				1		13			12	1	7	1	6
24	Diagnosis reasonably certain. (M.....)	15	4	1			1	2	2			2	2	3		2
 (F.....)	34	1				1		2			2	2	4		4
25	Williamsport.....	50							24			18	6	9		3
26	Males.....	19							12			9	3	3		
27	Females.....	31							12			9	3	6		3
28	Diagnosis reasonably certain. (M.....)	7										3	3	3		
 (F.....)	19							4			3	1	5		2
29	Other cities.....	776	27	3	4	1	18	1	311		7	190	114	97	6	56
30	Males.....	272	19	3	4	1	11		141		4	93	44	38	4	19
31	Females.....	504	8				7	1	170		3	97	70	59	2	37
32	Diagnosis reasonably certain. (M.....)	123	19	3	4	1	11		31		2	18	11	19		4
 (F.....)	327	7				6	1	32		2	17	13	38		18
RHODE ISLAND.																
33	Registration cities.....	426	23	4	5	3	8	3	125		3	80	42	65	3	44
34	Males.....	155	20	4	5	3	7	1	55		2	40	13	30	2	20
35	Females.....	271	3				1	2	70		1	40	29	35	1	24
36	Diagnosis reasonably certain. (M.....)	86	20	4	5	3	7	1	13		2	10	1	18	1	9
 (F.....)	175	3				1	2	7			2	5	17		7
37	White.....	419	23	4	5	3	8	3	122		2	78	42	64	3	43
38	Males.....	153	20	4	5	3	7	1	55		2	40	13	29	2	19
39	Females.....	266	3				1	2	67			38	29	35	1	24
40	Diagnosis reasonably certain. (M.....)	85	20	4	5	3	7	1	13		2	10	1	18	1	9
 (F.....)	173	3				1	2	7			2	5	17		7
41	Colored.....	7							3		1	2		1		1
42	Males.....	2												1		1
43	Females.....	5							3		1	2				
44	Diagnosis reasonably certain. (M.....)	1														
 (F.....)	2														
45	Providence.....	227	8	4	1	1	2		67		3	40	24	39	2	28
46	Males.....	82	8	4	1	1	2		28		2	16	10	18	1	15
47	Females.....	145							39		1	24	14	21	1	13
48	Diagnosis reasonably certain. (M.....)	46	8	4	1	1	2		9		2	6	1	8		6
 (F.....)	94							5			2	3	13		6

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
4	1	20		20			8										6	1	
3																		2	
1	1	20		20			8										3	3	
3																		2	
1	1	20		20			8										3	3	
20		92	9	82	1		41	9	70	10	8	4	6	10	2	6	24	5	
9									47	9		1	6	10			15	6	
11		92	9	82	1		41	5	23	1	7	3		1	4	2	9	7	
9									38	9	1	1	4	7	1	2	13	8	
11		89	6	82	1		41	4	14	1	2	2		1	2	2	6	8	
20		86	9	76	1		39	8	67	10	8	3	5	10	2	5	24	9	
9									46	9		1	5	10			15	10	
11		86	9	76	1		39	3	21	1	7	2		1	4	1	9	11	
9									37	9	1	1		7	1	2	13	12	
11		83	6	76	1		39	3	13	1	2	2		1	1	1	6	12	
		6		6			2	1	3			1	1		1			13	
		6		6			2	1	1			1			1			14	
		6		6			2	1	1				1					15	
		6		6			2	1	1						1			16	
4		14		13	1		10	1	13		1	2	1		2		5	17	
3									5								1	18	
1		14		13	1		10	1	8		1	1			2		4	19	
3									2								1	20	
1		14		13	1		10	1	3			1			1		2	20	
1		13	1	12			13	1	9	1			2	2	1		3	21	
1									6	1			2	2			1	22	
1		13	1	12			12	1	3				2	2			2	23	
1		12		12			12	1	5	1			1	2			2	24	
6		7	2	5			4	1	5			1	1	1			2	25	
3									3				1	1			1	26	
3		7	2	5			4	1	2				1	1			1	27	
3									3				1	1			1	28	
3		6	1	5			4	1	3				1	1			1	28	
35		139	5	131	3		81	25	96	2	6	8	6	12	15	6	2	38	29
15									1	16								16	30
20		139	5	131	3		80	9	57	2	2	3	2	12		3	2	19	30
15									39		4	5	4		3		3	19	31
20		138	4	131	3		80	9	37	2	2	2	1	8		1	2	17	32
									23		1		3	2		2		14	32
18		80	4	73	3		54	12	67	5	1	5	1	8	10	2	3	32	33
8									42	4		4	1	8	7		2	16	34
10		80	4	73	3		54	4	25	1	1	1		3	2	1		16	35
8									27	4		3		3				13	36
10		80	4	73	3		54	4	10			1		1			7		36
18		79	4	72	3		53	12	66	5	1	5	1	8	10	2	3	31	37
8									41	4		4	1	8	7		2	15	38
10		79	4	72	3		53	4	25	1	1	1		3	2	1		16	39
8									26	4		3		3				12	40
10		79	4	72	3		53	4	10			1		1			7		40
		1		1			1		1									1	41
		1		1			1		1									1	42
		1		1			1		1									1	43
		1		1			1		1									1	44
9		39	4	35			26	5	43	3		2		7	8	1	1	21	45
2									26	3		1		7	6			9	46
7		39	4	35			26	3	17			1		2	1	1		12	47
2									19	3		1		3	3			9	48
7		39	4	35			26	3	8			1		1	1			5	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.						
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.			
REGISTRATION CITIES—Con. RHODE ISLAND—continued.																			
1	Other cities.....	199	15	4	2	6	3	58	40	18	26	1	16				
2	Males.....	73	12	4	2	5	1	27	24	3	12	1	5				
3	Females.....	126	3	1	2	31	16	15	14	11				
4	Diagnosis reasonably certain. {M {F	40 81	12 3	4	2	5 1	1 2	4 2	4	2	10 4	1	3 1				
SOUTH CAROLINA. ¹																			
5	Charleston ²	35	6	3	3	2				
6	Males.....	10	2	1	1	2				
7	Females.....	25	4	2	2	2				
8	Diagnosis reasonably certain. {M {F	7 19	4	2				
9	White.....	23	5	3	2	2				
10	Males.....	7	1	1	2				
11	Females.....	16	4	2	2	2				
12	Diagnosis reasonably certain. {M {F	6 10	2				
13	Colored.....	12	1	1				
14	Males.....	3	1	1				
15	Females.....	9				
16	Diagnosis reasonably certain. {M {F	1 9				
TENNESSEE. ¹																			
17	Registration cities.....	289	11	3	1	2	5	76	48	28	30	2	15				
18	Males.....	85	7	2	1	2	2	44	29	15	10	8				
19	Females.....	204	4	1	3	32	19	13	20	2	7				
20	Diagnosis reasonably certain. {M {F	37 160	7 4	2 1	1	2	2 3	10 8	8 5	2 3	4 14	1	2 2				
21	White.....	209	9	3	1	2	3	59	35	24	21	1	13				
22	Males.....	72	6	2	1	2	1	36	23	13	8	7				
23	Females.....	137	3	1	2	23	12	11	13	1	6				
24	Diagnosis reasonably certain. {M {F	32 102	6 3	2 1	1	2	1 2	8 7	7 4	3 3	3 7	1 1				
25	Colored.....	80	2	2	17	13	4	9	1	2				
26	Males.....	13	1	1	8	6	2	2	1				
27	Females.....	67	1	1	9	7	2	7	1				
28	Diagnosis reasonably certain. {M {F	5 58	1 1	1 1	2 1	1 1	1	1 7	1 1				
29	Memphis.....	114	6	1	1	4	36	23	13	12	1	6				
30	Males.....	37	3	1	1	1	24	14	10	3	3				
31	Females.....	77	3	3	12	9	3	9	1	3				
32	Diagnosis reasonably certain. {M {F	10 60	3 3	1	1	3 3	3 4	3 4	6	1 1				
33	White.....	86	4	1	1	2	32	19	13	10	1	6				
34	Males.....	34	2	1	1	22	12	10	3	3				
35	Females.....	52	2	2	10	7	3	7	3				
36	Diagnosis reasonably certain. {M {F	9 37	2 2	1	1	3 3	3 3	4 4	1 1				
37	Colored.....	28	2	2	4	4	2				
38	Males.....	3	1	1	2	2				
39	Females.....	25	1	1	2	2	2				
40	Diagnosis reasonably certain. {M {F	1 23	1 1	1 1	1	1	2				
41	Nashville.....	98	2	1	1	21	12	9	11	7				
42	Males.....	30	2	1	1	12	9	3	4	3				
43	Females.....	68	9	3	6	7	4				
44	Diagnosis reasonably certain. {M {F	18 55	2	1	1	4 3	2 1	2	2 4	1 1				
45	White.....	68	2	1	1	15	7	8	7	6				
46	Males.....	22	2	1	1	7	5	2	3	3				
47	Females.....	46	8	2	6	4	3				
48	Diagnosis reasonably certain. {M {F	14 34	2	1	1	2 3	1 1	1 2	1 1	1 1				

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
9		41		38	3		23	7	24	2	1	3	1	1	2	1	2	11	1
6		41		38	3		23	6	16	1		3	1	1		2		7	2
3								1	8	1	1							4	3
6		41		38	3		23	6	8	1		2	1					4	4
3								1	2									2	
2		12		12			8	1	6				2	2				2	5
2		12		12			1	1	4				1	2				1	6
2		12		12			7	1	2				1					1	7
2		12		12			1	1	3				1	2				1	8
2		7		7			4		5				2	2				1	9
2		7		7			1		3				1	2				1	10
2		7		7			3		2				1					1	11
2		7		7			1		3				1	2				1	12
2		7		7			3		3				1					1	12
2		5		5			4	1	1				2					1	13
2		5		5			4		1									1	14
2		5		5			4	1	1									1	15
2		5		5			4		1									1	16
13		98	2	94	2		21	10	43	1	2	10	1	2		1	5	21	17
2		98	2	94	2		21	4	20	1	1	4		2		1	2	9	18
11		98	2	94	2		21	6	23	1	1	6	1			3		12	19
2		98	2	94	2		21	4	12	1		2		1		1		7	20
11		98	2	94	2		21	6	9				1					8	20
7		61	1	59	1		12	8	39	1	2	9	1	2			5	19	21
1		61	1	59	1		12	4	18	1	1	4		2			2	8	22
6		61	1	59	1		12	4	21	1	1	5	1				3	11	23
1		61	1	59	1		12	4	11	1		2		1			1	6	24
6		61	1	59	1		12	4	8				1					7	24
6		37	1	35	1		9	2	4			1			1			2	25
1		37	1	35	1		9	2	2					1				1	26
5		37	1	35	1		9	2	2			1						1	26
1		37	1	35	1		9	2	1									1	27
5		37	1	35	1		9	2	1									1	27
5		36		36			8	2	14	1	1	3					2	7	29
5		36		36			8	2	7	1	1	1					1	3	30
5		36		36			8	2	7	1	1	2					1	4	31
5		36		36			8	2	3	1								2	32
3		21		21			5	1	13	1	1	2					2	1	33
3		21		21			5	1	7	1	1	1					1	3	34
3		21		21			5	1	6	1		1					1	4	35
3		21		21			5	1	3	1								2	36
2		15		15			3	1	1			1						1	37
2		15		15			3	1	1										38
2		15		15			3	1	1			1							39
4		30	2	26	2		8	6	20		1	3	1	1		1	2	11	41
1		30	2	26	2		8	3	9			2		1		1		4	42
3		30	2	26	2		8	3	11		1	1	1		1		1	7	43
1		30	2	26	2		8	3	7			1		1		1		4	44
3		30	2	26	2		8	3	7			1		1		1		6	44
1		19	1	17	1		3	5	17		1	3	1	1			2	9	45
1		19	1	17	1		3	3	7			2					1	3	46
1		19	1	17	1		3	2	10			1	1				1	6	47
1		19	1	17	1		3	3	6			1	1				1	3	48
1		19	1	17	1		3	2	6			1	1				1	5	48

* The only registration unit in the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
TENNESSEE ¹ —continued.																	
1	Nashville—Continued.	30															
	Colored.....	30															
2	Males.....	8															
3	Females.....	22															
4	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	4 21															
5	Other cities ²	77	3	1		1	1				13	6	7	1	2		
6	Males.....	18	2			1	1				6	2	3		2		
7	Females.....	59	1	1							7	4	4	1			
8	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	9 45	2 1			1	1				3	3	1	4	1		
9	White.....	55	3	1		1	1				9	3	4		1		
10	Males.....	16	2			1	1				6	1	2		1		
11	Females.....	39	1	1							3	2	2				
12	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	9 31	2 1			1	1				3	3	1	2			
13	Colored.....	22									4	3	3	1	1		
14	Males.....	2									1	1	1		1		
15	Females.....	20									4	2	2	1			
16	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	2 14											2	1			
TEXAS, ¹																	
17	Registration cities.....	181	7		1	2	4				1	29	22	4	9		
18	Males.....	74	6		1	2	3				1	16	12	9	2	3	
19	Females.....	107	1			1	1					13	10	13	2	6	
20	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	46 74	6 1			1	2	3				4	5	7	1	2	
21	White.....	170	7		1	2	4				1	27	21	22	4	9	
22	Males.....	70	6		1	2	3					1	16	11	9	2	3
23	Females.....	100	1			1	1					11	10	13	2	6	
24	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	44 68	6 1			1	2	3				4	5	7	1	2	
25	Colored.....	11										2	1	7	2		
26	Males.....	4											1				
27	Females.....	7										2					
28	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	2 6															
29	Galveston.....	52	3			2	1					5	9	4	1		
30	Males.....	28	3			2	1					3	4	2	1		
31	Females.....	24										2	5	2			
32	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	17 17	3			2	1					2	2	1			
33	White.....	45	3			2	1					5	8	4	1		
34	Males.....	21	3			2	1					3	3	2	1		
35	Females.....	21										2	5	2			
36	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	15 14	3			2	1					2	2	1			
37	Colored.....	7											1	2			
38	Males.....	4															
39	Females.....	3											1				
40	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	2 3															
41	San Antonio.....	81	3				3					16	7	11	3	4	
42	Males.....	29	2				2					8	4	4	1	1	
43	Females.....	52	1				1					8	3	7	2	3	
44	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	19 36	2 1				2					1	2	4	1	1	
45	White.....	77	3				3					14	7	11	3	4	
46	Males.....	29	2				2					8	4	4	1	1	
47	Females.....	48	1				1					6	3	7	2	3	
48	Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right.$	19 33	2 1				2					1	2	4	1	1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
3		11	1	9	1		5	1	3									2	1
1									2									1	2
2		11	1	9	1		5	1	1									1	3
1									1									1	4
2		11	1	9	1		5	1	1									1	4
4		32		32			5	2	9			4		1			1	3	5
1									4									2	6
3		32		32			5	1	5			1					1	1	7
1									2									1	8
3		32		32			5	1	2			1						1	8
3		21		21			4	2	9			4		1			1	3	9
1									4									2	10
2		21		21			4	1	4			1					1	1	11
1									5									1	12
2		21		21			4	1	2			1						1	12
1		11		11			1		1										13
1		11		11			1												14
1		11		11			1												15
9		41	2	37	2		13	6	40	2	1	4	6	4	4		1	18	17
4									2										18
5		41	2	37	2		13	2	28	1	1	1	3	4	3		1	14	18
4									12	1			3	1	1			4	19
5		39		37	2		13	4	22	1	1		2	2	3		1	11	20
9		37	2	33	2		13	5	7	1		2	1					3	20
4									37	2	1	3	6	3	4		1	17	21
5		37	2	33	2		13	5	37	2	1	3	6	3	4		1	17	21
4									26	1	1	1	3	3			1	13	22
5		37	2	33	2		13	4	11	1		2	3	3			1	4	22
5		35		33	2		13	4	21	1	1	1	3	2	3		1	10	23
									6			1	2	2				3	24
		4		4				1	3			1						1	25
									2									1	26
		4		4				1	1			1						1	26
		4		4				1	1			1						1	27
		4		4				1	1			1						1	28
3		8	1	6	1		5	3	14	1		1	2	2	1		1	6	29
1									13	1		1	1	2	1		1	6	30
2		8	1	6	1		5	2	1			1	1	1			1	6	31
1									9	1		1	1				1	4	32
2		7		6	1		5	1	7					1				4	32
3		5	1	3	1		5	2	12	1		1	2	1	1		1	5	33
1									11	1		1	1	1			1	5	34
2		5	1	3	1		5	1	1			1	1	1			1	5	34
1									8	1		1	1				1	3	35
2		4		3	1		5	1	8			1	1				1	3	36
		3		3					2									1	37
									2					1				1	37
		3		3				1	2					1				1	38
									1									1	39
		3		3				1	1									1	40
4		19	1	17	1		5	2	18			3	3	1	2			9	41
2									11				1	1				7	42
2		19	1	17	1		5	2	7			3	1	2				2	43
2									10				1	1				6	44
2		18		17	1		5	2	5			2		2				6	44
4		18	1	16	1		5	2	17			2	3	1	2			9	45
2									11				1	1				7	46
2		18	1	16	1		5	2	6			2	2	1	2			2	47
2									10				1	1				6	47
2		17		16	1		5	2	4			1	1				2	6	48

² Includes Chattanooga, Jackson, and Knoxville.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.
REGISTRATION CITIES—Con.															
TEXAS ¹ —continued.															
1	San Antonio—Continued.														
	Colored.....	4							2			2			
2	Males.....														
3	Females.....	4							2			2			
4	Diagnosis reasonably certain. {M F}	3							1			1			
5	El Paso ²	48	1		1				14			8	6	7	5
6	Males.....	17	1		1				9			5	4	3	2
7	Females.....	31							5			3	2	4	3
8	Diagnosis reasonably certain. {M F}	10	1		1				4			3	1	2	1
	21													1	
UTAH.															
9	Registration cities.....	93	2				2		45		1	39	5	8	4
10	Males.....	45	2				2		26		1	21	4	3	2
11	Females.....	48							19			18	1	5	2
12	Diagnosis reasonably certain. {M F}	29	2				2		12			10	2	1	
	32								5			5		4	1
13	White.....	88	2				2		40			35	5	8	4
14	Males.....	42	2				2		23			19	4	3	2
15	Females.....	46							17			16	1	5	2
16	Diagnosis reasonably certain. {M F}	28	2				2		11			9	2	1	
	32								5			5		4	1
17	Colored.....	5							5		1	4			
18	Males.....	3							3			2			
19	Females.....	2							2		1	2			
20	Diagnosis reasonably certain. {M F}	1							1			1			
21	Salt Lake City.....	71	2				2		31			26	5	7	4
22	Males.....	32	2				2		17			13	4	2	2
23	Females.....	39							14			13	1	5	2
24	Diagnosis reasonably certain. {M F}	21	2				2		8			6	2		
	27								4			4		4	1
25	Ogden ³	22							14		1	13		1	
26	Males.....	13							9		1	8		1	
27	Females.....	9							5			5			
28	Diagnosis reasonably certain. {M F}	8							4			4		1	
	5								1			1			
VERMONT.															
29	Registration cities.....	73	3	2		1			28			23	5	12	6
30	Males.....	29	2	1		1			11			9	2	8	5
31	Females.....	44	1	1					17			14	3	4	1
32	Diagnosis reasonably certain. {M F}	19	2	1		1			4			4		6	3
	25		1	1					1			1		3	
33	White.....	72	3	2		1			28			23	5	12	6
34	Males.....	28	2	1		1			11			9	2	8	5
35	Females.....	44	1	1					17			14	3	4	1
36	Diagnosis reasonably certain. {M F}	13	2	1		1			4			4		6	3
	25		1	1					1			1		3	
37	Colored.....	1													
38	Males.....	1													
39	Females.....														
40	Diagnosis reasonably certain. {M F}	1													
VIRGINIA.															
41	Registration cities.....	304	7	2	2		2	1	78		2	47	29	29	21
42	Males.....	101	4	2			1	1	42		1	24	17	11	8
43	Females.....	203	3		2				36		1	23	12	18	13
44	Diagnosis reasonably certain. {M F}	62	4	2			1	1	12			7	5	10	7
	143		3		2		1		4			3	1	8	3

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; shown in order to complete the state.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
		1		1															1
		1		1															2
		1		1															3
		1		1															4
2		14		14			3	1											5
1		14		14			3	1											6
1		14		14			3	1											7
1		14		14			3	1											8
4		15		14	1		5	5											9
1		15		14	1		5	3											10
3		15		14	1		5	2											11
1		15		14	1		5	2											12
3		15		14	1		5	5											13
1		15		14	1		5	3											14
3		15		14	1		5	2											15
3		15		14	1		5	3											16
																			17
																			18
																			19
																			20
3		13		12	1		4	4											21
		13		12	1		4	2											22
3		13		12	1		4	2											23
3		13		12	1		4	2											24
1		2		2			1	1											25
1		2		2			1	1											26
1		2		2			1	1											27
		2		2			1	1											28
6		10		8	2		7	1											29
3		10		8	2		7	1											30
3		10		8	2		7	1											31
3		10		8	2		7	1											32
6		10		8	2		7	1											33
3		10		8	2		7	1											34
3		10		8	2		7	1											35
3		10		8	2		7	1											36
																			37
																			38
																			39
																			40
8		91	3	86	1	1	28	9											41
3		91	3	86	1	1	28	7											42
5		91	3	86	1	1	28	2											43
3		90	2	86	1	1	28	7											44
5		90	2	86	1	1	28	2											45

* The only other city of 10,000 inhabitants or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.															
VIRGINIA—continued.															
Registration cities—Continued.															
1	White.....	216	7	2	2	2	1	61		2	35	24	24		17
2	Males.....	86	4	2			1	36		1	20	15	10		7
3	Females.....	130	3		2		1	25		1	15	9	14		10
4	Diagnosis reasonably certain. (M. F.)	53 90	4 3	2	2		1 1	11 3			7 3	4	10 7		7 3
5	Colored.....	88						17			12	5	5		4
6	Males.....	15						6			4	2	1		1
7	Females.....	73						11			8	3	4		3
8	Diagnosis reasonably certain. (M. F.)	9 53						1 1			1 1	1	1		
9	Richmond.....	127	3		1		1	35			22	13	13		9
10	Males.....	48	1				1	19			13	6	6		5
11	Females.....	79	2		1		1	16			9	7	7		4
12	Diagnosis reasonably certain. (M. F.)	31 55	1 2		1		1	4 3			3 2	1	5 4		4 1
13	White.....	89	3		1		1	26			16	10	10		6
14	Males.....	40	1				1	16			11	5	5		4
15	Females.....	49	2		1		1	10			5	5	5		2
16	Diagnosis reasonably certain. (M. F.)	27 37	1 2		1		1	4 2			3 2	1	5 4		4 1
17	Colored.....	38						9			6	3	3		3
18	Males.....	8						3			2	1	1		1
19	Females.....	30						6			4	2	2		2
20	Diagnosis reasonably certain. (M. F.)	4 18						1				1			
21	Other cities.....	177	4	2	1		1	43		2	25	16	16		12
22	Males.....	53	3	2			1	23		1	11	11	5		3
23	Females.....	124	1		1		1	20		1	14	5	11		9
24	Diagnosis reasonably certain. (M. F.)	31 88	3 1	2	1		1	3 1			4 1	4	5 4		3 2
25	White.....	127	4	2	1		1	35		2	19	14	14		11
26	Males.....	46	3	2			1	20		1	9	10	5		3
27	Females.....	81	1		1		1	15		1	10	4	9		8
28	Diagnosis reasonably certain. (M. F.)	26 53	3 1	2	1		1	7 1			4 1	3	5 3		3 2
29	Colored.....	50						8			6	2	2		1
30	Males.....	7						3			2	1			
31	Females.....	43						5			4	1	2		1
32	Diagnosis reasonably certain. (M. F.)	5 35						1				1	1		
WASHINGTON.															
33	Registration cities.....	499	13	4	4		5	212		5	162	45	65	6	39
34	Males.....	251	13	4	4		5	140		4	108	28	31	2	18
35	Females.....	248						72		1	54	17	34	4	21
36	Diagnosis reasonably certain. (M. F.)	148 183	13	4	4		5	59 28		2	47 20	10 7	26 25	2 3	13 13
37	White.....	497	12	4	3		5	211		5	161	45	65	6	39
38	Males.....	249	12	4	3		5	139		4	107	28	31	2	18
39	Females.....	248						72		1	54	17	34	4	21
40	Diagnosis reasonably certain. (M. F.)	147 183	12	4	3		5	59 28		2 1	47 20	10 7	26 25	2 3	13 13
41	Colored.....	2	1		1			1			1				
42	Males.....	2	1		1			1			1				
43	Females.....														
44	Diagnosis reasonably certain. (M. F.)	1	1		1										
45	Seattle.....	221	10	2	4		4	90		2	67	21	28	3	15
46	Males.....	115	10	2	4		4	63		2	48	13	16	2	7
47	Females.....	106						27			19	8	12	1	8
48	Diagnosis reasonably certain. (M. F.)	74 78	10	2	4		4	31 8		1	25 5	5 3	15 9	2 1	6 5

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.								Other organs or of organs not specified.									
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
7		49	3	44	1	1	20	6	49	4		5	3	6	4			1	26
3		49	3	44	1	1	20	5	31	2		4	3	6	2			1	16
4		49	3	44	1	1	20	5	18	2		1	3	2					10
3		48	2	44	1	1	20	5	23	2		2	1	3				1	15
4		48	2	44	1	1	20	5	8	2			1						5
1		42		42			8	3	13		1	3	1	1	2		1		4
								2	6			1	1	1	1				2
1		42		42			8	1	7			2	1	1	1		1		2
1		42		42			8	1	6			1	1	1	1		1		2
																			8
4		28	3	25			14	5	29	3	1	3		5	2			1	14
1								5	17	2				5	1			1	7
3		28	3	25			14	5	12	1	1	2		1	1				11
1									16	2		1		4	1			1	7
3		27	2	25			14	5	5	1									12
4		13	3	10			12	3	22	3		1		4	1			1	13
1								3	15	2		1		4				1	14
3		13	3	10			12	3	7						1				15
1									14	2		1		3				1	7
3		12	2	10			12	3	5	1									16
		15		15			2	2	7			2		1	1				2
								2	2										17
		15		15			2	2	2			1		1	1				18
		15		15			2	2	2					1	1				19
																			20
4		63		61	1	1	14	4	33	1		5	4	2	4		1		16
								2	20				1	2					21
2		63		61	1	1	14	2	13	1		4	1	2	2				22
2								2	12			1	3		2				23
2		63		61	1	1	14	2	13			2	1				1		24
									3	1			1						25
3		36		34	1	1	8	3	27	1		4	3	2	3				14
								2	16			3		2	2				26
2		36		34	1	1	8	1	11	1		1	3	1					27
1								1	9										28
1		36		34	1	1	8	1	3	1		1	1						28
																			1
1		27		27			6	1	6			1	1		1		1		2
																			29
									4			1	1						2
1		27		27			6	1	2			1	1		1		1		30
									4										31
									4										2
																			32
20		68	9	59			42	11	88	5	1	6	9	10	14	1	6		36
								8	59	4	1	5	6	10	8				22
11		68	9	59			42	3	29	1		1	3	6	1		3		34
9								8	42	4		5	1	6	6		3		14
11		67	8	59			42	3	18	4		2	1	5	5		2		35
9										1			2	6	5		1		19
20		68	9	59			42	11	88	5	1	6	9	10	14	1	6		36
																			8
11		68	9	59			42	8	59	4	1	5	6	10	8		3		22
9								3	20	1		1	3	6	6		3		14
11		67	8	59			42	3	42	4		5	1	6	5		2		39
9									18	1			2	6	5		1		19
													1				1		8
																			41
																			42
																			43
																			44
10		30	4	26			21	4	38	3		4	4	2	8		2		15
								2	24	2		3	3	2	5		1		8
7		30	4	26			21	2	14	1		1	1	5		1			46
3								2	16	2		1	1	2					47
7								2	16	1		1	1	2					7
3		29	3	26			21	2	9	1			1	2	2		1		48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
WASHINGTON—continued.																	
1	Spokane.....	102	1				1		44			2	33	9	9		7
2	Males.....	43	1				1		24		1	13	5	4		3	
3	Females.....	59							20		1	15	4	5		4	
4	Diagnosis reasonably certain. {M.....	24	1				1		10		1	6	3	3		2	
	{F.....	49							14		1	10	3	3		2	
5	Tacoma.....	84	1	1					37			31	6	17	3	10	
6	Males.....	45	1	1					22			20	2	8		5	
7	Females.....	39							15			11	4	9	3	3	
8	Diagnosis reasonably certain. {M.....	23	1	1					5			4	1	6		5	
	{F.....	23							4			3	1	6	2	3	
9	Other cities.....	92	1	1					41		1	31	9	11		7	
10	Males.....	48	1	1					31		1	22	8	3		3	
11	Females.....	44							10			9	1	8		4	
12	Diagnosis reasonably certain. {M.....	27	1	1					13			12	1	2		2	
	{F.....	33							2			2		7		3	
WEST VIRGINIA. ¹																	
13	Wheeling ²	46	1				1		13		1	7	5	8	1	6	
14	Males.....	14	1				1		5		1	4		3		2	
15	Females.....	32							8			3	5	5	1	4	
16	Diagnosis reasonably certain. {M.....	9	1				1		2		1	1		2		2	
	{F.....	23							3			1	2	3	1	1	
17	White.....	45	1				1		13		1	7	5	8	1	6	
18	Males.....	14	1				1		5		1	4		3		2	
19	Females.....	31							8			3	5	5	1	4	
20	Diagnosis reasonably certain. {M.....	9	1				1		2		1	1		3		2	
	{F.....	22							3			1	2	2	1	1	
21	Colored ²	1															
22	Males.....																
23	Females.....	1															
24	Diagnosis reasonably certain. {M.....																
	{F.....	1															
WISCONSIN.																	
25	Registration cities.....	712	27	3	9	1	11	3	321		12	206	103	90	1	61	
26	Males.....	315	25	2	9	1	10	3	165		8	116	41	43	1	23	
27	Females.....	397	2	1			1		158		4	90	62	47		38	
28	Diagnosis reasonably certain. {M.....	151	25	2	9	1	10	3	37		1	30	6	31		12	
	{F.....	244	2	1			1		39		2	16	21	24		15	
29	White.....	710	27	3	9	1	11	3	321		12	206	103	90	1	61	
30	Males.....	315	25	2	9	1	10	3	165		8	116	41	43	1	23	
31	Females.....	395	2	1			1		156		4	90	62	47		38	
32	Diagnosis reasonably certain. {M.....	151	25	2	9	1	10	3	37		1	30	6	31		12	
	{F.....	243	2	1			1		39		2	16	21	24		15	
33	Colored.....	2															
34	Males.....																
35	Females.....	2															
36	Diagnosis reasonably certain. {M.....																
	{F.....	1															
37	Milwaukee.....	291	10	1	5		3	1	136		5	80	51	35		21	
38	Males.....	133	8		5		2	1	75		4	49	22	22		12	
39	Females.....	158	2	1			1		61		1	31	29	13		9	
40	Diagnosis reasonably certain. {M.....	55	8		5		2	1	14		1	10	3	15		5	
	{F.....	96	2	1			1		9		1	3	5	9		5	
41	Other cities.....	421	17	2	4	1	8	2	185		7	126	52	55	1	40	
42	Males.....	182	17	2	4	1	8	2	90		4	67	19	21	1	11	
43	Females.....	239							95		3	59	33	34		29	
44	Diagnosis reasonably certain. {M.....	96	17	2	4	1	8	2	23			20	3	16		7	
	{F.....	148							30		1	13	16	15		10	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only registration unit in the state.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
2		18	2	16			9	2	19			1	1	5	4		3		5	1
1		18	2	16			9	1	13			1	1	5	1		2		4	2
1		18	2	16			9	1	6					3			1		1	3
1		18	2	16			9	1	9			1		4	1		1		3	4
4		3		3			8	1	4					3			1		3	4
4		3		3			8	1	17	1	1	1	3	2					9	5
3		3		3			8	1	13	1	1	1	2	2					6	6
1		3		3			8	1	10	1		1	1						3	7
3		3		3			8	1	10	1		1	1						6	8
1		3		3			8	1	2			1							2	8
4		17	3	14			4	4	14	1		1	1	2	1	1			7	9
4		17	3	14			4	4	9	1		1	1	2		1			4	10
4		17	3	14			4	4	5			1		2	1	1			3	11
4		17	3	14			4	4	7	1				2		1			3	12
4		17	3	14			4	4	3			1			1				1	12
1		9	1	8			7	1	7			1		2					4	13
1		9	1	8			7	1	4			1		2					1	14
1		9	1	8			6	1	3					1					3	15
1		9	1	8			6	1	2					1					1	16
1		8	1	7			7	1	2			1							2	16
1		8	1	7			7	1	7			1		2					4	17
1		8	1	7			6	1	4					2					1	18
1		8	1	7			6	1	3			1		2					3	19
1		8	1	7			6	1	2					1					1	20
1		8	1	7			6	1	2					1					1	20
1		8	1	7			6	1	2					1					2	20
1		1		1																21
1		1		1																22
1		1		1																23
1		1		1																24
28		100	11	83	6		60	15	99	4	5	6	12	11	16		6	3	36	25
19		100	11	83	6		59	10	71	4	3	4	7	11	13		4	3	22	26
9		100	11	83	6		59	5	28		2	2	5	11	3		2	3	14	27
19		97	8	83	6		59	10	47	4	1	3	3	6	7		3	3	17	28
9		97	8	83	6		59	5	18		1	1	4	1	1		2	2	10	28
28		99	11	82	6		60	15	98	4	4	6	12	11	16		6	3	36	29
19		99	11	82	6		59	10	71	4	3	4	7	11	13		4	3	22	30
9		99	11	82	6		59	5	27		1	2	5	11	3		2	3	14	31
19		96	8	82	6		59	10	47	4	1	3	3	6	7		3	3	17	32
9		96	8	82	6		59	5	18		1	1	3	1	1		2	2	10	32
1		1		1					1			1								33
1		1		1					1			1								34
1		1		1					1			1								35
1		1		1					1			1								36
14		38	8	29	1		30	4	38	1	3	2	3	3	8		2	2	14	37
10		38	8	29	1		30	3	25	1	2	1	2	3	5		2	2	7	38
4		38	8	29	1		30	1	13		1	1	1	3	3		2	2	7	39
10		36	6	29	1		30	3	15	1	1	1	1	1	2		1	2	6	40
4		36	6	29	1		30	1	9			1	1	1	1				6	40
14		62	3	54	5		30	11	61	3	2	4	9	8	8		4	1	22	41
9		62	3	54	5		29	7	46	3	1	3	5	8	8		2	1	15	42
5		62	3	54	5		29	4	15		1	1	4	5	5		2	1	7	43
9		62	3	54	5		29	7	32	3		1	4	5	5		2	1	11	43
5		61	2	54	5		29	4	9			3	3	5	5		2	1	4	44

* Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES. ¹																
CALIFORNIA.																
1	Total.....	947	56	8	11	29	8	382		9	276	97	117	5	69	
2	Males.....	496	48	8	9	25	6	243		8	185	50	69	3	38	
3	Females.....	451	8		2	4	2	139		1	91	47	48	2	31	
4	Diagnosis reasonably certain. (M. F.)	267	48	8	9	25	6	66		3	47	16	44	3	13	
		320	8		2	4	2	36		1	19	16	30	2	14	
5	White.....	929	55	8	11	29	7	369		8	268	93	117	5	69	
6	Males.....	483	47	8	9	25	5	233		7	179	47	69	3	38	
7	Females.....	446	8		2	4	2	136		1	89	46	48	2	31	
8	Diagnosis reasonably certain. (M. F.)	259	47	8	9	25	5	61		2	45	14	44	3	13	
		317	8		2	4	2	35		1	19	15	30	2	14	
9	Colored.....	18	1				1	13		1	8	4				
10	Males.....	13	1				1	10			6	3				
11	Females.....	5						3			2	1				
12	Diagnosis reasonably certain. (M. F.)	8	1				1	5		1	2	2				
		3						1			1	1				
13	Los Angeles County.....	161	11		2	7	2	68			3	41	24	20	1	12
14	Males.....	69	8		1	5	2	37			2	21	14	9	1	6
15	Females.....	92	3		1	2		31			1	20	10	11		6
16	Diagnosis reasonably certain. (M. F.)	32	8		1	5	2	7			1	4	2	7	1	4
		60	3		1	2		7			1	3	3	6		2
17	Santa Clara County.....	78	7	1	2	3	1	29		3	17	9	11	2	7	
18	Males.....	39	6	1	2	3		18		3	12	3	6		4	
19	Females.....	39	1				1	11			5	6	5	2	3	
20	Diagnosis reasonably certain. (M. F.)	19	6	1	2	3		5		1	4		3		1	
		26	1				1	1				1	4	2	2	
21	Sonoma County.....	63	1			1		28			21	7	6		5	
22	Males.....	29	1			1		18			14	4	6		5	
23	Females.....	34						10			7	3				
24	Diagnosis reasonably certain. (M. F.)	12	1			1		3			1	2	4		3	
		24						1			1					
25	Other rural districts.....	645	37	7	7	18	5	257		3	197	57	80	2	45	
26	Males.....	359	33	7	6	16	4	170		3	138	29	48	2	23	
27	Females.....	286	4		1	2	1	87			59	28	32		22	
28	Diagnosis reasonably certain. (M. F.)	204	33	7	6	16	4	51		1	38	12	30	2	5	
		210	4		1	2	1	27			15	12	20		10	
COLORADO.																
29	Total.....	237	5	2	1	2		127			82	45	26	2	13	
30	Males.....	109	5	2	1	2		72			51	21	12	2	5	
31	Females.....	128						55			31	24	14		8	
32	Diagnosis reasonably certain. (M. F.)	57	5	2	1	2		26			20	6	8		3	
		78						14			6	8	9		3	
33	White.....	236	5	2	1	2		127			82	45	26	2	13	
34	Males.....	109	5	2	1	2		72			51	21	12	2	5	
35	Females.....	127						55			31	24	14		8	
36	Diagnosis reasonably certain. (M. F.)	57	5	2	1	2		26			20	6	8		3	
		77						14			6	8	9		3	
37	Colored.....	1														
38	Males.....	1														
39	Females.....	1														
40	Diagnosis reasonably certain. (M. F.)	1														
		1														
CONNECTICUT.																
41	Total.....	323	17	1	6	9		99		2	61	36	51	3	37	
42	Males.....	123	12		4	7		44			33	11	22	1	14	
43	Females.....	200	5	1	2	2		55		2	28	25	29	2	23	
44	Diagnosis reasonably certain. (M. F.)	63	12		4	7		8			7	1	10		3	
		122	5	1	2	2		5			1	4	12	1	7	
45	White.....	323	17	1	6	9		99		2	61	36	51	3	37	
46	Males.....	123	12		4	7		44			33	11	22	1	14	
47	Females.....	200	5	1	2	2		55		2	28	25	29	2	23	
48	Diagnosis reasonably certain. (M. F.)	63	12		4	7		8			7	1	10		3	
		122	5	1	2	2		5			1	4	12	1	7	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.		
42	1	114	4	106	3	1	99	49	130	6	3	11	7	16	13	2	3	2	67	1	
28	1	114	4	106	3	1	96	41	92	5	3	6	2	16	9	2	2	47	2		
14	1	114	4	106	3	1	96	41	33	1	5	5	5	4	2	1	2	20	3		
28		113	3	106	3	1	96	41	65	5	1	5	4	6	3	1	2	42	4		
14		113	3	106	3	1	96	41	29	1	5	4	1	1	1	1	1	17			
42	1	114	4	106	3	1	97	49	128	5	3	10	7	16	13	2	3	2	67	5	
28	1	114	4	106	3	1	94	41	90	4	3	5	2	16	9	2	2	47	6		
14	1	114	4	106	3	1	94	41	38	1	5	5	2	4	2	1	2	20	7		
28		113	3	106	3	1	94	41	63	4	1	4	5	6	3	1	2	42	8		
14		113	3	106	3	1	94	41	29	1	5	4	1	1	1	1	1	17			
							2		2	1		1							9		
							2		2										10		
							2		2	1		1							11		
							2		2	1		1							12		
6	1	20		19	1		18	4	20				3	5	3	1			8	13	
2							1	3	11				1	5	2				5	14	
4	1	20		19	1		17	1	9			2	2	1	1				3	15	
2							1	3	6				2	1					3	16	
4		20		19	1		17	1	6				2	1					3		
2		10		9		1	7	1	13	2	1	2	1	2	1				4	17	
2							1	1	8	1	1	1		2					3	18	
2		10		9		1	6	1	5	1		1		1					1	19	
							1	1	4	1									3	20	
		10		9		1	6	1	3	1		1							1		
1		9		9			12	1	6										6	21	
1							12	1	4										4	22	
1		9		9			12	1	4										2	23	
							12	1	1										4	24	
		9		9			12	1	1										1		
33		75	4	69	2		62	43	91	4	2	9	3	9	9	1	3	2	49	25	
23							1	38	69	4	2	5	1	9	7		2	2	37	26	
10		75	4	69	2		61	5	22	4	1	4	2	4	2	1	1	2	12	27	
23							1	38	51	4		5		4				2	32	28	
10		74	3	69	2		61	5	19			4	2		1			1	12		
11		30		27	3		19	6	24	1	2	3	1	4			1	1	11	29	
5							1	4	15	1		3		4			1	1	5	30	
6		30		27	3		18	2	9		2		1						6	31	
5							1	4	13	1		2		4				1	5	32	
6		30		27	3		18	2	5		1		1						3		
11		30		27	3		19	5	24	1	2	3	1	4			1	1	11	33	
5							1	4	15	1		3		4			1	1	5	34	
6		30		27	3		18	1	9		2		1						6	35	
5							1	4	13	1		2		4				1	5	36	
6		30		27	3		18	1	5		1		1						3		
																					37
																					38
																					39
																					40
11		41	2	36	2	1	48	12	55	3	2	3	2	7	8		1		29	41	
7																					
4		41	2	36	2	1	48	10	35	2		1	1	7	4		1		19	42	
7									20	1	2	2	1	4	4				10	43	
4		40	2	36	2		48	10	23	2		1		2	2		1		15	44	
									10	1		1		2	2				6		
11		41	2	36	2	1	48	12	55	3	2	3	2	7	8		1		29	45	
7																					
4		41	2	36	2	1	48	10	35	2		1	1	7	4		1		19	46	
7									20	1	2	2	1	4	4				10	47	
4		40	2	36	2		48	10	23	2		1		2	2		1		15	48	
									10	1		1		2	2				6		

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 83.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
CONNECTICUT—continued.															
1 Hartford County.....	76	5		1		4				1	14	11	11		9
2 Males.....	27	4		1		3				6	5	3	3		2
3 Females.....	49	1				1				8	6	8	8		7
4 Diagnosis reasonably certain.....	16	4		1		3				2	1	2	2		1
	31	1				1					3	5	5		4
5 Other rural districts.....	247	12	1	5	1	5			1	47	25	40	40	3	28
6 Males.....	96	8		3	1	4				27	6	19	19	1	12
7 Females.....	151	4	1	2		4			1	20	19	21	21	2	16
8 Diagnosis reasonably certain.....	47	8		3	1	4				5	5	8	8		2
	91	4	1	2		1				1	1	7	7	1	3
INDIANA.															
9 Total.....	1,434	74	19	8	11	31	5		2	4	351	237	132	7	79
10 Males.....	578	60	17	7	7	25	4		2	3	172	93	63	3	29
11 Females.....	856	14	2	1	4	6	1			1	179	144	69	4	50
12 Diagnosis reasonably certain.....	303	60	17	7	7	25	4		1		28	21	49	3	15
	517	14	2	1	4	6	1			1	30	26	30	2	13
13 White.....	1,423	74	19	8	11	31	5		2	4	350	237	130	7	79
14 Males.....	574	60	17	7	7	25	4		2	3	172	93	63	3	29
15 Females.....	849	14	2	1	4	6	1			1	178	144	67	4	50
16 Diagnosis reasonably certain.....	301	60	17	7	7	25	4		1		28	21	49	3	15
	511	14	2	1	4	6	1			1	30	26	28	2	13
17 Colored.....	11										1		2		
18 Males.....	4														
19 Females.....	7										1		2		
20 Diagnosis reasonably certain.....	2												2		
	6														
KANSAS.															
21 Total.....	813	50	24	5	1	16	4			4	214	120	78	6	56
22 Males.....	393	45	23	4	1	14	3			4	133	53	45	3	32
23 Females.....	420	5	1	1		2	1				81	67	33	3	24
24 Diagnosis reasonably certain.....	195	45	23	4	1	14	3			2	38	11	22	2	10
	248	5	1	1		2	1				8	16	14	3	5
25 White.....	801	50	24	5	1	16	4			4	210	119	78	6	56
26 Males.....	388	45	23	4	1	14	3			4	130	52	45	3	32
27 Females.....	413	5	1	1		2	1				80	67	33	3	24
28 Diagnosis reasonably certain.....	193	45	23	4	1	14	3			2	37	11	22	2	10
	242	5	1	1		2	1				8	16	14	3	5
29 Colored.....	12										4	1			
30 Males.....	5														
31 Females.....	7										3	1			
32 Diagnosis reasonably certain.....	2										1				
	6														
KENTUCKY.															
33 Total.....	753	45	10	5	17	9	4				152	95	70	2	43
34 Males.....	279	37	9	4	13	7	4				73	45	32		17
35 Females.....	474	8	1	1	4	2					79	50	38	2	26
36 Diagnosis reasonably certain.....	123	37	9	4	13	7	4				6	7	14		4
	294	8	1	1	4	2					6	6	14		
37 White.....	668	44	10	5	16	9	4				139	82	62	2	37
38 Males.....	260	37	9	4	13	7	4				66	41	30		15
39 Females.....	408	7	1	1	3	2					73	41	32	2	22
40 Diagnosis reasonably certain.....	119	37	9	4	13	7	4				5	7	14		4
	249	7	1	1	3	2					6	4	12		
41 Colored.....	85	1			1						13	13	8		6
42 Males.....	19										7	4	2		2
43 Females.....	66	1			1						6	9	6		4
44 Diagnosis reasonably certain.....	4										1				
	45	1			1						2	2	2		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.		
2		6		5	1		13	4	11				1	1				6	1		
1									6				1					5	2		
1		6		5	1		13	3	5				1				1	4	3		
1								3	4									4	4		
1		6		5	1		13	1	2				1					2	5		
9		35	2	31	1	1	35	8	44	3		2	2	6	7		1	23	5		
6								7	29									14	6		
3		35	2	31	1	1	35	1	15	2		1	1	6	4		1	9	7		
6								7	19	2					3			9	8		
3		34	2	31	1		35	1	8	1				2	1		1	11	8		
																		6			
45	1	205	10	190	3	2	145	112	172	6	5	17	14	11	26	2	4	1	86	9	
31							2	81	102	4	2	8	8	11	14		3	1	50	10	
14	1	205	10	190	3	2	143	31	70	2	3	9	6	1	12	1	1	1	36	11	
31							2	81	61	4	2	2	4	5	4		1	1	38	12	
14	1	202	8	190	3	1	143	31	40	2	1	3	2	2	3			29	13		
43	1	202	10	187	3	2	145	112	167	6	5	16	13	11	26	2	3	1	84	13	
31							2	81	98	4	2	8	7	11	14		2	1	48	14	
12	1	202	10	187	3	2	143	31	69	2	3	8	6	1	12	1	1	1	36	15	
31							2	81	59	4	2	2	3	5	4			1	38	15	
12	1	199	8	187	3	1	143	31	39	2	1	2	2	3	3			29	16		
2		3		3					5			1	1				1		2	17	
2		3		3					4			1	1				1		2	18	
									1											19	
2		3		3					2			1	1				1			20	
									1												
16		95	7	86	2		85	36	131		1	5	6	12	12	1	12	3	79	21	
10							2	29	82			3	3	10		9	3	40	22		
6		95	7	86	2		83	7	49		1	2	2	2	1	3	3	39	23		
10							2	29	46			2	2	3	6		3	26	24		
6		93	6	85	2		83	7	22			2	2	1	1	2	15	15			
16		91	7	82	2		83	36	130		1	5	6	12	12	1	12	3	78	25	
10							2	29	81		1	3	3	10		9	3	39	26		
6		91	7	82	2		81	7	49			2	3	2	2	1	3	39	27		
10							2	29	45		1	2	2	3	6		3	25	28		
6		89	6	81	2		81	7	22			2	2	1	1	2	15	15			
		4		4			2		1									1	1	29	
		4		4			2		1									1	1	30	
		4		4			2		1									1	1	32	
25		143	5	129	8	1	82	46	120	2	1	7	12	6	7	3	5	2	75	33	
15							2	30	60	1		4	5	6	5		2	37	34		
10		143	5	129	8	1	80	16	60	1	1	3	7	2	3		5	2	38	35	
14							2	30	27			1	1	1			2	21	36		
10		140	3	129	8		80	16	24	1		1	3			3	16	16			
23		114	4	102	7	1	76	44	107	1	1	7	10	5	7	3	4	2	67	37	
15							2	29	55	1		4	4	5	5		2	34	38		
8		114	4	102	7	1	74	15	52		1	3	6	2	3		4	2	33	39	
14							2	29	25			1	1	1			2	19	40		
8		111	2	102	7		74	15	20			1	2			3	14	14			
2		29	1	27	1		6	2	13	1			2	1			1		8	41	
2		29	1	27	1		6	1	5				1	1			1		3	42	
									8				1						5	43	
2		29	1	27	1		6	1	2				1					2	2	44	
									4				1						2	2	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES ¹ —Continued.																
MAINE.																
1	Total.....	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66
2	Males.....	228	24	11	5	1	6	1	99	1	3	54	41	43	2	29
3	Females.....	381	5		1	2	2		126			80	46	53	2	37
4	Diagnosis reasonably certain. {M.....	96	24	11	5	1	6	1	12		1	9	2	17		5
	{F.....	212	5		1	2	2		8			3	5	22		8
5	White.....	607	29	11	6	3	8	1	224	1	3	133	87	95	4	65
6	Males.....	227	24	11	5	1	6	1	98	1	3	53	41	43	2	29
7	Females.....	380	5		1	2	2		126			80	46	52	2	36
8	Diagnosis reasonably certain. {M.....	96	24	11	5	1	6	1	12		1	9	2	17		5
	{F.....	212	5		1	2	2		8			3	5	22		8
9	Colored.....	2							1			1		1		1
10	Males.....	1							1			1				
11	Females.....	1												1		1
12	Cumberland County.....	60	4			1	3		22		1	14	7	7	1	4
13	Males.....	25	3			1	2		10		1	5	4	3		2
14	Females.....	35	1				1		12			9	3	4	1	2
15	Diagnosis reasonably certain. {M.....	11	3			1	2		2		1		1	2		1
	{F.....	20	1				1		1			1		1		
16	Kennebec County.....	55	5	3			1	1	14	1	1	5	7	11	1	7
17	Males.....	29	5	3			1	1	10	1	1	3	5	8		1
18	Females.....	26							4			2	2	3	1	6
19	Diagnosis reasonably certain. {M.....	17	5	3			1	1	4			2	2	2		2
	{F.....	14												3		
20	Penobscot County.....	54	3	1		2			23			11	12	8		5
21	Males.....	17	1	1					10			5	5	4		3
22	Females.....	37	2			2			13			6	7	4		2
23	Diagnosis reasonably certain. {M.....	6	1	1					3			2	1	1		
	{F.....	23	2			2			1			1	1	2		
24	Washington County.....	54	4	2	2				23			14	9	5		3
25	Males.....	19	3	2	1				12			6	6	1		1
26	Females.....	35	1		1				11			8	3	4		2
27	Diagnosis reasonably certain. {M.....	7	3	2	1				2			2				
	{F.....	23	1		1									4		2
28	York County.....	60	3	2	1				20			14	6	11		7
29	Males.....	21	3	2	1				7			5	2	6		4
30	Females.....	39							13			9	4	5		3
31	Diagnosis reasonably certain. {M.....	10	3	2	1				1			1		3		1
	{F.....	22												2		
32	Other rural districts.....	326	10	3	3		4		123		1	76	46	54	2	40
33	Males.....	117	9	3	3		3		50		1	30	19	26	2	18
34	Females.....	209	1				1		73			46	27	28		22
35	Diagnosis reasonably certain. {M.....	45	9	3	3		3		5		3	5	9	9		3
	{F.....	110	1				1		5		1	4	10	10		4
MARYLAND.																
36	Total.....	439	21	2	4	2	10	3	151		1	92	58	51	2	33
37	Males.....	160	13	2	4	1	5	1	76		1	50	25	21	1	12
38	Females.....	279	8			1	5	2	75			42	33	30	1	21
39	Diagnosis reasonably certain. {M.....	77	13	2	4	1	5	1	13		1	10	2	13	1	4
	{F.....	186	8			1	5	2	13			6	7	14	1	5
40	White.....	380	19	2	3	2	9	3	132		1	83	48	49	2	31
41	Males.....	146	11	2	3	1	4	1	69		1	46	22	20	1	11
42	Females.....	234	8			1	5	2	63			37	26	29	1	20
43	Diagnosis reasonably certain. {M.....	72	11	2	3	1	4	1	13		1	10	2	13	1	4
	{F.....	154	8			1	5	2	12			6	6	13	1	4
44	Colored.....	59	2		1		1		19			9	10	2		2
45	Males.....	14	2		1		1		7			4	3	1		1
46	Females.....	45							12			5	7	1		1
47	Diagnosis reasonably certain. {M.....	5	2		1		1		1					1		1
	{F.....	32												1		
48	Baltimore County.....	111	5		1	1	3		35		1	18	16	14		10
49	Males.....	38	4		1	1	2		22		1	12	9	3		1
50	Females.....	73	1			1	1		13			6	7	11		9
51	Diagnosis reasonably certain. {M.....	22	4		1	1	2		7		1	4	2	3		1
	{F.....	53	1			1	1		3			3	3	6		4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
26		93		91	2		68	24	74	1	2	6	1	5	10	1	3	1	44
12		93		91	2		68	18	44			4	1	5	7	1	2	1	23
14		93		91	2		68	6	30	1	2	2		3		1			21
12		93		91	2		68	18	25			1		2	2			1	19
14		93		91	2		68	6	10	1	1								8
26		93		91	2		68	24	74	1	2	6	1	5	10	1	3	1	44
12		93		91	2		68	18	44			4	1	5	7	1	2	1	23
14		93		91	2		68	6	30	1	2	2		3		1			21
12		93		91	2		68	18	25			1		2	2			1	19
14		93		91	2		68	6	10	1	1								8
2		8		8			8	3	8			1		1	3				3
1		8		8			8	2	7			1		1	2				3
1		8		8			8	1	1					1	1				1
1		8		8			8	2	2					1					1
3		6		6			3	6	10					2					8
2		6		6			3	5	6					2					4
1		6		6			3	1	4					2					4
2		6		6			3	5	5					2					3
1		6		6			3	1	1										1
3		9		8	1		8	1	2					1					1
1		9		8	1		8	1	1					1					1
2		9		8	1		8	1	1										1
2		13		13			3	2	4	1				1					1
2		13		13			3	2	1			1							1
2		13		13			3	2	3	1				1					1
2		13		13			3	2	2	1									1
4		4		4			15	1	6			2							4
2		4		4			15	1	4			2							2
2		4		4			15	1	2										2
2		4		4			15	1	3			1							2
12		53		52	1		31	11	44		2	3		2	5	1	3	1	27
6		53		52	1		31	7	25			1		2	4	1	2	1	14
6		53		52	1		31	4	19			2		1	1	1	1	1	13
6		53		52	1		31	7	15			1		1					13
6		53		52	1		31	4	6										5
16		69	1	66	2		60	24	63	1	2	2	4	3	5	2	6	1	37
8		69	1	66	2		59	13	36				1	3	5	1	3	1	21
8		69	1	66	2		59	11	27	1	1	2	3	3	1	3	1		16
8		68		66	2		59	13	24				1	1	3			1	19
8		68		66	2		59	11	13	1		1	1						9
16		49	1	46	2		52	24	55		2	2	3	3	5	2	5	1	32
8		49	1	46	2		51	13	32		1		1	3	5	1	3	1	17
8		49	1	46	2		51	11	23		1	2	2	1	1	2	1		15
8		49	1	46	2		51	13	21				1	1	3			1	16
8		48		46	2		51	11	11			1							8
		20		20			8		8	1			1						5
		20		20			8		4				1						4
		20		20			8		4										1
		20		20			8		3										3
		20		20			8		2										1
4		16	1	15			21	4	16		1	2		1		1			11
2		16	1	15			20	1	7		1			1					5
2		16	1	15			20	3	9			2				1			6
2		16	1	15			20	1	6					1					5
2		15		15			20	3	5			1							4

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.						
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.			
RURAL PART OF REGISTRATION STATES ¹ —Continued.																			
MARYLAND—continued.																			
Baltimore County—Continued.																			
1	White.....	104	5		1	1	3							13		9			
2	Males.....	37	4		1	1	2							3		1			
3	Females.....	67	1				1							10		8			
4	Diagnosis reasonably certain. {M. {F.	22 47	4 1		1 1	1 1	2 1							3 5		1 3			
5	Colored.....	7									1			1		1			
6	Males.....	1									1								
7	Females.....	6												1		1			
8	Diagnosis reasonably certain. {M. {F.	6												1		1			
9	Other rural districts.....	328	16	2	3	1	7	3				74	42	37	2	23			
10	Males.....	122	9	2	3		3	1				38	16	18	1	11			
11	Females.....	206	7		1	4	4	2				36	26	19	1	12			
12	Diagnosis reasonably certain. {M. {F.	55 133	9 7		2 3	1 1	3 4	1 2				6 6	4 4	10 8	1 1	3 1			
13	White.....	276	14	2	2	1	6	3					66	32	36	2	22		
14	Males.....	109	7	2	2		2	1				35	13	17	1	10			
15	Females.....	167	7		1	4	2	2				31	19	19	1	12			
16	Diagnosis reasonably certain. {M. {F.	50 107	7 7		2 1	2 4	1 2	1 2				6 6	3 3	10 8	1 1	3 1			
17	Colored.....	52	2		1		1					8	10	1		1			
18	Males.....	13	2		1		1					3	3	1		1			
19	Females.....	39										5	7						
20	Diagnosis reasonably certain. {M. {F.	5 26	2		1		1						1						
MASSACHUSETTS.																			
21	Total.....	868	34	5	16	3	7	3					11	186	92	148	8	96	
22	Males.....	318	33	5	15	3	7	3					7	101	34	42	2	26	
23	Females.....	550	1		1							4	85	58	106	6	70		
24	Diagnosis reasonably certain. {M. {F.	148 331	33 1		5 1	3	7	3				3 2	16 9	7 5	22 49	1	18		
25	White.....	864	34	5	16	3	7	3					11	185	92	148	8	96	
26	Males.....	316	33	5	15	3	7	3					7	100	34	42	2	26	
27	Females.....	548	1		1							4	85	58	106	6	70		
28	Diagnosis reasonably certain. {M. {F.	147 329	33 1		5 1	3	7	3				3 2	16 9	7 5	22 49	1	18		
29	Colored.....	4											1						
30	Males.....	2											1						
31	Females.....	2																	
32	Diagnosis reasonably certain. {M. {F.	1 2																	
33	Bristol County.....	56												13	7	11		5	
34	Males.....	21												9	1	4		2	
35	Females.....	35												4	6	7		3	
36	Diagnosis reasonably certain. {M. {F.	11 20												3 3	2 4	2 4			
37	Essex County.....	105	2		1	1								2	27	11	21	14	
38	Males.....	41	2		1	1								1	16	4	6	4	
39	Females.....	64												1	11	7	15	10	
40	Diagnosis reasonably certain. {M. {F.	10 35	2		1	1								2 1	1 1	3 10	3	1 5	
41	Middlesex County.....	173	15	4	8		3							4	41	16	20	3	12
42	Males.....	65	15	4	8		3							3	23	4	6		4
43	Females.....	105												1	18	12	14	3	8
44	Diagnosis reasonably certain. {M. {F.	32 68	15 4		8 8		3							3 5	1 3	2 3	6 1	2 3	
45	Norfolk County.....	99	4		2		1	1						2	22	11	24	1	19
46	Males.....	35	3		1		1	1						2	11	4	7		5
47	Females.....	64	1		1									1	7	17	1	14	
48	Diagnosis reasonably certain. {M. {F.	18 32	3 1		1 1		1 1	1						2 2	2 2	1 4	4	1	2 2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggre- gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.	
RURAL PART OF REGISTRA- TION STATES—Continued.																	
MASSACHUSETTS—continued.																	
1	Plymouth County.....	99	2		1		1			34		2	20	12	14	2	7
2	Males.....	44	2		1		1			21			13	8	3	1	1
3	Females.....	55								13		2	7	4	11	1	6
4	Diagnosis reasonably certain. {M. {F.	20 37	2		1		1			4 1			4 1		2 6		1 2
5	Worcester County.....	138	4		1	1	1	1		40		1	26	13	25	2	19
6	Males.....	53	4		1	1	1	1		24			16	7	9	1	7
7	Females.....	85								16			10	6	16	1	12
8	Diagnosis reasonably certain. {M. {F.	25 55	4		1	1	1	1		5 1			3 1	2 6	4 6		3 3
9	Other rural districts.....	198	7	1	3	1	1	1		59			37	22	33		20
10	Males.....	56	7	1	3	1	1	1		19			13	6	7		3
11	Females.....	142								40			24	16	26		17
12	Diagnosis reasonably certain. {M. {F.	32 84	7	1	3	1	1	1		4 2			2 1	2 1	5 13		1 4
MICHIGAN.																	
13	Total.....	1,398	77	16	11	8	35	7		574	1	7	385	181	143	13	82
14	Males.....	602	56	15	6	6	24	5		304		5	224	75	62	7	31
15	Females.....	796	21	1	5	2	11	2		270	1	2	161	106	81	6	51
16	Diagnosis reasonably certain. {M. {F.	287 488	56 21	15 1	6 5	6 2	24 11	5 2		70 46		1	49 26	20 19	37 39	4 4	9 11
17	White.....	1,391	77	16	11	8	35	7		571	1	7	384	179	142	13	81
18	Males.....	599	56	15	6	6	24	5		302		5	223	74	62	7	31
19	Females.....	792	21	1	5	2	11	2		269	1	2	161	105	80	6	50
20	Diagnosis reasonably certain. {M. {F.	286 486	56 21	15 1	6 5	6 2	24 11	5 2		69 46		1	48 26	20 19	37 39	4 4	9 11
21	Colored.....	7								3			1	2	1		1
22	Males.....	3								2			1	1			
23	Females.....	4								1			1	1			1
24	Diagnosis reasonably certain. {M. {F.	1 2								1 1			1 1				
25	Berrien County.....	58	1		1					27			16	11	6		3
26	Males.....	22	1		1					12			7	5	2		
27	Females.....	36								15			9	6	4		3
28	Diagnosis reasonably certain. {M. {F.	10 20	1		1					2 3			1 2	1 1	2 1		
29	Kent County.....	50	2				2			16			10	6	4		3
30	Males.....	26	2				2			10			6	4	3		2
31	Females.....	24								6			4	2	1		1
32	Diagnosis reasonably certain. {M. {F.	18 17	2				2			5 1			2 1	3	1		
33	Wayne County.....	63	2				2			25		1	16	8	7		5
34	Males.....	25								13		1	10	2	2		1
35	Females.....	38	2				2			12			6	6	5		4
36	Diagnosis reasonably certain. {M. {F.	11 25					2			1 4			1 1	1 3	2		1
37	Other rural districts.....	1,227	72	16	10	8	31	7		506	1	6	343	156	126	13	71
38	Males.....	529	53	15	5	6	22	5		269		4	201	64	55	7	28
39	Females.....	698	19	1	5	2	9	2		237	1	2	142	92	71	6	43
40	Diagnosis reasonably certain. {M. {F.	248 426	53 19	15 1	5 5	6 2	22 9	5 2		62 38		1	46 22	15 15	33 36	4 4	9 10
MINNESOTA.																	
41	Total.....	1,096	38	12	5	1	16	4		554		12	432	110	134	5	82
42	Males.....	567	31	10	4	1	14	2		316		10	267	39	77	4	45
43	Females.....	529	7	2	1		2	2		238		2	165	71	57	1	37
44	Diagnosis reasonably certain. {M. {F.	256 287	31 7	10 2	4 1	1	14 2	2 2		77 36		1	69 22	7 14	45 39	2	15 20
45	White.....	1,092	38	12	5	1	16	4		552		12	432	108	134	5	82
46	Males.....	566	31	10	4	1	14	2		316		10	267	39	77	4	45
47	Females.....	526	7	2	1		2	2		236		2	165	69	57	1	37
48	Diagnosis reasonably certain. {M. {F.	256 287	31 7	10 2	4 1	1	14 2	2 2		77 36		1	69 22	7 14	45 39	2	15 20

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.		
5		8		8			17	5	19	2	3			1	2			11	1		
1																					
4		8		8			17	3	15	2	3			1	2			7	2		
1									4									4	3		
4		8		8			17	3	9	2				1				6	4		
4									3									3	3		
4		20	3	17			21	6	22	2	1			1	4			13	5		
1									14	2											
3		20	3	17			21	4	8		1			1	3			8	6		
1									10	2				1	1			5	7		
3		19	2	17			21	4	4		1							6	8		
3									4									3	3		
13		34	1	32		1	27	12	26		1			1	5			14	9		
4									16												
9		34	1	32		1	27	7	10		1			1	5			7	10		
4									10									2	11		
9		33		32		1	27	5	9		1			3				3	12		
9									4									3	3		
48		194	9	181	2	2	130	84	196	5	6	16	7	19	24	1	14	2	102	13	
24									4												
24		194	9	181	2	2	126	56	120	2	5	8	5	19	20		9	2	50	14	
24									76	3	1	8	2		4	1	5	2	52	15	
24		190	5	181	2	2	126	56	64	2	3	4	1	6	10		2	2	34	16	
24									38	3		3	1		2		3		26	3	
48		193	9	180	2	2	129	84	195	5	6	16	7	19	24	1	14	2	101	17	
24									4												
24		193	9	180	2	2	125	56	119	2	5	8	5	19	20		9	2	49	18	
24									76	3	1	8	2		4	1	5	2	52	19	
24		189	5	180	2	2	125	56	64	2	3	4	1	6	10		2	2	34	20	
24									38	3		3	1		2		3		26	3	
									1										1	21	
		1		1			1		1										1	22	
																				23	
		1		1			1		1											24	
																				25	
3		10		10			5	5	4					1	2				1	26	
2																				27	
1		10		10			5	4	3					1	1				1	28	
2									1											29	
1		10		10			5	1	1										1	30	
1																				31	
1		10		10			3	7	4	1		1					1		3	32	
2									3										1	33	
2		10	1	9			6	6	7			1			2		1		3	34	
1																				35	
1		10	1	9			6	5	5			1		2		1			1	36	
1									2											37	
1		10	1	9			6	1	4					2		1			1	38	
42		164	8	152	2	2	116	66	177	4	6	14	7	18	20	1	12	2	93	39	
20									4											40	
22		164	8	152	2	2	112	40	108	2	5	6	5	18	17		8	2	45	41	
20									69	2	1	8	2		3	1	4		48	42	
22		160	4	152	2	2	112	40	35	2	3	3	1	6	8		1	2	29	43	
22									26						2		2		25	44	
47		104	10	92	2		66	42	158	6	12	8	15	16	17	4	15	4	61	45	
28																				46	
19		104	10	92	2		63	33	107	6	5	5	10	16	14	2	12	4	33	47	
28									51		7	5	5		3	2	3		28	48	
28									69	6	1	3	2	5	9		4		24	49	
19		103	9	92	2		63	33	87		1	2	3		1		1		22	50	
47									30											22	51
47		104	10	92	2		66	42	156	6	12	8	15	15	17	4	15	4	60	52	
28																				43	
19		104	10	92	2		63	33	106	6	5	5	10	15	14	2	12	4	33	53	
28									50		7	5	5		3	2	3		27	54	
19									67	6	1	3	2		9		7		24	55	
19		103	9	92	2		63	33	30			2	3		1		1		22	56	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 8.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.																	
MINNESOTA—continued.																	
Total—Continued.																	
1	Colored.....	4															
2	Males.....	1															
3	Females.....	3															
4	Diagnosis reasonably certain. (M/F).....																
5	Olmsted County.....	99	1	1						40		1	34	5	24	16	
6	Males.....	62	1	1						27		1	23	3	15	8	
7	Females.....	37								13			11	2	9	8	
8	Diagnosis reasonably certain. (M/F).....	52	1	1						20		1	17	2	13	6	
		28								6			5	1	8	7	
9	Other rural districts.....	997	37	11	5	1	16	4		514		11	398	105	110	5	66
10	Males.....	505	30	9	4	1	14	2		289		9	244	36	62	4	37
11	Females.....	492	7	2	1		2	2		225		2	154	69	48	1	29
12	Diagnosis reasonably certain. (M/F).....	204	30	9	4	1	14	2		57			52	5	32	2	9
		259	7	2	1		2	2		30			17	13	31		13
MISSOURI.																	
13	Total.....	1,155	58	17	7	10	19	5		480		6	297	177	96	5	62
14	Males.....	489	48	17	5	7	16	3		221		2	150	69	42	4	21
15	Females.....	666	10		2	3	3	2		259		4	147	108	54	1	41
16	Diagnosis reasonably certain. (M/F).....	239	48	17	5	7	16	3		27			15	12	25	2	6
		379	10		2	3	3	2		36			19	17	22	1	9
17	White.....	1,112	56	16	7	10	18	5		468		6	291	171	92	5	60
18	Males.....	473	46	16	5	7	15	3		213		2	146	65	41	4	21
19	Females.....	639	10		2	3	3	2		255		4	145	106	51	1	39
20	Diagnosis reasonably certain. (M/F).....	232	46	16	5	7	15	3		26			15	11	24	2	6
		360	10		2	3	3	2		35			18	17	21	1	9
21	Colored.....	43	2	1			1			12			6	6	4		2
22	Males.....	16	2	1			1			8			4	4	1		
23	Females.....	27								4			2	2	3		2
24	Diagnosis reasonably certain. (M/F).....	7	2	1			1			1			1	1	1		
		19								1			1	1	1		
MONTANA.																	
25	Total.....	141	9	3			5	1		61		2	40	19	17		11
26	Males.....	68	8	3			4	1		35		1	26	8	10		7
27	Females.....	73	1				1			26		1	14	11	7		4
28	Diagnosis reasonably certain. (M/F).....	45	8	3			4	1		14			10	4	10		7
		48	1				1			5		1	2	2	4		1
29	White.....	137	9	3			5	1		59		2	39	18	15		11
30	Males.....	67	8	3			4	1		35		1	26	8	9		7
31	Females.....	70	1				1			24		1	13	10	6		4
32	Diagnosis reasonably certain. (M/F).....	44	8	3			4	1		14			10	4	9		7
		47	1				1			5		1	2	2	3		1
33	Colored.....	4								2			1	1	2		
34	Males.....	1													1		
35	Females.....	3								2			1	1	1		
36	Diagnosis reasonably certain. (M/F).....	1													1		
		1													1		
NEW HAMPSHIRE.																	
37	Total.....	269	11	2	4		5			84			38	46	48	2	36
38	Males.....	88	10	2	4		4			33			15	18	16	1	13
39	Females.....	181	1				1			51			23	28	32	1	23
40	Diagnosis reasonably certain. (M/F).....	37	10	2	4		4			3			1	2	3		1
		105	1				1			4			3	1	13	1	4
41	White.....	268	11	2	4		5			83			37	46	48	2	36
42	Males.....	88	10	2	4		4			33			15	18	16	1	13
43	Females.....	180	1				1			50			22	28	32	1	23
44	Diagnosis reasonably certain. (M/F).....	37	10	2	4		4			3			1	2	3		1
		105	1				1			4			3	1	13	1	4
45	Colored.....	1								1			1				
46	Males.....																
47	Females.....	1								1			1				
48	Diagnosis reasonably certain. (M/F).....																

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES—Continued.															
NEW HAMPSHIRE—continued.															
1 Rockingham County.....	51	2		1		1		18			12	6	8		6
2 Males.....	10	2		1		1		5			4	1	1		1
3 Females.....	41							13			8	5	7		5
4 Diagnosis reasonably certain. (M. F.)	4 23	2		1		1		1 2			1 2		3		1
5 Other rural districts.....	218	9	2	3		4		66			26	40	40	2	30
6 Males.....	78	8	2	3		3		28			11	17	15	1	12
7 Females.....	140	1				1		38			15	23	25	1	18
8 Diagnosis reasonably certain. (M. F.)	33 82	8 1	2	3		3 1		2 2			1 1	2	3 10	1	3
NEW JERSEY.															
9 Total.....	797	28	4	10	4	9	1	302		5	196	101	117	6	73
10 Males.....	314	23	4	8	4	6	1	150		3	106	41	49	1	30
11 Females.....	483	5		2		3		152		2	90	60	68	5	43
12 Diagnosis reasonably certain. (M. F.)	127 279	23 5	4	8 2	4	6 3	1	20 16			14 11	6 5	24 28	1 1	5 7
13 White.....	779	28	4	10	4	9	1	298		5	195	98	113	6	70
14 Males.....	308	23	4	8	4	6	1	149		3	106	40	48	1	29
15 Females.....	471	5		2		3		149		2	89	58	65	5	41
16 Diagnosis reasonably certain. (M. F.)	125 272	23 5	4	8 2	4	6 3	1	20 16			14 11	6 5	24 27	1 1	5 7
17 Colored.....	18							4			1	3	4		3
18 Males.....	6							1				1	1		1
19 Females.....	12							3			1	2	3		2
20 Diagnosis reasonably certain. (M. F.)	2 7							3					1		
21 Bergen County.....	101	3				3		39			24	15	17	2	8
22 Males.....	39	2				2		22			14	8	8		3
23 Females.....	62	1				1		17			10	7	9	2	5
24 Diagnosis reasonably certain. (M. F.)	16 36	2 1				2 1		6			3	3	5 4	1	1
25 Burlington County.....	60	2	1			1		18			14	4	7		4
26 Males.....	23	2	1			1		9			7	2	2		1
27 Females.....	37							9			7	2	5		3
28 Diagnosis reasonably certain. (M. F.)	11 23	2	1			1		2 2			1 2	1	1 2		
29 Monmouth County.....	86							34			25	9	12	1	7
30 Males.....	30							16			14	2	6		3
31 Females.....	56							18			11	7	6	1	4
32 Diagnosis reasonably certain. (M. F.)	11 31							2			2		4 2		1 1
33 Morris County.....	50	3		2		1		22		1	13	8	5		4
34 Males.....	22	2		2				12			8	4	1		1
35 Females.....	28	1				1		10		1	5	4	4		3
36 Diagnosis reasonably certain. (M. F.)	8 12	2 1		2		1		1			1		1 1		1 1
37 Other rural districts.....	500	20	3	8	4	4	1	189		4	120	65	76	3	50
38 Males.....	200	17	3	6	4	3	1	91		3	63	25	32	1	22
39 Females.....	300	3		2		1		98		1	57	40	44	2	28
40 Diagnosis reasonably certain. (M. F.)	81 177	17 3	3	6 2	4	3 1		9 14			7 9	2 5	13 19	1	3 5
NEW YORK.															
41 Total.....	2,286	96	19	27	10	33	7	832	2	20	519	291	287	28	151
42 Males.....	883	79	16	23	9	25	6	395	2	6	276	111	124	5	65
43 Females.....	1,403	17	3	4	1	8	1	437		14	243	180	163	23	86
44 Diagnosis reasonably certain. (M. F.)	438 870	79 17	16 3	23 4	9 1	25 8	6 1	66 49	1	4	51 19	13 26	70 86	7	15 28
45 White.....	2,263	94	19	27	10	31	7	822	2	20	509	291	283	28	147
46 Males.....	873	77	16	23	9	23	6	391	2	6	272	111	122	5	63
47 Females.....	1,390	17	3	4	1	8	1	431		14	237	180	161	23	84
48 Diagnosis reasonably certain. (M. F.)	436 863	77 17	16 3	23 4	9 1	23 8	6 1	66 48	1	4	51 18	13 26	70 85	1 7	15 27

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
2		12		11	1		5	1	5				1	1				1	1	
2		12		11	1		5	1	4				1						2	
2		12		11	1		5	1	1										4	
8		38	1	36		1	23	11	31	1	2	2	2	6		1		17	5	
2		38	1	36		1	23	9	18	1	2	2	2	4		1		6	6	
6		38	1	36		1	23	2	13					2				11	7	
2		37		36		1	23	9	11	1	1	2				1		6	8	
6		37		36		1	23	2	7									6	8	
38		103	8	92	2	1	96	35	116	1	4	4	10	17	15	4	9	2	50	9
18		103	8	92	2	1	95	25	66		1	2	6	17	10	2	4	2	22	10
20		98	4	91	2	1	95	10	50		3	2	4	5	2	5	1	2	28	11
18		98	4	91	2	1	95	25	34		1	1	2	3	1	2	3	2	17	12
20		98	4	91	2	1	95	10	27			1	2	7	2	3	1	2	17	12
37		98	8	87	2	1	96	35	111	1	4	4	10	17	14	3	9	2	47	13
18		98	8	87	2	1	95	25	62		1	2	6	17	9	1	4	2	20	14
19		98	8	87	2	1	95	10	49		3	2	4	5	2	5	1	2	27	15
18		93	4	86	2	1	95	25	32		1	1	2	6	6	1	3	2	16	16
19		93	4	86	2	1	95	10	26			1	2	3	1	3	2	16	16	
1		5		5					5					1	1			3	17	
1		5		5					4					1	1			2	18	
1		5		5					2					1	1			1	19	
1		5		5					1					1	1			1	20	
7		12		11		1	14	2	14				2	2	2	1	1		6	21
5		12		11		1	14	1	6				2	2	1			1	22	23
2		12		11		1	14	1	8					1	1		1		5	23
5		12		11		1	14	1	2					1	1			1	2	24
2		12		11		1	14	1	1					1	1				2	24
3		9	1	8			9	3	12		1	1		3	3				4	25
1		9	1	8			9	3	7				3	2					2	26
2		9	1	8			9	3	5		1	1		1					2	27
1		9	1	8			9	3	3				1	2					2	27
2		9	1	8			9	3	1										1	28
4		13	1	11	1		10	5	12			1	1	2	1				6	29
3		13	1	11	1		10	3	5			1	1	1					2	30
1		13	1	11	1		10	2	7					1	1				4	31
3		13	1	11	1		10	3	2					1	1				3	31
1		13	1	11	1		10	2	4						1				2	32
1		5	1	4			2	5	8			1	1	1		1			3	33
1		5	1	4			2	4	3			1	1			1			3	34
1		4		4			2	1	5			1		1					3	35
1		4		4			2	1	3			1							2	36
23		64	5	58	1		61	20	70	1	3	1	6	10	7	2	7	2	31	37
9		64	5	58	1		60	14	45		1	1	3	10	6	2	3	2	17	38
14		64	5	58	1		60	6	25		2	2	3	1	1	4	4	2	14	39
9		60	2	57	1		60	14	27		1	1	2	2	4	1	1	2	14	40
14		60	2	57	1		60	6	15		1		2				3	9	14	40
105	3	301	10	269	17	5	310	124	336	18	12	20	14	32	39	3	19	8	171	41
54		301	10	269	17	5	307	82	200	15	8	12	6	32	27	2	5	8	85	42
51	3	301	10	269	17	5	307	42	136	3	4	8	8	12	1	14	4	8	86	43
54		293	6	267	17	3	307	82	138	15	4	7	2	10	15	1	4	8	72	44
51		293	6	267	17	3	307	42	76	3	1	3	2	5	5		7	5	55	44
105	3	299	10	267	17	5	308	124	333	18	12	20	14	32	38	2	19	8	170	45
54		299	10	267	17	5	305	82	198	15	8	12	6	32	26	1	5	8	85	46
51	3	299	10	267	17	5	305	42	135	3	4	8	8	12	1	14	4	8	85	47
54		291	6	265	17	3	305	82	138	15	4	7	2	10	15	1	4	8	72	47
51		291	6	265	17	3	305	42	75	3	1	3	2	5	5		7	5	54	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
NEW YORK—continued.															
Total—Continued.		23	2			2		10			10		4		4
1	Colored.....														
2	Males.....	10	2			2		4			4		2		2
3	Females.....	13						6			6		2		2
4	Diagnosis reasonably certain. (M. F.)	2 7	2			2		1			1		1		1
5	Cattaraugus County.....	53	4	1	1	2		14			7	7	6		3
6	Males.....	15	4	1	1	2		5			4	1	2		1
7	Females.....	38						9			3	6	4		2
8	Diagnosis reasonably certain. (M. F.)	9 23	4	1	1	2		1					1		2
9	Chautauqua County.....	58	7	1	2	1	3	18			9	9	11		7
10	Males.....	18	6	1	2		3	7			5	2	2		2
11	Females.....	40	1			1		11			4	7	9		5
12	Diagnosis reasonably certain. (M. F.)	8 21	1	1	2		3						3		1
13	Delaware County.....	60	1		1			26		1	14	11	7		5
14	Males.....	19	1		1			11			7	4	4		3
15	Females.....	41						15		1	7	7	3		2
16	Diagnosis reasonably certain. (M. F.)	8 23	1		1			3 2			2	1	1		2
17	Dutchess County.....	63	3	1	2			21		1	9	11	8	2	5
18	Males.....	26	3	1	2			11		1	8	2	4	1	3
19	Females.....	37						10			1	9	4	1	2
20	Diagnosis reasonably certain. (M. F.)	12 23	3	1	2			2 1			2	1	2		1
21	Erie County.....	71	3	1	1		1	30			16	14	10		6
22	Males.....	32	3	1	1		1	14			10	4	5		4
23	Females.....	39						16			6	10	5		2
24	Diagnosis reasonably certain. (M. F.)	15 22	3	1	1		1	3 2			2	1	3		2
25	Monroe County.....	50	2	1			1	13			5	8	4		1
26	Males.....	14						6			2	4	1		
27	Females.....	36	2	1			1	7			3	4	3		1
28	Diagnosis reasonably certain. (M. F.)	7 26		1			1	1			1		1		
29	Nassau County.....	78	3			1	2	34			21	13	16	2	9
30	Males.....	39	2			1	1	18			11	7	11	1	6
31	Females.....	39	1				1	16			10	6	5		3
32	Diagnosis reasonably certain. (M. F.)	15 20	2			1	1	2 1			2		6		2
33	Oneida County.....	74	3		2		1	26		1	14	11	8		4
34	Males.....	25	3		2		1	13		1	8	4	3		2
35	Females.....	49						13			6	7	5		2
36	Diagnosis reasonably certain. (M. F.)	10 32	3		2		1	1			1		2		1
37	Onondaga County.....	62	2	1	1			26		2	19	5	3	1	1
38	Males.....	26	2	1	1			14			11	2	1		1
39	Females.....	36						12		1	8	3	2	1	
40	Diagnosis reasonably certain. (M. F.)	13 22	2	1	1			4			4		1		1
41	Ontario County.....	56	1				1	22			18	4	8		4
42	Males.....	29	1				1	15			13	2	5		2
43	Females.....	27						7			5	2	3		2
44	Diagnosis reasonably certain. (M. F.)	13 16	1				1	1			1		3		
45	Orange County.....	55	1			1		21			14	7	6		4
46	Males.....	22	1			1		10			6	4	4		2
47	Females.....	33						11			8	3	2		2
48	Diagnosis reasonably certain. (M. F.)	9 17	1			1		1			1		2		1
49	Rockland County.....	51	2		1		1	18			13	5	5		2
50	Males.....	28	2		1		1	13			10	3	3		
51	Females.....	23						5			3	2	2		2
52	Diagnosis reasonably certain. (M. F.)	19 16	2		1		1	6 2			6 1	3 1	3 1		2 1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
NEW YORK—continued.															
1 St. Lawrence County.....	50	2				2				12	6	7		2	
2 Males.....	21	2				2				7	4	1			
3 Females.....	29									5	2	6		2	
4 Diagnosis reasonably certain. {M.....	11	2				2				1	1	1			
{F.....	17											5		1	
5 Steuben County.....	69	4	2	1		1			1	15	11	7	1	4	
6 Males.....	36	3	2	1						11	3	5		3	
7 Females.....	33	1				1				4	8	2	1	1	
8 Diagnosis reasonably certain. {M.....	20	3	2	1						1		3		1	
{F.....	20	1				1					2	2	1	1	
9 Suffolk County.....	92	2		1		1				26	8	17	1	12	
10 Males.....	26								1	13	1	8		6	
11 Females.....	66	2		1		1				13	7	9	1	6	
12 Diagnosis reasonably certain. {M.....	8									3		3		1	
{F.....	42	2		1		1				1		5	1	2	
13 Wayne County.....	59	1				1				14	8	10	2	4	
14 Males.....	13	1				1				3	3	3	1	1	
15 Females.....	46									11	5	7	1	3	
16 Diagnosis reasonably certain. {M.....	8	1				1				1		3	1	1	
{F.....	27								1	2	1	3		1	
17 West Chester County.....	106	10		4		5	1			18	10	12	1	4	
18 Males.....	49	9		4		4	1			12	4	3		1	
19 Females.....	57	1				1				6	6	9	1	3	
20 Diagnosis reasonably certain. {M.....	32	9		4		4	1			1	1	1		1	
{F.....	43	1				1				1	2	6		1	
21 Other rural districts.....	1,179	45	11	10	5	15	4		2	12	275	143	142	74	
22 Males.....	445	36	9	7	5	12	3		2	2	135	57	59	28	
23 Females.....	734	9	2	3		3	1			10	140	86	83	46	
24 Diagnosis reasonably certain. {M.....	221	36	9	7	5	12	3		1	1	23	9	34	5	
{F.....	460	9	2	3		3	1			3	13	14	42	16	
NORTH CAROLINA, ²															
25 Total.....	149	3	1			2				1	29	18	18	10	
26 Males.....	38	1	1							1	11	9	6	2	
27 Females.....	111	2				2					18	9	12	8	
28 Diagnosis reasonably certain. {M.....	19	1	1								4	2	5	1	
{F.....	76	2				2					4	2	4	1	
29 White.....	114	2				2				1	22	14	17	10	
30 Males.....	27										7	5	5	2	
31 Females.....	87	2				2					15	9	12	8	
32 Diagnosis reasonably certain. {M.....	15										3	2	4	1	
{F.....	54	2				2					2	2	4	1	
33 Colored.....	35	1	1								7	4	1		
34 Males.....	11	1	1								4	4	1		
35 Females.....	24										3				
36 Diagnosis reasonably certain. {M.....	4	1	1								1		1		
{F.....	22										2				
OHIO.															
37 Total.....	2,072	98	23	18	12	40	5			12	520	301	227	127	
38 Males.....	871	78	21	12	10	32	3				290	114	101	52	
39 Females.....	1,201	20	2	6	2	8	2			2	230	187	126	75	
40 Diagnosis reasonably certain. {M.....	420	78	21	12	10	32	3			2	55	21	60	17	
{F.....	721	20	2	6	2	8	2				34	35	59	15	
41 White.....	2,039	96	23	18	12	39	4			12	510	299	225	126	
42 Males.....	860	77	21	12	10	31	3				284	113	101	52	
43 Females.....	1,179	19	2	6	2	8	1				226	186	124	74	
44 Diagnosis reasonably certain. {M.....	417	77	21	12	10	31	3			2	54	21	60	17	
{F.....	706	19	2	6	2	8	1				34	35	58	15	
45 Colored.....	33	2				1	1				10	2	2	1	
46 Males.....	11	1				1					6	1			
47 Females.....	22	1					1				4	1	2	1	
48 Diagnosis reasonably certain. {M.....	3	1				1					1				
{F.....	15	1					1						1		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.
5		5		5			5	2	11	1			1	1			1	7
1								2	5				1				1	3
4		5		5			5	2	6	1							4	
1								2	4				1				1	
4		5		5			5	1	2	1							2	
2		11		11			11	9	10				1		1	1	6	
2								8	6								2	
2		11		11			11	1	4				1		1	1	4	
2								8	4								2	
2		11		11			11	1	5				1		1	1	2	
4		16	2	12	1	1	13	1	2				1	1			6	
2								1	3				1	1			1	
2		16	2	12	1	1	13	1	5				1				5	
2								1	2					1			1	
2		16	2	12	1	1	13	1	2				1				4	
3	1	10		10			6	1	4				1		1		6	
1								1	3								2	
2	1	10		10			6	1	5				1		1		4	
1								1	3								2	
2		10		10			6	1	3				1				2	
7		13		11	2		10	11	3	2			1	1	1	1	12	
2								6	15	2			1	1	1	1	8	
5		13		11	2		10	7	7				1		1		4	
2								6	12	2			1		1	1	4	
5		13		11	2		10	5	5				1	1	1	1	7	
50		159	4	143	8	4	178	65	158	10	7	9	4	18	15	9	5	81
29							2	47	105	8	4	5	3	18	13	2	5	47
21		159	4	143	8	4	176	18	53	2	3	4	1	2	7	7	5	34
29							2	47	68	8	3	2	1	4	6	1	5	38
21		153	1	142	8	2	176	18	32	2	1	2	1	1	4	4	5	21
6		44		44			13	5	18		1		1		3	2	1	10
3								1	9									4
3		44		44			13	4	9		1		1	2	1	1	6	
3								1	6								2	
3		44		44			13	4	3				1				2	
5		30		30			9	4	15		1		1	2	2	1	8	
2								1	8					1			4	
3		30		30			9	3	7		1		1	2	1		4	
2								1	5								2	
3		30		30			9	3	2				1	2	1		1	
1		14		14			4	1	3								2	
1								1	1					1				34
1		14		14			4	1	2					1			2	
		14		14			4	1	1								1	36
83	1	258	12	238	6	2	224	133	299	11	8	29	17	34	34	6	27	126
40	1						3	75	200	10	8	14	10	34	21	6	15	75
43		258	12	238	6	2	221	58	99	1		15	7	13	13	12	7	51
40							3	75	126	10	1	7	5	13	8	3	6	66
43		252	8	238	6		221	58	42	1		2	2	3	3	3	3	31
82	1	249	12	229	6	2	220	133	295	11	8	29	17	34	34	6	25	124
40	1						3	75	197	10	8	14	10	34	21	6	14	73
42		249	12	229	6	2	217	58	98	1		15	7	13	13	11	7	51
40							3	75	125	10	1	7	5	13	8	3	6	65
42		243	8	229	6		217	58	42	1		2	2	3	3	3	3	31
1		9		9			4		4								2	2
1		9		9			4		3								1	2
1		9		9			4		1								1	47
1		9		9			4		1									48

* Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.																	
OHIO—continued.																	
1	Hamilton County	54	2		1			1			16	6	7			4	
2	Males	23	1		1						9	1	3			2	
3	Females	31	1					1			7	5	4			2	
4	Diagnosis reasonably certain. {M.	13	1		1						4		2			1	
	{F.	18	1					1			1		2				
5	Tuscarawas County	56	1			1					17	9	12	3		5	
6	Males	26									11	2	7	2		3	
7	Females	30	1			1					6	7	5	1		2	
8	Diagnosis reasonably certain. {M.	10											4	1		1	
	{F.	16	1			1					1	1	2				
9	Other rural districts	1,982	95	23	17	11	40	4			487	286	208	13		118	
10	Males	822	77	21	11	10	32	3			270	111	91	6		47	
11	Females	1,140	18	2	6	1	8	1			217	175	117	7		71	
12	Diagnosis reasonably certain. {M.	397	77	21	11	10	32	3			51	21	54	2		15	
	{F.	687	18	2	6	1	8	1			33	33	55	1		15	
PENNSYLVANIA.																	
13	Total	2,752	155	28	19	18	62	28		1,141	2	16	708	420	381	40	180
14	Males	1,100	124	26	12	16	50	20		529	1	11	373	144	129	13	66
15	Females	1,652	31	2	7	2	12	8		612	1	5	330	276	202	27	114
16	Diagnosis reasonably certain. {M.	521	124	26	12	16	50	20		96		3	77	16	63	3	12
	{F.	982	31	2	7	2	12	8		80			40	40	112	14	38
17	White	2,703	152	28	19	18	60	27		1,125	2	16	693	414	326	40	178
18	Males	1,033	122	26	12	16	49	19		518	1	11	365	141	127	13	65
19	Females	1,620	30	2	7	2	11	8		607	1	5	328	273	199	27	113
20	Diagnosis reasonably certain. {M.	516	122	26	12	16	49	19		95		3	76	16	61	3	11
	{F.	955	30	2	7	2	11	8		79			39	40	110	14	38
21	Colored	49	3				2	1		16			10	6	5		2
22	Males	17	2				1	1		11			8	3	2		1
23	Females	32	1				1			5			2	3	3		1
24	Diagnosis reasonably certain. {M.	5	2				1	1		1			1	2	2		1
	{F.	27	1				1			1			1	2	2		
25	Allegheny County	223	7	1		1	4	1		105	1	3	63	38	23	3	14
26	Males	80	6	1			4	1		51	1	3	35	12	6	2	2
27	Females	143	1			1				54			28	26	17	1	12
28	Diagnosis reasonably certain. {M.	32	6	1			4	1		9		1	7	1	2		
	{F.	94	1			1				11			6	5	11		7
29	Berks County	66	4		1		3			25		1	16	8	6	1	4
30	Males	29	4		1		3			10		1	5	4	2		1
31	Females	37								15			11	4	4	1	3
32	Diagnosis reasonably certain. {M.	14	4		1		3			2			2				
	{F.	19								1			1				
33	Bradford County	68	4			1	2	1		16			8	8	10		7
34	Males	29	4			1	2	1		5			5		5		4
35	Females	39								11			3	8	5		3
36	Diagnosis reasonably certain. {M.	19	4			1	2	1		2			2	2	2		1
	{F.	30								3			3	4	4		2
37	Bucks County	76	4	1	1	1	1			29		1	13	15	9	1	7
38	Males	26	3	1		1	1			12			7	5	3		3
39	Females	50	1		1					17		1	6	10	6	1	4
40	Diagnosis reasonably certain. {M.	10	3	1		1	1			1			1		4	1	2
	{F.	29	1		1					1			1		4	1	2
41	Chester County	65	6	1		1	3	1		24		1	16	7	10	2	7
42	Males	19	5	1		1	2	1		6			5	1	1	1	
43	Females	46	1			1	1			18		1	11	6	9	1	7
44	Diagnosis reasonably certain. {M.	11	5	1		1	2	1		2			2		2		1
	{F.	21	1			1	1			2			2		2		
45	Clearfield County	50	1				1			25		1	15	9	8	1	6
46	Males	20								11			7	3	4		4
47	Females	30	1				1			14			8	6	4	1	2
48	Diagnosis reasonably certain. {M.	10								3			2		2		2
	{F.	16	1				1			1			1		3	1	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
3		8	1	6	1		6	3	6		1		2	2				1		
1									6		1		2	2				2		
2		8	1	6	1		6	3	3				2	1				3		
1																				
2		8	1	6	1		6	3	3									4		
4		6		6			3	4	4					2				5		
2									3					1				6		
2		6		6			3	1	3					1				7		
2									3					1				8		
2		6		6			3	1	3					1				8		
76	1	244	11	226	5	2	215	126	289	11	7	29	16	32	30	6	27	7	124	9
37	1						3	69	191	10	7	14	9	32	18	6	15	7	73	10
39		244	11	226	5	2	212	57	98	1		15	7	12	12		12		51	11
37							3	69	120	10	1	7	5	11	6	3	6	7	64	12
39		238	7	226	5		212	57	41	1		2	2	2		3		31		
109	2	371	12	354	3	2	280	142	332	12	8	27	18	34	37	4	22	5	165	13
49	1						3	97	218	9	5	13	11	34	27	2	10	5	102	14
60	1	371	12	354	3	2	277	45	114	3	3	14	7	10	7	2	12		63	15
48							3	97	138	9	3	7	3	4	10	2	5	5	93	16
60		364	6	354	3	1	277	45	73	3	1	6	1	5	1	6		50		
106	2	358	12	341	3	2	271	142	329	12	8	27	18	33	36	4	22	5	164	17
48	1						3	97	216	9	5	13	11	33	26	2	10	5	102	18
58	1	358	12	341	3	2	268	45	113	3	3	14	7	10	10	2	12		62	19
47							3	97	138	9	3	7	3	4	7	2	5	5	93	20
58		351	6	341	3	1	268	45	72	3	1	6	1	5	5	6		49		
3		13		13			9		3					1	1				1	21
1									2					1	1					22
2		13		13			9		1										1	23
1																				23
2		13		13			9		1										1	24
6		37		37			24	11	16				1		4		1	1	9	25
2									10				1		3		1	1	4	26
4		37		37			24	4	6					2					5	27
2									1					1					4	28
4		37		37			24	4	3					1		1			5	28
1		7		7			9	4	11	1		1		3	3				3	29
1									9	1		1		3	2				2	30
		7		7			9	4	2					1	1				1	31
		7		7			9	4	4	1				1	1				2	31
		7		7			9	4	2					1	1				2	32
3		14		14			7	6	11			1	2	1	3				4	33
1									9				2	1	2				4	34
2		14		14			7	6	2			1	1	1					3	35
1		14		14			7	6	5				1						4	35
2		14		14			7	6	2			1		1					4	36
1		12		11		1	10	4	8				1	1	2		1		3	37
1						1	1	4	3				1	1					1	38
1		11		11			9	4	5					1			1		2	39
1							1	9	1					1					1	40
1		8		7	1		6	2	3					1	3		1		4	41
1									6					1	2				3	42
1		8		7	1		6	1	3					1	1		1		1	43
1		8		7	1		6	1	3					1	1		1		3	44
1		8		7			1	3	4	1	1			1					1	45
1		8		7			1	2	3	1	1			1					1	46
1		8		7			1	2	1	1	1			1					1	47
1		8		7			1	2	3	1	1			1					1	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.																	
PENNSYLVANIA—continued.																	
1	Delaware County.....	74	2	1		1				32			19	13	5		1
2	Males.....	27	1	1						16			11	5	4		1
3	Females.....	47	1				1			16			8	8	1		
4	Diagnosis reasonably certain {M.....	12	1	1						3			1	2	3		
	{F.....	31	1			1				2			2	1			
5	Erie County.....	67	7	1		3	2	1		17			11	6	5		1
6	Males.....	24	7	1		3	2	1		8			6	2	2		
7	Females.....	43								9			5	4	3		1
8	Diagnosis reasonably certain {M.....	16	7	1		3	2	1		3			2	1	2		
	{F.....	30												2	2		
9	Fayette County.....	67	3		1		1	1		30			20	10	8	1	5
10	Males.....	31	1		1					15			13	2	4		3
11	Females.....	36	2				1	1		15			7	8	4	1	2
12	Diagnosis reasonably certain {M.....	10	1		1					1			1	1	1		
	{F.....	18	2				1	1		1			1	1	1		
13	Jefferson County.....	51	6			2	3	1		23			15	8	3		2
14	Males.....	30	6			2	3	1		14			12	2			
15	Females.....	21								9			3	6	3		2
16	Diagnosis reasonably certain {M.....	16	6			2	3	1		3			3				1
	{F.....	9												2			
17	Lancaster County.....	90	6			2	3	1		37			23	14	11		8
18	Males.....	37	4			2	2			20			12	8	4		2
19	Females.....	53	2				1	1		17			11	6	7		6
20	Diagnosis reasonably certain {M.....	17	4			2	2			2			2	2	2		1
	{F.....	29	2				1	1		3			2	1	2		
21	Luzerne County.....	99	6	2	1		2	1		49			36	13	14	1	8
22	Males.....	45	4	1	1		2			25			22	3	6	1	3
23	Females.....	54	2	1				1		24			14	10	8		5
24	Diagnosis reasonably certain {M.....	13	4	1	1		2			2			2	2	2		
	{F.....	29	2	1				1		3			1	2	6		4
25	Montgomery County.....	95	5	1	1		1	2		38		1	22	15	15	2	5
26	Males.....	48	4	1	1		1	1		20		1	12	7	9	1	4
27	Females.....	47	1					1		18			10	8	6	1	1
28	Diagnosis reasonably certain {M.....	27	4	1	1		1	1		5			4		6	1	1
	{F.....	28	1											4	5	1	
29	Northampton County.....	54	3				2	1		27			16	11	3	3	
30	Males.....	24	3					1		12			8	4	1		
31	Females.....	30					2			15			8	7	2	2	
32	Diagnosis reasonably certain {M.....	4	3				2	1								1	
	{F.....	17								3			1	2	1		
33	Schuylkill County.....	89	6	2			3	1		37		1	22	14	10		4
34	Males.....	35	5	2			2	1		16		1	9	6	4		1
35	Females.....	54	1				1			21			13	8	6		3
36	Diagnosis reasonably certain {M.....	22	5	2			2	1		6			5	1	3		
	{F.....	33	1				1			3			2	1	4		1
37	Washington County.....	75	2	2						42		1	29	12	3	1	2
38	Males.....	34	2	2						20			15	4			
39	Females.....	41								22		1	14	8	3	1	2
40	Diagnosis reasonably certain {M.....	17	2	2						7			7				
	{F.....	21								5			3	2	1	1	
41	Westmoreland County.....	110	8	1	3	1	3			45		1	21	23	14	2	7
42	Males.....	45	7	1	2	1	3			23		1	12	10	5		2
43	Females.....	65	1		1					22			9	13	9	2	5
44	Diagnosis reasonably certain {M.....	28	7	1	2	1	3			8			6	2	4		1
	{F.....	37	1		1									2	4	2	
45	York County.....	64	5			1	3	1		20			9	11	9	2	4
46	Males.....	22	4			1	2	1		9			5	4	4		3
47	Females.....	42	1				1			11			4	7	5	2	1
48	Diagnosis reasonably certain {M.....	12	4			1	2	1		3			2	1	1	1	
	{F.....	29	1				1			1			1	4	1	1	1
49	Other rural districts.....	1,269	70	15	11	5	24	15		520	1	5	329	185	165	20	88
50	Males.....	495	54	14	6	4	19	11		236		2	172	62	65	7	33
51	Females.....	774	16	1	5	1	5	4		284	1	3	157	123	100	13	55
52	Diagnosis reasonably certain {M.....	228	54	14	6	4	19	11		34			26	8	33	2	7
	{F.....	462	16	1	5	1	5	4		40			22	18	55	6	17

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
4		9		9			16	2	8	1	1	1				1	3	1		
3		9		9			16	1	5	1		1					2	2		
1		9		9			16	1	3	1						1	1	3		
3		9		9			16	1	4	1							2	4		
1		9		9			16	1	1								1	4		
4		8		8			12	3	15			2	1	1		2	8	5		
2		8		8			12	2	5				1		1		2	6		
2		8		8			12	1	10			2		1		1	6	7		
2		8		8			12	2	2								2	8		
2		8		8			12	1	7			1				1	5	8		
2		8		8			4	3	11			1	1			1	4	9		
1		8		8			4	2	9			1				1	3	10		
1		8		8			4	2	2			1				1	1	11		
1		8		8			4	1	5							1	3	12		
1		5	1	4			2	2	1								1	12		
1		5	1	4			2	2	10			1	2				4	13		
1		4		4			2	2	8			1					3	14		
1		4		4			2	2	2			1					1	15		
1		4		4			2	2	5			1					2	16		
1		4		4			2	2	1								1	16		
3		10		9	1		12	5	9					3	2	1	3	17		
2		10		9	1		1	4	4					1	1		1	18		
1		10		9	1		11	1	5					2	1		2	19		
1		10		9	1		11	4	4					1	1		1	20		
4	1	6	1	5			9	7	8			1					4	21		
2		6	1	5			9	6	4			1					3	22		
2	1	6	1	5			9	1	4			1					1	23		
2		6	1	5			9	6	2								2	24		
2		6	1	5			9	1	2			1					2	24		
3		7		7			11	7	12				4	1			4	25		
4		7		7			11	5	10				4	1			3	26		
4		7		7			11	2	2				1				1	27		
4		7		7			11	5	7				1	1			3	28		
4		7		7			11	2	2				1				1	28		
		7		7			4	1	9			1	1	3	2	1	1	29		
		7		7			4	1	8			1	1	3	2	1		30		
		7		7			4	1	1								1	31		
		7		7			4	1	1			1					1	32		
6		10		10			8	5	13					1		3	0	33		
3		10		10			8	5	10					1			8	34		
3		10		10			8	5	3							2	1	35		
3		10		10			8	5	8							1	8	36		
3		10		10			8	5	2							1	1	36		
		8		8			6	3	11			1	2	1		1	1	37		
		8		8			6	3	9							1	1	38		
		8		8			6	3	2			1					1	39		
		8		8			6	3	5								1	39		
		8		8			6	1	1								1	40		
5		19	1	18			9	2	18			1			1	2	8	41		
3		19	1	18			9	1	9			1					7	42		
2		18		18			9	1	4					1	2		1	43		
3		18		18			9	1	8					1			7	44		
2		18		18			9	1	4					1	2		1	44		
3		11	1	10			10	2	7			1	1				4	45		
1		11	1	10			10	1	4			1					2	46		
2		11	1	10			10	1	3			1					2	47		
1		10		10			10	1	3								2	48		
2		10		10			10	1	2			1					1	48		
56	1	177	7	168	1	1	120	70	147	4	3	15	5	14	11	1	7	85	49	
24	1	177	7	168	1	1	119	46	93	2	1	8	3	14	8	1	3	2	51	50
32		177	7	168	1	1	119	24	54	2	2	7	2		3		4	2	34	51
24		174	4	168	1	1	119	46	60	2	1	5		2	1	1	2	2	44	52
32		174	4	168	1	1	119	24	34	2	1	2		1		1	1	2	44	52

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
 [See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.																	
RHODE ISLAND.																	
1	Total.....	113	5		1	3	1	36		1	26	9	21	1	12		
2	Males.....	41	4		1	2	1	18		1	14	3	9	1	3		
3	Females.....	72	1			1		18			12	6	12		9		
4	Diagnosis reasonably certain.....	16	4		1	2	1	2			1	1	5		1		
	{M.....	4						4			3	1	4				
	{F.....	12	4		1	2	1	2					1				
5	White.....	111	5		1	3	1	34		1	24	9	21	1	12		
6	Males.....	41	4		1	2	1	18		1	14	3	9	1	3		
7	Females.....	70	1			1		16			10	6	12		9		
8	Diagnosis reasonably certain.....	16	4		1	2	1	2			1	1	5		1		
	{M.....	4						4			3	1	4				
	{F.....	12	4		1	2	1	2					1				
9	Colored.....	2						2			2						
10	Males.....																
11	Females.....	2						2			2						
12	Diagnosis reasonably certain.....																
	{M.....																
	{F.....																
UTAH.																	
13	Total.....	97	1		1			57	1	1	42	13	5		3		
14	Males.....	49	1		1			37		1	30	6	1		1		
15	Females.....	48						20	1		12	7	4		2		
16	Diagnosis reasonably certain.....	12	1		1			4			4		2				
	{M.....	29						3	1		1	1	2				
	{F.....																
17	White.....	97	1		1			57	1	1	42	13	5		3		
18	Males.....	49	1		1			37		1	30	6	1		1		
19	Females.....	48						20	1		12	7	4		2		
20	Diagnosis reasonably certain.....	12	1		1			4			4		2				
	{M.....	29						3	1		1	1	2				
	{F.....																
VERMONT.																	
21	Total.....	324	14	3	3	4	2	103		1	65	37	45	2	23		
22	Males.....	130	12	3	3	2	2	47		1	31	15	23		9		
23	Females.....	194	2			2		56			34	22	22	2	14		
24	Diagnosis reasonably certain.....	69	12	3	3	2	2	10			7	3	16		2		
	{M.....	120	2			2		7			3	4	8		2		
	{F.....																
25	White.....	324	14	3	3	4	2	103		1	65	37	45	2	23		
26	Males.....	130	12	3	3	2	2	47		1	31	15	23		9		
27	Females.....	194	2			2		56			34	22	22	2	14		
28	Diagnosis reasonably certain.....	69	12	3	3	2	2	10			7	3	16		2		
	{M.....	120	2			2		7			3	4	8		2		
	{F.....																
VIRGINIA.																	
29	Total.....	747	33	4	7	4	16	248		2	167	79	49	2	28		
30	Males.....	289	23	3	7	3	8	124			88	36	25	1	13		
31	Females.....	458	10	1		1	8	124		2	79	43	24	1	15		
32	Diagnosis reasonably certain.....	127	23	3	7	3	8	9			8	1	14		3		
	{M.....	297	10	1		1	8	7		1		6	8				
	{F.....																
33	White.....	551	28	3	7	4	12	190		2	121	67	38	2	19		
34	Males.....	238	22	3	7	3	7	97			66	31	21	1	10		
35	Females.....	313	6			1	5	93		2	55	36	17	1	9		
36	Diagnosis reasonably certain.....	112	22	3	7	3	7	9			8	1	12		2		
	{M.....	196	6			1	5	7		1		6	7				
	{F.....																
37	Colored.....	196	5	1			4	58			46	12	11		9		
38	Males.....	51	1				1	27			22	5	4		3		
39	Females.....	145	4	1			3	31			24	7	7		6		
40	Diagnosis reasonably certain.....	15	1				1						2		1		
	{M.....	101	4	1			3						1				
	{F.....																

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
		Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
WASHINGTON.															
1 Total.....	372	20	6	4	5	4	1	174			131	43	35		22
2 Males.....	195	13	5	3	2	3		111			92	19	20		13
3 Females.....	177	7	1	1	3	1	1	63			39	24	15		9
4 Diagnosis reasonably certain. (M. F.)	94 117	13 7	5 1	3 1	2 3	3 1	1 1	32 15			26 7	6 8	13 9		6 3
5 White.....	368	20	6	4	5	4	1	173			130	43	35		22
6 Males.....	193	13	5	3	2	3		110			91	19	20		13
7 Females.....	175	7	1	1	3	1	1	63			39	24	15		9
8 Diagnosis reasonably certain. (M. F.)	93 115	13 7	5 1	3 1	2 3	3 1	1 1	31 15			25 7	6 8	13 9		6 3
9 Colored.....	4							1			1				
10 Males.....	2							1			1				
11 Females.....	2														
12 Diagnosis reasonably certain. (M. F.)	1 2							1			1				
WISCONSIN.															
13 Total.....	1,273	53	17	9	2	24	1	652	1	21	472	158	144	10	86
14 Males.....	633	44	16	8	1	18	1	385		20	304	61	76	5	42
15 Females.....	640	9	1	1	1	6		267	1	1	168	97	68	5	44
16 Diagnosis reasonably certain. (M. F.)	243 352	44 9	16 1	8 1	1 1	18 6	1	67 42		2	56 21	9 21	45 31	4 1	12 11
17 White.....	1,266	52	17	9	2	23	1	650	1	21	472	156	144	10	84
18 Males.....	632	44	16	8	1	18	1	384		20	304	60	76	5	42
19 Females.....	634	8	1	1	1	5		266	1	1	168	96	68	5	44
20 Diagnosis reasonably certain. (M. F.)	243 347	44 8	16 1	8 1	1 1	18 5	1	67 42		2	56 21	9 21	45 31	4 1	12 11
21 Colored.....	7	1				1		2				2			
22 Males.....	1							1				1			
23 Females.....	6	1				1		1				1			
24 Diagnosis reasonably certain. (M. F.)	5	1				1									
25 Milwaukee County ²	59	3	1			2		30		2	19	9	5		2
26 Males.....	41	3	1			2		21		2	14	5	4		1
27 Females.....	18							9			5	4	1		1
28 Diagnosis reasonably certain. (M. F.)	29 11	3	1			2		8 3		1	4 1	3 2	3 1		1
29 Other rural districts.....	1,214	50	16	9	2	22	1	622	1	19	453	149	139	10	82
30 Males.....	592	41	15	8	1	16	1	364		18	290	56	72	5	4
31 Females.....	622	9	1	1	1	6		258	1	1	163	93	67	5	40
32 Diagnosis reasonably certain. (M. F.)	217 341	41 9	15 1	8 1	1 1	16 6	1	59 39		1	52 20	6 19	42 30	4 1	16 13

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.	
13		43	2	41			31	16	53	1	4	7	2	8	4	1	3	1	22	1
7		43	2	41			1	12	38		4	5	2	8	3	1	1	1	13	2
6		43	2	41			30	4	15	1	2	2	3	1	1	2	1	1	9	3
7		43	2	41			1	12	23		2	5	3	1	1	1	1	1	10	4
6		43	2	41			30	4	9	1	1	5				1			6	
13		41	2	39			31	16	52	1	4	7	2	8	4	1	2	1	22	5
7		41	2	39			1	12	37		4	5	2	8	3	1		1	13	6
6		41	2	39			30	4	15	1	2	2	3	1	1	2	1	1	9	7
7		41	2	39			1	12	23		2	5	3	1	1	1	1	1	10	8
6		41	2	39			30	4	9	1	1	5				1			6	
		2		2					1							1				9
		2		2					1							1				10
		2		2																11
		2		2																12
48		119	9	102	6	2	102	57	146	2	5	12	12	24	11	3	9	3	65	13
29		119	9	102	6	2	102	30	98	2	4	8	6	24	7	1	8	3	35	14
19		119	9	102	6	2	102	27	48		1	4	6	4	2	1	1	1	30	15
29		115	6	102	6	1	101	30	57	2		4	4	8	3		1	2	32	16
19		115	6	102	6	1	101	27	27			2	1	3					21	
48		118	9	101	6	2	99	57	146	2	5	12	12	24	11	3	9	3	65	17
29		118	9	101	6	2	99	30	98	2	4	8	6	24	7	1	8	3	35	18
19		118	9	101	6	2	99	27	48		1	4	6	4	2	1	1	1	30	19
29		114	6	101	6	1	98	30	57	2		4	4	8	3		1	3	32	20
19		114	6	101	6	1	98	27	27			2	1	3					21	
		1		1			3													21
		1		1			3													22
		1		1			3													23
		1		1			3													24
3		6	1	4	1			2	13				1	2						10
3		6	1	4	1			2	11				1	2						9
		6	1	4	1			2	2				1							1
3		6	1	4	1			2	10				1							9
		6	1	4	1			2	1				1							1
45		113	8	98	5	2	102	55	133	2	5	12	11	22	11	3	9	3	55	29
26		113	8	98	5	2	102	28	87	2	4	8	6	22	7	1	8	3	26	30
19		113	8	98	5	2	102	27	46		1	4	5	4	2	1	1	1	29	31
26		109	5	98	5	1	101	28	47	2		4	4	7	3		1	3	23	32
19		109	5	98	5	1	101	27	26			2	1	3					20	

² Includes National Military Home.

MORTALITY FROM CANCER.

TABLE 3.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA
NATIVITY OF

AREA AND SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.		
REGISTRATION AREA.														
1	Total.....	52,420	49	42	61	43	42	237	122	92	174	294		
2	Males.....	21,282	21	20	33	27	17	118	70	54	86	147		
3	Females.....	31,138	28	22	28	16	25	119	52	38	88	147		
4	White.....	50,515	47	41	60	42	40	230	118	84	167	269		
5	Males.....	20,717	21	19	32	27	16	115	69	48	86	140		
6	Females.....	29,798	26	22	28	15	24	115	49	36	81	129		
7	Native.....	31,288	46	39	60	42	39	226	113	76	141	213		
8	Males.....	11,586	21	18	32	27	16	114	66	44	72	111		
9	Females.....	19,702	25	21	28	15	23	112	47	32	69	102		
10	Both parents native.....	M 6,342 F 11,306	8 13	10 16	19 14	19 7	7 16	63 66	35 29	28 19	38 40	61 54		
11	One or both parents foreign.....	M 3,144 F 5,365	13 11	8 4	12 14	8 8	8 7	49 44	27 17	16 12	33 29	45 40		
12	Parentage unknown.....	M 2,100 F 3,031	1 1	1 1	1	1	2	2	4 1	1	1	5 8		
13	Foreign.....	18,775	1	2			1	4	3	8	25	55		
14	Males.....	8,871		1				1	1	4	14	29		
15	Females.....	9,904	1	1			1	3	2	4	11	26		
16	Unknown.....	452							2		1	1		
17	Males.....	260										1		
18	Females.....	192												
19	Colored.....	1,905	2	1	1	1	2	7	4	8	7	25		
20	Males.....	565		1	1		1	3	1	6		7		
21	Females.....	1,340	2			1	1	4	3	2	7	18		
22	Negro.....	M 507 F 1,317		1	1		1	3	1	4		7		
23	Indian.....	M 7 F 15	2			1	1	4	2	2	7	18		
24	Chinese.....	M 37 F 3								1				
25	Japanese.....	M 12 F 5												
26	Other colored.....	M 2 F								1				
REGISTRATION STATES. ¹														
27	Total.....	47,986	45	39	56	36	40	216	110	87	165	243		
28	Males.....	19,474	18	19	30	22	16	105	62	52	81	124		
29	Females.....	28,512	27	20	26	14	24	111	48	35	84	119		
30	White.....	46,549	43	38	55	35	38	209	106	79	160	231		
31	Males.....	19,047	18	18	29	22	15	102	61	46	81	120		
32	Females.....	27,502	25	20	26	13	23	107	45	33	79	111		
33	Native.....	29,192	42	36	55	35	37	205	101	73	135	184		
34	Males.....	10,842	18	17	29	22	15	101	58	42	68	96		
35	Females.....	18,350	24	19	26	13	22	104	48	31	67	88		
36	Both parents native.....	M 6,020 F 10,549	7 12	10 14	18 13	7 7	7 15	59 61	31 27	27 19	36 38	54 48		
37	One or both parents foreign.....	M 2,983 F 4,953	11 11	7 4	10 13	5 6	7 7	40 41	23 15	15 11	31 29	38 34		
38	Parentage unknown.....	M 1,939 F 2,748	1 1	1	1		1	2 2	4 1	1	1	4 6		
39	Foreign.....	16,936	1	2			1	4	3	6	24	46		
40	Males.....	7,967		1				1	1	4	13	24		
41	Females.....	8,969	1	1			1	3	2	2	11	22		
42	Unknown.....	421							2		1	1		
43	Males.....	238												
44	Females.....	183									1	1		
45	Colored.....	1,437	2	1	1	1	2	7	4	8	5	12		
46	Males.....	427		1	1		1	3	1	6		4		
47	Females.....	1,010	2			1	1	4	3	2	5	8		
48	Negro.....	M 381 F 989		1	1		1	3	1	4		4		
49	Indian.....	M 6 F 14	2			1	1	4	2	2	5	8		
50	Chinese.....	M 29 F 2							1					
51	Japanese.....	M 9 F 5												
52	Other colored.....	M 2 F								1				

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
<i>CANCER OF THE BUCCAL CAVITY.</i>												
1	Total.....	2,086	1	1	1	4	7	6	8	9	3
2	Males.....	1,724	1	2	3	4	6	5	3
3	Females.....	362	1	1	2	4	2	2	4
4	White.....	2,045	1	1	1	4	7	4	6	9	3
5	Males.....	1,696	1	2	3	3	5	5	3
6	Females.....	349	1	1	2	4	1	1	4
7	Native.....	1,246	1	1	1	4	7	4	6	6	2
8	Males.....	1,003	1	2	3	3	5	3	2
9	Females.....	243	1	1	2	4	1	1	3
10	Both parents native.....	535	1	3	2	3	2	2
11	One or both parents foreign.....	136	1	3	1	2
12	Parentage unknown.....	247	1	1	1	2	1
	M.....	65
	F.....	221
	F.....	42	1
13	Foreign.....	765	3	1
14	Males.....	660	2	1
15	Females.....	105	1
16	Unknown.....	34
17	Males.....	33
18	Females.....	1
19	Colored.....	41	2	2
20	Males.....	28	1	1
21	Females.....	13	1	1
22	Negro.....	25	1	1
23	M.....	11	1	1
24	F.....	2
	Indian.....	2
	Chinese.....	3
<i>Cancer of the lip.</i>												
25	Total.....	354	2
26	Males.....	328	1
27	Females.....	26	1
28	White.....	352	1
29	Males.....	327	1
30	Females.....	25
31	Native.....	218	1
32	Males.....	206	1
33	Females.....	12
34	Both parents native.....	111	1
	M.....	8
35	One or both parents foreign.....	39
	M.....	1
36	Parentage unknown.....	56
	M.....	3
	F.....
37	Foreign.....	128
38	Males.....	115
39	Females.....	13
40	Unknown.....	6
41	Colored.....	2	1
42	Negro.....	1	1
	M.....	1
	F.....
<i>Cancer of the tongue.</i>												
43	Total.....	547	1	1	2
44	Males.....	465	1
45	Females.....	82	1	1	1
46	White.....	537	1	1	2
47	Males.....	458	1
48	Females.....	79	1	1	1
49	Native.....	295	1	1	2
50	Males.....	235	1
51	Females.....	60	1	1	1
52	Both parents native.....	113	1
	M.....	35	1
	F.....	76
53	One or both parents foreign.....	14	1	1
	M.....	46
	F.....	11

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND OF DECEDENT: 1914.

DEATHS AT AGE OF—															Deaths at un- known age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.		100 years and over.
12	20	42	86	125	192	236	272	307	299	228	155	58	20	1		1
11	14	34	65	108	165	217	228	266	247	172	118	43	14	1		2
1	6	8	21	17	27	19	44	41	52	56	37	15	6			3
12	19	40	83	121	187	230	267	301	297	226	154	58	20	1		4
11	14	33	62	105	161	212	226	261	246	171	117	43	14	1		5
1	5	7	21	16	26	18	41	40	51	55	37	15	6			6
8	11	27	60	60	117	141	150	189	168	141	98	37	13	1		7
8	8	21	44	49	101	125	126	159	130	101	78	28	8	1		8
3	3	6	16	11	16	16	24	30	38	40	20	9	5			9
7	3	9	26	18	47	59	68	97	68	61	38	19	2	1		10
1	2	7	7	3	7	9	11	19	24	26	10	7	4			11
5	9	14	27	27	36	46	31	31	20	13	8	3	1			12
2	2	8	8	7	7	5	6	6	8	6	4	1	1			13
1	3	4	4	4	18	20	27	31	42	27	32	6	5			14
2	2	1	1	1	2	2	7	5	6	8	6	2	2			15
4	7	13	23	57	67	82	113	110	123	83	53	19	7			16
3	5	12	18	52	58	80	96	100	110	68	36	13	6			17
1	2	1	5	5	9	2	17	10	13	15	17	6	1			18
1				4	3	7	4	2	6	2	3	2				19
1				4	2	7	4	2	6	2	3	2				20
1	2	3	4	5	6	5	6	6	2	2	1					21
1	1	1	3	3	4	5	2	5	1	1	1					22
1	1	1	3	2	4	5	3	1	1	1	1					23
1	1	1	1	1	1	1	1	1	1	1	1					24
2	3	4	8	11	24	26	44	48	47	48	57	22	7	1		25
2	2	4	8	11	24	26	43	47	45	44	47	18	5	1		26
1	1						1	1	2	4	10	4	2			27
2	3	4	8	11	24	26	44	47	47	48	57	22	7	1		28
2	2	4	8	11	24	26	43	46	45	44	47	18	5	1		29
1	1						1	1	2	4	10	4	2			30
2	3	1	6	8	15	21	28	30	22	30	32	13	5	1		31
2	2	1	6	8	15	21	28	29	21	28	28	12	3	1		32
1	1	1	5	3	5	8	17	16	12	17	14	4	2			33
2	1						4	5	1	1	1	1	1	1		34
1	1						5	6	3	4	1	2	2			35
1	1						5	5	6	7	6	1	3	3		36
1	1						6	7	6	7	1	2	3			37
3							15	17	22	18	24	9	2			38
3							14	17	21	16	18	6	2			39
1							1		1	2	6	3				40
1							1		3		1					41
1								1								42
2	4	17	24	44	61	75	79	81	71	50	24	8	4			43
1	3	15	17	38	55	72	68	71	61	37	17	6	3			44
1	1	2	7	6	6	3	11	10	10	13	7	2	1			45
2	4	17	22	42	61	74	78	79	69	50	24	8	4			46
1	3	15	15	37	55	71	68	69	60	37	17	6	3			47
1	1	2	7	5	6	3	10	10	9	13	7	2	1			48
1	2	15	18	15	37	37	38	41	39	23	17	6	3			49
1	2	13	13	12	33	34	31	34	31	13	11	4	2			50
1	1	6	5	3	4	3	7	7	8	10	6	2	1			51
1	2	6	7	4	13	14	15	20	17	8	5	2	2			52
2	1	3	3	2	8	3	4	5	4	3	2	2	1			53
1	1	1	2	1	3	1	10	5	5	2	1	2	1			54
1	1	1	2	1	4	6	1	1	3	2	3	3	1			55

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE BUCCAL CAVITY—continued.												
<i>Cancer of the tongue—Continued.</i>												
1	White—Continued.											
	Foreign.....	238										
2	Males.....	219										
3	Females.....	19										
4	Unknown.....M.	4										
5	Colored.....	10										
6	Males.....	7										
7	Females.....	3										
8	Negro.....(M.)	7										
9	Indian.....(F.)	2										
(F.)	1										
<i>Cancer of the mouth.</i>												
10	Total.....	216					2	2		1		1
11	Males.....	171					1	1		1		1
12	Females.....	45					1	1				
13	White.....	215					2	2		1		1
14	Males.....	171					1	1		1		1
15	Females.....	44					1	1				
16	Native.....	136					2	2		1		1
17	Males.....	105					1	1		1		1
18	Females.....	31					1	1				
19	Both parents native.....(M.)	71					1	1		1		1
(F.)	20					1	1				
20	One or both parents foreign.....(M.)	15										
(F.)	4										
21	Parentage unknown.....(M.)	19										
(F.)	7										
22	Foreign.....	71										
23	Males.....	58										
24	Females.....	13										
25	Unknown.....M.	8										
26	Colored—Negro.....F.	1										
<i>Cancer of the jaw.</i>												
27	Total.....	785		1		1	2	4	4	7	5	1
28	Males.....	618				1	1	2	3	5	3	1
29	Females.....	167		1			1	2	1	2	2	
30	White.....	782		1		1	2	4	3	5	5	1
31	Males.....	601				1	1	2	2	4	3	1
32	Females.....	181		1			1	2	1	1	2	
33	Native.....	482		1		1	2	4	3	5	2	
34	Males.....	367				1	1	2	2	4	1	
35	Females.....	115		1			1	2	1	1	1	
36	Both parents native.....(M.)	188				1	1	2	1	2		
(F.)	56		1			1	2				
37	One or both parents foreign.....(M.)	95								2	1	
(F.)	40							1		1	
38	Parentage unknown.....(M.)	84							1			
(F.)	19										
39	Foreign.....	265									3	1
40	Males.....	220									2	1
41	Females.....	45									1	
42	Unknown.....	15										
43	Males.....	14										
44	Females.....	1										
45	Colored.....	23							1	2		
46	Males.....	17							1	1		
47	Females.....	6										
48	Negro.....(M.)	16							1	1		
49	Indian.....(F.)	5								1		
50	Chinese.....M.	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE BUCCAL CAVITY—continued.												
<i>Others of this class.</i>												
1	Total.....	184									2	1
2	Males.....	142										
3	Females.....	42									1	1
4	White.....	179									2	1
5	Males.....	139										
6	Females.....	40									1	1
7	Native.....	115									2	1
8	Males.....	90										
9	Females.....	25									1	1
10	Both parents native.....	52									1	1
11	One or both parents foreign.....	17									1	1
12	Parentage unknown.....	22									1	1
13	Foreign.....	6										
14	Males.....	16										
15	Females.....	2										
16	Unknown.....	1										
17	Colored.....	5										
18	Males.....	3										
19	Females.....	2										
20	Negro.....	1										
21	Chinese.....	2										
CANCER OF THE STOMACH AND LIVER.												
22	Total.....	18,285	7	6	5	4	4	26	9	6	17	32
23	Males.....	9,236	2	2	2	3	1	10	7	4	6	13
24	Females.....	9,049	5	4	3	1	3	16	2	2	11	19
25	White.....	17,806	7	6	5	4	4	26	9	6	17	28
26	Males.....	9,004	2	2	2	3	1	10	7	4	6	12
27	Females.....	8,802	5	4	3	1	3	16	2	2	11	16
28	Native.....	9,773	7	5	5	4	4	25	8	6	13	23
29	Males.....	4,584	2	2	2	3	1	10	6	4	5	9
30	Females.....	5,189	5	3	3	1	3	15	2	2	8	14
31	Both parents native.....	2,483	1	2	2	3	1	9	3	2	1	7
32	One or both parents foreign.....	2,994	4	1	1	1	7	7	1	1	5	7
33	Parentage unknown.....	1,257	1	2	2	3	1	1	2	2	4	1
34	Foreign.....	1,337	1				3	7	1	1	3	5
35	Males.....	844						1	1			1
36	Females.....	858	1					1				2
37	Unknown.....	174							1			
38	Males.....	112										
39	Females.....	62							1			
40	Colored.....	479										4
41	Males.....	232										1
42	Females.....	247										3
43	Negro.....	201										1
44	Indian.....	238										3
45	Chinese.....	3										
46	Japanese.....	6										
47	Other colored.....	20										
48	Cancer of the pharynx.....	7										
49	Males.....	3										
50	Females.....	1										
51	White.....	46							1		2	
52	Males.....	37										
53	Females.....	9							1		1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1	5	3	8	12	16	18	26	22	31	21	12	2	4			1	
1	3	3	6	12	11	17	20	18	23	14	9	1	2			2	
	2		2		5	1	6	4	8	7	3	1	2			3	
1	4	3	8	11	14	18	25	22	31	21	12	2	4			4	
1	3	3	6	11	10	17	19	18	23	14	9	1	2			5	
	1		2		4	1	6	4	8	7	3	1	2			6	
1	1	2	5	6	7	12	11	14	21	19	9	2	2			7	
1	1	2	4	6	5	11	9	12	15	12	8	1	1			8	
	1	1	1	2	2	1	2	2	6	7	1	1	1			9	
			2	3	2	5	6	5	7	10	6	1	1			10	
		1	1	3	2	1	2	4	3	5	1	1	1			11	
			2	3	2	1	2	4	3	5	1	1	1			12	
			1	1	1	1	1	2	3	5	1	1	1			13	
	3	1	3	5	7	5	14	8	10	2	3		2			14	
	2	1	2	5	5	5	10	6	8	2	1		1			15	
	1		1		2		4	2	2		2					16	
	1			1	2		1									17	
				1	1		1									18	
	1			1	1		1									19	
	1			1	1		1									20	
				1	1		1									21	
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2,441	1,631	822	226	52	6	1	21	22
52	92	233	402	671	1,112	1,278	1,455	1,441	1,217	747	374	94	20		1	7	23
61	120	254	402	645	948	1,151	1,300	1,378	1,224	884	448	132	32	6		14	24
108	200	455	777	1,256	1,987	2,372	2,677	2,762	2,410	1,607	812	224	49	5	1	18	25
51	88	219	384	646	1,071	1,249	1,412	1,411	1,204	739	372	94	18		1	6	26
57	112	236	393	610	916	1,123	1,265	1,351	1,206	868	440	130	31	5		12	27
72	119	258	423	649	1,041	1,324	1,468	1,475	1,339	893	458	133	34	1	1	10	28
36	51	107	184	291	506	645	735	714	639	384	192	52	10		1	3	29
36	68	151	239	358	535	679	733	761	700	509	266	81	24			7	30
18	31	46	89	130	247	284	402	436	380	239	119	30	10	1			
25	41	79	114	185	262	348	396	490	465	339	174	41	10			4	31
14	18	49	76	123	199	267	196	124	96	51	31	2				1	
9	21	58	102	132	207	253	201	124	102	69	24	15	1	1		1	
4	2	12	19	38	60	94	137	154	163	94	42	20				2	
2	6	14	23	41	66	78	136	147	133	101	68	25	13			2	
35	79	192	346	597	914	1,081	1,187	1,255	1,055	701	345	88	15	4		5	34
15	36	107	196	346	541	592	662	677	557	349	176	41	8			1	35
20	43	85	150	251	373	439	525	578	498	352	169	47	7	4		4	36
1	2	5	8	10	32	17	22	32	16	13	9	3				3	37
	1	5	4	9	24	12	15	20	8	6	4	1				2	38
	1		4	1	8	5	7	12	8	7	5	2				1	39
5	12	32	27	60	73	57	78	57	31	24	10	2	3	1		3	40
1	4	14	18	25	41	29	43	30	13	8	2		2			1	41
4	8	18	9	35	32	28	35	27	18	16	8	2				2	42
1	4	13	16	21	31	25	36	28	13	8	2		1	1		1	43
4	7	16	9	34	32	27	35	25	17	15	8	2	1	1		2	44
	1			1	1	1	1	2	1	1			1				44
				2	6	3	7	2	1	1							45
				2	3	1	1	1									46
				1	1												47
		1	2	4	6	13	5	5	5	4	1	1					48
		1	1	4	6	11	5	5	3	1	1	1					49
		1	1			2			2	3							50
		1	2	3	6	13	4	4	4	4	1	1					51
		1	1	3	6	11	4	4	2	1	1	1					52
		1	1	3	6	11	4	4	2	3	1	1					53

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE STOMACH AND LIVER—contd.												
<i>Cancer of the pharynx—Continued.</i>												
1	White—Continued:											
	Native.....	27								1		1
2	Males.....	20								1		
3	Females.....	7										1
4	Both parents native.....	6										
5	One or both parents foreign.....	11								1		
6	Parentage unknown.....	3										1
7	Foreign.....	19										1
8	Males.....	17										1
9	Females.....	2										
10	Colored—Negro.....	4										
<i>Cancer of the esophagus.</i>												
11	Total.....	534										
12	Males.....	413										
13	Females.....	121										
14	White.....	519										
15	Males.....	404										
16	Females.....	115										
17	Native.....	176										
18	Males.....	122										
19	Females.....	54										
20	Both parents native.....	52										
21	One or both parents foreign.....	49										
22	Parentage unknown.....	21										
23	Foreign.....	337										
24	Males.....	277										
25	Females.....	60										
26	Unknown.....	6										
27	Males.....	5										
28	Females.....	1										
29	Colored.....	15										
30	Males.....	9										
31	Females.....	6										
32	Negro.....	6										
33	Japanese.....	3										
<i>Cancer of the stomach.</i>												
34	Total.....	11,733		3		1	1	5	2		6	20
35	Males.....	6,405		1		1	1	3	1		3	5
36	Females.....	5,328		2				2	1		3	15
37	White.....	11,417		3		1	1	5	2		6	16
38	Males.....	6,249		1		1	1	3	1		3	4
39	Females.....	5,168		2				2	1		3	12
40	Native.....	6,027		2		1	1	4	2		5	14
41	Males.....	3,112		1		1	1	3	1		3	3
42	Females.....	2,915		1				1	1		2	11
43	Both parents native.....	1,662		1		1	1	3				3
44	One or both parents foreign.....	1,648									3	6
45	Parentage unknown.....	871		1				1	1		2	4
46	Foreign.....	5,271		1				1	1		1	2
47	Males.....	3,059										1
48	Females.....	2,212		1				1			1	1
49	Unknown.....	119										
50	Males.....	78										
51	Females.....	41										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
																1
		1	2	1	6	7	3		3	1		1				2
		1	1	1	6	5	3		2	1		1				3
			1	1	2	2	1		1	1						4
		1	1		3	3	2		1							5
					1	1			1			1				6
				2		6	1	4	1	3	1					7
				2			1	4	1	1	1					8
				1			1	1	1							9
																10
2	2	13	24	46	77	76	82	78	63	40	21	9	1			11
2	1	4	17	36	64	67	65	58	47	31	14	6	1			12
1	1	9	7	10	13	9	17	20	16	9	7	3				13
2	2	12	22	42	72	76	79	78	63	40	21	9	1			14
2	1	4	15	33	60	67	65	58	47	31	14	6	1			15
1	1	8	7	9	12	9	14	20	16	9	7	3				16
2	2	4	11	18	22	27	20	24	16	16	7	6	1			17
2	1		6	13	18	19	15	18	9	11	5	4	1			18
1	1	4	5	5	4	8	5	6	7	5	2	2				19
2			1	3	7	9	4	9	4	6	4	2	1			20
	1	1	4	4	1	4	3	4	6	4	4	2				21
	1		5	8	9	8	7	7	2	2	2					22
		3	1	2	2	4	1	1	1	1						23
				1	1	2	4	2	3		1	2				24
		8	11	23	49	48	58	53	47	23	14	3				25
		4	9	19	41	47	49	40	38	19	9	2				26
	4		2	4	8	1	9	13	9	4	5	1				27
				1	1	1	1	1		1						28
				1	1	1	1	1								29
		1	2	4	5		3									30
			2	3	4											31
		1	2	1	2		3									32
		1		1	1		3									33
				1	2											34
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	544	141	37	3		10
35	65	162	282	461	789	889	1,015	1,007	833	520	257	60	14			4
37	69	161	234	368	524	655	763	802	754	540	287	81	23	3		6
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3		8
34	62	156	271	444	760	870	986	986	823	515	255	60	12			4
35	65	150	228	343	503	639	741	786	742	529	281	79	22	3		4
45	76	162	246	384	647	804	912	912	840	561	306	78	24			5
21	38	70	121	191	358	440	503	493	438	255	134	32	6			2
24	38	92	125	193	289	364	409	419	402	306	172	46	18			3
7	25	25	53	81	183	196	272	297	252	160	80	19	6			42
18	19	50	61	94	147	181	208	270	253	196	113	23	7			2
12	12	35	52	85	133	178	141	93	75	27	23	2				44
6	18	36	55	73	114	134	120	72	65	44	19	7	1			2
2	1	10	16	25	42	66	90	103	111	68	31	11				2
	1	6	9	26	28	49	81	77	84	66	40	16	10			1
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3		1
13	23	82	146	248	385	422	473	478	381	255	117	28	6			1
10	26	53	101	150	211	271	327	359	335	219	104	31	4	3		47
1	2	4	6	5	20	12	15	23	9	9	2					2
	1	4	4	5	17	8	10	15	4	5	4					1
1	1		2		3	4	5	8	5	4	5	2				1

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE STOMACH AND LIVER—cont'd.												
Cancer of the stomach—Continued.												
1	Colored.....	316										4
2	Males.....	156										1
3	Females.....	160										3
4	Negro.....	140										1
5	M.....	155										3
6	F.....	3										
7	Indian.....	2										
8	M.....	9										
9	F.....	4										
10	Chinese.....	3										
11	M.....	4										
12	F.....	3										
13	Japanese.....	4										
14	M.....	3										
15	F.....	3										
16	Total.....	5,968	7	3	5	3	3	21	6	6	9	12
17	Males.....	2,377	2	1	2	2	7	5	4	2	8	
18	Females.....	3,591	5	2	3	1	3	14	1	2	7	4
19	White.....	5,824	7	3	5	3	3	21	6	6	9	12
20	Males.....	2,314	2	1	2	2	7	5	4	2	8	
21	Females.....	3,510	5	2	3	1	3	14	1	2	7	4
22	Native.....	3,543	7	3	5	3	3	21	5	6	7	9
23	Males.....	1,330	2	1	2	2	7	4	4	2	6	
24	Females.....	2,213	5	2	3	1	3	14	1	2	5	3
25	Both parents native.....	763	1	1	2	2	6	3	2	1	4	
26	One or both parents foreign.....	1,306	4	1	1	1	7	1	1	5	1	
27	Parentage unknown.....	326	1				1	1	2	1	1	
28	M.....	549		1	2		3	6		1	1	
29	F.....	241									1	
30	Foreign.....	241	1				1				2	3
31	Males.....	358										2
32	Females.....	1									2	1
33	Unknown.....	49							1			
34	Males.....	29							1			
35	Females.....	20										
36	Colored.....	144										
37	Males.....	63										
38	Females.....	81										
39	Negro.....	51										
40	M.....	77										
41	F.....	4										
42	Indian.....	4										
43	Chinese.....	11										
44	Other colored.....	1										
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM.												
45	Total.....	6,234	4	5	4	1	5	19	17	10	20	49
46	Males.....	2,690	1	3	1	1	2	8	10	9	15	28
47	Females.....	3,544	3	2	3		3	11	7	1	5	21
48	White.....	6,108	4	5	4	1	4	18	17	9	20	47
49	Males.....	2,649	1	3	1	1	1	7	10	8	15	28
50	Females.....	3,459	3	2	3		3	11	7	1	5	19
51	Native.....	3,842	4	5	4	1	3	17	16	8	18	36
52	Males.....	1,576	1	3	1	1	1	7	10	7	13	21
53	Females.....	2,266	3	2	3		2	10	6	1	5	15
54	Both parents native.....	897	1	1	1			2	6	5	6	10
55	One or both parents foreign.....	1,306	2				1	3	4	1	2	7
56	Parentage unknown.....	445	1	2		1	1	5	4	2	7	10
57	M.....	640	1	1	3		1	6	2		3	6
58	F.....	234										1
59	Foreign.....	320		1				1				2
60	Males.....	2,236					1	1	1	1	2	11
61	Females.....	1,056										7
62	Unknown.....	1,180					1	1	1			4
63	Males.....	30										
64	Females.....	17										
65	Colored.....	126					1	1		1		2
66	Males.....	41					1	1		1		
67	Females.....	85										2
68	Negro.....	36					1	1				
69	M.....	83										2
70	F.....	1										
71	Indian.....	1										
72	M.....	1										
73	F.....	1										

1 Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3	7	17	17	42	50	35	51	37	22	16	8	2	8			2	
1	3	6	11	17	29	19	29	21	10	5	2	2	2			2	
2	4	11	6	25	21	16	22	16	12	11	6	2	1			2	
1	3	6	10	14	23	18	26	20	10	5	2	2	1			2	
2	4	10	6	24	21	15	22	15	11	11	6	2	1			2	
					1	1											
				2	4			1	1							5	
				1	1		3									6	
			1	1	1			1								7	
						1											
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11	
15	26	66	102	170	253	311	370	371	334	195	102	27	5		1	3	
24	50	84	160	267	411	485	520	556	452	332	154	48	9	3		8	
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10	
15	25	58	97	166	245	301	357	363	332	192	102	27	5		1	2	
22	46	78	157	258	401	473	510	545	446	327	152	48	9	2		8	
25	41	91	164	246	366	486	533	539	480	315	145	48	9	1	1	5	
13	12	36	56	86	124	181	214	203	191	118	53	15	3		1	1	
12	29	55	108	160	242	305	319	326	289	197	92	33	6		1	4	
9	6	21	35	45	55	77	125	130	124	78	35	9	3			16	
7	21	28	48	87	114	162	185	216	205	138	59	16	3			2	
2	5	13	18	30	54	78	46	24	19	22	8	5	3			1	
3	3	19	46	59	91	114	80	51	35	25	5	8	1			1	
2	2	2	3	11	15	26	43	49	48	25	1	6		1		1	
2	5	8	14	14	37	29	54	69	49	34	10	6	3		1	1	
12	30	44	88	174	269	284	328	361	291	201	109	26	5	1		4	
2	13	21	41	77	115	117	139	155	137	74	49	11	2			21	
10	17	23	47	97	154	167	189	206	154	127	60	15	3	1		4	
		1	2	4	11	4	6	8	7	3		1				1	
				3	6	3	4	5	4							1	
			2	1	5	1	2	3	3	3		1				24	
																25	
2	5	14	8	13	18	22	23	19	8	8	2			1		1	
																26	
	1	8	5	4	8	10	13	8	2	3						1	
2	4	6	3	9	10	12	10	11	6	5	2					27	
	1	7	4	4	6	7	9	7	2	3				1		28	
2	3	5	3	9	10	12	10	10	6	4	2					1	
	1	1						1		1				1		29	
					2	3	4	1								30	
			1													31	
																32	
96	151	218	336	483	631	777	873	858	799	536	249	83	23	2		4	
48	65	80	151	201	263	339	400	375	336	220	96	37	8			1	
48	86	138	185	282	368	438	473	483	463	316	153	46	15	2		3	
94	144	201	327	472	619	762	858	847	788	529	246	82	23	1		4	
47	63	76	148	196	260	332	397	372	332	217	95	37	8			1	
47	81	125	179	276	359	430	461	475	456	312	151	45	15	1		3	
61	101	136	222	309	386	484	524	490	466	331	166	51	16	1		3	
29	44	43	87	114	147	211	219	207	202	124	63	23	4			1	
32	57	93	135	195	239	273	305	283	264	207	103	28	12			2	
17	26	25	45	52	77	115	114	128	131	79	42	15	2			41	
20	34	45	53	104	122	153	179	161	176	134	71	26	9			42	
12	18	12	34	53	59	79	67	39	24	14	3	2				1	
10	20	40	71	76	86	88	83	65	45	28	9	3				43	
		6	8	9	11	17	38	40	47	31	18	2				1	
2	3	8	11	15	31	32	43	57	43	45	23	2				44	
32	42	64	102	161	233	274	328	352	320	195	79	31	6			1	
18	19	32	59	80	113	121	175	161	128	91	31	14	4			46	
14	23	32	43	81	120	153	153	191	192	104	48	17	2			47	
1	1	1	3	2		4	6	5	2	3	1		1			48	
1	1	1	2	2		4	3	4	2	2	1			1		49	
2	7	17	9	11	12	15	15	11	11	7	3	1				50	
1	2	4	3	5	3	7	3	3	4	3	1					51	
1	5	13	6	6	9	8	12	8	7	4	2	1				52	
1	2	3	3	5	2	7	2	2	4	3	1			1		53	
1	4	13	6	6	9	7	12	8	7	4	2	1			1	54	
						1	1									55	

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—																	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.								
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.																				
Colored—Continued.																				
1	Chinese..... M	1																		
2	Japanese..... M	2																		
3	Other colored..... F	1																		
3	Other colored..... M	1												1						
<i>Cancer of the mesentery and peritoneum.</i>																				
4	Total.....	447	2	2	2	1				7	5	3		8						9
5	Males.....	168		1		1				2	3	3		7						6
6	Females.....	279	2	1	2					5	2	3		1						3
7	White.....	441	2	2	2	1				7	5	2		8						8
8	Males.....	165		1		1				2	3	2		7						6
9	Females.....	276	2	1	2					5	2	2		1						2
10	Native.....	282	2	2	2	1				7	4	2		6						7
11	Males.....	107		1		1				2	3	2		5						5
12	Females.....	175	2	1	2					5	1	2		1						2
13	Both parents native..... M	55								1	2	2		1						2
13	Both parents native..... F	109	1							1				2						1
14	One or both parents foreign..... M	39		1		1				2	1			4						2
14	One or both parents foreign..... F	47	1		2					3	1			1						1
15	Parentage unknown..... M	13																		1
15	Parentage unknown..... F	19		1						1										1
16	Foreign.....	158									1			2						1
17	Males.....	58												2						1
18	Females.....	100									1									
19	Unknown..... F	1																		
20	Colored.....	6											1							1
21	Males.....	3											1							
22	Females.....	3																		1
23	Negro..... M	1																		
23	Negro..... F	3																		1
24	Japanese..... M	1																		
25	Other colored..... M	1											1							
<i>Cancer of the intestines (except rectum).</i>																				
26	Total.....	3,768	1	2	2		4			9	12	5		10						26
27	Males.....	1,533		2	1		2			5	7	5		6						16
28	Females.....	2,235	1		1		2			4	5	5		4						10
29	White.....	3,693	1	2	2		3			8	12	5		10						26
30	Males.....	1,512		2	1		1			4	7	5		6						16
31	Females.....	2,181	1		1		2			4	5			4						10
32	Native.....	2,292	1	2	2		2			7	12	5		10						17
33	Males.....	883		2	1		1			4	7	5		6						10
34	Females.....	1,409	1		1		1			3	5	5		4						7
35	Both parents native..... M	511		1	1					2	4	3		4						5
35	Both parents native..... F	817	1				1			2	4			2						3
36	One or both parents foreign..... M	239		1			1			2	3	2		2						5
36	One or both parents foreign..... F	390			1					1	1			2						4
37	Parentage unknown..... M	133																		
37	Parentage unknown..... F	202																		
38	Foreign.....	1,380					1			1										9
39	Males.....	617																		6
40	Females.....	763					1			1										3
41	Unknown.....	21																		
42	Males.....	12																		
43	Females.....	9																		
44	Colored.....	75					1			1										
45	Males.....	21					1			1										
46	Females.....	54																		
47	Negro..... M	20					1			1										
47	Negro..... F	53																		
48	Chinese..... M	1																		
49	Japanese..... F	1																		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.												
<i>Cancer of the rectum and anus.</i>												
1	Total	1,992	1	1			1	3		2	2	14
2	Males	982	1				1			1	2	6
3	Females	1,010		1			1	2		1		8
4	White	1,949	1	1			1	3		2	2	13
5	Males	965	1				1			1	2	6
6	Females	984		1			1	2		1		7
7	Native	1,252	1	1			1	3		1	2	12
8	Males	582	1				1				2	6
9	Females	670		1			1	2		1		6
10	Both parents native	328									1	3
		372								1		3
11	One or both parents foreign	166	1				1				1	3
		199		1			1	2				2
12	Parentage unknown	88										
		99										1
13	Foreign	690								1		1
14	Males	378								1		
15	Females	312										1
16	Unknown	7										
17	Males	5										
18	Females	2										
19	Colored	43										1
20	Males	17										
21	Females	26										1
22	Negro	15										
		25										1
23	Indian	1										
		1										
24	Japanese	1										
<i>Others of this class.</i>												
25	Total	27										
26	Males	7										
27	Females	20										
28	White	25										
29	Males	7										
30	Females	18										
31	Native	16										
32	Males	4										
33	Females	12										
34	Both parents native	3										
		8										
35	One or both parents foreign	1										
		4										
36	Foreign	8										
37	Males	3										
38	Females	5										
39	Unknown	1										
40	Colored—Negro	2										
CANCER OF THE FEMALE GENITAL ORGANS.												
41	Total	7,247	1			1	1	3	2	5	6	36
42	White	6,824	1			1	1	3	2	5	6	34
43	Native	4,906	1			1	1	3	2	4	3	26
44	Both parents native	2,823	1			1	1	3	2	2	1	16
45	One or both parents foreign	1,351								2	2	9
46	Parentage unknown	732										1
47	Foreign	1,871								1	3	7
48	Unknown	47										1
49	Colored	423										2
50	Negro	419										2
51	Indian	1										
52	Chinese	2										
53	Japanese	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
CANCER OF THE FEMALE GENITAL ORGANS—contd.													
<i>Cancer of the ovary and fallopian tube.</i>													
1	Total.....	F..	406					1	1		3	3	10
2	White.....	F..	399					1	1		3	3	10
3	Native.....	F..	293					1	1		2	2	7
4	Both parents native.....	F..	151					1	1				3
5	One of both parts foreign.....	F..	111								2	2	4
6	Parentage unknown.....	F..	31										
7	Foreign.....	F..	105								1	1	3
8	Unknown.....	F..	1										
9	Colored—Negro.....	F..	7										
<i>Cancer of the uterus.</i>													
10	Total.....	F..	6,629				1		1	2	2	3	25
11	White.....	F..	6,220				1		1	2	2	3	23
12	Native.....	F..	4,463				1		1	2	2	1	18
13	Both parents native.....	F..	2,579				1		1	2	2	1	13
14	One of both parents foreign.....	F..	1,202										4
15	Parentage unknown.....	F..	682										1
16	Foreign.....	F..	1,713									2	4
17	Unknown.....	F..	44										1
18	Colored.....	F..	409										2
19	Negro.....	F..	405										
20	Indian.....	F..	1										
21	Chinese.....	F..	2										
22	Japanese.....	F..	1										
<i>Cancer of the vagina and vulva.</i>													
23	Total.....	F..	170										1
24	White.....	F..	163										1
25	Native.....	F..	117										1
26	Both parents native.....	F..	72										
27	One of both parents foreign.....	F..	30										1
28	Parentage unknown.....	F..	15										
29	Foreign.....	F..	44										
30	Unknown.....	F..	2										
31	Colored—Negro.....	F..	7										
<i>Others of this class.</i>													
32	Total.....	F..	42	1					1				
33	White.....	F..	42	1					1				
34	Native.....	F..	33	1					1				
35	Both parents native.....	F..	21	1					1				
36	One of both parents foreign.....	F..	8										
37	Parentage unknown.....	F..	4										
38	Foreign.....	F..	9										
CANCER OF THE BREAST.													
39	Total.....		5,052									4	6
40	Males.....		81										
41	Females.....		4,971									4	6
42	White.....		4,897									4	6
43	Males.....		81										
44	Females.....		4,816									4	6
45	Native.....		3,608									4	4
46	Males.....		52										
47	Females.....		3,556									4	4
48	Both parents native.....	M..	25										
		F..	2,086									1	2
49	One or both parents foreign.....	M..	18										
		F..	996									3	2
50	Parentage unknown.....	M..	9										
		F..	474										
51	Foreign.....		1,260										2
52	Males.....		29										
53	Females.....		1,231										2
54	Unknown.....	F..	29										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.		100 years and over.
16	13	37	58	46	61	50	53	25	14	10	4	2				1
16	13	35	56	45	60	50	52	25	14	10	4	2				2
13	8	29	44	32	44	36	36	21	9	5	3	1				3
6	4	17	20	12	22	16	22	15	8	2	3					4
5	4	10	20	15	19	13	11	4	1	1						5
2		2	4	5	3	7	3	2	2	2		1				6
3	5	5	12	13	16	14	16	4	5	5	1	1				7
		1														8
		2	2	1	1		1									9
97	242	516	783	916	1,007	926	724	564	401	244	117	38	11	3		7
82	216	467	720	852	945	883	688	544	387	231	116	37	11	3		7
64	167	342	513	612	678	650	504	377	255	153	85	28	5			6
36	94	187	290	334	340	363	301	246	176	101	60	21	5			6
21	60	108	162	192	241	175	116	58	36	19	9	1				14
7	13	47	61	86	97	112	87	73	43	33	6	16				15
18	49	121	198	239	262	228	181	161	129	74	30	8	6	3		16
		4	9	1	5	5	3	6	3	4	1	1				1
15	26	49	63	64	62	43	36	20	14	13	1	1				18
15	26	48	63	63	61	42	36	20	14	13	1	1				19
		1			1	1										20
				1												21
																22
	8	5	9	14	13	18	16	24	24	15	13	7	3			23
	6	4	8	14	11	18	15	24	24	15	13	7	3			24
	6	2	5	11	6	12	14	18	16	8	9	7	2			25
	3	2	4	3	3	7	12	10	10	5	7	7	1			26
	3		1	2	3	4	1	5	3	2	2					27
			1			1	1	3	3	1	2		1			28
		1	3	3	5	6	1	5	8	7	4		1			29
		1						1								30
	2	1	1		2		1									31
1	2	2	3	6	3	5	7	3	3	5			1			32
1	2	2	3	6	3	5	7	3	3	5			1			33
1	2	1	1	5	3	5	5	2	3	3			1			34
1	2	1		4		2	5	2		3						35
			1	1	3	2			1							36
						1			2				1			37
		1	2	1			2	1		2						38
44	101	301	460	646	671	658	551	529	435	311	207	93	23	6		6
1	2	3	4	7	12	8	12	13	9	6	2	1	1			40
43	99	298	456	639	659	650	539	516	426	305	205	92	22	6		41
40	94	234	447	624	644	640	541	509	429	307	204	90	23	5		6
1	2	3	4	7	12	8	12	13	9	6	2	1	1			43
39	92	281	443	617	632	632	529	496	420	301	202	89	22	5		6
34	74	218	337	453	485	488	382	346	323	213	158	63	19	3		4
1	2	2	4	4	8	6	6	7	6	3	1	1	1			46
33	72	216	333	449	477	482	376	339	317	210	157	62	18	3		4
1		1	3	1	3	2	1	5	4	2	1		1			47
21	37	114	189	236	240	262	234	227	211	148	102	40	16	2		4
		1	1	3	4	3	3	3		1						48
10	30	86	121	168	182	170	85	52	44	17	18	7	1			49
					1	1	2	2	2	2		1	1			50
2	5	16	23	45	55	50	57	60	62	45	37	15	1	1		
6	20	65	108	169	158	148	153	159	104	91	46	26	2	2		1
		1		3	4	2	6	6	3	3	1					52
6	20	64	108	166	154	146	147	153	101	88	45	26	2	2		1
		1	2	2	1	4	6	4	2	3	1	2	2			1

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.		
CANCER OF THE FEMALE GENITAL ORGANS—contd.														
CANCER OF THE BREAST—continued.														
1	Colored.....	155												
2	Negro..... F	152												
3	Indian..... F	3												
CANCER OF THE SKIN.														
4	Total.....	1,838	5	1	3	2	5	16	3	4	2	4		
5	Males.....	1,177	1	1	1	1	2	6		3	2	2		
6	Females.....	661	4		2	1	3	10	3	1		2		2
7	White.....	1,816	4	1	3	2	5	15	3	3	2	4		
8	Males.....	1,169	1	1	1	1	2	6		2	2	2		2
9	Females.....	647	3		2	1	3	9	3	1		2		2
10	Native.....	1,269	3	1	3	2	5	14	3	3	2	4		4
11	Males.....	847	2	1	1	1	2	6		2	2	2		2
12	Females.....	422	1		2	1	3	8	3	1		2		2
13	Both parents native.....	517	1	1	1	1	1	5		2		1		1
14	One or both parents foreign.....	252			2		2	4	2	1		2		1
15	Parentage unknown.....	137												
16	Foreign.....	77	2			1	1	4	1					1
17	Males.....	193						1						
18	Females.....	93												
19	Unknown.....	512	1					1						
20	Males.....	298												
21	Females.....	214	1					1						
22	Colored.....	35												
23	Negro.....	24												
24	Total.....	11												
25	Males.....	22	1					1		1				
26	Females.....	8	1					1						
27	Cancer of other organs or of organs not specified.	14												
28	Total.....	7,244	27	26	44	27	21	145	73	54	107	113		
29	Males.....	4,566	14	13	26	16	9	78	41	30	53	78		
30	Females.....	2,678	13	13	18	11	12	67	32	24	54	35		
31	White.....	7,053	26	25	43	26	20	140	71	50	102	109		
32	Males.....	4,448	14	12	25	16	9	76	41	27	53	75		
33	Females.....	2,605	12	13	18	10	11	64	30	23	49	34		
34	Native.....	4,548	26	24	43	26	20	139	68	46	89	89		
35	Males.....	2,780	14	11	25	16	9	75	39	24	45	62		
36	Females.....	1,768	12	13	18	10	11	64	29	22	44	27		
37	Both parents native.....	1,563	5	6	14	12	3	40	20	15	27	34		
38	One or both parents foreign.....	1,052	5	12	10	5	9	41	18	13	27	15		
39	Parentage unknown.....	779	9	5	10	4	6	34	17	9	17	26		
40	Foreign.....	487	7	1	8	5	2	23	10	8	17	12		
41	Males.....	438			1			1	2		1	2		
42	Females.....	229						1	1	1				
43	Unknown.....	2,433		1				1	2	4	12	20		
44	Males.....	1,616		1				1	1	3	8	13		
45	Females.....	817							1	1	4	7		
46	Colored.....	72							1		1			
47	Males.....	52								1				
48	Females.....	20									1			
49	Negro.....	191	1	1	1	1	1	5	2	4	5	4		
50	Males.....	118		1	1			2		3		3		
51	Females.....	73	1			1	1	3	2	1	5	1		
52	Indian.....	111	1	1				2		2		3		
53	Chinese.....	72				1	1	3	1	1	5	1		
54	Cancer of the larynx.	2								1				
55	Total.....	1												
56	Males.....	57	1	1	1			3	1		1			
57	Females.....	5												

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.		
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
4	7	17	13	22	27	18	10	20	6	4	3	3		1		1		
4	7	17	13	22	27	18	10	18	6	4	3	2		1		2		
								2				1				3		
5	11	14	30	70	124	127	178	222	274	273	242	158	59	10	5	7	4	
4	6	10	14	53	84	93	119	160	183	168	139	88	81	4	2	6	5	
1	5	4	16	17	40	34	59	62	91	105	103	70	28	6	3	1	6	
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	7	7	
4	6	10	13	53	82	91	119	160	182	167	139	88	81	4	2	6	8	
1	5	3	15	16	39	34	57	61	90	105	99	69	28	6	3	1	9	
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3	10	
3	3	8	8	41	59	70	91	108	131	114	100	68	25	2	1	3	11	
1	3	3	12	11	25	24	37	40	60	67	58	42	16	4	3		12	
2	3	4	4	27	29	37	57	62	81	69	67	46	19	1	1	1	13	
	2	2	4	5	11	16	22	30	40	42	36	23	7	2	2		14	
1		4	4	12	19	23	18	14	11	4	5	1	1				15	
1			6	4	8	4	13	5	9	8	5	4	3	1	1	1	14	
			2	2	11	10	16	28	36	34	29	17	5	1	1	1	2	
	1	1	2	2	6	4	10	5	11	17	17	15	6	1	1	1	2	
1	5	2	7	17	37	29	38	69	76	82	78	46	17	4	1	2	16	
1	3	2	4	12	23	20	23	49	46	47	38	20	6	2	1	1	17	
	2		3	5	14	9	15	20	30	35	40	26	11	2		1	18	
			1			2	8	4	5	9	2	1	1			2	19	
						1	5	3	5	6	1					2	20	
						1	3	1	1	3	1	1	1				21	
		1	2	1	3	2	2	1	2	1	4	1					22	
						2	2	1	1	1	1						23	
		1	1	1	2	2	2	1	1	1	4	1					23	
124	167	250	400	506	738	838	901	959	855	544	312	121	25	5	1	6	24	
78	99	143	224	300	430	538	595	643	591	346	202	72	16	3	1	5	25	
46	68	107	176	206	308	300	306	316	264	198	110	49	9	2		1	26	
121	159	237	384	486	718	820	881	944	834	533	310	118	25	5	1	5	27	
76	94	134	217	289	418	526	580	631	574	341	201	71	16	3	1	4	28	
45	65	103	167	197	300	294	301	313	260	192	109	47	9	2		1	29	
87	115	167	259	288	434	522	529	577	511	344	188	71	18	3		4	30	
50	69	97	141	157	236	325	348	371	353	207	123	43	10	2		3	31	
37	46	70	118	131	198	197	181	206	158	137	65	28	8	1		1	32	
27	31	59	74	74	116	149	198	225	229	143	73	27	8	2		2	33	
22	31	40	59	71	100	104	112	131	98	104	43	18	5				34	
19	33	29	67	61	94	126	97	74	42	17	14	3					34	
12	14	24	50	48	77	63	51	39	21	10	6	2					35	
4	5	9	10	22	26	50	53	72	82	47	36	13	2				35	
3	1	6	9	12	21	30	18	36	39	23	16	8	3	1		1	35	
34	41	69	123	194	275	289	344	356	313	182	118	46	7	2	1		36	
26	22	36	74	130	174	196	225	252	215	130	74	28	6	1	1		37	
8	19	33	49	64	101	93	119	104	98	52	44	18	1	1			38	
	3	1	2	4	9	9	8	11	10	7	4	1				1	39	
	3	1	2	2	8	5	7	8	6	4	4					1	40	
				2	1	4	1	3	4	3		1					41	
3	8	13	16	20	20	18	20	15	21	11	2	3				1	42	
2	5	9	7	11	12	12	15	12	17	5	1	1				1	43	
1	3	4	9	9	8	6	5	3	4	6	1	2					44	
2	5	8	7	11	12	11	13	12	16	5	1					1	45	
1	3	4	9	9	8	6	5	3	4	6	1	1					46	
												1						47
		1				1	2		1									47
3	1	10	17	24	45	43	55	51	29	21	8	4	1	1			48	
3		5	13	19	38	40	44	44	25	19	7	2	1				49	
	1	5	4	5	7	3	11	7	4	2	1	2		1			50	

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
<i>Cancer of the larynx—Continued.</i>												
1	White.....	308	1	1	1			3	1		1	
2	Males.....	255						3	1			
3	Females.....	53	1	1	1						1	
4	Native.....	150	1	1	1			3	1		1	
5	Males.....	121							1			
6	Females.....	29	1	1	1			3			1	
7	Both parents native.....	55										
8	One or both parents foreign.....	20		1	1			2			1	
9	Parentage unknown.....	43										
		4	1					1				
		23							1			
		5										
10	Foreign.....	153										
11	Males.....	129										
12	Females.....	24										
13	Unknown..... M.	5										
14	Colored.....	10										
15	Negro.....	6										
		4										
<i>Cancer of the lung and pleura.</i>												
16	Total.....	333					1	1	2	4	6	17
17	Males.....	187						1	1	3	4	11
18	Females.....	146							1	1	2	6
19	White.....	328					1	1	2	4	6	17
20	Males.....	185						1	1	3	4	11
21	Females.....	143							1	1	2	6
22	Native.....	174					1	1	1	3	4	10
23	Males.....	91						1		2	2	6
24	Females.....	83							1	1	2	4
25	Both parents native.....	47								2	2	3
26	One or both parents foreign.....	50								1		1
27	Parentage unknown.....	30					1	1				3
		24							1		2	3
		14										
		9										
28	Foreign.....	154							1	1	2	7
29	Males.....	94								1	2	5
30	Females.....	60										2
31	Colored.....	5										
32	Negro.....	2										
		3										
<i>Cancer of the pancreas.</i>												
33	Total.....	617							1	1		2
34	Males.....	325								1		1
35	Females.....	292							1			1
36	White.....	599							1	1		2
37	Males.....	314								1		1
38	Females.....	285							1			1
39	Native.....	384							1	1		2
40	Males.....	188								1		1
41	Females.....	196							1			1
42	Both parents native.....	106										1
43	One or both parents foreign.....	116							1	1		1
44	Parentage unknown.....	48										
		47										
		34										
		33										
45	Foreign.....	210										
46	Males.....	121										
47	Females.....	89										
48	Unknown..... M.	5										
49	Colored.....	18										
50	Males.....	11										
51	Females.....	7										
52	Negro.....	10										
		7										
53	Chinese..... M.	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
3	1	10	14	23	44	43	53	51	27	21	8	3	1	1		1
3		5	12	18	38	40	42	44	23	19	7	2	1			2
	1	5	2	5	6	3	11	7	4	2	1	1		1		3
1		6	9	7	16	22	28	27	13	8	4	2	1	1		4
1		3	8	6	14	21	21	23	11	7	3	1	1			5
		3	1	1	2	1	7	4	2	1	1	1		1		6
		2	3	1	5	7	10	13	7	3	2	1	1			7
		1	1	1	1	1	6	3	2	1	1	1				8
		2	5	5	7	10	8	4								9
					2	4	3	6	4	3	1					10
					1	1	1	1			1					11
2	1	4	5	16	27	21	24	24	12	12	4	1				12
2		2	4	12	23	19	20	21	10	11	4	1				13
	1	2	1	4	4	2	4	3	2	1						14
			3	1	1	1	1	2	2	2		1				15
			1	1	1								1			16
			2													17
14	11	19	22	33	43	49	47	27	24	9	3	1	1			18
8	7	9	12	21	23	28	27	13	13	2	2	1	1			19
6	4	10	10	12	20	21	20	14	11	7	1					20
13	11	18	21	32	42	49	47	27	24	9	3	1	1			21
8	7	9	11	21	22	28	27	13	13	2	2	1	1			22
5	4	9	10	11	20	21	20	14	11	7	1					23
7	7	12	13	15	21	20	22	16	13	7	2					24
3	4	7	6	6	10	10	15	8	8	1	2					25
4	3	5	7	9	11	10	7	8	5	6						26
	2	5	3	3	5	3	6	6	7	3	1					27
	2	4	3	2	7	7	5	2	2	2	6					28
	1	1	3	4	3	3	1	2	1	1	1					29
	1	1	1	1	2	4	2	4	1	1						30
6	4	6	8	17	21	29	25	11	11	2	1	1	1			31
5	3	2	5	15	12	18	12	5	5	1		1	1			32
1	1	4	3	2	9	11	13	6	6	1	1					33
1		1	1	1	1											34
5	11	25	40	53	77	93	97	85	68	44	9	6				35
4	3	14	26	32	37	50	58	45	32	17	2	3				36
1	8	11	14	21	40	43	39	40	36	27	7	3				37
5	9	24	38	50	75	91	95	84	66	43	9	6				38
4	3	13	25	30	36	48	57	44	30	17	2	3				39
1	6	11	13	20	39	43	38	40	36	26	7	3				40
4	6	17	27	28	46	62	62	45	45	29	6	3				41
3	1	8	18	14	20	31	36	22	23	9		1				42
1	5	9	9	14	26	31	26	23	22	20	6	2				43
	4	4	10	6	10	17	21	14	13	7	1	1				44
	4	7	5	9	14	16	15	11	15	12	4	2				45
	1	3	5	4	6	10	9	5	2	1	1	1				46
	1	2	4	2	11	10	7	7	1	1	1	1				47
	1	1	3	4	4	4	6	3	8	1	1	1				48
	1	1	3	3	1	5	4	5	6	7	1					49
1	3	7	10	22	28	28	32	38	21	14	3	3				50
1	2	5	6	16	15	16	20	21	7	8	2	2				51
	1	2	4	6	13	12	12	17	14	6	1	1				52
			1		1	1	1	1								53
			1	2	1	2	1	1	2							54
			2	3	2	2	2	1	2	1						55
			1	1	1	1	1	1	1							56
			1	1	1	2	1	1	1							57
			1	1	1	1	1	1	1							58
			1	1	1	1	1	1	1							59
			1	1	1	1	1	1	1							60

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
<i>Cancer of other organs or of organs not specified—continued.</i>												
<i>Cancer of the kidneys and suprarenals.</i>												
1	Total.....	467	7	8	20	9	6	50	22	4	8	7
2	Males.....	239	3	5	13	5	3	29	15	1	4	4
3	Females.....	228	4	3	7	4	3	21	7	3	4	3
4	White.....	452	6	8	20	9	6	49	21	4	8	6
5	Males.....	230	3	5	13	5	3	29	15	1	4	3
6	Females.....	222	3	3	7	4	3	20	6	3	4	3
7	Native.....	324	6	7	20	9	6	48	21	4	5	4
8	Males.....	156	3	4	13	5	3	28	15	1	2	3
9	Females.....	168	3	3	7	4	3	20	6	3	3	1
10	Both parents native.....	98	3	3	7	3	3	13	7	1	1	2
11	One or both parents foreign.....	96	3	3	3	2	3	14	3	2	1	1
12	Parentage unknown.....	50	3	1	6	2	3	15	7	1	2	1
13	Foreign.....	15			4	2		6	3			1
14	Males.....	22						1	1			
15	Females.....	126		1				1			3	2
16	Unknown.....	72		1				1			2	
17	Colored.....	54									1	2
18	Negro.....	2										
19	Indian.....	15	1					1	1			1
20	Negro.....	9						1				1
21	Indian.....	6	1					1	1			
<i>Cancer of the prostate.</i>												
22	Total.....	716										
23	White.....	701										
24	Native.....	458										
25	Both parents native.....	287										
26	One or both parents foreign.....	86										
27	Parentage unknown.....	85										
28	Foreign.....	237										
29	Unknown.....	6										
30	Colored.....	15										
31	Negro.....	14										
32	Indian.....	1										
<i>Cancer of the bladder.</i>												
33	Total.....	915	1		1		1	3			2	1
34	Males.....	648	1		1			2			2	
35	Females.....	267					1	1				1
36	White.....	897	1		1		1	3			2	1
37	Males.....	633	1		1			2			2	
38	Females.....	264					1	1				1
39	Native.....	561	1		1		1	3			2	
40	Males.....	386	1		1			2			2	
41	Females.....	175					1	1				
42	Both parents native.....	213						1			1	
43	One or both parents foreign.....	103			1		1	2				
44	Parentage unknown.....	103	1		1						1	
45	Foreign.....	46										
46	Unknown.....	70										
47	Foreign.....	26										
48	Foreign.....	330										1
49	Males.....	243										1
50	Females.....	87										
51	Unknown.....	6										
52	Males.....	4										
53	Females.....	2										
54	Colored.....	18										
55	Males.....	15										
56	Females.....	3										
57	Negro.....	14										
58	Chinese.....	3										
59	Chinese.....	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.		
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.														
Cancer of the brain.														
1	Total.....	123		1	1				2	3	2	8	5	
2	Males.....	66		1	1				2	2	1	2	3	
3	Females.....	57								1	1	6	2	
4	White.....	120		1	1				2	3	2	8	4	
5	Males.....	63		1	1				2	2	1	2	2	
6	Females.....	57								1	1	6	2	
7	Native.....	84		1	1				2	3	2	7	4	
8	Males.....	44		1	1				2	2	1	2	2	
9	Females.....	40								1	1	5	2	
10	Both parents native.....	29		1	1				2	1	1	2	1	
11	One or both parents foreign.....	21								1	1	3	1	
12	Parentage unknown.....	12								1	1		1	
13	Foreign.....	15										2	1	
14	Males.....	8												
15	Females.....	7												
16	Colored—Negro..... M.	3											1	
Cancer of the bones (except jaw).														
17	Total.....	448	2	4	2	4	2	14	14	15	27	20		
18	Males.....	229		1	1	2		4	8	8	15	13		
19	Females.....	219	2	3	1	2	2	10	6	7	12	7		
20	White.....	433	2	4	2	4	2	14	14	14	25	19		
21	Males.....	220		1	1	2		4	8	7	15	13		
22	Females.....	213	2	3	1	2	2	10	6	7	10	6		
23	Native.....	311	2	4	2	4	2	14	13	13	24	17		
24	Males.....	160		1	1	2		4	7	6	15	11		
25	Females.....	151	2	3	1	2	2	10	6	7	9	6		
26	Both parents native.....	92		1	1	1		2	3	5	8	6		
27	One or both parents foreign.....	93	1	2		1	2	6	5	4	5	4		
28	Parentage unknown.....	49		1	1	1		2	4	1	7	4		
29	Foreign.....	45	1	1	1	1		4		2	4	2		
30	Males.....	19										1		
31	Females.....	13							1	1				
32	Unknown.....	6												
33	Males.....	4												
34	Females.....	2							1					
35	Colored.....	15									1	2		
36	Negro..... M.	9									1			
37	F.....	6									2	1		
Cancer of the testes.														
38	Total..... M.	111			1		1	2		3	2	10		
39	White..... M.	111			1		1	2		3	2	10		
40	Native..... M.	84			1		1	2		3	1	9		
41	Both parents native..... M.	52			1			1		2	1	5		
42	One or both parents foreign..... M.	30					1	1		1		4		
43	Parentage unknown..... M.	2												
44	Foreign..... M.	25									1	1		
45	Unknown..... M.	2												
Others of this class.														
46	Total.....	3,196	16	12	18	14	10	70	30	25	53	51		
47	Males.....	1,784	10	6	9	9	4	38	14	13	24	36		
48	Females.....	1,412	6	6	9	5	6	32	16	12	29	15		
49	White.....	3,104	16	11	17	13	9	66	29	22	50	50		
50	Males.....	1,736	10	5	8	9	4	36	14	11	24	35		
	Females.....	1,368	6	6	9	4	5	30	15	11	26	15		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.		100 years and over.
8	10	12	10	17	16	13	5	9	3							1
3	7	4	7	11	10	7	2	5								2
5	3	8	3	6	6	6	3	4	3							3
8	10	11	10	17	16	12	5	9	3							4
3	7	3	7	11	10	6	2	5								5
5	3	8	3	6	6	6	3	4	3							6
6	7	7	9	9	10	10	4	3	1							7
3	5	2	7	4	5	5	2	2								8
3	2	5	2	5	5	5	2	1	1							9
2	2	2	3	3	4	4	2	1								10
3	2	1	1	3	2	2	1									11
2	2		4	1	1	1	1	1								12
1	1	3	1	1	3	2	1	1								13
2	3	4	1	8	6	2	1	6	2							14
2	2	1	3	7	5	1	1	3								15
1	1	3	1	1	1	1	1	3	2							16
		1				1										17
19	19	15	34	28	47	41	41	45	40	17	8	1	2			18
10	10	9	17	10	22	24	20	27	21	6	3	1				19
9	9	6	17	18	25	17	21	18	19	11	5		2			20
19	17	14	33	28	47	40	39	45	38	15	8	1	2			21
10	9	8	16	10	22	23	19	27	19	5	3	1				22
9	8	6	17	18	25	17	20	18	19	10	5		2			23
15	13	10	22	15	29	27	26	27	28	11	4	1	2			24
8	7	5	11	5	15	16	13	15	15	4	2	1				25
7	6	5	11	10	14	11	13	12	13	7	2		2			26
6	3	5	6	2	8	9	8	7	11	2	1					27
5	4	3	3	5	7	6	7	9	10	7	2		1			28
2	2	2	4	1	6	4	5	5			1					29
2	2	2	7	5	5	5	3	2			1					30
1	1	2	1	2	1	3	3	3	4	2	1					31
		1	1		2		3	1	3		1					32
4	3	4	11	12	18	11	13	18	10	4	4					33
2	1	3	5	5	7	6	6	12	4	1	1					34
2	2	1	6	7	11	5	7	6	6	3	3					35
	1			1		2										36
	1					1										37
				1		1										38
	2	1	1			1	2		2	2						39
	1	1	1			1	1		2	1						40
	1						1		1	1						41
10	9	13	12	13	5	5	6	7	7	4	3					42
10	9	13	12	13	5	5	6	7	7	4	3					43
9	9	11	10	12	3	4	3	3	3	1	1					44
5	5	6	7	7	2	4	2	2	2	1						45
4	4	5	3	5	1		1	1	1		1					46
1		2	2	1	2	1	3	4	3	3	1					47
									1		1					48
52	76	108	191	234	330	364	363	391	363	221	183	72	14	4		49
36	46	60	92	131	168	204	205	224	222	113	108	38	9	3		50
16	30	48	99	103	162	160	158	167	141	108	75	34	5	1		51
51	73	103	185	222	320	354	353	380	357	218	181	71	14	4		52
35	43	56	91	125	164	199	198	216	219	113	107	38	9	3		53
16	30	47	94	97	156	155	155	164	138	105	74	33	5	1		54

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—																	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.								
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.																				
<i>Others of this class—Continued.</i>																				
White—Continued.																				
1	Native.....	2,018	16	11	17	13	9	66	28	20	45	43								
2	Males.....	1,092	10	5	8	9	4	36	14	10	21	30								
3	Females.....	926	6	6	9	4	5	30	14	10	24	13								
4	Both parents native.....	596	5	1	5	8	3	22	9	5	12	16								
	M.....	553	1	6	6	2	3	18	8	5	17	8								
	F.....	323	1	4	2	1	1	13	5	5	9	13								
5	One or both parents foreign.....	256	5		3	2	2	12	6	5	7	5								
	M.....	173			1			1				1								
	F.....	117																		
6	Parentage unknown.....																			
7	Foreign.....	1,046							1	2	4	7								
8	Males.....	620								1	3	5								
9	Females.....	426							1	1	1	2								
10	Unknown.....	40									1									
11	Males.....	24																		
12	Females.....	16																		
13	Colored.....	92		1	1	1	1	4	1	3	3	1								
14	Males.....	48		1	1			2		2	1	1								
15	Females.....	44				1	1	2	1	1	3	1								
16	Negro.....	44		1	1			2		1	1	1								
	M.....	43				1	1	2		1	1	1								
	F.....	1																		
17	Indian.....	1								1										
	M.....	1																		
	F.....	1																		
18	Chinese.....	3																		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.		100 years and over.
35	53	71	120	145	211	231	205	230	210	141	107	42	12	2	1	1
21	30	40	52	78	101	131	112	123	129	68	63	24	7	2		2
14	23	31	68	67	110	100	93	107	81	73	44	18	5			3
11	15	24	21	35	50	64	63	73	76	42	37	14	5	2		4
6	15	17	34	39	55	52	60	74	48	54	29	11	3			5
9	13	12	27	33	43	51	29	27	18	6	7	3				6
6	8	10	29	24	43	32	24	18	15	6	4	2				
1	2	4	4	10	8	16	20	23	35	20	19	7	2			
2		4	5	4	12	16	9	15	18	13	11	5	2			1
16	18	31	64	74	104	119	144	143	143	73	71	28	2	2		7
14	11	15	38	45	59	67	83	89	89	43	41	14	2	1		8
2	7	16	26	29	45	52	61	54	54	30	30	14		1		9
	2	1	1	3	5	4	4	7	4	4	3	1				10
	2	1	1	2	4	1	3	4	1	2	3					11
				1	1	3	1	3	3	2		1				12
1	3	5	6	12	10	10	10	11	6	3	2	1				13
1	3	4	1	6	4	5	7	8	3		1					14
		1	5	6	6	5	3	3	3	3	1	1				15
1	3	4	1	6	4	4	5	8	3		1					16
		1	5	6	6	5	3	3	3	3	1	1				17
																18
						1	2									

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
SINGLE.																
Total.....	5,572	736	361	289	371	544	672	603	603	481	424	285	132	40	24	7
Males.....	2,570	402	192	125	150	228	290	273	305	227	203	104	51	11	8	1
Females.....	3,002	334	169	164	221	316	382	330	298	254	221	181	81	29	16	6
White.....	5,405	707	338	270	361	531	657	586	584	470	421	282	129	40	22	7
Males.....	2,494	389	186	115	145	221	284	270	288	221	202	104	50	11	7	1
Females.....	2,911	318	152	155	216	310	373	316	296	249	219	178	79	29	15	6
Native.....	3,794	637	241	196	260	366	446	410	392	278	264	176	76	32	16	4
Males.....	1,537	346	125	70	84	125	162	160	165	110	104	49	26	7	4	-----
Females.....	2,257	291	116	126	176	241	284	250	227	168	160	127	50	25	12	4
Both parents native.....	712	193	60	29	35	38	58	60	78	59	47	31	16	5	3	-----
One or both parents foreign.....	263	167	61	63	79	116	143	118	134	114	116	88	34	17	10	3
Parentage unknown.....	142	59	31	42	73	72	77	49	26	19	3	2	-----	-----	-----	-----
Males.....	830	117	51	58	88	109	126	115	78	29	28	19	7	3	1	1
Females.....	230	11	6	10	7	14	32	23	38	25	38	15	8	2	1	-----
Parentage unknown.....	164	7	4	5	9	16	15	17	15	25	16	20	9	5	1	-----
Foreign.....	1,505	67	92	68	97	160	197	166	178	177	147	98	48	4	5	1
Males.....	890	41	58	40	58	92	112	102	114	103	93	50	21	3	3	-----
Females.....	615	26	34	28	39	68	85	64	64	74	54	48	27	1	2	1
Unknown.....	106	3	5	6	4	5	14	10	14	15	10	8	5	4	1	2
Males.....	67	2	3	5	3	4	10	8	9	8	5	5	3	1	-----	1
Females.....	39	1	2	1	1	1	4	2	5	7	5	3	2	3	1	1
Colored.....	167	29	23	19	10	13	15	17	19	11	3	3	3	-----	2	-----
Males.....	76	13	6	10	5	7	6	3	17	6	1	1	-----	-----	1	-----
Females.....	91	16	17	9	5	6	9	14	2	5	2	3	2	-----	-----	1
Negro.....	60	11	6	9	4	6	4	1	12	6	-----	-----	-----	-----	-----	-----
Males.....	39	15	17	9	5	6	9	14	2	4	2	3	2	-----	-----	1
Females.....	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Indian.....	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Chinese.....	9	-----	-----	-----	-----	1	1	1	5	-----	1	-----	-----	-----	-----	-----
Males.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Japanese.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other colored.....	2	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
MARRIED.																
Total.....	27,711	78	1,010	1,424	2,284	3,017	3,824	4,031	3,839	3,490	2,568	1,373	561	152	29	31
Males.....	12,770	20	266	352	643	1,001	1,548	1,842	2,018	1,995	1,586	921	416	129	22	11
Females.....	14,941	58	744	1,072	1,641	2,016	2,276	2,189	1,821	1,495	982	452	145	23	7	20
White.....	26,917	71	952	1,329	2,186	2,895	3,706	3,938	3,764	3,425	2,535	1,350	557	161	29	29
Males.....	12,503	19	258	339	620	970	1,501	1,798	1,988	1,959	1,587	909	413	129	22	11
Females.....	14,414	52	694	990	1,566	1,925	2,205	2,140	1,776	1,466	968	441	144	22	7	18
Native.....	16,832	56	674	901	1,434	1,798	2,261	2,499	2,289	2,068	1,554	809	350	97	21	21
Males.....	7,058	17	171	197	347	485	789	1,028	1,102	1,106	930	522	253	85	17	9
Females.....	9,774	39	503	704	1,087	1,313	1,472	1,471	1,187	962	624	287	97	12	4	12
Both parents native.....	4,050	12	101	110	180	242	414	506	634	705	574	347	155	56	12	2
One or both parents foreign.....	5,618	24	299	380	580	720	758	823	825	632	409	184	70	5	1	8
Parentage unknown.....	1,862	5	60	71	138	189	299	389	287	197	127	62	29	6	1	2
Males.....	2,781	12	165	237	401	435	515	445	273	153	99	37	5	2	1	1
Females.....	1,145	-----	10	16	29	54	76	133	181	204	229	113	69	23	4	5
Parentage unknown.....	1,375	3	39	87	106	158	199	203	189	177	116	66	22	5	2	3
Foreign.....	9,956	14	276	422	737	1,086	1,429	1,419	1,459	1,342	969	535	202	52	8	6
Males.....	5,386	2	87	140	271	479	704	762	875	847	630	383	156	43	5	2
Females.....	4,570	12	189	282	466	607	725	657	584	495	339	152	46	9	3	4
Unknown.....	129	1	2	6	15	11	16	20	16	15	12	6	5	2	-----	2
Males.....	59	-----	-----	2	2	6	8	8	11	6	7	4	4	1	-----	-----
Females.....	70	1	2	4	13	5	8	12	5	9	5	2	1	1	-----	2
Colored.....	794	7	58	95	98	122	118	93	75	65	33	23	4	1	-----	2
Males.....	287	1	8	13	23	31	47	44	30	36	19	12	3	-----	-----	-----
Females.....	527	6	50	82	75	91	71	49	45	29	14	11	1	-----	-----	2
Negro.....	241	1	8	11	22	27	38	41	25	34	19	12	3	-----	-----	-----
Males.....	514	6	48	79	75	89	70	47	44	28	13	11	1	-----	-----	2
Females.....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Indian.....	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	17	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Chinese.....	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Japanese.....	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other colored.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Males.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Females.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
		Under 25-years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.		
WIDOWED.																	
Total.....	13,893	5	38	123	258	488	896	1,325	1,775	2,242	2,469	2,081	1,398	585	202		8
Males.....	3,698	1	4	14	44	85	172	303	413	615	738	598	448	189	71		3
Females.....	10,195	4	34	109	214	403	724	1,022	1,362	1,627	1,731	1,483	950	396	131		5
White	13,452	5	29	108	235	444	827	1,278	1,705	2,191	2,422	2,047	1,381	575	198		7
Males.....	3,630	1	4	12	42	79	164	296	399	609	725	592	447	188	70		2
Females.....	9,822	4	25	96	193	365	663	982	1,306	1,582	1,697	1,455	934	387	128		5
Native	8,066	3	23	69	155	256	503	782	992	1,239	1,415	1,251	877	366	131		4
Males.....	2,026	1	3	6	23	34	79	165	220	319	397	342	269	119	43		1
Females.....	6,040	2	20	63	127	222	424	617	772	920	1,018	909	608	247	88		3
Both parents native.....	1,139	1	1	4	11	14	37	65	109	170	254	206	164	72	31		1
M.....	3,609	1	13	33	62	99	188	321	415	573	671	622	394	161	53		3
F.....	396		3	1	15	14	31	74	73	60	48	39	28	9	1		
One or both parents foreign.....	1,269	1	4	27	48	93	173	204	212	172	140	102	62	23	8		
M.....	491			1	2	6	11	26	38	89	95	97	77	38	11		
F.....	1,162		3	3	17	30	63	92	145	175	207	185	152	63	27		
Parentage unknown.....																	
Foreign	5,266	2	5	38	78	185	314	485	696	928	992	774	496	206	65		2
Males.....	1,549			6	13	42	78	126	174	277	320	244	174	68	27		
Females.....	3,717	2	5	32	65	143	236	359	522	651	672	530	322	138	38		2
Unknown	-120		1	1	2	3	10	11	17	24	15	22	8	3	2		1
Males.....	55		1		1	3	7	5	5	13	8	6	4	1			1
Females.....	65			1	1	3	7	6	12	11	7	16	4	2	2		
Colored	441		9	15	23	44	69	47	70	51	47	34	17	10	4		1
Males.....	68			2	2	6	8	7	14	6	13	6	1	1	1		1
Females.....	373		9	13	21	38	61	40	56	45	34	28	16	9	3		
Negro	66		2	2	2	6	8	7	13	6	13	6	1	1	1		1
M.....	366		9	13	21	38	61	39	55	43	33	27	16	8	3		
F.....	1													1			
Indian	6								1	2	1	1		1			
M.....	1								1					1			
F.....	1																
Chinese	1																
M.....																	
F.....																	
Japanese	1							1									
M.....																	
F.....																	
Other colored																	
M.....																	
F.....																	
DIVORCED.																	
Total.....	403	1	11	23	32	51	62	62	58	43	31	19	7	2	1		
Males.....	172		1	4	8	11	30	24	35	21	19	13	3	2	1		
Females.....	231	1	10	19	24	40	32	38	23	22	12	6	4				
White	392	1	10	20	30	49	61	62	58	43	29	19	7	2	1		
Males.....	168		1	2	7	11	30	24	35	21	18	13	3	2	1		
Females.....	224	1	9	18	23	38	31	38	23	22	11	6	4				
Native	299	1	9	19	28	38	44	45	43	33	18	15	3	2	1		
Males.....	113		1	2	6	7	17	15	23	16	11	11	1	2	1		
Females.....	186	1	8	17	22	31	27	30	20	17	7	4	2				
Both parents native.....	59		1	1	4	5	9	8	9	9	6	5		2			
M.....	114	1	5	10	15	17	16	14	15	10	6	3	2				
F.....	22		1	1	1	2	5	4	3	3	1	1	1				
One or both parents foreign.....	46		2	6	4	9	10	11	1	2	1						
M.....	32			1	1	2	3	3	11	4	4	5					1
F.....	26		1	1	3	5	1	5	4	5	4	1					
Parentage unknown.....																	
Foreign	85		1	1	2	11	14	17	12	9	11	3	4				
Males.....	49				1	4	10	9	10	5	7	1	2				
Females.....	36		1	1	1	7	4	8	2	4	4	2	2				
Unknown	8						3		3	1		1					
Males.....	6						3		2			1					
Females.....	2								1	1							
Colored	11		1	3	2	2	1				2						
Males.....	4			2	1						1						
Females.....	7		1	1	1	2	1				1						
Negro	4			2	1						1						
M.....	7		1	1	1	2	1				1						
F.....	7		1	1	1	2	1										
Indian																	
M.....																	
F.....																	
Chinese																	
M.....																	
F.....																	
Japanese																	
M.....																	
F.....																	
Other colored																	
M.....																	
F.....																	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
UNKNOWN.																
Total.....	407	1	15	13	24	28	46	43	55	54	53	39	23	7	1	5
Males.....	264	1	9	8	15	15	26	31	38	40	37	23	13	4	1	4
Females.....	143	6	5	9	13	20	12	17	14	16	16	10	3	1
White.....	383	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4
Males.....	252	1	8	7	14	15	25	30	36	38	35	23	13	4	3
Females.....	131	6	4	7	11	19	11	15	13	16	14	10	3	1	1
Native.....	201	1	6	6	7	13	24	20	26	25	30	21	17	4	1
Males.....	108	1	4	3	3	5	10	14	15	15	19	9	8	2
Females.....	93	2	3	4	8	14	6	11	10	11	9	9	2	1
Both parents native.....	60	1	4	1	3	7	7	10	10	12	7	5	2
F.....	45	2	4	5	2	4	5	2	6	4	6	1
One or both parents foreign.....	8	1	4	1
F.....	27	2	3	9	2	3	2	2	2	1	1
Parentage unknown.....	40	3	2	1	5	7	5	5	3	3	3	2	1
F.....	21	3	3	6	3	3	2
Foreign.....	124	7	4	10	9	13	14	18	16	14	12	4	3
Males.....	93	3	4	8	6	9	12	14	13	9	10	3	2
Females.....	31	4	2	3	4	2	4	3	5	2	1	1
Unknown.....	58	1	1	4	4	7	7	7	10	7	4	2	1	3
Males.....	51	1	3	4	6	4	7	10	7	4	2	3
Females.....	7	1	1	1	3	1
Colored.....	24	1	2	3	2	2	2	4	3	2	2	1
Males.....	12	1	1	1	1	1	2	2	2	1
Females.....	12	1	2	2	1	1	2	1	2
Negro.....	10	1	1	1	1	1	1	1	2	1
F.....	12	1	2	2	1	1	2	1	2
Indian.....
F.....
Chinese.....	2	1	1
F.....
Japanese.....
F.....
Other colored.....
F.....

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.